Day-2-Quering and Manipulation of Data (Assignment-1)

```sql
/*Day-2 Quering and Manipulation of Data*/

/*I. Create Database command.*/
CREATE DATABASE Sample;
USE Sample;
```

Output:

```
Messages
    Commands completed successfully.

    Completion time: 2025-12-29T21:40:47.1332068+05:30
```

```sql
/*II. Create table commands for all the tables with constraints, relationships etc.*/
CREATE TABLE Customers(
    CustomerID INT IDENTITY PRIMARY KEY,
    FirstName VARCHAR(50),
    LastName VARCHAR(50),
    DateOfBirth DATE,
    Phone VARCHAR(15),
    Email VARCHAR(100)
);
CREATE TABLE Agents(
    AgentID INT IDENTITY PRIMARY KEY,
    AgentName VARCHAR(100),
    Phone VARCHAR(15),
    City VARCHAR(50)
);
CREATE TABLE Policies(
    PolicyID INT IDENTITY PRIMARY KEY,
    PolicyName VARCHAR(100),
    PolicyType VARCHAR(50),
    PremiumAmount DECIMAL(10,2),
    DurationYears INT
);
CREATE TABLE PolicyAssignments(
    AssignmentID INT IDENTITY PRIMARY KEY,
    CustomerID INT,
    PolicyID INT,
    AgentID INT,
    StartDate DATE,
    EndDate DATE NULL,
    CONSTRAINT fk_customer_assign
    FOREIGN KEY (CustomerID) REFERENCES Customers(CustomerID),
    CONSTRAINT fk_policy_assign
    FOREIGN KEY (PolicyID) REFERENCES Policies(PolicyID),
    CONSTRAINT fk_agent_assign
    FOREIGN KEY (AgentID) REFERENCES Agents(AgentID)
);
```

```sql
CREATE TABLE Claims(
    ClaimID INT IDENTITY PRIMARY KEY,
    AssignmentID INT FOREIGN KEY REFERENCES PolicyAssignments(AssignmentID),
    ClaimDate DATE,
    ClaimAmount DECIMAL(10,2),
    ClaimStatus VARCHAR(20)
);
```

Output:

```
Messages
        Commands completed successfully.

        Completion time: 2025-12-29T21:40:27.9920844+05:30
```

```sql
/*III. Insert commands for all tables.*/
/* Insert commands for Customers table.*/
INSERT INTO Customers(CustomerID, FirstName, LastName, DateOfBirth, Phone, Email)
VALUES
(1,'Rahul','Sharma','1999-03-15','9876500011','rahul@gmail.com'),
(2,'Priya','Patel','2002-06-10','9876500012','priya@gmail.com'),
(3,'Aman','Verma','2005-01-10','9876500013','aman@gmail.com'),
(4,'Sneha','Reddy','2000-12-25','9876500014','sneha@gmail.com'),
(5,'Rohit','Mehta','2003-09-09','9876500015','rohit@gmail.com'),
(6,'Neha','Kapoor','1998-11-01','9876500016','neha@gmail.com'),
(7,'Kiran','Nair','2004-07-18','9876500017','kiran@gmail.com'),
(8,'Arjun','Singh','2001-02-20','9876500018','arjun@gmail.com'),
(9,'Meera','Iyer','1997-05-11','9876500019','meera@gmail.com'),
(10,'Vikas','Kumar','2002-10-30','9876500020','vikas@gmail.com'),
(11, 'Harish', 'Rao', '2001-12-12', '9876500021', 'harish@gmail.com'),
(12, 'Sanjana', 'Pillai', '2004-04-14', '9876500022', 'sanjana@gmail.com');

/* Insert commands for Agents table.*/
INSERT INTO Agents(AgentID, AgentName, Phone, City)
VALUES
(1,'Ramesh','998800001','Delhi'),
(2,'Suresh','998800002','Mumbai'),
(3,'Mahesh','998800003','Bangalore'),
(4,'Kamal','998800004','Chennai'),
(5,'Sameer','998800005','Pune'),
(6,'Naman','998800006','Surat'),
(7,'Satish','998800007','Patna'),
(8,'Gagan','998800008','Nagpur'),
(9,'Rajat','998800009','Jaipur'),
(10,'Tarun','998800010','Kochi'),
(11,'Krishna','998800011','Mumbai');
```

```sql
/* Insert commands for Policies table.*/
INSERT INTO Policies(PolicyID, PolicyName, PolicyType, PremiumAmount, DurationYears)
VALUES
(1,'Life Secure','Life',15000,5),
(2,'Health Plus','Health',12000,1),
(3,'Motor Protect','Motor',8000,2),
(4,'Health Shield','Health',18000,1),
(5,'Life Protect','Life',20000,10),
(6,'Motor Basic','Motor',6000,1),
(7,'Health Care','Health',9000,3),
(8,'Life Premium','Life',25000,15),
(9,'Motor Supreme','Motor',11000,2),
(10,'Travel Guard','Travel',7000,1);

/* Insert commands for PolicyAssignments table.*/
INSERT INTO PolicyAssignments(AssignmentID, CustomerID, PolicyID, AgentID,
StartDate, EndDate)
VALUES
(1,1,1,1,'2022-01-01','2027-01-01'),
(2,2,2,2,'2023-02-01','2024-02-01'),
(3,3,3,3,'2024-03-01',NULL),
(4,4,4,4,'2023-04-01','2024-04-01'),
(5,5,5,5,'2020-05-01','2030-05-01'),
(6,6,6,6,'2022-06-01','2023-06-01'),
(7,7,7,7,'2023-07-01','2026-07-01'),
(8,8,8,8,'2024-08-01',NULL),
(9,9,9,9,'2021-09-01','2023-09-01'),
(10,10,2,10,'2024-01-15','2025-01-15');

/* Insert commands for Claims table.*/
INSERT INTO Claims(ClaimID, AssignmentID, ClaimDate, ClaimAmount, ClaimStatus)
VALUES
(1,1,'2023-05-10',30000,'Approved'),
(2,2,'2023-07-12',15000,'Rejected'),
(3,3,'2024-02-20',18000,'Pending'),
(4,4,'2023-06-15',22000,'Approved'),
(5,5,'2024-01-10',75000,'Rejected'),
(6,6,'2022-09-01',12000,'Approved'),
(7,7,'2024-03-05',40000,'Pending'),
(8,8,'2024-04-15',50000,'Approved'),
(9,9,'2022-12-01',9000,'Rejected'),
(10,10,'2025-01-10',35000,'Approved');
```

```sql
/*IV. Select commands*/
/*1. View all records Customers table.*/
SELECT * FROM Customers;
```

Output:

	CustomerID	FirstName	LastName	DateOfBirth	Phone	Email
1	1	Rahul	Sharma	1999-03-15	9876500011	rahul@gmail.com
2	2	Priya	Patel	2002-06-10	9876500012	priya@gmail.com
3	3	Aman	Verma	2005-01-10	9876500013	aman@gmail.com
4	4	Sneha	Reddy	2000-12-25	9876500014	sneha@gmail.com
5	5	Rohit	Mehta	2003-09-09	9876500015	rohit@gmail.com
6	6	Neha	Kapoor	1998-11-01	9876500016	neha@gmail.com
7	7	Kiran	Nair	2004-07-18	9876500017	kiran@gmail.com
8	8	Arjun	Singh	2001-02-20	9876500018	arjun@gmail.com
9	9	Meera	Iyer	1997-05-11	9876500019	meera@gmail.com
10	10	Vikas	Kumar	2002-10-30	9876500020	vikas@gmail.com
11	11	Harish	Rao	2001-12-12	9876500021	harish@gmail.com
12	12	Sanjana	Pillai	2004-04-14	9876500022	sanjana@gmail.com

```sql
/*2. View all records of PolicyAssignment table with CustomerId, PolicyId, StartDate
and EndDate columns only.*/
SELECT CustomerId, PolicyId, StartDate, EndDate
FROM PolicyAssignments;
```

Output:

	CustomerId	PolicyId	StartDate	EndDate
1	1	1	2022-01-01	2027-01-01
2	2	2	2023-02-01	2024-02-01
3	3	3	2024-03-01	NULL
4	4	4	2023-04-01	2024-04-01
5	5	5	2020-05-01	2030-05-01
6	6	6	2022-06-01	2023-06-01
7	7	7	2023-07-01	2026-07-01
8	8	8	2024-08-01	NULL
9	9	9	2021-09-01	2023-09-01
10	10	2	2024-01-15	2025-01-15

```sql
/*3. Display all policies of Health type.*/
SELECT * FROM Policies
WHERE PolicyType='Health';
```

Output:

Results Messages

	PolicyID	PolicyName	PolicyType	PremiumAmount	DurationYears
1	2	Health Plus	Health	13200.00	1
2	4	Health Shield	Health	19800.00	1
3	7	Health Care	Health	9900.00	3

```sql
/*4. Display policies having premium amount morethan 10000 and DurationYears is 1.*/
SELECT * FROM Policies
WHERE PremiumAmount>10000 AND DurationYears=1;
```

Output:

Results Messages

	PolicyID	PolicyName	PolicyType	PremiumAmount	DurationYears
1	2	Health Plus	Health	13200.00	1
2	4	Health Shield	Health	19800.00	1

```sql
/*5. Display unique city names from where agents belong to.*/
SELECT DISTINCT City FROM Agents;
```

Output:

Results Messages

	City
1	Bangalore
2	Chennai
3	Delhi
4	Jaipur
5	Kochi
6	Mumbai
7	Nagpur
8	Patna
9	Pune
10	Surat

```sql
/*6. List policies of type Life, Health, Motor use OR clause.*/
SELECT * FROM Policies
WHERE PolicyType='Life' OR PolicyType='Health' OR PolicyType='Motor';
```

Output:

Results | Messages

	PolicyID	PolicyName	PolicyType	PremiumAmount	DurationYears
1	1	Life Secure	Life	15000.00	5
2	2	Health Plus	Health	13200.00	1
3	3	Motor Protect	Motor	8000.00	2
4	4	Health Shield	Health	19800.00	1
5	5	Life Protect	Life	20000.00	10
6	6	Motor Basic	Motor	6000.00	1
7	7	Health Care	Health	9900.00	3
8	8	Life Premium	Life	25000.00	15
9	9	Motor Supreme	Motor	11000.00	2

```sql
/*7. List policies of type Life, Health, Motor use IN operator.*/
SELECT * FROM Policies
WHERE PolicyType IN ('Life','Health','Motor');
```

Output:

Results | Messages

	PolicyID	PolicyName	PolicyType	PremiumAmount	DurationYears
1	1	Life Secure	Life	15000.00	5
2	2	Health Plus	Health	13200.00	1
3	3	Motor Protect	Motor	8000.00	2
4	4	Health Shield	Health	19800.00	1
5	5	Life Protect	Life	20000.00	10
6	6	Motor Basic	Motor	6000.00	1
7	7	Health Care	Health	9900.00	3
8	8	Life Premium	Life	25000.00	15
9	9	Motor Supreme	Motor	11000.00	2

```sql
/*8. Display list of customers born after January 1st,2001 and before December 31st
, 2020 using >= and <= operators.*/
SELECT * FROM Customers
WHERE DateOfBirth>='2001-01-01' AND DateOfBirth<='2020-12-31';
```

Output:

Results | Messages

	CustomerID	FirstName	LastName	DateOfBirth	Phone	Email	Address	City
1	2	Priya	Patel	2002-06-10	9876500012	priya@gmail.com	NULL	NULL
2	3	Aman	Verma	2005-01-10	9876500013	aman@gmail.com	NULL	NULL
3	5	Rohit	Mehta	2003-09-09	9876500015	rohit@gmail.com	NULL	NULL
4	7	Kiran	Nair	2004-07-18	9876500017	kiran@gmail.com	NULL	NULL
5	8	Arjun	Singh	2001-02-20	9876500018	arjun@gmail.com	NULL	NULL
6	10	Vikas	Kumar	2002-10-30	9876500020	vikas@gmail.com	NULL	NULL
7	11	Harish	Rao	2001-12-12	9876500021	harish@gmail.com	NULL	NULL
8	12	Sanjana	Pillai	2004-04-14	9876500022	sanjana@gmail.com	NULL	NULL

```sql
/*9. Display list of customers born after January 1st, 2001 and before December 31st
,2020 using between operator.*/
SELECT * FROM Customers
WHERE DateOfBirth BETWEEN '2001-01-01' AND '2020-12-31';
```

Output:

Results | Messages

	CustomerID	FirstName	LastName	DateOfBirth	Phone	Email	Address	City
1	2	Priya	Patel	2002-06-10	9876500012	priya@gmail.com	NULL	NULL
2	3	Aman	Verma	2005-01-10	9876500013	aman@gmail.com	NULL	NULL
3	5	Rohit	Mehta	2003-09-09	9876500015	rohit@gmail.com	NULL	NULL
4	7	Kiran	Nair	2004-07-18	9876500017	kiran@gmail.com	NULL	NULL
5	8	Arjun	Singh	2001-02-20	9876500018	arjun@gmail.com	NULL	NULL
6	10	Vikas	Kumar	2002-10-30	9876500020	vikas@gmail.com	NULL	NULL
7	11	Harish	Rao	2001-12-12	9876500021	harish@gmail.com	NULL	NULL
8	12	Sanjana	Pillai	2004-04-14	9876500022	sanjana@gmail.com	NULL	NULL

```sql
/*10. Display claims data where claim status is Rejected.*/
SELECT * FROM Claims
WHERE ClaimStatus='Rejected';
```

Output:

Results | Messages

	ClaimID	AssignmentID	ClaimDate	ClaimAmount	ClaimStatus
1	2	2	2023-07-12	15000.00	Rejected
2	5	5	2024-01-10	75000.00	Rejected
3	9	9	2022-12-01	9000.00	Rejected

```sql
/*11. Display records of Agents who stay in a city whose second letter is 'a'*/
SELECT * FROM Agents
WHERE City LIKE '_a%';
```

Output:

	AgentID	AgentName	Phone	City	DevOFId
1	3	Mahesh	998800003	Bangalore	NULL
2	7	Satish	998800007	Patna	NULL
3	8	Gagan	998800008	Nagpur	NULL
4	9	Rajat	998800009	Jaipur	NULL

```sql
/*12. Display highest and lowest claimAmount from Claims table.*/
SELECT MAX(ClaimAmount) AS MaximumClaimAmount, MIN(ClaimAmount) AS
MinimumClaimAmount
FROM Claims;
```

Output:

	MaximumClaimAmount	MinimumClaimAmount
1	75000.00	9000.00

```sql
/*13. Display latest claim record.*/
SELECT * FROM Claims
ORDER BY ClaimDate DESC LIMIT 1;
```

Output:

	ClaimID	AssignmentID	ClaimDate	ClaimAmount	ClaimStatus
1	10	10	2025-01-10	35000.00	Approved

```sql
/*14. Increase premium amount to 10% for all health insurance policies.*/
UPDATE Policies SET PremiumAmount=PremiumAmount*1.10
WHERE PolicyType='Health';
SELECT PolicyID, PolicyName, PolicyType, PremiumAmount FROM Policies
WHERE PolicyType='Health';
```

Output:

Results | Messages

	PolicyID	PolicyName	PolicyType	PremiumAmount
1	2	Health Plus	Health	14520.00
2	4	Health Shield	Health	21780.00
3	7	Health Care	Health	10890.00

```sql
/*15. Delete the record of PolicyAssignments whose EndDate is before today's date.*/
DELETE c
FROM Claims c
JOIN PolicyAssignments p
ON c.AssignmentID=p.AssignmentID
WHERE p.EndDate<CAST(GETDATE() AS DATE);
```

Output:

Messages

```
(5 rows affected)

(5 rows affected)

Completion time: 2025-12-29T21:18:05.8897562+05:30
```

```sql
/*16. Display no of claims rejected.*/
SELECT COUNT(ClaimStatus) AS NumberOfClaimsRejected FROM Claims
GROUP BY ClaimStatus
HAVING ClaimStatus='Rejected';
```

Output:

Results | Messages

	NumberOfClaimsRejected
1	1

```sql
/*17. Display PolicyId, PolicyName, PremiumAmount along with computed fields not in table a 6% LocalTaxes,PremiumAmountWithTax and MonthlyPremiumAmount considering PremiumAmount is Annual.*/
SELECT PolicyID, PolicyName, PremiumAmount, 0.06*PremiumAmount AS LocalTaxes,
PremiumAmount+0.06*PremiumAmount AS PremiumAmountWithTax, PremiumAmount/12 AS
MonthlyPremiumAmount
FROM Policies;
```

Output:

Results | Messages

	PolicyID	PolicyName	PremiumAmount	LocalTaxes	PremiumAmountWithTax	MonthlyPremiumAmount
1	1	Life Secure	15000.00	900.0000	15900.0000	1250.000000
2	2	Health Plus	14520.00	871.2000	15391.2000	1210.000000
3	3	Motor Protect	8000.00	480.0000	8480.0000	666.666666
4	4	Health Shield	21780.00	1306.8000	23086.8000	1815.000000
5	5	Life Protect	20000.00	1200.0000	21200.0000	1666.666666
6	6	Motor Basic	6000.00	360.0000	6360.0000	500.000000
7	7	Health Care	10890.00	653.4000	11543.4000	907.500000
8	8	Life Premium	25000.00	1500.0000	26500.0000	2083.333333
9	9	Motor Supreme	11000.00	660.0000	11660.0000	916.666666
10	10	Travel Guard	7000.00	420.0000	7420.0000	583.333333

```sql
/*18. Write a command to add Address and City Columns in the Customers table.*/
ALTER TABLE Customers
ADD Address VARCHAR(200),City VARCHAR(50);
```

Output:

Messages

```
Commands completed successfully.

Completion time: 2025-12-29T22:02:34.4493637+05:30
```

```sql
/*19. Write a command to add a new column named DevOfId (DevelopmentOfficerId) in an existing Agents table.*/
ALTER TABLE Agents
ADD DevOFId INT;
```

Output:

Messages

```
Commands completed successfully.

Completion time: 2025-12-29T22:03:31.8868077+05:30
```

```sql
/*20. Write command to make the above DevOfId as a recursive foreign key to AgentId
as Parent.*/
ALTER TABLE Agents
ADD CONSTRAINT fk_agents_DevOfId
FOREIGN KEY (DevOfId) REFERENCES Agents(AgentID);
```

Output:

Messages

```
Commands completed successfully.

Completion time: 2025-12-29T22:04:29.1462945+05:30
```

```sql
/*V Queries using Joins, Group By, Having etc.*/
/*1. List all Policies for a CustomerId 5.*/
SELECT p.PolicyID, p.PolicyName, p.PolicyType, p.PremiumAmount, p.DurationYears
FROM PolicyAssignments pa
JOIN Policies p
ON pa.PolicyID=p.PolicyID
WHERE pa.CustomerID=5;
```

Output:

	PolicyID	PolicyName	PolicyType	PremiumAmount	DurationYears
1	5	Life Protect	Life	20000.00	10

```sql
/*2. View all customers with their policies.*/
SELECT c.CustomerID, c.FirstName, c.LastName, p.PolicyID, p.PolicyName,
p.PolicyType, p.PremiumAmount
FROM Customers c
JOIN PolicyAssignments pa
ON c.CustomerID = pa.CustomerID
JOIN Policies p
ON pa.PolicyID = p.PolicyID;
```

Output:

Results | Messages

	CustomerID	FirstName	LastName	PolicyID	PolicyName	PolicyType	PremiumAmount
1	1	Rahul	Sharma	1	Life Secure	Life	15000.00
2	3	Aman	Verma	3	Motor Protect	Motor	8000.00
3	5	Rohit	Mehta	5	Life Protect	Life	20000.00
4	7	Kiran	Nair	7	Health Care	Health	10890.00
5	8	Arjun	Singh	8	Life Premium	Life	25000.00

```sql
/*3. View claims with customer name.*/
SELECT c.ClaimID, c.ClaimDate, c.ClaimAmount,c.ClaimStatus, CONCAT(cu.FirstName,'
',cu.LastName) AS CustomerName
FROM Claims c
JOIN PolicyAssignments pa
ON c.AssignmentID = pa.AssignmentID
JOIN Customers cu
ON pa.CustomerID = cu.CustomerID;
```

Output:

Results | Messages

	ClaimID	ClaimDate	ClaimAmount	ClaimStatus	CustomerName
1	1	2023-05-10	30000.00	Approved	Rahul Click to se
2	3	2024-02-20	18000.00	Pending	Aman Verma
3	5	2024-01-10	75000.00	Rejected	Rohit Mehta
4	7	2024-03-05	40000.00	Pending	Kiran Nair
5	8	2024-04-15	50000.00	Approved	Arjun Singh

```sql
/*4. Display FirstName, PolicyName, AgentName, StartDate and EndDate from their
respective tables.*/
SELECT c.FirstName,p.PolicyName,a.AgentName,pa.StartDate,pa.EndDate
FROM Customers c
JOIN PolicyAssignments pa
ON c.CustomerID=pa.CustomerID
JOIN Agents a
ON a.AgentID=pa.AgentID
JOIN Policies p
ON p.PolicyID=pa.PolicyID;
```

Output:

Results | Messages

	FirstName	PolicyName	AgentName	StartDate	EndDate
1	Rahul	Life Secure	Ramesh	2022-01-01	2027-01-01
2	Aman	Motor Protect	Mahesh	2024-03-01	NULL
3	Rohit	Life Protect	Sameer	2020-05-01	2030-05-01
4	Kiran	Health Care	Satish	2023-07-01	2026-07-01
5	Arjun	Life Premium	Gagan	2024-08-01	NULL

```sql
/*5. Display claims report with FirstName, PolicyName, ClaimAmount, ClaimStatus, and
ClaimDate from their respective tables.*/
SELECT c.FirstName,p.PolicyName,cl.ClaimAmount,cl.ClaimStatus,cl.ClaimDate
FROM Customers c
JOIN PolicyAssignments pa
ON c.CustomerID=pa.CustomerID
JOIN Claims cl
ON cl.AssignmentID=pa.AssignmentID
JOIN Policies p
ON p.PolicyID=pa.PolicyID;
```

Output:

Results | Messages

	FirstName	PolicyName	ClaimAmount	ClaimStatus	ClaimDate
1	Rahul	Life Secure	30000.00	Approved	2023-05-10
2	Aman	Motor Protect	18000.00	Pending	2024-02-20
3	Rohit	Life Protect	75000.00	Rejected	2024-01-10
4	Kiran	Health Care	40000.00	Pending	2024-03-05
5	Arjun	Life Premium	50000.00	Approved	2024-04-15

```sql
/*6. Display records of Customers with or without Policies.*/

SELECT c.CustomerID,CONCAT(c.FirstName, ' ', c.LastName) AS CustomerName,pa.PolicyID
FROM Customers c
LEFT JOIN PolicyAssignments pa
ON c.CustomerID=pa.CustomerID;
```

Output:

Results | Messages

	CustomerID	CustomerName	PolicyID
1	1	Rahul Sharma	1
2	2	Priya Patel	NULL
3	3	Aman Verma	3
4	4	Sneha Reddy	NULL
5	5	Rohit Mehta	5
6	6	Neha Kapoor	NULL
7	7	Kiran Nair	7
8	8	Arjun Singh	8
9	9	Meera Iyer	NULL
10	10	Vikas Kumar	NULL
11	11	Harish Rao	NULL
12	12	Sanjana Pillai	NULL

```sql
/*7. Display all Customers with NO Claims.*/
SELECT DISTINCT c.CustomerID,c.FirstName,c.LastName
FROM Customers c
LEFT JOIN PolicyAssignments pa
ON c.CustomerID=pa.CustomerID
LEFT JOIN Claims cl
ON pa.AssignmentID=cl.AssignmentID
WHERE cl.ClaimID IS NULL;
```

Output:

Results | Messages

	CustomerID	CustomerName
1	2	Priya Patel
2	4	Sneha Reddy
3	6	Neha Kapoor
4	9	Meera Iyer
5	10	Vikas Kumar
6	11	Harish Rao
7	12	Sanjana Pillai

```sql
/*8. Show CustomerName with Total Claim Amount per Customer.*/
SELECT CONCAT(c.FirstName, ' ', c.LastName) AS CustomerName,SUM(cl.ClaimAmount) AS
TotalClaimAmount
FROM Customers c
JOIN PolicyAssignments pa
ON c.CustomerID=pa.CustomerID
JOIN Claims cl
ON pa.AssignmentID=cl.AssignmentID
GROUP BY c.FirstName,c.LastName;
```

Output:

Results | Messages

	CustomerName	TotalClaimAmount
1	Rohit Mehta	75000.00
2	Kiran Nair	40000.00
3	Rahul Sharma	30000.00
4	Arjun Singh	50000.00
5	Aman Verma	18000.00

```sql
/*9. Show names and total claim amount of Customers With Claim Amount > 25000 (Use
HAVING Clause).*/
SELECT CONCAT(c.FirstName, ' ', c.LastName) AS CustomerName,SUM(cl.ClaimAmount) AS
TotalClaimAmount
FROM Customers c
JOIN PolicyAssignments pa
ON c.CustomerID=pa.CustomerID
JOIN Claims cl
ON pa.AssignmentID=cl.AssignmentID
GROUP BY c.FirstName,c.LastName
HAVING SUM(cl.ClaimAmount)>25000;
```

Output:

Results | Messages

	CustomerName	TotalClaimAmount
1	Rohit Mehta	75000.00
2	Kiran Nair	40000.00
3	Rahul Sharma	30000.00
4	Arjun Singh	50000.00

```sql
/*10. Display list with Agent Wise Policy Count.*/
SELECT a.AgentID,a.AgentName,COUNT(pa.PolicyID) AS PolicyCount
FROM Agents a
LEFT JOIN PolicyAssignments pa
ON a.AgentID=pa.AgentID
GROUP BY a.AgentID,a.AgentName;
```

Results | Messages

	AgentID	AgentName	PolicyCount
1	1	Ramesh	1
2	2	Suresh	0
3	3	Mahesh	1
4	4	Kamal	0
5	5	Sameer	1
6	6	Naman	0
7	7	Satish	1
8	8	Gagan	1
9	9	Rajat	0
10	10	Tarun	0
11	11	Krishna	0