










Unused Slots:

D23	D24	C33	E33
D25	D26	C34	E34
E21	F21	C35	E35
		D33	F33
E26	F26	D34	F34
E27	F27	D35	F35
E28	F28		

NOTE: Signals prefixed with "-" are active at GND, not -3V!
NOTE: Signals not prefixed with "-" are active at -3V!

RAM Memory Interface


TITLE: memory

Document Number: D-BS-8S-0-23

REV:

Date: 2/20/2016 10:28:41 AM

Sheet: 2/15



VCC
GND
-15V

Link and Skip Control


TITLE: memory


Document Number: D-BS-8S-0-10


REV:

Date: 2/20/2016 10:28:41 AM

Sheet: 3/15







VCC
 GND
 $-15V$

Adder


TITLE: memory


Document Number: D-BS-8S-0-14

REV:

Date: 2/20/2016 10:28:41 AM

Sheet: 7/15








In-Out	
TITLE: memory	
Document Number: D-BS-8S-0-17	REV:
Date: 2/20/2016 10:28:41 AM	Sheet: 10/15



Sheet: 11/15





Sheet: 13/15



Sheet: 14/15

SDF0 D2 E30
 SDF1 E2 E30
 SDF2 H2 E30
 SIF0 K2 E30
 SIF1 M2 E30
 SIF2 P2 E30
 (ISZ+DCA)(B) S2 E30











E31 M2 DF0 M2 F02
 E31 P2 DF1 L2 F02
 E31 S2 DF2 K2 F02
 E31 T2 IF0 J2 F02
 E31 U2 IF1 H2 F02

E32 D2 -MEM06
 E32 E2 -MEM07
 E32 H2 -MEM08
 E32 K2 -MEM09
 E32 M2 -MEM10
 E32 P2 -MEM11
 E32 S2 MDS
 E32 T2 IF2 F2 F02
 E32 U2 -MEM05

F30 K2 -MEM00
 F30 M2 -MEM01
 F30 P2 -MEM02
 F30 S2 -MEM03
 F30 T2 -MEM04
 F30 U2 -MEM05

WRITE D2 F31
 READ E2 F31

IOT U2 F31



OMD8S Connectors and Logic (in 8S)

TITLE: memory

Document Number: D-BS-OMD8S-0-4 (2)

REV:

Date: 2/20/2016 10:28:41 AM

Sheet: 15/15