

PDP-12
MAINTENANCE MANUAL
VOLUME IV
MODULE SCHEMATICS

1st Edition, June 1970
2nd Printing (Rev), December, 1970

Copyright © 1970 by Digital Equipment Corporation

The material in this manual is for information purposes and is subject to change without notice.

The following are trademarks of Digital Equipment Corporation, Maynard, Massachusetts:

DEC	PDP
FLIP CHIP	FOCAL
DIGITAL	COMPUTER LAB

FOREWORD

The *PDP-12 Maintenance Manual*, published in four separate volumes, is a guide for Field Service Engineers or other personnel involved with the care and maintenance of the PDP-12 Computer. The Maintenance Manual is organized as follows:

VOLUME I PRINCIPLES OF OPERATION

This volume contains a description of PDP-12 logic. An overall view of the system is presented in seven chapters entitled Central Processor, Memory, Input/Output, Teletype, LINC Devices, Tape Processor, and Prewired I/O Bus Options. The text describes logical relationships among the various elements of the PDP-12.

VOLUME II INSTALLATION AND MAINTENANCE

The first chapters of this volume describe the unpacking, installation, and preliminary check-out procedures for the PDP-12. The remainder of the volume comprises procedures used in the day-to-day maintenance, adjustment, and repair of the computer.

VOLUME III LOGIC SCHEMATICS

Volume III consists primarily of flow charts and block schematics that describe the PDP-12. The block schematics, lists, and flow charts in Volume III are reduced (11 in. x 17 in.) versions of engineering drawings.

VOLUME IV MODULE SCHEMATICS

The circuit schematics in Volume IV describe all the module types used in the PDP-12, including both the regular production DEC modules and those designed especially for the PDP-12.

CONTENTS

Module Number	Title	Revision
A131	8 Channel Multiplexer	C
A214	2 Differential Preamps	B
A215	1 Buffer Amplifier	A
A225	Deflection Amplifier	A
A404	1 Sample and Hold	—
A615	1 D/A	C
A811	1 A/D Converter	F
B142	Diode Gate	—
B-734B	Variable Power Supply	2
G020	2 Sense Amps	J
G021	2 Sense Amps	J
G221	Memory Selector	D
G228	Inhibit Driver	F
G610	A-Diode Board	B
G611	B-Diode Board	A
G624	Resistor Board	D
G700YA	100Ω Terminator	—
G718	LINC-8 Timing Jumper	A
G780	Cable Connector	—
G783	Cable Connector	—
G793	PDP-8/I Switch Connector	B
G805	Negative Regulator	H
G817	VR12 Power Supply	B
G818	VR12 Power Supply	D
G824	Power Supply Regulator	C
G826	Regulator Control	L
G836	VR14 PS & Regulator Bd	A
G838	Fault Protection Bd	—
G847	Dual Motor Control	A
G848	Motor Drive	F
G850	SCR Driver	P
G851	Tape Head Relay	B
G853	Motion and Selection Circuit	A
G859	Clock Regulator	B
G882	Manchester Reader Writer	D
G888	Manchester Reader Writer (Optional)	—
G912	VR12 Drive Amplifier	—
G916	Power Protection and Switch Filter	—
G917	VR12 Preamp Module	—
G918	Photo Amplifier	B
H719	Power Supply	—
K303	Three Timers	C

CONTENTS (Cont)

Module Number	Title	Revision
K374	Calibrated Timer Control	A
K376	Calibrated Timer Control	A
K378	Calibrated Timer Control	A
M002	15 Loads	—
M040	Solenoid Driver	E
M044	Solenoid Driver	B
M051	Level Converter	—
M101	Bus Data Interface	—
M103	Device Selector	A
M111	Inverter	A
M112	NOR Gate	D
M113	10-2 Input NAND Gates	C
M115	8-3 Input NAND Gates	C
M117	6-4 Input NAND Gates	E
M119	3-8 Input NAND Gates	B
M121	XOR Gates	C
M141	AND/NOR Gates	B
M160	Gate Module	B
M161	Binary to Octal/Decimal Decoder	B
M169	Gating	A
M212	Six-Bit L-R Shift Register	B
M216	Six Flip-Flops	B
M217	Four-Bit Counter and Buffer	—
M221	Main Register	B
M222	PDP-12 Main Register	A
M302	One-Shot Delay	K
M304	Four One Delay	A
M307	Two Integrating One Shots	B
M310	Delay Line	D
M360	Variable Delay	B
M401	Clock	M
M405	Crystal Clock	—
M452	Variable Clock	A
M503	Two Schmitt Triggers and PA	—
M507	Bus Converter	D
M508	Bus Converter	A
M516	Positive Bus Receiver	—
M531	Negative Input Converter	A
M602	Pulse Generator	B
M617	6-4 Input NOR/Buffers	E
M623	Bus Driver	E
M627	Power Amplifier Module	F
M651	Negative Output Converter	B
M660	Positive Level Driver	A

CONTENTS (Cont)

Module Number	Title	Revision
M700	Manual Timing Generator	E
M703	Power Fail	J
M704	Plotter Control	E
M705	Reader Control	J
M706	Teletype [®] Receiver	L
M707	Teletype Transmitter	D
M710	Punch Control	H
M711	Scope Control	C
M715	Reader Clock	K
M719	PDP-12 Clock Input Synchronizer	—
M720	Memory Detection	A
M760	PDP-12 A/D Control	—
M850	Converter and Cable Connector	A
M870	Simple Clock	—
M900	PDP-8/I Console Connector	B
M901	One-to-One Cable	C
M903	Connector (Flexprint [®])	—
M906	Cable Terminator	B
M907	Diode Clamp	—
M908	Ribbon Connector	—
M921	Jumper Board	—
M941	Jumper/Extender	—
R002	Diode	A
R107	Inverter	H
R111	Diode Gate	F
R202	Dual Flip-Flop	F
R303	Integrating One Shot	K
S107	Inverter	D
S111	Diode Gate	D
S181	DC Carry Chain	A
S202	Dual Flip-Flop	D
S603	Pulse Amplifier	E
W005	Clamped Loads	B
W021	Signal Cable Connector	I
W023	Connector	—
W032	Tape Head Cable Connector	—
W040	Solenoid Driver	2
W512	Positive Level Converter	B
W513	Level Amplifier	E
W520	Comparator	C
W603	Positive Level Amplifier	C
W640	Pulse Amplifier	L

[®]Teletype is the registered trademark of Teletype Corporation.

[®]Flexprint is the registered trademark of Sanders Associates.

CONTENTS (Cont)

Module Number	Title	Revision
W681	Scope Intensifier	H
W682	Intensity Amplifier	E
W701	Input Network	A
W990	Blank Module	A
783	Power Supply	C
828	Power Receptacle	—
854	Power Control	A
8114	Console Lite	—
8124	Relays and Speaker Driver	—
*1203185-2 (C-13495)	Precision Power Supply (Deltron)	C
†1203185-2	Precision Power Supply (Power-Mate)	—

POWER SUPPLIES

Module Number	Title	Revision
B-734B	Variable Power Supply	2
G-817	VR12 Power Supply	B
G-818	VR12 Power Supply	D
H719	Power Supply	—
783	Power Supply	C
1203185-2	Precision Power Supply (Deltron)	—
1203185-2	Precision Power Supply (Power-Mate)	—

*Used by permission of Deltron Inc., Philadelphia, Pennsylvania


† Used by permission of Power-Mate Corp., Hackensack, New Jersey

REVISIONS

APPD

these drawings are the property of power/mate corp., and are issued in strict confidence and shall not be reproduced or copied used as the basis for the manufacture of apparatus without permission

DIGITAL PART NUMBER
12-03185-02 REV F



* NOTE : JUMPER USED ONLY WHEN Q2 AND R14 ARE NOT USED. SEE PARTS LIST

DRAWN BY

POWER/MATE CORP.
HACKENSACK, NEW JERSEY

APPD BY

12-12-69

SCHEMATIC DIAGRAM
MODULE POWER SUPPLY

CODE IDENT NO

23934

A

20885-8


USED ON

SCALE

SHEET

OF

THIS SCHEMATIC IS FURNISHED ONLY FOR TEST AND MAINTENANCE PURPOSES. THE CIRCUITS ARE PROPRIETARY IN NATURE AND SHOULD BE TREATED ACCORDINGLY. COPYRIGHT 1969 BY DIGITAL EQUIPMENT CORPORATION



UNLESS OTHERWISE INDICATED:
LAMPs ARE 2313 DEC #1205550
TRANSISTORS ARE DEC2 #1505650
NUMBERS IN PARENTHESIS () DESIGNATE FLEXPRINT CONNECTOR NO.

REVISIONS
CHK'D
DATE

DRN.
DATE
CHK'D
DATE
EVS
DATE
PROD.

TRANSISTOR & DIODE CONVERSION CHART			
DEC	ISA	DEC	ISA
DEC 2	2N3009		

digital
EQUIPMENT CORPORATION
MAYNARD, MASSACHUSETTS


TITLE
PDP 12
INDICATOR PANEL 5408114
SIZE CODE NUMBER
C CS 5408114-0-1
PRINTED CIRCUIT REV. B

NOTE:

MODEL 6575-1 USES TRANSFORMER
TAP T101-5


MODEL 6575-2 USES TRANSFORMER
TAP T101-4

MODEL 6575-3 USES TRANSFORMER
TAP T101-3



MODEL	OUTPUT A	OUTPUT B	DEC SPEC*	NOTES:
6575-1	10V, 1.5A	15V, 1.5A	12-03185-1	1. RESISTOR WATTAGE .5 WATT UNLESS OTHERWISE INDICATED.
6575-2	15V, 1.5A	15V, 1.5A	12-03185-2	2. ALL POTENTIOMETERS ARE WIREWOUND.
6575-3	20V, 1.5A	15V, 1.5A	12-03185-3	3. RESISTORS ABOVE 2 WATTS ARE WIREWOUND.

MODEL	R11	R12	R13
6575-1	1.5K	2.7K	560Ω
6575-2	2.7K	2.7K	1.2K
6575-3	3.3K	2.7K	2.2K




- RESISTOR WATTAGE .5 WATT UNLESS OTHERWISE INDICATED.
- ALL POTENTIOMETERS ARE WIREWOUND.
- RESISTORS ABOVE 2 WATTS ARE WIREWOUND.
- RESISTOR TOLERANCE: COMP. $\pm 10\%$; UNLESS OTHERWISE INDICATED.
- IF REMOTE SENSING IS NOT USED CONNECT 4 TO 5, 6 TO 7, 8 TO 9, & 10 TO 11.
- S.I.T. - INDICATES SELECT IN TEST.

THESE DIMENSIONS AND SPECIFICATIONS ARE THE PROPERTY OF DELTRON, INCORPORATED, PHILADELPHIA, PA. AND SHALL NOT BE REPRODUCED, OR COPIED, OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS OR DEVICES WITHOUT THE WRITTEN APPROVAL OF DELTRON, INCORPORATED, BEING FIRST OBTAINED.

ALL EXTERNAL THREADS TO BE CLASS 2B UNLESS OTHERWISE SPECIFIED. ALL INTERNAL THREADS TO BE CLASS 2B UNLESS OTHERWISE SPECIFIED.

THESE DRAWINGS AND SPECIFICATIONS ARE UNLESS OTHERWISE INDICATED		SCHEMATIC	
DIMENSIONS ON FINISHED DIMENSIONS UNLESS OTHERWISE INDICATED		FIRST MADE FOR 6575	
DIMENSIONS ON FINISHED DIMENSIONS UNLESS OTHERWISE INDICATED		US	
UP TO 1/8"	± 1/64	± .005	
1/8" TO 1/4"	± 1/32	± .010	
1/4" TO 3/8"	± 1/16	± .015	
3/8" TO 1/2"	± 1/8		
1/2" TO 3/4"	± 1/4		
3/4" TO 1"	± 1/2		
1" TO 2"	± 1/2		
2" TO 4"	± 1/2		
4" TO 6"	± 1/2		
6" TO 12"	± 1/2		
12" TO 24"	± 1/2		
24" TO 48"	± 1/2		
48" TO 96"	± 1/2		
96" TO 192"	± 1/2		
192" TO 384"	± 1/2		
384" TO 768"	± 1/2		
768" TO 1536"	± 1/2		
1536" TO 3072"	± 1/2		
3072" TO 6144"	± 1/2		
6144" TO 12288"	± 1/2		
12288" TO 24576"	± 1/2		
24576" TO 49152"	± 1/2		
49152" TO 98304"	± 1/2		
98304" TO 196608"	± 1/2		
196608" TO 393216"	± 1/2		
393216" TO 786432"	± 1/2		
786432" TO 1572864"	± 1/2		
1572864" TO 3145728"	± 1/2		
3145728" TO 6291456"	± 1/2		
6291456" TO 12582912"	± 1/2		
12582912" TO 25165824"	± 1/2		
25165824" TO 50331648"	± 1/2		
50331648" TO 100663296"	± 1/2		
100663296" TO 201326592"	± 1/2		
201326592" TO 402653184"	± 1/2		
402653184" TO 805306368"	± 1/2		
805306368" TO 1610612736"	± 1/2		
1610612736" TO 3221225472"	± 1/2		
3221225472" TO 6442450944"	± 1/2		
6442450944" TO 12884901888"	± 1/2		
12884901888" TO 25769803776"	± 1/2		
25769803776" TO 51539607552"	± 1/2		
51539607552" TO 103079215104"	± 1/2		
103079215104" TO 206158430208"	± 1/2		
206158430208" TO 412316860416"	± 1/2		
412316860416" TO 824633720832"	± 1/2		
824633720832" TO 1649267441664"	± 1/2		
1649267441664" TO 3298534883328"	± 1/2		
3298534883328" TO 6597069766656"	± 1/2		
6597069766656" TO 13194139533312"	± 1/2		
13194139533312" TO 26388279066624"	± 1/2		
26388279066624" TO 52776558133248"	± 1/2		
52776558133248" TO 105553116266496"	± 1/2		
105553116266496" TO 211106232532992"	± 1/2		
211106232532992" TO 422212465065984"	± 1/2		
422212465065984" TO 844424930131968"	± 1/2		
844424930131968" TO 1688849860263936"	± 1/2		
1688849860263936" TO 3377699720527872"	± 1/2		
3377699720527872" TO 6755399441055744"	± 1/2		
6755399441055744" TO 13510798882111488"	± 1/2		
13510798882111488" TO 27021597764222976"	± 1/2		
27021597764222976" TO 54043195528445952"	± 1/2		
54043195528445952" TO 108086391056891904"	± 1/2		
108086391056891904" TO 216172782113783808"	± 1/2		
216172782113783808" TO 432345564227567616"	± 1/2		
432345564227567616" TO 864691128455135232"	± 1/2		
864691128455135232" TO 1729382256910270464"	± 1/2		
1729382256910270464" TO 3458764513820540928"	± 1/2		
3458764513820540928" TO 6917529027641081856"	± 1/2		
6917529027641081856" TO 13835058055282163712"	± 1/2		
13835058055282163712" TO 27670116110564327424"	± 1/2		
27670116110564327424" TO 55340232221128654848"	± 1/2		
55340232221128654848" TO 110680464442257309696"	± 1/2		
110680464442257309696" TO 221360928884514619392"	± 1/2		
221360928884514619392" TO 442721857769029238784"	± 1/2		
442721857769029238784" TO 885443715538058477568"	± 1/2		
885443715538058477568" TO 1770887431076116955136"	± 1/2		
1770887431076116955136" TO 3541774862152233910272"	± 1/2		
3541774862152233910272" TO 7083549724304467820544"	± 1/2		
7083549724304467820544" TO 14167099448608935641088"	± 1/2		
14167099448608935641088" TO 28334198897217871282176"	± 1/2		
28334198897217871282176" TO 56668397794435742564352"	± 1/2		
56668397794435742564352" TO 113336795588871485128704"	± 1/2		
113336795588871485128704" TO 226673591177742970257408"	± 1/2		
226673591177742970257408" TO 453347182355485940514816"	± 1/2		
453347182355485940514816" TO 906694364710971881029632"	± 1/2		
906694364710971881029632" TO 1813388729421943762059264"	± 1/2		
1813388729421943762059264" TO 3626777458843887524118528"	± 1/2		
3626777458843887524118528" TO 7253554917687775048237056"	± 1/2		
7253554917687775048237056" TO 14507109835375550096474112"	± 1/2		
14507109835375550096474112" TO 29014219670751100192948224"	± 1/2		
29014219670751100192948224" TO 58028439341502200385896448"	± 1/2		
58028439341502200385896448" TO 116056878683004400771792896"	± 1/2		
116056878683004400771792896" TO 232113757366008801543585792"	± 1/2		
232113757366008801543585792" TO 464227514732017603087171584"	± 1/2		
464227514732017603087171584" TO 928455029464035206174343168"	± 1/2		
928455029464035206174343168" TO 1856910058928070412348686336"	± 1/2		
1856910058928070412348686336" TO 3713820117856140824697372672"	± 1/2		
3713820117856140824697372672" TO 7427640235712281649394745344"	± 1/2		
7427640235712281649394745344" TO 14855280471424563298789490688"	± 1/2		
14855280471424563298789490688" TO 29710560942849126597578981376"	± 1/2		
29710560942849126597578981376" TO 59421121885698253195157962752"	± 1/2		
59421121885698253195157962752" TO 118842243771396506390315925504"	± 1/2		
118842243771396506390315925504" TO 237684487542793012780631851008"	± 1/2		
237684487542793012780631851008" TO 475368975085586025561263702016"	± 1/2		
475368975085586025561263702016" TO 950737950171172051122527404032"	± 1/2		
950737950171172051122527404032" TO 1901475900342344102245054808064"	± 1/2		
1901475900342344102245054808064" TO 3802951800684688204490109616128"	± 1/2		
3802951800684688204490109616128" TO 7605903601369376408980219232256"	± 1/2		
7605903601369376408980219232256" TO 15211807202738752817960438464512"	± 1/2		
15211807202738752817960438464512" TO 30423614405477505635920876929024"	± 1/2		
30423614405477505635920876929024" TO 60847228810955011271841753858048"	± 1/2		
60847228810955011271841753858048" TO 121694457621910022543683507716096"	± 1/2		
121694457621910022543683507716096" TO 243388915243820045087367015432192"	± 1/2		
243388915243820045087367015432192" TO 486777830487640090174734030864384"	± 1/2		
486777830487640090174734030864384" TO 973555660975280180349468061728768"	± 1/2		
973555660975280180349468061728768" TO 1947111321950560360698936123457536"	± 1/2		
1947111321950560360698936123457536" TO 3894222643901120721397872246915072"	± 1/2		
3894222643901120721397872246915072" TO 7788445287802241442795744493830144"	± 1/2		
7788445287802241442795744493830144" TO 15576890575604482885591488987660288"	± 1/2		
15576890575604482885591488987660288" TO 31153781151208965771182977975320576"	± 1/2		
31153781151208965771182977975320576" TO 62307562302417931542365955950641152"	± 1/2		
62307562302417931542365955950641152" TO 124615124604835863084731911901282304"	± 1/2		
124615124604835863084731911901282304" TO 249230249209671726169463823802564608"	± 1/2		
249230249209671726169463823802564608" TO 498460498419343452338927647605129216"	± 1/2		
498460498419343452338927647605129216" TO 996920996838686904677855295210258432"	± 1/2		
996920996838686904677855295210258432" TO 1993841993677373809355710590420516864"	± 1/2		
1993841993677373809355710590420516864" TO 3987683987354747618711421180841033728"	± 1/2		
3987683987354747618711421180841033728" TO 7975367974709495237422842361682067456"	± 1/2		
7975367974709495237422842361682067456" TO 15950735949418990474845684723364134912"	± 1/2		
15950735949418990474845684723364134912" TO 31901471898837980949691369446728269824"	± 1/2		
31901471898837980949691369446728269824" TO 63802943797675961899382738893456539648"	± 1/2		
63802943797675961899382738893456539648" TO 127605887595351923798765477786913079296"	± 1/2		
127605887595351923798765477786913079296" TO 255211775190703847597530955573826158592"	± 1/2		
255211775190703847597530955573826158592" TO 510423550381407695195061911147652317184"	± 1/2		
510423550381407695195061911147652317184" TO 1020847100762815390390123822295304634368"	± 1/2		
1020847100762815390390123822295304634368" TO 2041694201525630780780247644590609268736"	± 1/2		
2041694201525630780780247644590609268736" TO 4083388403051261561560495289181218537472"	± 1/2		
4083388403051261561560495289181218537472" TO 8166776806102523123120990578362437074944"	± 1/2		
8166776806102523123120990578362437074944" TO 16333553612205046246241981156724874149888"	± 1/2		
16333553612205046246241981156724874149888" TO 32667107224410092492483962313449748299776"	± 1/2		
32667107224410092492483962313449748299776" TO 65334214448820184984967924626899496599552"	± 1/2		
65334214448820184984967924626899496599552" TO 130668428	± 1/2		

CS-B-734B-2




NOTE:
OUTPUT IS CONNECTED THROUGH
HEYMAN TAB TERMINALS

	REV. A	ECO. NO.	DRAFTSMAN H. W. PORTER DATE 1-23-64	CHECKER A. MARTIANI DATE 1-23-64	digital EQUIPMENT CORPORATION MAYNARD, MASSACHUSETTS	CODE CS	DWG. NO. B-734B	RE 2
	REV. B	ENG.	ENGINEER D. A. WHITE DATE 1-24-64	PRODUCTION 1 DATE	TITLE VARIABLE POWER SUPPLY 734B			

THIS SCHEMATIC IS FURNISHED ONLY FOR TEST AND MAINTENANCE PURPOSES. THE CIRCUITS ARE PROPRIETARY IN NATURE AND SHOULD BE TREATED ACCORDINGLY. COPYRIGHT 1963 BY DIGITAL EQUIPMENT CORPORATION

REV. C
NUMBER 783-0-1
CS B
SIZE 3215



NOTE:
IN ORDER TO KEEP OUTPUT VOLTAGE WITHIN THE FOLLOWING LIMITS:
+10V: +9.5 TO +11V
-15V: -14.5 TO -16V
THE LOADING SHOULD BE WITHIN THE FOLLOWING LIMITS:


BOTH SIDES LOADED	+10V 0 TO 7.0 AMPS
	-15V 1.0 TO 8.0 AMPS
ONE SIDE LOADED	+10V 0 TO 7.5 AMPS
	-15V 1.0 TO 8.5 AMPS

SUM OF THE OUTPUT CURRENTS ARE LIMITED BY THE EQUATION: $5I_{10} + 6I_{15} \leq 53$

* HEYMAN MFG. CO. TAB TERMINALS

REVISIONS CHK CHG NO. REV JAN 4740 2 REV. 6033 C	DRN. H.W.PORTR	DATE 11-20-63	TRANSISTOR & DIODE CONVERSION CHART		digital EQUIPMENT CORPORATION MAYNARD, MASSACHUSETTS	TITLE POWER SUPPLY 783		
	CHK'D A.VARTANIAN	DATE 11-27-63	DEC	EIA		SIZE B	CODE CS	NUMBER 783-0-1
	ENG. R.DOANE	DATE 11-27-63						
	PROD.	DATE						
					PRINTED CIRCUIT REV.			

CS-828-1



NOTE:
CBI IS A DPST HEINEMANN ELEC. CO. XAM33 CURVE 4
I 1 IS A NEON PILOT LIGHT-NE-2D
ALL SOCKETS AND PLUG ARE SHOWN IN REAR VIEW

3512-1
CH NO
APP

CHANGE

EXPER
PRODUCTION
OTHER


DRAWN
J.S. CARO 2-11-63
CHECKED
ENGINEER
Robert Reed

digital EQUIPMENT CORPORATION
MAYNARD, MASSACHUSETTS

CS-828-1

POWER RECEPTACLE 828

THIS SCHEMATIC IS FURNISHED ONLY FOR TEST AND MAINTENANCE PURPOSES. THE CIRCUITS ARE PROPRIETARY IN NATURE AND SHOULD BE TREATED ACCORDINGLY. COPYRIGHT 1968 BY DIGITAL EQUIPMENT CORPORATION



I1	LIGHT OMNI GLOW 1020 C55	1201280
D1, D2, D3	DIODE THY 6RS20SP4B4	1100106
CBI	CIR BREAKER* 190-220-104	1201218
KI	RELAY EM-4, 115V	1205768
SI	TOGGLE SW CH 7563KE	1205964
C1 & C2	CAP. 2X .1MFD 1KVDC	1000034
PARTS LIST		A-PL-854-0-0
REF DESIGNATION	DESCRIPTION	PART NO

PARTS LIST

REV	CHG	NO	REV
1			
2			
3			
4			
5			
6			
7			
8			
9			
10			


DRN.	P. L. B. L. L.	DATE	10-21-68
CHKD.	G. W. G. E. R. E. L. D. S.	DATE	11/1/68
ENG.	G. W. G. E. R. E. L. D. S.	DATE	11/13/68
PROD.	G. W. G. E. R. E. L. D. S.	DATE	11/13/68

TRANSISTOR & DIODE CONVERSION CHART			
DEC	EIA	DEC	EIA

digital
EQUIPMENT CORPORATION
MAYNARD, MASSACHUSETTS

TITLE POWER CONTROL			
854			
SIZE	CODE	NUMBER	REV.
B	CS	854-0-1	A
PRINTED CIRCUIT REV.			

THIS SCHEMATIC IS FURNISHED ONLY FOR TEST AND MAINTENANCE PURPOSES. THE CIRCUITS ARE PROPRIETARY IN NATURE AND SHOULD BE TREATED ACCORDINGLY. COPYRIGHT 1969 BY DIGITAL EQUIPMENT CORPORATION




NOTE:

PIN 7 ON EACH IC = GND
PIN 14 ON EACH IC = +5V

E1, E2, E3	INTEGRATED CKT DEC7410N	1905576
Q18-Q25	TRANSISTOR 2N5245 ORTIS 88	1509681
Q2-Q9	TRANSISTOR DEC6534B	1503409-01
Q1, Q10-Q17	TRANSISTOR DEC3009B-S	1503100
R19-R26	RES 10K 1/4W 5% CC	1300479
R11-R18	RES 33K 1/4W 5% CC	1300439
R2-R10	RES 1.5K 1/4W 5% CC	1300391
R1	RES 33K 1/4W 10%	1300510
D1-D17	DIODE D664	1100114
C1-C4	CAP .01 MFD 100V 20% DISC	1001610
C5	CAP 6.8 MFD 35V 20% STANT	1000067
PARTS LIST		A-PL-A131-0-0
REFERENCE DESIGNATION	DESCRIPTION	PART NO

REVISIONS CHK CHG NO. REV 00001 B 00002 C	DRN 2-10-69 DATE 3-10-69 ENG. R. Schmitt PROD.	DATE 4/8/69	TRANSISTOR & DIODE CONVERSION CHART <table border="1"> <tr> <th>DEC</th> <th>EIA</th> </tr> <tr> <td>D664</td> <td>1N3606</td> </tr> <tr> <td>DEC3009B</td> <td>2N3009</td> </tr> <tr> <td>DEC6534B</td> <td>MPS6534</td> </tr> <tr> <td>2N5245</td> <td>NONE</td> </tr> </table>	DEC	EIA	D664	1N3606	DEC3009B	2N3009	DEC6534B	MPS6534	2N5245	NONE	<table border="1"> <tr> <th>DEC</th> <th>EIA</th> </tr> <tr> <td></td> <td></td> </tr> <tr> <td></td> <td></td> </tr> <tr> <td></td> <td></td> </tr> <tr> <td></td> <td></td> </tr> </table>	DEC	EIA									digital EQUIPMENT CORPORATION MAYNARD, MASSACHUSETTS	TITLE MULTIPLEX A131 SIZE C CDDE A131-0-1 NUMBER PRINTED CIRCUIT REV B	REV. C
DEC	EIA																										
D664	1N3606																										
DEC3009B	2N3009																										
DEC6534B	MPS6534																										
2N5245	NONE																										
DEC	EIA																										

THIS SCHEMATIC IS FURNISHED ONLY FOR TEST AND MAINTENANCE PURPOSES. THE CIRCUITS ARE PROPRIETARY IN NATURE AND SHOULD BE TREATED ACCORDINGLY. COPYRIGHT 1969 BY DIGITAL EQUIPMENT CORPORATION



UNLESS OTHERWISE INDICATED:
 DIODES ARE D664
 RESISTORS ARE 1/4W; 5%
 MF RESISTORS ARE 1/8W; 1%; 100MFD
 TRANSISTORS ARE 2N4250
 R1, R19 ARE ALLEN BRADLEY ZV-2032
 POTS ARE 76PR SERIES
 E1, E2 ARE MC1709
 CAPACITORS ARE 100V, 5%

0 → +5	A214-YF	1.2K	68.1K	68.1K	21.5K	21.5K	1M (CC)	2.74K	422	51.1	NONE
0 → +10	A214-YE	1.2K	68.1K	68.1K	12.1K	12.1K	274K	2.61K	422	75	NONE
0 → -2	A214-YD	NONE	34.8K	34.8K	34.8K	34.8K	4.7M	1.96K	348	90.9	1.2K
±10	A214-YC	NONE	64K	64K	5.48K	3.48K	39K	2.61K	261	38.3	NONE
±5	A214-YB	NONE	68.1K	68.1K	12.1K	12.1K	365K	2.61K	422	90.9	NONE
0 → +2	A214-YA	1.2K	34.8K	34.8K	34.8K	34.8K	4.7M	1.96K	348	90.9	NONE
±1	A214	NONE	34.8K	34.8K	34.8K	34.8K	4.7M	1.96K	422	38.3	NONE
INPUT VOLTAGE RANGE		R41	R3	R4	R7	R8	R9	R11	R13	R14	R40
VARIATION		R43	R20	R21	R24	R25	R26	R29	R31	R32	R42

REVISIONS	CHK	CHK NO.	REV.	A	B
1		0000	1		
2		0002	1		

DATE 2-28-69
 DEC 3-5-69
 DATE 1N753
 DATE 2N4250


TRANSISTOR & DIODE CONVERSION CHART			
DEC	EIA	DEC	EIA
D664	1N3606		
1N753	SAME		
2N4250	NONE		

digital
 EQUIPMENT CORPORATION
 MAYFORD, MASSACHUSETTS

TITLE			
2 ANALOG AMPLIFIERS A214			
SIZE	CODE	NUMBER	REV.
C	CS	A214-0-1	B
PRINTED CIRCUIT REV.			
B			

THIS SCHEMATIC IS FURNISHED ONLY FOR TEST AND MAINTENANCE PURPOSES. THE CIRCUITS ARE PROPRIETARY IN NATURE AND SHOULD BE TREATED ACCORDINGLY. COPYRIGHT 1969 BY DIGITAL EQUIPMENT CORPORATION

REV. A
NUMBER A215-0-1
CS B
SIZE



UNLESS OTHERWISE INDICATED:
CAPACITORS ARE 1MFD; 35V; 10%
DIODES ARE D664
RESISTORS ARE 1/4W; 5%
TRANSISTORS ARE DEC2219
E1 IS LM302

REVISIONS		CHK	CHG	NO	REV.	A
7						


DRN.	DATE	TRANSISTOR & DIODE CONVERSION CHART		TITLE	
M. Waller	3-7-69	DEC	EIA	ANALOG BUFFER A215	
CHKD.	DATE	D664	IN3606	SIZE	CODE
3-9-69		DEC2219	2N2219	B	CS
ENG.	DATE			NUMBER	
4/8/69				A215-0-1	
PROD.	DATE			REV.	
				A	

digital EQUIPMENT CORPORATION MAYNARD, MASSACHUSETTS

PRINTED CIRCUIT REV. A


THIS SCHEMATIC IS FURNISHED ONLY FOR TEST AND MAINTENANCE PURPOSES. THE CIRCUITS ARE PROPRIETARY IN NATURE AND SHOULD BE TREATED ACCORDINGLY. COPYRIGHT 1970 BY DIGITAL EQUIPMENT CORPORATION

REV A
NUMBER A225-0-1
SIZE B
CODE CS



REVISIONS		DRN	DATE	TRANSISTOR & DIODE CONVERSION CHART				digital		TITLE DEFLECTION AMPLIFIER A225	
CHK	CHG NO	CHK'D	DATE	DEC	EIA	DEC	EIA	EQUIPMENT CORPORATION		SIZE B	CODE CS
		ENG	DATE	DEC2219	2N2219			MAYNARD, MASSACHUSETTS		NUMBER	REV A
		PROD.	DATE	2N4920	SAME					A225-0-1	
				D664	1N3606					PRINTED CIRCUIT REV.	
				1N753	SAME					B	

THIS SCHEMATIC IS FURNISHED ONLY FOR TEST AND MAINTENANCE PURPOSES. THE CIRCUITS ARE PROPRIETARY IN NATURE AND SHOULD BE TREATED ACCORDINGLY. COPYRIGHT 1988 BY DIGITAL EQUIPMENT CORPORATION



R59, R62	RES. 619 1/8W 1% 100MFP	1305126
R61	RES. 1K TRIMPOT	1305450
Q23	DIODE 1N3156	1100137
Q12, Q13, Q14	TRANSISTOR 2N4250	1509142
Q11	TRANSISTOR 2N4350-S	1501857
Q10, Q15, Q16, Q19	TRANSISTOR DEC2219-S	1501881
Q9, Q17, Q18	TRANSISTOR DEC6554D	1503409
Q3, Q6	TRANSISTOR 2N5163 FET	1503233
Q2, Q4, Q5, Q7, Q8	TRANSISTOR DEC6554C	1503409-02
Q1	TRANSISTOR DEC3009B	1503100
R55, R56	RES. 68 1/2W 10% CC	1300220
R51	RES. 12K 1/4W 5% CC	1300488
R48	RES. 5.62 1/8W 1% 100MFP	1305128
R47, R50	RES. 562 1/8W 1% 100MFP	1304693
R46	RES. 470 1/4W 5% CC	1300316
R43	RES. 12.1K 1/8W 1% 100MFP	1303313
R41	RES. 50K BOURNS TRIMPOT	1305455
R40, R42	RES. 68.1K 1/8W 1% 100MFP	1305252
R39	RES. 34.8K 1/8W 1% 100MFP	1303156
R38, R44	RES. 2K 1/4W 5% CC	1302388
R34	RES. 820K 1/4W 10% CC	1303187
R35, R52	RES. 2.4K 1/4W 5% CC	1303177
R32	RES. 100K 1/4W 5% CC	1302466
R29	RES. 1.62K 1/8W 1% 100MFP	1304862
R26, R27, R56, R57	RES. 18 1/4W 5% CC	1302124
R25	RES. 200 TRIMPOT	1305614
R24, R53	RES. 58 1/4W 5% CC	1302602
R23, R49	RES. 560 1/4W 5% CC	1301890
R21, R50	RES. 10K 1/8W 1% 100MFP	1303312
R20	RES. 1K 1/8W 1% 100MFP	1303114
R16	RES. 1.2K 1/2W 5% CC	1300385
R15, R51, R50	RES. 20K TRIMPOT	1305395
R14, R18	RES. 2.2K 1/4W 5% CC	1300417
R12	RES. 1.024M 1/2W 1% 25MF	1305519
R8	RES. 5.1K 1/8W 1% 25MF	1305432
R7, R13	RES. 10K 1/8W 1% 25MF	1305431
R6, R11, R17	RES. 10K 1/4W 5% CC	1300479
R4, R54	RES. 1K 1/4W 5% CC	1300365
R2, R3, R5, R22, R35, R36, R37, R45	RES. 5.5K 1/4W 5% CC	1301874
R1, R5, R10, R15, R28	RES. 20K 1/4W 5% CC	1302391
D15, D20, D21	DIODE D662	1100113
D12	DIODE 1N756A 5.2V	1103441
D1 - D11, D13 - D15, D17 - D19, D22	DIODE D664	1100114
C18	CAP. 10MMF 100V 5% D.M.	1000006
C16, C17	CAP. 100MMF 100V 5% D.M.	1000016
C12, C13	CAP. 6.8MMF 35V 20% S.TANT.	1000067
C11	CAP. 5000MMF 100V 5%	1005619
C7, C8, C9, C15	CAP. 0.1MMF 100V 20% DISC	1001610
C4, C5, C19	CAP. 15MMF 100V 5% D.M.	1002608
C3, C20	CAP. 27MMF 100V 5% D.M.	1001739
C1, C2, C5, C10, C14	CAP. 47MMF 100V 5% D.M.	1000011

REFERENCE DESIGNATION PARTS LIST

REVISIONS		DATE		BY		DESCRIPTION													
1	01/15/88	1	1/15/88	1	1/15/88	1	1/15/88												
DESIGNED BY: [Signature] CHECKED BY: [Signature] DATE: 01/15/88 TRANSISTOR & DIODE CONVERSION CHART <table border="1"> <tr> <th>TRANSISTOR</th> <th>DIODE</th> <th>TRANSISTOR</th> <th>DIODE</th> </tr> <tr> <td>2N4350</td> <td>1N3156</td> <td>2N4350</td> <td>1N3156</td> </tr> <tr> <td>2N4350</td> <td>1N3156</td> <td>2N4350</td> <td>1N3156</td> </tr> </table>								TRANSISTOR	DIODE	TRANSISTOR	DIODE	2N4350	1N3156	2N4350	1N3156	2N4350	1N3156	2N4350	1N3156
TRANSISTOR	DIODE	TRANSISTOR	DIODE																
2N4350	1N3156	2N4350	1N3156																
2N4350	1N3156	2N4350	1N3156																
DIGITAL EQUIPMENT CORPORATION 1100000000 SALES 1100000000																			

SUT, COOL	CS	A615-0-1	NUMBER	REV	C
-----------	----	----------	--------	-----	---




REVISIONS	
CHK	CHG NO
1	00001
2	00002


DEC FORM NO.
OBD 101

D/C FORM NO.
090 101

THIS SCHEMATIC IS FURNISHED ONLY FOR TEST AND MAINTENANCE PURPOSES. THE CIRCUITS ARE PROPRIETARY IN NATURE AND SHOULD BE TREATED ACCORDINGLY. COPYRIGHT 1967 BY DIGITAL EQUIPMENT CORPORATION




UNLESS OTHERWISE INDICATED:
RESISTORS ARE 1/4W; 5%
DIODES ARE D664
TRANSISTORS ARE DEC3639-1B



REVISIONS CHK CHG NO. REV.	DRN <i>M. Haller</i>	DATE 2-10-67	TRANSISTOR & DIODE CONVERSION CHART		digital EQUIPMENT CORPORATION MAYNARD, MASSACHUSETTS	TITLE DIODE GATE B142		
	CHK'D <i>R. Schreiner</i>	DATE 2/19/67	DEC DEC3639-1B	EIA 2N3639		SIZE B	CODE CS	NUMBER B142-0-1
	ENG <i>RCS</i>	DATE 7-1-67	DEC D662	EIA IN648		PRINTED CIRCUIT REV.	A	REV.
	PROD.	DATE	DEC D664	EIA IN3606		REV.	REV.	REV.

REV. J 1-0-0209 B CS B
NUMBER 6020-0-1 SIZE CODE

THIS SCHEMATIC IS FURNISHED ONLY FOR TEST AND MAINTENANCE PURPOSES. THE CIRCUITS ARE PROPRIETARY IN NATURE AND SHOULD BE TREATED ACCORDINGLY. COPYRIGHT 1967 BY DIGITAL EQUIPMENT CORPORATION




UNLESS OTHERWISE INDICATED:
RESISTORS ARE 1/4W, 5%
MF RESISTORS ARE 1/8W, 1%
CAPACITORS ARE .01MFD, 100V,
DIODES ARE D662 20%
E1, E3 ARE MC16406
E2 IS DEC7400N
PIN 7 ON EACH IC = GND
PIN 14 ON E2 = +5V
PIN 2 ON E1, E3 = +5V

USE THE ETCH BOARD OF THE 6021

PARTS LIST IS A-PL-6020-0-0

REVISIONS		CHK	CHG	NO	REV	DRN. Mr. Waller		DATE 7-18-67	TRANSISTOR & DIODE CONVERSION CHART				digital		TITLE SENSE AMP. G020	
00001	G					CHK'D		DATE 7/18/67	DEC	EIA	DEC	EIA	EQUIPMENT CORPORATION		SIZE B	CODE CS
00002	D					ENG		DATE 8/16/67	DEC3009B	2N3009			MAYNARD, MASSACHUSETTS		NUMBER 6020-0-1	REV. J
00003	E					PROD	2	DATE	D662	IN645					PRINTED CIRCUIT REV.	
00004	F								D664	IN3606						
00005	H								IN753A	SAME						
00007	J															

THIS SCHEMATIC IS FURNISHED ONLY FOR TEST AND MAINTENANCE PURPOSES. THE CIRCUITS ARE PROPRIETARY IN NATURE AND SHOULD BE TREATED ACCORDINGLY. COPYRIGHT 1967 BY DIGITAL EQUIPMENT CORPORATION




UNLESS OTHERWISE INDICATED:
RESISTORS ARE 1/4W, 5%
MF RESISTORS ARE 1/8W, 1%
CAPACITORS ARE .01 MFD, 100V, 20%
DIODES ARE D662
E1, E2, E4 & E5 ARE MC1540
E3 IS DEC7400N
PIN 7 ON EACH IC = GND
PIN 14 ON E3 = +5V
PIN 2 ON E1, E2, E4, E5 = +5V

PARTS LIST IS A-PL-6021-0-0

REVISIONS CHK CHG NO. REV. 00001 C 00002 D 00003 E 00004 F 00005 H 00006 J		DRN. <i>M. Waller</i> CHK'D <i>W. Simpson</i> ENG. <i>W. Simpson</i> PROD. 2		DATE 4-11-67 DATE 4-22-67 DATE 4-22-67 DATE		TRANSISTOR & DIODE CONVERSION CHART <table border="1"> <tr> <th>DEC</th> <th>EIA</th> <th>DEC</th> <th>EIA</th> </tr> <tr> <td>DEC3009B</td> <td>2N3009</td> <td></td> <td></td> </tr> <tr> <td>D662</td> <td>IN645</td> <td></td> <td></td> </tr> <tr> <td>D664</td> <td>IN3606</td> <td></td> <td></td> </tr> <tr> <td>IN753</td> <td>SAME</td> <td></td> <td></td> </tr> </table>				DEC	EIA	DEC	EIA	DEC3009B	2N3009			D662	IN645			D664	IN3606			IN753	SAME			digital EQUIPMENT CORPORATION MAYNARD, MASSACHUSETTS		TITLE SENSE AMP. G021 SIZE B CODE CS NUMBER 6021-0-1 REV. J PRINTED CIRCUIT REV. H	
DEC	EIA	DEC	EIA																														
DEC3009B	2N3009																																
D662	IN645																																
D664	IN3606																																
IN753	SAME																																

REV. D
NUMBER 6221-0-1
SIZE B
CODE CS


THIS SCHEMATIC IS FURNISHED ONLY FOR TEST AND MAINTENANCE PURPOSES. THE CIRCUITS ARE PROPRIETARY IN NATURE AND SHOULD BE TREATED ACCORDINGLY. COPYRIGHT 1967 BY DIGITAL EQUIPMENT CORPORATION



PARTS LIST IS A-PL-G221-0-1

REVISIONS CHG NO. REV. A 6451 B 6508 C 00001 D 00004				DRN. <i>M. Waller</i> DATE 4-3-67 CHK'D <i>[Signature]</i> DATE 5/5/67 ENG. <i>[Signature]</i> DATE 5/5/67 PROD. <i>[Signature]</i> DATE		TRANSISTOR & DIODE CONVERSION CHART <table border="1"> <tr> <th>DEC</th> <th>EIA</th> <th>DEC</th> <th>EIA</th> </tr> <tr> <td>DEC1008</td> <td>MM1008</td> <td></td> <td></td> </tr> <tr> <td>DEC2904</td> <td>2N2904</td> <td></td> <td></td> </tr> <tr> <td>D662</td> <td>IN645</td> <td></td> <td></td> </tr> <tr> <td>D672</td> <td>IN3655</td> <td></td> <td></td> </tr> </table>				DEC	EIA	DEC	EIA	DEC1008	MM1008			DEC2904	2N2904			D662	IN645			D672	IN3655			digital EQUIPMENT CORPORATION MAYNARD, MASSACHUSETTS			
DEC	EIA	DEC	EIA																														
DEC1008	MM1008																																
DEC2904	2N2904																																
D662	IN645																																
D672	IN3655																																
TITLE: MEMORY SELECTOR G221																																	
SIZE B		CODE CS		NUMBER 6221-0-1																													
PRINTED CIRCUIT REV. B		REV. D																															

THIS SCHEMATIC IS FURNISHED ONLY FOR TEST AND MAINTENANCE PURPOSES. THE CIRCUITS ARE PROPRIETARY IN NATURE AND SHOULD BE TREATED ACCORDINGLY. COPYRIGHT 1967 BY DIGITAL EQUIPMENT CORPORATION



UNLESS OTHERWISE INDICATED:
TRANSISTORS ARE DEC1008
RESISTORS ARE 1/4W, 5%
TRANSFORMERS ARE T2037
IC'S ARE DEC7440N
PIN 7 ON EACH IC = GND
PIN 14 ON EACH IC = +5V
CAPACITORS ARE .01MFD, 100V, 20%

REV	CHG	NO	REV
1	6452	A	1
2	00001	B	1
3	00002	C	1
4	00003	D	1

DRN	DATE
CHK'D	DATE
ENG	DATE
PROD	DATE

TRANSISTOR & DIODE CONVERSION CHART			
DEC	EIA	DEC	EIA
DEC1008	MM1008		
D664	IN3606		
D672	IN3653		


digital
EQUIPMENT CORPORATION
MAYNARD, MASSACHUSETTS

TITLE			
INHIBIT DRIVER G228			
SIZE	CODE	NUMBER	REV
B	CS	G228-0-1	F
PRINTED CIRCUIT REV			H

DEC FORM NO
DRB 102

DIST 32 4, 4 34, 4 35

THIS SCHEMATIC IS FURNISHED ONLY FOR TEST AND MAINTENANCE PURPOSES. THE CIRCUITS ARE PROPRIETARY IN NATURE AND SHOULD BE TREATED ACCORDINGLY. COPYRIGHT 1966 BY DIGITAL EQUIPMENT CORPORATION



UNLESS OTHERWISE INDICATED:
DIODES ARE D672
USE D671 AS SUBSTITUTE
R1 IS A 330Ω THERMISTOR
25% #A0905P-8

REVISIONS
CHKD NO. REV.
00001 B

DRN. *M. Wallen* DATE 11-28-66
CHKD. *R. Johnson* DATE 11/29/66
ENC. *R. Johnson* DATE 11/29/66
PROD. *R. Johnson* DATE 11/29/66

TRANSISTOR & DIODE CONVERSION CHART


DEC	EIA	DEC	EIA
D672	1N3665		

digital
EQUIPMENT
CORPORATION
MAYNARD, MASSACHUSETTS

TITLE
A-DIODE BOARD G610
SIZE CODE NUMBER REV.
C CS 6610-0-1 B
PRINTED CIRCUIT REV. AB

REV. 5
NUMBER 6610-0-1
C CS

SIZE	B	CS	6624-0-1	NUMBER	D
CODE					REV.



REVISIONS		
CHK	CHG NO.	REV.
11/2	6442	A
11/2	6561	B
11/2	6709	C
11/2	00001	D

DRN. <i>M. Haller</i>	DATE <i>5-24-67</i>
CHK'D <i>E. J. [illegible]</i>	DATE <i>5/24/67</i>
ENG <i>[illegible]</i>	DATE <i>5/25/67</i>
PROD.	DATE

[illegible]


digital
EQUIPMENT
CORPORATION
MAYNARD, MASSACHUSETTS

TITLE				
RESISTOR BOARD G624				
SIZE	CODE	NUMBER		REV.
B	CS	G624-0-I		D
PRINTED CIRCUIT REV.		C		



REV.	NUMBER	SIZE	CODE	B
	6700-YA-1	CS	2029	

THIS SCHEMATIC IS FURNISHED ONLY FOR TEST AND MAINTENANCE PURPOSES. THE CIRCUITS ARE PROPRIETARY IN NATURE AND SHOULD BE TREATED ACCORDINGLY. COPYRIGHT 1970 BY DIGITAL EQUIPMENT CORPORATION



UNLESS OTHERWISE INDICATED:
RESISTORS ARE 100; 1/4W; 5%

USE THE G700 ETCH


REVISIONS CHK CHG NO. REV.	DRN.	DATE	TRANSISTOR & DIODE CONVERSION CHART				digital EQUIPMENT CORPORATION MAYNARD, MASSACHUSETTS	TITLE									
	CHK'D	DATE	DEC	EIA	DEC	EIA		100Ω TERMINATOR G700-YA									
	ENR	DATE						SIZE	CODE	NUMBER	REV.						
	PROD.	DATE						B	CS	G700-YA-1							
		5/4/70					PRINTED CIRCUIT REV.				B						





REV	A	NUMBER	6718-0-1	CS	B	SIZE
-----	---	--------	----------	----	---	------

THIS SCHEMATIC IS FURNISHED ONLY FOR TEST AND MAINTENANCE PURPOSES. THE CIRCUITS ARE PROPRIETARY IN NATURE AND SHOULD BE TREATED ACCORDINGLY. COPYRIGHT 1969 BY DIGITAL EQUIPMENT CORPORATION



PARTS LIST IS A-PL-6718-0-0


REVISIONS	CHK	CHG NO	REV	DRN. <i>M. Heller</i>	DATE <i>1-10-69</i>	TRANSISTOR & DIODE CONVERSION CHART				digital EQUIPMENT CORPORATION MAYNARD, MASSACHUSETTS	TITLE TIMING JUMPER G718				
	1/2	00001	A			DEC	EIA	DEC	EIA		SIZE	CODE	NUMBER	REV.	
											B	CS	G718-0-1	A	
DEC FORM NO. DRB 102				PROD.				PRINTED CIRCUIT REV.				A			



11 IN 324 439 455

THIS SCHEMATIC IS FURNISHED ONLY FOR TEST AND MAINTENANCE PURPOSES. THE CIRCUITS ARE PROPRIETARY IN NATURE AND SHOULD BE TREATED ACCORDINGLY. COPYRIGHT 1969 BY DIGITAL EQUIPMENT CORPORATION

REV. 1-0-0879 CS B SIZE




UNLESS OTHERWISE INDICATED:
 ○ ARE EYELETS
 TABS ARE DEC A-MD-7407196

REVISIONS CHK CHG NO. (REV.)	DRN.	DATE	TRANSISTOR & DIODE CONVERSION CHART		digital EQUIPMENT CORPORATION MAYNARD, MASSACHUSETTS	TITLE					
	CHK'D	DATE	DEC	EIA		DEC	EIA	POWER CONNECTOR G780			
	END	DATE					SIZE	CODE	NUMBER	REV.	
	PROD.	DATE					B	CS	G780-0-1		

THIS SCHEMATIC IS FURNISHED ONLY FOR TEST AND MAINTENANCE PURPOSES. THE CIRCUITS ARE PROPRIETARY IN NATURE AND SHOULD BE TREATED ACCORDINGLY. COPYRIGHT 1969 BY DIGITAL EQUIPMENT CORPORATION

COLOR CODING CHART BASED ON STD. BELDEN PAIR DESIGNATION			
PAIR NO.	SHIELD	PIN	WIRE
1	RED	A1 B1	BLK RED
2	RED	C1 D1	BLK WHT
3	GRN	E1 H1	BLK GRN
4	BLU	J1 K1	BLK BLU
5	BLU	L1 M1	BLK YEL
6	BLU	N1 P1	BLK BRN
7	BLU	S1 T1	BLK ORN
8	BLU	U1 V1	RED WHT
9	BLU	F1 R1	RED GRN

UNLESS OTHERWISE INDICATED:
RESISTORS ARE 10, 1/4W, 10%
⊙ INDICATES SPLIT LUG



REV. NUMBER 6783-0-1

REVISIONS
CHK CHG NO. REV.

DRN. *M. Keller* DATE *4-14-69*
CHK'D *M. Mendenhall* DATE *4-16-69*
ENG'D *S. Hale* DATE *5/15/69*
PROD. DATE

TRANSISTOR & DIODE CONVERSION CHART

DEC	EIA	DEC	EIA


digital
EQUIPMENT
CORPORATION
MAYNARD, MASSACHUSETTS

TITLE
CABLE CONNECTOR G783


SIZE	CODE	NUMBER	REV.
B	CS	G783-0-1	
PRINTED CIRCUIT REV.			A

THIS SCHEMATIC IS FURNISHED ONLY FOR TEST AND MAINTENANCE PURPOSES. THE CIRCUITS ARE PROPRIETARY IN NATURE AND SHOULD BE TREATED ACCORDINGLY. COPYRIGHT 1968 BY DIGITAL EQUIPMENT CORPORATION

REV. B
NUMBER 6793-0-1
SIZE B
CODE CS



FLEXPRINT




R1 THRU R13	RES. 6.8K 1/4W 10% CC	1300463
R14 THRU R26	RES. 1.5K 1/4W 5% CC	1300391
D1 THRU D13	DIODE D664	1100114
	PARTS LIST	A-PL-6793-0-0
REFERENCE DESIGNATION	DESCRIPTION	PART NO.

REVISIONS CHK CHG NO. REV. 100001 A 100002 B	DRN. <i>Mr. Miller</i> CHK'D <i>R. Silverman</i> ENG. <i>Rogge</i> PROD.	DATE 1-9-68 DATE 11/5/68 DATE 11/15/68 DATE	TRANSISTOR & DIODE CONVERSION CHART				digital EQUIPMENT CORPORATION MAYNARD, MASSACHUSETTS	TITLE PDP-8I SWITCH CONNECTOR G793			
			DEC	EIA	DEC	EIA		SIZE B	CODE CS	NUMBER G793-0-1	REV. B
			D664	IN3606			PRINTED CIRCUIT REV. B				

H 6805-0-1 B CS NUMBER

THIS SCHEMATIC IS FURNISHED ONLY FOR TEST AND MAINTENANCE PURPOSES. THE CIRCUITS ARE PROPRIETARY IN NATURE AND SHOULD BE TREATED ACCORDINGLY. COPYRIGHT 1966 BY DIGITAL EQUIPMENT CORPORATION



UNLESS OTHERWISE INDICATED:

CAPACITORS ARE 20MFD 50V, -10+75%
TABS ARE 250 SERIES FASTON TABS TYPE 60465-2 (AMP INC)
Q1 IS MOUNTED ON HEAT SINK, WAKEFIELD TYPE NC-623-A USING AN ANODIZED ALUMINUM INSULATING WASHER & WAKEFIELD TYPE 120 THERMAL JOINT COMPOUND

PARTS LIST A-PL-G805-0-0

REV	CHG	NO	REV
1	5902	B	
2	6468	C	
3	7072	E	
4	00002	H	

DRN	DATE
CHK'D	DATE
ENG	DATE
PROD	DATE

TRANSISTOR & DIODE CONVERSION CHART			
DEC	EIA	DEC	EIA
2N3790	SAME		



digital
EQUIPMENT CORPORATION
MAYNARD MASSACHUSETTS

TITLE			
NEGATIVE REGULATOR G805			
SIZE	CODE	NUMBER	REV
B	CS	G805-0-1	H
PRINTED CIRCUIT REV.			
EF			

DEC FORM NO
DRB 102

5 PINK DIST. 324 434 435³


THIS SCHEMATIC IS FURNISHED ONLY FOR TEST AND MAINTENANCE PURPOSES. THE CIRCUITS ARE PROPRIETARY IN NATURE AND SHOULD BE TREATED ACCORDINGLY. COPYRIGHT 1969 BY DIGITAL EQUIPMENT CORPORATION



REVISIONS CHK CHG NO. REV. 6817 00001 B	DRN. <i>R. B. Bunker</i>	DATE <i>2-25-69</i>	TRANSISTOR & DIODE CONVERSION CHART				digital EQUIPMENT CORPORATION MAYNARD, MASSACHUSETTS	TITLE POWER SUPPLY BI G817			
	CHK'D <i>R. B. Bunker</i>	DATE <i>6-2-69</i>	DEC	EIA	DEC	EIA		SIZE	CODE	NUMBER	REV.
	ENG. <i>R. B. Bunker</i>	DATE <i>7-17-69</i>	IN5231B	SAME				B	CS	G817-0-1	B
	PROD.	DATE	IN3785	SAME				PRINTED CIRCUIT REV. A			
			IN4004	SAME							

REV. D
NUMBER G818-0-1
SIZE B
CODE CS


THIS SCHEMATIC IS FURNISHED ONLY FOR TEST AND MAINTENANCE PURPOSES. THE CIRCUITS ARE PROPRIETARY IN NATURE AND SHOULD BE TREATED ACCORDINGLY. COPYRIGHT 1969 BY DIGITAL EQUIPMENT CORPORATION




UNLESS OTHERWISE INDICATED:
CAPACITORS ARE 10 MFD 450V
DIODES ARE MR1033B
RESISTORS ARE 1K 2W 5%

REVISIONS CHG NO REV. C 00001 00002 D		DRN <i>McIntyre</i> CHK'D <i>M. M. L.</i> ENG. <i>R. B. C.</i> PROD. <i>2005</i>	DATE 9-20-69 DATE 1-3-69 DATE 2-1-69 DATE 4-2-69	TRANSISTOR & DIODE CONVERSION CHART <table border="1"> <tr> <th>DEC</th> <th>EIA</th> <th>DEC</th> <th>EIA</th> </tr> <tr> <td>MR1033B</td> <td>SAME</td> <td></td> <td></td> </tr> <tr> <td>IN5231B</td> <td>SAME</td> <td></td> <td></td> </tr> <tr> <td>IN4004</td> <td>SAME</td> <td></td> <td></td> </tr> </table>	DEC	EIA	DEC	EIA	MR1033B	SAME			IN5231B	SAME			IN4004	SAME			digital EQUIPMENT CORPORATION MAYNARD, MASSACHUSETTS	TITLE POWER SUPPLY B2 G818 SIZE B CODE CS NUMBER G818-0-1 REV D PRINTED CIRCUIT REV. 8
DEC	EIA	DEC	EIA																			
MR1033B	SAME																					
IN5231B	SAME																					
IN4004	SAME																					

UNLESS OTHERWISE INDICATED:
RESISTORS ARE 1/4W, 10%
P1 IS SOCKET HOUSING 1209350-09
P2 IS SOCKET HOUSING 1209350-12
CB1 IS AIRPAX #UPLI-50-0203
SCR1 IS A RECTIFIER MCR 649P-2
CAPACITORS ARE .01uf, 100V, 20%



THIS SCHEMATIC IS FOR INFORMATION AND MAINTENANCE PURPOSES. THE CIRCUITS ARE PROPRIETARY IN PART AND SHOULD BE TREATED ACCORDINGLY. COPYRIGHT 1967 BY DIGITAL EQUIPMENT CORPORATION



PARTS LIST A-PL-G826-0-0

REV.	DATE	BY	CHKD.
1	5-10-67	M. Waller	
2	5-10-67		
3	5-10-67		
4	5-10-67		
5	5-10-67		
6	5-10-67		
7	5-10-67		
8	5-10-67		
9	5-10-67		
10	5-10-67		


DATE	BY	CHKD.
5-10-67	M. Waller	
5-10-67		
5-10-67		
5-10-67		
5-10-67		

TRANSISTOR & DIODE CONVERSION CHART			
DEC	EIA	DEC	EIA
DEC3009B	2N3009	D664	1N3606
DEC356B	2N3568	D671	1N3653
DEC6534B	MPS6534	IN753	SAME
DEC3790	2N3790	MR2064	1N4001
D662	1N645		

digital
 EQUIPMENT CORPORATION
 MAYNARD, MASSACHUSETTS

TITLE			
REGULATOR CONTROL G826			
SIZE	CODE	NUMBER	REV.
C	CS	G826-0-1	L
PRINTED CIRCUIT REV.			
K			

THIS SCHEMATIC IS FURNISHED ONLY FOR TEST AND MAINTENANCE PURPOSES. THE CIRCUITS ARE INDICATIVE IN NATURE AND SHOULD BE TREATED AS APPROXIMATE COMPONENTS USED BY NORMAL EQUIPMENT CORPORATION.




UNLESS OTHERWISE INDICATED:
RESISTORS ARE 1K, 1/4W, 5%
DIODES ARE 1N752A, 5.6V
CAPACITORS ARE 1000PF, 100V, 5%
E1, E2 ARE DEC70/9C

 = EVELETS

[illegible]

VR-14 POWER SUPPLY
AND REGULATOR BD G836

THIS SCHEMATIC IS FURNISHED ONLY FOR TEST AND MAINTENANCE PURPOSES. THE CIRCUITS ARE PROPRIETARY IN NATURE AND SHOULD BE TREATED ACCORDINGLY. COPYRIGHT 1970 BY DIGITAL EQUIPMENT CORPORATION



UNLESS OTHERWISE INDICATED:


RESISTORS = 1/4W, 5%
DIODES = IN4004

REVISIONS		DRN. <i>NANCY MOORE</i> DATE <i>12/18/70</i>		TRANSISTOR & DIODE CONVERSION CHART				digital		TITLE FAULT PROTECTION BOARD G838			
CHK	CHG NO.	DATE	DATE	DEC	EIA	DEC	EIA	SIZE	CODE	NUMBER	REV.		
		<i>23 DEC 70</i>		IN4004	SAME	IN751A	SAME	B	CS	G838-0-1			
		<i>29 JAN 71</i>		DEC2904	2N1132	DEC2219	2N2219						
								PRINTED CIRCUIT REV. <i>A</i>					
PROD.				MAYNARD, MASSACHUSETTS									

PINK BLUE

THIS SCHEMATIC IS FURNISHED ONLY FOR TEST AND MAINTENANCE PURPOSES. THE CIRCUITS ARE PROPRIETARY IN NATURE AND SHOULD BE TREATED ACCORDINGLY. COPYRIGHT 1969 BY DIGITAL EQUIPMENT CORPORATION


REV. A
NUMBER 6847-0-1
SIZE B
CODE CS



UNLESS OTHERWISE INDICATED:
DIODES ARE D672
RESISTORS ARE 1/4W, 10%
CONNECTOR IS DEC #1209340
CONNECTOR PINS ARE DEC #1209456
F1, F2 ARE 5 AMP

REVISIONS		DRN.	DATE	TRANSISTOR & DIODE CONVERSION CHART		digital EQUIPMENT CORPORATION MAYNARD, MASSACHUSETTS	TITLE		DUAL MOTOR VOLTAGE CONTROL G847	
CHK	CHG NO.	REV.		DEC	EIA		SIZE	CODE	NUMBER	REV.
1	00002	A		D672	IN3653		B	CS	G847-0-1	A
2	00003			MR2064	IN4001					
3				2N3715	NONE					
		ENG.	DATE	2N4923	NONE	PRINTED CIRCUIT REV.		C		
		PROD.	DATE	DEC6534B	MPS6534					

THIS SCHEMATIC IS FURNISHED ONLY FOR TEST AND MAINTENANCE PURPOSES. THE CIRCUITS ARE PROPRIETARY IN NATURE AND SHOULD BE TREATED ACCORDINGLY. COPYRIGHT 1969 BY DIGITAL EQUIPMENT CORPORATION.



UNLESS OTHERWISE INDICATED:
RESISTORS ARE 1/4W, 5%
DIODES ARE D672
TRANSISTORS ARE 2N4923
□ INDICATES SOCKET PIN
AT HANDLE END OF CARD

REVISIONS	CHK'D	REV.
1	00001	A
2	00002	B
3	00003	C
4	00004	D
5	00005	E
6	00006	F

DEC FORM NO. 102

DRN	DATE
CHK'D	DATE
ENG.	DATE
PROD.	DATE

TRANSISTOR & DIODE CONVERSION CHART			
DEC		EIA	
D672	IN4923	2N4920	SAME
IN4997	SAME	2N4923	SAME
IN4997	SAME	MPS6634	SAME
DEC3715	2N3715	DEC6534D	MPS6534
2N3791	SAME		

digital
EQUIPMENT
CORPORATION
MAYNARD, MASSACHUSETTS


TITLE
MOTOR CONTROL G848
SIZE C CODE CS NUMBER G848-0-1 REV F
PRINTED CIRCUIT REV. L

REV. F
NUMBER G848-0-1
SIZE CODE C CS

V-499-P2

324 434 435 PINK

THIS SCHEMATIC IS FURNISHED ONLY FOR TEST AND MAINTENANCE PURPOSES. THE CIRCUITS ARE PROPRIETARY IN NATURE AND SHOULD BE TREATED ACCORDINGLY. COPYRIGHT 1965 BY DIGITAL EQUIPMENT CORPORATION




UNLESS OTHERWISE INDICATED:
DIODES ARE IN4003
TRANSISTORS ARE DEC 3638B
RESISTORS ARE 1/4W, 10 %
R5 & R9 ARE #275P

REVISIONS		DRN.		DATE		TRANSISTOR & DIODE CONVERSION CHART				TITLE	
CHK	CHG NO.	REV.	CHK'D	CHG NO.	REV.	DEC	EIA	DEC	EIA	SIZE	CODE
D	5286	3	R. SILVERMAN	5-14-65	3	DEC 3638	2N3638	IN758	IN758	B	CS
REV	5358	D	D. WARDIMON	5-13-65	D	2N2646	2N2646	2N4443	SAME	NUMBER	NUMBER
REV	5420	F	PROD. D. WARDIMON	5-13-65	F	D662	IN645			6850-0-1	REV. P
REV	5508	H			H	D664	IN3606			PRINTED CIRCUIT REV.	
REV	5588	J			J	IN4003	IN4003			E H J K L	
REV	5665	K			K						
REV	5669	L			L						
REV	5688	M			M						
REV	5688	N			N						
REV	5688	P			P						



B	REV.	1-0-1989	NUMBER	B	CS	SIZE
---	------	----------	--------	---	----	------


THIS SCHEMATIC IS FURNISHED ONLY FOR TEST AND MAINTENANCE PURPOSES. THE CIRCUITS ARE PROPRIETARY IN NATURE AND SHOULD BE TREATED ACCORDINGLY. COPYRIGHT 1965 BY DIGITAL EQUIPMENT CORPORATION



AMPHENOL
133-022-03

NOTE:
RELAYS ARE WHEELLOCK
REED, 260 SERIES 3A
12V DC

-15V AB




REVISIONS	CHK	CHG NO.	REV.	DRN. H.W. PORTER	DATE	TRANSISTOR & DIODE CONVERSION CHART				digital EQUIPMENT CORPORATION MAYNARD, MASSACHUSETTS	TITLE RELAY G851	SIZE B	CODE CS	NUMBER G851-0-1	REV. B
	DAW	4613	1		DATE	DEC	EIA	DEC	EIA						
	REV	5196	B		DATE										
	REV	5196	B		DATE										
ENG. D. WARDIMAN				DATE					PRINTED CIRCUIT REV.						
PROD.				DATE											



B CS G853-0-1
 A REV NUMBER

THIS SCHEMATIC IS FURNISHED ONLY FOR TEST AND MAINTENANCE PURPOSES. THE CIRCUITS ARE PROPRIETARY IN NATURE AND SHOULD BE TREATED ACCORDINGLY. COPYRIGHT 1967 BY DIGITAL EQUIPMENT CORPORATION




UNLESS OTHERWISE INDICATED:
 RESISTORS ARE 1/4 W, 5%
 D3= IN758A

REVISIONS CHK CHG NO REV 1 00001 A		DRN <i>M. Waller</i> DATE 7-5-67	TRANSISTOR & DIODE CONVERSION CHART <table border="1"> <tr> <th>DEC</th> <th>EIA</th> <th>DEC</th> <th>EIA</th> </tr> <tr> <td>D664</td> <td>IN3606</td> <td></td> <td></td> </tr> <tr> <td>IN758A</td> <td>SAME</td> <td></td> <td></td> </tr> </table>		DEC	EIA	DEC	EIA	D664	IN3606			IN758A	SAME			TITLE MOTION & SELECTION CIRCUIT G853
DEC	EIA	DEC	EIA														
D664	IN3606																
IN758A	SAME																
DEC FORM NO. DRB 102		DATE 7-1-68 PROD.	digital EQUIPMENT CORPORATION MAYNARD, MASSACHUSETTS		SIZE CODE NUMBER B CS G853-0-1 PRINTED CIRCUIT REV. A												

DIST 324.424.4 53
 PINK

8 1-0-6589 CS 8
A38 NUMBER SIZE

THIS SCHEMATIC IS FURNISHED ONLY FOR TEST AND MAINTENANCE PURPOSES. THE CIRCUITS ARE PROPRIETARY IN NATURE AND SHOULD BE TREATED ACCORDINGLY. COPYRIGHT 1969 BY DIGITAL EQUIPMENT CORPORATION.



UNLESS OTHERWISE INDICATED:
RESISTORS ARE 1K, 1/4W, 5%
DIODES ARE D664
CAPACITORS ARE .39MFD, 100V, 10%
TRANSISTORS ARE DEC6534B
EI IS DEC7401
PIN 14 ON EACH IC = +5V
PIN 7 ON EACH IC = GND

REVISIONS	CHK	CHK NO	REV	A	B

DRN: BUTLER
DATE: 1/13/69
CHK'D: [Signature]
DATE: 1/17/69
ENG: [Signature]
DATE: 1/24/69
PROD: [Signature]

TRANSISTOR & DIODE CONVERSION CHART			
DEC	EIA	DEC	EIA
D664	IN3606		
DEC6534B	MPS6534B		
DEC6531	MPS6531		
2N4923	SAME		

digital
EQUIPMENT CORPORATION
MAYNARD, MASSACHUSETTS


TITLE			
CLOCK & REGULATOR G859			
SIZE	CODE	NUMBER	REV
B	CS	G859-0-1	B
PRINTED CIRCUIT REV			
A			

DEC FORM NO
DRB 1D2

DIST 324, 134, 435

5 PINK

THIS SCHEMATIC IS FURNISHED ONLY FOR TEST AND MAINTENANCE PURPOSES. THE CIRCUITS ARE PROPRIETARY IN NATURE AND SHOULD BE TREATED ACCORDINGLY. COPYRIGHT 1966 BY DIGITAL EQUIPMENT CORPORATION



Q8, Q9, Q12, Q13	TRANSISTOR DEC36388	1502979
Q6, Q7, Q10, Q11	TRANSISTOR DEC3009B-S	1503100
Q5	TRANSISTOR DEC3009A-S	1501999
Q2, Q4	TRANSISTOR DEC3500-S	1503209
Q1, Q3	TRANSISTOR DEC2894-38-S	1503099
R39	RES. 120 1/4W 5% CC	1300247
R36, R38	RES. 470 1/2W 10% CC	1300318
R30, R33	RES. 3K 1/4W 5% CC	1300432
R17 THRU R21, R23, R25 THRU R28	RES. 220 1/4W 5% CC	1300271
R12, R13	RES. 560 1/4W 5% CC	1301890
R6, R14, R35, R37	RES. 68 2W 5% CC	1302308
R5, R15	RES. 750 1/4W 5% CC	1301401
R4, R11	RES. 1.5K 1/4W 5% CC	1300391
R3, R7, R10, R16, R22, R24, R29, R31, R32, R34	RES. 100K 1/4W 5% CC	1302466
R2, R9	RES. 7.5K 1/4W 5% CC	1301422
R1, R8	DIODE 1/4M 6.8A Z	1100102
D23	DIODE IN748 3.9V	1100121
D22	DIODE IN756A 8.2V	1103441
D21	DIODE D670	1102162
D5, D6, D13, D14	DIODE D662	1100113
D2, D3, D11, D12, D24 THRU D27	DIODE D664	1100114
D1, D4, D7 THRU D10, D15 THRU D20	CAP. 1.200MMF 100V 5% D.M.	1002430
C10, C11	CAP. 2.2MFD 20V 10%	1002627
C5	CAP. 3.9MFD 10V 10% S.TANT	1000064
C4, C6, C7, C8, C9	CAP. .47MFD 20V 10% S.TANT	1005965
C3	CAP. 680MMF 100V 5% D.M.	1000026
C1, C2	PARTS LIST	A-PL-6882-O-O
REFERENCE DESIGNATION	DESCRIPTION	PART NO.

REV.	CHG	NO.	REV.
1	1	1	1
2	2	2	2
3	3	3	3
4	4	4	4
5	5	5	5
6	6	6	6
7	7	7	7
8	8	8	8
9	9	9	9
10	10	10	10

DRN.	DATE
A. OUELLETTE	2-8-66
CHK'D	DATE
R. SILVERMAN	2-9-66
ENG.	DATE
R. SOOKE	2-9-66
PROD.	DATE

TRANSISTOR & DIODE CONVERSION CHART			
DEC	EIA	DEC	EIA
DEC36388	2N3638	D662	IN645
DEC3009B	2N3009	O664	IN3606
1/4M 6.8A Z	IN4099	D670	IN3653
DEC3500	2N3500	IN756A	SAME
DEC2894-38	NONE	IN748	SAME

digital EQUIPMENT CORPORATION
MAYNARD, MASSACHUSETTS


TITLE: MANCHESTER READER WRITER G882

SIZE: C CODE: CS NUMBER: G882-0-1 REV: D

PRINTED CIRCUIT REV. B

DIST: 324 434 435 437

THIS SCHEMATIC IS FURNISHED ONLY FOR TEST AND MAINTENANCE PURPOSES. THE CIRCUITS ARE PROPRIETARY IN NATURE AND SHOULD BE TREATED ACCORDINGLY. COPYRIGHT 1969 BY DIGITAL EQUIPMENT CORPORATION



REV.	CHG.	NO.	REV.


DRN.	DATE
CHK'D	DATE
ENG.	DATE
PROD.	DATE

TRANSISTOR & DIODE CONVERSION CHART			
DEC	EIA	DEC	EIA
D664	IN3606	DEC1008-S	MM1008
D662	IN645		
D670	SAME		
DEC3009B	2N3009B		
DEC6534C	MP6534		

digital
EQUIPMENT
CORPORATION
MAYNARD, MASSACHUSETTS

TITLE			
MANCHESTER READER/WRITER G888			
SIZE	CODE	NUMBER	REV.
B	CS	G888-0-1	
PRINTED CIRCUIT REV.			
A			

THIS SCHEMATIC IS FURNISHED ONLY FOR TEST AND MAINTENANCE PURPOSES. THE CIRCUITS ARE PROPRIETARY IN NATURE AND SHOULD BE TREATED ACCORDINGLY. COPYRIGHT 1969 BY DIGITAL EQUIPMENT CORPORATION



UNLESS OTHERWISE INDICATED:
RESISTORS ARE 1/4W, 5%
DIODES ARE D664
E1 IS DEC7400N
E2 IS DEC7410N
E3 IS DEC7402N
UNUSED INPUTS ON E1, E2, E3 SHORT TO GND
PIN 14 ON E1, E2, E3 = +5V
PIN 7 ON E1, E2, E3 = GND
E4, E5 ARE CA3001
DEFLECTION YOKE IS SHOWN DOTTED
PINS AE2, AF2 ARE CONNECTED TO 8P2, 8R2
WHEN BOARD IS PLUGGED INTO UNIT


REVISIONS	DATE	BY	DESCRIPTION
1	6-10-69	M. J. Miller	Initial Design
2	6-19-69	A. J. Miller	Revise for production
3	8-7-69	A. J. Miller	Revise for production

TRANSISTOR & DIODE CONVERSION CHART			
DEC	EIA	DEC	EIA
D662	IN645	2N3715	NONE
D664	IN3606	SDA7	SAME
D671	IN3653	2N3444	NONE
2N2904	SAME	2N5003	NONE
MR1337-1	NONE	AE2, AF2	NONE

digital EQUIPMENT CORPORATION		TITLE: DEFLECTION AMPLIFIER G912	
SIZE	CODE	NUMBER	REV.
C	CS	G912-0-1	
PRINTED CIRCUIT REV. 1			

THIS SCHEMATIC IS FURNISHED ONLY FOR TEST AND MAINTENANCE PURPOSES. THE CIRCUITS ARE PROPRIETARY IN NATURE AND SHOULD BE TREATED ACCORDINGLY. COPYRIGHT 1969 BY DIGITAL EQUIPMENT CORPORATION

UNLESS OTHERWISE INDICATED:
DIODES ARE D664
CAPACITORS ARE .01MFD
RESISTORS ARE 2K, 1/4W, 5%



REV. 1-0-1
NUMBER 6916-0-1
CS B
SIZE 3

REV.	CHG.	NO.

DRN.	BUTLER	DATE	4/25/69
CHK'D	M. Monahan	DATE	5-5-69
ENG.	R. Schweitzer	DATE	6/16/69
PRD.	R. Schweitzer	DATE	6/16/69


TRANSISTOR & DIODE CONVERSION CHART			
DEC	EIA	DEC	EIA
DEC3009B	2N3009B		
DEC6534D	MPS6534		
D664	IN3606		

digital
EQUIPMENT
CORPORATION
MAYNARD, MASSACHUSETTS

TITLE POWER DETECTOR AND SWITCH FILTER G916			
SIZE	CODE	NUMBER	REV.
B	CS	G916-0-1	
PRINTED CIRCUIT REV.			A

REV. NUMBER 6917-0-1

THIS SCHEMATIC IS FURNISHED ONLY FOR TEST AND MAINTENANCE PURPOSES. THE CIRCUITS ARE PROPRIETARY IN NATURE AND SHOULD BE TREATED ACCORDINGLY. COPYRIGHT 1969 BY DIGITAL EQUIPMENT CORPORATION




UNLESS OTHERWISE INDICATED
CAPACITORS ARE 100V
DIODES ARE D 664
E1, E2 ARE MC1520G OP-AMP
R3, R17 ARE ASM 6666
R11, R25 ARE ASM 6664
RESISTORS ARE 1/8W, 1%

REVISIONS CHK CHG NO. REV.	DRN. <i>S. Amundson</i>	DATE 6-6-68	TRANSISTOR & DIODE CONVERSION CHART				digital EQUIPMENT CORPORATION MAYNARD, MASSACHUSETTS	TITLE XY-CONTROL G917			
	CHK'D <i>M. Amundson</i>	DATE 6-12-67	DEC	EIA	DEC	EIA		SIZE B	CODE CS	NUMBER G917-0-1	REV.
	ENG.	DATE	D 662	IN645							
	PROD. <i>10/10</i>	DATE 8-7-69	D 664	IN3606							
DEC FORM NO DRB 102							PRINTED CIRCUIT REV. A				

DIST: 324, 434, 435 D.A.K

THIS SCHEMATIC IS FURNISHED ONLY FOR TEST AND MAINTENANCE PURPOSES. THE CIRCUITS ARE PROPRIETARY IN NATURE AND SHOULD BE TREATED ACCORDINGLY. COPYRIGHT 1969 BY DIGITAL EQUIPMENT CORPORATION



UNLESS OTHERWISE INDICATED:
 DIODES ARE D664
 RESISTORS ARE 1/4W, 5%
 CAPACITORS ARE .01 MFD, 100V, 20%
 TRANSISTORS ARE 2N3646
 ○ INDICATES TEST POINT

REV.	CHG NO.	REV.	A	B
00001	00001	00002	00003	00004

DEC FORM NO. 102

ORNL	DATE
CHKD	DATE
ENG	DATE
PROD.	DATE

TRANSISTOR & DIODE CONVERSION CHART			
DEC	EIA	DEC	EIA
2N3646	2N3009	IN964A -13V	SAME
D664	1N3606	DEC2904	2N1132

digital
 EQUIPMENT CORPORATION
 MAYNARD, MASSACHUSETTS


TITLE PHOTO TRANSISTOR AMPLIFIER G918			
SIZE	CODE	NUMBER	REV.
C	CS	G918-0-1	B
PRINTED CIRCUIT REV			D

REV. B
 NUMBER G918-0-1
 SIZE CODE C CS

DIST. 324 424 42

REV. 1-0-61ZH B CS H719-0-1
NUMBER

THIS SCHEMATIC IS FURNISHED ONLY FOR TEST AND MAINTENANCE PURPOSES. THE
CIRCUITS ARE PROPRIETARY IN NATURE AND SHOULD BE TREATED ACCORDINGLY.
COPYRIGHT BY DIGITAL EQUIPMENT CORPORATION



REVISIONS
CHK CHG NO. REV.

DRN. *P. Ferguson* DATE *4-24-69*
CHK'D *[Signature]* DATE *3-8-69*
ENG. *[Signature]* DATE *[Blank]*
PROD. *[Signature]* DATE *6-6-69*

TRANSISTOR & DIODE CONVERSION CHART

DEC	EIA	DEC	EIA

digital
EQUIPMENT
CORPORATION
MAYNARD, MASSACHUSETTS


TITLE

H719 P. S.


SIZE B	CODE CS	NUMBER H719-0-1	REV.
PRINTED CIRCUIT REV.			

SIZE CODE B CS
NUMBER K303-0-1
REV C

THIS SCHEMATIC IS FURNISHED ONLY FOR TEST AND MAINTENANCE PURPOSES. THE CIRCUITS ARE PROPRIETARY IN NATURE AND SHOULD BE TREATED ACCORDINGLY. COPYRIGHT 1967 BY DIGITAL EQUIPMENT CORPORATION



UNLESS OTHERWISE INDICATED:
TRANSISTORS ARE DEC1
DIODES ARE D600
RESISTORS ARE 1/4W, 10%
CAPACITORS ARE 680 MMFD $\pm 10\%$
ERIE 309 OR EQUIV.



VIEWED FROM ETCHED SIDE

PARTS LIST IS A-PL- K303-0-0

REVISIONS CHK CHG NO. REV. B 6437 C 10001 DRN. M. Haller DATE 4-18-67 CHK'D R. Johnson DATE 9/20/67 ENG. R. Poma DATE 4/27/67 PROD. I				TRANSISTOR & DIODE CONVERSION CHART <table border="1"> <tr> <th>DEC</th> <th>EIA</th> <th>DEC</th> <th>EIA</th> </tr> <tr> <td>DEC1</td> <td>2N3721</td> <td></td> <td></td> </tr> <tr> <td>DEC6534D</td> <td>MP86534</td> <td></td> <td></td> </tr> <tr> <td>D600</td> <td>1N4009</td> <td></td> <td></td> </tr> <tr> <td>DEC2219A</td> <td>2N2219</td> <td></td> <td></td> </tr> </table>				DEC	EIA	DEC	EIA	DEC1	2N3721			DEC6534D	MP86534			D600	1N4009			DEC2219A	2N2219			digital EQUIPMENT CORPORATION MAYNARD, MASSACHUSETTS				TITLE THREE TIMERS K303 SIZE B CODE CS NUMBER K303-0-1 REV. C PRINTED CIRCUIT REV. B			
DEC	EIA	DEC	EIA																																
DEC1	2N3721																																		
DEC6534D	MP86534																																		
D600	1N4009																																		
DEC2219A	2N2219																																		


DEC FORM NO. DRB 102

DIST. 324, 434, 435

PINK

THIS SCHEMATIC IS FURNISHED ONLY FOR TEST AND MAINTENANCE PURPOSES. THE CIRCUITS ARE PROPRIETARY IN NATURE AND SHOULD BE TREATED ACCORDINGLY. COPYRIGHT 1967 BY DIGITAL EQUIPMENT CORPORATION

REV. A
NUMBER K374-0-1
SIZE B
CODE CS



UNLESS OTHERWISE INDICATED:
R1 IS ALLEN-BRADLEY TSRA2541
MODIFIED CLOCKWISE LOG TAPER
C1 IS A SPRAGUE 150D225X9020A2 OR EQUIV.


REVISIONS	CHK	CHG NO.	REV.	
	1	00001	A	

DRN.	DATE	TRANSISTOR & DIODE CONVERSION CHART	
M. Waller	5-4-67	DEC	EIA
CHK'D	DATE	DEC	EIA
P. D. P.	5/15/67		
ENG.	DATE		
	5/22/67		
PROD.	DATE		

digital		TITLE	
EQUIPMENT CORPORATION		CALIBRATED TIMER CONTROL K374	
SIZE	CODE	NUMBER	REV.
B	CS	K374-0-1	A
PRINTED CIRCUIT REV.		A B C	

REV. A
NUMBER K376-0-1
SIZE B
CODE CS

THIS SCHEMATIC IS FURNISHED ONLY FOR TEST AND MAINTENANCE PURPOSES. THE CIRCUITS ARE PROPRIETARY IN NATURE AND SHOULD BE TREATED ACCORDINGLY. COPYRIGHT 1967 BY DIGITAL EQUIPMENT CORPORATION




UNLESS OTHERWISE INDICATED:
R1 IS ALLEN-BRADLEY TSRA2541
MODIFIED CLOCKWISE LOG TAPER
C1 IS SPRAGUE 150D226X9006A2 OR EQUIV.

REVISIONS CHK CHG NO. REV. 00001 A	DRN.	DATE	TRANSISTOR & DIODE CONVERSION CHART				digital EQUIPMENT CORPORATION MAYNARD, MASSACHUSETTS	TITLE CALIBRATED TIMER CONTROL K376			
	CHK'D	DATE	DEC	EIA	DEC	EIA		SIZE	CODE	NUMBER	REV.
	ENG.	DATE						B	CS	K376-0-1	A
	PROD.	DATE						PRINTED CIRCUIT REV.			
								B	C		

REV.	NUMBER	SIZE	CODE
A	K378-0-1	B	CS

THIS SCHEMATIC IS FURNISHED ONLY FOR TEST AND MAINTENANCE PURPOSES. THE CIRCUITS ARE PROPRIETARY IN NATURE AND SHOULD BE TREATED ACCORDINGLY. COPYRIGHT 1967 BY DIGITAL EQUIPMENT CORPORATION




UNLESS OTHERWISE INDICATED:
 R1 IS ALLEN-BRADLEY TSRA2541
 MODIFIED CLOCKWISE LOG TAPER
 CI IS SPRAGUE 130D227X9005F0 OR EQUIV.

REVISIONS	CHK	CHG	NO	REV.	A	DRN. <i>M. Waller</i>	DATE 5-4-67	TRANSISTOR & DIODE CONVERSION CHART				digital EQUIPMENT CORPORATION MAYNARD, MASSACHUSETTS	TITLE CALIBRATED TIMER CONTROL K378			
	CHK'D							DEC	EIA	DEC	EIA		SIZE	CODE	NUMBER	REV.
	ENG.												B	CS	K378-0-1	A
	PROD.												PRINTED CIRCUIT REV. <i>B C</i>			

THIS SCHEMATIC IS FURNISHED ONLY FOR TEST AND MAINTENANCE PURPOSES. THE CIRCUITS ARE PROPRIETARY IN NATURE AND SHOULD BE TREATED ACCORDINGLY. COPYRIGHT 1968 BY DIGITAL EQUIPMENT CORPORATION

REV. NUMBER B CS MO02-0-1



A B C D E F G H I J K L M N O P Q R S T U V W X Y Z

R16 - R30	RES. 1.8K 1/4W 10% CC	1301428
R1 - R15	RES. 3.3K 1/4W 5% CC	1300439
C1	CAP. .01MFD 100V 20% DISC	1001610
PARTS LIST		A-PL-M002-0-0
REFERENCE DESIGNATION	DESCRIPTION	PART NO.
PARTS LIST		


REVISIONS CHK CHG NO. REV.	DRN. <i>M. Walker</i>	DATE 6-21-68	TRANSISTOR & DIODE CONVERSION CHART				digital EQUIPMENT CORPORATION MAYNARD, MASSACHUSETTS	TITLE 15 LOADS MO02			
	CHK'D <i>M. Walker</i>	DATE 6/26/68	DEC	EIA	DEC	EIA		SIZE B	CODE CS	NUMBER MO02-0-1	REV.
	ENG. <i>W. White</i>	DATE 7/9/68									
	PROD.	DATE									

PINK

DIST. 324 4/31 4/35

THIS SCHEMATIC IS FURNISHED ONLY FOR TEST AND MAINTENANCE PURPOSES. THE CIRCUITS ARE PROPRIETARY IN NATURE AND SHOULD BE TREATED ACCORDINGLY. COPYRIGHT 1967 BY DIGITAL EQUIPMENT CORPORATION

REV. E
NUMBER M040-0-1
SIZE B
CODE CS




PARTS LIST A-PL-M040-0-0

REVISIONS		DRN.	DATE	TRANSISTOR & DIODE CONVERSION CHART		digital	TITLE	
CHK	CHG NO.	REV.		DEC	EIA		SIZE	CODE
	00001	E		DEC3494	SAME	B	CS	M040-0-1
	00002			DEC3790	2N3790	REV. E		
END			DATE	DEC6534D	MPS6534	PRINTED CIRCUIT REV.		
PROD. 4			DATE	D662	IN645	E		
				MR2066	IN4003			

DEC FORM NO. DRB 102

5 DIST 224 454 476³ PINK


THIS SCHEMATIC IS FURNISHED ONLY FOR TEST AND MAINTENANCE PURPOSES. THE CIRCUITS ARE PROPRIETARY IN NATURE AND SHOULD BE TREATED ACCORDINGLY. COPYRIGHT 1969 BY DIGITAL EQUIPMENT CORPORATION



UNLESS OTHERWISE INDICATED:
 RESISTORS ARE 1/4W, 10%
 DIODES ARE D664
 EI IS DEC7401N
 TRANSISTORS ARE DEC6534D
 PIN 7 ON EACH IC = GND
 PIN 14 ON EACH IC = +5V
 CAPACITORS ARE 100pf, 100V, 5%

REVISIONS CHK CHG NO. REV. 100001 B	DRN. Botick	DATE 6/23/68	TRANSISTOR & DIODE CONVERSION CHART				digital EQUIPMENT CORPORATION MAYNARD, MASSACHUSETTS	TITLE 4-100MA SOLENOID DRIVER MO44			
	CHK'D. [Signature]	DATE 5/24/69	DEC	EIA	DEC	EIA		SIZE B	CODE CS	NUMBER MO44-0-1	REV. B
	ENG. [Signature]	DATE 7/15/69	D664	IN3606							
	PROD.	DATE	DEC6534D	MP86534							

REV	NUMBER	CS	B
	1-0-1		



Q1 - Q12	TRANSISTOR DEC3639B	1502762
R20, R22, R24 R2, R4, R6, R8, R10, R12, R14, R16, R18 R21, R23 R1, R3, R5, R7, R9, R11, R13, R15, R17, R19,	RES. 1.5K 1/4W 5% CC RES. 15K 1/4W 5% CC	1300391 1300496
D1 - D36	DIODE D664	1100114
	PARTS LIST	A PL-M050-O-O
REFERENCE DESIGNATION	DESCRIPTION	PART NO.
	PARTS LIST	

REV		DRN	DATE
CHG NO	M. Kallier	CHK'D	DATE
CHG	M. M. Law	EMG	DATE
REVISIONS	W. - roughin	PROD	DATE


TRANSISTOR & DIODE CONVERSION CHART			
DEC	EIA	DEC	EIA
DEC3639B	2N3639		
D664	1N3606		

digital
EQUIPMENT
CORPORATION
MAYNARD, MASSACHUSETTS

TITLE									
LEVEL CONVERTER MO51									
SIZE	CODE	NUMBER						REV	
B	CS	MO51 -0-1							
PRINTED CIRCUIT REV					A				

THIS SCHEMATIC IS FURNISHED ONLY FOR TEST AND MAINTENANCE PURPOSES. THE CIRCUITS ARE PROPRIETARY IN NATURE AND SHOULD BE TREATED ACCORDINGLY. COPYRIGHT 1968 BY DIGITAL EQUIPMENT CORPORATION

REV. NUMBER M101-0-1 B CS



E1 - E4	INTEGRATED CKT. DEC7400N	1905575
D1 - D15	DIODE D664	1100114
C1 - C4	CAP. .01MFD 100V 20% DISC	1001610
	PARTS LIST	A-PL-M101-0-0
REFERENCE DESIGNATION	DESCRIPTION	PART NO.

PARTS LIST

REVISIONS
CHK CHG NO. REV


DRN. *m. Haller* DATE *8-5-68*
CHK'D *M. Haller* DATE *8-6-68*
ENG. *J. S. Lyle* DATE *9-16-68*
PROD. DATE

TRANSISTOR & DIODE CONVERSION CHART			
DEC	EIA	DEC	EIA
D664	IN3606		

digital
EQUIPMENT CORPORATION
MAYNARD, MASSACHUSETTS

TITLE			
BUS DATA INTERFACE M101			
SIZE	CODE	NUMBER	REV.
B	CS	M101-0-1	
PRINTED CIRCUIT REV. A			

SIZE	B	CODE	CS	NUMBER	M103-0-1	REV.	A
------	---	------	----	--------	----------	------	---



Q1	TRANSISTOR DEC3009B-S	1503100
E4	INTEGRATED CKT. DEC7400N	1905575
E2, E3, E5	INTEGRATED CKT. DEC74H40N	1905586
E1	INTEGRATED CKT. DEC7430N	1905578
R8	RES. 330 1/4W 5% CC	1300295
R4-R7	RES. 750 1/4W 5% CC	1301401
R1, R2, R3	RES. 8.2K 1/4W 5% CC	1303179
D1-D16	DIODE D664	1100114
C1-C6	CAP. .01MFD 100V 20% DISC	1001610
	PARTS LIST	A-PL-M103-0-0
REFERENCE DESIGNATION	DESCRIPTION	PART NO.
	PARTS LIST	

REVISIONS		
CHK	CHG NO.	REV.
1.4	00001	A

DRN. <i>M. Haller</i>	DATE <i>10-4-68</i>
CHK'D <i>G. H. H. H.</i>	DATE <i>3-12-69</i>
ENG. <i>G. H. H. H.</i>	DATE <i>11-2-68</i>
PROD. <i>G. H. H. H.</i>	DATE

TRANSISTOR & DIODE CONVERSION CHART			
DEC		EIA	
DEC3009B	2N3009		
D664	1N3606		


digital
EQUIPMENT
CORPORATION
MAYNARD, MASSACHUSETTS

TITLE									
DEVICE SELECTOR M103									
SIZE	CODE	NUMBER						REV.	
B	CS	M103-0-1						A	
PRINTED CIRCUIT REV.					B				

↓

REV. A	NUMBER 1-0-111W	SIZE CODE B	CS
--------	-----------------	-------------	----

THIS SCHEMATIC IS FURNISHED ONLY FOR TEST AND MAINTENANCE PURPOSES. THE CIRCUITS ARE PROPRIETARY IN NATURE AND SHOULD BE TREATED ACCORDINGLY. COPYRIGHT 1968 BY DIGITAL EQUIPMENT CORPORATION



NOTES:
PIN 7 ON EACH IC = GND
PIN 14 ON EACH IC = +5V



E1-E4	INTEGRATED CKT. DEC7400N	I905575
R1-R3	RES. 750 1/4W 5% CC	I301401
C1-C4	CAP. .01MFD 100V 20% DISC	I001610
PARTS LIST		A-PL-MIII-O-0
REFERENCE DESIGNATION	DESCRIPTION	PART NO.
PARTS LIST		

REVISIONS CHK CHG NO. REV. 1 00001 A	DRN. <i>m. Haller</i>	DATE 5-31-68	TRANSISTOR & DIODE CONVERSION CHART		digital EQUIPMENT CORPORATION MAYNARD, MASSACHUSETTS	TITLE INVERTER MIII		
	CHK'D <i>[Signature]</i>	DATE 6/1/68	DEC	EIA		DEC	EIA	SIZE B
	ENG. <i>[Signature]</i>	DATE 7/5/68						CODE CS
	PROD. <i>[Signature]</i>	DATE						NUMBER MIII-0-1
							REV. A	



REV.	NUMBER	SIZE	CODE
D	M112-0-1	B	CS

THIS SCHEMATIC IS FURNISHED ONLY FOR TEST AND MAINTENANCE PURPOSES. THE CIRCUITS ARE PROPRIETARY IN NATURE AND SHOULD BE TREATED ACCORDINGLY. COPYRIGHT 1968 BY DIGITAL EQUIPMENT CORPORATION



NOTES:
PIN 7 ON EACH IC = GND
PIN 14 ON EACH IC = +5V

C1, C2, C3	CAP. .01MFD 100V 20% DISC	1001610
E1, E2, E3	INTEGRATED CKT. DEC7402N	1909004
R2, R4	RES. 330 1/4W 5% CC	1300295
R1, R3	RES. 750 1/4W 5% CC	1301401
PARTS LIST		A-PL-M112-0-0
REFERENCE DESIGNATION	DESCRIPTION	PART NO.


PARTS LIST

REVISIONS	CHK	CHG	NO.	REV.	DRN. <i>Mr. Waller</i>	DATE 2-20-68	TRANSISTOR & DIODE CONVERSION CHART				digital EQUIPMENT CORPORATION MAYNARD, MASSACHUSETTS	TITLE NOR GATE M112			
	M1	00001	A				DEC	EIA	DEC	EIA		SIZE	CODE	NUMBER	REV.
	M2	00001	C									B	CS	M112-0-1	D
	M3	00003	D												
					ENG. <i>Q. Rizzato</i>	DATE 3/7/68					PRINTED CIRCUIT REV.				
					PROD.	DATE					D				



DIST 324 434 435 ⑤ PINK

CS	CS	MI13-D-1	C
SIZE	CODE	NUMBER	REV.



E1 THRU E3	INTEGRATED CKT. DEC7400N	1905575
R1 AND R3	RES. 750 1/4W 5% CC	1301401
R2 AND R4	RES. 330 1/4W 10% CC	1300293
C1 AND C2	CAP. .01MFD 100V 20% DISC	1001610
	PARTS LIST	A-PL-M113-O-C
REFERENCE DESIGNATION	DESCRIPTION	PART NO.
	PARTS LIST	

REVISIONS		
CHK	CHG NO.	REV.
<i>M. J. [Signature]</i>	6425	A
<i>P. [Signature]</i>	6801	B
<i>M. [Signature]</i>	00001	C

DRN. <i>M. Haller</i>	DATE <i>3-15-67</i>
CHK'D <i>M. Simpson</i>	DATE <i>4-21-67</i>
ENG. <i>L. White</i>	DATE <i>4-21-67</i>
PROD.	DATE

[illegible]



digital
EQUIPMENT
CORPORATION
MAYNARD MASSACHUSETTS

TITLE		IO-2 INPUT NAND GATES MI13									
SIZE	CODE	NUMBER								REV	
B	CS	MI13-0-1								C	
PRINTED CIRCUIT REV		D									

REV. C
NUMBER MI15-0-1
SIZE B
CODE CS

THIS SCHEMATIC IS FURNISHED ONLY FOR TEST AND MAINTENANCE PURPOSES. THE CIRCUITS ARE PROPRIETARY IN NATURE AND SHOULD BE TREATED ACCORDINGLY. COPYRIGHT 1967 BY DIGITAL EQUIPMENT CORPORATION

+5V ——— A2
NOT USED -15V ——— B2
GND ——— C2, T1



NOTES:
PIN 7 ON EACH IC = GND
PIN 14 ON EACH IC = +5V

E1 THRU E3	INTEGRATED CKT. DEC7410N	1905576
C1 THRU C3	CAP. .01MFD 100V 20% DISC	1001610
REFERENCE DESIGNATION	PARTS LIST	A-PL-MI15-0-0
	DESCRIPTION	PART NO.

PARTS LIST








REVISIONS CHK CHG NO. REV. 3423 A 1800 B 00001 C	DRN. <i>M. Waller</i>	DATE 4-20-67	TRANSISTOR & DIODE CONVERSION CHART		digital EQUIPMENT CORPORATION MAYNARD, MASSACHUSETTS	TITLE 8-3 INPUT NAND GATES MI15			
	CHK'D <i>[Signature]</i>	DATE 4-21-67	DEC	EIA		SIZE B	CODE CS	NUMBER MI15-0-1	REV. C
	ENG. <i>[Signature]</i>	DATE 4/21/67							
	PROD.	DATE							

↑ PINK

DIST. 3241434 235

THIS SCHEMATIC IS FURNISHED ONLY FOR TEST AND MAINTENANCE PURPOSES. THE CIRCUITS ARE PROPRIETARY IN NATURE AND SHOULD BE TREATED ACCORDINGLY. COPYRIGHT 1967 BY DIGITAL EQUIPMENT CORPORATION

+5V — A2
NOT USED -15V — B2
GND — C2, T1



NOTES:
PIN 7 ON EACH IC = GND
PIN 14 ON EACH IC = +5V

E1 THRU E3	INTEGRATED CKT. DEC7420N	1905577
R1 & R4	RES. 750 1/4W 5% CC	1301401
R2 & R3	RES. 330 1/4W 10% CC	1300293
C1 THRU C3	CAP. .01MFD 100V 20% DISC	1001610
	PARTS LIST	A-PL-M117-0-0
REFERENCE DESIGNATION	DESCRIPTION	PART NO.
PARTS LIST		

REV	CHG	NO	REV
1	6	424	A
2	8	799	B
3	0	0001	C
4	0	0002	E

DRN	M. Valler	DATE	3-15-67
CHK'D	M. Valler	DATE	4-21-67
ENG.	M. Valler	DATE	4-21-67
PROD.	M. Valler	DATE	



TRANSISTOR & DIODE CONVERSION CHART			
DEC	EIA	DEC	EIA

digital
EQUIPMENT
CORPORATION
MAYNARD, MASSACHUSETTS

TITLE									
6-4 INPUT NAND GATES M117									
SIZE	CODE	NUMBER						REV.	
B	CS	M117-0-1						E	
PRINTED CIRCUIT REV.								E	
DIS.	324	434	433	3					

REV. C	NUMBER M121-0-1	CS B	SIZE
--------	-----------------	------	------

THIS SCHEMATIC IS FURNISHED ONLY FOR TEST AND MAINTENANCE PURPOSES. THE CIRCUITS ARE PROPRIETARY IN NATURE AND SHOULD BE TREATED ACCORDINGLY. COPYRIGHT 1967 BY DIGITAL EQUIPMENT CORPORATION



NOTES:
PIN 7 ON EACH IC = GND
PIN 14 ON EACH IC = +5V


E1 THRU E3	INTEGRATED CKT. DEC7450N	1905580
R2 & R4	RES. 330 1/4W 10% CC	1300293
R1 & R3	RES. 750 1/4W 5% CC	1301401
C1 THRU C5	CAP. .01MFD 100V 20% DISC	1001610
PARTS LIST		A-PL-M121-0-0
REFERENCE DESIGNATION	DESCRIPTION	PART NO.

REVISIONS CHK CHG NO. REV. 6802 A 00001 B 00002 C				DRN. M. Waller DATE 4-21-67 CHK'D DATE 4-21-67 ENG. L. White DATE 4-21-67 PROD.		TRANSISTOR & DIODE CONVERSION CHART DEC EIA DEC EIA				digital EQUIPMENT CORPORATION MAYNARD, MASSACHUSETTS		TITLE AND-NOR GATE M121 SIZE B CODE CS NUMBER M121-0-1 REV. C PRINTED CIRCUIT REV. D			
---	--	--	--	---	--	--	--	--	--	--	--	---	--	--	--

↓

REV. B	NUMBER MI41-0-1	SIZE B	CODE CS
--------	-----------------	--------	---------

THIS SCHEMATIC IS FURNISHED ONLY FOR TEST AND MAINTENANCE PURPOSES. THE CIRCUITS ARE PROPRIETARY IN NATURE AND SHOULD BE TREATED ACCORDINGLY. COPYRIGHT 1967 BY DIGITAL EQUIPMENT CORPORATION



NOTE:
PIN 7 ON EACH IC = GND
PIN 14 ON EACH IC = +5V

E1	INTEGRATED CKT. DEC7420N	1905577
E2, E3, E4	INTEGRATED CKT. DEC7401N	1905590
R6	RES. 750 1/4W 5% CC	1301401
R5	RES. 330 1/4W 10% CC	1300293
R1 THRU R4	RES. 1.5K 1/4W 5% CC	1300391
C1 THRU C4	CAP. .01MFD 100V 20% DISC	1001610
PARTS LIST		A-PL-MI41-0-0
REFERENCE DESIGNATION	DESCRIPTION	PART NO.

PARTS LIST

REVISIONS	CHK'D NO. REV.	REV. 6803 A	00001 B
-----------	----------------	-------------	---------


DRN. M. HALLER	DATE 10-6-67
CHK'D R. SILVERMAN	DATE 10-13-67
ENG. L. WHITE	DATE 10-13-67
PROD.	DATE

TRANSISTOR & DIODE CONVERSION CHART			
DEC	EIA	DEC	EIA

digital
EQUIPMENT CORPORATION
MAYNARD, MASSACHUSETTS

TITLE AND/NOR GATES MI41			
SIZE B	CODE CS	NUMBER MI41-0-1	REV. B
PRINTED CIRCUIT REV. C			

THIS SCHEMATIC IS FURNISHED ONLY FOR TEST AND MAINTENANCE PURPOSES. THE CIRCUITS ARE PROPRIETARY IN NATURE AND SHOULD BE TREATED ACCORDINGLY. COPYRIGHT 1967 BY DIGITAL EQUIPMENT CORPORATION



PIN 7 ON EACH IC = GND
PIN 14 ON EACH IC = +5V

E1, E5, E9, E10, E11	INTEGRATED CKT. DEC7400N	1905575
E2, E3, E4, E6, E7, E8	INTEGRATED CKT. DEC7420N	1905577
R2	RES. 330 1/4W 10% CC	1300293
R1	RES. 750 1/4W 5% CC	1301401
C1 THRU C12	CAP. .01MFD 100V 20% DISC	1001610
PARTS LIST		A-PL-M161-0-0
REFERENCE DESIGNATION	DESCRIPTION	PART NO.
PARTS LIST		


REV.	CHG.	NO.	REV.
A	6576	1	B
B	00001	1	

DRN.	DATE
5/12/67	
CHK'D	DATE
5/17/67	
ENG.	DATE
5/18/67	
PRDD	DATE


TRANSISTOR & DIODE CONVERSION CHART			
DEC	EIA	DEC	EIA

digital		BINARY TO OCTAL/DECIMAL	
EQUIPMENT CORPORATION		DECODER M161	
SIZE	CODE	NUMBER	REV.
C	CS	M161-0-1	B
PRINTED CIRCUIT REV.		C	

THIS SCHEMATIC IS FURNISHED ONLY FOR TEST AND MAINTENANCE PURPOSES. THE CIRCUITS ARE PROPRIETARY IN NATURE AND SHOULD BE TREATED ACCORDINGLY. COPYRIGHT 1967 BY DIGITAL EQUIPMENT CORPORATION



NOTES:
PIN 7 ON EACH IC = GND
PIN 14 ON EACH IC = +5V



E3	INTEGRATED CKT. DEC7400N	1905575
E1, E2, E4, E5	INTEGRATED CKT. DEC7453N	1905582
C1 THRU C5	CAP. .01MFD 100V 20% DISC	1001610
PARTS LIST		A-PL-MI69-0-0
REFERENCE DESIGNATION	DESCRIPTION	PART NO.
PARTS LIST		
TITLE		
GATING MODULE MI69		
SIZE	CODE	NUMBER
C	CS	MI69-0-1
PRINTED CIRCUIT REV.	B	

REVISIONS
CHK'D GRS NO. REV.

ORN. *M. Keller* DATE 11-8-67
CHK'D *S. J. Sullivan* DATE 11/2/67
ENG. *R. Schaefer* DATE 11-9-67
PROG. 1 DATE

TRANSISTOR & DIODE CONVERSION CHART			
DEC	EIA	DEC	EIA


digital
EQUIPMENT CORPORATION
MAYNARD, MASSACHUSETTS

DIST. 324 434 435

PINK

REV. NUMBER
C CS MI69-0-1

THIS SCHEMATIC IS FURNISHED ONLY FOR TEST AND MAINTENANCE PURPOSES. THE CIRCUITS ARE PROPRIETARY IN NATURE AND SHOULD BE TREATED ACCORDINGLY. COPYRIGHT 1967 BY DIGITAL EQUIPMENT CORPORATION



NOTES:
PIN 7 ON EACH IC = GND
PIN 14 ON EACH IC = +5V

E3, E6, E9	INTEGRATED CKT. DEC7474N	I905547
E1, E2, E4, E5, E7, E8	INTEGRATED CKT. DEC7453N	I905582
R2	RES. 3K 1/4W 5% CC	I300432
R1	RES. 1.5K 1/4W 5% CC	I300391
C1 - C10	CAP. .01MFD 100V 20% DISC	I001610
C1 - C10	PARTS LIST	A-PL-M212-0-0
REFERENCE DESIGNATION	DESCRIPTION	PART NO.

REV	CHG	NO	REV

DRN. *Walter*
CHKD. *Walter*
DATE 11/20/67
ENG. *R. J. Lunn*
PROD. 2


TRANSISTOR & DIODE CONVERSION CHART			
DEC	EIA	DEC	EIA

digital
EQUIPMENT
CORPORATION
MAYNARD, MASSACHUSETTS

TITLE 6 BIT L-R SHIFT REGISTER M212			
SIZE	CODE	NUMBER	REV.
C	CS	M212-0-1	B
PRINTED CIRCUIT REV.			B

THIS SCHEMATIC IS FURNISHED ONLY FOR TEST AND MAINTENANCE PURPOSES. THE CIRCUITS ARE PROPRIETARY IN NATURE AND SHOULD BE TREATED ACCORDINGLY. COPYRIGHT 1967 BY DIGITAL EQUIPMENT CORPORATION

REV. B
NUMBER M216-0-1



NOTES:
PIN 7 ON EACH IC = GND
PIN 14 ON EACH IC = +5V


E1 THRU E3	INTEGRATED CKT. DEC7474N	1905547
C1 THRU C3	CAP. .01 MFD 100V 20% DISC	1001610
PARTS LIST		A-PL-M216-0-0
REFERENCE DESIGNATION	DESCRIPTION	PART NO.
PARTS LIST		

REVISIONS	CHK CHG NO. REV.	DRN.	DATE	TRANSISTOR & DIODE CONVERSION CHART		digital EQUIPMENT CORPORATION MAYNARD, MASSACHUSETTS	TITLE SIX FLIP-FLOPS M216		
	8806 A	M. Waller	4-15-67	DEC	EIA		SIZE	CODE	NUMBER
	00001 B	4/15/67	4/15/67				B	CS	M216-0-1
	MM	4/15/67	4/15/67						
DEC FORM NO. DRB 102		PROD.	DATE			PRINTED CIRCUIT REV.		REV.	


PINK

DIST. 324 434 435 5/

THIS SCHEMATIC IS FURNISHED ONLY FOR TEST AND MAINTENANCE PURPOSES. THE CIRCUITS ARE PROPRIETARY IN NATURE AND SHOULD BE TREATED ACCORDINGLY. COPYRIGHT 1969 BY DIGITAL EQUIPMENT CORPORATION



UNLESS OTHERWISE INDICATED:
PIN 7 ON EACH IC = GND
PIN 14 ON EACH IC = +5V
CAPACITORS ARE .01 MFD, 100V, 20%, DISC
E2, E5, E6 AND E7 ARE DEC7474N
E1 AND E4 ARE DEC7400N
E3 IS A DEC7401N



REV.	CHG.	NO.	REV.
1			
2			
3			

DEC FORM NO. DRC 102

DRN	DATE
R. BUTLER	4/15/68
CHK'D	DATE
P. E. Hallett	4/15/68
ENG	DATE
R. J. Chapple	4/15/68
PRD.	DATE
R. Selinger	4/15/68


TRANSISTOR & DIODE CONVERSION CHART			
DEC		EIA	

digital
EQUIPMENT CORPORATION
MAYNARD, MASSACHUSETTS

TITLE			
CLOCK REGISTER M217			
SIZE	CODE	NUMBER	REV.
C	CS	M217-0-1	
PRINTED CIRCUIT REV.			A

5 DIST. 324,434,435 PINK

THIS SCHEMATIC IS FURNISHED ONLY FOR TEST AND MAINTENANCE PURPOSES. THE CIRCUITS ARE FOR INFORMATION ONLY AND SHOULD BE TESTED ACCORDINGLY. COPYRIGHT 1967 BY DIGITAL EQUIPMENT CORPORATION



E1, E2	INT. CKT. DEC7400N	19-09056
E3	INT. CKT. DEC7400N	19-05575
E4	INT. CKT. DEC7400N	19-05584
E10, E13	INT. CKT. DEC7400N	19-05581
E8, E11, E14, E17	INT. CKT. DEC7400N	19-05547
E1-E4, E6, E7, E12, E15, E16, E19, E20	INT. CKT. DEC7453N	19-05582
R2, R3, R5 - R14	RES. 3K 1/4W 5%	13-00432
R1, R4	RES. 470 1/4W 10%	13-00317
C1 THRU C21	CAP. DIMFD 50V -0.120% DISC	10-00001
PARTS LIST		A-PL-M221-0-0
REFERENCE DESIGNATION		DESCRIPTION
PARTS LIST		PART NO.


NOTES:
PIN 7 ON EACH IC EXCEPT E5 - GND
PIN 14 ON EACH IC EXCEPT E5 - +5V
PIN 11 ON E5 - GND
PIN 4 ON E5 - +5V

DATE	12-4-67
BY	R. SILVERMAN
CHKD	R. SILVERMAN
DATE	12-4-67
BY	R. SILVERMAN
CHKD	R. SILVERMAN

DATE	12-4-67
BY	R. SILVERMAN
CHKD	R. SILVERMAN
DATE	12-4-67
BY	R. SILVERMAN
CHKD	R. SILVERMAN

DATE	12-4-67
BY	R. SILVERMAN
CHKD	R. SILVERMAN
DATE	12-4-67
BY	R. SILVERMAN
CHKD	R. SILVERMAN

THIS SCHEMATIC IS FURNISHED ONLY FOR TEST AND MAINTENANCE PURPOSES. THE CIRCUITS ARE PROPRIETARY IN NATURE AND SHOULD BE TREATED ACCORDINGLY. COPYRIGHT 1964 BY DIGITAL EQUIPMENT CORPORATION




NOTE:
ALL UNUSED INPUTS RETURNED TO +3.5V

D1-D5	DIODE 0662	1100113
E14	INTEGRATED CKT. DEC7400N	1805580
E1E2, E5, E6, E15, E16, E17	INTEGRATED CKT. DEC7400M	1805582
E11, E15	INTEGRATED CKT. DEC7400N	1805575
E9	INTEGRATED CKT. DEC7482N	1805584
E1E4, E7, E8, E10, E12	INTEGRATED CKT. DEC7474M	1805547
E1	RES. 220 1/4W 5% CC	1300271
G1 - C17	CAP. .01 MFD 100V 20% DSC	1001610
PARTS LIST		1-0-222-0-0
REFERENCE DESIGNATION		DESCRIPTION
PARTS LIST		DESCRIPTION

TRANSISTOR & DIODE CONVERSION CHART		TITLE	
TRANSISTOR	DIODE	LINC TAPE REGISTER M222	
DATE	BY	EQUIPMENT	
10/1/64	J. J. J.	CORPORATION	
PROD.	TEST	PART NO.	


SIZE	B	CS	NUMBER	K
CODE			M302-0-1	REV.

[illegible]DEC FORM NO.
DRB 102

PINK

DIST.	324	434	435 ³
-------	-----	-----	------------------

THIS SCHEMATIC IS FURNISHED ONLY FOR TEST AND MAINTENANCE PURPOSES. THE CIRCUITS ARE PROPRIETARY IN NATURE AND SHOULD BE TREATED ACCORDINGLY. COPYRIGHT 1969 BY DIGITAL EQUIPMENT CORPORATION



UNLESS OTHERWISE INDICATED:
 RESISTORS ARE 1K
 RESISTORS ARE 1/4W, 5%
 TRANSISTORS ARE DEC3009B
 E1, E3, E5, E6 ARE DEC7440
 E2, E7 ARE DEC7400
 E4 IS DEC7402
 PIN 7 ON EACH IC = GND
 PIN 14 ON EACH IC = +5V
 DIODES ARE D664
 CAPACITORS ARE .01MFD, 100V, 20%

REV.	NO.	DATE
1	1	4-22-67

CHK'D	DATE
M. Housh	4-23-67
ENG.	DATE
R. Chaffin	6-20-68
PROD.	DATE

TRANSISTOR & DIODE CONVERSION CHART			
DEC	EIA	DEC	EIA
D664	IN3606		
DEC3009B	2N3009		

digital
 EQUIPMENT CORPORATION
 MAYNARD, MASSACHUSETTS


TITLE			
ONE SHOT DELAY M304			
SIZE	CODE	NUMBER	REV.
C	CS	M304-0-1	A
PRINTED CIRCUIT REV.			
B			

DEC FORM NO. 102


DIST. 324,434,400 PINK

THIS SCHEMATIC IS FURNISHED ONLY FOR TEST AND MAINTENANCE PURPOSES. THE CIRCUITS ARE PROPRIETARY IN NATURE AND SHOULD BE TREATED ACCORDINGLY. COPYRIGHT 1970 BY DIGITAL EQUIPMENT CORPORATION

REV. B
NUMBER M307-0-1
SIZE CODE B CS




UNLESS OTHERWISE INDICATED:
TRANSISTORS ARE 2N5088
RESISTORS ARE 1/4W, 5%
CAPACITORS ARE 100V, 5%
R4 & R8 ARE 78PR POTS
SWITCHES ARE 2 POLE, 5 POSITION SPECTROL
E1, E3 ARE DEC7400
PIN 7 ON EACH IC = GND
PIN 14 ON E1, E3 = +5V
PIN 14 ON E2 = VCC, PIN B1
PIN 14 ON E4 = VCC, PIN U2



RANGE 5 5 μ sec. — 50 μ sec.
4 50 μ sec. — 500 μ sec.
3 500 μ sec. — 5 msec.
2 5 msec. — 50 msec.
1 50msec. — 500msec.

REVISIONS				TRANSISTOR & DIODE CONVERSION CHART				digital EQUIPMENT CORPORATION				TITLE INTEGRATING ONE SHOT M307			
CHK	CHG	NO.	REV.	DEC	EIA	DEC	EIA	SIZE	CODE	NUMBER	REV.	SIZE	CODE	NUMBER	REV.
MH	0000	1	A	DEC 3009B	2N3009			B	CS	M307-0-1	B	B	CS	M307-0-1	B
REV	0000	2	B	2N5088	NONE										
DRN. M. HALLER				DATE 9-3-69				PRINTED CIRCUIT REV.							
CHK'D A. YAUQA				DATE 9-3-69											
ENG. R. SCHWEGLER				DATE 9-4-69											
PROD. R. SCHWEGLER				DATE 9-4-69											

THIS SCHEMATIC IS FURNISHED ONLY FOR TEST AND MAINTENANCE PURPOSES. THE
 CIRCUITS ARE PROPRIETARY IN NATURE AND SHOULD BE TREATED ACCORDINGLY.
 COPYRIGHT 1967 BY DIGITAL EQUIPMENT CORPORATION



UNLESS OTHERWISE INDICATED:
 TRANSISTORS ARE DEC3009B
 RESISTORS ARE 1/4W, 5%
 CAPACITORS ARE .01 MFD, 100V, 20%
 E1 IS DEC7440N
 E2 IS DEC7400N
 PIN 7 ON EACH IC = GND
 PIN 14 ON EACH IC = +5V
 DIODES ARE D664
 DLDI IS DEC16-05530

REV	CHG	NO	REV
6771	A		
00001	B		
00002	C		
00003	D		

DRN. *M. Haller* DATE 4-7-67
 CHK'D *[Signature]* DATE 2-5-67
 ENG *[Signature]* DATE 5/5/67
 PROD. *[Signature]* DATE


TRANSISTOR & DIODE CONVERSION CHART			
DEC	EIA	DEC	EIA
DEC3009B	2N3009		
DEC6534B	MPS6534		
D662	1N645		
D664	1N3606		

digital
 EQUIPMENT
 CORPORATION
 MAYNARD, MASSACHUSETTS

TITLE			
DELAY LINE M310			
SIZE	CODE	NUMBER	REV
B	CS	M310-0-1	D
PRINTED CIRCUIT REV.			
C			

REV. B
NUMBER M360-0-1
SIZE CODE B
CS

THIS SCHEMATIC IS FURNISHED ONLY FOR TEST AND MAINTENANCE PURPOSES. THE CIRCUITS ARE PROPRIETARY IN NATURE AND SHOULD BE TREATED ACCORDINGLY. COPYRIGHT 1967 BY DIGITAL EQUIPMENT CORPORATION



NOTES:
PIN 7 ON EACH IC = GND
PIN 14 ON EACH IC = +5V

DLD1	DELAY LINE 500	1602167
E2	INTEGRATED CKT. DEC7400N	1905575
E1	INTEGRATED CKT. DEC7440N	1905579
Q1	TRANSISTOR DEC6534B	1503409-01
Q2, Q3, Q4	TRANSISTOR DEC3009B-S	1503100
R10, R12	RES. 1.5K 1/4W 5% CC	1300391
R9, R11	RES. 3K 1/4W 5% CC	1300432
R7	RES. 220 1/4W 5% CC	1300271
R4, R5, R6	RES. 750 1/4W 5% CC	1301401
R1, R2, R3, R8	RES. 470 1/4W 5% CC	1300316
D1 - D7	DIODE D664	1100114
C2, C3, C4	CAP. .01MFD 100V 20% DISC	1001610
C1	CAP. 330MMF 100V 5% D.M.	1000023
	PARTS LJST	A-PL-M360-0-0
REFERENCE DESIGNATION	DESCRIPTION	PART NO.

REV.	CHK	NO.	REV.
1	6978	A	B
2	7058	B	
3	00001		

DRN. *M. Waller*
DATE *3-31-67*
CHK'D *[Signature]*
DATE *5/5/67*
ENG. *[Signature]*
DATE *5/5/67*
PROD. *[Signature]*
DATE


TRANSISTOR & DIODE CONVERSION CHART			
DEC	EIA	DEC	EIA
DEC3009B	2N3009		
DEC6534B	MPS6534		
D664	IN3606		

digital
EQUIPMENT CORPORATION
MAYNARD, MASSACHUSETTS

TITLE			
VARIABLE DELAY M360			
SIZE	CODE	NUMBER	REV.
B	CS	M360-0-1	B
PRINTED CIRCUIT REV.			
A B			

DIST. 314 434 435 4 PINK


REV.	NUMBER	CS	B
M	M401-0-1	CODE	SIZE



PARTS LIST A-PL-M40I-0-0

REVISIONS												DRN <i>M. Waller</i>		DATE <i>9-11-67</i>		TRANSISTOR & DIODE CONVERSION CHART										TITLE VARIABLE CLOCK M40I	
CHK	CHG	NO.	REV.	A	B	C	D	E	F	G	H	CHK'D	DATE	DEC	EIA	DEC	EIA	EQUIPMENT CORPORATION				SIZE	CODE	NUMBER	REV		
				6769	6844	00001	00002	00003	00004	00005	00006			DEC3009B	2N3009	D662	IN645	MAYNARD, MASSACHUSETTS				B	CS	M40I-O-I	M		
												ENG.	DATE	DEC4258	2N4258	D664	IN3606										
													<i>9/13/67</i>	2N4274	SAME												
												PROD.	DATE	DEC6534D	MPS6534												

THIS SCHEMATIC IS FURNISHED ONLY FOR TEST AND MAINTENANCE PURPOSES. THE CIRCUITS ARE PROPRIETARY IN NATURE AND SHOULD BE TREATED ACCORDINGLY. COPYRIGHT 1968 BY DIGITAL EQUIPMENT CORPORATION




NOTES:

1. PIN 14 ON IC = +5V
2. PIN 7 ON IC = GND
3. FOR VALUES OF C2, LI, CRI SEE DWG. CHART A-00517-2

R11, R12	RES. 390 1/4W 5% CC	I300309
C6	CAP. 120 MMF 100V 5% D.M.	I000018
LI, C2, CRI	SEE NOTE 3	
E1	INTEGRATED CKT. DEC7400N	I905575
Q3, Q4	TRANSISTOR DEC4274	I505302
Q1, Q2	TRANSISTOR DEC4258	I505321
R7	RES. 100 1/4W 10% CC	I300231
R4	RES. 100K 1/4W 10% CC	I300534
R3, R8, R10, R13	RES. 1K 1/4W 5% CC	I300365
R2, R5, R6, R9	RES. 2.2K 1/4W 10% CC	I300418
R1	RES. 10K 1/4W 10% CC	I300481
D3, D8	DIODE D664	I100114
D1, D2, D4 - D7	DIODE D662	I100113
C7, C8	CAP. .01MFD 100V 20% DISC	I001610
C5	CAP. 47 MMF 100V 5% D.M.	I000011
C1, C3, C4	CAP. 39 MFD 10V 10% S.TANT	I000076
PARTS LIST		A-PL-M405-0-0
REFERENCE DESIGNATION		DESCRIPTION
PARTS LIST		PART NO.

REVISIONS CHK CHG NO. REV.	DRN. <i>M. Keller</i>	DATE 4-17-68	TRANSISTOR & DIODE CONVERSION CHART		digital EQUIPMENT CORPORATION MAYNARD, MASSACHUSETTS	TITLE CRYSTAL CLOCK M405		
	CHK'D <i>R. Roberts</i>	DATE 8/22/68	DEC	EIA		SIZE B	CODE CS	NUMBER M405-0-1
	ENG. <i>R. Roberts</i>	DATE 8/22/68	DEC	EIA		PRINTED CIRCUIT REV.	A	
	PROD.	DATE						

THIS SCHEMATIC IS FURNISHED ONLY FOR TEST AND MAINTENANCE PURPOSES. THE CIRCUITS ARE PROPRIETARY IN NATURE AND SHOULD BE TREATED ACCORDINGLY. COPYRIGHT 1967 BY DIGITAL EQUIPMENT CORPORATION




UNLESS OTHERWISE INDICATED:
 RESISTORS ARE 1/4W, 5%
 CAPACITORS ARE .01 MFD
 C5 IS 35V, 10%, TANT.
 DIODES ARE D662
 E1 IS DEC7440N
 E2 IS DEC7474N
 E3 IS DEC7400N
 PIN 7 ON EACH IC = GND
 PIN 14 ON EACH IC = +5V
 R3 IS A #275P

 <----->

REVISIONS CHK CHG NO. REV.	DRN. <i>M. Haller</i>	DATE <i>4-7-67</i>	TRANSISTOR & DIODE CONVERSION CHART			TITLE VARIABLE CLOCK M452		
	CHK'D <i>[Signature]</i>	DATE <i>4/28/67</i>	DEC	EIA		SIZE B	CODE CS	NUMBER M452-0-1
	ENG <i>[Signature]</i>	DATE <i>4/28/67</i>	DEC3009B	2N3009				
	PROD. <i>[Signature]</i>	DATE	DEC6534B	MPS6534				
			D662	IN645				
			D664	IN3606				
MAYNARD, MASSACHUSETTS					PRINTED CIRCUIT REV. A			

THIS SCHEMATIC IS FURNISHED ONLY FOR TEST AND MAINTENANCE PURPOSES. THE CIRCUITS ARE PROPRIETARY IN NATURE AND SHOULD BE TREATED ACCORDINGLY. COPYRIGHT 1969 BY DIGITAL EQUIPMENT CORPORATION



UNLESS OTHERWISE INDICATED:
DIODES ARE D664
RESISTORS ARE 1/4W, 5%
E1, E2 ARE DEC7400N
PIN 7 ON EACH IC = GND
PIN 14 ON EACH IC = +5V
E3, E4 ARE MC1709C
MF RESISTORS ARE 1/8W, 1%

REV.
NUMBER
M503-0-1
CS

REVISIONS
CHG NO. REV.

DEC FORM NO.
DEC 102

DRN BUTLER DATE 5/1/69
CURR 289676 8/2/69
ENG. R. J. JAMES 6/20/69
PROD. DATE


TRANSISTOR & DIODE CONVERSION CHART			
DEC	EIA	DEC	EIA
D664	IN3606		
DEC3009B	2N3009		
2N4250	NONE		
IN752A	SAME		
DEC6B	NONE		

digital
EQUIPMENT CORPORATION
MAYNARD, MASSACHUSETTS

TITLE
SCHMITT TRIGGER M503
SIZE CODE NUMBER
C CS M503-0-1
PRINTED CIRCUIT REV. A

5 PINK DIST. 324, 434, 435

THIS SCHEMATIC IS FURNISHED ONLY FOR TEST AND MAINTENANCE PURPOSES. THE
CIRCUITS ARE PROPRIETARY IN NATURE AND SHOULD BE TREATED ACCORDINGLY.
COPYRIGHT 1968 BY DIGITAL EQUIPMENT CORPORATION




R34	RES. 100 1/4W 5% CC	1300229
R36	RES. 10K 1/4W 10% CC	1300481
R38	RES. 220 1/4W 10% CC	1300275
Q19, Q20	TRANSISTOR DEC2894-IB	1503097
Q1-Q18	TRANSISTOR DEC3009B-S	1503100
R20-R25, R35, R37	RES. 1K 1/4W 5% CC	1300365
R8-R13	RES. 2.2K 1/4W 5% CC	1300417
R14-R19, R26-R31, R33	RES. 470 1/4W 5% CC	1300316
R1-R7, R32	RES. 1.5K 1/4W 5% CC	1300391
C2-C7	CAP. 470 MMF 100V 5% DM	1000024
C1, C8, C10	CAP. .01 MFD 100V 20% DISC	1001610
D19-D22, D24	DIODE D662	1100113
D1-D18, D23, D25-D30	DIODE D664	1100114
PARTS LIST		A-PL-M507-0-0
REFERENCE DESIGNATION		DESCRIPTION
PARTS LIST		PART NO.

REVISIONS CHK CHG NO. REV. DATE 1 00001 A 8/23/68 2 00003 D 3/4/68		ORN. <i>W. Muller</i> DATE <i>8-23-68</i> CHK'D <i>W. Muller</i> DATE <i>8-23-68</i> ENG. <i>W. Muller</i> DATE <i>3/4/68</i> PROD. DATE		TRANSISTOR & DIODE CONVERSION CHART <table border="1"> <tr> <th>OEC</th> <th>EIA</th> </tr> <tr> <td>DEC3009B</td> <td>2N3009</td> </tr> <tr> <td>D662</td> <td>1N645</td> </tr> <tr> <td>D664</td> <td>1N3606</td> </tr> <tr> <td>DEC2894-IB</td> <td>NONE</td> </tr> </table>		OEC	EIA	DEC3009B	2N3009	D662	1N645	D664	1N3606	DEC2894-IB	NONE	TITLE BUS CONVERTER M507 EQUIPMENT CORPORATION MAYNARD, MASSACHUSETTS PRINTED CIRCUIT REV. <i>F</i>		SIZE CODE NUMBER REV. C CS M507-0-1 D
OEC	EIA																	
DEC3009B	2N3009																	
D662	1N645																	
D664	1N3606																	
DEC2894-IB	NONE																	

REV D
NUMBER
M507-0-1
SIZE CODE
C CS

THIS SCHEMATIC IS FURNISHED ONLY FOR TEST AND MAINTENANCE PURPOSES. THE
CIRCUITS ARE PROPRIETARY IN NATURE AND SHOULD BE TREATED ACCORDINGLY
COPYRIGHT 1968 BY DIGITAL EQUIPMENT CORPORATION



Q15, Q16, Q18	TRANSISTOR DEC3009B-S	1503100
Q1, Q3, Q4, Q6, Q7, Q9, Q10, Q12, Q13,		
R20-R25	RES. 1K 1/4W 5% CC	1300365
R8-R13	RES. 2.2K 1/4W 5% CC	1300417
R14-R19	RES. 470 1/4W 5% CC	1300316
R7	RES. 1.5K 1/4W 5% CC	1300391
R1-R6	RES. 7.5K 1/4W 5% CC	1301422
C1-C4	CAP. .01MFD 100V 20% DISC	1001610
D19-D22	DIODE D662	1100113
D1-D18, D23-D28	DIODE D664	1100114
PARTS LIST		A-PL-M508-0-0
REFERENCE DESIGNATION	DESCRIPTION	PART NO.

PARTS LIST

TITLE
BUS CONVERTER M508

digital
EQUIPMENT
CORPORATION
MAYNARD, MASSACHUSETTS

SIZE CODE NUMBER REV
C CS M508-0-1 A

PRINTED CIRCUIT REV


REVISIONS
CHK CHG NO REV
00001 A

DRN
M. Keller
DATE 8-27-68
CHK'D
DATE
ENG
DATE
PROD
DATE

TRANSISTOR & DIODE CONVERSION CHART			
DEC	EIA	DEC	EIA
DEC3009B	2N3409		
D662	1N645		
D664	1N3006		

THIS SCHEMATIC IS FURNISHED ONLY FOR TEST AND MAINTENANCE PURPOSES. THE CIRCUITS ARE PROPRIETARY IN NATURE AND SHOULD BE TREATED ACCORDINGLY. COPYRIGHT 1968 BY DIGITAL EQUIPMENT CORPORATION

REV. NUMBER M516-0-1



NOTES:
PIN 7 ON EACH IC = GND
PIN 14 ON EACH IC = +5V

E1-E3	INTEGRATED CKT. DEC7420N	1905577
R19	RES. 330 1/4W 5% CC	1300295
R3,R6,R9,R12,R15,R18	RES. 1.5K 1/4W 5% CC	1300391
R2,R5,R8,R11,R14,R17	RES. 750 1/4W 5% CC	1301401
R1,R4,R7,R10,R13,R16	RES. 220 1/4W 5% CC	1300271
D13-D16	DIODE D662	1100113
D1-D12	DIODE D664	1100114
C1-C5	CAP. .01MFD 100V 20% DISC	1001610
PARTS LIST		A-PL-M516-0-0
REFERENCE DESIGNATION	DESCRIPTION	PART NO.

PARTS LIST

REVISIONS
CHK CHG NO. REV.

DRN. *M. Walker* DATE 6-20-68
CHK'D *H. Davis* DATE 6-20-68
ENG. *H. Davis* DATE 7/1/68
PROD. DATE

TRANSISTOR & DIODE CONVERSION CHART


DEC	EIA	DEC	EIA
D662	IN645		
D664	IN3606		

digital
EQUIPMENT
CORPORATION
MAYNARD, MASSACHUSETTS

TITLE
POSITIVE
BUS RECEIVER M516

SIZE CODE NUMBER REV.
B CS M516-0-1
PRINTED CIRCUIT REV. A

THIS SCHEMATIC IS FURNISHED FOR TEST AND MAINTENANCE PURPOSES. THE CIRCUITS ARE PROPRIETARY IN NATURE AND SHOULD BE TREATED ACCORDINGLY. COPYRIGHT 1970 BY DIGITAL EQUIPMENT CORPORATION



UNLESS OTHERWISE INDICATED:
RESISTORS ARE 3K, 1/4W, 5%
DIODES ARE D664
CAPACITORS ARE 150 pf, 100V, 5%
TRANSISTORS ARE DEC3009B
IC'S ARE DEC7404

REVISIONS
CHK'D NO. REV. A
100001

DEC FORM NO. 102

DRN: Nancy Moore
DATE: 3/5/70
CHK'D: R. Williams
DATE: 4/8/70
ENG: J. L. Lutz
DATE: 6/9/70
PROD: W. Wall

TRANSISTOR & DIODE CONVERSION CHART			
DEC	EIA	DEC	EIA
DEC3009B	2N3009		
D664	1N3606		

digital
EQUIPMENT CORPORATION
MAYNARD, MASSACHUSETTS


TITLE: **NEGATIVE BUS CONVERTER**
SIZE: C CODE: CS NUMBER: M531-0-1 REV: A
PRINTED CIRCUIT REV: A

REV. A
NUMBER M531-0-1
SIZE CODE C CS


Dist. 324 434 435 5 Pink

REV. B	NUMBER M602-0-1	CS B	SIZE 31
--------	-----------------	------	---------

THIS SCHEMATIC IS FURNISHED ONLY FOR TEST AND MAINTENANCE PURPOSES. THE CIRCUITS ARE PROPRIETARY IN NATURE AND SHOULD BE TREATED ACCORDINGLY. COPYRIGHT 1967 BY DIGITAL EQUIPMENT CORPORATION



UNLESS OTHERWISE INDICATED:
TRANSISTORS ARE DEC3639B
DIODES ARE D664
RESISTORS ARE 1/4W, 5%
CAPACITORS ARE .01 MFD
PIN 7 ON IC = GND
PIN 14 ON IC = +5V
IC IS DEC74H40N









REVISIONS CHKD 6720 REV. B		DRN. M. Peller DATE 6-1-67 CHKD 6720 DATE 6-8-67 ENG. J. White DATE 6-8-67 PROD. I DATE	TRANSISTOR & DIODE CONVERSION CHART <table border="1"> <tr> <th>DEC</th> <th>EIA</th> <th>DEC</th> <th>EIA</th> </tr> <tr> <td>DEC3009B</td> <td>2N3009</td> <td></td> <td></td> </tr> <tr> <td>DEC3639B</td> <td>2N3639</td> <td></td> <td></td> </tr> <tr> <td>D662</td> <td>1N645</td> <td></td> <td></td> </tr> <tr> <td>D664</td> <td>1N3606</td> <td></td> <td></td> </tr> </table>	DEC	EIA	DEC	EIA	DEC3009B	2N3009			DEC3639B	2N3639			D662	1N645			D664	1N3606			digital EQUIPMENT CORPORATION MAYNARD, MASSACHUSETTS	TITLE PULSE GENERATOR M602 SIZE B CODE CS NUMBER M602-0-1 REV. B
DEC	EIA	DEC	EIA																						
DEC3009B	2N3009																								
DEC3639B	2N3639																								
D662	1N645																								
D664	1N3606																								




REV	E	NUMBER	M617-0-1	CS	B	SIZE
-----	---	--------	----------	----	---	------

THIS SCHEMATIC IS FURNISHED ONLY FOR TEST AND MAINTENANCE PURPOSES. THE CIRCUITS ARE PROPRIETARY IN NATURE AND SHOULD BE TREATED ACCORDINGLY. COPYRIGHT 1967 BY DIGITAL EQUIPMENT CORPORATION

+5V ——— A2
 NOT USED -15V ——— B2
 GND ——— C2, T1



NOTES:
 PIN 7 ON EACH IC=GND
 PIN 14 ON EACH IC=+5V



E1 THRU E3	INTEGRATED CKT. DEC7440N	1905579
R2 & R3	RES 330 1/4W 10% CC	1300293
R1 & R4	RES. 750 1/4W 5% CC	1301401
C1 & C2 & C3	CAP. .01MFD 100V 20% DISC	1001610
PARTS LIST		A-PL-M617-0-0
REFERENCE DESIGNATION	DESCRIPTION	PART NO.

PARTS LIST

REV	CHG	NO	REV
6422	A		
6824	B		
00001	C		
00002	D		
00003	E		

DRN	DATE
W. H. Miller	3-15-67
CHK'D	DATE
M. H. Miller	4-21-67
ENG	DATE
J. White	4-21-67
PROD	DATE

TRANSISTOR & DIODE CONVERSION CHART			
DEC	EIA	DEC	EIA

digital
 EQUIPMENT
 CORPORATION
 MAYNARD MASSACHUSETTS


TITLE			
6-4 INPUT NOR BUFFERS M617			
SIZE	CODE	NUMBER	REV.
B	CS	M617-0-1	E
PRINTED CIRCUIT REV.			
A			
DIST.	324	434	#35



Pink

5

THIS SCHEMATIC IS FURNISHED ONLY FOR TEST AND MAINTENANCE PURPOSES. THE CIRCUITS ARE PROPRIETARY IN NATURE AND SHOULD BE TREATED ACCORDINGLY. COPYRIGHT 1968 BY DIGITAL EQUIPMENT CORPORATION



NOTES:
PIN 7 ON EACH IC = GND
PIN 14 ON EACH IC = +5V

E1 - E3	INTEGRATED CKT. DEC7402	1909004
Q1 - Q12	TRANSISTOR DEC3009B	1503100
R1 - R12	RES. 390 1/4W 5% CC	1300309
D1 - D12	DIODE D664	1100114
C4	CAP. 6.8MFD 35V 20% STANT	1000087
C1 - C3	CAP. .01MFD 100V 20% DISC	1001610
PARTS LIST		A-PL-M623-0-0
REFERENCE DESIGNATION	DESCRIPTION	PART NO.

REVISIONS	CHK	ENG	NO.	REV.
1	W	1	00002	B
2	W	1	00003	D
3	W	1	00005	E

DRN.	DATE
Dr. Hall	6-7-68
CHK'D	DATE
W. J. Hall	8/14/68
DES.	DATE
W. J. Hall	8/14/68
APP'D	DATE
W. J. Hall	8/14/68








TRANSISTOR & DIODE CONVERSION CHART			
DEC	EMA	DEC	EMA
D664	1N3406		
DEC3009B	2N3009		

digital		BUS DRIVER M623	
EQUIPMENT CORPORATION	MAINTAINED, MASSACHUSETTS	SIZE	CODE
		C	CS
		NUMBER	REV.
		M623-0-1	E
		PRINTED CIRCUIT REV.	
		D	E

THIS SCHEMATIC IS FURNISHED ONLY FOR TEST AND MAINTENANCE PURPOSES. THE CIRCUITS ARE PROPRIETARY IN NATURE AND SHOULD BE TREATED ACCORDINGLY. COPYRIGHT 1967 BY DIGITAL EQUIPMENT CORPORATION

SIZE CODE B CS
NUMBER M627-0-1
REV F

+5V ——— A2
NOT USED -15V ——— B2
GND ——— C2, T1



NOTES:
PIN 7 ON EACH IC = GND
PIN 14 ON EACH IC = +5V

E1 THRU E3	INTEGRATED CKT. DEC74H40	1905586
R2 & R3	RES. 330 1/4W 10% CC	1300293
R1 & R4	RES. 750 1/4W 5% CC	1301401
C1 THRU C3	CAP. .01 MFD 100V 20% DISC	1001610
REFERENCE DESIGNATION	PARTS LIST	A-PL-M627-0-0
	DESCRIPTION	PART NO.

PARTS LIST

REV	CHG	NO	REV
A	6825		
B	00001		
E	00002		
F	00003		


DRN.	DATE
M. Neller	7-18-67
CHK'D	DATE
7/19/67	
ENG	DATE
7/19/67	
PROD	DATE

TRANSISTOR & DIODE CONVERSION CHART			
DEC	EIA	DEC	EIA

digital
EQUIPMENT CORPORATION
MAYNARD, MASSACHUSETTS

TITLE POWER AMPLIFIER MODULE M627			
SIZE B	CODE CS	NUMBER M627-0-1	REV. F
PRINTED CIRCUIT REV A			

THIS SCHEMATIC IS FURNISHED ONLY FOR TEST AND MAINTENANCE PURPOSES. THE CIRCUITS ARE PROPRIETARY IN NATURE AND SHOULD BE TREATED ACCORDINGLY. COPYRIGHT 1969 BY DIGITAL EQUIPMENT CORPORATION




E1	INTEGRATED CKT. DEC 7410N	1905576
Q3, Q6, Q9	TRANSISTOR DEC 3009 B-S	1503100
Q1, Q2, Q4, Q5, Q7, Q8, Q10, Q11, Q12	TRANSISTOR DEC 6534B	1503409-01
R16, R18, R19, R20	RES. 15K 1/4W 5% CC.	1300391
R4, R5, R9, R10, R14, R15	RES. 1K 1/4W 5% CC.	1300365
R3, R8, R13	RES. 470 1/4W 10% CC.	1300317
R2, R7, R12, R17	RES. 3K 1/4W 5% CC.	1300432
R1, R6, R11	RES. 82 1/4W 10% CC.	1300224
D17	DIODE 1N750A	1100124
D10 - D16	DIODE D662	1100113
D1 - D9	DIODE D664	1100114
C4, C5, C6	CAP. .01 MFD 100V 20% DISC.	1001610
C1, C2, C3	CAP. 330 MMF 100V 5% D.M.	1000023
PARTS LIST		A-PL-M651-0-0
REFERENCE DESIGNATION	DESCRIPTION	PART NO

PARTS LIST

REVISIONS CHK CHG NO REV 2 00001 B		DEC FORM NO. ORC 102		DATE 2-5-69 CHK 2-17-69 ENG 2-17-69 PROD		TRANSISTOR & DIODE CONVERSION CHART <table border="1"> <tr> <th>DEC</th> <th>EIA</th> </tr> <tr> <td>DEC3009B</td> <td>2N3009</td> </tr> <tr> <td>DEC6534B</td> <td>MP6534</td> </tr> <tr> <td>D662</td> <td>1N645</td> </tr> <tr> <td>D664</td> <td>1N3606</td> </tr> <tr> <td>1N750A</td> <td>SAME</td> </tr> </table>		DEC	EIA	DEC3009B	2N3009	DEC6534B	MP6534	D662	1N645	D664	1N3606	1N750A	SAME	digital EQUIPMENT CORPORATION MAYNARD, MASSACHUSETTS		TITLE NEGATIVE OUTPUT CONVERTER M651 SIZE CODE NUMBER C CS M651-0-1 PRINTED CIRCUIT REV.		REV B	
DEC	EIA																								
DEC3009B	2N3009																								
DEC6534B	MP6534																								
D662	1N645																								
D664	1N3606																								
1N750A	SAME																								

THIS SCHEMATIC IS FURNISHED ONLY FOR TEST AND MAINTENANCE PURPOSES. THE CIRCUITS ARE PROPRIETARY IN NATURE AND SHOULD BE TREATED ACCORDINGLY. COPYRIGHT 1968 BY DIGITAL EQUIPMENT CORPORATION

REV. A
NUMBER 1-0-099W
B CS
SIZE



NOTES:
PIN 7 ON EACH IC = GND
PIN 14 ON EACH IC = +5V

E1, E2	INTEGRATED CKT. DEC7401N	1905590
Q1 - Q6	TRANSISTOR DEC3009B-S	1503100
R3, R6, R9	RES. 27 1/2W 5% CC	1302253
R2, R5, R8	RES. 1.5K 1/4W 5% CC	1300391
R1, R4, R7	RES. 470 1/4W 5% CC	1300316
C4, C5	CAP. .01MFD 100V 20% DISC	1001610
C1 - C3	CAP. 6.8MFD 35V 20% S.TANT	1000067
PARTS LIST		A-PL-M660-0-0
REFERENCE DESIGNATION	DESCRIPTION	PART NO.


PARTS LIST

REVISIONS CHK CHG NO. REV. 00001 A	DRN.	DATE	TRANSISTOR & DIODE CONVERSION CHART		digital EQUIPMENT CORPORATION MAYNARD, MASSACHUSETTS	TITLE		SIZE B CODE CS NUMBER M660-0-1 PRINTED CIRCUIT REV.	REV. A
	CHK'D	DATE	DEC	EIA		POSITIVE			
	ENG.	DATE	DEC	EIA		LEVEL DRIVER M660			
	PROD.	DATE	DEC	EIA					

THIS SCHEMATIC IS FURNISHED ONLY FOR TEST AND MAINTENANCE PURPOSES. THE CIRCUITS ARE PROPRIETARY IN NATURE AND SHOULD BE TREATED ACCORDINGLY. COPYRIGHT 1967 BY DIGITAL EQUIPMENT CORPORATION

UNLESS OTHERWISE INDICATED:
TRANSISTORS ARE DEC3009B
CAPACITORS ARE .01 MFD, 100V, 20%
RESISTORS ARE 1/4W, 5%
E1 IS DEC7474
E2, E3, E4, E5, E6, E7, E8 ARE DEC7400
PIN 7 ON EACH IC = GND
PIN 14 ON EACH IC = +5V

PARTS LIST A-PL-M700-0-0



REV	CHG	NO	REV
1	1	1	1
2	2	2	2
3	3	3	3
4	4	4	4
5	5	5	5
6	6	6	6
7	7	7	7
8	8	8	8
9	9	9	9
10	10	10	10

DEC FORM NO
DPC 102

DRN: Mr. Walker
DATE: 9-17-67
CHKD: 5/5/67
DATE: 5/5/67
PROD: 5/5/67
DATE: 5/5/67

TRANSISTOR & DIODE CONVERSION CHART			
DEC	EIA	DEC	EIA
DEC3009B	2N3009		
DEC6534B	MP56534		
D664	1N3606		

digital
EQUIPMENT
CORPORATION
MAYNARD, MASSACHUSETTS

TITLE: MANUAL TIMING
GENERATOR M700
SIZE: C CODE: CS NUMBER: M700-0-1
PRINTED CIRCUIT REV: E


Dist: 324 434 435

5

REV: E
NUMBER: M700-0-1
SIZE CODE: CS

REV. J
NUMBER M703-0-1
SIZE CODE B CS


THIS SCHEMATIC IS FURNISHED ONLY FOR TEST AND MAINTENANCE PURPOSES. THE CIRCUITS ARE PROPRIETARY IN NATURE AND SHOULD BE TREATED ACCORDINGLY. COPYRIGHT 1967 BY DIGITAL EQUIPMENT CORPORATION



REVISIONS										TRANSISTOR & DIODE CONVERSION CHART				digital				TITLE			
CHK	CHG	NO.	REV.	C	D	E	F	J		DEC	EIA	DEC	EIA	DEC	EIA	DEC	EIA	SIZE	CODE	NUMBER	REV.
6	6	6	6	6	6	6	6	6		DEC6534B	MPS6534							B	CS	M703-0-1	J
										D664	IN3806										
										DEC3009B	2N3009										
PROD. 2										MAYNARD, MASSACHUSETTS				PRINTED CIRCUIT REV.							

THIS SCHEMATIC IS FURNISHED ONLY FOR TEST AND MAINTENANCE PURPOSES. THE CIRCUITS ARE PROPRIETARY IN NATURE AND SHOULD BE TREATED ACCORDINGLY. COPYRIGHT 1967 BY DIGITAL EQUIPMENT CORPORATION.

1-0-904M CS 3



UNLESS OTHERWISE INDICATED:
TRANSISTORS ARE DEC48348
RESISTORS ARE 1/4W, 5%
DIODES ARE D664
PIN 7 ON EACH IC = GND
PIN 14 ON EACH IC = +5V
E1 IS A DEC7430R
E2, E3, E8, E14 ARE DEC7474N
E5, E6, E9, E11, E12, E16, E17 ARE DEC7400N
E4, E7, E10, E13, E19 ARE DEC7460N
E15, E18 ARE DEC7400N
CAPACITORS ARE .01 MFD

PARTS LIST IS A-PL-M704-0-0


REV	DATE	BY	CHKD	APP'D
1	10-30-67	DEC	EA	
2	11-15-67	DEC	EA	
3	11-15-67	DEC	EA	
4	11-15-67	DEC	EA	
5	11-15-67	DEC	EA	

DATE	BY	CHKD	APP'D
10-30-67	DEC	EA	
11-15-67	DEC	EA	
11-15-67	DEC	EA	
11-15-67	DEC	EA	
11-15-67	DEC	EA	

DATE	BY	CHKD	APP'D
10-30-67	DEC	EA	
11-15-67	DEC	EA	
11-15-67	DEC	EA	
11-15-67	DEC	EA	
11-15-67	DEC	EA	

digital PLOTTER CONTROL M704
EQUIPMENT CORPORATION
D CS M704-0-1
PRINTED CIRCUIT REV

THIS SCHEMATIC IS FURNISHED ONLY FOR TEST AND MAINTENANCE PURPOSES. THE CIRCUITS ARE PROPRIETARY IN NATURE AND SHOULD BE TREATED ACCORDINGLY. COPYRIGHT 1967 BY DIGITAL EQUIPMENT CORPORATION




REV	CHG	NO	REV
1	0000	1	0000
2	0001	2	0001
3	0002	3	0002
4	0003	4	0003
5	0004	5	0004
6	0005	6	0005

DRN	DATE
CHK'D	DATE
ENG	DATE
PROD	DATE

TRANSISTOR & DIODE CONVERSION CHART			
DEC	EIA	DEC	EIA
D864	IN645		

digitat		TITLE	
EQUIPMENT CORPORATION		READER CONTROL M705	
SIZE	CODE	NUMBER	REV
C	CS	M705-0-1	J
PRINTED CIRCUIT REV.			

THIS SCHEMATIC IS FURNISHED ONLY FOR TEST AND MAINTENANCE PURPOSES. THE CIRCUITS ARE PROPRIETARY IN NATURE AND SHOULD BE TREATED ACCORDINGLY. COPYRIGHT 1967 BY DIGITAL EQUIPMENT CORPORATION



UNLESS OTHERWISE INDICATED:
CAPACITORS ARE .01 μ , 100V, 20%
RESISTORS ARE 1/4W; 5%
DIODES ARE D664
PIN 7 ON EACH IC = GND
PIN 1 ON ALL IC'S = GND

PARTS LIST A-PL-M708-0-0


REVISIONS		
CHK	CHG NO.	REV.
11/22	6388	A
11/22	6578	B
11/22	7128	C
	7134	
11/11	00001	O
	00002	
11/11	00003	E
11/11	00004	K
11/11	00005	L

DRN.	DATE	TRANSISTOR & DIOD	
M. Kallen	5-20-67	DEC	EIA
CHKD	DATE	DEC3009B	2N3009
P. Zimmerman	4/21/67	DEC6B	NONE
EDG.	DATE	D664	IN360B
J. Rucketto	6-1-67		
PROD.	DATE		

[illegible]

TITLE									
TELETYPE RECEIVER M706									
SIZE		CODE		NUMBER				REV.	
C		CS		M706-0-1				L	
PRINTED CIRCUIT REV.					K				

THIS SCHEMATIC IS FURNISHED ONLY FOR TEST AND MAINTENANCE PURPOSES. THE CIRCUITS ARE PROPRIETARY IN NATURE AND SHOULD BE TREATED ACCORDINGLY. COPYRIGHT 1969 BY DIGITAL EQUIPMENT CORPORATION.



UNLESS OTHERWISE INDICATED:


TRANSISTORS ARE DEC3639B
CAPACITORS ARE .01 MFD, 100V, 20%
RESISTORS ARE 2.2K, 1/4W, 5%
S1, S2, S3 ARE 1209698
E5, E6 ARE DEC7474
E4, E7, E11, E12 ARE DEC7400
E3, E9, E13 ARE DEC7402
E8, E10 ARE DEC7410
E1, E2 ARE DEC7440
PIN 7 ON EACH IC = GND
PIN 14 ON EACH IC = +5V

REV	DATE	BY	CHKD	APPD
1	12/15/69	WJL		
2	1/15/70	WJL		
3	1/15/70	WJL		
4	1/15/70	WJL		
5	1/15/70	WJL		

TRANSISTOR & DIODE CONVERSION CHART	DATE	BY	CHKD	APPD
DEC 3639B	12/15/69	WJL		
DEC 7400	12/15/69	WJL		
DEC 7402	12/15/69	WJL		
DEC 7410	12/15/69	WJL		
DEC 7440	12/15/69	WJL		

digital EQUIPMENT CORPORATION		SCOPE CONTROL M711	
DATE	12/15/69	SIZE	D
BY	WJL	CODE	CS
CHKD		NUMBER	M711-C-1
APPD		REV	C

THIS SCHEMATIC IS FURNISHED ONLY FOR TEST AND MAINTENANCE PURPOSES. THE CIRCUITS ARE PROPRIETARY IN NATURE AND SHOULD BE TREATED ACCORDINGLY. COPYRIGHT 1967 BY DIGITAL EQUIPMENT CORPORATION



UNLESS OTHERWISE INDICATED;

TRANSISTORS = DEC6534D
 DIODES = D664
 RESISTORS = 1/4W, 5%
 CAPACITORS = .01UF, 100V, 20%
 E1, E3, E5 = DEC7400
 E4 = DEC7404
 E2, E5 = DEC9601
 PIN 7 = GND ON ALL IC'S
 PIN 14 = +5V
 E7 = DEC7402

REV	CHG NO	REV	E	K
AY	00002			
REV	00008			
REV	00008			
ECO	00002			

DEC FORM NO
 DEC 102

DRN M. HALLER
 CHK'D R. SILVERMAN
 ENG. R. G. SOGGE
 PROD


DATE 10/16/67
 DATE 11/2/67
 DATE 11/2/67
 DATE

TRANSISTOR & DIODE CONVERSION CHART			
DEC	EIA	DEC	EIA
DEC6534D	MPS6534	IN758	SAME
D664	IN3606		
DEC6531	MPS6531		

digital		EQUIPMENT CORPORATION		MAYNARD, MASSACHUSETTS	
SIZE C	CODE CS	NUMBER M715-0-1	REV K	PRINTED CIRCUIT REV E	

REV. K
 NUMBER M715-0-1
 SIZE CODE C CS

THIS SCHEMATIC IS FURNISHED ONLY FOR TEST AND MAINTENANCE PURPOSES. THE
CIRCUITS ARE PROPRIETARY IN NATURE AND SHOULD BE TREATED ACCORDINGLY.
COPYRIGHT 1969 BY DIGITAL EQUIPMENT CORPORATION




UNLESS OTHERWISE INDICATED:
CAPACITORS ARE .01MFD
PIN 7 ON EACH IC = GND
PIN 14 ON EACH IC = +5V
E1, E5, E8, E11 ARE DEC7400N
E2, E3, E6, E7 ARE DEC7474N
E4 IS DEC7410N
E9, E10 ARE DEC7402N

[illegible]

THIS SCHEMATIC IS FURNISHED ONLY FOR TEST AND MAINTENANCE PURPOSES. THE CIRCUITS ARE PROPRIETARY IN NATURE AND SHOULD BE TREATED ACCORDINGLY. COPYRIGHT 1967 BY DIGITAL EQUIPMENT CORPORATION

REV. A
NUMBER M720-0-1
SIZE B
CODE CS



REV.	CHK	CHG	NO.	REV.	A
1			00001		


DRN.	DATE
M. Waller	9-28-67
CHK'D	DATE
R. Johnson	9/28/67
ENG.	DATE
Boyle	9/28/67
PROD.	DATE

TRANSISTOR & DIODE CONVERSION CHART			
DEC	EIA	DEC	EIA
DEC3009B	2N3009		
D664	1N3606		

digital
EQUIPMENT
CORPORATION
MAYNARD, MASSACHUSETTS

TITLE			
MEMORY DETECTION M720			
SIZE	CODE	NUMBER	REV.
B	CS	M720-0-1	A
PRINTED CIRCUIT REV.			
A			

THIS SCHEMATIC IS FURNISHED ONLY FOR TEST AND MAINTENANCE PURPOSES. THE
CIRCUITS ARE PROPRIETARY IN NATURE AND SHOULD BE TREATED ACCORDINGLY.
COPYRIGHT 1969 BY DIGITAL EQUIPMENT CORPORATION




UNLESS OTHERWISE INDICATED:
PIN 7 ON EACH IC = GND
PIN 14 ON EACH IC = +5V
E1,E8 ARE DEC7474N
E2,E3,E6 ARE DEC7400N
E4 IS DEC7420N
E5,E7 ARE DEC7410N
E9 IS DEC7402N
CAPACITORS ARE .01MFD, 100V
DIODES ARE D664
RESISTORS ARE 1/4W 5%
TRANSISTORS ARE DEC 30098

REVISIONS CHK CHG NO REV	DWN _____	DATE _____	TRANSISTOR & DIODE CONVERSION CHART				digital EQUIPMENT CORPORATION MAYNARD, MASSACHUSETTS	A-D CONTROL M760		TITLE	
	CHNG <i>Patterson</i>	DATE <i>5-19-63</i>	DEC	EIA	DEC	EIA		SIZE C	CODE CS	NUMBER M760 - 0 - I	REV.
	ENG <i>J. A. Rattle</i>	DATE <i>5-20-63</i>	D664	IN3608							
	PROJ <i>R. Schaeffer</i>	DATE <i>7-8-63</i>	DC C3009B	2K30 09B							
	PROD. _____	DATE _____									

DES FORM NO. DRC 105

DIST 25 + 35 + 35
PINK
5/

THIS SCHEMATIC IS FURNISHED ONLY FOR TEST AND MAINTENANCE PURPOSES. THE CIRCUITS ARE PROPRIETARY IN NATURE AND SHOULD BE TREATED ACCORDINGLY. COPYRIGHT 1969 BY DIGITAL EQUIPMENT CORPORATION




UNLESS OTHERWISE INDICATED:
 ○ ARE SPLIT LUGS
 RESISTORS ARE 1/4W, 5%
 DIODES ARE D664
 TRANSISTORS ARE DEC6534B

REVISIONS CHK CHG NO. REV. 00001 A DATE 6/2/69 ENG. J. S. F. 6/3/69 PRQD. J. S. F. 6/3/69		DRN. BUTLER DATE 6/2/69 DATE 6/3/69 DATE 6/3/69		TRANSISTOR & DIODE CONVERSION CHART <table border="1"> <thead> <tr> <th>DEC</th> <th>EIA</th> <th>DEC</th> <th>EIA</th> </tr> </thead> <tbody> <tr> <td>DEC6534B</td> <td>MPS6534</td> <td></td> <td></td> </tr> <tr> <td>DEC3009B</td> <td>2N3009</td> <td></td> <td></td> </tr> <tr> <td>D664</td> <td>IN3606</td> <td></td> <td></td> </tr> <tr> <td>D670</td> <td>IN3653</td> <td></td> <td></td> </tr> </tbody> </table>				DEC	EIA	DEC	EIA	DEC6534B	MPS6534			DEC3009B	2N3009			D664	IN3606			D670	IN3653			digital EQUIPMENT CORPORATION MAYNARD, MASSACHUSETTS		TITLE CONVERTER AND CABLE CONNECTOR M850	
DEC	EIA	DEC	EIA																												
DEC6534B	MPS6534																														
DEC3009B	2N3009																														
D664	IN3606																														
D670	IN3653																														
SIZE B CODE CS		NUMBER M850-0-1		REV. A		PRINTED CIRCUIT REV. A																									

REV. NUMBER M870-0-1

THIS SCHEMATIC IS FURNISHED ONLY FOR TEST AND MAINTENANCE PURPOSES. THE CIRCUITS ARE PROPRIETARY IN NATURE AND SHOULD BE TREATED ACCORDINGLY. COPYRIGHT 1970 BY DIGITAL EQUIPMENT CORPORATION




UNLESS OTHERWISE INDICATED:
 RESISTORS ARE 390, 1/4W, 5%
 CAPACITORS ARE .01MFD, 100V, 20%
 TRANSISTORS ARE DEC3009B
 DIODES ARE D664
 E2, E3, E4 ARE DEC7400
 E1 IS DEC7474
 PIN 7 ON EACH IC = GND
 PIN 14 ON EACH IC = +5V

REVISIONS CHK CHG NO REV	DRN	BUTLER	DATE	1/19/70	TRANSISTOR & DIODE CONVERSION CHART <table border="1"> <tr> <th>DEC</th> <th>EIA</th> <th>DFC</th> <th>EIA</th> </tr> <tr> <td>D664</td> <td>1N3606</td> <td></td> <td></td> </tr> <tr> <td>DEC3009B-S</td> <td>2N3009B</td> <td></td> <td></td> </tr> </table>		DEC	EIA	DFC	EIA	D664	1N3606			DEC3009B-S	2N3009B			CHK'D		DATE	3-13-70	digital EQUIPMENT CORPORATION MAYNARD, MASSACHUSETTS		TITLE SIMPLE CLOCK M870		SIZE	B	CODE	CS	NUMBER	M870-0-1	REV	
	DEC	EIA	DFC	EIA																														
	D664	1N3606																																
	DEC3009B-S	2N3009B																																
	ENG		DATE	5/25/70			PRINTED CIRCUIT REV	A																										
PROD		DATE	6/2/70																															

↓ 1-0-006W SC 8

THIS SCHEMATIC IS FURNISHED ONLY FOR TEST AND MAINTENANCE PURPOSES. THE CIRCUITS ARE PROPRIETARY IN NATURE AND SHOULD BE TREATED ACCORDINGLY. COPYRIGHT 1967 BY DIGITAL EQUIPMENT CORPORATION



PARTS LIST IS A-PL-M900-0-0

REVISIONS CHK'D NO. REV. A DATE 7/15/67 BY [Signature] PROD. [Signature]		DRN. 20. Miller DATE 7-5-67 DATE 7/15/67 DATE 7/15/67 DATE 7/15/67		TRANSISTOR & DIODE CONVERSION CHART DEC EIA DEC EIA DEC EIA DEC EIA				TITLE PDP-8-1 CONSOLE CONNECTOR M900 SIZE B CODE CS NUMBER M900-0-1 REV. B EQUIPMENT CORPORATION MAYNARD, MASSACHUSETTS PRINTED CIRCUIT REV. CD			
--	--	--	--	---	--	--	--	---	--	--	--


↑

DIST. 324,434,435 3 ± PINK



REV. C	NUMBER M901-0-1	SIZE B	CODE CS
--------	-----------------	--------	---------

THIS SCHEMATIC IS FURNISHED ONLY FOR TEST AND MAINTENANCE PURPOSES. THE CIRCUITS ARE PROPRIETARY IN NATURE AND SHOULD BE TREATED ACCORDINGLY. COPYRIGHT 1968 BY DIGITAL EQUIPMENT CORPORATION




R1-R4	RES. 10 1/4W 10% CC	1300170
	PARTS LIST	A-PL-M901-0-0
REFERENCE DESIGNATION	DESCRIPTION	PART NO.

REVISIONS CHK CHG NO. REV. 123 00001 C	DRN. M. Waller	DATE 8-14-68	TRANSISTOR & DIODE CONVERSION CHART				digital EQUIPMENT CORPORATION MAYNARD, MASSACHUSETTS	TITLE FLEXPRINT CABLE CONNECTOR M901			
	CHK'D M. Waller	DATE 8-19-68	DEC	EIA	DEC	EIA		SIZE B	CODE CS	NUMBER M901-0-1	REV. C
	ENG. M. Waller	DATE 11/5/68									
	PROD.	DATE									



REV.	NUMBER	SIZE	CODE
	M903-0-1	B	CS

THIS SCHEMATIC IS FURNISHED ONLY FOR TEST AND MAINTENANCE PURPOSES. THE CIRCUITS ARE PROPRIETARY IN NATURE AND SHOULD BE TREATED ACCORDINGLY. COPYRIGHT 1968 BY DIGITAL EQUIPMENT CORPORATION




PARTS LIST IS A-PL-M903-0-0

REVISIONS CHK CHG NO. REV.	DRN. <i>M. Waller</i>	DATE 7-2-68	TRANSISTOR & DIODE CONVERSION CHART				digital EQUIPMENT CORPORATION MAYNARD, MASSACHUSETTS	TITLE CONNECTOR (FLEXPRINT) M903							
	CHK'D <i>M. Waller</i>	DATE 7-3-68	DEC	EIA	DEC	EIA		SIZE B	CODE CS	NUMBER M903-0-1	REV.				
	ENG <i>706...</i>	DATE 7/12/68													
	PROD.	DATE													
PRINTED CIRCUIT REV.										A					



THIS SCHEMATIC IS FURNISHED ONLY FOR TEST AND MAINTENANCE PURPOSES. THE CIRCUITS ARE PROPRIETARY IN NATURE AND SHOULD BE TREATED ACCORDINGLY. COPYRIGHT 1968 BY DIGITAL EQUIPMENT CORPORATION




UNLESS OTHERWISE INDICATED:
RESISTORS ARE 220, 1/4 W, 5%
DIODES ARE D664
CAPACITORS ARE .01 MFD, 100V, 20%

REVISIONS CHK'G NO. REV. REV. & RED. 00001 B		DRN. M. HALLER CHK'D W. MULLEN ENG. D.A. WHITE PROD.	DATE 8-2-68 DATE 8-2-68 DATE 10-16-68 DATE	TRANSISTOR & DIODE CONVERSION CHART <table border="1"> <tr> <th>DEC</th> <th>EIA</th> <th>DEC</th> <th>EIA</th> </tr> <tr> <td>D662</td> <td>IN645</td> <td></td> <td></td> </tr> <tr> <td>D664</td> <td>IN3606</td> <td></td> <td></td> </tr> </table>	DEC	EIA	DEC	EIA	D662	IN645			D664	IN3606			digital EQUIPMENT CORPORATION MAYNARD, MASSACHUSETTS	TITLE CABLE TERMINATOR M906 <table border="1"> <tr> <th>SIZE</th> <th>CODE</th> <th>NUMBER</th> <th>REV.</th> </tr> <tr> <td>B</td> <td>CS</td> <td>M906-0-1</td> <td>B</td> </tr> </table>	SIZE	CODE	NUMBER	REV.	B	CS	M906-0-1	B
DEC	EIA	DEC	EIA																							
D662	IN645																									
D664	IN3606																									
SIZE	CODE	NUMBER	REV.																							
B	CS	M906-0-1	B																							

REV. NUMBER SIZE CODE B
M907-0-1

THIS SCHEMATIC IS FURNISHED ONLY FOR TEST AND MAINTENANCE PURPOSES. THE CIRCUITS ARE PROPRIETARY IN NATURE AND SHOULD BE TREATED ACCORDINGLY. COPYRIGHT 1968 BY DIGITAL EQUIPMENT CORPORATION




D1-D18	DIODE D664	1100114
R2, R4	RES. 330 1/4W 5% CC	1300295
R1, R3	RES. 750 1/4W 5% CC	1301401
C1	CAP. 6.8MFD 35V 20% STANT	1000067
C2	CAP. .01MFD 100V 20% DISC	1001610
	PARTS LIST	A-PL-M907-0-0
REFERENCE DESIGNATION	DESCRIPTION	PART NO.
	PARTS LIST	

REVISIONS CHK CHG NO. REV.	DRN. <i>m. Keller</i>	DATE 8-9-68	TRANSISTOR & DIODE CONVERSION CHART		digital EQUIPMENT CORPORATION MAYNARD, MASSACHUSETTS	TITLE DIODE CLAMP M907		
	CHK'D <i>M. Keller</i>	DATE 8-9-68	DEC	EIA		SIZE	CODE	NUMBER
	ENG. <i>F. Hough</i>	DATE 9/1/68	D664	IN3606		B	CS	M907-0-1
	PROD.	DATE						



REV.	NUMBER	CS	SIZE
	M908-0-1	B	

THIS SCHEMATIC IS FURNISHED ONLY FOR TEST AND MAINTENANCE PURPOSES. THE CIRCUITS ARE PROPRIETARY IN NATURE AND SHOULD BE TREATED ACCORDINGLY. COPYRIGHT 1968 BY DIGITAL EQUIPMENT CORPORATION



Ø SPLIT LUG

R1 - R4	RES. 10 1/4W 10% CC	I300170
	PARTS LIST	A-PL-M908-0-0
REFERENCE DESIGNATION	DESCRIPTION	PART NO.
PARTS LIST		

REVISIONS CHK CHG NO. REV.	DRN. <i>M. Keller</i>	DATE 9-27-68	TRANSISTOR & DIODE CONVERSION CHART				digital EQUIPMENT CORPORATION MAYNARD, MASSACHUSETTS	TITLE CONNECTOR MODULE M908			
	CHK'D <i>M. Keller</i>	DATE 9-27-68	DEC	EIA	DEC	EIA		SIZE B	CODE CS	NUMBER M908-0-1	REV.
	ENG. <i>J. L. 99</i>	DATE 11/5/68									
	PROD.	DATE									



PINK


DIST. 324 434 435²

THIS SCHEMATIC IS FURNISHED ONLY FOR TEST AND MAINTENANCE PURPOSES. THE CIRCUITS ARE PROPRIETARY IN NATURE AND SHOULD BE TREATED ACCORDINGLY. COPYRIGHT 1969 BY DIGITAL EQUIPMENT CORPORATION

PIN SIGNAL ASSIGNMENTS

OUT			
DEVICE A	DEVICE B	DEVICE C	SIGNAL
AI	BI	CI	MB3
DI	EI	FI	MB4
HI	JI	KI	MB5
LI	MI	NI	MB6
PI	RI	SI	MB7
UI	VI	T2	MB8

IN	
D2	MB3(O)
E2	MB3(I)
F2	MB4(O)
H2	MB4(I)
J2	MB5(O)
K2	MB5(I)
L2	MB6(O)
M2	MB6(I)
N2	MB7(O)
P2	MB7(I)
R2	MB8(O)
S2	MB8(I)




UNLESS OTHERWISE INDICATED:
 ○ ARE SPLIT LUGS

REVISIONS CHK CHG NO. REV.	DRN. BUTLER	DATE 1/16/69	TRANSISTOR & DIODE CONVERSION CHART		digital EQUIPMENT CORPORATION MAYNARD, MASSACHUSETTS	TITLE DEVICE CODE SELECT JUMPER BOARD			
	CHK'D C. L. Hallett	DATE 2/2/69	DEC	EIA		SIZE B	CODE CS	NUMBER M921-0-1	REV.
	ENG. J. Scanlon	DATE 4/24/69	DEC	EIA		PRINTED CIRCUIT REV. B			
	PROD.	DATE							

REV.	NUMBER M941-0-1	SIZE B CS
------	--------------------	--------------

THIS SCHEMATIC IS FURNISHED ONLY FOR TEST AND MAINTENANCE PURPOSES. THE CIRCUITS ARE PROPRIETARY IN NATURE AND SHOULD BE TREATED ACCORDINGLY. COPYRIGHT 1970 BY DIGITAL EQUIPMENT CORPORATION




CONNECTOR 7900-0155-0

REVISIONS CHK CHG NO. REV.	DRN NANCY MOORE	DATE 4/14/70	TRANSISTOR & DIODE CONVERSION CHART <table border="1"> <tr> <td>DEC</td> <td>EIA</td> <td>DEC</td> <td>EIA</td> </tr> <tr><td> </td><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td><td> </td></tr> </table>				DEC	EIA	DEC	EIA																	digital EQUIPMENT CORPORATION MAYNARD, MASSACHUSETTS		TITLE JUMPER/EXTENDER BOARD M941		REV.
	DEC	EIA					DEC	EIA																							
CHK'D <i>[Signature]</i>	DATE 4/14/70	SIZE B	CODE CS	NUMBER M941-0-1																											
ENG <i>[Signature]</i>	DATE 5/6/70					PRINTED CIRCUIT REV.	A																								
PROB <i>[Signature]</i>	DATE 5/27/70																														

5 PINK

THIS SCHEMATIC IS FURNISHED ONLY FOR TEST AND MAINTENANCE PURPOSES. THE CIRCUITS ARE PROPRIETARY IN NATURE AND SHOULD BE TREATED ACCORDINGLY. COPYRIGHT 1964 BY DIGITAL EQUIPMENT CORPORATION


SIZE B CS
CODE CS
NUMBER R002-0-1
REV. A



REVISIONS	CHK CHG NO	REV	DRN. H. PORTER DATE 5-21-64 CHK'D N. PERRYMAN DATE 5-25-64 ENG R. BANK DATE 5-25-64 PROD	DATE	TRANSISTOR & DIODE CONVERSION CHART				TITLE DIODE CLUSTER R002
	REDR.	5557			DEC	EIA	DEC	EIA	
					D664	IN3606			
DEC FORM NO 102					digital EQUIPMENT CORPORATION MAYNARD, MASSACHUSETTS				SIZE B CS NUMBER R002-0-1 REV. A
					PRINTED CIRCUIT REV. B				

REV. H
NUMBER RI07-0-1
CS B
SIZE 3Z

THIS SCHEMATIC IS FURNISHED ONLY FOR TEST AND MAINTENANCE PURPOSES. THE CIRCUITS ARE PROPRIETARY IN NATURE AND SHOULD BE TREATED ACCORDINGLY. COPYRIGHT 1964 BY DIGITAL EQUIPMENT CORPORATION



UNLESS OTHERWISE INDICATED;
RESISTORS ARE 1/4W, 5%
DIODES ARE D-664
TRANSISTORS ARE DEC 3639B
PRINTED CIRCUIT REV. FOR
DGL BOARD IS SIA

REVISIONS	CHK	CHG NO.	REV
1	DAW	4663	
2	REV	5377	D
3	ENG	5461	E
4	ENG	5686	F
5	ENG	6539	H


DRN.	A OUELLETTE	DATE	9-1-64
CHK'D	N PERRYMAN	DATE	9-10-64
ENG.	D WHITE	DATE	9-10-64
PROD.		DATE	

TRANSISTOR & DIODE CONVERSION CHART			
DEC	EIA	DEC	EIA
DEC 3639B	2N3639		
D662	IN645		
D664	IN3606		

digital
EQUIPMENT
CORPORATION
MAYNARD, MASSACHUSETTS

TITLE INVERTER RI07			
SIZE	CODE	NUMBER	REV.
B	CS	RI07-0-1	H
PRINTED CIRCUIT REV.			


REV.	F	NUMBER	R111-0-1	CS	B
------	---	--------	----------	----	---



REVISIONS		CHK CHG NO REV		DRN		DATE		TRANSISTOR & DIODE CONVERSION CHART		TITLE	
1		4756		H PORTER		5-15-64		DEC EIA		DIODE GATE RIII	
2		4756		CHK'D		DATE		DEC DEC		SIZE CODE NUMBER	
3		4756		N. PERRYMAN		5-25-64		2N3639		CS CS	
4		4756		ENG.		DATE		D662 IN645		RIII-0-1	
5		4756		R. BANK		5-25-64		D664 IN3606		REV. F	
6		4756		PROD.		DATE				PRINTED CIRCUIT REV.	
7		4756								D E F	

THIS SCHEMATIC IS FURNISHED ONLY FOR TEST AND MAINTENANCE PURPOSES. THE CIRCUITS ARE PROPRIETARY IN NATURE AND SHOULD BE TREATED ACCORDINGLY. COPYRIGHT 1964 BY DIGITAL EQUIPMENT CORPORATION

REV. F
NUMBER R202-0-1
SIZE B
CODE CS




UNLESS OTHERWISE INDICATED:
RESISTORS ARE 1/4 W, 5%
CAPACITORS ARE MMFD
DIODES ARE D-664

REVISIONS CHG NO. REV RMS 6330 4 REV. 6549 F		DRN. A. OUELLETTE DATE 6-16-64	DATE 6-16-64	TRANSISTOR & DIODE CONVERSION CHART <table border="1"> <tr> <th>DEC</th> <th>EIA</th> <th>DEC</th> <th>FIA</th> </tr> <tr> <td>DEC 3639C</td> <td>2N3639</td> <td></td> <td></td> </tr> <tr> <td>D662</td> <td>IN645</td> <td></td> <td></td> </tr> <tr> <td>D664</td> <td>IN3606</td> <td></td> <td></td> </tr> </table>		DEC	EIA	DEC	FIA	DEC 3639C	2N3639			D662	IN645			D664	IN3606			digital EQUIPMENT CORPORATION MAYNARD, MASSACHUSETTS	TITLE DUAL FLIP FLOP R202		SIZE B	CODE CS	NUMBER R202-0-1	REV F
DEC	EIA	DEC	FIA																									
DEC 3639C	2N3639																											
D662	IN645																											
D664	IN3606																											
PROD. DATE				PRINTED CIRCUIT REV DE																								

REV. K
NUMBER R303-0-1
SIZE CODE B CS

THIS SCHEMATIC IS FURNISHED ONLY FOR TEST AND MAINTENANCE PURPOSES. THE CIRCUITS ARE PROPRIETARY IN NATURE AND SHOULD BE TREATED ACCORDINGLY. COPYRIGHT 1965 BY DIGITAL EQUIPMENT CORPORATION




UNLESS OTHERWISE INDICATED: CAPS. ARE MFD
RESISTORS ARE 1/4W, 10% R9 IS A 275P
DIODES ARE D-662,
TRANSISTORS ARE DEC 3639B PARTS LIST A-PL-R303-0-0

REVISIONS		DRN. L. HAHN		DATE 4-5-65		TRANSISTOR & DIODE CONVERSION CHART		TITLE		INTEGRATING ONE-SHOT R303	
CHK	CHG NO.	REV.	DATE	DATE	DATE	DEC	EIA	DEC	EIA	SIZE	CODE
DAW	5021	2	4-16-65	4-16-65	4-16-65	DEC3639B	2N3639	DEC3639C	2N3639	B	CS
REV.	5528	0	4-16-65	4-16-65	4-16-65	DEC3009	2N3009				
ENG.	6036	0	4-16-65	4-16-65	4-16-65	2N3605	2N3605				
ENG.	6173	0	4-16-65	4-16-65	4-16-65	D662	1N645				
ENG.	6500	0	4-16-65	4-16-65	4-16-65	D664	1N3606				
ENG.	6689	0	4-16-65	4-16-65	4-16-65						
ENG.	6787	0	4-16-65	4-16-65	4-16-65						
ENG.	6897	0	4-16-65	4-16-65	4-16-65						
PROD.											
DIGITAL EQUIPMENT CORPORATION MAYNARD, MASSACHUSETTS				PRINTED CIRCUIT REV.				D			

REV	D	NUMBER	SI07-0-1	CS	B	SIZE	CODE
-----	---	--------	----------	----	---	------	------

THIS SCHEMATIC IS FURNISHED ONLY FOR TEST AND MAINTENANCE PURPOSES. THE CIRCUITS ARE PROPRIETARY IN NATURE AND SHOULD BE TREATED ACCORDINGLY. COPYRIGHT 1965 BY DIGITAL EQUIPMENT CORPORATION



UNLESS OTHERWISE INDICATED:
 RESISTORS ARE 1/4W;5%
 DIODES ARE D-664
 TRANSISTORS ARE DEC 3639B
 PRINTED CIRCUIT REV. FOR
 DGL BOARD IS SIA


USE THE ETCH BOARD OF THE R107

PARTS LIST A-PL-SI07-0-0

REVISIONS				DRN. 1 HAHN				DATE 6-11-65				TRANSISTOR & DIODE CONVERSION CHART				digital				TITLE							
CHK/CHG NO		REV		CHK'D R SILVERMAN		DATE 6-18-65		DEC 3639B		2N3639										DEC		EIA		INVERTER SI07			
REV/8 REDR.		B		ENG R SOGGE		DATE 6-18-65		D662		IN645								SIZE B		CODE CS		NUMBER SI07-0-1		REV D			
				PROD				DATE		D664		IN3606								PRINTED CIRCUIT REV				D			

D	REV	NUMBER	CS	SIZE
		III-0-1	B	8

THIS SCHEMATIC IS FURNISHED ONLY FOR TEST AND MAINTENANCE PURPOSES. THE CIRCUITS ARE PROPRIETARY IN NATURE AND SHOULD BE TREATED ACCORDINGLY. COPYRIGHT 1965 BY DIGITAL EQUIPMENT CORPORATION




UNLESS OTHERWISE INDICATED:
 TRANSISTORS ARE DEC 3639
 RESISTORS ARE 1/4W;10%
 DIODES ARE D-662
 PRINTED CIRCUIT REV. FOR DGL BOARD IS SIA

USE THE ETCH BOARD OF THE RIII

REVISIONS CHK CHG NO. REV REV. 6385 B 6460 C 6750 D				DRN. I HAHN DATE 6-10-65		TRANSISTOR & DIODE CONVERSION CHART <table border="1"> <tr> <td>DEC</td> <td>EIA</td> <td>DEC</td> <td>EIA</td> </tr> <tr> <td>DEC3639</td> <td>2N3639</td> <td></td> <td></td> </tr> <tr> <td>D662</td> <td>IN645</td> <td></td> <td></td> </tr> <tr> <td>D664</td> <td>IN3606</td> <td></td> <td></td> </tr> </table>				DEC	EIA	DEC	EIA	DEC3639	2N3639			D662	IN645			D664	IN3606			digital EQUIPMENT CORPORATION MAYNARD, MASSACHUSETTS				TITLE DIODE GATE SIII			
DEC	EIA	DEC	EIA																														
DEC3639	2N3639																																
D662	IN645																																
D664	IN3606																																
DEC FORM NO. DRB 102				PROD. DATE				SIZE CODE NUMBER REV. B CS SIII-0-1 D																									
PRINTED CIRCUIT REV.				D F				D F																									

REV. A
NUMBER S181-0-1
SIZE B
CODE CS

THIS SCHEMATIC IS FURNISHED ONLY FOR TEST AND MAINTENANCE PURPOSES. THE CIRCUITS ARE PROPRIETARY IN NATURE AND SHOULD BE TREATED ACCORDINGLY. COPYRIGHT 1965 BY DIGITAL EQUIPMENT CORPORATION




USE THE ETCH BOARD OF THE R181

Q1 THRU Q7	TRANSISTOR DEC3639B	1502762
R16 THRU R22	RES. 15K 1/4W 5%	1300496
R15	RES. 1.5K 1/4W 5% CC	1300391
R8 THRU R14	RES. 3K 1/4W 5% CC	1300432
R1 THRU R7	RES. 100K 1/4W 5% CC	1302466
D1 THRU D7, D25 THRU D52	DIODE D664	1100114
D8 THRU D24, D53	DIODE D662	1100113
C1	CAP. .01MFD 50V -0 +20% DISC	1000001
PARTS LIST		A-PL-S181-0-0
REFERENCE DESIGNATION	DESCRIPTION	PART NO.

REVISIONS CHK'D NO. REV. REV. & REDR. 6759 A	DRN. I. HAHN DATE 6-11-65	TRANSISTOR & DIODE CONVERSION CHART		digital EQUIPMENT CORPORATION MAYNARD, MASSACHUSETTS	TITLE DC CARRY CHAIN S181		
	CHK'D R. SILVERMAN DATE 6-18-65	DEC DEC3639B EIA 2N3639	DEC D662 EIA 1N645		SIZE B CODE CS	NUMBER S181-0-1	REV. A
	ENG. R. SOGGE DATE 6-18-65	DEC D664 EIA 1N3606			PRINTED CIRCUIT REV. C		
	PROD. DATE				DIST. 324 434 435 ²		

REV. D
NUMBER S202-0-1
CS B
SIZE 3

THIS SCHEMATIC IS FURNISHED ONLY FOR TEST AND MAINTENANCE PURPOSES. THE CIRCUITS ARE PROPRIETARY IN NATURE AND SHOULD BE TREATED ACCORDINGLY. COPYRIGHT 1965 BY DIGITAL EQUIPMENT CORPORATION



UNLESS OTHERWISE INDICATED:
TRANSISTORS ARE DEC 3639C
RESISTORS ARE 15,000
RESISTORS ARE 1/4W, 5%
CAPACITORS ARE MMFD
DIODES ARE D-664


USE THE ETCH BOARD OF THE R202

REVISIONS		DRN.		DATE		TRANSISTOR & DIODE CONVERSION CHART		digital EQUIPMENT CORPORATION MAYNARD, MASSACHUSETTS	TITLE				
CHK	CHG. NO.	REV.	I. HAHN	6-15-65	DEC	EIA	DEC		EIA	DUAL FLIP-FLOP S202			
DAW	4994	I	CHK'D	DATE	DEC 3639C	2N3639				SIZE	CODE	NUMBER	REV.
REV.	8 REDR.	B	R. SIVERMAN	6-18-65	D 662	1N645				B	CS	S202-0-1	D
8469			ENG.	DATE	D 664	1N3606							
8493			R. SOGGE	6-18-65									
C			PROD.	DATE									
D													
											</		

↓

SIZE	B	CS	S603-0-1
CODE			
NUMBER			
REV.	E		

THIS SCHEMATIC IS FURNISHED ONLY FOR TEST AND MAINTENANCE PURPOSES. THE CIRCUITS ARE PROPRIETARY IN NATURE AND SHOULD BE TREATED ACCORDINGLY. COPYRIGHT 1965 BY DIGITAL EQUIPMENT CORPORATION



UNLESS OTHERWISE INDICATED:
RESISTORS ARE 1/4W; 10%
CAPACITORS ARE MMFD
DIODES ARE D-664
TRANSISTORS ARE DEC 3639-C

USE THE ETCH BOARD OF THE R603


PARTS LIST A-PL-S603-0-0

REVISIONS				DRN.		DATE		TRANSISTOR & DIODE CONVERSION CHART				TITLE	
CHK	CHG	NO	REV.	1	HAHN	6-14-65		DEC	EIA	DEC	EIA	digital	PULSE AMPLIFIER S603
DAW	5273	2		CHK'D	R SILVERMAN	6-18-65		DEC 2894-2B	NONE			EQUIPMENT	
REV	8 REDR.	C		ENG	R. SOEGE	6-18-65		DEC 3639C	2N3639			CORPORATION	
REV	5371			PROD				D662	1N645			MAYNARD, MASSACHUSETTS	
REV	5923	D						D664	1N3606				
REV	6859	E											

DEC FORM NO.
DRB 102

PRINTED CIRCUIT REV. D


THIS SCHEMATIC IS FURNISHED ONLY FOR TEST AND MAINTENANCE PURPOSES. THE
CIRCUITS ARE PROPRIETARY IN NATURE AND SHOULD BE TREATED ACCORDINGLY.
COPYRIGHT 1964 BY DIGITAL EQUIPMENT CORPORATION



UNLESS OTHERWISE INDICATED:
RESISTORS ARE 1/4W, 5%
DIODES ARE D-664

[illegible]

RS-B-W021-1

[illegible]

NOTES


THIS SCHEMATIC IS FURNISHED ONLY FOR
TEST AND MAINTENANCE PURPOSES. THE
CIRCUITS ARE PROPRIETARY IN NATURE AND
SHOULD BE TREATED ACCORDINGLY.

COPYRIGHT 1964 BY DIGITAL EQUIPMENT CORPORATION

A B C D E F G H I J K L M N O P Q R S T U V															
A, B				RS-B-WO2I										I	
SIGNAL CABLE CONNECTOR WO2I															

THIS SCHEMATIC IS FURNISHED ONLY FOR TEST AND MAINTENANCE PURPOSES. THE CIRCUITS ARE PROPRIETARY IN NATURE AND SHOULD BE TREATED ACCORDINGLY. COPYRIGHT 1968 BY DIGITAL EQUIPMENT CORPORATION

REV.	NUMBER	SIZE	CODE	B	CS	W023-0-1
------	--------	------	------	---	----	----------




NOTE:
Ø ARE SPLIT LUGS

PARTS LIST IS A-PL-W023-0-0

REVISIONS CHK CHG NO. REV.	DRN. <i>M. Haller</i>	DATE <i>10-16-68</i>	TRANSISTOR & DIODE CONVERSION CHART				digital EQUIPMENT CORPORATION MAYNARD, MASSACHUSETTS	TITLE CONNECTOR W023			
	CHK'D <i>M. Haller</i>	DATE <i>10-18-68</i>	DEC	EIA	DEC	EIA		SIZE B	CODE CS	NUMBER W023-0-1	REV.
	ENG. <i>J. Gidycz</i>	DATE <i>11-12-68</i>									
	PROD.	DATE									

REV.	NUMBER	SIZE	CODE	B	CS	W032-0-1
------	--------	------	------	---	----	----------

THIS SCHEMATIC IS FURNISHED ONLY FOR TEST AND MAINTENANCE PURPOSES. THE CIRCUITS ARE PROPRIETARY IN NATURE AND SHOULD BE TREATED ACCORDINGLY. COPYRIGHT 1968 BY DIGITAL EQUIPMENT CORPORATION




NOTE:
⊗ ARE SPLIT LUGS

PARTS LIST IS A-PL-W032-0-0

REVISIONS CHK CHG NO REV.	DRN.	DATE	TRANSISTOR & DIODE CONVERSION CHART				digital EQUIPMENT CORPORATION MAYNARD, MASSACHUSETTS	TITLE			
	CHK'D	DATE	DEC	EIA	DEC	EIA		CONNECTOR W032			
	ENG	DATE						SIZE	CODE	NUMBER	REV.
	PROD.	DATE						B	CS	W032-0-1	
							PRINTED CIRCUIT REV.				
							A				

RS-B-W040-2



UNLESS OTHERWISE INDICATED;
RESISTORS ARE 1/4W; 10 %
DIODES ARE D-664

TRANSISTOR & DIODE CONVERSION CHART			
DEC		EIA	
DEC 3790		2N 3790	
DEC 3494		2N 3494	
D-664		IN 645	
MR 2066		IN 4003	


NOTES

THIS SCHEMATIC IS FURNISHED ONLY FOR TEST AND MAINTENANCE PURPOSES. THE CIRCUITS ARE PROPRIETARY IN NATURE AND SHOULD BE TREATED ACCORDINGLY.

COPYRIGHT 1986 BY DIGITAL EQUIPMENT CORPORATION


A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	V
B		RS-B-W040																2			
SOLENOID DRIVER W040																					

THIS SCHEMATIC IS FURNISHED ONLY FOR TEST AND MAINTENANCE PURPOSES. THE
CIRCUITS ARE PROPRIETARY IN NATURE AND SHOULD BE TREATED ACCORDINGLY.
COPYRIGHT 1966 BY DIGITAL EQUIPMENT CORPORATION




REVISIONS CHG NO. REV. 6066 A 6169 B		DPN <i>McGowan</i> CHK'D <i>McGowan</i> ENG <i>R. Dore</i> PROD.	DATE <i>8/14/66</i> DATE <i>8/14/66</i> DATE	TRANSISTOR & DIODE CONVERSION CHART <table border="1"> <thead> <tr> <th>DEC</th> <th>EIA</th> </tr> </thead> <tbody> <tr> <td>DEC3639B</td> <td>2N3639</td> </tr> <tr> <td>D662</td> <td>IN645</td> </tr> <tr> <td>D664</td> <td>IN3606</td> </tr> </tbody> </table>		DEC	EIA	DEC3639B	2N3639	D662	IN645	D664	IN3606		TITLE POSITIVE LEVEL CONVERTER W512 <table border="1"> <thead> <tr> <th>SIZE</th> <th>CODE</th> <th>NUMBER</th> <th>REV.</th> </tr> </thead> <tbody> <tr> <td>B</td> <td>CS</td> <td>W512-0-1</td> <td>B</td> </tr> </tbody> </table>		SIZE	CODE	NUMBER	REV.	B	CS	W512-0-1	B
DEC	EIA																							
DEC3639B	2N3639																							
D662	IN645																							
D664	IN3606																							
SIZE	CODE	NUMBER	REV.																					
B	CS	W512-0-1	B																					

THIS SCHEMATIC IS FURNISHED ONLY FOR TEST AND MAINTENANCE PURPOSES. THE CIRCUITS ARE PROPRIETARY IN NATURE AND SHOULD BE TREATED ACCORDINGLY. COPYRIGHT 1965 BY DIGITAL EQUIPMENT CORPORATION



UNLESS OTHERWISE INDICATED:
TRANSISTORS ARE DEC 2894-1B
DIODES ARE D-664
RESISTORS ARE 10,000; 1/4W; 10%
RESISTORS ARE 1/4 W; 10%


NOTE: TO BE USED WHEN SOLID STATE DEC TAPE TU55 IS
CONNECTED TO A CONTROL THAT HAS RELAY DRIVERS.(550,551,552)



REVISIONS				TRANSISTOR & DIODE CONVERSION CHART				TITLE			
CHK	CHG	NO	REV	DEC	EIA	DEC	EIA	SIZE	CODE	NUMBER	REV
DAW	52.8.2	4		DEC2894-1B	NONE			B	CS	W513-0-1	E
REV	5.7.27			2N3605	SAME						
REV	5.7.41			D662	IN645						
REV	5.7.41			D664	IN3606						
DRN I. MAHN DATE 5-27-65				digital EQUIPMENT CORPORATION MAYNARD, MASSACHUSETTS				PRINTED CIRCUIT REV F			
CHK'D R. SILVERMAN DATE 6-4-65											
ENG D. WARDIMON DATE 6-5-65											
PROD DATE											

REV. C	NUMBER W520-0-1	CS B	SIZE
--------	-----------------	------	------

THIS SCHEMATIC IS FURNISHED ONLY FOR TEST AND MAINTENANCE PURPOSES. THE CIRCUITS ARE PROPRIETARY IN NATURE AND SHOULD BE TREATED ACCORDINGLY. COPYRIGHT 1965 BY DIGITAL EQUIPMENT CORPORATION



UNLESS OTHERWISE INDICATED:
RESISTORS ARE 1/4W; 5%
DIODES ARE D-664
TRANSISTORS ARE DEC 3009B

PARTS LIST A-PL-W520-0-0


REVISIONS CHK'D NO. REV. 1 DAW 5136 REV. 3 REDR. 1 REV. 5407 B REV. 7006 C				DRN A. OUELLETTE CHK'D N. PERRYMAN ENG D.A. WHITE PROD.		DATE 11-24-65 DATE 11-29-65 DATE 11-30-65 DATE		TRANSISTOR & DIODE CONVERSION CHART <table border="1"> <tr> <th>DEC</th> <th>EIA</th> <th>DEC</th> <th>EIA</th> </tr> <tr> <td>DEC 6B</td> <td>NONE</td> <td></td> <td></td> </tr> <tr> <td>DEC 3009B</td> <td>2N3009</td> <td></td> <td></td> </tr> <tr> <td>DEC 3639B</td> <td>2N3639</td> <td></td> <td></td> </tr> <tr> <td>D 662</td> <td>1N645</td> <td></td> <td></td> </tr> <tr> <td>D 664</td> <td>1N3606</td> <td></td> <td></td> </tr> </table>				DEC	EIA	DEC	EIA	DEC 6B	NONE			DEC 3009B	2N3009			DEC 3639B	2N3639			D 662	1N645			D 664	1N3606			digital EQUIPMENT CORPORATION MAYNARD, MASSACHUSETTS		TITLE COMPARATOR W520 SIZE B CODE CS NUMBER W520-0-1 REV C PRINTED CIRCUIT REV B			
DEC	EIA	DEC	EIA																																						
DEC 6B	NONE																																								
DEC 3009B	2N3009																																								
DEC 3639B	2N3639																																								
D 662	1N645																																								
D 664	1N3606																																								

DIST. 324 434 435

PINK

SIZE B CS NUMBER W603-0-1 REV C

THIS SCHEMATIC IS FURNISHED ONLY FOR TEST AND MAINTENANCE PURPOSES. THE CIRCUITS ARE PROPRIETARY IN NATURE AND SHOULD BE TREATED ACCORDINGLY. COPYRIGHT 1966 BY DIGITAL EQUIPMENT CORPORATION



UNLESS OTHERWISE INDICATED:
RESISTORS ARE 1/4W, 10%
DIODES ARE D664
TRANSISTORS ARE DEC3009B

PARTS LIST A-PL-W603-0-0

REV	CHG	NO	REV
6172	A	6744	B
7136	C		

DRN.	DATE
CHK'D	DATE
ENG	DATE
PROD	DATE

TRANSISTOR & DIODE CONVERSION CHART			
DEC	EIA	DEC	EIA
DEC3009B	2N3009		
D664	IN3606		


digital
EQUIPMENT
CORPORATION
MAYNARD, MASSACHUSETTS

TITLE POSITIVE
LEVEL AMPLIFIER W603

SIZE	CODE	NUMBER	REV
B	CS	W603-0-1	C

REV. L
NUMBER W640-0-1
SIZE B
CODE CS

THIS SCHEMATIC IS FURNISHED ONLY FOR TEST AND MAINTENANCE PURPOSES. THE CIRCUITS ARE PROPRIETARY IN NATURE AND SHOULD BE TREATED ACCORDINGLY. COPYRIGHT 1964 BY DIGITAL EQUIPMENT CORPORATION




UNLESS OTHERWISE INDICATED:
CAPACITORS ARE .01 MFD
RESISTORS ARE 1/4W, 5%
RESISTORS ARE 3,000, 5%
DIODES ARE D664
TRANSISTORS ARE DEC3639B
TRANSFORMERS ARE T2071

PARTS LIST A-PL-W640-0-0

REVISIONS CHK CHG NO. REV. RMS 5876 H REV. 6181 J 6816 K 6945 L		DRN. H. PORTER DATE 9-22-64 CHK'D N. PERRYMAN DATE 9-29-64 ENG. R. BANK DATE 9-29-64 PROD. 2 DATE		TRANSISTOR & DIODE CONVERSION CHART <table border="1"> <tr> <th>DEC</th> <th>EIA</th> <th>DEC</th> <th>EIA</th> </tr> <tr> <td>DEC3639B</td> <td>2N3639</td> <td></td> <td></td> </tr> <tr> <td>DEC6534B</td> <td>MPS6534</td> <td></td> <td></td> </tr> <tr> <td>D664</td> <td>1N3606</td> <td></td> <td></td> </tr> </table>				DEC	EIA	DEC	EIA	DEC3639B	2N3639			DEC6534B	MPS6534			D664	1N3606			digital EQUIPMENT CORPORATION MAYNARD, MASSACHUSETTS		TITLE PULSE AMPLIFIER W640	
DEC	EIA	DEC	EIA																								
DEC3639B	2N3639																										
DEC6534B	MPS6534																										
D664	1N3606																										
DEC FORM NO. DRB 102		SIZE B CODE CS NUMBER W640-0-1		PRINTED CIRCUIT REV. J		REV. L																					

PINK
DIST. 324 434 435

THIS SCHEMATIC IS FURNISHED ONLY FOR TEST AND MAINTENANCE PURPOSES. THE CIRCUITS ARE PROPRIETARY IN NATURE AND SHOULD BE TREATED ACCORDINGLY. COPYRIGHT 1965 BY DIGITAL EQUIPMENT CORPORATION



UNLESS OTHERWISE INDICATED:
DIODES ARE D-664
TRANSISTORS ARE DEC3639-B
RESISTORS ARE 1/4 W, 5%

PARTS LIST A-PL-W681-O-0

REVISIONS	CHK	CHG	NO.	REV.
1	DAW	5370	2	
2	REV	5441	1	
3	ENG	5586	1	
4	ENG	5652	1	
5	ENG	5829	1	
6	ENG	7110	1	

DRN.	I. HAHN	DATE	4-16-65
CHK'D	R. SILVERMAN	DATE	4-21-65
ENG.	R. SOGGE	DATE	4-20-65
PROD.		DATE	


TRANSISTOR & DIODE CONVERSION CHART			
DEC	EIA	DEC	EIA
DEC3639-B	2N3639-B	D670	IN3653
DEC999	MM999		
DEC3646-B	NONE		
D662	IN645		
D664	IN3606		

digital
EQUIPMENT
CORPORATION
MAYNARD, MASSACHUSETTS

TITLE				SCOPE INTENSIFIER W681			
SIZE	B	CODE	CS	NUMBER	W681-O-1	REV.	H
PRINTED CIRCUIT REV.				A			

THIS SCHEMATIC IS FURNISHED ONLY FOR TEST AND MAINTENANCE PURPOSES. THE CIRCUITS ARE PROPRIETARY IN NATURE AND SHOULD BE TREATED ACCORDINGLY. COPYRIGHT 1969 BY DIGITAL EQUIPMENT CORPORATION

REV. E
NUMBER W682-0-1
SIZE B
CODE CS



REV.	CHK	NO.	REV.
1	1	1	1
2	2	2	2
3	3	3	3
4	4	4	4
5	5	5	5

DRN.
Mr. Keller
DATE
5-20-69
CHK'D
R. D. Hallett
DATE
6/12/69
ENG.
K. J. 7 chlar
DATE
8/17/69
PROD.
DATE
8-5-69


TRANSISTOR & DIODE CONVERSION CHART			
DEC	EIA	DEC	EIA
D662	IN645	IN4757	SAME
D664	IN3606		
D670	IN3653		
IN3039B	SAME		
DEC3500	2N3500		

digital
EQUIPMENT CORPORATION
MAYNARD, MASSACHUSETTS


TITLE			
INTENSITY AMPLIFIER W682			
SIZE	CODE	NUMBER	REV.
B	CS	W682-0-1	E
PRINTED CIRCUIT REV.			
A			

THIS SCHEMATIC IS FURNISHED ONLY FOR TEST AND MAINTENANCE PURPOSES. THE CIRCUITS ARE PROPRIETARY IN NATURE AND SHOULD BE TREATED ACCORDINGLY. COPYRIGHT 1965 BY DIGITAL EQUIPMENT CORPORATION

REV	A	NUMBER	W701-0-1	CS	B	SIZE	3
-----	---	--------	----------	----	---	------	---



UNLESS OTHERWISE INDICATED:
RESISTORS ARE 1/4W; 5%
DIODES ARE D664



REVISIONS		DRN	DATE	TRANSISTOR & DIODE CONVERSION CHART			TITLE	
CHK	CHG NO	REV		DEC	EIA		DEC	EIA
REV	8	REDR.		D664	IN3606			
4	5532	A						
E. DE CASTRO			10-21-65			EQUIPMENT CORPORATION		SIZE
PROD						MAYNARD, MASSACHUSETTS		CODE
								NUMBER
								W701-0-1
								REV
								A

THIS SCHEMATIC IS FURNISHED ONLY FOR TEST AND MAINTENANCE PURPOSES. THE CIRCUITS ARE PROPRIETARY IN NATURE AND SHOULD BE TREATED ACCORDINGLY. COPYRIGHT 1969 BY DIGITAL EQUIPMENT CORPORATION

REV. A	NUMBER W990-0-1	SIZE B	CODE CS
--------	-----------------	--------	---------

A O ————— O A
B O ————— O B
C O ————— O C
D O ————— O D
E O ————— O E
F O ————— O F
H O ————— O H
J O ————— O J
K O ————— O K
L O ————— O L
M O ————— O M
N O ————— O N
P O ————— O P
R O ————— O R
S O ————— O S
T O ————— O T
U O ————— O U
V O ————— O V

REVISIONS	CHK CHG NO. REV.	DATE	TRANSISTOR & DIODE CONVERSION CHART				digital EQUIPMENT CORPORATION MAYNARD, MASSACHUSETTS	TITLE BLANK MODULE W990			
	1111 00001 A		DEC	EIA	DEC	EIA		SIZE B	CODE CS	NUMBER W990-0-1	REV. A
DRN. <i>M. Marchand</i>		DATE 4-28-69					PRINTED CIRCUIT REV. E				
CHK'D <i>M. Marchand</i>		DATE 4-28-69									
ENG. <i>D. B. Brown</i>		DATE 5-2-69									
PROD.		DATE									