

```
1 DECLARE
2   | num NUMBER:=10;
3 BEGIN
4   | IF num>5 THEN
5   |   DBMS_OUTPUT.PUT_LINE('Number is greater than 5');
6   | END IF;
7 END;
8 /
```

STDIN

Input for the program (optional)

Output

Number is greater than 5

```
DECLARE
|   num NUMBER:=3;
BEGIN
|   IF num>5 THEN
|       DBMS_OUTPUT.PUT_LINE('Greater than 5');
|   ELSE
|       DBMS_OUTPUT.PUT_LINE('Less than or equal to 5');
|   END IF;
END;
/
```

STDIN
Input for the program (Optional)

Output:
Less than or equal to 5

1	DECLARE	STDIN
2	marks NUMBER := 99;	Input for the program (Optional)
3	BEGIN	
4	IF marks>=90 THEN	Output:
5	DBMS_OUTPUT.PUT_LINE('Grade A');	Grade A
6	ELSIF marks>=70 THEN	
7	DBMS_OUTPUT.PUT_LINE('Grade B');	
8	ELSE	
9	DBMS_OUTPUT.PUT_LINE('Grade C');	
10	END IF;	
11	END;	
12	/	

```
1 DECLARE
2   grade CHAR:='B';
3 BEGIN
4   CASE grade
5     WHEN 'A' THEN DBMS_OUTPUT.PUT_LINE('Excellent');
6     WHEN 'B' THEN DBMS_OUTPUT.PUT_LINE('Good');
7     ELSE DBMS_OUTPUT.PUT_LINE('Average');
8   END CASE;
9 END;
10 /
```

STDIN

Input for the program (optional)

Output:

Good

```
1 DECLARE
2   i NUMBER:=1;
3 BEGIN
4   WHILE i<=5 LOOP
5     DBMS_OUTPUT.PUT_LINE(i);
6     i:=i+1;
7   END LOOP;
8 END;
9 /
```

STDIN

Input for the program (Optional)

Output:

1
2
3
4
5

```
1 BEGIN
2   FOR i IN 1..4 LOOP
3     DBMS_OUTPUT.PUT_LINE(i);
4   END LOOP;
5 END;
6 /
```

STDIN

Input for the program (Optional)

Output:

1
2
3
4

```
1 BEGIN
2   FOR i IN 1..4 LOOP
3     DBMS_OUTPUT.PUT_LINE(i);
4   END LOOP;
5 END;
6 /
```

STDIN

Input for the program (Optional)

Output:

```
1
2
3
4
```

```
1 CREATE OR REPLACE PROCEDURE display_name(  
2   |   p_name IN VARCHAR2  
3   )  
4   IS  
5   BEGIN  
6   |   DBMS_OUTPUT.PUT_LINE('Name: ' || p_name);  
7   END;  
8   /  
9   EXEC display_name('John');
```

STDIN

Input for the program (Optional)

Output:

Name: John


```
1 CREATE OR REPLACE PROCEDURE get_square(  
2     num IN NUMBER,  
3     result OUT NUMBER  
4 )  
5 IS  
6 BEGIN  
7     result:= num*num;  
8 END;  
9 /  
10 DECLARE  
11     square NUMBER;  
12 BEGIN  
13     get_square(2, square);  
14     DBMS_OUTPUT.PUT_LINE('Square = '||square);  
15 END;  
16 /
```

STDIN

Input for the program (Optional)

Output:

Square = 4

```
1 CREATE OR REPLACE PROCEDURE increase_salary(salary IN OUT NUMBER)
2 IS
3 BEGIN
4     salary:=salary + 5000;
5 END;
6 /
7 DECLARE
8     sal NUMBER:=25000;
9 BEGIN
10    increase_salary(sal);
11    DBMS_OUTPUT.PUT_LINE('Updated Salary = '||sal);
12 END;
13 /
```

STDIN

Input for the program (Optional)

Output:

Updated Salary = 30000