

APIs Used

Apify API

Purpose:

Fetch structured company lead data (Company Name, Email, Website).

Pricing Plan Used:

Free Tier

Free Tier Includes:

- Limited monthly compute credits
- Dataset storage
- API access

Estimated Cost for This Project:

\$0 (within free tier limits)

Why Apify Was Chosen

1. Provides structured datasets directly usable in automation.
2. Supports REST API with simple authentication.
3. Eliminates need to build custom web scrapers.
4. Free tier sufficient for 50–100 leads per run.

Comparison with Alternatives

Provider	Pros	Cons
Apify	Structured scraping platform, ready-made actors, easy API	Free tier limited
ScraperAPI	Good proxy rotation	Requires building own scraping logic
Bright Data	Enterprise-grade scraping	Expensive for small projects

Justification:

Apify provides pre-built actors and structured output, reducing development time and infrastructure complexity.

OpenAI API

Purpose:

- Website content summarization
- Personalized multi-email outreach generation

Model Used:

Cost-efficient GPT model (e.g., gpt-4o-mini)

Pricing Model

Pay-as-you-go (per token usage)

Estimated token usage per lead:

- Summary: ~300 tokens
- Email Sequence: ~600–800 tokens

Estimated total per 100 leads:

~90,000–100,000 tokens

Estimated Cost:

Approximately \$1–2 per 100 leads (depending on model used)

Why OpenAI Was Chosen

1. High-quality structured output.
2. Reliable contextual understanding.
3. Strong email personalization capabilities.
4. Supports structured formatting and logical sequencing.

Comparison with Alternatives

Provider	Pros	Cons
OpenAI	Consistent quality, strong reasoning, structured responses	Paid
Anthropic (Claude)	Long context support	Slightly slower responses
Google Gemini	Native Google ecosystem integration	Less formatting control

Justification:

OpenAI provides more predictable formatting, better structured email sequences, and higher contextual relevance for outreach personalization.

Efficiency & Optimization Measures

To minimize API costs:

- Limited scraped website content to ~3000 characters.
- Restricted test runs to 10 leads for demonstration.
- Avoided redundant API calls.
- Implemented domain validation before scraping.
- Used sequential structured pipeline to prevent unnecessary retries.