Task 1

Commands Of Kali Linux

Created By

Vrushali Walve (Inter ID - 2071)

1. pwd :
pwd displays the full path of the current working directory.It helps users know exactly where they are in the directory structure.
Output :



2. mkdir :
mkdir is used to create a new directory.It helps organize files by creating folders in the file system.
Output :

3. rmdir :
rmdir is used to delete an empty directory.It removes folders only if they do not contain any files or subdirectories.
Output :

4. touch :
touch is used to create a new empty file.It can also update the timestamp of an existing file.
Output:

5. echo :
echo is used to display text or variable values on the screen.It is commonly used to print messages or redirect output to a file.
Output :



6. cat :
cat is used to display the contents of a file.It can also be used to create or combine files.
Output:

7. whoami :
whoami displays the name of the currently logged-in user.It helps confirm which user account is active.
Output:

8. ls :
ls is used to list files and directories in the current location.It helps view the contents of a folder.
Output :



9. cd :
cd is used to change the current directory.It helps move from one folder to another.
Output :

10. clear :
clear is used to clear the terminal screen.It removes previous commands and output from view while keeping the session active.
Output :


11. date :
date displays the current date and time.It helps check the system’s date and clock.
Output :


12. who :
who shows the users currently logged in.It displays active user sessions.
Output :


13. history :
history shows the list of previously executed commands.It helps review or reuse past commands.
Output :


14. top :

top displays running processes in real time.It helps monitor CPU and memory usage.

Output :

```
┌──(vrushali㉿kali)-[~]
└─$ top
top - 07:07:07 up 26 min,  1 user,  load average: 0.16, 0.07, 0.06
Tasks: 212 total,   1 running, 211 sleeping,   0 stopped,   0 zombie
%Cpu(s):  3.3 us,  1.3 sy,  0.0 ni, 95.2 id,  0.0 wa,  0.0 hi,  0.2 si,  0.0 st
MiB Mem :   1962.4 total,    840.5 free,    799.9 used,    478.0 buff/cache
MiB Swap:    953.7 total,    953.7 free,      0.0 used.   1162.5 avail Mem

    PID USER      PR  NI    VIRT    RES    SHR S  %CPU  %MEM     TIME+ COMMAND
    991 root      20   0  999740 155712  81800 S  10.6   7.7   0:26.01 Xorg
   1771 vrushali  20   0  797912  61236  51868 S   3.0   3.0   0:01.86 qterminal
   1334 vrushali  20   0 1183872 138540  96004 S   0.7   6.9   0:07.13 xfwm4
    566 root      20   0  113732   9552   7948 S   0.3   0.5   0:05.25 vmtoolsd
   1314 vrushali  20   0  168784   7732   6996 S   0.3   0.4   0:00.11 at-spi2-registr
   1396 vrushali  20   0  310952  62828  21052 S   0.3   3.1   0:05.44 wrapper-2.0
   1398 vrushali  20   0  272760  29096  21856 S   0.3   1.4   0:06.33 wrapper-2.0
   1498 vrushali  20   0  373272  42768  32940 S   0.3   2.1   0:05.43 vmtoolsd
   1783 vrushali  20   0  793560  56876  47580 S   0.3   2.8   0:00.41 qterminal
  12480 vrushali  20   0   10548   5824   3600 R   0.3   0.3   0:00.28 top
      1 root      20   0   24272  14616  10852 S   0.0   0.7   0:02.24 systemd
      2 root      20   0       0      0      0 S   0.0   0.0   0:00.03 kthreadd
      3 root      20   0       0      0      0 S   0.0   0.0   0:00.00 pool_workqueue_release
      4 root       0 -20       0      0      0 I   0.0   0.0   0:00.00 kworker/R-rcu_gp
      5 root       0 -20       0      0      0 I   0.0   0.0   0:00.00 kworker/R-sync_wq
      6 root       0 -20       0      0      0 I   0.0   0.0   0:00.00 kworker/R-kvfree_rcu_reclaim
      7 root       0 -20       0      0      0 I   0.0   0.0   0:00.00 kworker/R-slub_flushwq
      8 root       0 -20       0      0      0 I   0.0   0.0   0:00.00 kworker/R-netns
     10 root       0 -20       0      0      0 I   0.0   0.0   0:00.00 kworker/0:0H-events_highpri
     11 root      20   0       0      0      0 I   0.0   0.0   0:00.48 kworker/0:1-events
     12 root      20   0       0      0      0 I   0.0   0.0   0:00.00 kworker/u128:0-ipv6_addrconf
     13 root       0 -20       0      0      0 I   0.0   0.0   0:00.00 kworker/R-mm_percpu_wq
     14 root      20   0       0      0      0 S   0.0   0.0   0:00.03 ksoftirqd/0
     15 root      20   0       0      0      0 I   0.0   0.0   0:00.56 rcu_preempt
     16 root      20   0       0      0      0 S   0.0   0.0   0:00.00 rcu_exp_par_gp_kthread_worker/1
     17 root      20   0       0      0      0 S   0.0   0.0   0:00.00 rcu_exp_gp_kthread_worker
     18 root      rt   0       0      0      0 S   0.0   0.0   0:00.02 migration/0
     19 root     -51   0       0      0      0 S   0.0   0.0   0:00.00 idle_inject/0
     20 root      20   0       0      0      0 S   0.0   0.0   0:00.00 cpuhp/0
     21 root      20   0       0      0      0 S   0.0   0.0   0:00.00 cpuhp/1
     22 root     -51   0       0      0      0 S   0.0   0.0   0:00.00 idle_inject/1
```

15. ifconfig :

ifconfig displays information about network interfaces.It shows details like IP address, MAC address, and interface status.

Output :

```
┌──(vrushali㉿kali)-[~]
└─$ ifconfig
eth0: flags=4163<UP,BROADCAST,RUNNING,MULTICAST>  mtu 1500
        inet 192.168.0.106  netmask 255.255.255.0  broadcast 192.168.0.255
        inet6 fe80::393e:1495:c471:73b6  prefixlen 64  scopeid 0x20<link>
        ether 00:0c:29:55:1c:87  txqueuelen 1000  (Ethernet)
        RX packets 128  bytes 10548 (10.3 KiB)
        RX errors 0  dropped 0  overruns 0  frame 0
        TX packets 145  bytes 12600 (12.3 KiB)
        TX errors 0  dropped 0 overruns 0  carrier 0  collisions 0

lo: flags=73<UP,LOOPBACK,RUNNING>  mtu 65536
        inet 127.0.0.1  netmask 255.0.0.0
        inet6 ::1  prefixlen 128  scopeid 0x10<host>
        loop  txqueuelen 1000  (Local Loopback)
        RX packets 8  bytes 480 (480.0 B)
        RX errors 0  dropped 0  overruns 0  frame 0
        TX packets 8  bytes 480 (480.0 B)
        TX errors 0  dropped 0 overruns 0  carrier 0  collisions 0
```

16. ping :

ping checks whether another system or website is reachable.It sends test packets and shows the response time.

Output :

```
┌──(vrushali㉿kali)-[~]
└─$ ping www.google.com
PING www.google.com (142.251.42.228) 56(84) bytes of data.
64 bytes from pnbomb-aw-in-f4.1e100.net (142.251.42.228): icmp_seq=1 ttl=119 time=4.88 ms
64 bytes from pnbomb-aw-in-f4.1e100.net (142.251.42.228): icmp_seq=2 ttl=119 time=210 ms
64 bytes from pnbomb-aw-in-f4.1e100.net (142.251.42.228): icmp_seq=3 ttl=119 time=17.2 ms
64 bytes from pnbomb-aw-in-f4.1e100.net (142.251.42.228): icmp_seq=4 ttl=119 time=20.9 ms
64 bytes from pnbomb-aw-in-f4.1e100.net (142.251.42.228): icmp_seq=5 ttl=119 time=116 ms
64 bytes from pnbomb-aw-in-f4.1e100.net (142.251.42.228): icmp_seq=6 ttl=119 time=20.2 ms
64 bytes from pnbomb-aw-in-f4.1e100.net (142.251.42.228): icmp_seq=7 ttl=119 time=184 ms
64 bytes from pnbomb-aw-in-f4.1e100.net (142.251.42.228): icmp_seq=8 ttl=119 time=18.5 ms
64 bytes from pnbomb-aw-in-f4.1e100.net (142.251.42.228): icmp_seq=9 ttl=119 time=121 ms
64 bytes from pnbomb-aw-in-f4.1e100.net (142.251.42.228): icmp_seq=10 ttl=119 time=21.9 ms
64 bytes from pnbomb-aw-in-f4.1e100.net (142.251.42.228): icmp_seq=11 ttl=119 time=178 ms
64 bytes from pnbomb-aw-in-f4.1e100.net (142.251.42.228): icmp_seq=12 ttl=119 time=6.45 ms
64 bytes from pnbomb-aw-in-f4.1e100.net (142.251.42.228): icmp_seq=13 ttl=119 time=123 ms
64 bytes from pnbomb-aw-in-f4.1e100.net (142.251.42.228): icmp_seq=14 ttl=119 time=34.6 ms
64 bytes from pnbomb-aw-in-f4.1e100.net (142.251.42.228): icmp_seq=15 ttl=119 time=15.3 ms
64 bytes from pnbomb-aw-in-f4.1e100.net (142.251.42.228): icmp_seq=16 ttl=119 time=244 ms
64 bytes from pnbomb-aw-in-f4.1e100.net (142.251.42.228): icmp_seq=17 ttl=119 time=110 ms
64 bytes from pnbomb-aw-in-f4.1e100.net (142.251.42.228): icmp_seq=18 ttl=119 time=26.1 ms
```

17. tree :

tree displays directories and files in a tree-like structure.It helps visualize folder hierarchy clearly.

Output :

```
┌──(vrushali㉿kali)-[~]
└─$ tree
.
├── Desktop
├── Documents
├── Downloads
├── file1
├── file2
├── Music
├── Pictures
├── Public
├── Templates
└── Videos
```

18. df :

df shows disk space usage.It displays how much storage is used and available on file systems.

Output :

```
┌──(vrushali㉿kali)-[~]
└─$ df
Filesystem     1K-blocks     Used Available Use% Mounted on
udev              898768        0    898768   0% /dev
tmpfs             200952     1232    199720   1% /run
/dev/sda1       82083148 16344420  61523180  21% /
tmpfs            1004752        4   1004748   1% /dev/shm
none                1024        0      1024   0% /run/credentials/systemd-journald.service
tmpfs            1004756      268   1004488   1% /tmp
none                1024        0      1024   0% /run/credentials/getty@tty1.service
tmpfs             200948      104    200844   1% /run/user/1001
```

19. ip a :

ip a displays network interface and IP address details.It shows active and inactive interfaces with their configuration.

Output :

```
┌──(vrushali㉿kali)-[~]
└─$ ip a
1: lo: <LOOPBACK,UP,LOWER_UP> mtu 65536 qdisc noqueue state UNKNOWN group default qlen 1000
    link/loopback 00:00:00:00:00:00 brd 00:00:00:00:00:00
    inet 127.0.0.1/8 scope host lo
       valid_lft forever preferred_lft forever
    inet6 ::1/128 scope host noprefixroute
       valid_lft forever preferred_lft forever
2: eth0: <BROADCAST,MULTICAST,UP,LOWER_UP> mtu 1500 qdisc fq_codel state UP group default qlen 1000
    link/ether 00:0c:29:55:1c:87 brd ff:ff:ff:ff:ff:ff
    inet 192.168.0.106/24 brd 192.168.0.255 scope global dynamic noprefixroute eth0
       valid_lft 83298sec preferred_lft 83298sec
    inet6 fe80::393e:1495:c471:73b6/64 scope link noprefixroute
       valid_lft forever preferred_lft forever
```

20. hostname :

hostname displays the name of the system.It helps identify the computer on a network.

Output :

```
┌──(vrushali㉿kali)-[~]
└─$ hostname
kali
```

21 . sudo apt install :

sudo apt install is used to install software packages with administrator permission.It downloads and installs programs from official repositories.

Output :

```
┌──(vrushali㉿kali)-[~]
└─$ sudo apt install sl
Installing:
  sl

Summary:
  Upgrading: 0, Installing: 1, Removing: 0, Not Upgrading: 757
  Download size: 13.2 kB
  Space needed: 61.4 kB / 63.0 GB available

Get:1 http://http.kali.org/kali kali-rolling/main amd64 sl amd64 5.02-1+b1 [1
3.2 kB]
Fetched 13.2 kB in 2s (7,239 B/s)
Selecting previously unselected package sl.
(Reading database ... 422308 files and directories currently installed.)
Preparing to unpack .../sl_5.02-1+b1_amd64.deb ...
Unpacking sl (5.02-1+b1) ...
Setting up sl (5.02-1+b1) ...
Processing triggers for man-db (2.13.1-1) ...
```

22. sudo apt remove :

sudo apt remove is used to uninstall installed software packages.It removes the program but keeps its configuration files.
Output :

```
┌──(vrushali㉿kali)-[~]
└─$ sudo apt remove sl
REMOVING:
  sl

Summary:
  Upgrading: 0, Installing: 0, Removing: 1, Not Upgrading: 757
  Freed space: 61.4 kB
```

23. sudo apt update :

sudo apt update refreshes the list of available packages.It checks repositories for the latest versions and updates information.
Output :

```
┌──(vrushali㉿kali)-[~]
└─$ sudo apt update
Hit:1 http://http.kali.org/kali kali-rolling InRelease
757 packages can be upgraded. Run 'apt list --upgradable' to see them.
```

24. sudo apt upgrade

sudo apt upgrade installs the latest updates for installed packages.It upgrades software to newer versions without removing packages.
Output :

```
┌──(vrushali㉿kali)-[~]
└─$ sudo apt upgrade
The following packages were automatically installed and are no longer require
d:
  curlftpfs              libfuse2t64        libswscale8
  libavfilter10          libpocketsphinx3   pocketsphinx-en-us
  libavformat61          libpostproc58
  libconfig-inifiles-perl  libsphinxbase3t64
Use 'sudo apt autoremove' to remove them.

Upgrading:
  alsa-ucm-conf                   libqt5xml5t64
  amd64-microcode                 libqt6multimedia6
  apparmor                        libqtermwidget6-2
  at-spi2-common                  libquadmath0
  at-spi2-core                    librav1e0.8
  binutils                        libre2-11
  binutils-common                 librpm-sequoia-1
  binutils-mingw-w64-i686         librpm10
  binutils-mingw-w64-x86-64       librpmbuild10
  binutils-x86-64-linux-gnu       librpmio10
  burpsuite                       librpmsign10
  cadaver                         librsvg2-2
  certipy-ad                      librsvg2-common
  chromium                        libsdl2-2.0-0
  chromium-common                 libsdl2-classic
  chromium-sandbox                libsdl2-image-2.0-0
  clang-18                        libsdl2-mixer-2.0-0
  clang-19                        libsdl2-ttf-2.0-0
  clang-tools-19                  libsdl3-0
  comerr-dev                      libseccomp2
  commix                          libselinux1
  console-setup                   libsemanage2
  console-setup-linux             libsframe2
  cpio                            libslang2
  cpp-15                          libsmbclient0
  cpp-15-x86-64-linux-gnu         libsmi2t64
  cracklib-runtime                libsoup-3.0-0
  cron                            libsoup-3.0-common
  cron-daemon-common              libsoxr0
  cryptsetup                      libsqlcipher2
  cryptsetup-bin                  libss2
  cryptsetup-initramfs            libstdc++-15-dev
  curl                            libstdc++6
```

25. man ls :
man ls opens the manual page for the ls command.It shows detailed usage, options, and examples for listing files and directories.
Output :

```
LS(1)                                   User Commands

NAME
       ls - list directory contents

SYNOPSIS
       ls [OPTION]... [FILE]...

DESCRIPTION
       List information about the FILEs (the current directory by default).  Sort entries alphabetically if none of -cftuvSUX nor --sort is specified.

       Mandatory arguments to long options are mandatory for short options too.

       -a, --all
              do not ignore entries starting with .

       -A, --almost-all
              do not list implied . and ..

       --author
              with -l, print the author of each file

       -b, --escape
              print C-style escapes for nongraphic characters

       --block-size=SIZE
              with -l, scale sizes by SIZE when printing them; e.g., '--block-size=M'; see SIZE format below
```

26 . id :
id displays the user's identity information. It shows the user ID (UID), group ID (GID), and group memberships.
Output :

```
┌──(vrushali㉿kali)-[~]
└─$ id
uid=1001(vrushali) gid=1001(vrushali) groups=1001(vrushali),27(sudo),100(users)
```

27. uptime :
uptime shows how long the system has been running.It also displays current time, number of users, and system load.
Output :

```
┌──(vrushali㉿kali)-[~]
└─$ uptime
 08:41:31 up  2:00,  3 users,  load average: 0.07, 0.07, 0.18
```

28. netstat :
netstat shows network connections, listening ports, and routing information.
It helps monitor network activity on the system.
Output :

```
┌──(vrushali㉿kali)-[~]
└─$ netstat
Active Internet connections (w/o servers)
Proto Recv-Q Send-Q Local Address           Foreign Address         State
udp        0      0 192.168.0.106:bootpc    192.168.0.1:bootps      ESTABLISHED
Active UNIX domain sockets (w/o servers)
Proto RefCnt Flags       Type       State         I-Node   Path
unix  3      [ ]         STREAM     CONNECTED     80908    /run/user/1001/bus
unix  3      [ ]         STREAM     CONNECTED     13972    /run/systemd/journal/stdout
unix  3      [ ]         STREAM     CONNECTED     12779    /run/systemd/journal/stdout
unix  3      [ ]         STREAM     CONNECTED     76833
```

29. traceroute :

traceroute shows the path that packets take to reach a destination.
It helps identify network hops and where delays occur.
Output :

```
┌──(vrushali㉿kali)-[~]
└─$ traceroute google.com
traceroute to google.com (142.251.222.110), 30 hops max, 60 byte packets
 1  192.168.0.1 (192.168.0.1)  4.613 ms  4.408 ms  4.346 ms
 2  183.87.240.34.soipl.co.in (183.87.240.34)  7.115 ms  6.980 ms  6.872 ms
 3  183.87.240.33.soipl.co.in (183.87.240.33)  39.088 ms  48.319 ms  49.728 ms
 4  103.246.240.190 (103.246.240.190)  6.563 ms  6.510 ms  6.462 ms
 5  103.246.240.189 (103.246.240.189)  49.512 ms  49.463 ms  49.415 ms
 6  hkg03s09-in-f30.1e100.net (173.194.127.30)  19.948 ms  7.414 ms  8.342 ms
 7  * * *
 8  142.250.61.202 (142.250.61.202)  10.168 ms 192.178.86.202 (192.178.86.202)  10.235 ms 142.250.62.152 (142.250.62.152)  14.045 ms
 9  142.251.77.97 (142.251.77.97)  14.006 ms 142.251.77.95 (142.251.77.95)  13.970 ms 192.178.110.204 (192.178.110.204)  10.088 ms
10  pnbomb-az-in-f14.1e100.net (142.251.222.110)  9.944 ms  9.907 ms  9.873 ms
```

30. ls -la :

ls -la lists all files and directories in detail.It shows hidden files, permissions, owner, size, and date.
Output :

```
┌──(vrushali㉿kali)-[~]
└─$ ls -la
total 144
drwx------ 16 vrushali vrushali  4096 Dec 30 07:54 .
drwxr-xr-x  4 root     root      4096 Dec 30 02:27 ..
-rw-------  1 vrushali vrushali   181 Dec 30 07:50 .bash_history
-rw-r--r--  1 vrushali vrushali   220 Dec 30 02:27 .bash_logout
-rw-r--r--  1 vrushali vrushali  5551 Dec 30 02:27 .bashrc
-rw-r--r--  1 vrushali vrushali  3526 Dec 30 02:27 .bashrc.original
drwxrwxr-x  7 vrushali vrushali  4096 Dec 30 06:43 .cache
drwxr-xr-x 12 vrushali vrushali  4096 Dec 30 07:05 .config
drwxr-xr-x  2 vrushali vrushali  4096 Dec 30 02:31 Desktop
-rw-r--r--  1 vrushali vrushali    35 Dec 30 02:31 .dmrc
drwxr-xr-x  2 vrushali vrushali  4096 Dec 30 02:31 Documents
drwxr-xr-x  2 vrushali vrushali  4096 Dec 30 02:31 Downloads
-rw-r--r--  1 vrushali vrushali 11759 Dec 30 02:27 .face
lrwxrwxrwx  1 vrushali vrushali     5 Dec 30 02:27 .face.icon -> .face
-rw-rw-r--  1 vrushali vrushali    15 Dec 30 02:55 file1
-rw-rw-r--  1 vrushali vrushali     0 Dec 30 02:50 file2
drwx------  3 vrushali vrushali  4096 Dec 30 02:31 .gnupg
-rw-------  1 vrushali vrushali     0 Dec 30 02:31 .ICEauthority
drwxr-xr-x  3 vrushali vrushali  4096 Dec 30 02:27 .java
drwxr-xr-x  5 vrushali vrushali  4096 Dec 30 02:31 .local
drwxr-xr-x  2 vrushali vrushali  4096 Dec 30 02:31 Music
drwxr-xr-x  2 vrushali vrushali  4096 Dec 30 02:31 Pictures
-rw-r--r--  1 vrushali vrushali   807 Dec 30 02:27 .profile
drwxr-xr-x  2 vrushali vrushali  4096 Dec 30 02:31 Public
drwx------  3 vrushali vrushali  4096 Dec 30 02:31 .ssh
-rw-r--r--  1 vrushali vrushali     0 Dec 30 07:54 .sudo_as_admin_successful
drwxr-xr-x  2 vrushali vrushali  4096 Dec 30 02:31 Templates
drwxr-xr-x  2 vrushali vrushali  4096 Dec 30 02:31 Videos
-rw-------  1 vrushali vrushali    49 Dec 30 07:52 .Xauthority
-rw-------  1 vrushali vrushali  4449 Dec 30 07:52 .xsession-errors
-rw-------  1 vrushali vrushali  4509 Dec 30 07:50 .xsession-errors.old
-rw-r--r--  1 vrushali vrushali   336 Dec 30 02:27 .zprofile
-rw-r--r--  1 vrushali vrushali 10855 Dec 30 02:27 .zshrc
```

31. ss -tuln :

ss -tuln displays listening network ports and active sockets.It helps check which services are running and on which ports.
Output :

```
┌──(vrushali㉿kali)-[~]
└─$ ss -tuln
Netid          State          Recv-Q          Send-Q                    Local Address:Port                    Peer Address:Port
```

32. cp :
cp is used to copy files or directories.It creates a duplicate of the original file.
Output :

```
┌──(vrushali㉿kali)-[~]
└─$ cp file1 file2
```

33. mv :
mv is used to move or rename files and directories.It changes a file's location or name
Output :

```
┌──(vrushali㉿kali)-[~]
└─$ mv file1 newfile
```

34. rm :
rm is used to delete files.It permanently removes a file from the system.
Output :

```
┌──(vrushali㉿kali)-[~]
└─$ rm newfile
```

35. stat :
stat displays detailed metadata of a file.
Output :

```
┌──(vrushali㉿kali)-[~]
└─$ stat file2
  File: file2
  Size: 15              Blocks: 8          IO Block: 4096   regular file
Device: 8,1     Inode: 1311060     Links: 1
Access: (0664/-rw-rw-r--)  Uid: ( 1001/vrushali)   Gid: ( 1001/vrushali)
Access: 2025-12-30 02:50:31.425582114 -0500
Modify: 2025-12-30 09:16:00.451956521 -0500
Change: 2025-12-30 09:16:00.451956521 -0500
 Birth: 2025-12-30 02:50:31.425582114 -0500
```

36. arch :
arch displays the system architecture.It shows whether the system is 32-bit or 64-bit.
Output :

```
┌──(vrushali㉿kali)-[~]
└─$ arch
x86_64
```

37. nmcli :
nmcli is a command-line tool to manage network connections. It allows viewing and controlling network interfaces.
Output :

```
┌──(vrushali㉿kali)-[~]
└─$ nmcli dev status
DEVICE   TYPE      STATE                   CONNECTION
eth0     ethernet  connected               Wired connection 1
lo       loopback  connected (externally)  lo
```

38. arp -a :
arp -a displays the ARP table. It shows the mapping between IP addresses and MAC addresses.
Output :

```
lo       loopback  connected (externally)  lo

┌──(vrushali㉿kali)-[~]
└─$ arp -a
? (192.168.0.1) at 7c:f1:7e:6d:ea:fa [ether] on eth0
```

39. wget :
wget is used to download files from the internet using a URL.It saves the file directly to the current directory.
Output :

```
┌──(vrushali㉿kali)-[~]
└─$ wget https://example.com/file.zip
--2025-12-30 09:45:11--  https://example.com/file.zip
Resolving example.com (example.com)... 104.18.27.120, 104.18.26.120, 2606:4700::6812:1a78, ...
Connecting to example.com (example.com)|104.18.27.120|:443... connected.
HTTP request sent, awaiting response... 404 Not Found
2025-12-30 09:45:11 ERROR 404: Not Found.
```

40. reboot :
reboot restarts the system.It safely shuts down running processes and starts the system again.

```
┌──(vrushali㉿kali)-[~]
└─$ sudo reboot
```