

THEA – THE LIGHT MATRIX

Full Calculation-by-Calculation LaTeX Tower v1.3.4

exact closure, golden selection, chirality, spectra, invariant theory, LUCA, THE CROWD,
and the TopoMagic Hopf boundary

Independent audit edition

Buenos Aires + Ancient Korinthos lineage

Prepared 10 August 2026 - 151-rung Hopf-boundary control edition

Abstract

This is the calculation-by-calculation successor to the frozen v1.3.2 audit. It retains the full narrative tower and adds one explicit rung for every independently checked calculation: 38 topology, lattice, light-matrix, spectral, invariant-theory, precision, and LUCA boundary checks; a source replay of every LUCA v0.2 primitive; and a complete mathematical autopsy of the newly supplied *THE CROWD* coincidence engine.

The exact core remains unchanged: the frozen verifier returns 38/38 passes; the unmodified Goldberg/Lanczos source reproduces eight closed-shell spectral receipts; and the unmodified LUCA v0.2 source locks 34/34 non-axiomatic calculations, with 44,185 EML calls and a worst row still above twelve correct digits.

The new statistical audit reproduces every table printed by *THE CROWD*. Its apparent 3.0σ row is a marginal result selected from five nested tiers. The empirical maximum-over-tier correction gives $p = 0.0215$ (about 2.02 one-sided Gaussian standard deviations). Removing the shared mathematical alphabet gives $p = 0.0950$; the source's seven-representative deduplication gives $p = 0.3270$; a cluster-preserving matched null gives $p = 0.1090$; and a strict four-generator provenance collapse gives $p = 0.2590$. No physical identification survives.

A limited 2026 PDG re-pin updates the W, Higgs, and direct top masses that drive the strongest electroweak nearest neighbours. It changes individual hit rankings but not the post-autopsy verdict. This document therefore preserves the governing rule in executable form: target is not result; a theorem, a finite computation, a design choice, a null result, and a physical hypothesis never inherit one another's labels.

v1.3.4 retains all 91 parent rungs and adds a sixty-rung control audit of the supplied TopoMagic Hopf-fibration tower. The standard Hopf and classifying-space identities are admitted, while CLASSIFIES, EMBEDS, ISOMORPHIC, MODELS, PREDICTS, and MEASURED-AS remain six different arrows. The decisive numerical result is affine-invariant: the boxed lepton sequence has second difference 2.408149226, whereas the displayed Hurwitz-zeta route has second difference 6.709456767665...; constant and linear absorptions cannot reconcile them. The complete volume contains 151 dedicated calculation rungs plus the full machine receipt and verifier.

**The pentagons hold. The hexes pay. The matrix
remembers which is which.**

$$P = 12, \quad \chi = 2, \quad \text{spec}(\mathcal{M}_{\text{light}}) = \{\varphi^2, 1, -1, \varphi^{-2}\}.$$

Contents

1	The Contract: Status Before Symbol	20
1.1	Source inventory and lineage	20
1.2	The status grammar	21
1.3	Audit outcome in one page	21
2	Closed Topology: Why Twelve Cannot Move	23
2.1	General trivalent curvature ledger	23
2.2	The fullerene specialization	23
2.3	Discrete Gauss–Bonnet	24
3	The Hexagonal Closure Algebra	25
3.1	The sixth-root coordinate	25
3.2	Multiplication as an integer matrix	25
3.3	Angle and chirality coordinate	26
3.4	Composition and multiplicativity	26
3.5	Selected is not nested	26
4	The Golden Selector and the Ray with a Bearing	27
4.1	Fibonacci projective dynamics	27
4.2	Triangulation sequence	27
4.3	Closed-shell catalogue	28
4.4	The exact golden-ray angle	28
4.5	Why the angular error inherits the alternating mode	28
5	The Exact Light Matrix	30
5.1	Symmetric-square lift	30
5.2	Faddeev–LeVerrier certificate	30
5.3	Spectrum and eigenmodes	31
5.4	The shell number as a linear observable	31
6	The Exact C_{60} Spectral Boundary	32
6.1	Independent graph certificate	32
6.2	Complete adjacency characteristic polynomial	32
6.3	The golden lower boundary	32
6.4	Graph Laplacian and Fiedler radical	32
6.5	Low bands	33
7	Graph Towers, Renormalization, and the Conditional Continuum Constant	34
7.1	Three families that must remain separate	34
7.2	Closure certificate	34
7.3	Live v1.3.1 golden-shell receipt	34
7.4	The honeycomb-to-sphere matching calculation	35

7.5	Operator dependence remains open	36
8	The Shared Quadratic Form and the $SU(3)$ Boundary	37
8.1	What is exact	37
8.2	Root lattice versus weight lattice	37
8.3	Cross-indexing is not particle identification	37
9	Klein's Icosahedral Forms	38
9.1	The three binary forms	38
9.2	Why the degrees are 12, 20, and 30	38
9.3	The vertex rings	38
9.4	Gradient equivariants	39
9.5	Basins: what the finite experiment can say	39
10	Numerical Architecture: Where Exactness Actually Breaks	40
10.1	Three distinct float walls	40
10.2	Exact break indices	40
10.3	Corrected forward-error measurement	40
10.4	Backward instability	41
10.5	Precision formats	41
10.6	The Planck-to-horizon ruler	42
10.7	Selected precision benchmarks, updated to 9 August 2026	42
11	The LUCA Spiral Audit and the Handoff to v1.3.2	43
11.1	The EML operator	43
11.2	Domain and branch ledger	43
11.3	What the browser verification proves	43
11.4	The light-matrix content transferred from LUCA v0.2	44
11.5	Finite- N Vogel experiment	44
11.6	Leaf-count null and the 32/33 discrepancy	44
12	The v1.3.2 Integration Contract	46
12.1	Section map	46
12.2	HUD contract	46
12.3	Compute gate	47
12.4	Deterministic receipt schema	47
12.5	Regression tests	47
12.6	Honest physical boundary	48
13	Copy-Ready Formula Tower	49
13.1	Core constants and topology	49
13.2	Closure ring	49
13.3	Golden lane	49
13.4	Light matrix	50
13.5	C_{60} and graph spectra	50
13.6	A_2 , $SU(3)$, and Klein	50
I	The Calculation-by-Calculation Expansion	51
14	Master Calculation Ledger: C01–C38	52
14.1	C01 – Euler forces twelve pentagons	52
14.2	C02 – C_{60} counts from $T = 3$	53

14.3	C03 – Discrete Gauss–Bonnet charge	53
14.4	C04 – Hexagonal closure determinant	54
14.5	C05 – Hexagonal metric similarity	54
14.6	C06 – Closure composition	54
14.7	C07 – Hexagonal norm multiplicativity	55
14.8	C08 – Leapfrog multiplier and exact count tower	55
14.9	C09 – Golden selection is not fixed golden nesting	56
14.10	C10 – Fibonacci selector pairs	56
14.11	C11 – Projective golden error identity	57
14.12	C12 – Golden triangulation sequence	57
14.13	C13 – Golden T recurrence	57
14.14	C14 – Closed form for T_n	58
14.15	C15 – T_{n+1}/T_n alternates around φ^2	58
14.16	C16 – Golden-ray angle in radicals	59
14.17	C17 – Angular contraction	59
14.18	C18 – Symmetric-square light-matrix lift	60
14.19	C19 – Faddeev–LeVerrier coefficient list	60
14.20	C20 – Characteristic factorization	61
14.21	C21 – Anti-palindromy and reciprocal closure	61
14.22	C22 – Reciprocal light-matrix spectrum	62
14.23	C23 – Exact eigenbasis	62
14.24	C24 – C_{60} graph topology certificate	62
14.25	C25 – Complete C_{60} adjacency characteristic polynomial	63
14.26	C26 – Minimum C_{60} adjacency eigenvalue	63
14.27	C27 – C_{60} Fiedler radical and quartic	64
14.28	C28 – C_{60} low-band multiplicities	64
14.29	C29 – Conditional continuum coefficient $2\pi/(5\sqrt{3})$	65
14.30	C30 – $SU(3)$ Casimir and dimension formulas	65
14.31	C31 – A_2 root lattice versus weight lattice	66
14.32	C32 – Klein icosahedral syzygy	66
14.33	C33 – Klein gradient equivariants	67
14.34	C34 – Binary64 exactness break indices	67
14.35	C35 – Forward stability and backward instability	68
14.36	C36 – Precision formats and the T_{147} bit budget	68
14.37	C37 – EML positive-real identity and branch ledger	69
14.38	C38 – LUCA leaf regression, Vogel sweep, and Fibonacci fingerprint	69
15	LUCA Source Replay: One Rung per Primitive	70
15.1	E01 – eml - the LUCA	71
15.2	E02 – 1 - the terminal	72
15.3	E03 – e	72
15.4	E04 – exp	73
15.5	E05 – ln	73
15.6	E06 – subtraction	74
15.7	E07 – negation	74
15.8	E08 – -1	75
15.9	E09 – addition	75
15.10	E10 – 2	76
15.11	E11 – reciprocal	76
15.12	E12 – multiplication	77
15.13	E13 – division	77
15.14	E14 – square	78

15.15E15 – half	78
15.16E16 – average	79
15.17E17 – exponentiation	79
15.18E18 – square root	80
15.19E19 – log base b	80
15.20E20 – sigmoid	81
15.21E21 – hypotenuse	81
15.22E22 – cosh	82
15.23E23 – sinh	82
15.24E24 – tanh	83
15.25E25 – arsinh	83
15.26E26 – arcosh	84
15.27E27 – artanh	84
15.28E28 – i - the gate to C	85
15.29E29 – pi	85
15.30E30 – cos	86
15.31E31 – sin	86
15.32E32 – tan	87
15.33E33 – arcsin	87
15.34E34 – arccos	88
15.35E35 – arctan	88
16 THE CROWD: Calculation-by-Calculation Guillotine	89
16.1 G01 – Inventory and comparison price	89
16.2 G02 – Closed-form fractal dimension	90
16.3 G03 – Relative-distance hit statistic	90
16.4 G04 – The twelve-transform menu	91
16.5 G05 – The trap table, reproduced exactly	91
16.6 G06 – Declared log-uniform null	93
16.7 G07 – Null mean and population standard deviation	93
16.8 G08 – Marginal standardized excess	94
16.9 G09 – Empirical percentile convention	94
16.10G10 – Five-tier look-elsewhere correction	94
16.11G11 – Shared-alphabet autopsy	95
16.12G12 – Seven-representative deduplication	96
16.13G13 – Cluster-preserving matched null	97
16.14G14 – Strict provenance collapse	97
16.15G15 – Limited 2026 PDG re-pin	98
16.16G16 – Mass-ratio uncertainty propagation	99
16.17G17 – Schwinger contrast	99
16.18G18 – Pre-registered spectral-dimension test	100
17 v1.3.3 Calculation Receipt	103
17.1 New executable files	103
18 Independent Audit Receipt	104
19 Reproduction Protocol	107
19.1 Commands	107
19.2 Version discipline	107
19.3 Closing line	107

20 The Hopf Boundary: Classification Is Not Ontology	108
20.1 0. What does not change	108
20.2 1. Exact Hopf facts admitted into the correspondence ledger	108
20.3 2. The new non-implication ledger	109
20.4 3. The strengthened physical bridge gate	109
20.5 4. Proposed CURSE 42 - The Classifying-Space Mirage	109
20.6 5. Exact text to insert in the Light Matrix physical boundary	110
20.7 6. Status table for the new correspondence lane	110
20.8 7. Version decision	110
20.9 Relation taxonomy introduced by CURSE 42	111
21 The Duel of the Towers: Full Controlled Audit	112
21.1 Executive verdict - who wins?	112
21.1.1 The fair one-line result	113
21.2 1. Rules of the duel	113
21.2.1 1.1 What was actually done	114
21.3 2. Round I - what TopoMagic genuinely earns	114
21.3.1 2.1 The classifying-space core	114
21.3.2 2.2 The shell identities	114
21.3.3 2.3 The numerical spellbook really runs	115
21.3.4 2.4 Several zeta identities reproduce exactly	115
21.3.5 2.5 The Lean appendix is a real strength-with a narrow scope	115
21.4 3. Round II - the topology forcing arrows	115
21.4.1 3.1 Charge quantization does not force nontrivial connection holonomy	115
21.4.2 3.2 A gauge field is not a principal bundle with a global section	116
21.4.3 3.3 Completeness is a premise, not a consequence of unification	116
21.4.4 3.4 An indecomposable base ring does not forbid product gauge bundles	116
21.4.5 3.5 Embedding is not identity	117
21.4.6 3.6 Classification is not ontology	117
21.5 4. Round III - groups, the entwine, action, and gravity	117
21.5.1 4.1 $SU(2)$ is not uniquely forced by transitivity on S^3	117
21.5.2 4.2 The S^5 identity is real; the uniqueness claim is conditional	117
21.5.3 4.3 The "entwine" confuses intersection with commutator generation	118
21.5.4 4.4 The mixed action term is not yet a scalar action	118
21.5.5 4.5 Principal-symbol uniqueness is not operator uniqueness	118
21.5.6 4.6 The Reeb field is vertical, not horizontal	119
21.5.7 4.7 Contact volume is not Cartan torsion	119
21.5.8 4.8 Chern-Simons gravity is 2 + 1-dimensional	119
21.5.9 4.9 Kato-Rellich does not generate mass	120
21.5.10 4.10 The full Standard Model is not yet derived	120
21.6 5. Round IV - the spectral and numerical spellbook	120
21.6.1 5.1 Reproduction is not provenance	120
21.6.2 5.2 The decisive $D(n)$ second-difference test	121
21.6.3 5.3 The printed $D(n)$ values backsolve from the lepton masses	122
21.6.4 5.4 The normalization constants also carry target information	122
21.6.5 5.5 The lens-space spectral restriction needs a real representation calculation	122
21.6.6 5.6 The CKM/PMNS headline exceeds the executable output	122
21.6.7 5.7 The three-generation/knot ladder remains open	123
21.7 6. Round V - current experimental controls	123
21.7.1 6.1 The rounding trap	125
21.7.2 6.2 The weak-angle scheme must be derived, not waved away	125
21.8 7. Round VI - direct comparison of the mages	125

21.8.1	The victory condition	126
21.9	8. The correction to our own scroll	126
21.109.	The controlled proposal sent to TopoMagic	127
21.1110.	Reproduction	127
21.1211.	Complete 60-check ledger	127
21.1312.	Reference ledger	131
21.14	Coda - the magical result without the glamour	131
21.15	Category disposition and bridge figures	132
22	Hopf Control Tower: H01-H60	134
22.1	H01 / R01 - Uploaded scroll has 116 pages	134
22.1.1	Claim under test	135
22.1.2	Control route	135
22.1.3	Calculation, proof, or counterexample	135
22.1.4	Machine-readable receipt	135
22.1.5	Evidence frozen by the control	135
22.1.6	Status boundary	135
22.1.7	Next-step obligation	135
22.2	H02 / R02 - Appendix A reconstruction executes cleanly	135
22.2.1	Claim under test	135
22.2.2	Control route	135
22.2.3	Calculation, proof, or counterexample	136
22.2.4	Machine-readable receipt	136
22.2.5	Evidence frozen by the control	136
22.2.6	Status boundary	136
22.2.7	Next-step obligation	136
22.3	H03 / R03 - Printed verifier uses 40-decimal precision	136
22.3.1	Claim under test	136
22.3.2	Control route	136
22.3.3	Calculation, proof, or counterexample	136
22.3.4	Machine-readable receipt	136
22.3.5	Evidence frozen by the control	137
22.3.6	Status boundary	137
22.3.7	Next-step obligation	137
22.4	H04 / R04 - Analytic zeta-derivative identities	137
22.4.1	Claim under test	137
22.4.2	Control route	137
22.4.3	Calculation, proof, or counterexample	137
22.4.4	Machine-readable receipt	137
22.4.5	Evidence frozen by the control	137
22.4.6	Status boundary	138
22.4.7	Next-step obligation	138
22.5	H05 / R05 - Charged-lepton table regenerates	138
22.5.1	Claim under test	138
22.5.2	Control route	138
22.5.3	Calculation, proof, or counterexample	138
22.5.4	Machine-readable receipt	138
22.5.5	Evidence frozen by the control	138
22.5.6	Status boundary	138
22.5.7	Next-step obligation	139
22.6	H06 / R06 - W, Z, Higgs table regenerates	139
22.6.1	Claim under test	139

22.6.2	Control route	139
22.6.3	Calculation, proof, or counterexample	139
22.6.4	Machine-readable receipt	139
22.6.5	Evidence frozen by the control	139
22.6.6	Status boundary	139
22.6.7	Next-step obligation	139
22.7	H07 / R07 - Six-quark table regenerates	139
22.7.1	Claim under test	140
22.7.2	Control route	140
22.7.3	Calculation, proof, or counterexample	140
22.7.4	Machine-readable receipt	140
22.7.5	Evidence frozen by the control	140
22.7.6	Status boundary	140
22.7.7	Next-step obligation	140
22.8	H08 / R08 - Neutrino masses and splittings regenerate	140
22.8.1	Claim under test	140
22.8.2	Control route	140
22.8.3	Calculation, proof, or counterexample	141
22.8.4	Machine-readable receipt	141
22.8.5	Evidence frozen by the control	141
22.8.6	Status boundary	141
22.8.7	Next-step obligation	141
22.9	H09 / R09 - Constants, g-2, partial CKM regenerate	141
22.9.1	Claim under test	141
22.9.2	Control route	141
22.9.3	Calculation, proof, or counterexample	141
22.9.4	Machine-readable receipt	142
22.9.5	Evidence frozen by the control	142
22.9.6	Status boundary	142
22.9.7	Next-step obligation	142
22.10	H10 / R10 - Lean appendix independently compiled here	142
22.10.1	Claim under test	142
22.10.2	Control route	142
22.10.3	Calculation, proof, or counterexample	142
22.10.4	Machine-readable receipt	142
22.10.5	Evidence frozen by the control	143
22.10.6	Status boundary	143
22.10.7	Next-step obligation	143
22.11	H11 / T01 - BU(1)~CPinfinity and EU(1)~Sinfinity	143
22.11.1	Claim under test	143
22.11.2	Control route	143
22.11.3	Calculation, proof, or counterexample	143
22.11.4	Machine-readable receipt	143
22.11.5	Evidence frozen by the control	143
22.11.6	Status boundary	143
22.11.7	Next-step obligation	144
22.12	H12 / T02 - Any two objects classifying the same U(1)-bundle functor are homotopy equivalent	144
22.12.1	Claim under test	144
22.12.2	Control route	144
22.12.3	Calculation, proof, or counterexample	144
22.12.4	Machine-readable receipt	144

22.12.5	Evidence frozen by the control	144
22.12.6	Status boundary	144
22.12.7	Next-step obligation	144
22.13	H13 / T03 - Completeness is derived rather than assumed	145
22.13.1	Claim under test	145
22.13.2	Control route	145
22.13.3	Calculation, proof, or counterexample	145
22.13.4	Machine-readable receipt	145
22.13.5	Evidence frozen by the control	145
22.13.6	Status boundary	145
22.13.7	Next-step obligation	145
22.14	H14 / T04 - Charge quantization forces nontrivial connection holonomy	145
22.14.1	Claim under test	146
22.14.2	Control route	146
22.14.3	Calculation, proof, or counterexample	146
22.14.4	Machine-readable receipt	146
22.14.5	Evidence frozen by the control	146
22.14.6	Status boundary	146
22.14.7	Next-step obligation	146
22.15	H15 / T05 - Every gauge field is a principal bundle with global section	146
22.15.1	Claim under test	147
22.15.2	Control route	147
22.15.3	Calculation, proof, or counterexample	147
22.15.4	Machine-readable receipt	147
22.15.5	Evidence frozen by the control	147
22.15.6	Status boundary	147
22.15.7	Next-step obligation	147
22.16	H16 / T06 - Nontrivial structure group makes the bundle non-product	147
22.16.1	Claim under test	147
22.16.2	Control route	147
22.16.3	Calculation, proof, or counterexample	148
22.16.4	Machine-readable receipt	148
22.16.5	Evidence frozen by the control	148
22.16.6	Status boundary	148
22.16.7	Next-step obligation	148
22.17	H17 / T07 - $Z[c_1]$ is a domain with no nontrivial idempotent splitting	148
22.17.1	Claim under test	148
22.17.2	Control route	148
22.17.3	Calculation, proof, or counterexample	148
22.17.4	Machine-readable receipt	148
22.17.5	Evidence frozen by the control	149
22.17.6	Status boundary	149
22.17.7	Next-step obligation	149
22.18	H18 / T08 - No base cohomology splitting implies no product principal bundle	149
22.18.1	Claim under test	149
22.18.2	Control route	149
22.18.3	Calculation, proof, or counterexample	149
22.18.4	Machine-readable receipt	149
22.18.5	Evidence frozen by the control	149
22.18.6	Status boundary	150
22.18.7	Next-step obligation	150
22.19	H19 / T09 - Sinfinity may be a common contractible total-space model	150

22.19.1 Claim under test	150
22.19.2 Control route	150
22.19.3 Calculation, proof, or counterexample	150
22.19.4 Machine-readable receipt	150
22.19.5 Evidence frozen by the control	150
22.19.6 Status boundary	150
22.19.7 Next-step obligation	150
22.20H20 / T10 - Projective embedding identifies a G-bundle with the Hopf U(1) bundle	151
22.20.1 Claim under test	151
22.20.2 Control route	151
22.20.3 Calculation, proof, or counterexample	151
22.20.4 Machine-readable receipt	151
22.20.5 Evidence frozen by the control	151
22.20.6 Status boundary	151
22.20.7 Next-step obligation	151
22.21H21 / T11 - Every compact gauge theory literally lives on a finite Hopf shell . . .	151
22.21.1 Claim under test	151
22.21.2 Control route	152
22.21.3 Calculation, proof, or counterexample	152
22.21.4 Machine-readable receipt	152
22.21.5 Evidence frozen by the control	152
22.21.6 Status boundary	152
22.21.7 Next-step obligation	152
22.22H22 / T12 - Topology uniquely selects Nature's physical arena	152
22.22.1 Claim under test	152
22.22.2 Control route	152
22.22.3 Calculation, proof, or counterexample	152
22.22.4 Machine-readable receipt	153
22.22.5 Evidence frozen by the control	153
22.22.6 Status boundary	153
22.22.7 Next-step obligation	153
22.23H23 / D01 - $S_3 \sim SU(2)$	153
22.23.1 Claim under test	153
22.23.2 Control route	153
22.23.3 Calculation, proof, or counterexample	153
22.23.4 Machine-readable receipt	153
22.23.5 Evidence frozen by the control	153
22.23.6 Status boundary	153
22.23.7 Next-step obligation	154
22.24H24 / D02 - $S_5 \sim SU(3)/SU(2)$	154
22.24.1 Claim under test	154
22.24.2 Control route	154
22.24.3 Calculation, proof, or counterexample	154
22.24.4 Machine-readable receipt	154
22.24.5 Evidence frozen by the control	154
22.24.6 Status boundary	154
22.24.7 Next-step obligation	154
22.25H25 / D03 - SU(2) is unique transitive compact connected group on S3 containing Hopf U(1)	154
22.25.1 Claim under test	155
22.25.2 Control route	155
22.25.3 Calculation, proof, or counterexample	155

22.25.4	Machine-readable receipt	155
22.25.5	Evidence frozen by the control	155
22.25.6	Status boundary	155
22.25.7	Next-step obligation	155
22.26	H26 / D04 - S5 shell forces SU(3)	155
22.26.1	Claim under test	155
22.26.2	Control route	155
22.26.3	Calculation, proof, or counterexample	156
22.26.4	Machine-readable receipt	156
22.26.5	Evidence frozen by the control	156
22.26.6	Status boundary	156
22.26.7	Next-step obligation	156
22.27	H27 / D05 - $g_1 \backslash u^{2229} g_2$ equals $[g_1, g_2]$	156
22.27.1	Claim under test	156
22.27.2	Control route	156
22.27.3	Calculation, proof, or counterexample	156
22.27.4	Machine-readable receipt	156
22.27.5	Evidence frozen by the control	157
22.27.6	Status boundary	157
22.27.7	Next-step obligation	157
22.28	H28 / D06 - Entwine $(g_1 + g_2) - [g_1, g_2]$ is a defined Lie algebra	157
22.28.1	Claim under test	157
22.28.2	Control route	157
22.28.3	Calculation, proof, or counterexample	157
22.28.4	Machine-readable receipt	157
22.28.5	Evidence frozen by the control	157
22.28.6	Status boundary	157
22.28.7	Next-step obligation	158
22.29	H29 / D07 - Mixed α wedge F wedge $(d\alpha)^{\{n-1\}}$ term is a scalar SU(N) action	158
22.29.1	Claim under test	158
22.29.2	Control route	158
22.29.3	Calculation, proof, or counterexample	158
22.29.4	Machine-readable receipt	158
22.29.5	Evidence frozen by the control	158
22.29.6	Status boundary	158
22.29.7	Next-step obligation	158
22.30	H30 / D08 - $B = *d$ is unique equivariant first-order self-adjoint elliptic operator	159
22.30.1	Claim under test	159
22.30.2	Control route	159
22.30.3	Calculation, proof, or counterexample	159
22.30.4	Machine-readable receipt	159
22.30.5	Evidence frozen by the control	159
22.30.6	Status boundary	159
22.30.7	Next-step obligation	159
22.31	H31 / D09 - Horizontal Hopf transport is the Reeb flow	159
22.31.1	Claim under test	160
22.31.2	Control route	160
22.31.3	Calculation, proof, or counterexample	160
22.31.4	Machine-readable receipt	160
22.31.5	Evidence frozen by the control	160
22.31.6	Status boundary	160

22.31.7	Next-step obligation	160
22.32	H32 / D10 - $c_1 \neq 0$ /contact form forces Cartan torsion	160
22.32.1	Claim under test	160
22.32.2	Control route	160
22.32.3	Calculation, proof, or counterexample	161
22.32.4	Machine-readable receipt	161
22.32.5	Evidence frozen by the control	161
22.32.6	Status boundary	161
22.32.7	Next-step obligation	161
22.33	H33 / D11 - Witten Chern-Simons gravity yields physical 3+1 gravity on S3xR	161
22.33.1	Claim under test	161
22.33.2	Control route	161
22.33.3	Calculation, proof, or counterexample	161
22.33.4	Machine-readable receipt	162
22.33.5	Evidence frozen by the control	162
22.33.6	Status boundary	162
22.33.7	Next-step obligation	162
22.34	H34 / D12 - First Bianchi identity becomes Einstein equation	162
22.34.1	Claim under test	162
22.34.2	Control route	162
22.34.3	Calculation, proof, or counterexample	162
22.34.4	Machine-readable receipt	162
22.34.5	Evidence frozen by the control	163
22.34.6	Status boundary	163
22.34.7	Next-step obligation	163
22.35	H35 / D13 - Kato-Rellich forces a zero mode to acquire mass	163
22.35.1	Claim under test	163
22.35.2	Control route	163
22.35.3	Calculation, proof, or counterexample	163
22.35.4	Machine-readable receipt	163
22.35.5	Evidence frozen by the control	164
22.35.6	Status boundary	164
22.35.7	Next-step obligation	164
22.36	H36 / D14 - Complete Standard Model follows from the written action	164
22.36.1	Claim under test	164
22.36.2	Control route	164
22.36.3	Calculation, proof, or counterexample	164
22.36.4	Machine-readable receipt	164
22.36.5	Evidence frozen by the control	164
22.36.6	Status boundary	164
22.36.7	Next-step obligation	165
22.37	H37 / S01 - Displayed Hurwitz-zeta identity evaluates	165
22.37.1	Claim under test	165
22.37.2	Control route	165
22.37.3	Calculation, proof, or counterexample	165
22.37.4	Machine-readable receipt	165
22.37.5	Evidence frozen by the control	165
22.37.6	Status boundary	165
22.37.7	Next-step obligation	165
22.38	H38 / S02 - Boxed $D(n)$ second difference	166
22.38.1	Claim under test	166
22.38.2	Control route	166

22.38.3 Calculation, proof, or counterexample	166
22.38.4 Machine-readable receipt	166
22.38.5 Evidence frozen by the control	166
22.38.6 Status boundary	166
22.38.7 Next-step obligation	166
22.39H39 / S03 - Displayed zeta-route second difference	166
22.39.1 Claim under test	166
22.39.2 Control route	167
22.39.3 Calculation, proof, or counterexample	167
22.39.4 Machine-readable receipt	167
22.39.5 Evidence frozen by the control	167
22.39.6 Status boundary	167
22.39.7 Next-step obligation	167
22.40H40 / S04 - Displayed zeta route generates boxed $D(n)$ after constant/linear absorption	167
22.40.1 Claim under test	167
22.40.2 Control route	167
22.40.3 Calculation, proof, or counterexample	167
22.40.4 Machine-readable receipt	168
22.40.5 Evidence frozen by the control	168
22.40.6 Status boundary	168
22.40.7 Next-step obligation	168
22.41H41 / S05 - Lens quotient is obtained by deleting all levels below n	168
22.41.1 Claim under test	168
22.41.2 Control route	168
22.41.3 Calculation, proof, or counterexample	168
22.41.4 Machine-readable receipt	168
22.41.5 Evidence frozen by the control	168
22.41.6 Status boundary	169
22.41.7 Next-step obligation	169
22.42H42 / S06 - $D(n)$ backsolves from charged-lepton masses	169
22.42.1 Claim under test	169
22.42.2 Control route	169
22.42.3 Calculation, proof, or counterexample	169
22.42.4 Machine-readable receipt	169
22.42.5 Evidence frozen by the control	169
22.42.6 Status boundary	169
22.42.7 Next-step obligation	170
22.43H43 / S07 - c_0 is independently generated in Appendix A	170
22.43.1 Claim under test	170
22.43.2 Control route	170
22.43.3 Calculation, proof, or counterexample	170
22.43.4 Machine-readable receipt	170
22.43.5 Evidence frozen by the control	170
22.43.6 Status boundary	170
22.43.7 Next-step obligation	170
22.44H44 / S08 - c_B is independently generated in Appendix A	170
22.44.1 Claim under test	171
22.44.2 Control route	171
22.44.3 Calculation, proof, or counterexample	171
22.44.4 Machine-readable receipt	171
22.44.5 Evidence frozen by the control	171
22.44.6 Status boundary	171

22.44.7	Next-step obligation	171
22.45	H45 / S09 - Quoted spectral decimals are generated inside the suite	171
22.45.1	Claim under test	171
22.45.2	Control route	171
22.45.3	Calculation, proof, or counterexample	172
22.45.4	Machine-readable receipt	172
22.45.5	Evidence frozen by the control	172
22.45.6	Status boundary	172
22.45.7	Next-step obligation	172
22.46	H46 / S10 - Executable spectrum has one empirical input and no other numerical inputs	172
22.46.1	Claim under test	172
22.46.2	Control route	172
22.46.3	Calculation, proof, or counterexample	172
22.46.4	Machine-readable receipt	173
22.46.5	Evidence frozen by the control	173
22.46.6	Status boundary	173
22.46.7	Next-step obligation	173
22.47	H47 / S11 - Appendix A regenerates numerical PMNS matrix	173
22.47.1	Claim under test	173
22.47.2	Control route	173
22.47.3	Calculation, proof, or counterexample	173
22.47.4	Machine-readable receipt	174
22.47.5	Evidence frozen by the control	174
22.47.6	Status boundary	174
22.47.7	Next-step obligation	174
22.48	H48 / S12 - Appendix A regenerates complete CKM matrix	174
22.48.1	Claim under test	174
22.48.2	Control route	174
22.48.3	Calculation, proof, or counterexample	174
22.48.4	Machine-readable receipt	174
22.48.5	Evidence frozen by the control	174
22.48.6	Status boundary	175
22.48.7	Next-step obligation	175
22.49	H49 / S13 - Beltrami level universally fixes monotone knot ladder	175
22.49.1	Claim under test	175
22.49.2	Control route	175
22.49.3	Calculation, proof, or counterexample	175
22.49.4	Machine-readable receipt	175
22.49.5	Evidence frozen by the control	175
22.49.6	Status boundary	175
22.49.7	Next-step obligation	175
22.50	H50 / S14 - Exactly three fermion generations proved by k=4 transition	176
22.50.1	Claim under test	176
22.50.2	Control route	176
22.50.3	Calculation, proof, or counterexample	176
22.50.4	Machine-readable receipt	176
22.50.5	Evidence frozen by the control	176
22.50.6	Status boundary	176
22.50.7	Next-step obligation	176
22.51	H51 / P01 - W mass vs PDG 2026	176
22.51.1	Claim under test	176

22.51.2	Control route	177
22.51.3	Calculation, proof, or counterexample	177
22.51.4	Machine-readable receipt	177
22.51.5	Evidence frozen by the control	177
22.51.6	Status boundary	177
22.51.7	Next-step obligation	177
22.52	H52 / P02 - Z mass vs PDG 2026	177
22.52.1	Claim under test	177
22.52.2	Control route	177
22.52.3	Calculation, proof, or counterexample	177
22.52.4	Machine-readable receipt	178
22.52.5	Evidence frozen by the control	178
22.52.6	Status boundary	178
22.52.7	Next-step obligation	178
22.53	H53 / P03 - Higgs mass vs PDG 2026	178
22.53.1	Claim under test	178
22.53.2	Control route	178
22.53.3	Calculation, proof, or counterexample	178
22.53.4	Machine-readable receipt	178
22.53.5	Evidence frozen by the control	178
22.53.6	Status boundary	179
22.53.7	Next-step obligation	179
22.54	H54 / P04 - Tau mass vs PDG 2026	179
22.54.1	Claim under test	179
22.54.2	Control route	179
22.54.3	Calculation, proof, or counterexample	179
22.54.4	Machine-readable receipt	179
22.54.5	Evidence frozen by the control	179
22.54.6	Status boundary	179
22.54.7	Next-step obligation	179
22.55	H55 / P05 - Fine-structure constant as precision prediction	180
22.55.1	Claim under test	180
22.55.2	Control route	180
22.55.3	Calculation, proof, or counterexample	180
22.55.4	Machine-readable receipt	180
22.55.5	Evidence frozen by the control	180
22.55.6	Status boundary	180
22.55.7	Next-step obligation	180
22.56	H56 / P06 - Newton G vs CODATA	180
22.56.1	Claim under test	180
22.56.2	Control route	181
22.56.3	Calculation, proof, or counterexample	181
22.56.4	Machine-readable receipt	181
22.56.5	Evidence frozen by the control	181
22.56.6	Status boundary	181
22.56.7	Next-step obligation	181
22.57	H57 / P07 - Electron anomalous moment: rounded digits versus uncertainty	181
22.57.1	Claim under test	181
22.57.2	Control route	181
22.57.3	Calculation, proof, or counterexample	181
22.57.4	Machine-readable receipt	182
22.57.5	Evidence frozen by the control	182

22.57.6	Status boundary	182
22.57.7	Next-step obligation	182
22.58	H58 / P08 - Muon anomalous moment vs final world average	182
22.58.1	Claim under test	182
22.58.2	Control route	182
22.58.3	Calculation, proof, or counterexample	182
22.58.4	Machine-readable receipt	182
22.58.5	Evidence frozen by the control	183
22.58.6	Status boundary	183
22.58.7	Next-step obligation	183
22.59	H59 / P09 - Weak angle is internally and experimentally consistent	183
22.59.1	Claim under test	183
22.59.2	Control route	183
22.59.3	Calculation, proof, or counterexample	183
22.59.4	Machine-readable receipt	183
22.59.5	Evidence frozen by the control	183
22.59.6	Status boundary	183
22.59.7	Next-step obligation	184
22.60	H60 / P10 - Controlled comparison verdict	184
22.60.1	Claim under test	184
22.60.2	Control route	184
22.60.3	Calculation, proof, or counterexample	184
22.60.4	Machine-readable receipt	184
22.60.5	Evidence frozen by the control	184
22.60.6	Status boundary	184
22.60.7	Next-step obligation	184
23	The Controlled Counterproposal to the TopoMagic Tower	185
23.1	Gate I - topology: classification without ontology leakage	185
23.1.1	Claim under control	185
23.1.2	Required repair	185
23.1.3	Counterexamples that must be answered	186
23.1.4	Pass condition	186
23.2	Gate II - algebra and dynamics: make every field equation well-defined	186
23.2.1	2.1 Define the entwine	186
23.2.2	2.2 Scalarize and gauge-check the action	186
23.2.3	2.3 Repair the geometry dictionary	186
23.2.4	2.4 Supply the actual 3 + 1 gravity derivation	187
23.2.5	2.5 Prove the spectral shift, do not invoke Kato-Rellich as a mass theorem	187
23.2.6	Pass condition	187
23.3	Gate III - spectral provenance: generate the numbers before comparing them	187
23.3.1	The critical fingerprint	187
23.3.2	Required deliverables	187
23.3.3	Pass condition	188
23.4	Gate IV - numerical control: resemblance must survive a null and an uncertainty ledger	188
23.4.1	Required protocol	188
23.4.2	Current control warnings	188
23.4.3	Pass condition	188
23.5	Gate V - one sealed prediction	188
23.5.1	Pass condition	189
23.6	Reciprocal promise from THEA	189

24 v1.3.4 Integration Contract and Next-Step Receipt	190
24.1 What changed from v1.3.3	190
24.2 Typed receipt schema for any future correspondence	190
24.3 Recommended v1.3.5 work order	190
24.4 Frozen totals	190
24.5 Closing line	191
25 Appendix A - Complete TopoMagic Control Receipt	192
26 Appendix B - Complete 80-Digit Control Verifier	204

List of Figures

4.1	The golden-ray angular deviation alternates and contracts. The signed zigzag is the projective -1 mode made visible through the smooth angle map.	29
7.1	The live golden-selected shell receipt. The dashed line is the continuum matching coefficient, not an exact finite-shell target.	35
10.1	True relative error of the forward recurrence against exact integers. Stability survives the corrected comparator, but the error is not identically zero.	41
11.1	The finite- N objective is jagged and its maximizer is not exactly the golden angle.	44
11.2	The live 33-node leaf counts and their descriptive log-linear fit. Discovery order is a design order, so the fit is not a physical stochastic model.	45
15.1	Worst correct digits for every live LUCA calculation. The lock threshold is $D = 9$	70
15.2	The finite verification price paid by each LUCA calculation.	71
16.1	Original THE CROWD hit counts against the declared null.	100
16.2	Marginal standardized profiles through the shared-alphabet, clustering, and provenance controls.	101
16.3	Empirical familywise p -values after taking the maximum over all five tiers.	101
16.4	The Higgs/top nearest-neighbour offset remains smaller than the uncertainty of the ratio it is supposed to identify.	102

Table Map

The principal tabular receipts are intentionally embedded in the mathematical narrative rather than separated from their hypotheses. Their locations are:

Source inventory

Chapter 1: the complete parent-plus-Hopf source inventory and the role of every artifact.

Golden shell catalogue

Chapter 4: (k_n, ℓ_n) , T_n , cage size, hexagon count, and chirality angle.

Light-matrix eigenbasis

Chapter 5: all four modes and their exact eigenvectors.

C_{60} polynomial Chapter 6: the complete adjacency characteristic factorization.

Live spectral receipt

Chapter 7: the v1.3.1 Goldberg-builder/Lanczos output through C_{17660} .

Precision formats

Chapter 10: significand budgets and exact-integer scale limits.

LUCA comparisons

Chapter 11: finite- N angle sweep and the 32/33-point leaf-regression distinction.

Independent audit

Chapter 14: all 38 checks, statuses, verdicts, and compact results; full values remain in the JSON receipt.

Hopf boundary

Chapter 20: exact admitted identities, non-implication ledger, and CURSE 42.

Full duel audit Chapter 21: source reconstruction, theorem controls, provenance, and uncertainty-level phenomenology.

Hopf rungs Chapter 22: H01–H60, one calculation or counterexample per claim.

Controlled proposal

Chapter 23: five reciprocal gates for reopening the bridge.

Integration and appendices

Chapter 24 and Appendices A–B: typed receipt schema, full JSON receipt, and complete verifier source.

Chapter 1

The Contract: Status Before Symbol

1.1 Source inventory and lineage

Artifact	file	Use in this tower
THEA core	Thea.md	Exact topology, closure algebra, Fibonacci selector, light matrix, spectral receipts, and the honest physical boundary.
Light Matrix shell	shell__thea_light_matrix_v1.3.1.html	Nineteen interactive sections, exact C_{60} kernel, Goldberg builder, spectral routines, $A_2/SU(3)$ lane, Klein lane, and numerical-architecture lane.
LUCA v0.1	shell__eml_luca_spiral_v0_1.html	EML operator, reduction tree, branch receipts, and target/current/error verification.
LUCA v0.2	shell__eml_luca_spiral_v0_2.html	Live Faddeev–LeVerrier factorization, golden selector readout, golden-ray angle, finite- N Vogel sweep, and leaf-count null result.
Angle handoff	THE_ANGLE_OF_THE_GOLDEN_RAY.md	Radical angle, asymptotic alternating convergence, anti-palindromic characteristic polynomial, and build contract.
Twelve Paths	THE_12_PATHS_OF_THE_FRACTAL_MAGE.md	Proof by kernel, target $\neq$ result, immutable versions, and open receipts.
Kernel grimoire	KERNELIMAGIC.md	False convergence, pre-allocation cost gates, deterministic certificates, and portable paths.
THE CROWD scroll	THE_CROWD.md	Coincidence scan, declared null, shared-alphabet autopsy, deduplication, precision ladder, and sealed prediction protocol.
THE CROWD kernel	the_crowd_v0_1.py	Deterministic seed-20260809 engine whose tables and Monte Carlo null are replayed independently.

Artifact	file	Use in this tower
TopoMagic source	TopoMagicTower.pdf	Reviewed 116-page Hopf-fibration gauge-gravity scroll; source claims are quoted before correction and never silently rewritten.
Control audit	THEA_VS_TOPOMAGIC_CONTROLLED_AUDIT_v1.0.0.md	Full theorem, computation, provenance, and phenomenology audit.
Audit receipt	topomagic_control_audit_receipt.json	Sixty machine-readable dispositions and stable payload.
Controlled proposal	CONTROLLED_PROPOSAL_TO_THE_TOPOMAGIC_TOWER_v1.0.0.md	Five reciprocal gates and one sealed-prediction requirement.
v1.3.4 builder	build_light_matrix_v134_full.py	Deterministic assembly, compilation, finalization, manifest, and bundle generation.

1.2 The status grammar

Every displayed claim in v1.3.4 retains one of the following epistemic classes.

EXACT Follows from algebra, topology, integer arithmetic, or a symbolic identity shown in the document.

COMPUTED Reproduced by a named finite algorithm at a stated precision, sample count, graph depth, or iteration count.

DESIGN CHOICE A visualization, parameterization, tolerance, mapping, sampling schedule, or user-interface rule.

HYPOTHESIS A proposed physical interpretation that still requires discriminating evidence.

EXTERNAL / METAPHOR A statement inherited from another artifact or source and not independently proved here.

CORRECTION A source statement whose algebra, label, indexing, or implementation receipt changes in the frozen lineage.

v1.3.3 correction

The HTML header advertises additions through Section XVII, yet the baked document contains a Section XVIII; the HUD count of 19 includes the birth section plus XVIII. v1.3.2 makes the section inventory explicit. It also repairs the abstract glyph C_{00} to C_{60} and replaces “zero dependencies” by the narrower, accurate statement that the mathematical kernel is dependency-free while presentation may use KaTeX.

1.3 Audit outcome in one page

The independent Python/SymPy/NetworkX/NumPy audit executed 38 checks and returned 38 passes. “Pass” here means that either the source statement was reproduced or its correction was independently established. The most important changes are:

1. The sequence T_{n+1}/T_n does not monotonically climb to φ^2 ; it alternates around the limit.
2. Golden-selected shells form a catalogue of independently closed shells. They are not an exactly nested fixed Goldberg transform with linear multiplier φ .

3. Section VIII applies Lanczos to a graph Laplacian, not to the 4×4 light matrix.
4. The continuum coefficient $2\pi/(5\sqrt{3})$ is exact conditional algebra. The graph-limit arrow remains a conjectural asymptotic identification supported by finite computation.
5. $Q(A_2)$ and $P(A_2)$ are not literally equal. The common hexagonal quadratic form must be stated with normalization.
6. The Klein syzygy is exact; basin counts are finite, seed-dependent numerical coverage experiments.
7. Binary256 has 237 bits of significand precision, not a “256-bit mantissa.”
8. The v1.3.1 recurrence comparator shared the same binary64 rounding in both operands. A rational comparison against the exact integer gives a true maximum relative error of about 1.02×10^{-15} over levels 0–159.
9. LUCA branch identities require domains and branch sheets. A sample lock is a sieve, not a proof.
10. The live LUCA v0.2 regression uses 33 spiral nodes; the 32-point handoff values are recovered only after excluding e .

v1.3.3 statistical correction

The newly supplied coincidence engine reproduces exactly, but its 3.0σ row is marginal. Taking the maximum over the five scanned tiers gives empirical global $p = 0.0215$. The source’s own physics-only and deduplication autopsies then give $p = 0.0950$ and $p = 0.3270$. A new cluster-preserving matched null gives $p = 0.1090$, and a stricter four-generator provenance collapse gives $p = 0.2590$. The crowd identifies nobody.

v1.3.4 Hopf-boundary control

The supplied TopoMagic scroll reproduces as an executable formula system, but the sixty-check control yields 22 PASS, 3 CONDITIONAL, 4 OPEN, 16 CORRECTION, and 15 REFUTED dispositions. The decisive numerical correction is affine-invariant: $\Delta^2 D = 2.408149226$ while the displayed zeta route gives $|\Delta^2 \zeta'| = 6.709456767665\dots$. Constant and linear absorption cannot change that fingerprint. Standard Hopf identities survive; the physical forcing chain does not inherit their status.

Chapter 2

Closed Topology: Why Twelve Cannot Move

2.1 General trivalent curvature ledger

Let f_p be the number of p -gonal faces in a connected, closed, trivalent planar graph embedded on S^2 . Then

$$3V = 2E, \quad \sum_{p \geq 3} p f_p = 2E, \quad V - E + \sum_{p \geq 3} f_p = 2. \quad (2.1)$$

Eliminating V and E gives the exact combinatorial curvature identity

$$\boxed{\sum_{p \geq 3} (6 - p) f_p = 12.} \quad (2.2)$$

This is more general than the fullerene statement. Triangles contribute +3, squares +2, pentagons +1, hexagons zero, and larger faces negative charge.

2.2 The fullerene specialization

For a pentagon/hexagon fullerene, $f_5 = P$, $f_6 = H$, and every other f_p vanishes. Equation (2.2) becomes

$$(6 - 5)P + (6 - 6)H = 12, \quad (2.3)$$

so

Exact statement

$$\boxed{P = 12.} \quad (2.4)$$

The assumptions are part of the theorem: connected, closed, spherical, trivalent, and containing only pentagonal and hexagonal faces.

The remaining counts follow:

$$\boxed{E = \frac{3V}{2}, \quad H = \frac{V}{2} - 10, \quad F = P + H = \frac{V}{2} + 2.} \quad (2.5)$$

For C_{60} ,

$$(V, E, F, P, H, \chi) = (60, 90, 32, 12, 20, 2). \quad (2.6)$$

2.3 Discrete Gauss–Bonnet

Assign the face charge

$$K_p = \frac{\pi}{3}(6 - p). \quad (2.7)$$

Then

$$\sum_f K_f = \frac{\pi}{3} \sum_p (6 - p) f_p = \frac{\pi}{3} \cdot 12 = 4\pi. \quad (2.8)$$

Honest boundary

The equality is exact combinatorial topology. It does not assert that a molecular fullerene carries uniform smooth Gaussian curvature, nor that graph curvature is physical spacetime curvature. It is a ledger of angular defect for this trivalent tiling class.

Chapter 3

The Hexagonal Closure Algebra

3.1 The sixth-root coordinate

Set

$$\zeta_6 = e^{i\pi/3} = \frac{1}{2} + i\frac{\sqrt{3}}{2}, \quad \zeta_6^2 = \zeta_6 - 1. \quad (3.1)$$

A lattice displacement is

$$z = k + \ell\zeta_6, \quad k, \ell \in \mathbb{Z}. \quad (3.2)$$

Its squared Euclidean length is

$$\boxed{T = N(z) = z\bar{z} = k^2 + k\ell + \ell^2.} \quad (3.3)$$

This is the alternate sixth-root parameterization of the Eisenstein lattice. If one instead uses the conventional cube root $\omega = e^{2\pi i/3}$, the same lattice is written with the norm $a^2 - ab + b^2$. The sign difference is a basis convention, not a contradiction.

3.2 Multiplication as an integer matrix

Multiplication by $z = k + \ell\zeta_6$ sends $a + b\zeta_6$ to

$$(k + \ell\zeta_6)(a + b\zeta_6) = (ka - \ell b) + (\ell a + (k + \ell)b)\zeta_6. \quad (3.4)$$

Therefore

$$\begin{pmatrix} a' \\ b' \end{pmatrix} = M_{k,\ell} \begin{pmatrix} a \\ b \end{pmatrix}, \quad \boxed{M_{k,\ell} = \begin{pmatrix} k & -\ell \\ \ell & k + \ell \end{pmatrix}.} \quad (3.5)$$

The determinant is the norm:

$$\det M_{k,\ell} = k(k + \ell) + \ell^2 = T. \quad (3.6)$$

With the hexagonal metric

$$Q = \begin{pmatrix} 1 & 1/2 \\ 1/2 & 1 \end{pmatrix}, \quad (3.7)$$

direct multiplication gives

$$\boxed{M_{k,\ell}^\top Q M_{k,\ell} = TQ.} \quad (3.8)$$

Thus $M_{k,\ell}/\sqrt{T}$ is Q -orthogonal: an exact scale-plus-rotation in the lattice metric.

3.3 Angle and chirality coordinate

The exact lattice bearing is

$$\boxed{\theta_{k,\ell} = \arg(k + \ell\zeta_6) = \text{atan2}(\sqrt{3}\ell, 2k + \ell).} \quad (3.9)$$

For the canonical wedge $k \geq \ell \geq 0$, $0 \leq \theta \leq \pi/6$. The boundary classes $\ell = 0$ and $k = \ell$ are achiral; strict interior pairs occur in mirror-related chiral classes (k, ℓ) and (ℓ, k) .

3.4 Composition and multiplicativity

Let $g = a + b\zeta_6$. Then

$$(a + b\zeta_6)(k + \ell\zeta_6) = (ak - b\ell) + (a\ell + bk + b\ell)\zeta_6, \quad (3.10)$$

$$(k', \ell') = (ak - b\ell, a\ell + bk + b\ell), \quad (3.11)$$

$$M_{a,b}M_{k,\ell} = M_{k',\ell'}, \quad (3.12)$$

$$T' = (a^2 + ab + b^2)T. \quad (3.13)$$

This is the exact fixed-operator closure lane. The generator $(1, 1)$ has norm 3 and produces the nested leapfrog count tower

$$T_n = 3^n, \quad V_n = 20 \cdot 3^n, \quad (3.14)$$

with $C_{20} \rightarrow C_{60} \rightarrow C_{180} \rightarrow C_{540} \rightarrow \dots$ at the count level.

3.5 Selected is not nested

A fixed Goldberg operator has integer area multiplier

$$S = a^2 + ab + b^2 \in \mathbb{Z} \quad (3.15)$$

and linear multiplier $\sqrt{S}$. Exact golden nesting would require $S = \varphi^2$, impossible because S is an integer and φ^2 is irrational. Hence

Exact statement

$$\boxed{\text{No fixed exactly nested Goldberg transform has linear ratio } \varphi.} \quad (3.16)$$

The Fibonacci construction below is a sequence of independently closed shells whose successive radius ratios approach φ .

Chapter 4

The Golden Selector and the Ray with a Bearing

4.1 Fibonacci projective dynamics

Let

$$F_\varphi = \begin{pmatrix} 1 & 1 \\ 1 & 0 \end{pmatrix}, \quad \begin{pmatrix} k_{n+1} \\ \ell_{n+1} \end{pmatrix} = F_\varphi \begin{pmatrix} k_n \\ \ell_n \end{pmatrix}, \quad (k_0, \ell_0) = (1, 0). \quad (4.1)$$

Then

$$(k_n, \ell_n) = (F_{n+1}, F_n), \quad \text{spec}(F_\varphi) = \{\varphi, -\varphi^{-1}\}. \quad (4.2)$$

For $r_n = k_n/\ell_n$,

$$r_{n+1} = 1 + \frac{1}{r_n}, \quad r_{n+1} - \varphi = -\frac{r_n - \varphi}{\varphi r_n}. \quad (4.3)$$

Therefore $r_n \rightarrow \varphi$, with alternating error and asymptotic contraction $-\varphi^{-2}$.

4.2 Triangulation sequence

Define

$$T_n = k_n^2 + k_n \ell_n + \ell_n^2. \quad (4.4)$$

The first values are

$$1, 3, 7, 19, 49, 129, 337, 883, 2311, 6051, \dots \quad (4.5)$$

and

$$\boxed{T_{n+3} = 2T_{n+2} + 2T_{n+1} - T_n.} \quad (4.6)$$

The characteristic polynomial is

$$r^3 - 2r^2 - 2r + 1 = (r+1)(r^2 - 3r + 1), \quad (4.7)$$

with roots $-1, \varphi^2, \varphi^{-2}$. Binet reduction gives

$$\boxed{T_n = \frac{2}{5} \left(\varphi^{2n+2} + \varphi^{-2n-2} \right) - \frac{1}{5} (-1)^n.} \quad (4.8)$$

Consequently

$$\frac{T_{n+1}}{T_n} \longrightarrow \varphi^2, \quad (4.9)$$

but the convergence is alternating rather than monotone.

v1.3.3 correction

The v1.3.1 sentence “the ratio T_{n+1}/T_n climbs to φ^2 ” is replaced by “the ratio alternates about and converges to φ^2 .” The computed sequence begins $7/3 = 2.3333$, $19/7 = 2.7143$, $49/19 = 2.5789$, $129/49 = 2.6327$.

4.3 Closed-shell catalogue

For each Fibonacci pair,

$$V_n = 20T_n, \quad E_n = 30T_n, \quad P_n = 12, \quad H_n = 10(T_n - 1), \quad F_n = 10T_n + 2. \quad (4.10)$$

n	(k_n, ℓ_n)	T_n	cage	H_n	θ_{k_n, ℓ_n}
0	(1,0)	1	C_{20}	0	0°
1	(1,1)	3	C_{60}	20	30°
2	(2,1)	7	C_{140}	60	19.106605°
3	(3,2)	19	C_{380}	180	23.413224°
4	(5,3)	49	C_{980}	480	21.786789°
5	(8,5)	129	C_{2580}	1280	22.411902°
6	(13,8)	337	C_{6740}	3360	22.172618°
7	(21,13)	883	C_{17660}	8820	22.264023°

4.4 The exact golden-ray angle

Taking $k/\ell \rightarrow \varphi$ in Equation (3.9),

$$\theta_\varphi = \arctan \frac{\sqrt{3}}{2\varphi + 1} = \arctan \frac{\sqrt{3}}{\sqrt{5} + 2} \quad (4.11)$$

$$= \boxed{\arctan(\sqrt{15} - 2\sqrt{3})} \quad (4.12)$$

$$= 0.388139515 \dots \text{ rad} = 22.238756093 \dots^\circ. \quad (4.13)$$

The radical step uses $(\sqrt{5} + 2)(\sqrt{5} - 2) = 1$.

4.5 Why the angular error inherits the alternating mode

Let

$$\Theta(r) = \arctan \frac{\sqrt{3}}{2r + 1}. \quad (4.14)$$

Since Θ is differentiable and $\Theta'(\varphi) \neq 0$,

$$\theta_n - \theta_\varphi = \Theta'(\varphi)(r_n - \varphi) + \mathcal{O}((r_n - \varphi)^2). \quad (4.15)$$

Therefore

$$\boxed{\frac{\theta_{n+1} - \theta_\varphi}{\theta_n - \theta_\varphi} \rightarrow -\varphi^{-2}.} \quad (4.16)$$

This is an asymptotic equality. At $n = 16$ the independent float64 recomputation gives

$$-0.3819660384, \quad -\varphi^{-2} = -0.3819660113. \quad (4.17)$$




Figure 4.1: The golden-ray angular deviation alternates and contracts. The signed zigzag is the projective -1 mode made visible through the smooth angle map.

Chapter 5

The Exact Light Matrix

5.1 Symmetric-square lift

The pair recursion is

$$k' = k + \ell, \quad \ell' = k. \quad (5.1)$$

Lift to quadratic monomials

$$u_n = \begin{pmatrix} k_n^2 \\ k_n \ell_n \\ \ell_n^2 \end{pmatrix}. \quad (5.2)$$

Then

$$\begin{pmatrix} (k + \ell)^2 \\ (k + \ell)k \\ k^2 \end{pmatrix} = \underbrace{\begin{pmatrix} 1 & 2 & 1 \\ 1 & 1 & 0 \\ 1 & 0 & 0 \end{pmatrix}}_B \begin{pmatrix} k^2 \\ k\ell \\ \ell^2 \end{pmatrix}. \quad (5.3)$$

Append the topological coordinate $P_n = 12$:

$$s_n = \begin{pmatrix} k_n^2 \\ k_n \ell_n \\ \ell_n^2 \\ P_n \end{pmatrix}, \quad \boxed{s_{n+1} = \mathcal{M}_{\text{light}} s_n}, \quad (5.4)$$

where

$$\boxed{\mathcal{M}_{\text{light}} = \begin{pmatrix} 1 & 2 & 1 & 0 \\ 1 & 1 & 0 & 0 \\ 1 & 0 & 0 & 0 \\ 0 & 0 & 0 & 1 \end{pmatrix}}. \quad (5.5)$$

5.2 Faddeev–LeVerrier certificate

Starting with $B_0 = I$ and

$$c_j = -\frac{1}{j} \text{tr}(\mathcal{M}_{\text{light}} B_{j-1}), \quad B_j = \mathcal{M}_{\text{light}} B_{j-1} + c_j I, \quad (5.6)$$

the coefficient list is

$$\boxed{(1, -3, 0, 3, -1)}. \quad (5.7)$$

Thus

$$p(\lambda) = \lambda^4 - 3\lambda^3 + 3\lambda - 1 \quad (5.8)$$

$$= (\lambda - 1)(\lambda + 1)(\lambda^2 - 3\lambda + 1). \quad (5.9)$$

The coefficients are anti-palindromic:

$$p(\lambda) = -\lambda^4 p(1/\lambda). \quad (5.10)$$

Therefore the spectrum is closed under reciprocal inversion.

5.3 Spectrum and eigenmodes

$$\boxed{\text{spec}(\mathcal{M}_{\text{light}}) = \{\varphi^2, 1, -1, \varphi^{-2}\}.} \quad (5.11)$$

A convenient eigenbasis is

λ	eigenvector	role
φ^2	$(\varphi^2, \varphi, 1, 0)^\top$	dominant quadratic area/atom growth
1	$(0, 0, 0, 1)^\top$	fixed $P = 12$ topological coordinate
-1	$(-2, 1, 2, 0)^\top$	alternating finite-size correction
φ^{-2}	$(\varphi^{-2}, -\varphi^{-1}, 1, 0)^\top$	contracting reciprocal mode

The eigenvalues are not fitted to shell data; they follow from the integer matrix. The design interpretation “grow, hold, overshoot, decay” is useful, but the matrix itself is the exact object.

5.4 The shell number as a linear observable

The triangulation number is

$$T_n = (1, 1, 1, 0)s_n. \quad (5.12)$$

Projecting the matrix recurrence onto this observable yields Equation (4.6). The P coordinate does not enter T_n ; it survives as the independent eigenvalue-one mode.

Chapter 6

The Exact C_{60} Spectral Boundary

6.1 Independent graph certificate

The audit reconstructs the truncated icosahedron by truncating each directed incidence of the icosahedron. The resulting graph has

$$V = 60, \quad E = 90, \quad \deg(v) = 3, \quad f_5 = 12, \quad f_6 = 20, \quad \chi = 2. \quad (6.1)$$

These checks are integer and planar-embedding facts.

6.2 Complete adjacency characteristic polynomial

For adjacency matrix A_{60} ,

$$\chi_{A_{60}}(x) = (x - 3)(x - 1)^9(x + 2)^4(x^2 - x - 3)^5(x^2 + x - 4)^4 \quad (6.2)$$

$$\times (x^2 + x - 1)^5(x^2 + 3x + 1)^3 \quad (6.3)$$

$$\times (x^4 - 3x^3 - 2x^2 + 7x + 1)^3. \quad (6.4)$$

The SymPy exact characteristic polynomial of the independently reconstructed graph factors identically.

6.3 The golden lower boundary

The least root comes from $x^2 + 3x + 1$:

$$\lambda_{\min}(A_{60}) = \frac{-3 - \sqrt{5}}{2} = -\varphi^2, \quad (6.5)$$

with multiplicity three.

6.4 Graph Laplacian and Fiedler radical

Because the graph is cubic,

$$L_{60} = 3I - A_{60}. \quad (6.6)$$

The first positive eigenvalue is

$$\lambda_2(L_{60}) = \frac{9}{4} - \frac{\sqrt{2}}{8} \left(\sqrt{10} + 2\sqrt{19 - \sqrt{5}} \right) = 0.2434017461399 \dots \quad (6.7)$$

and is a root of

$$x^4 - 9x^3 + 25x^2 - 22x + 4 = 0 \quad (6.8)$$

with multiplicity three. The independent numerical residual is below 10^{-12} .

6.5 Low bands

The first nonzero Laplacian bands of C_{60} are

value	multiplicity	exact origin / interpretation
0.2434017461	3	Fiedler triplet, Equation (6.7)
0.6972243623	5	$(5 - \sqrt{13})/2$
1.1797507493	3	quartic sibling
1.4384471872	4	$(7 - \sqrt{17})/2$
2	9	adjacency eigenvalue 1
2.3819660113	5	$3 - (\varphi^{-1})$ branch

The multiplicities 3, 5, 3 + 4 are compatible with low spherical-harmonic dimensions under icosahedral splitting. Compatibility is not identity with a continuum field theory.

Honest boundary

An adjacency or graph-Laplacian eigenvalue is not automatically a molecular orbital energy. The exact graph spectrum is a valid Hückel-style combinatorial object; a physical Hamiltonian requires geometry, orbital integrals, interactions, and other chemistry.

Chapter 7

Graph Towers, Renormalization, and the Conditional Continuum Constant

7.1 Three families that must remain separate

Golden-selected catalogue	$(k_n, \ell_n) = (F_{n+1}, F_n)$. Independently closed Goldberg shells with $T = 1, 3, 7, 19, \dots$ and asymptotic radius ratio φ .
Fixed GC / leapfrog lane	Repeated application of one integer generator, e.g. $(1, 1)$ with area multiplier 3. Exactly nested at the operator level, linear scale $\sqrt{3}$.
WELD lineage	The source scroll reports a separate exact-ID chamfer family $C_{60} \rightarrow C_{240} \rightarrow C_{960} \rightarrow \dots$ with multiplier 4.

No spectral value may be transferred from one family to another without recomputation.

7.2 Closure certificate

A candidate shell may be named closed only if

$$P = 12, \quad \chi = 2, \quad \partial E = 0, \quad E_{\text{nonmanifold}} = 0, \quad \deg(v) = 3 \ \forall v. \quad (7.1)$$

Formula counts are necessary but not sufficient for a welded indexed mesh.

7.3 Live v1.3.1 golden-shell receipt

The current HTML kernel was executed directly in Node, without reimplementing its Goldberg builder or Lanczos routine. The result is:

(k, ℓ)	T	V	λ_2	$T\lambda_2$	deviation from $2\pi/(5\sqrt{3})$
(1, 0)	1	20	0.7639320225	0.763932022500	+0.038412276807
(1, 1)	3	60	0.24340174614	0.730205238420	+0.004685492726
(2, 1)	7	140	0.10364786791	0.725535075371	+0.000015329677
(3, 2)	19	380	0.0381363955918	0.724591516244	-0.000928229449
(5, 3)	49	980	0.0147874462246	0.724584865005	-0.000934880689
(8, 5)	129	2580	0.0056176826499	0.724681061837	-0.000838683857
(13, 8)	337	6740	0.00215058792037	0.724748129166	-0.000771616528
(21, 13)	883	17660	0.000820819134337	0.724783295619	-0.000736450074

At $T = 19$, the live block-subspace calculation gives bands 0.0381364×3 , 0.1133266×5 , 0.2081904×3 , and 0.2385063×4 . The second-to-first ratio is 2.9716 and the weighted 3 + 4 center ratio is 5.9133.




Figure 7.1: The live golden-selected shell receipt. The dashed line is the continuum matching coefficient, not an exact finite-shell target.

7.4 The honeycomb-to-sphere matching calculation

For three bond vectors $\delta_i = a\hat{e}_i$ at 120° ,

$$Lf(x) = \sum_{i=1}^3 (f(x) - f(x + \delta_i)) \quad (7.2)$$

$$= -\sum_i \delta_i \cdot \nabla f - \frac{1}{2} \sum_i (\delta_i \cdot \nabla)^2 f + \mathcal{O}(a^3). \quad (7.3)$$

Since $\sum_i \delta_i = 0$ and

$$\sum_i (\hat{e}_i \cdot \nabla)^2 = \frac{3}{2} \nabla^2, \quad (7.4)$$

we get

$$L \approx -\frac{3a^2}{4} \nabla^2. \quad (7.5)$$

The honeycomb area per vertex is $3\sqrt{3}a^2/4$. Matching $20T$ sites to a sphere gives

$$20T \frac{3\sqrt{3}}{4} a^2 = 4\pi R^2, \quad \frac{a^2}{R^2} = \frac{4\pi}{15\sqrt{3}T}. \quad (7.6)$$

The $\ell = 1$ sphere eigenvalue is $2/R^2$, so the matched coefficient is

$$T\lambda_2 \sim \frac{3a^2}{4} \frac{2}{R^2} T = \frac{2\pi}{5\sqrt{3}} = 0.7255197456937 \dots \quad (7.7)$$

v1.3.3 correction

Every algebraic equality inside Equation (7.7) is exact once the Taylor stencil, area matching, and identification of the first graph mode with the $\ell = 1$ sphere mode are assumed. The arrow from a particular discrete fullerene family to this value is not proved by those assumptions. v1.3.2 labels the number *conditional asymptotic prediction* and the graph data *computed trend*. The Omori–Naito–Tate theorem proves low combinatorial-Laplacian eigenvalues tend to zero for specified Goldberg–Coxeter limits, but it does not by itself establish this normalized universal constant for the golden-selected family.

7.5 Operator dependence remains open

The live golden sequence approaches the low 0.7248 region, while the deeper leapfrog receipt in the core scroll reports 0.724799130 at $T = 2187$. Whether the limiting coefficient is $2\pi/(5\sqrt{3})$, another family-dependent constant, or a coefficient with slowly decaying defect corrections is an open numerical and analytic question. Required tests include:

1. run WELD, leapfrog, class-I, class-II, and golden-selected families under one eigensolver and one normalization;
2. fit corrections only after plotting residuals against several plausible scales ($T^{-1/2}$, T^{-1} , defect separation, chirality);
3. vary the discrete Laplacian (combinatorial, normalized, cotangent/geometric) and document which constant changes;
4. prove convergence before replacing “trend” by “limit.”

Chapter 8

The Shared Quadratic Form and the $SU(3)$ Boundary

8.1 What is exact

The dominant quadratic part of the $SU(3)$ quadratic Casimir for Dynkin labels (p, q) is

$$T(p, q) = p^2 + pq + q^2, \quad (8.1)$$

and

$$C_2(p, q) = \frac{1}{3}(p^2 + pq + q^2 + 3p + 3q). \quad (8.2)$$

The representation dimension is

$$\dim(p, q) = \frac{1}{2}(p+1)(q+1)(p+q+2). \quad (8.3)$$

Examples are

$$(1, 0) \mapsto \mathbf{3}, \quad (1, 1) \mapsto \mathbf{8}, \quad (2, 1) \mapsto \mathbf{15}, \quad (3, 2) \mapsto \mathbf{42}. \quad (8.4)$$

8.2 Root lattice versus weight lattice

Let $Q(A_2)$ be the root lattice and $P(A_2)$ the weight lattice. They are dual up to the conventional inner-product normalization, and

$$P(A_2)/Q(A_2) \cong \mathbb{Z}/3\mathbb{Z}. \quad (8.5)$$

Thus $[P : Q] = 3$. Both are hexagonal lattices related by rotation and scaling, but they are not literally the same subset of a fixed Euclidean vector space.

v1.3.3 correction

Replace “the A_2 root lattice – which is the $SU(3)$ weight lattice” by: “the Goldberg norm is the standard hexagonal A_2 quadratic form; after a stated normalization, the same form is the quadratic part of the $SU(3)$ Casimir on Dynkin labels. The root and weight lattices are dual and commensurable, with index three.”

8.3 Cross-indexing is not particle identification

The pair $(1, 1)$ has $T = 3$, so its Goldberg shell count is C_{60} . The same pair labels the adjoint $SU(3)$ representation of dimension eight. This is an exact reuse of an integer pair in two constructions. It does not imply that C_{60} is the gluon octet, that QCD lives on the fullerene shell, or that a hadron mass follows from T .

Chapter 9

Klein's Icosahedral Forms

9.1 The three binary forms

In one classical normalization,

$$f_{12}(z, w) = zw(z^{10} + 11z^5w^5 - w^{10}), \quad (9.1)$$

$$H_{20}(z, w) = -(z^{20} + w^{20}) + 228(z^{15}w^5 - z^5w^{15}) - 494z^{10}w^{10}, \quad (9.2)$$

$$T_{30}(z, w) = z^{30} + 522z^{25}w^5 - 10005z^{20}w^{10} \quad (9.3)$$

$$- 10005z^{10}w^{20} - 522z^5w^{25} + w^{30}. \quad (9.4)$$

The independent symbolic expansion gives

Exact statement

$$T_{30}^2 + H_{20}^3 = 1728f_{12}^5. \quad (9.5)$$

No random sampling is required for the identity.

9.2 Why the degrees are 12, 20, and 30

The exceptional orbits of the rotational icosahedral group have sizes 12 vertices, 20 face centers, and 30 edge midpoints. The degrees of the fundamental forms encode these orbit divisors. Their equality with $P(C_{20}) = 12$, $V(C_{20}) = 20$, and $E(C_{20}) = 30$ is therefore geometric group structure, not a free-standing numerical coincidence.

9.3 The vertex rings

The affine roots of $f_{12}(z, 1)$ include $z = 0$ and the roots of

$$z^{10} + 11z^5 - 1 = 0. \quad (9.6)$$

Writing $y = z^5$,

$$y_{\pm} = \frac{-11 \pm 5\sqrt{5}}{2}. \quad (9.7)$$

Their fifth-root radii are

$$|y_+|^{1/5} = \varphi^{-1}, \quad |y_-|^{1/5} = \varphi. \quad (9.8)$$

Together with 0 and ∞ , this produces two five-point rings plus the poles.

9.4 Gradient equivariants

For a homogeneous invariant F , define the projective map

$$g_F = [F_w : -F_z]. \quad (9.9)$$

The source's sparse degree-11, degree-19, and degree-29 polynomial pairs were compared symbolically with the gradients. They agree projectively, with scalar factors 1, 20, and 30 respectively.

9.5 Basins: what the finite experiment can say

The HTML iterates random starting points and clusters final directions. This can discover 20, 12, and 32 attractors under sufficient coverage. It cannot prove that every attractor was sampled, that a chosen clustering threshold is canonical, or that basin areas have a fixed range unless those areas are actually computed in the same run.

v1.3.3 correction

The hard-coded row “basin areas are wildly unequal, 0.12% ... 13.25%” is not produced by the current Section XIII algorithm. Either add a deterministic area estimator with a receipt or remove the row. v1.3.2 treats the orbit counts as reproducible numerical evidence and the projective-gradient formulas as exact.

Chapter 10

Numerical Architecture: Where Exactness Actually Breaks

10.1 Three distinct float walls

The browser section combined several different notions of resolution. v1.3.2 keeps them separate:

1. relative spacing near one: $\varepsilon_{64} = 2^{-52}$;
 2. exact representation of all integers only through 2^{53} ;
 3. exact representation of selected larger integers that happen to be multiples of the local spacing.
- One cannot infer the exact-integer failure index solely from ε_{64} .

10.2 Exact break indices

Using exact Python integers as ground truth and IEEE binary64 conversion:

quantity	last level satisfying the stated exactness test
T_n represented exactly	$n = 38$
$V_n = 20T_n$ represented exactly	$n = 36$
$E_n = 30T_n$ represented exactly	$n = 35$
$\chi = 20T - 30T + (10T + 2)$ evaluates to 2	$n = 35$
first failed χ	$n = 36$, result 0

The composite invariant can fail before T_n because subtraction magnifies loss of low bits.

10.3 Corrected forward-error measurement

The v1.3.1 code formed

$$\frac{|T_n^{\text{f64}} - \text{Number}(T_n^{\text{BigInt}})|}{\text{Number}(T_n^{\text{BigInt}})}. \quad (10.1)$$

Both operands may share the same rounded binary64 value. The corrected audit converts the recurrence output to its exact rational binary64 value and compares that rational to the exact integer. The first nonzero error occurs at $n = 39$ and the maximum through $n = 159$ is

$$1.0189 \times 10^{-15}. \quad (10.2)$$

The conclusion of forward stability survives; the original error meter was not a valid independent reference.




Figure 10.1: True relative error of the forward recurrence against exact integers. Stability survives the corrected comparator, but the error is not identically zero.

10.4 Backward instability

Starting from rounded values at $n = 60$ and marching

$$T_n = 2T_{n+2} + 2T_{n+1} - T_{n+3} \quad (10.3)$$

backward produces relative errors approximately

$$1.8 \times 10^{-10} \ (n = 50), \quad 9.5 \times 10^6 \ (n = 30), \quad 5.0 \times 10^{23} \ (n = 10), \quad 1.2 \times 10^{32} \ (n = 0). \quad (10.4)$$

The same recurrence is stable in one direction and catastrophically unstable in the other because the dominant and reciprocal modes exchange roles.

10.5 Precision formats

For a format with p significand bits, the scale budget measured in φ^2 rungs is

$$N_{\text{rungs}}(p) = \frac{p \ln 2}{\ln \varphi^2}. \quad (10.5)$$

format	precision bits	rung budget	enough for 147 scale rungs?
binary16	11	7.9	no
binary32	24	17.3	no
binary64	53	38.2	no
x87 extended	64	46.1	no
binary128	113	81.4	no
binary256	237	170.7	yes

The exact integer T_{147} has 205 bits. IEEE 754 binary256 has 237 bits of precision, so it is the first listed interchange format that can represent that integer scale without truncating the significand. This is a format statement, not a claim about current hardware availability or performance.

10.6 The Planck-to-horizon ruler

With the chosen values $\ell_P = 1.616255 \times 10^{-35}$ m and $L_H = 4.4 \times 10^{26}$ m,

$$\frac{\ln(L_H/\ell_P)}{\ln \varphi^2} = 146.9822 \dots \quad (10.6)$$

This is a dimensionless scale-counting exercise. It does not derive the Planck length, prove a minimum length, or imply that a physical process follows the golden ladder.

10.7 Selected precision benchmarks, updated to 9 August 2026

The v1.3.1 table called itself the “ten most precise measurements humanity has made” while containing eleven heterogeneous entries. v1.3.2 uses the narrower title “selected relative-uncertainty benchmarks” and updates the leading clock entry.

benchmark	relative uncertainty	$N(u)$ rungs	source
Cryogenic $^{40}\text{Ca}^+$ ion clock	4.40×10^{-19}	43.92	Zhang et al., PRL 136 (2026) 053202
Multi-ion Sr^+ clock	5.30×10^{-19}	43.72	Filzinger et al., arXiv:2603.23446
$^{27}\text{Al}^+$ single-ion clock	5.50×10^{-19}	43.69	Marshall et al., PRL 2025
$^{88}\text{Sr}^+$ single-ion clock	7.90×10^{-19}	43.31	Lindvall et al., 2025
^{87}Sr lattice clock	8.10×10^{-19}	43.28	Aeppli et al., PRL 133 (2024) 023401
In^+/Yb^+ crystal clock	2.50×10^{-18}	42.11	Hausser et al., PRL 134 (2025) 023201
$^{88}\text{Sr}^+$ absolute frequency vs TAI	9.80×10^{-17}	38.30	Lindvall et al., 2025
Hydrogen $1S$ - $2S$	1.40×10^{-14}	33.15	Parthey et al., PRL 107 (2011) 203001
Electron magnetic moment $g/2$	1.30×10^{-13}	30.83	Fan et al., PRL 130 (2023) 071801
Muon anomaly final precision	1.27×10^{-7}	16.50	Fermilab Muon g-2 final result
Newtonian constant G	2.20×10^{-5}	11.14	CODATA 2022

The table compares published uncertainties under one logarithmic mapping. It does not rank the scientific importance of measurements, and it does not make systematic clock uncertainty, absolute-frequency uncertainty, and fundamental-constant uncertainty the same experimental object.

Chapter 11

The LUCA Spiral Audit and the Handoff to v1.3.2

11.1 The EML operator

The external conjecture defines

$$\boxed{\text{eml}(x, y) = e^x - \text{Log } y}, \quad S \rightarrow 1 \mid \text{eml}(S, S). \quad (11.1)$$

The immediate identities are

$$e = \text{eml}(1, 1), \quad e^x = \text{eml}(x, 1). \quad (11.2)$$

For positive real x ,

$$\text{Log } x = \text{eml}(1, \text{eml}(\text{eml}(1, x), 1)) \quad (11.3)$$

$$= e - \text{Log}(e^e/x) = \log x. \quad (11.4)$$

11.2 Domain and branch ledger

Over $\mathbb{C}$, $\exp(\text{Log } z) = z$ for nonzero z on the principal logarithm, but $\text{Log}(e^z) = z$ only inside a principal strip, modulo branch jumps. Consequently:

- the log chain is exact on stated domains/sheets, not a single global identity of principal branches;
- subtraction $x - y = \text{eml}(\text{Log } x, e^y)$ is exact for the browser's real test domain, while complex y requires strip control;
- the code's convention $\text{Log } 0 = -\infty$ and $e^{-\infty} = 0$ is an extended-real computational lane, not ordinary complex analyticity at zero;
- constructing i from $(-1)^{1/2}$ is branch-dependent; branch-robust downstream real formulas must be checked under conjugation.

v1.3.3 correction

Replace the blanket sentence “the identities on every node are classical algebra over $\mathbb{C}$ (principal branch)” by a per-node domain contract. Each node should carry: domain, excluded points, chosen branch, and whether equality is global, local, or invariant only after a periodic/conjugate consumer.

11.3 What the browser verification proves

LUCA v0.1/v0.2 evaluates chains at 16 deterministic sample points and reports

$$D = -\log_{10}(\text{relative error}), \quad D \leq 15.9. \quad (11.5)$$

A high D is a finite numerical certificate at the sampled points. It is not a symbolic proof of functional identity. The symbolic identities in this chapter supply the proof where their domains are stated; the browser supplies regression protection and branch receipts.

11.4 The light-matrix content transferred from LUCA v0.2

The LUCA golden lane correctly contributes four items:

1. Faddeev–LeVerrier construction of the coefficient list $(1, -3, 0, 3, -1)$;
2. reciprocal-spectrum explanation from anti-palindromy;
3. the exact angle $\theta_\varphi = \arctan(\sqrt{15} - 2\sqrt{3})$;
4. a target/current/error display for the ratio and angular zigzag.

These are integrated into Chapters 4 and 5.

11.5 Finite- N Vogel experiment

For $N = 33$ points placed by

$$r_k = \sqrt{k}, \quad \theta_k = k\alpha, \quad (11.6)$$

the live v0.2 sweep maximizes minimum pairwise separation near

$$\alpha_{33} = 137.6066065^\circ, \quad (11.7)$$

not at the golden angle

$$\alpha_\varphi = \frac{360^\circ}{\varphi^2} = 137.5077641^\circ. \quad (11.8)$$

The difference is about 0.09884° . This refutes an unqualified finite- N optimum claim. The five-point drift table is compatible with movement toward the golden angle, but five finite samples do not prove the limit.




Figure 11.1: The finite- N objective is jagged and its maximizer is not exactly the golden angle.

11.6 Leaf-count null and the 32/33 discrepancy

Using all 33 live spiral nodes, the independent reconstruction of the v0.2 leaf recurrences gives

$$\text{growth} = 1.159672, \quad 95\% \text{ descriptive interval } [1.140910, 1.178742], \quad R^2 = 0.9109. \quad (11.9)$$

Excluding the first constant e gives the 32-point values printed in the handoff scroll:

$$\text{growth} = 1.155084, \quad [1.135961, 1.174529], \quad R^2 = 0.9052. \quad (11.10)$$

Both exclude φ by roughly forty fitted standard errors. The null result is robust; the sample definition was not.




Figure 11.2: The live 33-node leaf counts and their descriptive log-linear fit. Discovery order is a design order, so the fit is not a physical stochastic model.

Chapter 12

The v1.3.2 Integration Contract

12.1 Section map

The recommended living-paper order is:

1. Birth / abstract and status grammar.
2. Constants φ and π .
3. Euler and discrete Gauss–Bonnet.
4. Hexagonal closure norm, matrix, composition, and angle.
5. Light matrix built by Faddeev–LeVerrier.
6. Golden selector, shell catalogue, and selected-not-nested theorem.
7. Golden-ray angle and signed convergence plot.
8. Exact C_{60} adjacency and Laplacian certificate.
9. Graph-tower lane selector: golden, leapfrog, WELD, fixed GC.
10. Conditional continuum matching and finite receipts.
11. $A_2/SU(3)$ quadratic-form correspondence with corrected lattice language.
12. Klein forms and exact symbolic syzygy.
13. Equivariant numerical experiment with deterministic seed/coverage ledger.
14. Float architecture with corrected exact reference.
15. Selected precision benchmarks, dated.
16. LUCA/EML handoff and branch ledger.
17. Honest physical boundary.
18. Reproducibility manifest and frozen lineage.

12.2 HUD contract

Every live shell should show independent rows:

```
CLOSURE pair (k,l), T, V/E/F/P/H, chi, boundary, degree, cert hash
GOLDEN target phi, current k/l, signed error, tolerance, lock state
ANGLE target theta_phi, current theta(k,l), signed error,
      error ratio -> -phi^-2, suppress below numerical floor
SPECTRUM family name, lambda2, T*lambda2, previous delta,
      low-band multiplicities, solver tolerance
BOUNDARY EXACT / COMPUTED / DESIGN / HYPOTHESIS / EXTERNAL
```

No lock may be true while the displayed error exceeds its tolerance. The family name is mandatory because a golden catalogue, leapfrog tower, and WELD tower are not interchangeable.

12.3 Compute gate

Before allocating a shell, predict

$$V_{\text{next}} = SV_{\text{current}} \quad (12.1)$$

for a fixed area multiplier S , or compute $20T(k', \ell')$ for a selected pair. Refuse before allocation if the vertex, edge, memory, or eigensolver budget is exceeded. The refusal must print the predicted price.

12.4 Deterministic receipt schema

```
{
  "schema": "thea.light-matrix.receipt.v1.3.2",
  "family": "golden-selected | leapfrog | weld | gc-fixed",
  "pair": {"k": "21", "ell": "13"},
  "counts": {"T": "883", "V": "17660", "E": "26490",
    "F": "8832", "P": "12", "H": "8820", "chi": "2"},
  "topology": {"boundary_edges": 0, "nonmanifold_edges": 0,
    "degree3_vertices": 17660, "connected": true},
  "golden": {"target": 1.6180339887498948,
    "current": 1.6153846153846154,
    "signed_error": -0.0026493733652794},
  "angle": {"target_deg": 22.23875609296496,
    "current_deg": 22.264023, "signed_error_deg": 0.025267},
  "spectrum": {"method": "Lanczos full reorthogonalization",
    "lambda2": 0.0008208191343368484,
    "T_lambda2": 0.7247832956194371,
    "residual_tolerance": 1e-10},
  "status": {"closure": "EXACT", "spectrum": "COMPUTED"}
}
```

The timestamp belongs outside the hashed mathematical payload. Random experiments must carry a fixed seed or deterministic point set.

12.5 Regression tests

At minimum:

1. exact integer tests for norm, metric similarity, composition, and shell counts;
2. exact characteristic polynomial of $\mathcal{M}_{\text{light}}$ and coefficient anti-palindromy;
3. exact golden-angle radical equality;
4. exact C_{60} graph counts and characteristic factorization;
5. exact Klein syzygy and projective-gradient checks;
6. branch-domain tests for EML nodes, including excluded points;
7. deterministic spectral smoke tests for C_{20} , C_{60} , C_{140} ;
8. float comparator test against rationalized binary64, not rounded exact operands;
9. byte scan for malformed Unicode and line endings;
10. certificate regeneration on a second path with identical math hash.

12.6 Honest physical boundary

Honest boundary

This tower does not derive a particle mass, coupling constant, cross-section, decay rate, Planck length, or Standard Model observable. It does not prove that spacetime, photons, quantum foam, or molecular stability are generated by fullerene graphs. It supplies an exact mathematical generator, several exact correspondences, finite spectral experiments, and a disciplined forward-model laboratory. A physical theory begins only when a dynamical law and an observable not inserted by construction differ from existing physics and survive experiment.

Chapter 13

Copy-Ready Formula Tower

13.1 Core constants and topology

$$\varphi = \frac{1 + \sqrt{5}}{2} = 2 \cos \frac{\pi}{5}, \quad \varphi^2 = \varphi + 1, \quad \varphi^{-2} = 2 - \varphi, \quad (13.1)$$

$$3V = 2E, \quad 5P + 6H = 2E, \quad V - E + P + H = 2, \quad (13.2)$$

$$P = 12, \quad E = \frac{3V}{2}, \quad H = \frac{V}{2} - 10, \quad (13.3)$$

$$\frac{\pi}{3} \sum_f (6 - p_f) = 4\pi. \quad (13.4)$$

13.2 Closure ring

$$\zeta_6 = e^{i\pi/3}, \quad T = k^2 + k\ell + \ell^2, \quad (13.5)$$

$$M_{k,\ell} = \begin{pmatrix} k & -\ell \\ \ell & k + \ell \end{pmatrix}, \quad \det M_{k,\ell} = T, \quad (13.6)$$

$$M_{k,\ell}^\top Q M_{k,\ell} = TQ, \quad Q = \begin{pmatrix} 1 & 1/2 \\ 1/2 & 1 \end{pmatrix}, \quad (13.7)$$

$$(k', \ell') = (ak - b\ell, a\ell + bk + b\ell), \quad T' = (a^2 + ab + b^2)T, \quad (13.8)$$

$$\theta_{k,\ell} = \text{atan2}(\sqrt{3}\ell, 2k + \ell). \quad (13.9)$$

13.3 Golden lane

$$\begin{pmatrix} k_{n+1} \\ \ell_{n+1} \end{pmatrix} = \begin{pmatrix} 1 & 1 \\ 1 & 0 \end{pmatrix} \begin{pmatrix} k_n \\ \ell_n \end{pmatrix}, \quad (k_n, \ell_n) = (F_{n+1}, F_n), \quad (13.10)$$

$$T_n = k_n^2 + k_n \ell_n + \ell_n^2, \quad T_{n+3} = 2T_{n+2} + 2T_{n+1} - T_n, \quad (13.11)$$

$$T_n = \frac{2}{5}(\varphi^{2n+2} + \varphi^{-2n-2}) - \frac{1}{5}(-1)^n, \quad \frac{T_{n+1}}{T_n} \rightarrow \varphi^2, \quad (13.12)$$

$$\theta_\varphi = \arctan(\sqrt{15} - 2\sqrt{3}), \quad \frac{\theta_{n+1} - \theta_\varphi}{\theta_n - \theta_\varphi} \rightarrow -\varphi^{-2}. \quad (13.13)$$

13.4 Light matrix

$$\mathcal{M}_{\text{light}} = \begin{pmatrix} 1 & 2 & 1 & 0 \\ 1 & 1 & 0 & 0 \\ 1 & 0 & 0 & 0 \\ 0 & 0 & 0 & 1 \end{pmatrix}, \quad (13.14)$$

$$\det(\lambda I - \mathcal{M}_{\text{light}}) = (\lambda - 1)(\lambda + 1)(\lambda^2 - 3\lambda + 1), \quad (13.15)$$

$$\text{spec}(\mathcal{M}_{\text{light}}) = \{\varphi^2, 1, -1, \varphi^{-2}\}, \quad (13.16)$$

$$p(\lambda) = \lambda^4 - 3\lambda^3 + 3\lambda - 1 = -\lambda^4 p(1/\lambda). \quad (13.17)$$

13.5 C_{60} and graph spectra

$$L = 3I - A, \quad (13.18)$$

$$\lambda_{\min}(A_{60}) = -\varphi^2, \quad (13.19)$$

$$\lambda_2(L_{60}) = \frac{9}{4} - \frac{\sqrt{2}}{8}(\sqrt{10} + 2\sqrt{19 - \sqrt{5}}), \quad (13.20)$$

$$T\lambda_2 \sim \frac{2\pi}{5\sqrt{3}} \quad \text{under the stated continuum matching assumptions.} \quad (13.21)$$

13.6 A_2 , $SU(3)$, and Klein

$$T(p, q) = p^2 + pq + q^2, \quad (13.22)$$

$$C_2(p, q) = \frac{1}{3}(T(p, q) + 3p + 3q), \quad (13.23)$$

$$\dim(p, q) = \frac{1}{2}(p+1)(q+1)(p+q+2), \quad (13.24)$$

$$T_{30}^2 + H_{20}^3 = 1728f_{12}^5, \quad (13.25)$$

$$g_F = [F_w : -F_z]. \quad (13.26)$$

Part I

The Calculation-by-Calculation Expansion

Chapter 14

Master Calculation Ledger: C01–C38

Every rung below separates the derivation, the executable receipt, and the boundary. Repetition is deliberate: the user asked for a tower in which no result depends on finding a compressed statement elsewhere.

14.1 C01 – Euler forces twelve pentagons

EXACT

Derivation

For a closed trivalent sphere tiled only by pentagons and hexagons,

$$3V = 2E, \quad 5P + 6H = 2E, \quad V - E + P + H = 2.$$

Substitute $V = 2E/3$ into Euler:

$$-\frac{E}{3} + P + H = 2 \implies E = 3(P + H - 2).$$

Equating this with $E = (5P + 6H)/2$ gives

$$5P + 6H = 6P + 6H - 12 \implies \boxed{P = 12}.$$

No metric geometry, fit, or fullerene catalogue enters the elimination.

Independent receipt

SymPy elimination returns

$$P = 12, \quad V = 2H + 20, \quad E = 3H + 30.$$

The frozen verifier records PASS.

14.2 C02 – C_{60} counts from $T = 3$

EXACT

Derivation

For an icosahedral Goldberg shell with triangulation number T ,

$$V = 20T, \quad E = 30T, \quad P = 12, \quad H = 10(T - 1), \quad F = P + H = 10T + 2.$$

At $T = 3$,

$$V = 60, \quad E = 90, \quad P = 12, \quad H = 20, \quad F = 32,$$

and therefore

$$\chi = V - E + F = 60 - 90 + 32 = \boxed{2}.$$

Independent receipt

The exact tuple reproduced by the verifier is

$$(T, V, E, P, H, F, \chi) = (3, 60, 90, 12, 20, 32, 2).$$

14.3 C03 – Discrete Gauss–Bonnet charge

EXACT

Derivation

Assign each p -gon in a trivalent tiling the defect

$$K_p = \frac{\pi}{3}(6 - p).$$

A hexagon contributes zero; a pentagon contributes $\pi/3$. Since C01 gives $P = 12$,

$$\sum_f K_f = 12 \frac{\pi}{3} = \boxed{4\pi}.$$

Equivalently,

$$\frac{\pi}{3} \sum_f (6 - p_f) = 4\pi.$$

Independent receipt

The symbolic result is exactly 4π ; no floating arithmetic is used.

14.4 C04 – Hexagonal closure determinant

EXACT

Derivation

Represent $z = k + \ell\zeta_6$ by

$$M_{k,\ell} = \begin{pmatrix} k & -\ell \\ \ell & k + \ell \end{pmatrix}.$$

Then

$$\det M_{k,\ell} = k(k + \ell) + \ell^2 = \boxed{k^2 + k\ell + \ell^2} = T.$$

Thus the area multiplier is the Eisenstein/hexagonal norm.

Independent receipt

SymPy factors $\det M_{k,\ell} - T$ to zero.

14.5 C05 – Hexagonal metric similarity

EXACT

Derivation

Use the integer metric

$$Q_2 = \begin{pmatrix} 2 & 1 \\ 1 & 2 \end{pmatrix}.$$

Direct multiplication gives

$$M_{k,\ell}^T Q_2 M_{k,\ell} = \begin{pmatrix} 2T & T \\ T & 2T \end{pmatrix} = T Q_2.$$

Dividing by two yields the same identity for $Q = \begin{pmatrix} 1 & 1/2 \\ 1/2 & 1 \end{pmatrix}$. Hence $M_{k,\ell}/\sqrt{T}$ is a Q -orthogonal rotation.

Independent receipt

Every entry of $M^T Q M - T Q$ simplifies symbolically to zero.

14.6 C06 – Closure composition

EXACT

Derivation

Let $g = a + b\zeta_6$ and $z = k + \ell\zeta_6$, with $\zeta_6^2 = \zeta_6 - 1$. Then

$$\begin{aligned} gz &= (a + b\zeta_6)(k + \ell\zeta_6) \\ &= (ak - b\ell) + (a\ell + bk + b\ell)\zeta_6. \end{aligned}$$

Therefore

$$(k', \ell') = (ak - b\ell, a\ell + bk + b\ell), \quad M_{a,b}M_{k,\ell} = M_{k',\ell'}.$$

Independent receipt

The four entries of $M_{a,b}M_{k,\ell} - M_{k',\ell'}$ expand to zero.

14.7 C07 – Hexagonal norm multiplicativity

EXACT

Derivation

Insert the pair from C06 into the norm:

$$N(k', \ell') = k'^2 + k'\ell' + \ell'^2.$$

Expansion and collection give

$$N(k', \ell') = (a^2 + ab + b^2)(k^2 + k\ell + \ell^2) = \boxed{N(g)N(z)}.$$

The result is also immediate from determinants: $\det(M_g M_z) = \det M_g \det M_z$.

Independent receipt

The fully expanded polynomial residual is identically zero.

14.8 C08 – Leapfrog multiplier and exact count tower

EXACT

Derivation

For the fixed generator $g = 1 + \zeta_6$, the norm is

$$S = N(1, 1) = 1 + 1 + 1 = 3.$$

After n applications,

$$T_n = 3^n T_0, \quad V_n = 20T_n.$$

Starting at $T_0 = 1$ gives

$$C_{20} \rightarrow C_{60} \rightarrow C_{180} \rightarrow C_{540} \rightarrow C_{1620} \rightarrow \cdots,$$

with linear multiplier $\sqrt{3}$.

Independent receipt

The verifier reproduces vertex counts 20, 60, 180, 540, 1620 and $\sqrt{3} = 1.732050807568877 \dots$

14.9 C09 – Golden selection is not fixed golden nesting

EXACT

CORRECTION

Derivation

Every fixed exact Goldberg transform has integer area multiplier

$$S = a^2 + ab + b^2 \in \mathbb{Z}.$$

Its linear multiplier is $\sqrt{S}$. Exact nesting by φ would require

$$\sqrt{S} = \varphi \implies S = \varphi^2 = \frac{3 + \sqrt{5}}{2},$$

which is irrational. Therefore

no fixed exact Goldberg transform has linear multiplier φ .

Independent receipt

The proof is arithmetic, not a finite search. The finite search in the verifier is only a regression guard.

Boundary

The Fibonacci lane is a catalogue of independently closed shells whose successive scale ratios approach φ ; it is not one exactly nested fixed operator.

14.10 C10 – Fibonacci selector pairs

EXACT

Derivation

Let

$$F_\varphi = \begin{pmatrix} 1 & 1 \\ 1 & 0 \end{pmatrix}, \quad \begin{pmatrix} k_{n+1} \\ \ell_{n+1} \end{pmatrix} = F_\varphi \begin{pmatrix} k_n \\ \ell_n \end{pmatrix}, \quad (k_0, \ell_0) = (1, 0).$$

Induction gives

$$(k_n, \ell_n) = (F_{n+1}, F_n).$$

The first pairs are

$$(1, 0), (1, 1), (2, 1), (3, 2), (5, 3), (8, 5), (13, 8), (21, 13).$$

Independent receipt

All eight exact integer pairs match the source catalogue.

14.11 C11 – Projective golden error identity

EXACT

Derivation

For $r_n = k_n/\ell_n$,

$$r_{n+1} = 1 + \frac{1}{r_n}.$$

Using $\varphi = 1 + 1/\varphi$,

$$\begin{aligned} r_{n+1} - \varphi &= \frac{1}{r_n} - \frac{1}{\varphi} \\ &= -\frac{r_n - \varphi}{\varphi r_n}. \end{aligned}$$

Near the fixed point $r_n = \varphi$,

$$r_{n+1} - \varphi \sim -\varphi^{-2}(r_n - \varphi).$$

Independent receipt

The symbolic identity reduces to zero modulo $\varphi^2 - \varphi - 1 = 0$.

14.12 C12 – Golden triangulation sequence

EXACT

Derivation

For the pairs in C10,

$$T_n = k_n^2 + k_n \ell_n + \ell_n^2.$$

Substitution gives

$$[1, 3, 7, 19, 49, 129, 337, 883, 2311, 6051, \dots].$$

Every entry is an integer closure certificate, not a rounded geometric scale.

Independent receipt

The first ten terms are independently regenerated from exact Fibonacci integers.

14.13 C13 – Golden T recurrence

EXACT

Derivation

The three quadratic modes of the Fibonacci lift have roots

$$\varphi^2, -1, \varphi^{-2}.$$

Their monic polynomial is

$$(r - \varphi^2)(r + 1)(r - \varphi^{-2}) = r^3 - 2r^2 - 2r + 1.$$

Therefore

$$T_{n+3} = 2T_{n+2} + 2T_{n+1} - T_n.$$

Independent receipt

The recurrence reproduces every exact term tested through 30 levels.

14.14 C14 – Closed form for T_n

EXACT

Derivation

Solving the recurrence of C13 from $T_0 = 1, T_1 = 3, T_2 = 7$ yields

$$T_n = \frac{2}{5} \left(\varphi^{2n+2} + \varphi^{-2n-2} \right) - \frac{1}{5} (-1)^n.$$

The reciprocal term is the contracting mode and the $(-1)^n$ term is the alternating correction.

Independent receipt

SymPy simplifies the expression to the exact integer T_n for $n = 0, \dots, 19$; the last tested value is 91,530,451.

14.15 C15 – T_{n+1}/T_n alternates around φ^2

EXACT

CORRECTION

Derivation

Because C14 contains both a reciprocal correction and an alternating term, the ratio need not be monotone. The first post-seed ratios are

$$\frac{7}{3} = 2.3333\dots, \quad \frac{19}{7} = 2.7142\dots, \quad \frac{49}{19} = 2.5789\dots, \quad \frac{129}{49} = 2.6326\dots,$$

which lie on alternating sides of

$$\varphi^2 = 2.6180339887\dots$$

The corrections vanish, so the limit remains φ^2 .

Independent receipt

The sign of $T_{n+1}/T_n - \varphi^2$ alternates at every tested level.

Boundary

The phrase “climbs to φ^2 ” is replaced by “converges alternately to φ^2 .”

14.16 C16 – Golden-ray angle in radicals**EXACT****Derivation**

For $z = k + \ell\zeta_6$,

$$\theta_{k,\ell} = \arg z = \arctan\left(\frac{\sqrt{3}\ell}{2k + \ell}\right).$$

Along $k/\ell \rightarrow \varphi$,

$$\begin{aligned}\theta_\varphi &= \arctan\left(\frac{\sqrt{3}}{2\varphi + 1}\right) \\ &= \arctan\left(\frac{\sqrt{3}}{\sqrt{5} + 2}\right) \\ &= \boxed{\arctan(\sqrt{15} - 2\sqrt{3})}.\end{aligned}$$

Numerically,

$$\theta_\varphi = 0.3881395153701887\dots = 22.23875609296496\dots^\circ.$$

Independent receipt

The two radical forms differ by 3.33×10^{-16} radians in binary64.

14.17 C17 – Angular contraction**EXACT****COMPUTED****Derivation**

Write $\theta_n = f(r_n)$ with

$$f(r) = \arctan\left(\frac{\sqrt{3}}{2r + 1}\right).$$

Since $f'(\varphi) \neq 0$, first-order Taylor expansion gives

$$\theta_n - \theta_\varphi = f'(\varphi)(r_n - \varphi) + \mathcal{O}((r_n - \varphi)^2).$$

Combining with C11,

$$\frac{\theta_{n+1} - \theta_\varphi}{\theta_n - \theta_\varphi} \longrightarrow -\varphi^{-2}.$$

Independent receipt

At the last stable reported level the measured ratio is -0.3819660304 , versus $-\varphi^{-2} = -0.3819660113\dots$

Boundary

Ratios below the float-error floor are suppressed rather than interpreted.

14.18 C18 – Symmetric-square light-matrix lift

EXACT

Derivation

From $k' = k + \ell$ and $\ell' = k$,

$$\begin{aligned} k'^2 &= k^2 + 2k\ell + \ell^2, \\ k'\ell' &= k^2 + k\ell, \\ \ell'^2 &= k^2. \end{aligned}$$

Thus, for $s = (k^2, k\ell, \ell^2, P)^\top$,

$$\mathcal{M}_{\text{light}} = \begin{pmatrix} 1 & 2 & 1 & 0 \\ 1 & 1 & 0 & 0 \\ 1 & 0 & 0 & 0 \\ 0 & 0 & 0 & 1 \end{pmatrix}, \quad s_{n+1} = \mathcal{M}_{\text{light}} s_n.$$

Independent receipt

Symbolic multiplication reproduces $((k + \ell)^2, k(k + \ell), k^2, P)^\top$ exactly.

14.19 C19 – Faddeev–LeVerrier coefficient list

EXACT

Derivation

For $M = \mathcal{M}_{\text{light}}$, the power traces are

$$p_1 = \text{tr } M = 3, \quad p_2 = 9, \quad p_3 = 18, \quad p_4 = 49.$$

Newton/Faddeev–LeVerrier identities give

$$\begin{aligned} c_1 &= -p_1 = -3, \\ c_2 &= -\frac{1}{2}(p_2 + c_1 p_1) = 0, \\ c_3 &= -\frac{1}{3}(p_3 + c_1 p_2 + c_2 p_1) = 3, \\ c_4 &= -\frac{1}{4}(p_4 + c_1 p_3 + c_2 p_2 + c_3 p_1) = -1. \end{aligned}$$

Therefore

$$p(\lambda) = \lambda^4 - 3\lambda^3 + 0\lambda^2 + 3\lambda - 1.$$

Independent receipt

The live LUCA source and the independent SymPy calculation both return coefficients $(1, -3, 0, 3, -1)$.

14.20 C20 – Characteristic factorization

EXACT

Derivation

Factor the polynomial from C19:

$$\begin{aligned} p(\lambda) &= (\lambda^2 - 1)(\lambda^2 - 3\lambda + 1) \\ &= (\lambda - 1)(\lambda + 1)(\lambda^2 - 3\lambda + 1). \end{aligned}$$

Independent receipt

Expansion of the factored form exactly recovers the coefficient list.

14.21 C21 – Anti-palindromy and reciprocal closure

EXACT

Derivation

For $p(\lambda) = \lambda^4 - 3\lambda^3 + 3\lambda - 1$,

$$-\lambda^4 p(1/\lambda) = -\lambda^4 (\lambda^{-4} - 3\lambda^{-3} + 3\lambda^{-1} - 1) = p(\lambda).$$

Hence

$$p(\lambda) = -\lambda^4 p(1/\lambda).$$

Every nonzero root is accompanied by its reciprocal.

Independent receipt

The symbolic anti-palindromic residual is exactly zero.

14.22 C22 – Reciprocal light-matrix spectrum

EXACT

Derivation

The linear factors give $\lambda = \pm 1$. The quadratic gives

$$\lambda = \frac{3 \pm \sqrt{5}}{2} = \varphi^2, \varphi^{-2}.$$

Therefore

$$\text{spec}(\mathcal{M}_{\text{light}}) = \{\varphi^2, 1, -1, \varphi^{-2}\}.$$

Independent receipt

SymPy returns four simple eigenvalues with exactly these radicals.

14.23 C23 – Exact eigenbasis

EXACT

Derivation

A convenient basis is

λ	v
φ^2	$(\varphi^2, \varphi, 1, 0)^\top$
1	$(0, 0, 0, 1)^\top$
-1	$(-2, 1, 2, 0)^\top$
φ^{-2}	$(\varphi^{-2}, -\varphi^{-1}, 1, 0)^\top$.

Direct substitution verifies $\mathcal{M}_{\text{light}}v = \lambda v$ in every row.

Independent receipt

All four exact vector residuals simplify to the zero vector.

14.24 C24 – C_{60} graph topology certificate

EXACT

Derivation

The truncated icosahedron graph reconstructed from oriented icosahedron edges has

$$|V| = 60, \quad |E| = 90, \quad \deg(v) = 3 \quad \forall v.$$

A planar embedding enumerates 32 faces: twelve of length five and twenty of length six.
Thus

$$\chi = 60 - 90 + 32 = 2.$$

Independent receipt

NetworkX independently reports `connected = true`, degree set $\{3\}$, face counts $\{5 : 12, 6 : 20\}$, and $\chi = 2$.

14.25 C25 – Complete C_{60} adjacency characteristic polynomial**EXACT****Derivation**

For the exact integer adjacency matrix A_{60} ,

$$\begin{aligned}\chi_A(x) &= (x-3)(x-1)^9(x+2)^4(x^2-x-3)^5(x^2+x-4)^4 \\ &\quad \times (x^2+x-1)^5(x^2+3x+1)^3 \\ &\quad \times (x^4-3x^3-2x^2+7x+1)^3.\end{aligned}$$

The degrees including multiplicity sum to 60, as required.

Independent receipt

The exact SymPy determinant/factorization equals the displayed polynomial and has total degree 60.

14.26 C26 – Minimum C_{60} adjacency eigenvalue**EXACT****COMPUTED****Derivation**

The factor $x^2 + 3x + 1$ has roots

$$\frac{-3 \pm \sqrt{5}}{2}.$$

The smaller is

$$\lambda_{\min}(A_{60}) = -\frac{3 + \sqrt{5}}{2} = -\varphi^2.$$

Because the quadratic factor occurs to the third power, the multiplicity is three.

Independent receipt

Numerical diagonalization gives -2.618033988749895 with a triplet, matching the radical.

14.27 C27 – C₆₀ Fiedler radical and quartic

EXACT

COMPUTED

Derivation

For a cubic graph, $L = 3I - A$. The first positive Laplacian eigenvalue is

$$\lambda_2(L_{60}) = \frac{9}{4} - \frac{\sqrt{2}}{8} \left(\sqrt{10} + 2\sqrt{19 - \sqrt{5}} \right).$$

It is a root of

$$q(x) = x^4 - 9x^3 + 25x^2 - 22x + 4.$$

Substituting the radical into q gives zero symbolically; substituting the numerical eigensolver value gives a machine-level residual.

Independent receipt

Radical = 0.2434017461399326; numerical diagonalization = 0.2434017461399247; difference 7.88×10^{-15} ; quartic residual 8.93×10^{-14} .

14.28 C28 – C₆₀ low-band multiplicities

COMPUTED

Derivation

Sort the eigenvalues of $L = 3I - A$ and group values within the stated numerical tolerance. The beginning of the spectrum is

$$\begin{array}{lll} 0, & 0.2434017461 \ (\times 3), & 0.6972243623 \ (\times 5), \\ 1.1797507493 \ (\times 3), & & 1.4384471872 \ (\times 4), \dots \end{array}$$

The 3, 5, (3 + 4) pattern is the finite icosahedral splitting expected near spherical harmonic multiplicities.

Independent receipt

The independent dense diagonalization reproduces every displayed multiplicity.

Boundary

Multiplicity agreement is a graph-spectral fact. It is not by itself a molecular Hamiltonian or spacetime spectrum.

14.29 C29 – Conditional continuum coefficient $2\pi/(5\sqrt{3})$

EXACT

HYPOTHESIS

CORRECTION

Derivation

For three honeycomb bond vectors $\delta_i = a\hat{e}_i$ at 120° ,

$$Lf(x) = \sum_i (f(x) - f(x + \delta_i)) \approx -\frac{3a^2}{4} \nabla^2 f.$$

The area per honeycomb vertex is $3\sqrt{3}a^2/4$. Matching $20T$ vertices to a sphere gives

$$20T \frac{3\sqrt{3}}{4} a^2 = 4\pi R^2, \quad \frac{a^2}{R^2} = \frac{4\pi}{15\sqrt{3}T}.$$

Using the $\ell = 1$ sphere eigenvalue $2/R^2$,

$$T\lambda_2 \sim T \frac{3a^2}{4} \frac{2}{R^2} = \boxed{\frac{2\pi}{5\sqrt{3}}} = 0.725519745693687 \dots$$

Independent receipt

Every algebraic step is exact conditional on the stencil, area matching, and mode identification.

Boundary

The displayed coefficient is not a proved universal limit of every discrete fullerene family. The graph data remain a computed trend.

14.30 C30 – $SU(3)$ Casimir and dimension formulas

EXACT

Derivation

For Dynkin labels (p, q) ,

$$C_2(p, q) = \frac{1}{3} (p^2 + pq + q^2 + 3p + 3q),$$

so

$$3C_2(p, q) = T(p, q) + 3(p + q), \quad T(p, q) = p^2 + pq + q^2.$$

The Weyl dimension formula specializes to

$$\boxed{\dim(p, q) = \frac{1}{2}(p+1)(q+1)(p+q+2)}.$$

Examples are $(1, 0) \mapsto 3$, $(1, 1) \mapsto 8$, $(2, 1) \mapsto 15$, and $(3, 2) \mapsto 42$.

Independent receipt

The polynomial identity and seven standard dimensions are reproduced exactly.

14.31 C31 – A_2 root lattice versus weight lattice

EXACT

CORRECTION

Derivation

The A_2 Cartan matrix is

$$A = \begin{pmatrix} 2 & -1 \\ -1 & 2 \end{pmatrix}, \quad \det A = 3.$$

The root lattice $Q(A_2)$ is an index-three sublattice of the weight lattice $P(A_2)$:

$$P(A_2)/Q(A_2) \cong \mathbb{Z}/3\mathbb{Z}.$$

Both are hexagonal up to duality and normalization, but they are not literally the same lattice.

Independent receipt

The determinant and quotient order are exact.

Boundary

The common quadratic form supports a mathematical cross-indexing only; it does not identify fullerene shells with QCD states.

14.32 C32 – Klein icosahedral syzygy

EXACT

Derivation

For Klein's binary invariants of degrees 12, 20, 30,

$$f_{12} = zw(z^{10} + 11z^5w^5 - w^{10}),$$

with the corresponding H_{20} and T_{30} ,

$$\boxed{T_{30}^2 + H_{20}^3 = 1728f_{12}^5}.$$

All three terms have homogeneous degree 60, so the relation is degree-consistent before coefficient comparison.

Independent receipt

Full symbolic expansion gives the zero polynomial, stronger than the source's random-point numerical residual.

14.33 C33 – Klein gradient equivariants

EXACT

Derivation

For a homogeneous form $F(z, w)$ of degree d define

$$g_F = [F_w : -F_z].$$

Both coordinates have degree $d - 1$, so the projective map is well-defined. Applying this to the degree-12, degree-20, and degree-30 forms gives maps of degrees

$$11, \quad 19, \quad 29.$$

Independent receipt

The independent symbolic differentiations reproduce the three projective gradient maps and their degrees.

Boundary

Finite random-seed basin enumeration is a separate COMPUTED coverage experiment, not an exact consequence of the gradient formula.

14.34 C34 – Binary64 exactness break indices

COMPUTED

CORRECTION

Derivation

Generate exact Fibonacci integers and exact

$$T_n = k_n^2 + k_n \ell_n + \ell_n^2, \quad V_n = 20T_n, \quad E_n = 30T_n.$$

Convert each integer to binary64 and test equality against the original integer, rather than against another rounded copy. The last exact indices are

$$T : 38, \quad V : 36, \quad E : 35.$$

At the first failed Euler calculation, rounded subtraction can even return a plausible but false $\chi = 0$.

Independent receipt

The independent integer/float ledger reproduces T_{38} as the last exactly represented T , V_{36} as the last exact V , and E_{35} as the last exact E .

Boundary

An exact-looking float equality is not evidence unless the reference side remains exact.

14.35 C35 – Forward stability and backward instability

COMPUTED

CORRECTION

Derivation

Advance

$$T_{n+3} = 2T_{n+2} + 2T_{n+1} - T_n$$

in binary64 and compare each result as an exact rational binary64 number against the exact integer T_n . The first nonzero error appears at $n = 39$, and the maximum relative error through $n = 159$ remains about 1.02×10^{-15} .

Backward iteration inverts the mode hierarchy: the reciprocal mode becomes dominant. Starting from rounded high-level data, the relative error grows catastrophically toward small n .

Independent receipt

Backward relative errors are approximately 1.81×10^{-10} at $n = 50$, 9.46×10^6 at $n = 30$, 4.95×10^{23} at $n = 10$, and 1.19×10^{32} at $n = 0$.

Boundary

Forward stability does not imply reversibility. The original shared-rounding comparator is retired.

14.36 C36 – Precision formats and the T_{147} bit budget

EXACT

COMPUTED

CORRECTION

Derivation

The exact integer size is

$$\text{bits}(T_{147}) = \lfloor \log_2 T_{147} \rfloor + 1 = 205.$$

IEEE significand widths are

$$11, 24, 53, 113, 237$$

for binary16, binary32, binary64, binary128, and binary256 respectively. Therefore binary128 cannot hold an arbitrary 205-bit integer exactly, while binary256 can.

Independent receipt

The exact Python integer reports bit length 205. The standard binary256 significand is 237 bits.

Boundary

“256-bit mantissa” is replaced by the standard term “237-bit significand in binary256.”

14.37 C37 – EML positive-real identity and branch ledger

EXACT

COMPUTED

CORRECTION

Derivation

Define

$$\text{eml}(x, y) = e^x - \text{Log } y.$$

On positive real x the source's logarithm chain satisfies the intended identity to binary64 precision. On the complex plane, however,

$$\text{Log}(e^z) = z + 2\pi i k$$

for a branch-dependent integer k ; for example at $z = 1 + 4i$ the principal branch differs from z by $-2\pi i$.

Independent receipt

The maximum positive-real error in the independent check is 1.11×10^{-16} , while the complex example returns exactly the expected $-2\pi i$ branch shift.

Boundary

Every EML identity must carry a domain and branch sheet. A 16-point numerical lock is a regression sieve, not a global symbolic proof.

14.38 C38 – LUCA leaf regression, Vogel sweep, and Fibonacci fingerprint

COMPUTED

REFUTED

CORRECTION

Derivation

Three different finite calculations are kept separate:

1. A log-linear fit of pure-EML leaf count against discovery-order index excludes growth by φ by roughly forty standard errors in the source's 32-point convention.
2. A finite $N = 33$ Vogel sweep maximizing minimum pairwise distance peaks near 137.6066° , not exactly at the golden angle 137.5078° .
3. Nearest-neighbour index gaps under the golden layout are 3, 5, 8, 13, a discrete Fibonacci fingerprint requiring no regression.

Independent receipt

The independent audit also exposes the 32/33 convention: the live array contains 33 spiral nodes; excluding the initial e reproduces the handoff's 32-point coefficients.

Boundary

The finite- N optimum and leaf-growth null are negative results. The drift of finite optima toward the golden angle remains a computed trend, not a proof of the $N \rightarrow \infty$ optimizer.

Chapter 15

LUCA Source Replay: One Rung per Primitive

The following 35 rows include the EML definition, the terminal 1, and all 33 displayed primitives. The formulas are classical branch-qualified identities; the digits and EML-call prices are live measurements from the unmodified v0.2 JavaScript core.




Figure 15.1: Worst correct digits for every live LUCA calculation. The lock threshold is $D = 9$.




Figure 15.2: The finite verification price paid by each LUCA calculation.

15.1 E01 – eml - the LUCA

EXACT

COMPUTED

Derivation

$$\text{eml}(x, y) = e^x - \text{Log } y.$$

Pure-EML route. the axiom - nothing lowers it

Declared ancestors. none (axiom/definition).

Source-chain leaf count. not applicable.

Paper/source comparison. -.

Independent receipt

The unmodified LUCA v0.2 source verifier used 16 calls to eml for this row. Its worst agreement was

$$D = -\log_{10}(\text{relative error}) = 15.900000000000,$$

reported at $(-3.00, 1.40)$. The lock threshold is $D \geq 9$, so this row is **PASS**.

Boundary

Definition over the principal complex logarithm; $y = 0$ uses the source's explicit extended-real lane.

15.2 E02 – 1 - the terminal

EXACT

Derivation

1 (distinguished terminal).

Pure-EML route. the seed - $\ln(1) = 0$ neutralizes the log term

Declared ancestors. none (axiom/definition).

Source-chain leaf count. not applicable.

Paper/source comparison. $K = 1$.

Independent receipt

The unmodified LUCA v0.2 source verifier used 0 calls to eml for this row. Its worst agreement was

$$D = -\log_{10}(\text{relative error}) = 15.9000000000000,$$

reported at **axiomatic**. The lock threshold is $D \geq 9$, so this row is **PASS**.

Boundary

Axiom, not derived or numerically fitted.

15.3 E03 – e

EXACT

COMPUTED

Derivation

$e = \text{eml}(1, 1)$.

Pure-EML route. $\text{eml}(1, 1)$

Declared ancestors. eml, one.

Source-chain leaf count. 2.

Paper/source comparison. -.

Independent receipt

The unmodified LUCA v0.2 source verifier used 1 calls to eml for this row. Its worst agreement was

$$D = -\log_{10}(\text{relative error}) = 15.9000000000000,$$

reported at **single value**. The lock threshold is $D \geq 9$, so this row is **PASS**.

Boundary

Globally safe because $\text{Log } 1 = 0$.

15.4 E04 – exp

EXACT

COMPUTED

Derivation

$$e^z = \text{eml}(z, 1).$$

Pure-EML route. $\text{eml}(z, 1)$

Declared ancestors. eml , one.

Source-chain leaf count. 2.

Paper/source comparison. depth 1 (paper).

Independent receipt

The unmodified LUCA v0.2 source verifier used 16 calls to eml for this row. Its worst agreement was

$$D = -\log_{10}(\text{relative error}) = 15.900000000000,$$

reported at -3.000. The lock threshold is $D \geq 9$, so this row is **PASS**.

Boundary

Globally safe as the logarithmic input is the terminal 1.

15.5 E05 – ln

EXACT

COMPUTED

Derivation

$$\text{Log } z = \text{eml}(1, \text{eml}(\text{eml}(1, z), 1)).$$

Pure-EML route. $\text{eml}(1, \text{eml}(\text{eml}(1, z), 1))$ - Eq. (5), pure $\text{eml}/1$

Declared ancestors. eml , one.

Source-chain leaf count. 4.

Paper/source comparison. $K = 7$ (paper Eq. 5).

Independent receipt

The unmodified LUCA v0.2 source verifier used 48 calls to eml for this row. Its worst agreement was

$$D = -\log_{10}(\text{relative error}) = 15.171647462164,$$

reported at 1.281. The lock threshold is $D \geq 9$, so this row is **PASS**.

Boundary

Identity requires the compatible branch on which the outer principal logarithm does not introduce a $2\pi i$ shift; positive real inputs are safe.

15.6 E06 – subtraction

EXACT

COMPUTED

Derivation

$$x - y = \text{eml}(\text{Log } x, e^y).$$

Pure-EML route. `eml(ln x, exp y)`

Declared ancestors. `eml, ln, exp`.

Source-chain leaf count. 6.

Paper/source comparison. -.

Independent receipt

The unmodified LUCA v0.2 source verifier used 80 calls to `eml` for this row. Its worst agreement was

$$D = -\log_{10}(\text{relative error}) = 15.104376659528,$$

reported at (1.39, 0.83). The lock threshold is $D \geq 9$, so this row is **PASS**.

Boundary

Requires $e^{\text{Log } x} = x$ and $\text{Log}(e^y) = y$ on the selected strip/sheet.

15.7 E07 – negation

EXACT

COMPUTED

Derivation

$$-z = (1 - z) - 1.$$

Pure-EML route. `sub(sub(1,z), 1)`

Declared ancestors. `sub, one`.

Source-chain leaf count. 11.

Paper/source comparison. -.

Independent receipt

The unmodified LUCA v0.2 source verifier used 160 calls to `eml` for this row. Its worst agreement was

$$D = -\log_{10}(\text{relative error}) = 15.095747110936,$$

reported at -0.277. The lock threshold is $D \geq 9$, so this row is **PASS**.

Boundary

Uses the source's $\text{Log } 0 = -\infty$ continuation at the isolated $z = 1$ intermediate.

15.8 E08 – -1

EXACT

COMPUTED

Derivation

$$-1 = -(1).$$

Pure-EML route. `minus(1)`

Declared ancestors. `minus`, `one`.

Source-chain leaf count. 11.

Paper/source comparison. $K = 15$ (search) / 17 (compiler).

Independent receipt

The unmodified LUCA v0.2 source verifier used 10 calls to eml for this row. Its worst agreement was

$$D = -\log_{10}(\text{relative error}) = 15.900000000000,$$

reported at `single` value. The lock threshold is $D \geq 9$, so this row is **PASS**.

Boundary

Evaluated through the same extended-real continuation.

15.9 E09 – addition

EXACT

COMPUTED

Derivation

$$x + y = x - (-y).$$

Pure-EML route. `sub(x, minus(y))`

Declared ancestors. `sub`, `minus`.

Source-chain leaf count. 16.

Paper/source comparison. -.

Independent receipt

The unmodified LUCA v0.2 source verifier used 240 calls to eml for this row. Its worst agreement was

$$D = -\log_{10}(\text{relative error}) = 15.657530324965,$$

reported at `(-1.90, 3.92)`. The lock threshold is $D \geq 9$, so this row is **PASS**.

Boundary

Inherits subtraction and negation branch conditions.

15.10 E10 – 2

EXACT

COMPUTED

Derivation

$$2 = 1 + 1.$$

Pure-EML route. `add(1,1)`

Declared ancestors. `add`, `one`.

Source-chain leaf count. 16.

Paper/source comparison. $K = 19$ (search) / 27 (compiler).

Independent receipt

The unmodified LUCA v0.2 source verifier used 15 calls to `eml` for this row. Its worst agreement was

$$D = -\log_{10}(\text{relative error}) = 15.900000000000,$$

reported at `single` value. The lock threshold is $D \geq 9$, so this row is **PASS**.

Boundary

Safe finite constant once addition is fixed on this route.

15.11 E11 – reciprocal

EXACT

COMPUTED

Derivation

$$z^{-1} = e^{-\text{Log } z}.$$

Pure-EML route. `exp(minus(ln z))`

Declared ancestors. `exp`, `minus`, `ln`.

Source-chain leaf count. 15.

Paper/source comparison. -.

Independent receipt

The unmodified LUCA v0.2 source verifier used 448 calls to `eml` for this row. Its worst agreement was

$$D = -\log_{10}(\text{relative error}) = 14.796227278096,$$

reported at `-0.100`. The lock threshold is $D \geq 9$, so this row is **PASS**.

Boundary

Undefined at $z = 0$; principal branch elsewhere.

15.12 E12 – multiplication

EXACT

COMPUTED

Derivation

$$xy = e^{\text{Log } x + \text{Log } y}.$$

Pure-EML route. `exp(add(ln x, ln y))` - the slide-rule identity, Eq. (1)

Declared ancestors. `exp`, `add`, `ln`.

Source-chain leaf count. 23.

Paper/source comparison. depth 8 (paper).

Independent receipt

The unmodified LUCA v0.2 source verifier used 352 calls to `eml` for this row. Its worst agreement was

$$D = -\log_{10}(\text{relative error}) = 15.203034824115,$$

reported at (1.83, -3.87). The lock threshold is $D \geq 9$, so this row is **PASS**.

Boundary

Branch phases from negative real inputs cancel only because the final exponential is $2\pi i$ periodic.

15.13 E13 – division

EXACT

COMPUTED

Derivation

$$x/y = e^{\text{Log } x - \text{Log } y}.$$

Pure-EML route. `exp(sub(ln x, ln y))`

Declared ancestors. `exp`, `sub`, `ln`.

Source-chain leaf count. 13.

Paper/source comparison. -.

Independent receipt

The unmodified LUCA v0.2 source verifier used 192 calls to `eml` for this row. Its worst agreement was

$$D = -\log_{10}(\text{relative error}) = 15.158281308516,$$

reported at (-0.38, 1.18). The lock threshold is $D \geq 9$, so this row is **PASS**.

Boundary

Undefined for $y = 0$; inherits logarithm branches.

15.14 E14 – square

EXACT

COMPUTED

Derivation

$$z^2 = z z.$$

Pure-EML route. `mul(z,z)`

Declared ancestors. `mul`.

Source-chain leaf count. 23.

Paper/source comparison. -.

Independent receipt

The unmodified LUCA v0.2 source verifier used 352 calls to eml for this row. Its worst agreement was

$$D = -\log_{10}(\text{relative error}) = 15.088795829991,$$

reported at -3.616. The lock threshold is $D \geq 9$, so this row is **PASS**.

Boundary

Inherits multiplication's branch cancellation.

15.15 E15 – half

EXACT

COMPUTED

Derivation

$$z/2 = z \cdot 2^{-1}.$$

Pure-EML route. `div(z, 2)`

Declared ancestors. `div`, `two`.

Source-chain leaf count. 28.

Paper/source comparison. 1/2: K = 29 (search) / 91 (compiler).

Independent receipt

The unmodified LUCA v0.2 source verifier used 432 calls to eml for this row. Its worst agreement was

$$D = -\log_{10}(\text{relative error}) = 14.935971870957,$$

reported at -0.192. The lock threshold is $D \geq 9$, so this row is **PASS**.

Boundary

Inherits division; denominator 2 is safe.

15.16 E16 – average

EXACT

COMPUTED

Derivation

$$\text{avg}(x, y) = \frac{x + y}{2}.$$

Pure-EML route. `half(add(x,y))`

Declared ancestors. `half`, `add`.

Source-chain leaf count. 43.

Paper/source comparison. -.

Independent receipt

The unmodified LUCA v0.2 source verifier used 672 calls to eml for this row. Its worst agreement was

$$D = -\log_{10}(\text{relative error}) = 15.268717889610,$$

reported at (-3.02, -3.57). The lock threshold is $D \geq 9$, so this row is **PASS**.

Boundary

Inherits addition and division.

15.17 E17 – exponentiation

EXACT

COMPUTED

Derivation

$$x^y = e^{y \text{Log } x}.$$

Pure-EML route. `exp(mul(y, ln x))`

Declared ancestors. `exp`, `mul`, `ln`.

Source-chain leaf count. 27.

Paper/source comparison. -.

Independent receipt

The unmodified LUCA v0.2 source verifier used 416 calls to eml for this row. Its worst agreement was

$$D = -\log_{10}(\text{relative error}) = 15.114762895175,$$

reported at (4.00, 1.90). The lock threshold is $D \geq 9$, so this row is **PASS**.

Boundary

Principal power $e^{y \text{Log } x}$; negative bases and noninteger exponents are sheet-dependent.

15.18 E18 – square root

EXACT

COMPUTED

Derivation

$$\sqrt{z} = z^{1/2}.$$

Pure-EML route. `pow(z, inv(2))`

Declared ancestors. `pow`, `inv`, `two`.

Source-chain leaf count. 56.

Paper/source comparison. `sqrt2`: K > 47 (search) / 165 (compiler).

Independent receipt

The unmodified LUCA v0.2 source verifier used 880 calls to `eml` for this row. Its worst agreement was

$$D = -\log_{10}(\text{relative error}) = 15.199272568930,$$

reported at 7.900. The lock threshold is $D \geq 9$, so this row is **PASS**.

Boundary

Principal square root in the source route.

15.19 E19 – log base b

EXACT

COMPUTED

Derivation

$$\log_b x = \frac{\text{Log } x}{\text{Log } b}.$$

Pure-EML route. `div(ln x, ln b)`

Declared ancestors. `div`, `ln`.

Source-chain leaf count. 19.

Paper/source comparison. -.

Independent receipt

The unmodified LUCA v0.2 source verifier used 288 calls to `eml` for this row. Its worst agreement was

$$D = -\log_{10}(\text{relative error}) = 14.302916857052,$$

reported at (3.20, 0.97). The lock threshold is $D \geq 9$, so this row is **PASS**.

Boundary

Requires $b \neq 0, 1$ and $x \neq 0$; real verification uses positive inputs away from $b = 1$.

15.20 E20 – sigmoid

EXACT

COMPUTED

Derivation

$$\sigma(z) = \frac{1}{1 + e^{-z}}.$$

Pure-EML route. `inv(add(1, exp(minus(z))))`

Declared ancestors. `inv`, `add`, `exp`, `minus`, `one`.

Source-chain leaf count. 41.

Paper/source comparison. -.

Independent receipt

The unmodified LUCA v0.2 source verifier used 640 calls to `eml` for this row. Its worst agreement was

$$D = -\log_{10}(\text{relative error}) = 15.133926438649,$$

reported at -3.004. The lock threshold is $D \geq 9$, so this row is **PASS**.

Boundary

Entire denominator is nonzero on the tested real interval; complex poles exist.

15.21 E21 – hypotenuse

EXACT

COMPUTED

Derivation

$$\text{hypot}(x, y) = \sqrt{x^2 + y^2}.$$

Pure-EML route. `sqrt(add(sqr x, sqr y))`

Declared ancestors. `sqrt`, `add`, `sqr`.

Source-chain leaf count. 115.

Paper/source comparison. -.

Independent receipt

The unmodified LUCA v0.2 source verifier used 1,824 calls to `eml` for this row. Its worst agreement was

$$D = -\log_{10}(\text{relative error}) = 15.106927792584,$$

reported at (2.25, -0.29). The lock threshold is $D \geq 9$, so this row is **PASS**.

Boundary

Principal square root; real verification avoids the origin.

15.22 E22 – cosh

EXACT

COMPUTED

Derivation

$$\cosh z = \frac{e^z + e^{-z}}{2}.$$

Pure-EML route. `half(add(exp z, exp(minus z)))`

Declared ancestors. half, add, exp, minus.

Source-chain leaf count. 55.

Paper/source comparison. -.

Independent receipt

The unmodified LUCA v0.2 source verifier used 864 calls to eml for this row. Its worst agreement was

$$D = -\log_{10}(\text{relative error}) = 15.356905622978,$$

reported at 0.142. The lock threshold is $D \geq 9$, so this row is **PASS**.

Boundary

Entire identity once exp/add/half are fixed.

15.23 E23 – sinh

EXACT

COMPUTED

Derivation

$$\sinh z = \frac{e^z - e^{-z}}{2}.$$

Pure-EML route. `half(sub(exp z, exp(minus z)))`

Declared ancestors. half, sub, exp, minus.

Source-chain leaf count. 45.

Paper/source comparison. -.

Independent receipt

The unmodified LUCA v0.2 source verifier used 704 calls to eml for this row. Its worst agreement was

$$D = -\log_{10}(\text{relative error}) = 14.997987819518,$$

reported at -2.089. The lock threshold is $D \geq 9$, so this row is **PASS**.

Boundary

Entire identity once exp/sub/half are fixed.

15.24 E24 – tanh

EXACT

COMPUTED

Derivation

$$\tanh z = \frac{\sinh z}{\cosh z}.$$

Pure-EML route. `div(sinh z, cosh z)`

Declared ancestors. `div, sinh, cosh`.

Source-chain leaf count. 111.

Paper/source comparison. -.

Independent receipt

The unmodified LUCA v0.2 source verifier used 1,760 calls to eml for this row. Its worst agreement was

$$D = -\log_{10}(\text{relative error}) = 14.935141173280,$$

reported at 1.900. The lock threshold is $D \geq 9$, so this row is **PASS**.

Boundary

Meromorphic; poles occur where $\cosh z = 0$.

15.25 E25 – arsinh

EXACT

COMPUTED

Derivation

$$\operatorname{arsinh} z = \operatorname{Log}\left(z + \sqrt{z^2 + 1}\right).$$

Pure-EML route. `ln(add(z, sqrt(add(sqr z, 1))))`

Declared ancestors. `ln, add, sqrt, sqr, one`.

Source-chain leaf count. 111.

Paper/source comparison. -.

Independent receipt

The unmodified LUCA v0.2 source verifier used 1,760 calls to eml for this row. Its worst agreement was

$$D = -\log_{10}(\text{relative error}) = 14.168504234669,$$

reported at -4.000. The lock threshold is $D \geq 9$, so this row is **PASS**.

Boundary

Principal inverse with standard logarithm and square-root cuts.

15.26 E26 – arcosh

EXACT

COMPUTED

Derivation

$$\operatorname{arcosh} z = \operatorname{Log}\left(z + \sqrt{z^2 - 1}\right).$$

Pure-EML route. `ln(add(z, sqrt(sub(sqr z, 1))))`

Declared ancestors. `ln`, `add`, `sqrt`, `sub`, `sqr`, `one`.

Source-chain leaf count. 101.

Paper/source comparison. -.

Independent receipt

The unmodified LUCA v0.2 source verifier used 1,600 calls to eml for this row. Its worst agreement was

$$D = -\log_{10}(\text{relative error}) = 14.549706585575,$$

reported at 1.050. The lock threshold is $D \geq 9$, so this row is **PASS**.

Boundary

Principal inverse; real verification uses $z > 1$.

15.27 E27 – artanh

EXACT

COMPUTED

Derivation

$$\operatorname{artanh} z = \frac{1}{2} \operatorname{Log}\left(\frac{1+z}{1-z}\right).$$

Pure-EML route. `half(ln(div(add(1,z), sub(1,z))))`

Declared ancestors. `half`, `ln`, `div`, `add`, `sub`, `one`.

Source-chain leaf count. 63.

Paper/source comparison. -.

Independent receipt

The unmodified LUCA v0.2 source verifier used 992 calls to eml for this row. Its worst agreement was

$$D = -\log_{10}(\text{relative error}) = 13.979620877415,$$

reported at -0.031. The lock threshold is $D \geq 9$, so this row is **PASS**.

Boundary

Principal inverse; real verification uses $|z| < 1$.

15.28 E28 – i - the gate to C

EXACT

COMPUTED

Derivation

$$i = (-1)^{1/2}.$$

Pure-EML route. pow(neg1, inv(2))

Declared ancestors. pow, neg1, inv, two.

Source-chain leaf count. 66.

Paper/source comparison. K > 55 (search) / 131 (compiler).

Independent receipt

The unmodified LUCA v0.2 source verifier used 65 calls to eml for this row. Its worst agreement was

$$D = -\log_{10}(\text{relative error}) = 15.336614187500,$$

reported at `i^2 vs -1`. The lock threshold is $D \geq 9$, so this row is **PASS**.

Boundary

Principal $\text{Log}(-1) = i\pi$ selects i rather than $-i$.

15.29 E29 – pi

EXACT

COMPUTED

Derivation

$$\pi = -i \text{Log}(-1).$$

Pure-EML route. mul(minus(i), ln(neg1)) - paper Table 2 footnote

Declared ancestors. mul, minus, i, ln, neg1.

Source-chain leaf count. 111.

Paper/source comparison. -.

Independent receipt

The unmodified LUCA v0.2 source verifier used 110 calls to eml for this row. Its worst agreement was

$$D = -\log_{10}(\text{relative error}) = 15.548649655893,$$

reported at `single value`. The lock threshold is $D \geq 9$, so this row is **PASS**.

Boundary

Branch-robust in the source's paired construction: the sign of i and $\text{Log}(-1)$ flips together.

15.30 E30 – cos

EXACT

COMPUTED

Derivation

$$\cos z = \frac{e^{iz} + e^{-iz}}{2}.$$

Pure-EML route. `half(add(exp(mul(i,z)), exp(minus(mul(i,z)))))`

Declared ancestors. `half, add, exp, mul, i, minus.`

Source-chain leaf count. 229.

Paper/source comparison. -.

Independent receipt

The unmodified LUCA v0.2 source verifier used 2,256 calls to eml for this row. Its worst agreement was

$$D = -\log_{10}(\text{relative error}) = 12.924821675961,$$

reported at 17.396. The lock threshold is $D \geq 9$, so this row is **PASS**.

Boundary

Entire; wrapped $2\pi i$ phases are consumed by exponentials.

15.31 E31 – sin

EXACT

COMPUTED

Derivation

$$\sin z = \frac{e^{iz} - e^{-iz}}{2i}.$$

Pure-EML route. `div(sub(exp(mul(i,z)), exp(minus(mul(i,z)))), mul(2,i))`

Declared ancestors. `div, sub, exp, mul, i, two, minus.`

Source-chain leaf count. 306.

Paper/source comparison. -.

Independent receipt

The unmodified LUCA v0.2 source verifier used 3,488 calls to eml for this row. Its worst agreement was

$$D = -\log_{10}(\text{relative error}) = 12.944913620400,$$

reported at 6.252. The lock threshold is $D \geq 9$, so this row is **PASS**.

Boundary

Entire; numerator and denominator flip together under $i \mapsto -i$.

15.32 E32 – tan

EXACT

COMPUTED

Derivation

$$\tan z = \frac{\sin z}{\cos z}.$$

Pure-EML route. `div(sin z, cos z)`

Declared ancestors. `div, sin, cos`.

Source-chain leaf count. 546.

Paper/source comparison. "trees too large to be shown in print" (paper).

Independent receipt

The unmodified LUCA v0.2 source verifier used 5,936 calls to eml for this row. Its worst agreement was

$$D = -\log_{10}(\text{relative error}) = 14.329302242744,$$

reported at -1.300. The lock threshold is $D \geq 9$, so this row is **PASS**.

Boundary

Meromorphic; tested away from poles.

15.33 E33 – arcsin

EXACT

COMPUTED

Derivation

$$\arcsin z = -i \operatorname{Log}\left(iz + \sqrt{1 - z^2}\right).$$

Pure-EML route. `mul(minus(i), ln(add(mul(i,z), sqrt(sub(1, sqr z)))))`

Declared ancestors. `mul, minus, i, ln, add, sqrt, sub, sqr, one`.

Source-chain leaf count. 285.

Paper/source comparison. -.

Independent receipt

The unmodified LUCA v0.2 source verifier used 4,544 calls to eml for this row. Its worst agreement was

$$D = -\log_{10}(\text{relative error}) = 14.797350091342,$$

reported at -0.950. The lock threshold is $D \geq 9$, so this row is **PASS**.

Boundary

Principal inverse with cuts outside $[-1, 1]$ on the real axis.

15.34 E34 – arccos

EXACT

COMPUTED

Derivation

$$\arccos z = \frac{\pi}{2} - \arcsin z.$$

Pure-EML route. `sub(half(pi), arcsin(z))`

Declared ancestors. `sub, half, pi, arcsin`.

Source-chain leaf count. 427.

Paper/source comparison. -.

Independent receipt

The unmodified LUCA v0.2 source verifier used 6,816 calls to eml for this row. Its worst agreement was

$$D = -\log_{10}(\text{relative error}) = 14.939974358324,$$

reported at 0.836. The lock threshold is $D \geq 9$, so this row is **PASS**.

Boundary

Principal inverse inherited from $\pi/2 - \arcsin z$.

15.35 E35 – arctan

EXACT

COMPUTED

Derivation

$$\arctan z = \arcsin\left(\frac{z}{\sqrt{1+z^2}}\right).$$

Pure-EML route. `arcsin(div(z, sqrt(add(1, sqr z)))) - wrap-safe route`

Declared ancestors. `arcsin, div, sqrt, add, sqr, one`.

Source-chain leaf count. 597.

Paper/source comparison. -.

Independent receipt

The unmodified LUCA v0.2 source verifier used 6,208 calls to eml for this row. Its worst agreement was

$$D = -\log_{10}(\text{relative error}) = 14.576120708427,$$

reported at 4.231. The lock threshold is $D \geq 9$, so this row is **PASS**.

Boundary

Source uses a wrap-safe route; $z = 0$ is an isolated failure in this particular EML chain and is printed, not hidden.

Chapter 16

THE CROWD: Calculation-by-Calculation Guillotine

The supplied scroll deliberately constructs seductive numerical matches and then runs the corresponding null. This edition reproduces that engine, adds the missing maximum-over-tier correction, executes the requested cluster-preserving null, and performs a limited current re-pin of the load-bearing mass ratios.

16.1 G01 – Inventory and comparison price

EXACT

DESIGN CHOICE

Derivation

The engine contains $N_T = 13$ tower numbers, $N_X = 12$ transforms, and $N_C = 89$ constants. One full scan costs

$$N_T N_X N_C = 13 \cdot 12 \cdot 89 = \boxed{13,884}$$

relative-error comparisons. With 2,000 null towers plus the real tower,

$$2001 \cdot 13,884 = \boxed{27,781,884}.$$

Independent receipt

The independent inventory and integer multiplication reproduce the source's printed price exactly.

Boundary

The choice of 13 numbers, 12 transforms, 89 constants, and 2,000 null towers is a declared design, not a theorem.

16.2 G02 – Closed-form fractal dimension

EXACT

Derivation

With area ratio $a_R = 0.8875$, the supplied closed form is

$$D_\infty = \frac{2 \ln 7}{\ln 7 - \ln a_R}.$$

Numerically,

$$D_\infty = 1.884424299 \dots$$

Independent receipt

The independent value and source value differ by 0.000e+00.

16.3 G03 – Relative-distance hit statistic

EXACT

DESIGN CHOICE

Derivation

For transformed tower value $q = f(t)$ and constant c , the engine uses

$$\delta(q, c) = \frac{|q - c|}{|c|}.$$

A triple (t, f, c) is counted at tier τ when

$$10^{-12} \leq \delta(q, c) < \tau.$$

The lower guard removes exact/self matches; the upper threshold is one of five nested tiers.

Independent receipt

An independent implementation produces the same complete hit list and counts as the source function.

Boundary

This counts hit triples, not unique constants, unique tower numbers, or independent hypotheses. The null must use the same counting rule.

16.4 G04 – The twelve-transform menu

DESIGN CHOICE

Derivation

The declared toolkit is

$$\left\{t, t^{-1}, t^2, \sqrt{t}, 2t, \frac{t}{2}, \pi t, \frac{t}{\pi}, \varphi t, \frac{t}{\varphi}, t \ln 2, \frac{t}{\ln 2}\right\}.$$

Every transform is fixed before the scan and applied to every real and fake tower number.

Independent receipt

Vectorized and scalar implementations agree on every count.

Boundary

A transform menu creates a look-elsewhere volume. It is legitimate only when the same menu is charged to the null.

16.5 G05 – The trap table, reproduced exactly

COMPUTED

REFUTED

δ	tower number	transform	value	nearest constant	sector
1.35e-04	D_inf closed form	t/ln2	2.71865	e	math
1.49e-04	D_inf closed form	t ln2	1.306183	Mills constant	math
2.27e-04	2pi/(5 sqrt3)	2t	1.451039	Ramanujan-Soldner	math
3.55e-04	D measured	t/ln2	2.717316	e	math
3.76e-04	2pi/(5 sqrt3)	t	0.7255197	mH/mt	ew
3.76e-04	2pi/(5 sqrt3)	1/t	1.378322	mt/mH	ew
6.39e-04	D measured	t ln2	1.305543	Mills constant	math
1.16e-03	phi	t/phi	1	g_e/2	qed
1.21e-03	2pi/(5 sqrt3)	t/pi	0.2309401	sin2thW MSbar	ew
1.22e-03	T*lambda2 leapfrog	2t	1.449598	Ramanujan-Soldner	math
1.26e-03	D_inf closed form	1/t	0.5306661	q_0	cosmo
1.37e-03	T*lambda2 leapfrog	t	0.7247991	mH/mt	ew
1.37e-03	T*lambda2 leapfrog	1/t	1.379693	mt/mH	ew
1.38e-03	phi	t/phi	1	mn/mp	mass
1.43e-03	HELENA gate (DESIGN)	t	0.7	sin 2beta	ckm
1.51e-03	D measured	t ln2	1.305543	Conway lambda	math
1.53e-03	phi^2	t/pi	0.8333461	Gauss constant	math
1.58e-03	2 log2 phi	t/2	0.6942419	ln2	math
1.59e-03	area ratio aR	t/ln2	1.280392	Glaisher	math
1.62e-03	phi^2	t/pi	0.8333461	S_8	cosmo

Boundary

Every row is real arithmetic. None is a physical derivation: the table is selected after scanning a large menu, and its witnesses share constants and ancestry.

16.6 G06 – Declared log-uniform null

COMPUTED

DESIGN CHOICE

Derivation

For each null tower and each of 13 slots,

$$U \sim \text{Uniform}(\ln 0.2, \ln 3), \quad T_{\text{fake}} = e^U.$$

The fake tower is pushed through the identical 12 transforms, 89 constants, self-match guard, and five tiers. The deterministic seed is 20260809.

Independent receipt

The exact sequence of 2,000 fake towers reproduces every source mean, standard deviation, percentile, and verdict.

Boundary

Log-uniformity is a null-family design. It tests one explicit chance mechanism, not all possible nulls.

16.7 G07 – Null mean and population standard deviation

COMPUTED

Derivation

For tier j and null counts X_{ij} over $M = 2000$ fake towers,

$$\bar{X}_j = \frac{1}{M} \sum_{i=1}^M X_{ij}, \quad s_j = \sqrt{\frac{1}{M} \sum_{i=1}^M (X_{ij} - \bar{X}_j)^2}.$$

The denominator is M , so this is the population standard deviation of the simulated null sample.

Independent receipt

The independent vectorized implementation reproduces the scalar source results to all printed digits.

16.8 G08 – Marginal standardized excess

COMPUTED

Derivation

At each tier,

$$z_j = \frac{X_j^{\text{real}} - \bar{X}_j}{s_j}.$$

For the original shelf the maximum occurs at 3×10^{-3} :

$$z_{3 \times 10^{-3}} = 2.98498 \dots$$

Independent receipt

This is the source's printed "3.0 sigma" row.

Boundary

It is a marginal statistic selected from five nested tiers, not yet a global significance.

16.9 G09 – Empirical percentile convention

COMPUTED

DESIGN CHOICE

Derivation

The source reports

$$\hat{F}_j(X_j^{\text{real}}) = \frac{1}{M} \#\{i : X_{ij} < X_j^{\text{real}}\}.$$

The strict inequality matters in a discrete distribution. At 3×10^{-3} , 1,989 of 2,000 null towers have fewer than 33 hits, giving 99.45% before display rounding.

Independent receipt

The independent audit records both strict and inclusive empirical percentiles so ties remain visible.

16.10 G10 – Five-tier look-elsewhere correction

COMPUTED

CORRECTION

Derivation

Standardize every null tower at every tier and define

$$Z_i^{\text{max}} = \max_j \frac{X_{ij} - \bar{X}_j}{s_j}.$$

The global empirical p -value for the real scan is

$$\hat{p}_{\text{global}} = \frac{1}{2000} \#\{i : Z_i^{\text{max}} \geq Z_{\text{real}}^{\text{max}}\} = 0.0215.$$

This corresponds to about 2.02 one-sided Gaussian standard deviations, not 2.98.

Independent receipt

43 of 2000 null towers attain a maximum tier z at least as large as the real tower. The direct estimate is $p = 0.0215$; the finite-Monte-Carlo plus-one estimate is $p = 0.0220$; the Monte Carlo standard error is 0.0032; and the Wilson 95 percent interval is $[0.0160, 0.0288]$.

Boundary

The five tiers are nested and correlated, so a Bonferroni multiplication is unnecessarily crude; the empirical maximum uses the actual dependence. The Monte Carlo precision is finite and is displayed rather than hidden.

Table 16.2: Original 89-constant scan and log-uniform null

Tier	real	null mean	null sd	marginal z	strict percentile
10^{-2}	76	62.5925	9.3923	1.4275	91.60%
3×10^{-3}	33	18.9200	4.7169	2.9850	99.45%
10^{-3}	7	6.3045	2.5855	0.2690	57.05%
3×10^{-4}	3	1.8990	1.4042	0.7841	70.55%
10^{-4}	0	0.6125	0.8083	-0.7578	0.00%

Maximum marginal $z = 2.9850$; empirical familywise $p = 0.0215$ from the maximum over all five tiers (one-sided Gaussian equivalent 2.024 standard deviations).

16.11 G11 – Shared-alphabet autopsy

COMPUTED

DESIGN CHOICE

Derivation

Remove the 30 constants tagged `math` from both the real scan and the null. The real counts become

$(49, 18, 2, 0, 0).$

The fine tiers die; only coarse excesses remain.

Independent receipt

The maximum marginal z is 2.4276, but the maximum-over-tier empirical p is 0.0950.

Boundary

The result supports the source’s diagnosis that the original `math`-tag excess is enhanced by a shared alphabet of $\pi, \varphi, \ln 2, \sqrt{3}$, and small integers.

Table 16.3: Physics-only shelf

	Tier	real	null mean	null sd	marginal z	strict percentile
	10^{-2}	49	34.0180	6.1716	2.4276	98.65%
	3×10^{-3}	18	10.2905	3.3413	2.3074	97.40%
	10^{-3}	2	3.3960	1.8564	-0.7520	14.10%
	3×10^{-4}	0	1.0450	1.0606	-0.9852	0.00%
	10^{-4}	0	0.3535	0.6177	-0.5723	0.00%

Maximum marginal $z = 2.4276$; empirical familywise $p = 0.0950$ from the maximum over all five tiers (one-sided Gaussian equivalent 1.311 standard deviations).

16.12 G12 – Seven-representative deduplication

COMPUTED

DESIGN CHOICE

Derivation

The source collapses the 13-item list to seven representatives and repeats the physics-only null with seven fake numbers. The real counts become

$$(23, 9, 2, 0, 0).$$

Independent receipt

Maximum marginal $z = 1.4389$; maximum-over-tier empirical $p = 0.3270$.

Boundary

The collapse rules are declared design choices. “Representative” does not mean statistically independent: for example D_∞ is derived from a_R , and $2 \log_2 \varphi$ is derived from φ .

Table 16.4: Source seven-representative deduplication

	Tier	real	null mean	null sd	marginal z	strict percentile
	10^{-2}	23	18.3415	4.5823	1.0166	82.85%
	3×10^{-3}	9	5.4935	2.4370	1.4389	88.95%
	10^{-3}	2	1.8270	1.3528	0.1279	45.60%
	3×10^{-4}	0	0.5220	0.7117	-0.7335	0.00%
	10^{-4}	0	0.1675	0.4043	-0.4143	0.00%

Maximum marginal $z = 1.4389$; empirical familywise $p = 0.3270$ from the maximum over all five tiers (one-sided Gaussian equivalent 0.448 standard deviations).

16.13 G13 – Cluster-preserving matched null

COMPUTED

DESIGN CHOICE

Derivation

To address the source’s own requested robustness test, keep all 13 real logarithmic spacings exactly and randomize only their absolute location. On the log interval $[\ln 0.2, \ln 3]$ treated as a circle,

$$\ln T'_i = \ln 0.2 + ((\ln T_i - \ln 0.2) + \Delta \bmod W), \quad \Delta \sim U(0, W).$$

Every internal cluster is retained.

Independent receipt

Against the physics-only shelf, the matched null gives maximum marginal $z = 2.1521$ and familywise $p = 0.1090$.

Boundary

This is one conservative cluster-preserving null, not a unique canonical bootstrap. Its verdict agrees with the source: the coarse excess is not exceptional once clustering is priced in.

Table 16.5: Cluster-preserving circular log-shift null

	Tier	real	null mean	null sd	marginal z	strict percentile
	10^{-2}	49	33.7015	7.1088	2.1521	97.35%
	3×10^{-3}	18	9.9910	3.7325	2.1457	97.15%
	10^{-3}	2	3.3670	2.0365	-0.6713	17.65%
	3×10^{-4}	0	1.0110	1.0634	-0.9507	0.00%
	10^{-4}	0	0.3260	0.5888	-0.5536	0.00%

Maximum marginal $z = 2.1521$; empirical familywise $p = 0.1090$ from the maximum over all five tiers (one-sided Gaussian equivalent 1.232 standard deviations).

16.14 G14 – Strict provenance collapse

COMPUTED

DESIGN CHOICE

Derivation

A stricter origin ledger keeps four generators:

$$\lambda_2(C_{60}), \quad \varphi, \quad \frac{2\pi}{5\sqrt{3}}, \quad a_R.$$

Quantities deterministically derived from φ or a_R , the design gate, and the near-duplicate spectral line are not counted as new witnesses.

Independent receipt

The real counts are (12, 6, 2, 0, 0); maximum marginal $z = 1.4832$; familywise $p = 0.2590$.

Boundary

This is a robustness analysis, not a claim that four is the only defensible provenance count.

Table 16.6: Strict four-generator provenance null

	Tier	real	null mean	null sd	marginal z	strict percentile
	10^{-2}	12	10.4885	3.4272	0.4410	64.00%
	3×10^{-3}	6	3.2000	1.8879	1.4832	88.45%
	10^{-3}	2	1.0595	1.0431	0.9017	72.00%
	3×10^{-4}	0	0.2965	0.5519	-0.5372	0.00%
	10^{-4}	0	0.1005	0.3200	-0.3141	0.00%

Maximum marginal $z = 1.4832$; empirical familywise $p = 0.2590$ from the maximum over all five tiers (one-sided Gaussian equivalent 0.646 standard deviations).

16.15 G15 – Limited 2026 PDG re-pin

COMPUTED

CORRECTION

Derivation

The load-bearing mass inputs are updated to

$$m_W = 80.3625 \pm 0.0077 \text{ GeV}, \quad m_H = 125.13 \pm 0.11 \text{ GeV}, \quad m_t^{\text{direct}} = 172.60 \pm 0.27 \text{ GeV}.$$

Only ratios derived from these three masses are changed; this is explicitly *not* a complete 89-constant re-pin.

The Higgs/top ratio moves from

$$125.25/172.57 = 0.725792432057$$

to

$$125.13/172.60 = 0.724971031286.$$

Independent receipt

The full-shelf counts become (76, 33, 9, 5, 0); familywise $p = 0.0170$. After removing math constants, the counts are (49, 18, 4, 2, 0) with familywise $p = 0.0965$. After the seven-representative deduplication, the counts are (23, 9, 2, 0, 0) with familywise $p = 0.3470$.

Boundary

The partial re-pin can move individual nearest neighbours and even increase fine-tier counts. The autopsy verdict remains unchanged: no physical identification survives dependence controls.

16.16 G16 – Mass-ratio uncertainty propagation

COMPUTED

Derivation

For $r = m_H/m_t$ with independent quoted uncertainties,

$$\left(\frac{\sigma_r}{r}\right)^2 = \left(\frac{\sigma_H}{m_H}\right)^2 + \left(\frac{\sigma_t}{m_t}\right)^2.$$

Using the re-pinned values,

$$\frac{\sigma_r}{r} = 1.794397e - 03.$$

The relative offset between r and $2\pi/(5\sqrt{3})$ is

$$\delta = 7.568777e - 04.$$

Independent receipt

The input uncertainty is 2.371 times the advertised match offset.

Boundary

A coincidence finer than the uncertainty of the quantity it claims to identify cannot be tested at that advertised precision.

16.17 G17 – Schwinger contrast

EXACT

COMPUTED

Derivation

With $\alpha^{-1} = 137.035999177$,

$$a_e^{(1)} = \frac{\alpha}{2\pi} = 1.161409732098e - 03.$$

Against the measured anomaly

$$a_e = 1.159652180590e - 03,$$

the first-order relative difference is

$$1.515585e - 03.$$

Independent receipt

The one-line calculation reproduces the source output.

Boundary

This is a forward formula with no transform menu. Higher-order QED terms, independent input α , and precision measurements are what turn resemblance into theory testing.

16.18 G18 – Pre-registered spectral-dimension test

HYPOTHESIS

Derivation

The source seals a future calculation on a named generation-5 contact graph. The primary observable is the return probability

$$P_0(t) \sim t^{-d_s/2}, \quad d_s = -2 \frac{d \ln P_0}{d \ln t},$$

with an independent small-eigenvalue-density estimate from the graph Laplacian.

Independent receipt

No result is present in the supplied files, so this tower records the protocol but does not invent a value.

Boundary

The hypotheses $d_s < 2$ and $d_s \simeq 2$ remain open until the specified graph, walker count, time range, connectivity check, fit window, and independent spectral estimator are executed.




Figure 16.1: Original THE CROWD hit counts against the declared null.




Figure 16.2: Marginal standardized profiles through the shared-alphabet, clustering, and provenance controls.




Figure 16.3: Empirical familywise p -values after taking the maximum over all five tiers.




Figure 16.4: The Higgs/top nearest-neighbour offset remains smaller than the uncertainty of the ratio it is supposed to identify.

Chapter 17

v1.3.3 Calculation Receipt

Deterministic totals

Frozen core checks: 38/38.
Live Goldberg shell receipts: 8.
Live LUCA locks: 34/34 non-axiomatic rows.
Live LUCA EML price: 44,185 calls.
THE CROWD original tables: reproduced exactly.
Stable v1.3.3 payload SHA-256:
1e6c813e7f6ba8e00587836d2bbbed90
b5d7e8a1ee0ebba4343f17dbcf3e3cb7.

17.1 New executable files

```
python verify_light_matrix_v133_calculations.py
node verify_luca_v02_live.js
python build_light_matrix_v133_calculation_tower.py
latexmk -pdf THEA_LIGHT_MATRIX_v1.3.3_CALCULATION_TOWER.tex
```

Chapter 18

Independent Audit Receipt

The following table is generated from `light_matrix_v1.3.2_audit_receipt.json`. Long result fields are truncated here; the JSON preserves the full values.

#	check	status	verdict	result
1	Euler forces twelve pentagons	EXACT	PASS	{'forced_pentagons': 12, 'solution': {'E': '3*H + 30', 'P': '12', 'V': '2*H + 20'}}
2	C60 combinatorial counts from T=3	EXACT	PASS	{'E': 90, 'F': 32, 'H': 20, 'P': 12, 'T': 3, 'V': 60, 'chi': 2}
3	discrete Gauss-Bonnet charge	EXACT	PASS	4*pi
4	hexagonal closure determinant	EXACT	PASS	det M(k,l) = k^2 + k l + l^2
5	hexagonal metric similarity	EXACT	PASS	M^T Q M = T Q
6	closure matrix composition	EXACT	PASS	{'ell_prime': 'a*l + b*k + b*l', 'k_prime': 'a*k - b*l'}
7	hexagonal norm multiplicativity	EXACT	PASS	N(gz)=N(g)N(z)
8	leapfrog multiplier and count tower	EXACT	PASS	{'area_multiplier': 3, 'linear_multiplier': 1.7320508075688772, 'vertex_sequence': [20, 60, 180, 540, 1620]}
9	selected is not fixed golden nesting	EXACT / CORRECTION	PASS	{'argument': 'fixed GC area multiplier is an integer S; sqrt(S)=phi would require S=phi^2 irrational'}
10	Fibonacci selector pairs	EXACT	PASS	[[1, 0], [1, 1], [2, 1], [3, 2], [5, 3], [8, 5], [13, 8], [21, 13]]
11	projective golden error identity	EXACT	PASS	r_{n+1}-phi = -(r_n-phi)/(phi r_n)
12	golden triangulation sequence	EXACT	PASS	[1, 3, 7, 19, 49, 129, 337, 883, 2311, 6051]
13	golden T recurrence	EXACT	PASS	T[n+3] = 2T[n+2] + 2T[n+1] - T[n]
14	golden T closed form	EXACT	PASS	{'last': 91530451, 'verified_levels': 20}
15	T ratio alternates rather than climbs monotonically	EXACT / CORRECTION	PASS	{'first_ratios': [2.3333333333333335, 2.7142857142857144, 2.5789473684210527, 2.63265306122449, 2.612403100775194, 2.620178041543027], 'l...
16	golden-ray radical angle	EXACT	PASS	{'degrees': 22.23875609296496, 'difference_between_forms': 3.3306690738754696e-16, 'radians': 0.3881395153701887}
17	golden-ray angular contraction	EXACT + COMPUTED	PASS	{'last_reported_ratio': -0.3819660304017546, 'levels': [3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18], 'target': -0.3819660112...
18	symmetric-square light-matrix lift	EXACT	PASS	s(k+l,k,P)=M_light s(k,l,P)
19	light-matrix Faddeev-LeVerrier coefficient list	EXACT	PASS	[1, -3, 0, 3, -1]
20	light-matrix characteristic factorization	EXACT	PASS	(lambda - 1)*(lambda + 1)*(lambda**2 - 3*lambda + 1)
21	light-matrix anti-palindromy	EXACT	PASS	p(lambda) = -lambda^4 p(1/lambda)
22	light-matrix reciprocal spectrum	EXACT	PASS	[sqrt(5)/2 + 3/2, '1', '-1', '3/2 - sqrt(5)/2']
23	light-matrix eigenbasis	EXACT	PASS	{'-1': True, '1': True, 'phi^-2': True, 'phi^2': True}
24	C60 graph topology certificate	EXACT	PASS	{'E': 90, 'F': 32, 'V': 60, 'chi': 2, 'connected': True, 'degree_set': [3], 'face_counts': {'5': 12, '6': 20}}
25	C60 complete adjacency characteristic polynomial	EXACT	PASS	(lambda - 3)*(lambda - 1)**9*(lambda + 2)**4*(lambda**2 - lambda - 3)**5*(lambda**2 + lambda - 4)**4*(lambda**2 + lambda - 1)**5*(lambda*...
26	C60 minimum adjacency eigenvalue	EXACT + COMPUTED	PASS	{'exact': '-(3+sqrt(5))/2 = -phi^2', 'lambda_min': -2.618033988749895, 'multiplicity': 3}
27	C60 Fiedler radical and quartic	EXACT + COMPUTED	PASS	{'difference': 7.882583474838611e-15, 'numeric': 0.2434017461399247, 'quartic_residual': 8.926193117986259e-14, 'radical': 0.243401746139...
28	C60 low-band multiplicities	COMPUTED	PASS	[{'multiplicity': 3, 'value': 0.2434017461399247}, {'multiplicity': 5, 'value': 0.697224362268004}, {'multiplicity': 3, 'value': 1.179750...}
29	continuum coefficient 2pi/(5sqrt3)	EXACT CONDITIONAL / CORRECTION	PASS	{'coefficient': '2*sqrt(3)*pi/15', 'numeric': 0.7255197456936872, 'status': 'conditional asymptotic prediction, not a proved discrete gra...

#	check	status	verdict	result
30	SU3 Casimir and dimension formulas	EXACT	PASS	{'C2': 'p**2/3 + p*q/3 + p + q**2/3 + q', 'dimension': '(p/2 + 1/2)*(q + 1)*(p + q + 2)', 'table': {'(0, 1)': 3, '(1, 0)': 3, '(1, 1)': 8...
31	A2 root/weight lattice index-three relation	EXACT / CORRECTION	PASS	{'Cartan_matrix': [['2', '-1'], ['-1', '2']], 'correction': 'dual/commensurable hexagonal lattices, not literally identical', 'determinan...
32	Klein icosahedral syzygy	EXACT	PASS	T_30^2 + H_20^3 = 1728 f_12^5 (symbolically zero residual)
33	Klein gradient equivariants	EXACT	PASS	{'g11': {'degree': 11, 'projective_gradient': True, 'scale': '1'}, 'g19': {'degree': 19, 'projective_gradient': True, 'scale': '1/20'}, ...
34	float64 exactness break indices	COMPUTED / CORRECTION	PASS	{'E_last_exact': 35, 'T_last_exact': 38, 'V_last_exact': 36, 'chi_first_bad_level': 36, 'chi_first_bad_value': 0.0, 'chi_last_correct': 35}
35	forward stability and backward instability	COMPUTED / CORRECTION	PASS	{'backward_relative_errors': {'0': 1.1864584222679098e+32, '10': 4.9512758706203005e+23, '30': 9455846.679125344, '50': 1.807821865712679...
36	binary precision and T147 bit budget	EXACT + COMPUTED / CORRECTION	PASS	{'T147_bit_length': 205, 'correction': 'binary256 has 237 significand bits, not a 256-bit mantissa', 'format_precision_bits': {'binary128...
37	EML positive-real identity and branch ledger	EXACT CONDITIONAL / CORRECTION	PASS	{'Log(exp(z))-z': '-6.283185307179586j', 'boundary': 'node identities require domain and branch labels; 16-point locks are numerical siev...
38	LUCA leaf regression, Vogel sweep, and Fibonacci fingerprint	COMPUTED / REFUTED / CORRECTION	PASS	{'finite_N_verdict': 'golden angle is not the exact N=33 grid optimum', 'golden_nearest_index_gaps': {'13': 11, '3': 2, '5': 4, '8': 16},...

Chapter 19

Reproduction Protocol

19.1 Commands

```
python verify_light_matrix_v132.py
python verify_light_matrix_v133_calculations.py
node verify_luca_v02_live.js
node verify_light_matrix_v131_live.js > light_matrix_v1.3.1_live_kernel_receipt.json
pdflatex THEA_LIGHT_MATRIX_v1.3.4_FULL_CALCULATION_TOWER.tex
pdflatex THEA_LIGHT_MATRIX_v1.3.4_FULL_CALCULATION_TOWER.tex
```

19.2 Version discipline

The new document does not overwrite any input. The source HTML and LUCA versions remain immutable. v1.3.3 is a derived calculation audit artifact whose corrections are explicit, whose receipts are machine-readable, and whose build timestamp is not included in the mathematical hash.

19.3 Closing line

**The pentagons hold. The hexes pay.
The ray now has a bearing.
The limit still owes its proof.**

$$P = 12. \quad \chi = 2. \quad \theta_\varphi = \arctan(\sqrt{15} - 2\sqrt{3}).$$

Chapter 20

The Hopf Boundary: Classification Is Not Ontology

Parent: THEA Light Matrix v1.3.3

Trigger: controlled audit of TopoMagicTower.pdf

Status: BOUNDARY CORRECTION; no change to the exact Light Matrix algebra

Audit payload: 1434526f1196c4c9fb2f974fdefca6d4b3ae0b6096f61d2e47cf1db719c9aeb7

20.1 0. What does not change

The following THEA statements remain exactly as certified:

$$P = 12, \quad \chi = 2, \quad T = k^2 + k\ell + \ell^2,$$

$$\mathcal{M}_{\text{light}} = \begin{pmatrix} 1 & 2 & 1 & 0 \\ 1 & 1 & 0 & 0 \\ 1 & 0 & 0 & 0 \\ 0 & 0 & 0 & 1 \end{pmatrix},$$

$$\text{spec}(\mathcal{M}_{\text{light}}) = \{\phi^2, 1, -1, \phi^{-2}\},$$

and the exact C_{60} graph certificates and computed renormalized Laplacian tower retain their previous statuses.

Nothing in the Hopf comparison proves or disproves those objects.

20.2 1. Exact Hopf facts admitted into the correspondence ledger

The following may be cited as **EXTERNAL EXACT**:

$$BU(1) \simeq \mathbb{CP}^\infty, \quad EU(1) \simeq S^\infty,$$

$$S^1 \longrightarrow S^{2n+1} \longrightarrow \mathbb{CP}^n,$$

$$S^3 \cong SU(2), \quad S^5 \cong SU(3)/SU(2).$$

They are mathematically rich correspondences. They do not inherit physical meaning merely by sharing the glyphs $U(1)$, $SU(2)$, or $SU(3)$ with the Standard Model.

20.3 2. The new non-implication ledger

The next Light Matrix version must display these seams explicitly:

- **exact or computed statement:** $BU(1) \simeq \mathbb{CP}^\infty$; **does not imply:** the universe is $\mathbb{CP}^\infty$
 - **exact or computed statement:** a bundle embeds in a universal/finite ambient construction; **does not imply:** the bundle is isomorphic to the ambient Hopf $U(1)$ bundle
 - **exact or computed statement:** $S^3 \cong SU(2)$; **does not imply:** the weak gauge group is uniquely forced by topology alone
 - **exact or computed statement:** $S^5 \cong SU(3)/SU(2)$; **does not imply:** QCD, color representations, and couplings follow without dynamics
 - **exact or computed statement:** the same quadratic form occurs in Goldberg and $SU(3)$ formulas; **does not imply:** a theorem of QCD or gauge unification
 - **exact or computed statement:** a numerical table regenerates from a formula; **does not imply:** the formula's constants were independently derived
 - **exact or computed statement:** a leading-digit match; **does not imply:** compatibility with experimental uncertainty
 - **exact or computed statement:** an equivariant principal symbol is unique; **does not imply:** the full operator has no lower-order freedom
 - **exact or computed statement:** a contact form is nonintegrable; **does not imply:** spacetime Cartan torsion is forced
 - **exact or computed statement:** Chern-Simons gravity works in $2 + 1$ dimensions; **does not imply:** four-dimensional gravity follows by adding time
 - **exact or computed statement:** a model is elegant and universal-looking; **does not imply:** nature selected it
-

20.4 3. The strengthened physical bridge gate

No THEA number, Hopf number, Klein invariant, lattice norm, graph eigenvalue, or special-function identity is called physical until it passes all four conditions:

1. **A well-defined dynamics:** a scalar, symmetry-respecting action or evolution law.
 2. **An independent provenance ledger:** every nontrivial numerical input generated or openly classified.
 3. **A discriminating observable:** not inserted by construction and different from existing models.
 4. **A sealed test:** value, uncertainty, convention, and pass/fail rule frozen before data.
- Cross-indexing remains useful for generating hypotheses. It is not identification.
-

20.5 4. Proposed CURSE 42 - The Classifying-Space Mirage

WHAT BIT US: a universal object classified every possible bundle, so the mage mistook the catalogue for the cosmos. An embedding looked like an identity. A reproduced table looked like a derivation. A familiar group name looked like a force of nature.

ROOT CAUSE: category-theoretic universality, geometric inclusion, numerical reproduction, and physical realization are four different relations. The same arrow glyph was used for all four.

COUNTER-HEX: print the relation type on every arrow:

CLASSIFIES EMBEDS ISOMORPHIC MODELS PREDICTS MEASURED-AS

Never let one relation silently become another. Classification is not ontology. Embedding is not identity. Reproduction is not derivation. A target is still not a result.

20.6 5. Exact text to insert in the Light Matrix physical boundary

HOPF BOUNDARY. The complex Hopf fibration, its classifying spaces, and the homogeneous identities $S^3 \cong SU(2)$ and $S^5 \cong SU(3)/SU(2)$ are genuine mathematics and may provide useful comparison coordinates for the Light Matrix. They do not establish that the Light Matrix is a gauge field, that a fullerene graph is spacetime, or that the Standard Model gauge groups are forced by this graph. A classifying space organizes possible bundles; it does not select the bundle realized by nature. Any future Hopf/Light-Matrix unification claim must supply a well-defined action, an independent numerical ledger, and a pre-registered observable.

20.7 6. Status table for the new correspondence lane

- **statement:** Hopf classifying-space identities; **status:** **EXTERNAL EXACT**
- **statement:** shared appearance of $U(1), SU(2), SU(3)$; **status:** **STRUCTURAL CORRESPONDENCE**
- **statement:** relation of $T = k^2 + k\ell + \ell^2$ to $A_2/SU(3)$ formulas; **status:** **EXACT ALGEBRAIC OVERLAP**
- **statement:** Hopf shells as a candidate physical arena; **status:** **HYPOTHESIS**
- **statement:** Light Matrix as a discretization of Hopf dynamics; **status:** **OPEN MODEL**
- **statement:** particle masses or constants from either tower; **status:** **HYPOTHESIS until independently generated and sealed**

20.8 7. Version decision


This addendum does not overwrite v1.3.3. It is the next frozen artifact, in accordance with Path X.

The correction is not "we were wrong to calculate." It is "our wall should have named one more mirage."

The Light Matrix keeps its exact core. The Hopf tower keeps its beautiful geometry. The bridge between them remains open, guarded, and testable.

P = 12. $\chi = 2$. The price is always paid.

20.9 Relation taxonomy introduced by CURSE 42



Every move from an exact mathematical statement to a physical measurement must name its relation type. A classifying map, embedding, isomorphism, model, prediction, and measured estimator are not interchangeable arrows.

Chapter 21

The Duel of the Towers: Full Controlled Audit

Audit date: 2026-08-09

Source under review: *The Complex Hopf Fibration as the Canonical Space for Gauge-Gravity Unification: The Field, Universal Action, and Particle Spectrum*, Jennifer "Jenny" Lorraine Nielsen, 2026-08-05, 116 pages.

Control tradition: THEA Light Matrix v1.3.3, THE CROWD null protocol, and the cave's rule that target is not result.

Stable audit payload SHA-256: 1434526f1196c4c9fb2f974fdefca6d4b3ae0b6096f61d2e47cf1db719c9aeb7

This is a technical control audit, not a judgment of the author. The TopoMagic scroll is unusually ambitious, unusually explicit, and unusually generous with source code. The purpose here is to discover which arrows are earned, which are conditional, which remain hypotheses, and which break under a counterexample.

21.1 Executive verdict - who wins?

THEA wins this round on epistemic integrity. TopoMagic wins the prize for ambition and for publishing a runnable numerical spellbook.

TopoMagic attempts vastly more: it claims a canonical universal field space, unique gauge groups, gravity, a unique action, the Standard Model, particle masses, mixing, constants, dark sectors, and predictions from two axioms. Its Appendix A really does regenerate many printed numerical tables, and its Appendix B contains actual Lean source rather than merely invoking "formal verification." Those are serious strengths.


The decisive difference is what happens at the seams. THEA's core says that its exact matrices, fullerene topology, graph spectra, and computed continuum trends are mathematical objects, while any claim about photons, spacetime, or fundamental physics remains a hypothesis. TopoMagic repeatedly promotes a standard classification fact or a reproduced decimal through several unproved physical identifications and calls the entire chain a theorem. The control audit finds narrow exact islands, but many of the bridges between them fail.

The score is not a popularity vote and not a statistical significance:

- **disposition:** PASS; **count:** 22
- **disposition:** CONDITIONAL; **count:** 3
- **disposition:** OPEN; **count:** 4
- **disposition:** CORRECTION; **count:** 16
- **disposition:** REFUTED; **count:** 15

- **disposition: total; count: 60**

A PASS is deliberately narrow. It does not allow theorem status to leak into an adjacent physical interpretation.



21.1.1 The fair one-line result

TopoMagic loses several forcing arrows, not the right to keep building. THEA does not need to change its exact core, but it should add a stronger Hopf boundary. We therefore do both: freeze a THEA v1.3.4 boundary addendum and send TopoMagic a five-gate controlled proposal.

21.2 1. Rules of the duel

The two scrolls use different status languages. The audit translates them before comparing them.

- **TopoMagic label:** Axiom; **control reading:** premise accepted for the conditional argument, not a theorem of nature
- **TopoMagic label:** Theorem / Lemma / Corollary; **control reading:** theorem only if the stated hypotheses entail the conclusion
- **TopoMagic label:** Standard Physical Identification; **control reading:** imported physical model or dictionary; must be declared as an external bridge
- **TopoMagic label:** Novel Physical Interpretation; **control reading:** hypothesis until independently discriminating evidence exists
- **TopoMagic label:** Numerical verification; **control reading:** reproduction of a formula, not proof that the formula was derived independently
- **TopoMagic label:** Lean verification; **control reading:** machine check of the formal statement actually encoded, not of broader prose around it
THEA's stricter grammar is retained throughout:
- **EXACT:** follows from shown algebra, topology, or integer arithmetic.
- **COMPUTED:** reproduced at a declared precision and depth.
- **DESIGN:** a chosen mapping, normalization, tolerance, or visualization.
- **HYPOTHESIS:** a physical interpretation that can still fail.

- **EXTERNAL:** a cited theorem, dataset, or separate artifact.
- **CORRECTION:** a claim whose defensible form is narrower than printed.
- **REFUTED:** a claim contradicted by a valid counterexample or its own executable provenance.

21.2.1 1.1 What was actually done

The control performed four different operations:

1. **Source reconstruction.** Appendix A was extracted, normalized, rebuilt as executable Python, and run at the paper's declared 40-digit precision.
2. **Independent high-precision recomputation.** Its formulas were re-evaluated at 80 decimal digits.
3. **Mathematical counterexample testing.** The strongest topology, Lie-algebra, contact-geometry, operator, and gravity claims were tested against explicit constructions.
4. **Current-data comparison.** Selected high-load-bearing numerical predictions were compared with current NIST, PDG, Fan et al., and Fermilab reference values with uncertainties, not merely rounded digits.

The control intentionally does not pretend to be a complete peer review of every line in 116 pages. It targets the load-bearing arrows. If one of those arrows fails, all conclusions downstream of it become conditional even if their arithmetic reproduces.

21.3 2. Round I - what TopoMagic genuinely earns

21.3.1 2.1 The classifying-space core

The standard homotopy-theoretic facts survive:

$$BU(1) \simeq \mathbb{CP}^\infty, \quad EU(1) \simeq S^\infty,$$

and the universal principal circle bundle can be represented by

$$S^1 \longrightarrow S^\infty \longrightarrow \mathbb{CP}^\infty.$$

Likewise, any two objects that truly classify the same principal- $U(1)$ -bundle functor are homotopy equivalent. The Lean kernel named `classifying_unique` captures this conditional uniqueness cleanly.

The important word is **classify**. A classifying object parametrizes isomorphism classes of bundles through pullback. It does not by itself become the physical spacetime, the physical total field, or a unique unified dynamics.

21.3.2 2.2 The shell identities

The following narrow identities are exact and valuable:

$$S^3 \cong SU(2), \quad S^5 \cong SU(3)/SU(2),$$

with the standard transitive actions. The finite Hopf fibrations

$$S^1 \longrightarrow S^{2n+1} \longrightarrow \mathbb{CP}^n$$

are canonical geometric objects. TopoMagic is right to explore them as a coherent hierarchy.

21.3.3 2.3 The numerical spellbook really runs

The reconstructed Appendix A executes without error. The following printed outputs regenerate from the supplied formulas:

- the charged-lepton table;
- the W , Z , and Higgs table after inserting c_B ;
- all six quark masses;
- the three neutrino masses and two mass-squared splittings;
- the quoted fine-structure constant expression;
- Newton's constant, the cosmological constant, anomalous moments, $|V_{us}|$, and $|V_{cb}|$.

That earns **COMPUTED REPRODUCTION**. It is much better than a table with no source.

21.3.4 2.4 Several zeta identities reproduce exactly

The control independently verifies the standard values

$$\zeta'_R(0) = -\frac{1}{2} \log(2\pi), \quad \zeta'_R(-2) = -\frac{\zeta(3)}{4\pi^2},$$

and the higher derivative used in the suite. The question is not whether those identities are correct. The question is whether the later sector constants printed as $D(n)$ are actually generated by the displayed spectral route. That is addressed in Round IV.

21.3.5 2.5 The Lean appendix is a real strength-with a narrow scope

The PDF includes self-contained Lean source and an axiom audit. The code visibly contains no `sorry` or `admit` placeholders. This environment did not have Lean installed, so compilation was not independently rerun; that check remains OPEN.

More importantly, the Lean source is honest enough to reveal the principal logical seam: the universal-classifier theorem receives

```
hComplete : Classifies C F B
```

as a hypothesis. It proves uniqueness **after completeness has been assumed**. It does not derive physical completeness from the word "unification." That distinction becomes the first major correction.

21.4 3. Round II - the topology forcing arrows

21.4.1 3.1 Charge quantization does not force nontrivial connection holonomy

TopoMagic defines admissible charges through characters evaluated on connection holonomy and argues that a discrete charge set forces nontrivial holonomy. The implication is not valid as a general theorem of gauge theory.

Take the trivial principal bundle

$$P = B \times U(1) \longrightarrow B$$

with flat connection $A = 0$. Its connection holonomy is the identity around every loop. Nevertheless, the irreducible representations of $U(1)$ are still indexed by integer weights

$$\chi_n(e^{i\theta}) = e^{in\theta}, \quad n \in \mathbb{Z}.$$

Thus quantized representation charges coexist with trivial connection holonomy. Charge quantization can arise from the representation theory of a compact gauge group or from integral characteristic classes; it is not equivalent to nontrivial holonomy of every chosen connection.

Disposition: REFUTED as a universal implication.

Repair: state an additional premise connecting the physically admissible charge lattice to a nontrivial bundle class or to a specific non-flat connection.

21.4.2 3.2 A gauge field is not a principal bundle with a global section

A principal gauge bundle $P \rightarrow M$ may be nontrivial and still carry a connection. A global section of a principal bundle exists if and only if the principal bundle is trivial. Therefore the phrase "a gauge field is a principal bundle with section" cannot be used globally for the nontrivial Hopf bundle that the paper later requires.

The defensible dictionary is:

$$\text{gauge arena} = P \rightarrow M, \quad \text{gauge potential} = \text{connection on } P,$$

while matter fields are sections of associated bundles. Local gauge potentials are local sections/trivializations connected by transition functions.

Disposition: CORRECTION.

21.4.3 3.3 Completeness is a premise, not a consequence of unification

The correct categorical theorem is:

If B represents the principal- $U(1)$ -bundle functor and $\mathbb{CP}^\infty$ is Milnor's classifying model, then $B \simeq \mathbb{CP}^\infty$.

TopoMagic's prose inserts a stronger physical step:

"single unified field theory" $\implies$ "one base classifies every possible $U(1)$ bundle."

That implication is not a theorem of classifying-space theory. It is precisely the **Classifies** hypothesis supplied to Lean.

Disposition: the uniqueness theorem PASSes conditionally; the claim that completeness was derived receives a CORRECTION.

21.4.4 3.4 An indecomposable base ring does not forbid product gauge bundles

The narrow ring statement is true:

$$H^*(\mathbb{CP}^\infty; \mathbb{Z}) \cong \mathbb{Z}[c_1]$$

is an integral domain and has no nontrivial idempotent product splitting.

The physical conclusion does not follow. Over the same indecomposable base $B = \mathbb{CP}^\infty$, choose two principal circle bundles P_1, P_2 with

$$c_1(P_1) = x, \quad c_1(P_2) = 2x.$$

Their fiber product

$$P_1 \times_B P_2 \longrightarrow B$$

is a principal $U(1) \times U(1)$ bundle. The base cohomology ring need not split for a product structure group or a product principal bundle to exist.

Disposition: the ring theorem PASSes; the no-product-gauge-sector conclusion is REFUTED.

21.4.5 3.5 Embedding is not identity

A compact Lie group admits a faithful unitary representation. A corresponding classifying map may factor through a finite Grassmannian and then a projective embedding. This provides a useful **ambient realization**.

It does not imply

original principal G -bundle $\cong$ the Hopf principal $U(1)$ -bundle.

Nor does embedding BG in projective space make $BG = \mathbb{CP}^N$, preserve all connection data automatically, or create a single universal shell dynamics.

Disposition: CORRECTION.

21.4.6 3.6 Classification is not ontology

Even a perfect universal classifier answers:

"How are all bundles of this kind parametrized up to equivalence?"

It does not answer:

"Which bundle is realized by nature?"

The missing bridge requires a physical action, boundary/initial conditions, matter content, observables, and experimental discrimination. This bridge is the central OPEN question of the scroll.

21.5 4. Round III - groups, the entwine, action, and gravity

21.5.1 4.1 $SU(2)$ is not uniquely forced by transitivity on S^3

The standard action of $U(2)$ on the unit sphere $S^3 \subset \mathbb{C}^2$ is faithful and transitive. It contains the central circle

$$e^{i\theta} I_2,$$

which is exactly the Hopf fiber action. Therefore "compact, connected, transitive on S^3 , contains the Hopf $U(1)$ " does not uniquely select $SU(2)$.

If an added premise excludes $U(2)$ because its Lie algebra has a central $u(1)$ summand, that premise already performs much of the claimed forcing and must be stated explicitly.

Disposition: uniqueness REFUTED; the exact identity $S^3 \cong SU(2)$ remains PASS.

21.5.2 4.2 The S^5 identity is real; the uniqueness claim is conditional

$$S^5 \cong SU(3)/SU(2)$$

is exact. To infer that $SU(3)$ is the uniquely forced physical strong gauge group, one must separately justify the action class, stabilizer, effectiveness, representation on matter, and why larger transitive groups or extensions are excluded.

Disposition: CONDITIONAL.

21.5.3 4.3 The "entwine" confuses intersection with commutator generation

TopoMagic proposes, schematically,

$$\mathfrak{g}_1 \bowtie \mathfrak{g}_2 = (\mathfrak{g}_1 + \mathfrak{g}_2) - [\mathfrak{g}_1, \mathfrak{g}_2].$$

But $[\mathfrak{g}_1, \mathfrak{g}_2]$ is not the overlap $\mathfrak{g}_1 \cap \mathfrak{g}_2$. In $\mathfrak{su}(2)$, let

$$\mathfrak{g}_1 = \text{span}(X), \quad \mathfrak{g}_2 = \text{span}(Y), \quad [X, Y] = Z.$$

Then

$$\mathfrak{g}_1 \cap \mathfrak{g}_2 = 0, \quad [\mathfrak{g}_1, \mathfrak{g}_2] = \text{span}(Z).$$

The bracket generates a new direction; it does not subtract a double-counted one. Vector-space subtraction is also not a definition of a Lie algebra, and no bracket, closure proof, or Jacobi proof is given.

Disposition: REFUTED as an overlap identity; CORRECTION as an algebraic construction.
Repair options: a matched pair/bicrossed product, semidirect product, extension, amalgamated product over an actual common subalgebra, or an explicitly defined new bracket with Jacobi verified.

21.5.4 4.4 The mixed action term is not yet a scalar action

The proposed term

$$\alpha \wedge F \wedge (d\alpha)^{n-1}$$

is a top-degree differential form but remains Lie-algebra-valued because F is. A physical action requires a scalar invariant. A single trace does not solve this for a semisimple factor:

$$\text{Tr}(F) = 0 \quad \text{for } F \in \mathfrak{su}(N)$$

in the defining representation. A specified invariant linear functional, pairing with another Lie-algebra-valued field, transgression form, or representation-theoretic contraction is missing.

Degree counting proves only that the form degree is correct. It does not prove gauge invariance, scalarity, uniqueness, or that all interaction vertices follow.

Disposition: REFUTED as the written universal nonabelian scalar action.

21.5.5 4.5 Principal-symbol uniqueness is not operator uniqueness

Suppose

$$B = *d$$

has the claimed equivariance, ellipticity, and self-adjointness on the chosen domain. Then for every real constant c ,

$$B_c = B + cI$$

has the same first-order principal symbol and remains equivariant, self-adjoint, and elliptic. Therefore a Schur argument about the principal symbol cannot by itself establish uniqueness of the full first-order operator.

Disposition: REFUTED as stated.

Repair: demand a homogeneous first-order operator with zero zeroth-order term, or supply an independent normalization/symmetry that forbids cI .

21.5.6 4.6 The Reeb field is vertical, not horizontal

For the standard Hopf contact form on S^{2n+1} , the Reeb vector field is

$$R(z) = iz,$$

which generates the circle fiber. It is vertical. The horizontal/contact distribution is

$$\xi = \ker \alpha.$$

Therefore horizontal parallel transport cannot be identified with integral curves of the Reeb field. A Reeb field may itself be a Beltrami eigenfield, but that does not make all horizontal lifts Reeb flow lines.

Disposition: REFUTED.

21.5.7 4.7 Contact volume is not Cartan torsion

The nonvanishing contact form

$$\alpha \wedge d\alpha \neq 0$$

is a contact-volume condition. Cartan torsion is

$$T^a = de^a + \omega^a_b \wedge e^b.$$

The round S^3 simultaneously carries the Hopf contact structure and a torsion-free Levi-Civita connection. Thus $c_1 \neq 0$ does not force spacetime torsion for every compatible connection.

Disposition: REFUTED.

Repair: define a specific metric-compatible connection with torsion, derive it from an action or constitutive rule, and distinguish it from the contact 3-form.

21.5.8 4.8 Chern-Simons gravity is 2 + 1-dimensional

Witten's Chern-Simons formulation is a formulation of gravity in three spacetime dimensions. Treating S^3 as a spatial slice and adjoining an external time coordinate does not automatically derive four-dimensional Einstein dynamics.

The paper's claimed derivation through the first Bianchi identity also fails. On a three-dimensional constant-curvature geometry,

$$R^a_b = Ke^a \wedge e_b$$

gives

$$R^a_b \wedge e^b = 0$$

by antisymmetry-the first Bianchi identity-while

$$G_{ab} = -Kg_{ab}$$

is nonzero for $K \neq 0$. A kinematic identity is not an Einstein equation.

Disposition: the move from Chern-Simons to physical 3+1 gravity receives a CORRECTION; the Bianchi-to-Einstein implication is REFUTED.

21.5.9 4.9 Kato-Rellich does not generate mass

Kato-Rellich can establish self-adjointness of $B + V$ under relative-boundedness assumptions. It does not require a zero eigenvalue to move away from zero. For example,

$$B = \begin{pmatrix} 0 & 0 \\ 0 & 1 \end{pmatrix}, \quad V = \begin{pmatrix} 0 & 0 \\ 0 & 0.1 \end{pmatrix}$$

leaves the zero mode exactly at zero.

Disposition: REFUTED as a mass-generation theorem.

Repair: calculate the relevant matrix element, prove the selection rules, and show the eigenvalue shift is nonzero for the actual mode.

21.5.10 4.10 The full Standard Model is not yet derived

The paper writes expressions resembling familiar gauge and interaction terms, but several essential structures are still asserted or imported:

- a well-defined scalar mixed action;
- spinor bundles or an equivalent construction that yields fermionic statistics and the Dirac kinetic structure;
- anomaly and representation accounting;
- gauge fixing/BRST treatment or a proof that the quantum theory does not need it;
- the $SU(3)$ topological sector relevant to strong CP;
- computed Higgs-fermion and self-couplings rather than placeholders named as overlap integrals;
- a derived renormalization prescription and running couplings.

In particular, the statement "the unified structure group is $U(1)$, hence $c_2 = 0$ " does not erase the second Chern class of an asserted $SU(3)$ color bundle. The strong-CP conclusion does not follow from the ambient circle bundle.

Disposition: CORRECTION.

21.6 5. Round IV - the spectral and numerical spellbook

21.6.1 5.1 Reproduction is not provenance

The Appendix A program is a good reproduction suite: once its constants are supplied, the output tables regenerate. But a derivation suite must generate the constants from independent formulas rather than consume decimals that already encode the target data.

The executable numerical ledger contains the measured scale v plus at least seven additional nontrivial decimals:

- **symbol:** $D(1)$; **supplied value:** 1.203011392
- **symbol:** $D(2)$; **supplied value:** 4.806545406
- **symbol:** $D(3)$; **supplied value:** 10.818228646
- **symbol:** c_0 ; **supplied value:** 0.000034114
- **symbol:** c_B ; **supplied value:** 0.000551
- **symbol:** quoted $\zeta'_{D_2}(0)$; **supplied value:** -0.41364
- **symbol:** quoted ζ ; **supplied value:** $\zeta'_{B_7}(0)$

The paper may eventually derive these elsewhere, but the supplied executable pipeline does not. Therefore the operational claim "one empirical input and no other numerical inputs" is false for the artifact as shipped.

21.6.2 5.2 The decisive $D(n)$ second-difference test

The paper prints

$$D(1) = 1.203011392, \quad D(2) = 4.806545406, \quad D(3) = 10.818228646.$$

Their affine-invariant second difference is

$$\Delta^2 D = D(1) - 2D(2) + D(3) = \boxed{2.408149226}.$$

The displayed Hurwitz-zeta route yields the sequence

$$\zeta'_1(0) = 0.888490076146 \dots,$$


$$\zeta'_2(0) = 2.967931617826 \dots,$$

$$\zeta'_3(0) = 11.756829927171 \dots,$$

with

$$\left| \Delta^2 \zeta' \right| = \boxed{6.70945676766504160291026553101}.$$

Adding a constant and a term linear in n cannot change a second difference. Therefore the displayed spectral route cannot produce the boxed $D(n)$ sequence by the stated absorption convention.



This is the most important numerical finding in the audit because $D(n)$ controls the charged-lepton hierarchy.

21.6.3 5.3 The printed $D(n)$ values backsolve from the lepton masses

Solving the printed mass formula for $D(n)$ using the quoted electron, muon, and tau masses gives

$$\begin{aligned} D_1 &= 1.20301139203658\dots, \\ D_2 &= 4.80654540678840\dots, \\ D_3 &= 10.8182286457353\dots \end{aligned}$$

These agree with the supplied decimals at the printed precision. That does not prove intentional fitting, but it does prove that the numbers are data-bearing unless an independent spectral worksheet generates them without using the lepton masses.

21.6.4 5.4 The normalization constants also carry target information

Backsolving the electron scale gives

$$c_0 = 3.4114036582\dots \times 10^{-5},$$

while the code supplies 3.41140×10^{-5} .

Backsolving the W scale gives

$$c_B = 5.5066616262\dots \times 10^{-4},$$

while the code supplies 5.51×10^{-4} .

The paper openly describes these as "absorbed normalizations" and displays them-again a virtue. But a number chosen so the boxed formula regenerates a measured scale is a normalization input, not a parameter-free prediction, until an independent calculation fixes it.

21.6.5 5.5 The lens-space spectral restriction needs a real representation calculation

The suite models the n -sector by deleting all levels below $j = n$. A finite quotient such as

$$L(n, 1) = S^3/\mathbb{Z}_n$$

instead projects the spectrum onto $\mathbb{Z}_n$ -invariant representation weights. This is a congruence/parity selection, not a universal low-level tail deletion. At $n = 2$, for example, the $\mathbb{RP}^3$ quotient retains parity-selected modes rather than simply discarding every level below two.

A correct sector determinant must state the exact $\mathbb{Z}_n$ action on the coexact form representation and compute invariant multiplicities level by level.

21.6.6 5.6 The CKM/PMNS headline exceeds the executable output

Appendix A computes

$$|V_{us}| \approx \sqrt{m_d}/m_s,$$

and a formula for $|V_{cb}|$. It does not independently generate the full CKM matrix, $|V_{ub}|$, the CP phase, the Jarlskog invariant from a closed calculation, or a numerical PMNS matrix with three angles and phase.

The paper's broader structural discussion may motivate these objects, but the claim that Appendix A regenerates all mixing predictions is too strong.

21.6.7 5.7 The three-generation/knot ladder remains open

The proposed sequence

$$1 \mapsto \text{unknot}, \quad 2 \mapsto \text{Hopf link}, \quad 3 \mapsto \text{trefoil}, \quad 4 \mapsto \text{figure-eight}$$

is appealing, but the required low-eigenspace classification and exclusion theorem are not supplied. Known Beltrami constructions allow very rich knot and link types in sufficiently high eigenspaces. That external fact does not by itself disprove the paper's specific minimal-level claim, but it means the claimed universal filtration needs an explicit theorem rather than a knot catalogue plus monotonicity.



Disposition: OPEN. Consequently "exactly three generations" remains a physical interpretation, not a proved theorem.

21.7 6. Round V - current experimental controls

A numerical formula must be evaluated against uncertainties and renormalization conventions, not just rounded digits. The control uses current official or primary values available on 2026-08-09.

- **observable:** m_W GeV;
TopoMagic output: 80.3694731697;
current reference: 80.3625 ± 0.0077 ;
signed pull: $+0.91\sigma$;
control disposition: compatible
- **observable:** m_Z GeV;
TopoMagic output: 91.1878106105;
current reference: 91.1879 ± 0.0020 ;
signed pull: -0.04σ ;
control disposition: compatible
- **observable:** m_H GeV;
TopoMagic output: 125.225111438;
current reference: 125.13 ± 0.11 ;
signed pull: $+0.86\sigma$;
control disposition: compatible
- **observable:** m_τ MeV;
TopoMagic output: 1776.85999953;
current reference: 1776.93 ± 0.09 ;
signed pull: -0.78σ ;
control disposition: compatible
- **observable:** α^{-1} ;
TopoMagic output: 137.036082448164;
current reference: $137.035999177 \pm 0.000000021$;
signed pull: $+3965.3\sigma$;
control disposition: precision claim fails
- **observable:** G SI;
TopoMagic output: 6.67478451645e-11;
current reference: $(6.67430 \pm 0.00015) \times 10^{-11}$;
signed pull: $+3.23\sigma$;
control disposition: tension
- **observable:** a_e ;
TopoMagic output: 0.001159652179949173;
current reference: 0.00115965218059(13);

- signed pull: -4.93σ ;
 control disposition: 9-digit rounding yes; uncertainty agreement no
- observable: a_μ ;
 TopoMagic output: 0.001165920746963934;
 current reference: 0.001165920715(145);
 signed pull: $+0.22\sigma$;
 control disposition: compatible numerically
 - observable: $\sin^2 \theta_{\text{eff}}$;
 TopoMagic output: 0.238732414638;
 current reference: 0.23148 ± 0.00012 ;
 signed pull: $+60.4\sigma$;
 control disposition: fails absent scheme conversion



21.7.1 6.1 The rounding trap

The statements "six significant figures" for α^{-1} and "nine significant figures" for a_e are arithmetically true after rounding. But the observables are known far more precisely than those rounded headlines. A prediction can share several leading digits and still lie thousands-or five-experimental standard deviations away.

That is exactly the distinction THE CROWD was designed to enforce:

decimal resemblance $\neq$ uncertainty-level agreement $\neq$ derivation.

21.7.2 6.2 The weak-angle scheme must be derived, not waved away

TopoMagic gives

$$\sin^2 \theta_W = \frac{3}{4\pi} = 0.2387324146 \dots$$

while its own predicted mass ratio gives

$$1 - \left(\frac{m_W}{m_Z} \right)^2 = 0.2232009856 \dots$$

These may correspond to different renormalization schemes in a complete theory, but that is not an automatic rescue. The model must derive the scheme, scale, and conversion between them. Without that calculation, the internal discrepancy


$$0.0155314290 \dots$$

is unresolved.

21.8 7. Round VI - direct comparison of the mages

- **arena: Ambition; TopoMagic:** attempts a complete gauge-gravity-particle theory; **THEA:** restricts itself to exact graph/lattice mathematics plus explicit hypotheses; **round:** TopoMagic
- **arena: Standard exact topology; TopoMagic:** uses real classifying-space and Hopf facts; **THEA:** uses exact fullerene topology and lattice algebra; **round:** draw
- **arena: Executable source; TopoMagic:** includes a substantial Python appendix and Lean source; **THEA:** includes deterministic graph, symbolic, and numerical kernels; **round:** draw; TopoMagic deserves special credit
- **arena: Status grammar; TopoMagic:** labels interpretations, but repeatedly promotes them to theorems downstream; **THEA:** keeps EXACT, COMPUTED, DESIGN, HYPOTHESIS separate; **round:** THEA
- **arena: Forcing arrows; TopoMagic:** many conclusions do not follow from premises; **THEA:** narrower conclusions, fewer unearned bridges; **round:** THEA
- **arena: Numerical reproduction; TopoMagic:** tables reproduce; **THEA:** tables reproduce; **round:** draw
- **arena: Numerical provenance; TopoMagic:** key decimals are supplied or backsolve from targets; **THEA:** targets and results are separated; failed predictions are printed; **round:** THEA
- **arena: Look-elsewhere and null control; TopoMagic:** no global null for the many numerical correspondences; **THEA:** THE CROWD runs the same machinery on fake towers and kills its own excess; **round:** THEA

- **arena: Pre-registration; TopoMagic:** advertises predictions, but most are presented after construction of the formulas; **THEA:** THE WALK sealed competing hypotheses before measurement; **round:** THEA
- **arena: Current empirical compatibility; TopoMagic:** several masses and a_μ are close; precision claims fail; **THEA:** makes no comparable particle-spectrum claim; **round:** no direct contest
- **arena: Scientific readiness today; TopoMagic:** hypothesis generator requiring major repairs; **THEA:** audited mathematical tower with deliberately modest physical boundary; **round:** THEA



21.8.1 The victory condition

THEA's win is not "our geometry is the universe." It is the smaller and more defensible victory:

Our scroll knows where its proof ends.

TopoMagic can reverse the result. It does not need to abandon the Hopf program. It needs to replace the broken forcing arrows with explicit hypotheses, independent generators, and one sealed experiment that survives.

21.9 8. The correction to our own scroll

No exact Light Matrix equation is corrected by this comparison. The following remain unchanged:

$$P = 12, \quad T = k^2 + k\ell + \ell^2,$$

$$\text{spec}(\mathcal{M}_{\text{light}}) = \{\phi^2, 1, -1, \phi^{-2}\},$$

and the computed graph-spectral tower remains a computed trend, not a physical spacetime claim.

But our boundary can be improved. THEA v1.3.4 therefore adds the following law:

Classification is not ontology. Embedding is not identity. Reproduction is not derivation. A physical identification is not promoted by mathematical elegance; it must produce a discriminating observable not inserted by construction.

The full frozen text is in THEA_LIGHT_MATRIX_v1.3.4_HOPF_BOUNDARY_ADDENDUM.md.

21.10 9. The controlled proposal sent to TopoMagic

The companion proposal does not ask the other mage to surrender. It asks for five gates:

1. **Topology gate:** separate the classifying hypothesis from physical completeness and answer the explicit counterexamples.
2. **Algebra/action gate:** define the entwine as an actual Lie algebra, scalarize the action, repair Reeb/horizontal and contact/Cartan distinctions, and derive a genuine $3 + 1$ gravitational action.
3. **Spectral-provenance gate:** independently generate $D(n)$, c_0 , c_B , and every quoted determinant decimal; close the second-difference mismatch.
4. **Blind numerical-control gate:** publish an input ledger, uncertainty/scheme ledger, and a held-out or null-controlled test.
5. **Sealed prediction gate:** freeze one currently unmeasured observable with a date, value, uncertainty, convention, and no post-measurement adjustment.

Passing all five gates changes the verdict. THEA promises in advance to publish the pass with the same prominence as the present corrections.

21.11 10. Reproduction

From the control bundle directory:

```
python verify_topomagic_control_v100.py \
--root . \
--json topomagic_control_audit_receipt.json \
--report topomagic_control_audit_report.md
```

Expected summary:

```
checks: 60
PASS 22
CONDITIONAL 3
OPEN 4
CORRECTION 16
REFUTED 15
stable sha256: 1434526f1196c4c9fb2f974fdefca6d4b3ae0b6096f61d2e47cf1db719c9aeb7
```

The uploaded TopoMagicTower.pdf is required as the source but is not redistributed inside the control ZIP.

21.12 11. Complete 60-check ledger

- **ID:** R01; **group:** REPRODUCTION; **status:** PASS; **claim tested:** Uploaded scroll has 116 pages; **compact evidence:** pdftinfo returns 116 pages.

- **ID:** R02; **group:** REPRODUCTION; **status:** PASS; **claim tested:** Appendix A reconstruction executes cleanly; **compact evidence:** The reconstructed printed suite exits successfully.
- **ID:** R03; **group:** REPRODUCTION; **status:** PASS; **claim tested:** Printed verifier uses 40-decimal precision; **compact evidence:** The control recomputes at twice the printed precision.
- **ID:** R04; **group:** REPRODUCTION; **status:** PASS; **claim tested:** Analytic zeta-derivative identities; **compact evidence:** The three identities agree at 60+ digits.
- **ID:** R05; **group:** REPRODUCTION; **status:** PASS; **claim tested:** Charged-lepton table regenerates; **compact evidence:** The printed formula regenerates the three table values.
- **ID:** R06; **group:** REPRODUCTION; **status:** PASS; **claim tested:** W, Z, Higgs table regenerates; **compact evidence:** The table regenerates after inserting cB.
- **ID:** R07; **group:** REPRODUCTION; **status:** PASS; **claim tested:** Six-quark table regenerates; **compact evidence:** All six printed masses reproduce.
- **ID:** R08; **group:** REPRODUCTION; **status:** PASS; **claim tested:** Neutrino masses and splittings regenerate; **compact evidence:** The printed neutrino outputs reproduce.
- **ID:** R09; **group:** REPRODUCTION; **status:** PASS; **claim tested:** Constants, g-2, partial CKM regenerate; **compact evidence:** Reproduction is established; derivation remains a separate question.
- **ID:** R10; **group:** REPRODUCTION; **status:** OPEN; **claim tested:** Lean appendix independently compiled here; **compact evidence:** No obvious sorry/admit placeholder occurs in the extracted code, but Lean is unavailable so compilation was not rerun.
- **ID:** T01; **group:** TOPOLOGY; **status:** PASS; **claim tested:** BU(1)~CPinfinity and EU(1)~Sinfinity; **compact evidence:** This exact core survives.
- **ID:** T02; **group:** TOPOLOGY; **status:** CONDITIONAL; **claim tested:** Any two objects classifying the same U(1)-bundle functor are homotopy equivalent; **compact evidence:** The Lean uniqueness kernel is valid under its full classifying premise.
- **ID:** T03; **group:** TOPOLOGY; **status:** CORRECTION; **claim tested:** Completeness is derived rather than assumed; **compact evidence:** Lean passes completeness as a Classifies hypothesis; the physical implication from unification to universality is not derived.
- **ID:** T04; **group:** TOPOLOGY; **status:** REFUTED; **claim tested:** Charge quantization forces nontrivial connection holonomy; **compact evidence:** U(1) representations still have integer weights with trivial connection holonomy.
- **ID:** T05; **group:** TOPOLOGY; **status:** CORRECTION; **claim tested:** Every gauge field is a principal bundle with global section; **compact evidence:** A gauge field is a connection; matter fields are sections of associated bundles. A principal bundle has a global section iff trivial.
- **ID:** T06; **group:** TOPOLOGY; **status:** REFUTED; **claim tested:** Nontrivial structure group makes the bundle non-product; **compact evidence:** Nontrivial group and trivial bundle are compatible.
- **ID:** T07; **group:** TOPOLOGY; **status:** PASS; **claim tested:** $Z[c_1]$ is a domain with no nontrivial idempotent splitting; **compact evidence:** The narrow ring-theoretic statement is correct.
- **ID:** T08; **group:** TOPOLOGY; **status:** REFUTED; **claim tested:** No base cohomology splitting implies no product principal bundle; **compact evidence:** $P1 \times_B P2$ exists over the same indecomposable base; the base need not split.
- **ID:** T09; **group:** TOPOLOGY; **status:** CONDITIONAL; **claim tested:** Sinfinity may be a common contractible total-space model; **compact evidence:** The quotient by a general G is BG, not CPinfinity.
- **ID:** T10; **group:** TOPOLOGY; **status:** CORRECTION; **claim tested:** Projective embedding identifies a G-bundle with the Hopf U(1) bundle; **compact evidence:** A Grassmannian/ $Pl \backslash x_{f\check{c}k\check{e}r}$ realization does not turn the original principal G-bundle into a U(1) Hopf bundle.

- **ID:** T11; **group:** TOPOLOGY; **status:** CORRECTION; **claim tested:** Every compact gauge theory literally lives on a finite Hopf shell; **compact evidence:** Finite approximations do not imply common shell dynamics.
- **ID:** T12; **group:** TOPOLOGY; **status:** OPEN; **claim tested:** Topology uniquely selects Nature's physical arena; **compact evidence:** Classification does not force the universe to equal its classifying space.
- **ID:** D01; **group:** DYNAMICS; **status:** PASS; **claim tested:** $S^3 \cong SU(2)$; **compact evidence:** Standard exact identity.
- **ID:** D02; **group:** DYNAMICS; **status:** PASS; **claim tested:** $S^5 \cong SU(3)/SU(2)$; **compact evidence:** Standard exact homogeneous-space identity.
- **ID:** D03; **group:** DYNAMICS; **status:** REFUTED; **claim tested:** $SU(2)$ is unique transitive compact connected group on S^3 containing Hopf $U(1)$; **compact evidence:** $U(2)$ acts faithfully and transitively on S^3 subset C^2 and contains the central Hopf circle.
- **ID:** D04; **group:** DYNAMICS; **status:** CONDITIONAL; **claim tested:** S^5 shell forces $SU(3)$; **compact evidence:** The identity survives, but the uniqueness premise is not forced by shell nesting.
- **ID:** D05; **group:** DYNAMICS; **status:** REFUTED; **claim tested:** $[g_1, g_2]$ equals $[g_1, g_2]$; **compact evidence:** Bracket image is not overlap.
- **ID:** D06; **group:** DYNAMICS; **status:** CORRECTION; **claim tested:** Entwine $(g_1 + g_2) - [g_1, g_2]$ is a defined Lie algebra; **compact evidence:** Vector-space subtraction is undefined and closure/Jacobi are not supplied.
- **ID:** D07; **group:** DYNAMICS; **status:** REFUTED; **claim tested:** Mixed α wedge F wedge $(d\alpha)^{n-1}$ term is a scalar $SU(N)$ action; **compact evidence:** An invariant pairing is missing; $\text{Tr}(F) = 0$ for $\mathfrak{su}(N)$.
- **ID:** D08; **group:** DYNAMICS; **status:** REFUTED; **claim tested:** $B = *d$ is unique equivariant first-order self-adjoint elliptic operator; **compact evidence:** Real c gives another operator with the listed properties unless zero-order terms are forbidden.
- **ID:** D09; **group:** DYNAMICS; **status:** REFUTED; **claim tested:** Horizontal Hopf transport is the Reeb flow; **compact evidence:** The Reeb field is vertical, not horizontal.
- **ID:** D10; **group:** DYNAMICS; **status:** REFUTED; **claim tested:** $c_1 \neq 0$ /contact form forces Cartan torsion; **compact evidence:** Contact α wedge $d\alpha$ and Cartan torsion are distinct.
- **ID:** D11; **group:** DYNAMICS; **status:** CORRECTION; **claim tested:** Witten Chern-Simons gravity yields physical 3+1 gravity on $S^3 \times \mathbb{R}$; **compact evidence:** Adjoining time is not a field-equation derivation.
- **ID:** D12; **group:** DYNAMICS; **status:** REFUTED; **claim tested:** First Bianchi identity becomes Einstein equation; **compact evidence:** The identity is kinematic and can hold while Einstein tensor is nonzero.
- **ID:** D13; **group:** DYNAMICS; **status:** REFUTED; **claim tested:** Kato-Rellich forces a zero mode to acquire mass; **compact evidence:** Self-adjointness survives while zero may remain zero.
- **ID:** D14; **group:** DYNAMICS; **status:** CORRECTION; **claim tested:** Complete Standard Model follows from the written action; **compact evidence:** Listed correspondences are not yet a derivation of all SM structures.
- **ID:** S01; **group:** SPECTRAL; **status:** PASS; **claim tested:** Displayed Hurwitz-zeta identity evaluates; **compact evidence:** The formula is numerically reproducible.
- **ID:** S02; **group:** SPECTRAL; **status:** PASS; **claim tested:** Boxed $D(n)$ second difference; **compact evidence:** The printed D values have this affine-invariant fingerprint.
- **ID:** S03; **group:** SPECTRAL; **status:** PASS; **claim tested:** Displayed zeta-route second difference; **compact evidence:** The displayed route has a different fingerprint.
- **ID:** S04; **group:** SPECTRAL; **status:** REFUTED; **claim tested:** Displayed zeta route generates boxed $D(n)$ after constant/linear absorption; **compact evidence:** Constant and

linear shifts cannot change a second difference.

- **ID:** S05; **group:** SPECTRAL; **status:** CORRECTION; **claim tested:** Lens quotient is obtained by deleting all levels below n ; **compact evidence:** Finite quotients select invariant weights, not a simple tail cutoff.
- **ID:** S06; **group:** SPECTRAL; **status:** CORRECTION; **claim tested:** $D(n)$ backsolves from charged-lepton masses; **compact evidence:** Without an independent worksheet the D values are data-bearing inputs.
- **ID:** S07; **group:** SPECTRAL; **status:** CORRECTION; **claim tested:** c_0 is independently generated in Appendix A; **compact evidence:** The decimal is inserted and supplies the electron absolute scale.
- **ID:** S08; **group:** SPECTRAL; **status:** CORRECTION; **claim tested:** c_B is independently generated in Appendix A; **compact evidence:** The decimal normalization regenerates the boson table.
- **ID:** S09; **group:** SPECTRAL; **status:** CORRECTION; **claim tested:** Quoted spectral decimals are generated inside the suite; **compact evidence:** Seven nontrivial dimensionless decimals are consumed, not derived there.
- **ID:** S10; **group:** SPECTRAL; **status:** REFUTED; **claim tested:** Executable spectrum has one empirical input and no other numerical inputs; **compact evidence:** The operational claim 'one input' is false for the supplied executable pipeline.
- **ID:** S11; **group:** SPECTRAL; **status:** CORRECTION; **claim tested:** Appendix A regenerates numerical PMNS matrix; **compact evidence:** It computes masses/splittings but not the PMNS matrix or three angles.
- **ID:** S12; **group:** SPECTRAL; **status:** CORRECTION; **claim tested:** Appendix A regenerates complete CKM matrix; **compact evidence:** \
- **ID:** S13; **group:** SPECTRAL; **status:** OPEN; **claim tested:** Beltrami level universally fixes monotone knot ladder; **compact evidence:** The low-level eigenspace/orbit classification needed by the paper is not supplied.
- **ID:** S14; **group:** SPECTRAL; **status:** OPEN; **claim tested:** Exactly three fermion generations proved by $k=4$ transition; **compact evidence:** The generation count remains an interpretation.
- **ID:** P01; **group:** PHENOMENOLOGY; **status:** PASS; **claim tested:** W mass vs PDG 2026; **compact evidence:** About $+0.91\sigma$.
- **ID:** P02; **group:** PHENOMENOLOGY; **status:** PASS; **claim tested:** Z mass vs PDG 2026; **compact evidence:** About -0.045σ .
- **ID:** P03; **group:** PHENOMENOLOGY; **status:** PASS; **claim tested:** Higgs mass vs PDG 2026; **compact evidence:** About $+0.86\sigma$.
- **ID:** P04; **group:** PHENOMENOLOGY; **status:** PASS; **claim tested:** Tau mass vs PDG 2026; **compact evidence:** Within one current standard deviation.
- **ID:** P05; **group:** PHENOMENOLOGY; **status:** REFUTED; **claim tested:** Fine-structure constant as precision prediction; **compact evidence:** Rounding to six digits hides a roughly 3965σ discrepancy.
- **ID:** P06; **group:** PHENOMENOLOGY; **status:** CORRECTION; **claim tested:** Newton G vs CODATA; **compact evidence:** About 3.23σ high, a tension rather than agreement within uncertainty.
- **ID:** P07; **group:** PHENOMENOLOGY; **status:** CORRECTION; **claim tested:** Electron anomalous moment: rounded digits versus uncertainty; **compact evidence:** The nine-significant-digit rounded headline is true, but the full prediction is about -4.93σ from the Fan et al. measurement.
- **ID:** P08; **group:** PHENOMENOLOGY; **status:** PASS; **claim tested:** Muon anomalous moment vs final world average; **compact evidence:** About $+0.22\sigma$; numerical proximity does not establish provenance.
- **ID:** P09; **group:** PHENOMENOLOGY; **status:** REFUTED; **claim tested:** Weak angle is

internally and experimentally consistent; **compact evidence:** The two internal definitions disagree; $3/(4\pi)$ is about 60.4sigma from the effective angle absent a derived scheme conversion.

- **ID:** P10; **group:** PHENOMENOLOGY; **status:** PASS; **claim tested:** Controlled comparison verdict; **compact evidence:** TopoMagic wins ambition and source inclusion; THEA wins this round by separating exact, computed, and physical claims.

21.13 12. Reference ledger

The control used the following external reference classes:

- NIST/CODATA 2022 wall chart for $\alpha^{-1} = 137.035999177(21)$ and the recommended gravitational constant.
- Particle Data Group 2026 live values for W , Z , Higgs, tau, and the effective weak mixing angle.
- Fan, Myers, Sukra, and Gabrielse, *Measurement of the Electron Magnetic Moment*, for $g/2 = 1.00115965218059(13)$.
- Fermilab Muon $g - 2$ final experimental world average $a_\mu = 1165920715(145) \times 10^{-12}$.
- Witten's Chern-Simons formulation of gravity, whose domain is $2 + 1$ spacetime dimensions.
- Standard principal-bundle theorem: a principal bundle has a global section exactly when it is trivial.
- Mathematical literature establishing that sufficiently high Beltrami eigenspaces can realize very rich knot/link types.

Exact URLs and numerical values are frozen in `TOPOMAGIC_EXTERNAL_REFERENCE_LEDGER.md`.

21.14 Coda - the magical result without the glamour



The TopoMagic tower brought a huge spell: classifying spaces, Hopf shells, Beltrami flows, knots, masses, mixing, and constants. We brought the smaller spell: distinguish a map from the territory, a table from a derivation, and a theorem from a hope.


The smaller spell wins today because it can lose tomorrow.

To the TopoMagic mage: keep the Hopf tower. Repair the bridges. Publish the failed gates. Seal one prediction. If the number lands, we bow. If it misses, we print the miss beside our own. That is how two towers become one science rather than two legends.**

P = 12. $\chi = 2$. The price is always paid.

21.15 Category disposition and bridge figures






Chapter 22

Hopf Control Tower: H01-H60

This chapter expands every machine or analytical check into its own calculation rung. The order is the frozen order of `topomagic_control_audit_receipt.json`; renumbering is forbidden because the rung IDs are part of the reproducibility contract.

- **Reproduction:** PASS 9; CONDITIONAL 0; OPEN 1; CORRECTION 0; REFUTED 0; total 10.
- **Topology:** PASS 2; CONDITIONAL 2; OPEN 1; CORRECTION 4; REFUTED 3; total 12.
- **Dynamics:** PASS 2; CONDITIONAL 1; OPEN 0; CORRECTION 3; REFUTED 8; total 14.
- **Spectral:** PASS 3; CONDITIONAL 0; OPEN 2; CORRECTION 7; REFUTED 2; total 14.
- **Phenomenology:** PASS 6; CONDITIONAL 0; OPEN 0; CORRECTION 2; REFUTED 2; total 10.



22.1 H01 / R01 - Uploaded scroll has 116 pages

Disposition: PASS

Audit group: REPRODUCTION

Control mode: machine

22.1.1 Claim under test

Uploaded scroll has 116 pages.

22.1.2 Control route

The claim was checked by executing or parsing the supplied artifact and recording the finite output.

22.1.3 Calculation, proof, or counterexample

The frozen control records the following direct evidence: **pdftinfo returns 116 pages**. The machine or analytical result is printed verbatim below so later revisions can be diffed against the exact receipt rather than a paraphrase.

22.1.4 Machine-readable receipt

```
{
  "pages": 116
}
```

22.1.5 Evidence frozen by the control

pdftinfo returns 116 pages.

22.1.6 Status boundary

Only the narrow tested statement is retained. No downstream physical interpretation inherits PASS automatically.

22.1.7 Next-step obligation

The next mage must either reproduce this receipt, name the premise that excludes the counterexample, or publish a revised calculation that changes the disposition. Silent relabeling is not an allowed repair.

22.2 H02 / R02 - Appendix A reconstruction executes cleanly

Disposition: PASS

Audit group: REPRODUCTION

Control mode: machine

22.2.1 Claim under test

Appendix A reconstruction executes cleanly.

22.2.2 Control route

The claim was checked by executing or parsing the supplied artifact and recording the finite output.

22.2.3 Calculation, proof, or counterexample

The frozen control records the following direct evidence: **The reconstructed printed suite exits successfully.** The machine or analytical result is printed verbatim below so later revisions can be diffed against the exact receipt rather than a paraphrase.

22.2.4 Machine-readable receipt

```
{
  "returncode": 0,
  "stderr": "",
  "stdout_sha256": "3b7f183809f95907df27e22491899af2e57567f3cdacb99ba7cc58a089cfe403"
}
```

22.2.5 Evidence frozen by the control

The reconstructed printed suite exits successfully.

22.2.6 Status boundary

Only the narrow tested statement is retained. No downstream physical interpretation inherits PASS automatically.

22.2.7 Next-step obligation

The next mage must either reproduce this receipt, name the premise that excludes the counterexample, or publish a revised calculation that changes the disposition. Silent relabeling is not an allowed repair.

22.3 H03 / R03 - Printed verifier uses 40-decimal precision

Disposition: PASS

Audit group: REPRODUCTION

Control mode: machine

22.3.1 Claim under test

Printed verifier uses 40-decimal precision.

22.3.2 Control route

The claim was checked by executing or parsing the supplied artifact and recording the finite output.

22.3.3 Calculation, proof, or counterexample

The frozen control records the following direct evidence: **The control recomputes at twice the printed precision.** The machine or analytical result is printed verbatim below so later revisions can be diffed against the exact receipt rather than a paraphrase.

22.3.4 Machine-readable receipt

```
{
  "audit_dps": 80,
  "source_dps": 40
}
```

22.3.5 Evidence frozen by the control

The control recomputes at twice the printed precision.

22.3.6 Status boundary

Only the narrow tested statement is retained. No downstream physical interpretation inherits PASS automatically.

22.3.7 Next-step obligation

The next mage must either reproduce this receipt, name the premise that excludes the counterexample, or publish a revised calculation that changes the disposition. Silent relabeling is not an allowed repair.

22.4 H04 / R04 - Analytic zeta-derivative identities

Disposition: PASS

Audit group: REPRODUCTION

Control mode: machine

22.4.1 Claim under test

Analytic zeta-derivative identities.

22.4.2 Control route

The claim was checked by executing or parsing the supplied artifact and recording the finite output.

22.4.3 Calculation, proof, or counterexample

The standard identities are

$$\zeta'_R(0) = -\frac{1}{2} \log(2\pi), \quad \zeta'_R(-2) = -\frac{\zeta(3)}{4\pi^2}, \quad \zeta'_R(-4) = \frac{3\zeta(5)}{4\pi^4}.$$

The 80-digit recomputation agrees with the closed forms beyond sixty digits. This confirms a genuine exact island, but it does not supply the later sector-restriction rule.

22.4.4 Machine-readable receipt

```
{
  "t0": "-0.918938533204672741780329736406",
  "tm2": "-0.0304484570583932707802515304712",
  "tm4": "0.00798381145026862428069667079879",
  "zp0": "-0.918938533204672741780329736406",
  "zpm2": "-0.0304484570583932707802515304712",
  "zpm4": "0.00798381145026862428069667079879"
}
```

22.4.5 Evidence frozen by the control

The three identities agree at 60+ digits.

22.4.6 Status boundary

Only the narrow tested statement is retained. No downstream physical interpretation inherits PASS automatically.

22.4.7 Next-step obligation

The next mage must either reproduce this receipt, name the premise that excludes the counterexample, or publish a revised calculation that changes the disposition. Silent relabeling is not an allowed repair.

22.5 H05 / R05 - Charged-lepton table regenerates

Disposition: PASS

Audit group: REPRODUCTION

Control mode: machine

22.5.1 Claim under test

Charged-lepton table regenerates.

22.5.2 Control route

The claim was checked by executing or parsing the supplied artifact and recording the finite output.

22.5.3 Calculation, proof, or counterexample

The charged-lepton formula is evaluated exactly as printed:

$$m_n = \Lambda_{\text{Hopf}}(n+1) \exp\left(an - D(n) + \frac{n\alpha}{6} + \sigma_3 \log \tau_3(K_n)\right).$$

With the supplied $D(n)$ and c_0 , the three table values regenerate. The rung therefore certifies formula-to-table fidelity, not independent spectral provenance.

22.5.4 Machine-readable receipt

```
{
  "e": "0.510998950708693486513941715077",
  "mu": "105.658375583300827893662189945",
  "tau": "1776.8599995297095742743220414"
}
```

22.5.5 Evidence frozen by the control

The printed formula regenerates the three table values.

22.5.6 Status boundary

Only the narrow tested statement is retained. No downstream physical interpretation inherits PASS automatically.

22.5.7 Next-step obligation

The next mage must either reproduce this receipt, name the premise that excludes the counterexample, or publish a revised calculation that changes the disposition. Silent relabeling is not an allowed repair.

22.6 H06 / R06 - W, Z, Higgs table regenerates

Disposition: PASS

Audit group: REPRODUCTION

Control mode: machine

22.6.1 Claim under test

W, Z, Higgs table regenerates.

22.6.2 Control route

The claim was checked by executing or parsing the supplied artifact and recording the finite output.

22.6.3 Calculation, proof, or counterexample

The bosonic table regenerates only after the normalization factor e^{-c_B} is included in the scale. This repairs the printed equation/table mismatch, while simultaneously showing that c_B is a data-bearing input until an independent generator is supplied.

22.6.4 Machine-readable receipt

```
{
  "H_GeV": "125.225111437995737786059294367",
  "W_GeV": "80.3694731696611649513923041582",
  "Z_GeV": "91.1878106105279983048784099943"
}
```

22.6.5 Evidence frozen by the control

The table regenerates after inserting cB.

22.6.6 Status boundary

Only the narrow tested statement is retained. No downstream physical interpretation inherits PASS automatically.

22.6.7 Next-step obligation

The next mage must either reproduce this receipt, name the premise that excludes the counterexample, or publish a revised calculation that changes the disposition. Silent relabeling is not an allowed repair.

22.7 H07 / R07 - Six-quark table regenerates

Disposition: PASS

Audit group: REPRODUCTION

Control mode: machine

22.7.1 Claim under test

Six-quark table regenerates.

22.7.2 Control route

The claim was checked by executing or parsing the supplied artifact and recording the finite output.

22.7.3 Calculation, proof, or counterexample

The frozen control records the following direct evidence: **All six printed masses reproduce.** The machine or analytical result is printed verbatim below so later revisions can be diffed against the exact receipt rather than a paraphrase.

22.7.4 Machine-readable receipt

```
{
  "b": "4172.2215551043063940715973697",
  "c": "1272.71362444215217005117391297",
  "d": "4.66417565888801147027798278777",
  "s": "93.5650038689433334099517652541",
  "t": "172864.945224033991116963741736",
  "u": "2.16000546574701706055335495242"
}
```

22.7.5 Evidence frozen by the control

All six printed masses reproduce.

22.7.6 Status boundary

Only the narrow tested statement is retained. No downstream physical interpretation inherits PASS automatically.

22.7.7 Next-step obligation

The next mage must either reproduce this receipt, name the premise that excludes the counterexample, or publish a revised calculation that changes the disposition. Silent relabeling is not an allowed repair.

22.8 H08 / R08 - Neutrino masses and splittings regenerate

Disposition: PASS

Audit group: REPRODUCTION

Control mode: machine

22.8.1 Claim under test

Neutrino masses and splittings regenerate.

22.8.2 Control route

The claim was checked by executing or parsing the supplied artifact and recording the finite output.

22.8.3 Calculation, proof, or counterexample

The frozen control records the following direct evidence: **The printed neutrino outputs reproduce.** The machine or analytical result is printed verbatim below so later revisions can be diffed against the exact receipt rather than a paraphrase.

22.8.4 Machine-readable receipt

```
{
  "dm21": "0.0000748901664495388989263941345897",
  "dm31": "0.00245961801365713386561308751618",
  "masses_eV": [
    "0.000969545201380588389493363335508",
    "0.00870805284475576805285559514508",
    "0.0496040122525855159408070532592"
  ]
}
```

22.8.5 Evidence frozen by the control

The printed neutrino outputs reproduce.

22.8.6 Status boundary

Only the narrow tested statement is retained. No downstream physical interpretation inherits PASS automatically.

22.8.7 Next-step obligation

The next mage must either reproduce this receipt, name the premise that excludes the counterexample, or publish a revised calculation that changes the disposition. Silent relabeling is not an allowed repair.

22.9 H09 / R09 - Constants, g-2, partial CKM regenerate

Disposition: PASS

Audit group: REPRODUCTION

Control mode: machine

22.9.1 Claim under test

Constants, g-2, partial CKM regenerate.

22.9.2 Control route

The claim was checked by executing or parsing the supplied artifact and recording the finite output.

22.9.3 Calculation, proof, or counterexample

The frozen control records the following direct evidence: **Reproduction is established; derivation remains a separate question.** The machine or analytical result is printed verbatim below so later revisions can be diffed against the exact receipt rather than a paraphrase.

22.9.4 Machine-readable receipt

```
{
  "G": "6.67478451644570214787680524469e-11",
  "Lambda": "2.93961915520727581662358160035e-122",
  "Vcb": "0.0426315212296318195896934132864",
  "Vus": "0.223270183406814532911391660733",
  "a_e": "0.00115965217994917288767539394802",
  "a_mu": "0.00116592074696393438860545284555",
  "alpha_inverse": "137.036082448164337440176169169"
}
```

22.9.5 Evidence frozen by the control

Reproduction is established; derivation remains a separate question.

22.9.6 Status boundary

Only the narrow tested statement is retained. No downstream physical interpretation inherits PASS automatically.

22.9.7 Next-step obligation

The next mage must either reproduce this receipt, name the premise that excludes the counterexample, or publish a revised calculation that changes the disposition. Silent relabeling is not an allowed repair.

22.10 H10 / R10 - Lean appendix independently compiled here

Disposition: OPEN

Audit group: REPRODUCTION

Control mode: machine

22.10.1 Claim under test

Lean appendix independently compiled here.

22.10.2 Control route

The claim was checked by executing or parsing the supplied artifact and recording the finite output.

22.10.3 Calculation, proof, or counterexample

The frozen control records the following direct evidence: **No obvious sorry/admit placeholder occurs in the extracted code, but Lean is unavailable so compilation was not rerun.** The machine or analytical result is printed verbatim below so later revisions can be diffed against the exact receipt rather than a paraphrase.

22.10.4 Machine-readable receipt

```
{
  "lean_available": false,
  "lean_region_extracted": true,
  "placeholder_patterns": []
}
```


22.10.5 Evidence frozen by the control

No obvious sorry/admit placeholder occurs in the extracted code, but Lean is unavailable so compilation was not rerun.

22.10.6 Status boundary

The claim remains open. The missing calculation, theorem, or tool is listed explicitly and no surrogate result is substituted.

22.10.7 Next-step obligation

The next mage must either reproduce this receipt, name the premise that excludes the counterexample, or publish a revised calculation that changes the disposition. Silent relabeling is not an allowed repair.

22.11 H11 / T01 - BU(1)~CPinfinity and EU(1)~Sinfinity

Disposition: PASS

Audit group: TOPOLOGY

Control mode: analytical

22.11.1 Claim under test

BU(1)~CPinfinity and EU(1)~Sinfinity.

22.11.2 Control route

The claim was checked by an explicit mathematical implication, distinction, or theorem statement.

22.11.3 Calculation, proof, or counterexample

The frozen control records the following direct evidence: **This exact core survives.** The machine or analytical result is printed verbatim below so later revisions can be diffed against the exact receipt rather than a paraphrase.

22.11.4 Machine-readable receipt

```
{
  "statement": "standard classifying-space theorem"
}
```

22.11.5 Evidence frozen by the control

This exact core survives.

22.11.6 Status boundary

Only the narrow tested statement is retained. No downstream physical interpretation inherits PASS automatically.

22.11.7 Next-step obligation

The next mage must either reproduce this receipt, name the premise that excludes the counterexample, or publish a revised calculation that changes the disposition. Silent relabeling is not an allowed repair.

22.12 H12 / T02 - Any two objects classifying the same $U(1)$ -bundle functor are homotopy equivalent

Disposition: CONDITIONAL

Audit group: TOPOLOGY

Control mode: analytical

22.12.1 Claim under test

Any two objects classifying the same $U(1)$ -bundle functor are homotopy equivalent.

22.12.2 Control route

The claim was checked by an explicit mathematical implication, distinction, or theorem statement.

22.12.3 Calculation, proof, or counterexample

The valid theorem is conditional:

$$(B \text{ classifies } \text{Prin}_{U(1)}) \wedge (B' \text{ classifies } \text{Prin}_{U(1)}) \implies B \simeq B'.$$

The formal kernel checks this implication. It does not prove that the physical arena satisfies the classifying premise.

22.12.4 Machine-readable receipt

```
{
  "premise": "both already satisfy Classifies"
}
```

22.12.5 Evidence frozen by the control

The Lean uniqueness kernel is valid under its full classifying premise.

22.12.6 Status boundary

The result may be used only when the named premise is displayed beside it; deleting that premise deletes the conclusion.

22.12.7 Next-step obligation

The next mage must either reproduce this receipt, name the premise that excludes the counterexample, or publish a revised calculation that changes the disposition. Silent relabeling is not an allowed repair.

22.13 H13 / T03 - Completeness is derived rather than assumed

Disposition: CORRECTION

Audit group: TOPOLOGY

Control mode: machine+analytical

22.13.1 Claim under test

Completeness is derived rather than assumed.

22.13.2 Control route

The executable provenance and the logical implication were checked separately.

22.13.3 Calculation, proof, or counterexample

The Lean structure receives `hComplete : Classifies C F B` as an input. Therefore the formal proof establishes uniqueness after completeness has been assumed. The prose arrow

$$\text{unification} \implies \text{classification of every } U(1) \text{ bundle}$$

remains a physical premise, not a derived theorem.

22.13.4 Machine-readable receipt

```
{
  "Classifies_structure_present": true,
  "hComplete_present": true
}
```

22.13.5 Evidence frozen by the control

Lean passes completeness as a `Classifies` hypothesis; the physical implication from unification to universality is not derived.

22.13.6 Status boundary

The printed statement is replaced by the narrower formulation recorded here. Downstream claims must be rebuilt from the corrected form.

22.13.7 Next-step obligation

The next mage must either reproduce this receipt, name the premise that excludes the counterexample, or publish a revised calculation that changes the disposition. Silent relabeling is not an allowed repair.

22.14 H14 / T04 - Charge quantization forces nontrivial connection holonomy

Disposition: REFUTED

Audit group: TOPOLOGY

Control mode: counterexample

22.14.1 Claim under test

Charge quantization forces nontrivial connection holonomy.

22.14.2 Control route

The universal claim was tested by constructing one valid case satisfying the printed premises while violating the conclusion.

22.14.3 Calculation, proof, or counterexample

Let $P = B \times U(1)$ and choose the flat connection $A = 0$. Its connection holonomy is the identity. Nevertheless the irreducible representations of $U(1)$ are

$$\chi_n(e^{i\theta}) = e^{in\theta}, \quad n \in \mathbb{Z}.$$

Integer representation weights therefore coexist with trivial connection holonomy. The printed universal implication is false without an extra premise tying the physical charge lattice to a nontrivial bundle class or chosen non-flat connection.

22.14.4 Machine-readable receipt

```
{
  "bundle": "trivial U(1)",
  "connection": "A=0",
  "holonomy": "identity",
  "integer_weights": [
    -3,
    -2,
    -1,
    0,
    1,
    2,
    3
  ]
}
```

22.14.5 Evidence frozen by the control

$U(1)$ representations still have integer weights with trivial connection holonomy.

22.14.6 Status boundary

One valid counterexample or provenance contradiction defeats the universal claim. Downstream conclusions depending on it become hypotheses unless re-derived with stronger premises.

22.14.7 Next-step obligation

The next mage must either reproduce this receipt, name the premise that excludes the counterexample, or publish a revised calculation that changes the disposition. Silent relabeling is not an allowed repair.

22.15 H15 / T05 - Every gauge field is a principal bundle with global section

Disposition: CORRECTION

Audit group: TOPOLOGY

Control mode: analytical

22.15.1 Claim under test

Every gauge field is a principal bundle with global section.

22.15.2 Control route

The claim was checked by an explicit mathematical implication, distinction, or theorem statement.

22.15.3 Calculation, proof, or counterexample

A principal bundle admits a global section if and only if it is trivial. A nontrivial Hopf principal bundle can carry a connection but no global principal section. The correct dictionary separates the principal gauge arena and its connection from matter fields, which are sections of associated bundles.

22.15.4 Machine-readable receipt

```
{
  "counterexample": "nontrivial Hopf principal bundle has no global section"
}
```

22.15.5 Evidence frozen by the control

A gauge field is a connection; matter fields are sections of associated bundles. A principal bundle has a global section iff trivial.

22.15.6 Status boundary

The printed statement is replaced by the narrower formulation recorded here. Downstream claims must be rebuilt from the corrected form.

22.15.7 Next-step obligation

The next mage must either reproduce this receipt, name the premise that excludes the counterexample, or publish a revised calculation that changes the disposition. Silent relabeling is not an allowed repair.

22.16 H16 / T06 - Nontrivial structure group makes the bundle non-product

Disposition: REFUTED

Audit group: TOPOLOGY

Control mode: counterexample

22.16.1 Claim under test

Nontrivial structure group makes the bundle non-product.

22.16.2 Control route

The universal claim was tested by constructing one valid case satisfying the printed premises while violating the conclusion.

22.16.3 Calculation, proof, or counterexample

The frozen control records the following direct evidence: **Nontrivial group and trivial bundle are compatible.** The machine or analytical result is printed verbatim below so later revisions can be diffed against the exact receipt rather than a paraphrase.

22.16.4 Machine-readable receipt

```
{
  "bundle": "BxU(1)->B",
  "group": "U(1)",
  "trivial": true
}
```

22.16.5 Evidence frozen by the control

Nontrivial group and trivial bundle are compatible.

22.16.6 Status boundary

One valid counterexample or provenance contradiction defeats the universal claim. Downstream conclusions depending on it become hypotheses unless re-derived with stronger premises.

22.16.7 Next-step obligation

The next mage must either reproduce this receipt, name the premise that excludes the counterexample, or publish a revised calculation that changes the disposition. Silent relabeling is not an allowed repair.

22.17 H17 / T07 - $Z[c1]$ is a domain with no nontrivial idempotent splitting

Disposition: PASS

Audit group: TOPOLOGY

Control mode: analytical

22.17.1 Claim under test

$Z[c1]$ is a domain with no nontrivial idempotent splitting.

22.17.2 Control route

The claim was checked by an explicit mathematical implication, distinction, or theorem statement.

22.17.3 Calculation, proof, or counterexample

The frozen control records the following direct evidence: **The narrow ring-theoretic statement is correct.** The machine or analytical result is printed verbatim below so later revisions can be diffed against the exact receipt rather than a paraphrase.

22.17.4 Machine-readable receipt

```
{
  "ring": "Z[c1]"
}
```

22.17.5 Evidence frozen by the control

The narrow ring-theoretic statement is correct.

22.17.6 Status boundary

Only the narrow tested statement is retained. No downstream physical interpretation inherits PASS automatically.

22.17.7 Next-step obligation

The next mage must either reproduce this receipt, name the premise that excludes the counterexample, or publish a revised calculation that changes the disposition. Silent relabeling is not an allowed repair.

22.18 H18 / T08 - No base cohomology splitting implies no product principal bundle

Disposition: REFUTED

Audit group: TOPOLOGY

Control mode: counterexample

22.18.1 Claim under test

No base cohomology splitting implies no product principal bundle.

22.18.2 Control route

The universal claim was tested by constructing one valid case satisfying the printed premises while violating the conclusion.

22.18.3 Calculation, proof, or counterexample

Take two circle bundles $P_1, P_2 \rightarrow \mathbb{CP}^\infty$ with first Chern classes x and $2x$. Their fiber product

$$P_1 \times_B P_2 \longrightarrow B$$

is a principal $U(1) \times U(1)$ bundle over the same base. No product decomposition of the base cohomology ring is required. Thus ring indecomposability of $H^*(B)$ does not forbid product structure groups.

22.18.4 Machine-readable receipt

```
{
  "P1_c1": "x",
  "P2_c1": "2x",
  "base": "CPinfinity",
  "product_group": "U(1)xU(1)"
}
```

22.18.5 Evidence frozen by the control

$P1 \times_B P2$ exists over the same indecomposable base; the base need not split.

22.18.6 Status boundary

One valid counterexample or provenance contradiction defeats the universal claim. Downstream conclusions depending on it become hypotheses unless re-derived with stronger premises.

22.18.7 Next-step obligation

The next mage must either reproduce this receipt, name the premise that excludes the counterexample, or publish a revised calculation that changes the disposition. Silent relabeling is not an allowed repair.

22.19 H19 / T09 - Sinfinity may be a common contractible total-space model

Disposition: CONDITIONAL

Audit group: TOPOLOGY

Control mode: analytical

22.19.1 Claim under test

Sinfinity may be a common contractible total-space model.

22.19.2 Control route

The claim was checked by an explicit mathematical implication, distinction, or theorem statement.

22.19.3 Calculation, proof, or counterexample

The frozen control records the following direct evidence: **The quotient by a general G is BG , not CP_{∞} .** The machine or analytical result is printed verbatim below so later revisions can be diffed against the exact receipt rather than a paraphrase.

22.19.4 Machine-readable receipt

```
{
  "quotient": "BG",
  "weaker": "EG can be a contractible free G-space"
}
```

22.19.5 Evidence frozen by the control

The quotient by a general G is BG , not CP_{∞} .

22.19.6 Status boundary

The result may be used only when the named premise is displayed beside it; deleting that premise deletes the conclusion.

22.19.7 Next-step obligation

The next mage must either reproduce this receipt, name the premise that excludes the counterexample, or publish a revised calculation that changes the disposition. Silent relabeling is not an allowed repair.

22.20 H20 / T10 - Projective embedding identifies a G-bundle with the Hopf U(1) bundle

Disposition: CORRECTION

Audit group: TOPOLOGY

Control mode: analytical

22.20.1 Claim under test

Projective embedding identifies a G-bundle with the Hopf U(1) bundle.

22.20.2 Control route

The claim was checked by an explicit mathematical implication, distinction, or theorem statement.

22.20.3 Calculation, proof, or counterexample

The frozen control records the following direct evidence: **A Grassmannian/Pl\xfccker realization does not turn the original principal G-bundle into a U(1) Hopf bundle.** The machine or analytical result is printed verbatim below so later revisions can be diffed against the exact receipt rather than a paraphrase.

22.20.4 Machine-readable receipt

```
{
  "distinction": "ambient embedding is not bundle isomorphism"
}
```

22.20.5 Evidence frozen by the control

A Grassmannian/Pl\xfccker realization does not turn the original principal G-bundle into a U(1) Hopf bundle.

22.20.6 Status boundary

The printed statement is replaced by the narrower formulation recorded here. Downstream claims must be rebuilt from the corrected form.

22.20.7 Next-step obligation

The next mage must either reproduce this receipt, name the premise that excludes the counterexample, or publish a revised calculation that changes the disposition. Silent relabeling is not an allowed repair.

22.21 H21 / T11 - Every compact gauge theory literally lives on a finite Hopf shell

Disposition: CORRECTION

Audit group: TOPOLOGY

Control mode: analytical

22.21.1 Claim under test

Every compact gauge theory literally lives on a finite Hopf shell.

22.21.2 Control route

The claim was checked by an explicit mathematical implication, distinction, or theorem statement.

22.21.3 Calculation, proof, or counterexample

The frozen control records the following direct evidence: **Finite approximations do not imply common shell dynamics.** The machine or analytical result is printed verbatim below so later revisions can be diffed against the exact receipt rather than a paraphrase.

22.21.4 Machine-readable receipt

```
{
  "repair": "state finite-stage approximation with dimension and classifying-map hypotheses"
}
```

22.21.5 Evidence frozen by the control

Finite approximations do not imply common shell dynamics.

22.21.6 Status boundary

The printed statement is replaced by the narrower formulation recorded here. Downstream claims must be rebuilt from the corrected form.

22.21.7 Next-step obligation

The next mage must either reproduce this receipt, name the premise that excludes the counterexample, or publish a revised calculation that changes the disposition. Silent relabeling is not an allowed repair.

22.22 H22 / T12 - Topology uniquely selects Nature's physical arena

Disposition: OPEN

Audit group: TOPOLOGY

Control mode: analytical

22.22.1 Claim under test

Topology uniquely selects Nature's physical arena.

22.22.2 Control route

The claim was checked by an explicit mathematical implication, distinction, or theorem statement.

22.22.3 Calculation, proof, or counterexample

The frozen control records the following direct evidence: **Classification does not force the universe to equal its classifying space.** The machine or analytical result is printed verbatim below so later revisions can be diffed against the exact receipt rather than a paraphrase.

22.22.4 Machine-readable receipt

```
{
  "missing": "bridge from classifying possibilities to physical ontology"
}
```

22.22.5 Evidence frozen by the control

Classification does not force the universe to equal its classifying space.

22.22.6 Status boundary

The claim remains open. The missing calculation, theorem, or tool is listed explicitly and no surrogate result is substituted.

22.22.7 Next-step obligation

The next mage must either reproduce this receipt, name the premise that excludes the counterexample, or publish a revised calculation that changes the disposition. Silent relabeling is not an allowed repair.

22.23 H23 / D01 - $S_3 \cong SU(2)$

Disposition: PASS

Audit group: DYNAMICS

Control mode: analytical

22.23.1 Claim under test

$S_3 \cong SU(2)$.

22.23.2 Control route

The claim was checked by an explicit mathematical implication, distinction, or theorem statement.

22.23.3 Calculation, proof, or counterexample

The frozen control records the following direct evidence: **Standard exact identity**. The machine or analytical result is printed verbatim below so later revisions can be diffed against the exact receipt rather than a paraphrase.

22.23.4 Machine-readable receipt

```
{
  "identity": "unit quaternions"
}
```

22.23.5 Evidence frozen by the control

Standard exact identity.

22.23.6 Status boundary

Only the narrow tested statement is retained. No downstream physical interpretation inherits PASS automatically.

22.23.7 Next-step obligation

The next mage must either reproduce this receipt, name the premise that excludes the counterexample, or publish a revised calculation that changes the disposition. Silent relabeling is not an allowed repair.

22.24 H24 / D02 - $S5 \sim SU(3)/SU(2)$

Disposition: PASS

Audit group: DYNAMICS

Control mode: analytical

22.24.1 Claim under test

$S5 \sim SU(3)/SU(2)$.

22.24.2 Control route

The claim was checked by an explicit mathematical implication, distinction, or theorem statement.

22.24.3 Calculation, proof, or counterexample

The frozen control records the following direct evidence: **Standard exact homogeneous-space identity**. The machine or analytical result is printed verbatim below so later revisions can be diffed against the exact receipt rather than a paraphrase.

22.24.4 Machine-readable receipt

```
{
  "identity": "transitive SU(3) action"
}
```

22.24.5 Evidence frozen by the control

Standard exact homogeneous-space identity.

22.24.6 Status boundary

Only the narrow tested statement is retained. No downstream physical interpretation inherits PASS automatically.

22.24.7 Next-step obligation

The next mage must either reproduce this receipt, name the premise that excludes the counterexample, or publish a revised calculation that changes the disposition. Silent relabeling is not an allowed repair.

22.25 H25 / D03 - $SU(2)$ is unique transitive compact connected group on S^3 containing Hopf $U(1)$

Disposition: REFUTED

Audit group: DYNAMICS

Control mode: counterexample

22.25.1 Claim under test

$SU(2)$ is unique transitive compact connected group on S^3 containing Hopf $U(1)$.

22.25.2 Control route

The universal claim was tested by constructing one valid case satisfying the printed premises while violating the conclusion.

22.25.3 Calculation, proof, or counterexample

The standard action of $U(2)$ on the unit sphere $S^3 \subset \mathbb{C}^2$ is faithful and transitive. The central subgroup $e^{i\theta}I$ is the Hopf circle. Hence the printed conditions do not uniquely isolate $SU(2)$. Any uniqueness theorem needs an additional premise that explicitly excludes $U(2)$ rather than deriving the exclusion from the shell alone.

22.25.4 Machine-readable receipt

```
{
  "Hopf_subgroup": "e^{i\theta}I",
  "group": "U(2)"
}
```

22.25.5 Evidence frozen by the control

$U(2)$ acts faithfully and transitively on S^3 subset C^2 and contains the central Hopf circle.

22.25.6 Status boundary

One valid counterexample or provenance contradiction defeats the universal claim. Downstream conclusions depending on it become hypotheses unless re-derived with stronger premises.

22.25.7 Next-step obligation

The next mage must either reproduce this receipt, name the premise that excludes the counterexample, or publish a revised calculation that changes the disposition. Silent relabeling is not an allowed repair.

22.26 H26 / D04 - S5 shell forces $SU(3)$

Disposition: CONDITIONAL

Audit group: DYNAMICS

Control mode: analytical

22.26.1 Claim under test

S5 shell forces $SU(3)$.

22.26.2 Control route

The claim was checked by an explicit mathematical implication, distinction, or theorem statement.

22.26.3 Calculation, proof, or counterexample

The frozen control records the following direct evidence: **The identity survives, but the uniqueness premise is not forced by shell nesting.** The machine or analytical result is printed verbatim below so later revisions can be diffed against the exact receipt rather than a paraphrase.

22.26.4 Machine-readable receipt

```
{
  "condition": "stabilizer exactly SU(2) and action assumptions"
}
```

22.26.5 Evidence frozen by the control

The identity survives, but the uniqueness premise is not forced by shell nesting.

22.26.6 Status boundary

The result may be used only when the named premise is displayed beside it; deleting that premise deletes the conclusion.

22.26.7 Next-step obligation

The next mage must either reproduce this receipt, name the premise that excludes the counterexample, or publish a revised calculation that changes the disposition. Silent relabeling is not an allowed repair.

22.27 H27 / D05 - $g_1 \backslash u^{2229} g_2$ equals $[g_1, g_2]$

Disposition: REFUTED

Audit group: DYNAMICS

Control mode: counterexample

22.27.1 Claim under test

$g_1 \backslash u^{2229} g_2$ equals $[g_1, g_2]$.

22.27.2 Control route

The universal claim was tested by constructing one valid case satisfying the printed premises while violating the conclusion.

22.27.3 Calculation, proof, or counterexample

In $\mathfrak{su}(2)$ choose independent generators X, Y, Z with $[X, Y] = Z$. Then

$$\text{span}(X) \cap \text{span}(Y) = \{0\}, \quad [\text{span}(X), \text{span}(Y)] = \text{span}(Z).$$

The bracket image is not an intersection or an overlap to be subtracted by inclusion-exclusion.

22.27.4 Machine-readable receipt

```
{
  "su2": "g1=span X, g2=span Y, intersection=0, bracket=span Z"
}
```

22.27.5 Evidence frozen by the control

Bracket image is not overlap.

22.27.6 Status boundary

One valid counterexample or provenance contradiction defeats the universal claim. Downstream conclusions depending on it become hypotheses unless re-derived with stronger premises.

22.27.7 Next-step obligation

The next mage must either reproduce this receipt, name the premise that excludes the counterexample, or publish a revised calculation that changes the disposition. Silent relabeling is not an allowed repair.

22.28 H28 / D06 - Entwine $(\mathfrak{g}_1 + \mathfrak{g}_2) - [\mathfrak{g}_1, \mathfrak{g}_2]$ is a defined Lie algebra

Disposition: CORRECTION

Audit group: DYNAMICS

Control mode: analytical

22.28.1 Claim under test

Entwine $(\mathfrak{g}_1 + \mathfrak{g}_2) - [\mathfrak{g}_1, \mathfrak{g}_2]$ is a defined Lie algebra.

22.28.2 Control route

The claim was checked by an explicit mathematical implication, distinction, or theorem statement.

22.28.3 Calculation, proof, or counterexample

The expression

$$(\mathfrak{g}_1 + \mathfrak{g}_2) - [\mathfrak{g}_1, \mathfrak{g}_2]$$

is not a Lie-algebra construction: vector-space subtraction is undefined, and no bracket, closure proof, or Jacobi proof is supplied. A repair could use a matched pair, semidirect product, extension, quotient by a genuine ideal, or amalgamation over an actual common subalgebra.

22.28.4 Machine-readable receipt

```
{
  "repair": "matched pair, extension, quotient, or explicit new bracket"
}
```

22.28.5 Evidence frozen by the control

Vector-space subtraction is undefined and closure/Jacobi are not supplied.

22.28.6 Status boundary

The printed statement is replaced by the narrower formulation recorded here. Downstream claims must be rebuilt from the corrected form.

22.28.7 Next-step obligation

The next mage must either reproduce this receipt, name the premise that excludes the counterexample, or publish a revised calculation that changes the disposition. Silent relabeling is not an allowed repair.

22.29 H29 / D07 - Mixed α wedge F wedge $(d\alpha)^{n-1}$ term is a scalar $SU(N)$ action

Disposition: REFUTED

Audit group: DYNAMICS

Control mode: counterexample

22.29.1 Claim under test

Mixed α wedge F wedge $(d\alpha)^{n-1}$ term is a scalar $SU(N)$ action.

22.29.2 Control route

The universal claim was tested by constructing one valid case satisfying the printed premises while violating the conclusion.

22.29.3 Calculation, proof, or counterexample

For nonabelian curvature $F \in \Omega^2(M, \mathfrak{su}(N))$, the form

$$\alpha \wedge F \wedge (d\alpha)^{n-1}$$

remains Lie-algebra-valued. A scalar action requires an invariant linear functional or pairing. In the defining representation, $\text{Tr } F = 0$ for $\mathfrak{su}(N)$, so a single trace does not rescue the term.

22.29.4 Machine-readable receipt

```
{
  "Tr_single_suN_generator": 0,
  "issue": "F is Lie-algebra-valued"
}
```

22.29.5 Evidence frozen by the control

An invariant pairing is missing; $\text{Tr}(F)=0$ for $\mathfrak{su}(N)$.

22.29.6 Status boundary

One valid counterexample or provenance contradiction defeats the universal claim. Downstream conclusions depending on it become hypotheses unless re-derived with stronger premises.

22.29.7 Next-step obligation

The next mage must either reproduce this receipt, name the premise that excludes the counterexample, or publish a revised calculation that changes the disposition. Silent relabeling is not an allowed repair.

22.30 H30 / D08 - $B=*d$ is unique equivariant first-order self-adjoint elliptic operator

Disposition: REFUTED

Audit group: DYNAMICS

Control mode: counterexample

22.30.1 Claim under test

$B=*d$ is unique equivariant first-order self-adjoint elliptic operator.

22.30.2 Control route

The universal claim was tested by constructing one valid case satisfying the printed premises while violating the conclusion.

22.30.3 Calculation, proof, or counterexample

If $B = *d$ satisfies the listed first-order symbol, equivariance, ellipticity, and self-adjointness conditions, then so does

$$B_c = *d + cI, \quad c \in \mathbb{R},$$

with the same principal symbol. Symbol uniqueness therefore does not prove uniqueness of the complete operator unless zero-order freedom is explicitly forbidden or normalized.

22.30.4 Machine-readable receipt

```
{
  "family": "B+cI"
}
```

22.30.5 Evidence frozen by the control

Real c gives another operator with the listed properties unless zero-order terms are forbidden.

22.30.6 Status boundary

One valid counterexample or provenance contradiction defeats the universal claim. Downstream conclusions depending on it become hypotheses unless re-derived with stronger premises.

22.30.7 Next-step obligation

The next mage must either reproduce this receipt, name the premise that excludes the counterexample, or publish a revised calculation that changes the disposition. Silent relabeling is not an allowed repair.

22.31 H31 / D09 - Horizontal Hopf transport is the Reeb flow

Disposition: REFUTED

Audit group: DYNAMICS

Control mode: analytical

22.31.1 Claim under test

Horizontal Hopf transport is the Reeb flow.

22.31.2 Control route

The claim was checked by an explicit mathematical implication, distinction, or theorem statement.

22.31.3 Calculation, proof, or counterexample

For the standard Hopf contact form, the Reeb field satisfies $\alpha(R) = 1$ and generates the vertical circle action. The horizontal distribution is $\ker \alpha$. Calling horizontal transport the Reeb flow swaps vertical and horizontal geometry.

22.31.4 Machine-readable receipt

```
{
  "Reeb": "R(z)=iz",
  "horizontal": "ker alpha",
  "role": "vertical fiber generator"
}
```

22.31.5 Evidence frozen by the control

The Reeb field is vertical, not horizontal.

22.31.6 Status boundary

One valid counterexample or provenance contradiction defeats the universal claim. Downstream conclusions depending on it become hypotheses unless re-derived with stronger premises.

22.31.7 Next-step obligation

The next mage must either reproduce this receipt, name the premise that excludes the counterexample, or publish a revised calculation that changes the disposition. Silent relabeling is not an allowed repair.

22.32 H32 / D10 - c1!=0/contact form forces Cartan torsion

Disposition: REFUTED

Audit group: DYNAMICS

Control mode: counterexample

22.32.1 Claim under test

$c1!=0$ /contact form forces Cartan torsion.

22.32.2 Control route

The universal claim was tested by constructing one valid case satisfying the printed premises while violating the conclusion.

22.32.3 Calculation, proof, or counterexample

The contact condition $\alpha \wedge d\alpha \neq 0$ is a nonintegrability/volume statement. Cartan torsion is

$$T^a = de^a + \omega^a_b \wedge e^b.$$

The round S^3 carries the Hopf contact structure while its Levi-Civita connection has $T^a = 0$. Contact twist therefore does not force spacetime torsion.

22.32.4 Machine-readable receipt

```
{
  "Levi_Civita_torsion": 0,
  "geometry": "round S3 Hopf contact form"
}
```

22.32.5 Evidence frozen by the control

Contact alpha wedge dalpha and Cartan torsion are distinct.

22.32.6 Status boundary

One valid counterexample or provenance contradiction defeats the universal claim. Downstream conclusions depending on it become hypotheses unless re-derived with stronger premises.

22.32.7 Next-step obligation

The next mage must either reproduce this receipt, name the premise that excludes the counterexample, or publish a revised calculation that changes the disposition. Silent relabeling is not an allowed repair.

22.33 H33 / D11 - Witten Chern-Simons gravity yields physical 3+1 gravity on S3xR

Disposition: CORRECTION

Audit group: DYNAMICS

Control mode: analytical

22.33.1 Claim under test

Witten Chern-Simons gravity yields physical 3+1 gravity on S3xR.

22.33.2 Control route

The claim was checked by an explicit mathematical implication, distinction, or theorem statement.

22.33.3 Calculation, proof, or counterexample

Witten's Chern-Simons equivalence is a formulation of gravity in $2 + 1$ spacetime dimensions. Appending a coordinate or Wick-rotating a product metric does not derive a 3+1 action, constraint algebra, or Einstein-Cartan field equations. A separate four-dimensional dynamical derivation is required.

22.33.4 Machine-readable receipt

```
{
  "Witten": "2+1-dimensional gravity",
  "needed": "independent 3+1 action"
}
```

22.33.5 Evidence frozen by the control

Adjoining time is not a field-equation derivation.

22.33.6 Status boundary

The printed statement is replaced by the narrower formulation recorded here. Downstream claims must be rebuilt from the corrected form.

22.33.7 Next-step obligation

The next mage must either reproduce this receipt, name the premise that excludes the counterexample, or publish a revised calculation that changes the disposition. Silent relabeling is not an allowed repair.

22.34 H34 / D12 - First Bianchi identity becomes Einstein equation

Disposition: REFUTED

Audit group: DYNAMICS

Control mode: counterexample

22.34.1 Claim under test

First Bianchi identity becomes Einstein equation.

22.34.2 Control route

The universal claim was tested by constructing one valid case satisfying the printed premises while violating the conclusion.

22.34.3 Calculation, proof, or counterexample

For constant curvature,

$$R^a_b = K e^a \wedge e_b,$$

the first Bianchi identity $R^a_b \wedge e^b = 0$ holds kinematically, while the Einstein tensor is generally nonzero. A Bianchi identity constrains curvature; it does not replace an Euler-Lagrange equation.

22.34.4 Machine-readable receipt

```
{
  "Bianchi": "R^a_b wedge e^b=0",
  "Einstein": "G_ab=-K g_ab!=0",
  "constant_curvature": "R^a_b=K e^a wedge e^b"
}
```

22.34.5 Evidence frozen by the control

The identity is kinematic and can hold while Einstein tensor is nonzero.

22.34.6 Status boundary

One valid counterexample or provenance contradiction defeats the universal claim. Downstream conclusions depending on it become hypotheses unless re-derived with stronger premises.

22.34.7 Next-step obligation

The next mage must either reproduce this receipt, name the premise that excludes the counterexample, or publish a revised calculation that changes the disposition. Silent relabeling is not an allowed repair.

22.35 H35 / D13 - Kato-Rellich forces a zero mode to acquire mass

Disposition: REFUTED

Audit group: DYNAMICS

Control mode: counterexample

22.35.1 Claim under test

Kato-Rellich forces a zero mode to acquire mass.

22.35.2 Control route

The universal claim was tested by constructing one valid case satisfying the printed premises while violating the conclusion.

22.35.3 Calculation, proof, or counterexample

Kato-Rellich controls self-adjointness under relatively bounded perturbations. It does not require a zero eigenvalue to move. The diagonal example

$$B = \text{diag}(0, 1), \quad V = \text{diag}(0, 0.1)$$

leaves the zero mode exactly at zero. A mass claim needs a nonzero matrix element or a controlled degenerate perturbation calculation.

22.35.4 Machine-readable receipt

```
{
  "B": [
    0,
    1
  ],
  "BplusV": [
    0,
    1.1
  ],
  "V": [
    0,
    0.1
  ]
}
```

22.35.5 Evidence frozen by the control

Self-adjointness survives while zero may remain zero.

22.35.6 Status boundary

One valid counterexample or provenance contradiction defeats the universal claim. Downstream conclusions depending on it become hypotheses unless re-derived with stronger premises.

22.35.7 Next-step obligation

The next mage must either reproduce this receipt, name the premise that excludes the counterexample, or publish a revised calculation that changes the disposition. Silent relabeling is not an allowed repair.

22.36 H36 / D14 - Complete Standard Model follows from the written action

Disposition: CORRECTION

Audit group: DYNAMICS

Control mode: analytical

22.36.1 Claim under test

Complete Standard Model follows from the written action.

22.36.2 Control route

The claim was checked by an explicit mathematical implication, distinction, or theorem statement.

22.36.3 Calculation, proof, or counterexample

The frozen control records the following direct evidence: **Listed correspondences are not yet a derivation of all SM structures.** The machine or analytical result is printed verbatim below so later revisions can be diffed against the exact receipt rather than a paraphrase.

22.36.4 Machine-readable receipt

```
{
  "unresolved": [
    "fermionic statistics/spinors",
    "BRST/gauge fixing",
    "strong CP SU(3) topology",
    "well-defined mixed scalar"
  ]
}
```

22.36.5 Evidence frozen by the control

Listed correspondences are not yet a derivation of all SM structures.

22.36.6 Status boundary

The printed statement is replaced by the narrower formulation recorded here. Downstream claims must be rebuilt from the corrected form.

22.36.7 Next-step obligation

The next mage must either reproduce this receipt, name the premise that excludes the counterexample, or publish a revised calculation that changes the disposition. Silent relabeling is not an allowed repair.

22.37 H37 / S01 - Displayed Hurwitz-zeta identity evaluates

Disposition: PASS

Audit group: SPECTRAL

Control mode: machine

22.37.1 Claim under test

Displayed Hurwitz-zeta identity evaluates.

22.37.2 Control route

The claim was checked by executing or parsing the supplied artifact and recording the finite output.

22.37.3 Calculation, proof, or counterexample

The displayed route evaluates

$$\zeta'_n(0) = \zeta'_H(-2, n+1) - \zeta'_H(0, n+1),$$

producing the three numbers in the receipt. This verifies the arithmetic of the displayed formula, not its identification with the independently printed $D(n)$ sequence.

22.37.4 Machine-readable receipt

```
{
  "zeta_prime_n": [
    "0.888490076146279471000078205934",
    "2.96793161782611539925177457031",
    "11.7568299271709929304137364657"
  ]
}
```

22.37.5 Evidence frozen by the control

The formula is numerically reproducible.

22.37.6 Status boundary

Only the narrow tested statement is retained. No downstream physical interpretation inherits PASS automatically.

22.37.7 Next-step obligation

The next mage must either reproduce this receipt, name the premise that excludes the counterexample, or publish a revised calculation that changes the disposition. Silent relabeling is not an allowed repair.

22.38 H38 / S02 - Boxed D(n) second difference

Disposition: PASS

Audit group: SPECTRAL

Control mode: machine

22.38.1 Claim under test

Boxed D(n) second difference.

22.38.2 Control route

The claim was checked by executing or parsing the supplied artifact and recording the finite output.

22.38.3 Calculation, proof, or counterexample

For D_1, D_2, D_3 as printed,

$$\Delta^2 D = D_1 - 2D_2 + D_3 = 2.408149226.$$

This second difference is invariant under $D_n \mapsto D_n + a + bn$. It is therefore a fingerprint immune to the constant and linear absorptions claimed in the source.

22.38.4 Machine-readable receipt

```
{
  "Delta2_D": "2.408149226"
}
```

22.38.5 Evidence frozen by the control

The printed D values have this affine-invariant fingerprint.

22.38.6 Status boundary

Only the narrow tested statement is retained. No downstream physical interpretation inherits PASS automatically.

22.38.7 Next-step obligation

The next mage must either reproduce this receipt, name the premise that excludes the counterexample, or publish a revised calculation that changes the disposition. Silent relabeling is not an allowed repair.

22.39 H39 / S03 - Displayed zeta-route second difference

Disposition: PASS

Audit group: SPECTRAL

Control mode: machine

22.39.1 Claim under test

Displayed zeta-route second difference.

22.39.2 Control route

The claim was checked by executing or parsing the supplied artifact and recording the finite output.

22.39.3 Calculation, proof, or counterexample

For the displayed zeta values,

$$\Delta^2\zeta' = 0.888490076146\dots - 2(2.967931617826\dots) + 11.756829927171\dots = 6.709456767665\dots$$

22.39.4 Machine-readable receipt

```
{
  "Delta2_zeta": "6.70945676766504160291026553101"
}
```

22.39.5 Evidence frozen by the control

The displayed route has a different fingerprint.

22.39.6 Status boundary

Only the narrow tested statement is retained. No downstream physical interpretation inherits PASS automatically.

22.39.7 Next-step obligation

The next mage must either reproduce this receipt, name the premise that excludes the counterexample, or publish a revised calculation that changes the disposition. Silent relabeling is not an allowed repair.

22.40 H40 / S04 - Displayed zeta route generates boxed $D(n)$ after constant/linear absorption

Disposition: REFUTED

Audit group: SPECTRAL

Control mode: machine

22.40.1 Claim under test

Displayed zeta route generates boxed $D(n)$ after constant/linear absorption.

22.40.2 Control route

The claim was checked by executing or parsing the supplied artifact and recording the finite output.

22.40.3 Calculation, proof, or counterexample

Because $\Delta^2(a+bn) = 0$, no constant normalization and no linear helicity redefinition can transform $6.709456767665\dots$ into 2.408149226 . This is the decisive provenance refutation.

22.40.4 Machine-readable receipt

```
{
  "Delta2_D": "2.408149226",
  "Delta2_zeta": "6.70945676766504160291026553101",
  "mismatch": "4.30130754166504160291026553101"
}
```

22.40.5 Evidence frozen by the control

Constant and linear shifts cannot change a second difference.

22.40.6 Status boundary

One valid counterexample or provenance contradiction defeats the universal claim. Downstream conclusions depending on it become hypotheses unless re-derived with stronger premises.

22.40.7 Next-step obligation

The next mage must either reproduce this receipt, name the premise that excludes the counterexample, or publish a revised calculation that changes the disposition. Silent relabeling is not an allowed repair.

22.41 H41 / S05 - Lens quotient is obtained by deleting all levels below n

Disposition: CORRECTION

Audit group: SPECTRAL

Control mode: counterexample

22.41.1 Claim under test

Lens quotient is obtained by deleting all levels below n.

22.41.2 Control route

The universal claim was tested by constructing one valid case satisfying the printed premises while violating the conclusion.

22.41.3 Calculation, proof, or counterexample

A finite quotient does not generally delete every eigenlevel below a threshold. It projects onto invariant/congruence-selected representation components. For $S^3/\mathbb{Z}_2 \cong \mathbb{RP}^3$, parity-selected harmonics remain, including the constant mode. The source's tail-cutoff spectrum needs a representation-theoretic multiplicity derivation.

22.41.4 Machine-readable receipt

```
{
  "RP3": "keeps parity/congruence-selected harmonics, including l=0"
}
```

22.41.5 Evidence frozen by the control

Finite quotients select invariant weights, not a simple tail cutoff.

22.41.6 Status boundary

The printed statement is replaced by the narrower formulation recorded here. Downstream claims must be rebuilt from the corrected form.

22.41.7 Next-step obligation

The next mage must either reproduce this receipt, name the premise that excludes the counterexample, or publish a revised calculation that changes the disposition. Silent relabeling is not an allowed repair.

22.42 H42 / S06 - D(n) backsolves from charged-lepton masses

Disposition: CORRECTION

Audit group: SPECTRAL

Control mode: machine

22.42.1 Claim under test

D(n) backsolves from charged-lepton masses.

22.42.2 Control route

The claim was checked by executing or parsing the supplied artifact and recording the finite output.

22.42.3 Calculation, proof, or counterexample

Solving the charged-lepton formula for $D(n)$ using the observed lepton masses returns the printed decimals to their shown precision. That demonstrates that the sequence carries target-data information unless an independent worksheet produces it without consulting those masses.

22.42.4 Machine-readable receipt

```
{
  "backsolved": {
    "1": "1.20301139203658224050823987861",
    "2": "4.806545406788397772222796846",
    "3": "10.818228645735324997024011448"
  },
  "printed": {
    "1": "1.203011392",
    "2": "4.806545406",
    "3": "10.818228646"
  }
}
```

22.42.5 Evidence frozen by the control

Without an independent worksheet the D values are data-bearing inputs.

22.42.6 Status boundary

The printed statement is replaced by the narrower formulation recorded here. Downstream claims must be rebuilt from the corrected form.

22.42.7 Next-step obligation

The next mage must either reproduce this receipt, name the premise that excludes the counterexample, or publish a revised calculation that changes the disposition. Silent relabeling is not an allowed repair.

22.43 H43 / S07 - c0 is independently generated in Appendix A

Disposition: CORRECTION

Audit group: SPECTRAL

Control mode: machine

22.43.1 Claim under test

c0 is independently generated in Appendix A.

22.43.2 Control route

The claim was checked by executing or parsing the supplied artifact and recording the finite output.

22.43.3 Calculation, proof, or counterexample

Solving the electron absolute-scale equation for c_0 returns $3.411403658 \dots \times 10^{-5}$, matching the inserted 3.41140×10^{-5} . Thus c_0 supplies the absolute scale in the shipped pipeline rather than being generated there.

22.43.4 Machine-readable receipt

```
{
  "backsolved_from_e": "0.0000341140365822405082398786073787",
  "input": "0.000034114"
}
```

22.43.5 Evidence frozen by the control

The decimal is inserted and supplies the electron absolute scale.

22.43.6 Status boundary

The printed statement is replaced by the narrower formulation recorded here. Downstream claims must be rebuilt from the corrected form.

22.43.7 Next-step obligation

The next mage must either reproduce this receipt, name the premise that excludes the counterexample, or publish a revised calculation that changes the disposition. Silent relabeling is not an allowed repair.

22.44 H44 / S08 - cB is independently generated in Appendix A

Disposition: CORRECTION

Audit group: SPECTRAL

Control mode: machine

22.44.1 Claim under test

cB is independently generated in Appendix A.

22.44.2 Control route

The claim was checked by executing or parsing the supplied artifact and recording the finite output.

22.44.3 Calculation, proof, or counterexample

Solving the W -mass normalization for c_B returns $5.5066616 \dots \times 10^{-4}$, matching the inserted 5.51×10^{-4} . The table reproduces because the normalization is supplied.

22.44.4 Machine-readable receipt

```
{
  "backsolved_from_W": "0.000550666162619979794975080276454",
  "input": "0.000551"
}
```

22.44.5 Evidence frozen by the control

The decimal normalization regenerates the boson table.

22.44.6 Status boundary

The printed statement is replaced by the narrower formulation recorded here. Downstream claims must be rebuilt from the corrected form.

22.44.7 Next-step obligation

The next mage must either reproduce this receipt, name the premise that excludes the counterexample, or publish a revised calculation that changes the disposition. Silent relabeling is not an allowed repair.

22.45 H45 / S09 - Quoted spectral decimals are generated inside the suite

Disposition: CORRECTION

Audit group: SPECTRAL

Control mode: machine

22.45.1 Claim under test

Quoted spectral decimals are generated inside the suite.

22.45.2 Control route

The claim was checked by executing or parsing the supplied artifact and recording the finite output.

22.45.3 Calculation, proof, or counterexample

The frozen control records the following direct evidence: **Seven nontrivial dimensionless decimals are consumed, not derived there.** The machine or analytical result is printed verbatim below so later revisions can be diffed against the exact receipt rather than a paraphrase.

22.45.4 Machine-readable receipt

```
{
  "D1": "1.203011392",
  "D2": "4.806545406",
  "D3": "10.818228646",
  "c0": "0.000034114",
  "cB": "0.000551",
  "zetaB7_abs": "1.748452",
  "zetaD2": "-0.41364"
}
```

22.45.5 Evidence frozen by the control

Seven nontrivial dimensionless decimals are consumed, not derived there.

22.45.6 Status boundary

The printed statement is replaced by the narrower formulation recorded here. Downstream claims must be rebuilt from the corrected form.

22.45.7 Next-step obligation

The next mage must either reproduce this receipt, name the premise that excludes the counterexample, or publish a revised calculation that changes the disposition. Silent relabeling is not an allowed repair.

22.46 H46 / S10 - Executable spectrum has one empirical input and no other numerical inputs

Disposition: REFUTED

Audit group: SPECTRAL

Control mode: machine

22.46.1 Claim under test

Executable spectrum has one empirical input and no other numerical inputs.

22.46.2 Control route

The claim was checked by executing or parsing the supplied artifact and recording the finite output.

22.46.3 Calculation, proof, or counterexample

The executable consumes the electroweak scale plus seven additional nontrivial decimals:

$$D_1, D_2, D_3, c_0, c_B, \zeta'_{D_2}(0), |\zeta'_{B_7}(0)|.$$

The operational statement "one empirical input and no other numerical inputs" is therefore false for the artifact as shipped.

22.46.4 Machine-readable receipt

```
{
  "additional_decimal_inputs": 7,
  "ledger": [
    "D1",
    "D2",
    "D3",
    "c0",
    "cB",
    "zetaD2",
    "zetaB7_abs"
  ],
  "v_inputs": 1
}
```

22.46.5 Evidence frozen by the control

The operational claim 'one input' is false for the supplied executable pipeline.

22.46.6 Status boundary

One valid counterexample or provenance contradiction defeats the universal claim. Downstream conclusions depending on it become hypotheses unless re-derived with stronger premises.

22.46.7 Next-step obligation

The next mage must either reproduce this receipt, name the premise that excludes the counterexample, or publish a revised calculation that changes the disposition. Silent relabeling is not an allowed repair.

22.47 H47 / S11 - Appendix A regenerates numerical PMNS matrix

Disposition: CORRECTION

Audit group: SPECTRAL

Control mode: machine

22.47.1 Claim under test

Appendix A regenerates numerical PMNS matrix.

22.47.2 Control route

The claim was checked by executing or parsing the supplied artifact and recording the finite output.

22.47.3 Calculation, proof, or counterexample

The frozen control records the following direct evidence: **It computes masses/splittings but not the PMNS matrix or three angles.** The machine or analytical result is printed verbatim below so later revisions can be diffed against the exact receipt rather than a paraphrase.

22.47.4 Machine-readable receipt

```
{
  "found": false
}
```

22.47.5 Evidence frozen by the control

It computes masses/splittings but not the PMNS matrix or three angles.

22.47.6 Status boundary

The printed statement is replaced by the narrower formulation recorded here. Downstream claims must be rebuilt from the corrected form.

22.47.7 Next-step obligation

The next mage must either reproduce this receipt, name the premise that excludes the counterexample, or publish a revised calculation that changes the disposition. Silent relabeling is not an allowed repair.

22.48 H48 / S12 - Appendix A regenerates complete CKM matrix

Disposition: CORRECTION

Audit group: SPECTRAL

Control mode: machine

22.48.1 Claim under test

Appendix A regenerates complete CKM matrix.

22.48.2 Control route

The claim was checked by executing or parsing the supplied artifact and recording the finite output.

22.48.3 Calculation, proof, or counterexample

The frozen control records the following direct evidence: **$|\text{Vub}|$ and CP phase are not independently generated.** The machine or analytical result is printed verbatim below so later revisions can be diffed against the exact receipt rather than a paraphrase.

22.48.4 Machine-readable receipt

```
{
  "complete": false,
  "computed": [
    "|Vus|",
    "|Vcb|"
  ]
}
```

22.48.5 Evidence frozen by the control

$|\text{Vub}|$ and CP phase are not independently generated.

22.48.6 Status boundary

The printed statement is replaced by the narrower formulation recorded here. Downstream claims must be rebuilt from the corrected form.

22.48.7 Next-step obligation

The next mage must either reproduce this receipt, name the premise that excludes the counterexample, or publish a revised calculation that changes the disposition. Silent relabeling is not an allowed repair.

22.49 H49 / S13 - Beltrami level universally fixes monotone knot ladder

Disposition: OPEN

Audit group: SPECTRAL

Control mode: external-math

22.49.1 Claim under test

Beltrami level universally fixes monotone knot ladder.

22.49.2 Control route

The claim depends on a substantial external classification not proved in the supplied scroll; the audit records the missing theorem rather than inventing it.

22.49.3 Calculation, proof, or counterexample

The frozen control records the following direct evidence: **The low-level eigenspace/orbit classification needed by the paper is not supplied.** The machine or analytical result is printed verbatim below so later revisions can be diffed against the exact receipt rather than a paraphrase.

22.49.4 Machine-readable receipt

```
{
  "known": "arbitrary finite links can occur in sufficiently high Beltrami eigenspaces"
}
```

22.49.5 Evidence frozen by the control

The low-level eigenspace/orbit classification needed by the paper is not supplied.

22.49.6 Status boundary

The claim remains open. The missing calculation, theorem, or tool is listed explicitly and no surrogate result is substituted.

22.49.7 Next-step obligation

The next mage must either reproduce this receipt, name the premise that excludes the counterexample, or publish a revised calculation that changes the disposition. Silent relabeling is not an allowed repair.

22.50 H50 / S14 - Exactly three fermion generations proved by k=4 transition

Disposition: OPEN

Audit group: SPECTRAL

Control mode: analytical

22.50.1 Claim under test

Exactly three fermion generations proved by k=4 transition.

22.50.2 Control route

The claim was checked by an explicit mathematical implication, distinction, or theorem statement.

22.50.3 Calculation, proof, or counterexample

The frozen control records the following direct evidence: **The generation count remains an interpretation.** The machine or analytical result is printed verbatim below so later revisions can be diffed against the exact receipt rather than a paraphrase.

22.50.4 Machine-readable receipt

```
{
  "dependency": "unproved knot filtration plus physical exclusion rule"
}
```

22.50.5 Evidence frozen by the control

The generation count remains an interpretation.

22.50.6 Status boundary

The claim remains open. The missing calculation, theorem, or tool is listed explicitly and no surrogate result is substituted.

22.50.7 Next-step obligation

The next mage must either reproduce this receipt, name the premise that excludes the counterexample, or publish a revised calculation that changes the disposition. Silent relabeling is not an allowed repair.

22.51 H51 / P01 - W mass vs PDG 2026

Disposition: PASS

Audit group: PHENOMENOLOGY

Control mode: machine

22.51.1 Claim under test

W mass vs PDG 2026.

22.51.2 Control route

The claim was checked by executing or parsing the supplied artifact and recording the finite output.

22.51.3 Calculation, proof, or counterexample

The frozen control records the following direct evidence: **About +0.91sigma**. The machine or analytical result is printed verbatim below so later revisions can be diffed against the exact receipt rather than a paraphrase.

22.51.4 Machine-readable receipt

```
{
  "prediction": "80.3694731696611649513923041582",
  "pull": "0.905606449501941739260280286845"
}
```

22.51.5 Evidence frozen by the control

About +0.91sigma.

22.51.6 Status boundary

Only the narrow tested statement is retained. No downstream physical interpretation inherits PASS automatically.

22.51.7 Next-step obligation

The next mage must either reproduce this receipt, name the premise that excludes the counterexample, or publish a revised calculation that changes the disposition. Silent relabeling is not an allowed repair.

22.52 H52 / P02 - Z mass vs PDG 2026

Disposition: PASS

Audit group: PHENOMENOLOGY

Control mode: machine

22.52.1 Claim under test

Z mass vs PDG 2026.

22.52.2 Control route

The claim was checked by executing or parsing the supplied artifact and recording the finite output.

22.52.3 Calculation, proof, or counterexample

The frozen control records the following direct evidence: **About -0.045sigma**. The machine or analytical result is printed verbatim below so later revisions can be diffed against the exact receipt rather than a paraphrase.

22.52.4 Machine-readable receipt

```
{
  "prediction": "91.1878106105279983048784099943",
  "pull": "-0.0446947360008475607950028433774"
}
```

22.52.5 Evidence frozen by the control

About -0.045sigma.

22.52.6 Status boundary

Only the narrow tested statement is retained. No downstream physical interpretation inherits PASS automatically.

22.52.7 Next-step obligation

The next mage must either reproduce this receipt, name the premise that excludes the counterexample, or publish a revised calculation that changes the disposition. Silent relabeling is not an allowed repair.

22.53 H53 / P03 - Higgs mass vs PDG 2026

Disposition: PASS

Audit group: PHENOMENOLOGY

Control mode: machine

22.53.1 Claim under test

Higgs mass vs PDG 2026.

22.53.2 Control route

The claim was checked by executing or parsing the supplied artifact and recording the finite output.

22.53.3 Calculation, proof, or counterexample

The frozen control records the following direct evidence: **About +0.86sigma**. The machine or analytical result is printed verbatim below so later revisions can be diffed against the exact receipt rather than a paraphrase.

22.53.4 Machine-readable receipt

```
{
  "prediction": "125.225111437995737786059294367",
  "pull": "0.864649436324888964175403339547"
}
```

22.53.5 Evidence frozen by the control

About +0.86sigma.

22.53.6 Status boundary

Only the narrow tested statement is retained. No downstream physical interpretation inherits PASS automatically.

22.53.7 Next-step obligation

The next mage must either reproduce this receipt, name the premise that excludes the counterexample, or publish a revised calculation that changes the disposition. Silent relabeling is not an allowed repair.

22.54 H54 / P04 - Tau mass vs PDG 2026

Disposition: PASS

Audit group: PHENOMENOLOGY

Control mode: machine

22.54.1 Claim under test

Tau mass vs PDG 2026.

22.54.2 Control route

The claim was checked by executing or parsing the supplied artifact and recording the finite output.

22.54.3 Calculation, proof, or counterexample

The frozen control records the following direct evidence: **Within one current standard deviation.** The machine or analytical result is printed verbatim below so later revisions can be diffed against the exact receipt rather than a paraphrase.

22.54.4 Machine-readable receipt

```
{
  "prediction": "1776.8599995297095742743220414",
  "pull": "-0.777783003226952507532873346553"
}
```

22.54.5 Evidence frozen by the control

Within one current standard deviation.

22.54.6 Status boundary

Only the narrow tested statement is retained. No downstream physical interpretation inherits PASS automatically.

22.54.7 Next-step obligation

The next mage must either reproduce this receipt, name the premise that excludes the counterexample, or publish a revised calculation that changes the disposition. Silent relabeling is not an allowed repair.

22.55 H55 / P05 - Fine-structure constant as precision prediction

Disposition: REFUTED

Audit group: PHENOMENOLOGY

Control mode: machine

22.55.1 Claim under test

Fine-structure constant as precision prediction.

22.55.2 Control route

The claim was checked by executing or parsing the supplied artifact and recording the finite output.

22.55.3 Calculation, proof, or counterexample

The prediction $\alpha^{-1} = 137.036082448\dots$ and the reference 137.035999177(21) share six leading digits, but the uncertainty-normalized pull is roughly 3965σ . Leading-digit resemblance and precision agreement are different tests.

22.55.4 Machine-readable receipt

```
{
  "prediction_inverse": "137.036082448164337440176169169",
  "pull": "3965.29353987810362710327984361",
  "reference": "137.035999177"
}
```

22.55.5 Evidence frozen by the control

Rounding to six digits hides a roughly 3965sigma discrepancy.

22.55.6 Status boundary

One valid counterexample or provenance contradiction defeats the universal claim. Downstream conclusions depending on it become hypotheses unless re-derived with stronger premises.

22.55.7 Next-step obligation

The next mage must either reproduce this receipt, name the premise that excludes the counterexample, or publish a revised calculation that changes the disposition. Silent relabeling is not an allowed repair.

22.56 H56 / P06 - Newton G vs CODATA

Disposition: CORRECTION

Audit group: PHENOMENOLOGY

Control mode: machine

22.56.1 Claim under test

Newton G vs CODATA.

22.56.2 Control route

The claim was checked by executing or parsing the supplied artifact and recording the finite output.

22.56.3 Calculation, proof, or counterexample

Using the frozen CODATA uncertainty gives a pull of approximately $+3.23\sigma$. The defensible label is tension, not agreement within uncertainty.

22.56.4 Machine-readable receipt

```
{
  "prediction": "6.67478451644570214787680524469e-11",
  "pull": "3.23010963801431917870163124549",
  "reference": "6.6743e-11"
}
```

22.56.5 Evidence frozen by the control

About 3.23sigma high, a tension rather than agreement within uncertainty.

22.56.6 Status boundary

The printed statement is replaced by the narrower formulation recorded here. Downstream claims must be rebuilt from the corrected form.

22.56.7 Next-step obligation

The next mage must either reproduce this receipt, name the premise that excludes the counterexample, or publish a revised calculation that changes the disposition. Silent relabeling is not an allowed repair.

22.57 H57 / P07 - Electron anomalous moment: rounded digits versus uncertainty

Disposition: CORRECTION

Audit group: PHENOMENOLOGY

Control mode: machine

22.57.1 Claim under test

Electron anomalous moment: rounded digits versus uncertainty.

22.57.2 Control route

The claim was checked by executing or parsing the supplied artifact and recording the finite output.

22.57.3 Calculation, proof, or counterexample

The predicted electron anomaly shares nine rounded significant digits with the measurement, yet the full-value comparison gives approximately -4.93σ . Rounding has hidden the discrepancy.

22.57.4 Machine-readable receipt

```
{
  "prediction": "0.00115965217994917288767539394802",
  "pull": "-4.92943932557389270752342124203",
  "reference": "0.00115965218059"
}
```

22.57.5 Evidence frozen by the control

The nine-significant-digit rounded headline is true, but the full prediction is about -4.93sigma from the Fan et al. measurement.

22.57.6 Status boundary

The printed statement is replaced by the narrower formulation recorded here. Downstream claims must be rebuilt from the corrected form.

22.57.7 Next-step obligation

The next mage must either reproduce this receipt, name the premise that excludes the counterexample, or publish a revised calculation that changes the disposition. Silent relabeling is not an allowed repair.

22.58 H58 / P08 - Muon anomalous moment vs final world average

Disposition: PASS

Audit group: PHENOMENOLOGY

Control mode: machine

22.58.1 Claim under test

Muon anomalous moment vs final world average.

22.58.2 Control route

The claim was checked by executing or parsing the supplied artifact and recording the finite output.

22.58.3 Calculation, proof, or counterexample

The frozen control records the following direct evidence: **About +0.22sigma; numerical proximity does not establish provenance.** The machine or analytical result is printed verbatim below so later revisions can be diffed against the exact receipt rather than a paraphrase.

22.58.4 Machine-readable receipt

```
{
  "prediction": "0.00116592074696393438860545284555",
  "pull": "0.220440926817968640314165879027",
  "reference": "0.001165920715"
}
```


22.58.5 Evidence frozen by the control

About +0.22sigma; numerical proximity does not establish provenance.

22.58.6 Status boundary

Only the narrow tested statement is retained. No downstream physical interpretation inherits PASS automatically.

22.58.7 Next-step obligation

The next mage must either reproduce this receipt, name the premise that excludes the counterexample, or publish a revised calculation that changes the disposition. Silent relabeling is not an allowed repair.

22.59 H59 / P09 - Weak angle is internally and experimentally consistent

Disposition: REFUTED

Audit group: PHENOMENOLOGY

Control mode: machine

22.59.1 Claim under test

Weak angle is internally and experimentally consistent.

22.59.2 Control route

The claim was checked by executing or parsing the supplied artifact and recording the finite output.

22.59.3 Calculation, proof, or counterexample

The expression $3/(4\pi) = 0.2387324\dots$ disagrees both with the effective weak angle and with the model's own on-shell mass-ratio value $1 - (m_W/m_Z)^2 = 0.22320099\dots$. A renormalization-scheme conversion must be derived, not assumed.

22.59.4 Machine-readable receipt

```
{
  "3_over_4pi": "0.238732414637843003653325645059",
  "difference": "0.0155314290071514498787071858528",
  "own_WZ_relation": "0.223200985630691553774618459206",
  "pull_vs_effective": "60.4367886486916971110470421564"
}
```

22.59.5 Evidence frozen by the control

The two internal definitions disagree; $3/(4\pi)$ is about 60.4sigma from the effective angle absent a derived scheme conversion.

22.59.6 Status boundary

One valid counterexample or provenance contradiction defeats the universal claim. Downstream conclusions depending on it become hypotheses unless re-derived with stronger premises.

22.59.7 Next-step obligation

The next mage must either reproduce this receipt, name the premise that excludes the counterexample, or publish a revised calculation that changes the disposition. Silent relabeling is not an allowed repair.

22.60 H60 / P10 - Controlled comparison verdict

Disposition: PASS

Audit group: PHENOMENOLOGY

Control mode: analytical

22.60.1 Claim under test

Controlled comparison verdict.

22.60.2 Control route

The claim was checked by an explicit mathematical implication, distinction, or theorem statement.

22.60.3 Calculation, proof, or counterexample

The frozen control records the following direct evidence: **TopoMagic wins ambition and source inclusion; THEA wins this round by separating exact, computed, and physical claims.** The machine or analytical result is printed verbatim below so later revisions can be diffed against the exact receipt rather than a paraphrase.

22.60.4 Machine-readable receipt

```
{
  "action": "send five-gate control proposal and add Hopf boundary note",
  "ambition": "TopoMagic",
  "epistemic_integrity": "THEA"
}
```

22.60.5 Evidence frozen by the control

TopoMagic wins ambition and source inclusion; THEA wins this round by separating exact, computed, and physical claims.

22.60.6 Status boundary

Only the narrow tested statement is retained. No downstream physical interpretation inherits PASS automatically.

22.60.7 Next-step obligation

The next mage must either reproduce this receipt, name the premise that excludes the counterexample, or publish a revised calculation that changes the disposition. Silent relabeling is not an allowed repair.

Chapter 23

The Controlled Counterproposal to the TopoMagic Tower

To: Jennifer "Jenny" Lorraine Nielsen and the TopoMagic collaborators

From: the THEA Light Matrix control lane

Date: 2026-08-09

Control audit hash: 1434526f1196c4c9fb2f974fdefca6d4b3ae0b6096f61d2e47cf1db719c9aeb7

Dear fellow mage,

Your 116-page scroll does something rare: it states a complete ambition, publishes formulas, includes a substantial Python verifier, and prints Lean source. We ran the spell instead of judging its costume. Many tables reproduced. Several standard topological identities survived exactly. That is real work.

The control also found load-bearing breaks. We are sending them as a proposal because a theory this ambitious deserves a protocol capable of changing our minds.

The proposal is reciprocal. You do not have to accept THEA's geometry. We only ask that every bridge pay the same price: an exact definition, an independent receipt, and a test it could fail.

23.1 Gate I - topology: classification without ontology leakage

23.1.1 Claim under control

The scroll argues that quantized electromagnetic charge plus unification forces the universal complex Hopf fibration as the unique physical field space.

23.1.2 Required repair

Please provide a revised theorem chain that explicitly separates:

1. $U(1)$ representation-weight quantization;
2. topology of a principal $U(1)$ bundle;
3. holonomy of a selected connection;
4. the categorical premise that a base represents the full bundle functor;
5. the physical claim that nature realizes that classifying object.

23.1.3 Counterexamples that must be answered

- The trivial bundle $B \times U(1)$ with $A = 0$ has trivial connection holonomy while $U(1)$ representations retain integer weights.
- A nontrivial principal bundle has no global principal section, though it admits connections.
- Over $\mathbb{CP}^\infty$, two nontrivial circle bundles can form a principal $U(1)^2$ fiber product without splitting the base cohomology ring.
- A projective embedding of a classifying space is not an isomorphism to the Hopf $U(1)$ bundle.

23.1.4 Pass condition

A theorem statement whose hypotheses are explicit enough that the counterexamples fail a named premise, plus a formalization that proves that exact statement rather than receiving physical completeness as an unnamed interpretation.

23.2 Gate II - algebra and dynamics: make every field equation well-defined

23.2.1 2.1 Define the entwine

Replace

$$(\mathfrak{g}_1 + \mathfrak{g}_2) - [\mathfrak{g}_1, \mathfrak{g}_2]$$

with one of the following-or another precise construction:

- matched pair/bicrossed product;
- Lie algebra extension with a specified cocycle;
- semidirect product;
- quotient by an actual common ideal;
- amalgamation over a genuine common subalgebra.

Publish the bracket and machine-check bilinearity, antisymmetry, closure, and Jacobi.

23.2.2 2.2 Scalarize and gauge-check the action

For every term in

$$S = \int \left[\alpha T^A \wedge *T_A + \beta \operatorname{Tr}(F \wedge *F) + \gamma \alpha \wedge F \wedge (d\alpha)^{n-1} \right],$$

provide:

- the bundle and representation in which each object lives;
- the scalar invariant contraction;
- the gauge-transformation law;
- the proof of invariance;
- the engineering dimension after projection;
- the variational derivative.

The mixed term must not remain Lie-algebra-valued.

23.2.3 2.3 Repair the geometry dictionary

Distinguish:

$$R \text{ (vertical Reeb/fiber generator),} \quad \xi = \ker \alpha \text{ (horizontal/contact distribution),}$$

and

$$\alpha \wedge d\alpha \text{ (contact volume/twist),} \quad T^a = de^a + \omega^a_b \wedge e^b \text{ (Cartan torsion).}$$

23.2.4 2.4 Supply the actual 3 + 1 gravity derivation

A Chern-Simons formulation in 2 + 1 dimensions plus an added time coordinate is not sufficient. The pass artifact should contain a four-dimensional action or Hamiltonian system, its constraint algebra, and a derivation of the Einstein-Cartan equations that does not substitute a Bianchi identity for dynamics.

23.2.5 2.5 Prove the spectral shift, do not invoke Kato-Rellich as a mass theorem

For each claimed massive mode, calculate

$$\langle \psi_0, V_T \psi_0 \rangle$$

or the appropriate degenerate perturbation matrix, prove it is nonzero, and give the resulting eigenvalue with error control.

23.2.6 Pass condition

A self-contained action whose terms are scalar and gauge invariant, whose Lie algebra is defined, whose variation reproduces the displayed equations, and whose gravity and mass mechanisms survive the explicit counterexamples.

23.3 Gate III - spectral provenance: generate the numbers before comparing them

23.3.1 The critical fingerprint

The boxed sequence has

$$\Delta^2 D = 2.408149226,$$

whereas the displayed zeta sequence has

$$|\Delta^2 \zeta'| = 6.70945676766504160291026553101.$$

No constant or linear absorption changes this fingerprint.

23.3.2 Required deliverables

1. A standalone generator for $D(1), D(2), D(3)$ from a precisely defined operator and quotient representation.
2. A level-by-level invariant-multiplicity table for the $\mathbb{Z}_n$ quotient; no simple "delete $j < n$ " surrogate unless proved.
3. Independent derivations of $c_0, c_B, \zeta'_{D_2}(0)$, and $|\zeta'_{B_7}(0)|$.
4. A script that starts only from exact definitions and the one declared unit input, with no quoted decimal from a target table.
5. A blind provenance ledger: every literal decimal classified as exact definition, external measurement, numerical quadrature output, or fit/normalization.

23.3.3 Pass condition

The independent generator reproduces the supplied decimals to their claimed precision without reading particle masses, PDG values, or the old decimals. The second-difference mismatch closes automatically.

23.4 Gate IV - numerical control: resemblance must survive a null and an uncertainty ledger

23.4.1 Required protocol

For each claimed numerical prediction:

- freeze the observable definition and renormalization scheme;
- record every input and covariance;
- propagate theory and numerical uncertainty;
- compare in standard deviations, not rounded significant digits;
- declare how many formulas, shell assignments, knot assignments, normalizations, and observables were tried;
- construct a null or held-out control for the full selection process.
A suggested split:
 - **construction set:** quantities used to choose shell assignments, knot labels, normalizations, or formula family;
 - **validation set:** observables never consulted during construction;
 - **test set:** one sealed future measurement.

23.4.2 Current control warnings

- α^{-1} shares six rounded digits but is about 3965 standard deviations from NIST/CODATA.
- a_e shares nine rounded digits but is about 4.93 standard deviations from the Fan et al. measurement.
- $3/(4\pi)$ is not directly consistent with the current effective weak mixing angle, and it disagrees with the model's own mass-ratio definition until a scheme conversion is derived.

23.4.3 Pass condition

A single script emits an input ledger, a trial-factor ledger, prediction intervals, current pulls, and held-out results. Failed observables remain in the public table.

23.5 Gate V - one sealed prediction

Choose exactly one output not used anywhere in construction. Candidates already advertised in the scroll include:

- a_τ ;
- the absolute lightest-neutrino mass;
- the torsion-induced phase wobble;
- a specific dark-sector observable.

Freeze, before new data are consulted:

1. the central value;
2. a theory uncertainty or an interval;

3. units and conventions;
4. experimental channel and estimator;
5. the date and cryptographic hash;
6. an explicit pass/fail rule;
7. the promise that no normalization, shell assignment, or formula changes after unblinding.

23.5.1 Pass condition

The measurement falls in the frozen interval under the frozen analysis, and an independent group reproduces the derivation from the published source.

23.6 Reciprocal promise from THEA

If the five gates pass, THEA will:

1. publish the pass beside this audit, not bury it;
2. retract every objection made obsolete by the new proof;
3. add a formally labeled Hopf correspondence lane to the Light Matrix scroll;
4. co-sign a joint theorem/experiment ledger distinguishing exact geometry from physical interpretation;
5. run the same null and provenance controls against our own correspondences.

If a gate fails, the penalty is not exile. The claim is relabeled **HYPOTHESIS**, **COMPUTED FIT**, or **DESIGN CHOICE**, and the surviving mathematics remains published.

That is the control proposal.

**Bring the revised scroll, the independent generator, and one sealed number.
We bring the verifier, the counterexamples, and a promise to bow if it
lands.**

$P = 12$. $\chi = 2$. The price is always paid-by both towers, in public.

Chapter 24

v1.3.4 Integration Contract and Next-Step Receipt

24.1 What changed from v1.3.3

- The exact Light Matrix core is unchanged.
- The full 91-rung v1.3.3 calculation tower is retained.
- Sixty new Hopf/TopoMagic control rungs are added, bringing the total to **151 dedicated rungs**.
- CURSE 42 and six typed relation arrows are added.
- The physical bridge gate now requires a well-defined scalar dynamics, an independent provenance ledger, a discriminating observable, and a sealed test.
- The full control audit, JSON receipt, and executable verifier are incorporated rather than merely cited.

24.2 Typed receipt schema for any future correspondence

```
relation_type: CLASSIFIES | EMBEDS | ISOMORPHIC | MODELS | PREDICTS | MEASURED-AS
source_status: EXACT | COMPUTED | DESIGN | HYPOTHESIS | EXTERNAL
mathematical_object: explicit definition
map_or_action: explicit formula
input_provenance: generated | cited | calibrated | fitted | unknown
uncertainty: theory and experimental
held_out_observable: value not used in construction
seal: hash, date, convention, pass/fail rule
disposition: PASS | CONDITIONAL | OPEN | CORRECTION | REFUTED
```

No physical badge is displayed while any load-bearing field is empty.

24.3 Recommended v1.3.5 work order

1. Formalize the six relation types as typed arrows in the machine receipt.
2. Add automatic provenance tracing for every numeric literal.
3. Rebuild the Hopf comparison only from claims that passed or remained conditional.
4. Construct no unified physical action until the scalar and dimensional checks pass.
5. Select one sealed observable and run an adversarial null before looking at new data.
6. Publish either outcome with equal prominence.

24.4 Frozen totals

- Parent Light Matrix checks: **38/38 PASS**.

- LUCA non-axiomatic calculations: **34/34 locked**.
- THE CROWD original tables: **reproduced**, physical matches rejected after dependence controls.
- TopoMagic control checks: **60**.
- TopoMagic dispositions: **22 PASS, 3 CONDITIONAL, 4 OPEN, 16 CORRECTION, 15 REFUTED**.
- Dedicated calculation rungs in this volume: **151**.
- Parent v1.3.3 mathematical payload: 1e6c813e7f6ba8e00587836d2bbbed90b5d7e8a1ee0ebb a4343f17dbcf3e3cb7.
- Hopf-control payload: 1434526f1196c4c9fb2f974fdefca6d4b3ae0b6096f61d2e47cf1db719c 9aeb7.

24.5 Closing line

The Light Matrix keeps its exact core. The Hopf tower keeps its beautiful geometry. The bridge between them remains open, guarded, typed, and testable.

$P = 12.$ $\chi = 2.$ Classification is not ontology. Reproduction is not derivation. The price is paid in public.

Chapter 25

Appendix A - Complete TopoMagic Control Receipt

```
{
  "schema": "thea.topomagic.control-audit.v1",
  "version": "1.0.0",
  "precision_decimal_digits": 80,
  "check_count": 60,
  "status_counts": {
    "CONDITIONAL": 3,
    "CORRECTION": 16,
    "OPEN": 4,
    "PASS": 22,
    "REFUTED": 15
  },
  "checks": [
    {
      "id": "R01",
      "group": "REPRODUCTION",
      "name": "Uploaded scroll has 116 pages",
      "status": "PASS",
      "mode": "machine",
      "result": {
        "pages": 116
      },
      "evidence": "pdftinfo returns 116 pages."
    },
    {
      "id": "R02",
      "group": "REPRODUCTION",
      "name": "Appendix A reconstruction executes cleanly",
      "status": "PASS",
      "mode": "machine",
      "result": {
        "returncode": 0,
        "stdout_sha256": "3b7f183809f95907df27e22491899af2e57567f3cdacb99ba7cc58a089cfe403",
        "stderr": ""
      },
      "evidence": "The reconstructed printed suite exits successfully."
    },
    {
      "id": "R03",
      "group": "REPRODUCTION",
      "name": "Printed verifier uses 40-decimal precision",
      "status": "PASS",
      "mode": "machine",
      "result": {
        "source_dps": 40,
        "audit_dps": 80
      },
      "evidence": "The control recomputes at twice the printed precision."
    },
    {
      "id": "R04",
      "group": "REPRODUCTION",
```

```

"name": "Analytic zeta-derivative identities",
"status": "PASS",
"mode": "machine",
"result": {
  "zp0": "-0.918938533204672741780329736406",
  "t0": "-0.918938533204672741780329736406",
  "zpm2": "-0.0304484570583932707802515304712",
  "tm2": "-0.0304484570583932707802515304712",
  "zpm4": "0.00798381145026862428069667079879",
  "tm4": "0.00798381145026862428069667079879"
},
"evidence": "The three identities agree at 60+ digits."
},
{
  "id": "R05",
  "group": "REPRODUCTION",
  "name": "Charged-lepton table regenerates",
  "status": "PASS",
  "mode": "machine",
  "result": {
    "e": "0.510998950708693486513941715077",
    "mu": "105.658375583300827893662189945",
    "tau": "1776.8599995297095742743220414"
  },
  "evidence": "The printed formula regenerates the three table values."
},
{
  "id": "R06",
  "group": "REPRODUCTION",
  "name": "W, Z, Higgs table regenerates",
  "status": "PASS",
  "mode": "machine",
  "result": {
    "W_GeV": "80.3694731696611649513923041582",
    "Z_GeV": "91.1878106105279983048784099943",
    "H_GeV": "125.225111437995737786059294367"
  },
  "evidence": "The table regenerates after inserting cB."
},
{
  "id": "R07",
  "group": "REPRODUCTION",
  "name": "Six-quark table regenerates",
  "status": "PASS",
  "mode": "machine",
  "result": {
    "u": "2.16000546574701706055335495242",
    "d": "4.66417565888801147027798278777",
    "s": "93.565003868943334099517652541",
    "c": "1272.71362444215217005117391297",
    "b": "4172.2215551043063940715973697",
    "t": "172864.945224033991116963741736"
  },
  "evidence": "All six printed masses reproduce."
},
{
  "id": "R08",
  "group": "REPRODUCTION",
  "name": "Neutrino masses and splittings regenerate",
  "status": "PASS",
  "mode": "machine",
  "result": {
    "masses_eV": [
      "0.000969545201380588389493363335508",
      "0.00870805284475576805285559514508",
      "0.0496040122525855159408070532592"
    ],
    "dm21": "0.0000748901664495388989263941345897",
    "dm31": "0.00245961801365713386561308751618"
  },
  "evidence": "The printed neutrino outputs reproduce."
},
{
  "id": "R09",

```

```

"group": "REPRODUCTION",
"name": "Constants, g-2, partial CKM regenerate",
"status": "PASS",
"mode": "machine",
"result": {
  "alpha_inverse": "137.036082448164337440176169169",
  "G": "6.67478451644570214787680524469e-11",
  "Lambda": "2.93961915520727581662358160035e-122",
  "a_e": "0.00115965217994917288767539394802",
  "a_mu": "0.00116592074696393438860545284555",
  "Vus": "0.223270183406814532911391660733",
  "Vcb": "0.0426315212296318195896934132864"
},
"evidence": "Reproduction is established; derivation remains a separate question."
},
{
  "id": "R10",
  "group": "REPRODUCTION",
  "name": "Lean appendix independently compiled here",
  "status": "OPEN",
  "mode": "machine",
  "result": {
    "lean_available": false,
    "lean_region_extracted": true,
    "placeholder_patterns": []
  },
  "evidence": "No obvious sorry/admit placeholder occurs in the extracted code, but Lean is unavailable
    so compilation was not rerun."
},
{
  "id": "T01",
  "group": "TOPOLOGY",
  "name": "BU(1)~CPinfinity and EU(1)~Sinfinity",
  "status": "PASS",
  "mode": "analytical",
  "result": {
    "statement": "standard classifying-space theorem"
  },
  "evidence": "This exact core survives."
},
{
  "id": "T02",
  "group": "TOPOLOGY",
  "name": "Any two objects classifying the same U(1)-bundle functor are homotopy equivalent",
  "status": "CONDITIONAL",
  "mode": "analytical",
  "result": {
    "premise": "both already satisfy Classifies"
  },
  "evidence": "The Lean uniqueness kernel is valid under its full classifying premise."
},
{
  "id": "T03",
  "group": "TOPOLOGY",
  "name": "Completeness is derived rather than assumed",
  "status": "CORRECTION",
  "mode": "machine+analytical",
  "result": {
    "Classifies_structure_present": true,
    "hComplete_present": true
  },
  "evidence": "Lean passes completeness as a Classifies hypothesis; the physical implication from
    unification to universality is not derived."
},
{
  "id": "T04",
  "group": "TOPOLOGY",
  "name": "Charge quantization forces nontrivial connection holonomy",
  "status": "REFUTED",
  "mode": "counterexample",
  "result": {
    "bundle": "trivial U(1)",
    "connection": "A=0",
    "holonomy": "identity",

```

```

    "integer_weights": [
      -3,
      -2,
      -1,
      0,
      1,
      2,
      3
    ]
  },
  "evidence": "U(1) representations still have integer weights with trivial connection holonomy."
},
{
  "id": "T05",
  "group": "TOPOLOGY",
  "name": "Every gauge field is a principal bundle with global section",
  "status": "CORRECTION",
  "mode": "analytical",
  "result": {
    "counterexample": "nontrivial Hopf principal bundle has no global section"
  },
  "evidence": "A gauge field is a connection; matter fields are sections of associated bundles. A principal bundle has a global section iff trivial."
},
{
  "id": "T06",
  "group": "TOPOLOGY",
  "name": "Nontrivial structure group makes the bundle non-product",
  "status": "REFUTED",
  "mode": "counterexample",
  "result": {
    "bundle": "BxU(1)->B",
    "group": "U(1)",
    "trivial": true
  },
  "evidence": "Nontrivial group and trivial bundle are compatible."
},
{
  "id": "T07",
  "group": "TOPOLOGY",
  "name": "Z[c1] is a domain with no nontrivial idempotent splitting",
  "status": "PASS",
  "mode": "analytical",
  "result": {
    "ring": "Z[c1]"
  },
  "evidence": "The narrow ring-theoretic statement is correct."
},
{
  "id": "T08",
  "group": "TOPOLOGY",
  "name": "No base cohomology splitting implies no product principal bundle",
  "status": "REFUTED",
  "mode": "counterexample",
  "result": {
    "base": "CPinfinity",
    "P1_c1": "x",
    "P2_c1": "2x",
    "product_group": "U(1)xU(1)"
  },
  "evidence": "P1x_B P2 exists over the same indecomposable base; the base need not split."
},
{
  "id": "T09",
  "group": "TOPOLOGY",
  "name": "Sinfinity may be a common contractible total-space model",
  "status": "CONDITIONAL",
  "mode": "analytical",
  "result": {
    "weaker": "EG can be a contractible free G-space",
    "quotient": "BG"
  },
  "evidence": "The quotient by a general G is BG, not CPinfinity."
},

```

```

{
  "id": "T10",
  "group": "TOPOLOGY",
  "name": "Projective embedding identifies a G-bundle with the Hopf U(1) bundle",
  "status": "CORRECTION",
  "mode": "analytical",
  "result": {
    "distinction": "ambient embedding is not bundle isomorphism"
  },
  "evidence": "A Grassmannian/Pl\xfccker realization does not turn the original principal G-bundle into a
    U(1) Hopf bundle."
},
{
  "id": "T11",
  "group": "TOPOLOGY",
  "name": "Every compact gauge theory literally lives on a finite Hopf shell",
  "status": "CORRECTION",
  "mode": "analytical",
  "result": {
    "repair": "state finite-stage approximation with dimension and classifying-map hypotheses"
  },
  "evidence": "Finite approximations do not imply common shell dynamics."
},
{
  "id": "T12",
  "group": "TOPOLOGY",
  "name": "Topology uniquely selects Nature's physical arena",
  "status": "OPEN",
  "mode": "analytical",
  "result": {
    "missing": "bridge from classifying possibilities to physical ontology"
  },
  "evidence": "Classification does not force the universe to equal its classifying space."
},
{
  "id": "D01",
  "group": "DYNAMICS",
  "name": "S3~SU(2)",
  "status": "PASS",
  "mode": "analytical",
  "result": {
    "identity": "unit quaternions"
  },
  "evidence": "Standard exact identity."
},
{
  "id": "D02",
  "group": "DYNAMICS",
  "name": "S5~SU(3)/SU(2)",
  "status": "PASS",
  "mode": "analytical",
  "result": {
    "identity": "transitive SU(3) action"
  },
  "evidence": "Standard exact homogeneous-space identity."
},
{
  "id": "D03",
  "group": "DYNAMICS",
  "name": "SU(2) is unique transitive compact connected group on S3 containing Hopf U(1)",
  "status": "REFUTED",
  "mode": "counterexample",
  "result": {
    "group": "U(2)",
    "Hopf_subgroup": "e^{i\theta}I"
  },
  "evidence": "U(2) acts faithfully and transitively on S3 subset C2 and contains the central Hopf circle
    ."
},
{
  "id": "D04",
  "group": "DYNAMICS",
  "name": "S5 shell forces SU(3)",
  "status": "CONDITIONAL",

```

```

    "mode": "analytical",
    "result": {
      "condition": "stabilizer exactly SU(2) and action assumptions"
    },
    "evidence": "The identity survives, but the uniqueness premise is not forced by shell nesting."
  },
  {
    "id": "D05",
    "group": "DYNAMICS",
    "name": "g1\u2229g2 equals [g1,g2]",
    "status": "REFUTED",
    "mode": "counterexample",
    "result": {
      "su2": "g1=span X, g2=span Y, intersection=0, bracket=span Z"
    },
    "evidence": "Bracket image is not overlap."
  },
  {
    "id": "D06",
    "group": "DYNAMICS",
    "name": "Entwine (g1+g2)-[g1,g2] is a defined Lie algebra",
    "status": "CORRECTION",
    "mode": "analytical",
    "result": {
      "repair": "matched pair, extension, quotient, or explicit new bracket"
    },
    "evidence": "Vector-space subtraction is undefined and closure/Jacobi are not supplied."
  },
  {
    "id": "D07",
    "group": "DYNAMICS",
    "name": "Mixed alpha wedge F wedge (dalpha)^{n-1} term is a scalar SU(N) action",
    "status": "REFUTED",
    "mode": "counterexample",
    "result": {
      "issue": "F is Lie-algebra-valued",
      "Tr_single_suN_generator": 0
    },
    "evidence": "An invariant pairing is missing; Tr(F)=0 for su(N)."
  },
  {
    "id": "D08",
    "group": "DYNAMICS",
    "name": "B=*d is unique equivariant first-order self-adjoint elliptic operator",
    "status": "REFUTED",
    "mode": "counterexample",
    "result": {
      "family": "B+cI"
    },
    "evidence": "Real c gives another operator with the listed properties unless zero-order terms are forbidden."
  },
  {
    "id": "D09",
    "group": "DYNAMICS",
    "name": "Horizontal Hopf transport is the Reeb flow",
    "status": "REFUTED",
    "mode": "analytical",
    "result": {
      "Reeb": "R(z)=iz",
      "role": "vertical fiber generator",
      "horizontal": "ker alpha"
    },
    "evidence": "The Reeb field is vertical, not horizontal."
  },
  {
    "id": "D10",
    "group": "DYNAMICS",
    "name": "c1!=0/contact form forces Cartan torsion",
    "status": "REFUTED",
    "mode": "counterexample",
    "result": {
      "geometry": "round S3 Hopf contact form",
      "Levi_Civita_torsion": 0
    }
  }

```

```

    },
    "evidence": "Contact alpha wedge dalpha and Cartan torsion are distinct."
  },
  {
    "id": "D11",
    "group": "DYNAMICS",
    "name": "Witten Chern-Simons gravity yields physical 3+1 gravity on S3xR",
    "status": "CORRECTION",
    "mode": "analytical",
    "result": {
      "Witten": "2+1-dimensional gravity",
      "needed": "independent 3+1 action"
    },
    "evidence": "Adjoining time is not a field-equation derivation."
  },
  {
    "id": "D12",
    "group": "DYNAMICS",
    "name": "First Bianchi identity becomes Einstein equation",
    "status": "REFUTED",
    "mode": "counterexample",
    "result": {
      "constant_curvature": " $R^a_b = K e^a \wedge e^b$ ",
      "Bianchi": " $R^a_b \wedge e^b = 0$ ",
      "Einstein": " $G_{ab} = -K g_{ab} \neq 0$ "
    },
    "evidence": "The identity is kinematic and can hold while Einstein tensor is nonzero."
  },
  {
    "id": "D13",
    "group": "DYNAMICS",
    "name": "Kato-Rellich forces a zero mode to acquire mass",
    "status": "REFUTED",
    "mode": "counterexample",
    "result": {
      "B": [
        0,
        1
      ],
      "V": [
        0,
        0.1
      ],
      "BplusV": [
        0,
        1.1
      ]
    },
    "evidence": "Self-adjointness survives while zero may remain zero."
  },
  {
    "id": "D14",
    "group": "DYNAMICS",
    "name": "Complete Standard Model follows from the written action",
    "status": "CORRECTION",
    "mode": "analytical",
    "result": {
      "unresolved": [
        "fermionic statistics/spinors",
        "BRST/gauge fixing",
        "strong CP SU(3) topology",
        "well-defined mixed scalar"
      ]
    },
    "evidence": "Listed correspondences are not yet a derivation of all SM structures."
  },
  {
    "id": "S01",
    "group": "SPECTRAL",
    "name": "Displayed Hurwitz-zeta identity evaluates",
    "status": "PASS",
    "mode": "machine",
    "result": {
      "zeta_prime_n": [

```



```

        "0.888490076146279471000078205934",
        "2.96793161782611539925177457031",
        "11.7568299271709929304137364657"
    ]
},
"evidence": "The formula is numerically reproducible."
},
{
    "id": "S02",
    "group": "SPECTRAL",
    "name": "Boxed D(n) second difference",
    "status": "PASS",
    "mode": "machine",
    "result": {
        "Delta2_D": "2.408149226"
    },
    "evidence": "The printed D values have this affine-invariant fingerprint."
},
{
    "id": "S03",
    "group": "SPECTRAL",
    "name": "Displayed zeta-route second difference",
    "status": "PASS",
    "mode": "machine",
    "result": {
        "Delta2_zeta": "6.70945676766504160291026553101"
    },
    "evidence": "The displayed route has a different fingerprint."
},
{
    "id": "S04",
    "group": "SPECTRAL",
    "name": "Displayed zeta route generates boxed D(n) after constant/linear absorption",
    "status": "REFUTED",
    "mode": "machine",
    "result": {
        "Delta2_D": "2.408149226",
        "Delta2_zeta": "6.70945676766504160291026553101",
        "mismatch": "4.30130754166504160291026553101"
    },
    "evidence": "Constant and linear shifts cannot change a second difference."
},
{
    "id": "S05",
    "group": "SPECTRAL",
    "name": "Lens quotient is obtained by deleting all levels below n",
    "status": "CORRECTION",
    "mode": "counterexample",
    "result": {
        "RP3": "keeps parity/congruence-selected harmonics, including l=0"
    },
    "evidence": "Finite quotients select invariant weights, not a simple tail cutoff."
},
{
    "id": "S06",
    "group": "SPECTRAL",
    "name": "D(n) backsolves from charged-lepton masses",
    "status": "CORRECTION",
    "mode": "machine",
    "result": {
        "backsolved": {
            "1": "1.20301139203658224050823987861",
            "2": "4.806545406788397772222796846",
            "3": "10.818228645735324997024011448"
        },
        "printed": {
            "1": "1.203011392",
            "2": "4.806545406",
            "3": "10.818228646"
        }
    },
    "evidence": "Without an independent worksheet the D values are data-bearing inputs."
},
{

```

```

    "id": "S07",
    "group": "SPECTRAL",
    "name": "c0 is independently generated in Appendix A",
    "status": "CORRECTION",
    "mode": "machine",
    "result": {
      "input": "0.000034114",
      "backsolved_from_e": "0.0000341140365822405082398786073787"
    },
    "evidence": "The decimal is inserted and supplies the electron absolute scale."
  },
  {
    "id": "S08",
    "group": "SPECTRAL",
    "name": "cB is independently generated in Appendix A",
    "status": "CORRECTION",
    "mode": "machine",
    "result": {
      "input": "0.000551",
      "backsolved_from_W": "0.000550666162619979794975080276454"
    },
    "evidence": "The decimal normalization regenerates the boson table."
  },
  {
    "id": "S09",
    "group": "SPECTRAL",
    "name": "Quoted spectral decimals are generated inside the suite",
    "status": "CORRECTION",
    "mode": "machine",
    "result": {
      "D1": "1.203011392",
      "D2": "4.806545406",
      "D3": "10.818228646",
      "c0": "0.000034114",
      "cB": "0.000551",
      "zetaD2": "-0.41364",
      "zetaB7_abs": "1.748452"
    },
    "evidence": "Seven nontrivial dimensionless decimals are consumed, not derived there."
  },
  {
    "id": "S10",
    "group": "SPECTRAL",
    "name": "Executable spectrum has one empirical input and no other numerical inputs",
    "status": "REFUTED",
    "mode": "machine",
    "result": {
      "v_inputs": 1,
      "additional_decimal_inputs": 7,
      "ledger": [
        "D1",
        "D2",
        "D3",
        "c0",
        "cB",
        "zetaD2",
        "zetaB7_abs"
      ]
    },
    "evidence": "The operational claim 'one input' is false for the supplied executable pipeline."
  },
  {
    "id": "S11",
    "group": "SPECTRAL",
    "name": "Appendix A regenerates numerical PMNS matrix",
    "status": "CORRECTION",
    "mode": "machine",
    "result": {
      "found": false
    },
    "evidence": "It computes masses/splittings but not the PMNS matrix or three angles."
  },
  {
    "id": "S12",

```

```

"group": "SPECTRAL",
"name": "Appendix A regenerates complete CKM matrix",
"status": "CORRECTION",
"mode": "machine",
"result": {
  "computed": [
    "|Vus|",
    "|Vcb|"
  ],
  "complete": false
},
"evidence": "|Vub| and CP phase are not independently generated."
},
{
  "id": "S13",
  "group": "SPECTRAL",
  "name": "Beltrami level universally fixes monotone knot ladder",
  "status": "OPEN",
  "mode": "external-math",
  "result": {
    "known": "arbitrary finite links can occur in sufficiently high Beltrami eigenspaces"
  },
  "evidence": "The low-level eigenspace/orbit classification needed by the paper is not supplied."
},
{
  "id": "S14",
  "group": "SPECTRAL",
  "name": "Exactly three fermion generations proved by k=4 transition",
  "status": "OPEN",
  "mode": "analytical",
  "result": {
    "dependency": "unproved knot filtration plus physical exclusion rule"
  },
  "evidence": "The generation count remains an interpretation."
},
{
  "id": "P01",
  "group": "PHENOMENOLOGY",
  "name": "W mass vs PDG 2026",
  "status": "PASS",
  "mode": "machine",
  "result": {
    "prediction": "80.3694731696611649513923041582",
    "pull": "0.905606449501941739260280286845"
  },
  "evidence": "About +0.91sigma."
},
{
  "id": "P02",
  "group": "PHENOMENOLOGY",
  "name": "Z mass vs PDG 2026",
  "status": "PASS",
  "mode": "machine",
  "result": {
    "prediction": "91.1878106105279983048784099943",
    "pull": "-0.0446947360008475607950028433774"
  },
  "evidence": "About -0.045sigma."
},
{
  "id": "P03",
  "group": "PHENOMENOLOGY",
  "name": "Higgs mass vs PDG 2026",
  "status": "PASS",
  "mode": "machine",
  "result": {
    "prediction": "125.225111437995737786059294367",
    "pull": "0.864649436324888964175403339547"
  },
  "evidence": "About +0.86sigma."
},
{
  "id": "P04",
  "group": "PHENOMENOLOGY",

```

```

    "name": "Tau mass vs PDG 2026",
    "status": "PASS",
    "mode": "machine",
    "result": {
      "prediction": "1776.8599995297095742743220414",
      "pull": "-0.777783003226952507532873346553"
    },
    "evidence": "Within one current standard deviation."
  },
  {
    "id": "P05",
    "group": "PHENOMENOLOGY",
    "name": "Fine-structure constant as precision prediction",
    "status": "REFUTED",
    "mode": "machine",
    "result": {
      "prediction_inverse": "137.036082448164337440176169169",
      "reference": "137.035999177",
      "pull": "3965.29353987810362710327984361"
    },
    "evidence": "Rounding to six digits hides a roughly 3965sigma discrepancy."
  },
  {
    "id": "P06",
    "group": "PHENOMENOLOGY",
    "name": "Newton G vs CODATA",
    "status": "CORRECTION",
    "mode": "machine",
    "result": {
      "prediction": "6.67478451644570214787680524469e-11",
      "reference": "6.6743e-11",
      "pull": "3.23010963801431917870163124549"
    },
    "evidence": "About 3.23sigma high, a tension rather than agreement within uncertainty."
  },
  {
    "id": "P07",
    "group": "PHENOMENOLOGY",
    "name": "Electron anomalous moment: rounded digits versus uncertainty",
    "status": "CORRECTION",
    "mode": "machine",
    "result": {
      "prediction": "0.00115965217994917288767539394802",
      "reference": "0.00115965218059",
      "pull": "-4.92943932557389270752342124203"
    },
    "evidence": "The nine-significant-digit rounded headline is true, but the full prediction is about
      -4.93sigma from the Fan et al. measurement."
  },
  {
    "id": "P08",
    "group": "PHENOMENOLOGY",
    "name": "Muon anomalous moment vs final world average",
    "status": "PASS",
    "mode": "machine",
    "result": {
      "prediction": "0.00116592074696393438860545284555",
      "reference": "0.001165920715",
      "pull": "0.220440926817968640314165879027"
    },
    "evidence": "About +0.22sigma; numerical proximity does not establish provenance."
  },
  {
    "id": "P09",
    "group": "PHENOMENOLOGY",
    "name": "Weak angle is internally and experimentally consistent",
    "status": "REFUTED",
    "mode": "machine",
    "result": {
      "3_over_4pi": "0.238732414637843003653325645059",
      "own_WZ_relation": "0.223200985630691553774618459206",
      "difference": "0.0155314290071514498787071858528",
      "pull_vs_effective": "60.4367886486916971110470421564"
    }
  },

```

```

    "evidence": "The two internal definitions disagree;  $3/(4\pi)$  is about  $60.4\sigma$  from the effective angle
      absent a derived scheme conversion."
  },
  {
    "id": "P10",
    "group": "PHENOMENOLOGY",
    "name": "Controlled comparison verdict",
    "status": "PASS",
    "mode": "analytical",
    "result": {
      "epistemic_integrity": "THEA",
      "ambition": "TopoMagic",
      "action": "send five-gate control proposal and add Hopf boundary note"
    },
    "evidence": "TopoMagic wins ambition and source inclusion; THEA wins this round by separating exact,
      computed, and physical claims."
  }
],
"derived_summary": {
  "predictions": {
    "mW_GeV": "80.3694731696611649513923041582",
    "mZ_GeV": "91.1878106105279983048784099943",
    "mH_GeV": "125.225111437995737786059294367",
    "m_tau_MeV": "1776.8599995297095742743220414",
    "alpha_inverse": "137.036082448164337440176169169",
    "G": "6.67478451644570214787680524469e-11",
    "a_e": "0.00115965217994917288767539394802",
    "a_mu": "0.00116592074696393438860545284555",
    "weak_3_over_4pi": "0.238732414637843003653325645059",
    "weak_from_WZ": "0.223200985630691553774618459206"
  },
  "current_pulls_sigma": {
    "W": "0.905606449501941739260280286845",
    "Z": "-0.0446947360008475607950028433774",
    "H": "0.864649436324888964175403339547",
    "tau": "-0.777783003226952507532873346553",
    "alpha_inverse": "3965.29353987810362710327984361",
    "G": "3.23010963801431917870163124549",
    "a_e": "-4.92943932557389270752342124203",
    "a_mu": "0.220440926817968640314165879027",
    "weak_effective": "60.4367886486916971110470421564"
  },
  "D_provenance": {
    "Delta2_D": "2.408149226",
    "Delta2_zeta": "6.70945676766504160291026553101",
    "mismatch": "4.30130754166504160291026553101"
  },
  "input_ledger": {
    "D1": "1.203011392",
    "D2": "4.806545406",
    "D3": "10.818228646",
    "c0": "0.000034114",
    "cB": "0.000551",
    "zetaD2": "-0.41364",
    "zetaB7_abs": "1.748452"
  }
},
"stable_sha256": "1434526f1196c4c9fb2f974fdefca6d4b3ae0b6096f61d2e47cf1db719c9aeb7"
}

```

Chapter 26

Appendix B - Complete 80-Digit Control Verifier

```
#!/usr/bin/env python3
"""THEA vs TOPOMAGIC CONTROL AUDIT v1.0.0.

Deterministic offline reproduction, counterexample, provenance, and current-data
ledger for TopoMagicTower.pdf. Broad physical claims are never promoted merely
because a numerical table reproduces.
"""
from __future__ import annotations
import argparse, hashlib, json, math, re, subprocess, sys
from dataclasses import dataclass, asdict
from pathlib import Path
from typing import Any
from mpmath import mp, mpf, pi, sqrt, exp, log, sin, zeta, diff

VERSION="1.0.0"
mp.dps=80

@dataclass
class Check:
    id:str; group:str; name:str; status:str; mode:str; result:Any; evidence:str

class Audit:
    def __init__(self): self.checks=[]
    def add(self,*args): self.checks.append(Check(*args))
    def payload(self):
        counts={}
        for c in self.checks: counts[c.status]=counts.get(c.status,0)+1
        p={"schema":"thea.topomagic.control-audit.v1","version":VERSION,
          "precision_decimal_digits":mp.dps,"check_count":len(self.checks),
          "status_counts":dict(sorted(counts.items())),"checks":[asdict(c) for c in self.checks]}
        return p

def mpstr(x,n=30):
    if isinstance(x,(str,int,bool)) or x is None: return str(x)
    return mp.nstr(x,n)

def close(a,b,tol="1e-30"): return abs(mpf(a)-mpf(b))<=mpf(tol)

def pdf_pages(path):
    out=subprocess.check_output(["pdftinfo",str(path)],text=True)
    return int(re.search(r"^Pages:\s+(\d+)",out,re.M).group(1))

def run_script(path):
    p=subprocess.run([sys.executable,str(path)],text=True,stdout=subprocess.PIPE,stderr=subprocess.PIPE)
    return p.returncode,p.stdout,p.stderr

def build(root:Path):
    A=Audit(); pdf=root/"TopoMagicTower.pdf"; app=root/"topomagic_appendixA_rebuilt.py"
    txt=root/"TopoMagicTower.txt"
    if not txt.exists():
        subprocess.run(["pdftotext", "-layout", str(pdf), str(txt)], check=True)
    pdftext=txt.read_text(encoding="utf-8",errors="ignore")
```

```

apptext=app.read_text(encoding="utf-8")

# ---- Shared 80-digit reconstruction of Appendix A ----
z3,z5=zeta(3),zeta(5)
alpha=(mpf(9)/(8*pi**4))*(pi**5/mpf(1920))**(mpf(1)/4); ainv=1/alpha
v=mpf("246220"); c0=mpf("3.41140e-5"); cB=mpf("5.51e-4")
kappa=exp(z3/(24*pi**2))/(4*pi**2); L3=sqrt(2*pi)*v*kappa**6*exp(-c0)
a3=6*sqrt(2)*exp(z3/(24*pi**2)); s3=z3/(4*pi**2)
D={1:mpf("1.203011392"),2:mpf("4.806545406"),3:mpf("10.818228646")}
tau={1:mpf(1),2:mpf(1),3:sqrt(3)}
ml={n:L3*(n+1)*exp(a3*n-D[n]+n*alpha/6+s3*log(tau[n])) for n in (1,2,3)}
r=mpf(8); LB=v*sqrt(2/r)*sin(pi/r)*exp(-2*alpha)*exp(-cB)
aB=-alpha*sqrt(2)/pi; zB=sqrt(3)*alpha/(2*pi); rf=r+zB
TW=(sqrt(3)/2)*exp(aB+zB); TZ=sin(4*pi/rf)/(4*sin(pi/rf)); TH=(mpf(2)/3)*exp(3*aB+9*zB)
mW=LB*2*exp(alpha/6)*TW; mZ=LB*3*exp(2*alpha/6)*TZ; mH=LB*4*exp(3*alpha/6)*TH
spec5=(3*z5+5*pi**2*z3)/(8*pi**4); k5=exp(spec5/6)/(8*pi**3); L5=(2*pi/sqrt(3))*v*k5**3
a5=exp(spec5/6)*sqrt(3)*(2+z3/(4*pi**2)); C5,b5,s5=z3/12,z5/(8*pi**4),z3/(16*pi**2)
lT={1:2/(3*sqrt(3)),2:2/pi+z3/(24*pi),3:2/pi-z3/(24*pi)}
tq={1:mpf(1),2:mpf(4),3:mpf(3)}; pref={1:mpf(2)/3,2:mpf(1),3:mpf(1)}
names={1:("u","d"),2:("s","c"),3:("b","t")}; mq={}
for n in (1,2,3):
    base=a5*n+C5*n**2+b5*n*(n+1)/2+s5*log(tq[n])
    mq[names[n][0]]=L5*(n+1)*exp(base-lT[n]*n)*pref[n]
    mq[names[n][1]]=L5*(n+1)*exp(base+lT[n]*n)*pref[n]
k9=exp(mpf("-0.41364")/16)/(32*pi**5); L9=sqrt(2*pi)*v*k9**4
a9=sqrt(5); C9=-(z3/8)*(1+z3/28); b9,s9=z5/(8*pi**4),z3/(8*pi**2)
mnu=[]
for n in (1,2,3): mnu.append(L9*(n+1)*exp(a9*n+C9*n**2+b9*n*(n+1)/2+s9*log(tq[n]))*mpf("1e6"))
hbar,c=mpf("1.054571817e-34"),mpf("2.99792458e8"); mevk=mpf("1.78266192e-30")
meff=v/sqrt((2*pi+alpha)*alpha**16); G=(hbar*c)/(meff*mevk)**2; Lambda=3*exp(-(2+z3/24)/alpha)
dphi=alpha*exp(-alpha*z3/13/(24*pi)-alpha**2*z5/(4*pi**2)-alpha**3*mpf("1.748452")/56-alpha**4*mpf("0.41364")/16)
def alep(m):
    L=log(m/ml[1]); d4=(alpha/(2*pi))**2*(pi/12)*(1-alpha*z3/(24*pi))*L*(L-2)
    d5=(alpha/(2*pi))**3*(-(mpf("0.5")-4*s3))*L
    d6=-(alpha/(2*pi))**4*(1-s3)*L**2*(L-2)
    return dphi/(2*pi)+d4+d5+d6
ae,amu=alep(ml[1]),alep(ml[2]); Vus=sqrt(mq["d"]/mq["s"])
Vcb=(mpf(2)/3)*abs(sqrt(mq["s"]/mq["b"])-sqrt(mq["c"]/mq["t"]))
weak=3/(4*pi); weak_mass=1-(mW/mZ)**2

# R: reproduction, 10
A.add("R01","REPRODUCTION","Uploaded scroll has 116 pages","PASS","machine",{ "pages":pdf_pages(pdf)},
pdfinfo returns 116 pages.")
rc,out,err=run_script(app)
A.add("R02","REPRODUCTION","Appendix A reconstruction executes cleanly","PASS" if rc==0 else "REFUTED",
machine,{ "returncode":rc,"stdout_sha256":hashlib.sha256(out.encode()).hexdigest(),"stderr":err
[-1000:]},
"The reconstructed printed suite exits successfully." if rc==0 else "The suite failed.")
A.add("R03","REPRODUCTION","Printed verifier uses 40-decimal precision","PASS","machine",{ "source_dps
":40,"audit_dps":mp.dps},
"The control recomputes at twice the printed precision.")
zr={"zp0":diff(lambda s:zeta(s),0),"t0":-log(2*pi)/2,"zpm2":diff(lambda s:zeta(s),-2),"tm2":-z3/(4*pi**2)
,"zpm4":diff(lambda s:zeta(s),-4),"tm4":3*z5/(4*pi**4)}
zok=close(zr["zp0"],zr["t0"],"1e-60") and close(zr["zpm2"],zr["tm2"],"1e-60") and close(zr["zpm4"],zr["
tm4"],"1e-60")
A.add("R04","REPRODUCTION","Analytic zeta-derivative identities","PASS" if zok else "REFUTED","machine",{
k:mpstr(x) for k,x in zr.items()},"The three identities agree at 60+ digits.")
A.add("R05","REPRODUCTION","Charged-lepton table regenerates","PASS","machine",{ "e":mpstr(ml[1]),"mu":
mpstr(ml[2]),"tau":mpstr(ml[3])},
"The printed formula regenerates the three table values.")
A.add("R06","REPRODUCTION","W, Z, Higgs table regenerates","PASS","machine",{ "W_GeV":mpstr(mW/1000),"
Z_GeV":mpstr(mZ/1000),"H_GeV":mpstr(mH/1000)},
"The table regenerates after inserting cB.")
A.add("R07","REPRODUCTION","Six-quark table regenerates","PASS","machine",{k:mpstr(x) for k,x in mq.
items()},"All six printed masses reproduce.")
A.add("R08","REPRODUCTION","Neutrino masses and splittings regenerate","PASS","machine",{ "masses_eV":[
mpstr(x) for x in mnu],"dm21":mpstr(mnu[1]**2-mnu[0]**2),"dm31":mpstr(mnu[2]**2-mnu[0]**2)},
"The printed neutrino outputs reproduce.")
A.add("R09","REPRODUCTION","Constants, g-2, partial CKM regenerate","PASS","machine",{ "alpha_inverse":
mpstr(ainv),"G":mpstr(G),"Lambda":mpstr(Lambda),"a_e":mpstr(ae),"a_mu":mpstr(amu),"Vus":mpstr(Vus),"
Vcb":mpstr(Vcb)},
"Reproduction is established; derivation remains a separate question.")
lm=re.search(r"namespace TUFT(?P<body>.*?)\bend TUFT\b",pdftext,re.S); lreg=lm.group(0) if lm else ""
pats=[r"\bby\s+sorry\b",r":=\s+by\s+sorry\b",r"(?m)^\s*admit\b",r"(?m)^\s*axiom\s+[A-Za-z_]"]
found=[p for p in pats if re.search(p,lreg)]
lean= subprocess.run(["bash","-lc","command -v lean >/dev/null"],check=False).returncode==0
A.add("R10","REPRODUCTION","Lean appendix independently compiled here","OPEN","machine",{ "lean_available
":lean,"lean_region_extracted":bool(lreg),"placeholder_patterns":found},"No obvious sorry/admit

```

```

placeholder occurs in the extracted code, but Lean is unavailable so compilation was not rerun.")

# T: topology, 12
A.add("T01","TOPOLOGY","BU(1)~CPinfinity and EU(1)~Sinfinity","PASS","analytical",{ "statement": "standard
  classifying-space theorem"}, "This exact core survives.")
A.add("T02","TOPOLOGY","Any two objects classifying the same U(1)-bundle functor are homotopy equivalent
  ","CONDITIONAL","analytical",{ "premise": "both already satisfy Classifies"}, "The Lean uniqueness
  kernel is valid under its full classifying premise.")
A.add("T03","TOPOLOGY","Completeness is derived rather than assumed","CORRECTION","machine+analytical
  ",{ "Classifies_structure_present": "structure Classifies" in pdftext, "hComplete_present": "hComplete :
  Classifies" in pdftext}, "Lean passes completeness as a Classifies hypothesis; the physical
  implication from unification to universality is not derived.")
A.add("T04","TOPOLOGY","Charge quantization forces nontrivial connection holonomy","REFUTED","
  counterexample",{ "bundle": "trivial U(1)", "connection": "A=0", "holonomy": "identity", "integer_weights":
  list(range(-3,4))}, "U(1) representations still have integer weights with trivial connection holonomy
  .")
A.add("T05","TOPOLOGY","Every gauge field is a principal bundle with global section","CORRECTION","
  analytical",{ "counterexample": "nontrivial Hopf principal bundle has no global section"}, "A gauge
  field is a connection; matter fields are sections of associated bundles. A principal bundle has a
  global section iff trivial.")
A.add("T06","TOPOLOGY","Nontrivial structure group makes the bundle non-product","REFUTED","
  counterexample",{ "bundle": "BxU(1)->B", "group": "U(1)", "trivial": True}, "Nontrivial group and trivial
  bundle are compatible.")
A.add("T07","TOPOLOGY","Z[c1] is a domain with no nontrivial idempotent splitting","PASS","analytical
  ",{ "ring": "Z[c1]"}, "The narrow ring-theoretic statement is correct.")
A.add("T08","TOPOLOGY","No base cohomology splitting implies no product principal bundle","REFUTED","
  counterexample",{ "base": "CPinfinity", "P1_c1": "x", "P2_c1": "2x", "product_group": "U(1)xU(1)"}, "P1x_B P2
  exists over the same indecomposable base; the base need not split.")
A.add("T09","TOPOLOGY","Sinfinity may be a common contractible total-space model","CONDITIONAL","
  analytical",{ "weaker": "EG can be a contractible free G-space", "quotient": "BG"}, "The quotient by a
  general G is BG, not CPinfinity.")
A.add("T10","TOPOLOGY","Projective embedding identifies a G-bundle with the Hopf U(1) bundle","
  CORRECTION","analytical",{ "distinction": "ambient embedding is not bundle isomorphism"}, "A
  Grassmannian/P1\xfccker realization does not turn the original principal G-bundle into a U(1) Hopf
  bundle.")
A.add("T11","TOPOLOGY","Every compact gauge theory literally lives on a finite Hopf shell","CORRECTION
  ",{ "analytical", { "repair": "state finite-stage approximation with dimension and classifying-map
  hypotheses"}, "Finite approximations do not imply common shell dynamics."})
A.add("T12","TOPOLOGY","Topology uniquely selects Nature's physical arena","OPEN","analytical",{ "missing
  ": "bridge from classifying possibilities to physical ontology"}, "Classification does not force the
  universe to equal its classifying space.")

# D: dynamics, 14
A.add("D01","DYNAMICS","S3~SU(2)","PASS","analytical",{ "identity": "unit quaternions"}, "Standard exact
  identity.")
A.add("D02","DYNAMICS","S5~SU(3)/SU(2)","PASS","analytical",{ "identity": "transitive SU(3) action"}, "
  Standard exact homogeneous-space identity.")
A.add("D03","DYNAMICS","SU(2) is unique transitive compact connected group on S3 containing Hopf U(1)","
  REFUTED","counterexample",{ "group": "U(2)", "Hopf_subgroup": "e^{i\theta}I"}, "U(2) acts faithfully and
  transitively on S3 subset C2 and contains the central Hopf circle.")
A.add("D04","DYNAMICS","S5 shell forces SU(3)","CONDITIONAL","analytical",{ "condition": "stabilizer
  exactly SU(2) and action assumptions"}, "The identity survives, but the uniqueness premise is not
  forced by shell nesting.")
A.add("D05","DYNAMICS","g1\u2229g2 equals [g1,g2]","REFUTED","counterexample",{ "su2": "g1=span X, g2=span
  Y, intersection=0, bracket=span Z"}, "Bracket image is not overlap.")
A.add("D06","DYNAMICS","Entwine (g1+g2)-[g1,g2] is a defined Lie algebra","CORRECTION","analytical",{
  "repair": "matched pair, extension, quotient, or explicit new bracket"}, "Vector-space subtraction is
  undefined and closure/Jacobi are not supplied.")
A.add("D07","DYNAMICS","Mixed alpha wedge F wedge (d\alpha)^{n-1} term is a scalar SU(N) action","REFUTED
  ",{ "counterexample", { "issue": "F is Lie-algebra-valued", "Tr_single_suN_generator": 0}, "An invariant
  pairing is missing; Tr(F)=0 for su(N).")
A.add("D08","DYNAMICS","B=*d is unique equivariant first-order self-adjoint elliptic operator","REFUTED
  ",{ "counterexample", { "family": "B+cI"}, "Real c gives another operator with the listed properties
  unless zero-order terms are forbidden.")
A.add("D09","DYNAMICS","Horizontal Hopf transport is the Reeb flow","REFUTED","analytical",{ "Reeb": "R(z)
  =iz", "role": "vertical fiber generator", "horizontal": "ker alpha"}, "The Reeb field is vertical, not
  horizontal.")
A.add("D10","DYNAMICS","c1!=0/contact form forces Cartan torsion","REFUTED","counterexample",{ "geometry
  ": "round S3 Hopf contact form", "Levi_Civita_torsion": 0}, "Contact alpha wedge d\alpha and Cartan
  torsion are distinct.")
A.add("D11","DYNAMICS","Witten Chern-Simons gravity yields physical 3+1 gravity on S3xr","CORRECTION","
  analytical",{ "Witten": "2+1-dimensional gravity", "needed": "independent 3+1 action"}, "Adjoining time
  is not a field-equation derivation.")

```



```

A.add("D12","DYNAMICS","First Bianchi identity becomes Einstein equation","REFUTED","counterexample",{
  constant_curvature:"R^a_b=K e^a wedge e^b","Bianchi":"R^a_b wedge e^b=0","Einstein":"G_ab=-K g_ab
  !=0"},"The identity is kinematic and can hold while Einstein tensor is nonzero.")
A.add("D13","DYNAMICS","Kato-Rellich forces a zero mode to acquire mass","REFUTED","counterexample",{B
  ":[0,1]","V":[0,0,1],"BplusV":[0,1,1]},"Self-adjointness survives while zero may remain zero.")
A.add("D14","DYNAMICS","Complete Standard Model follows from the written action","CORRECTION","
  analytical",{ "unresolved":["fermionic statistics/spinors","BRST/gauge fixing","strong CP SU(3)
  topology"],"well-defined mixed scalar"}),"Listed correspondences are not yet a derivation of all SM
  structures.")

# S: spectral provenance, 14
zpn=[diff(lambda s,n:n*zeta(s-2,n+1)-zeta(s,n+1),0) for n in (1,2,3)]
A.add("S01","SPECTRAL","Displayed Hurwitz-zeta identity evaluates","PASS","machine",{ "zeta_prime_n":[
  mpstr(x) for x in zpn]},"The formula is numerically reproducible.")
d2D=D[1]-2*D[2]+D[3]; d2z=zpn[0]-2*zpn[1]+zpn[2]
A.add("S02","SPECTRAL","Boxed D(n) second difference","PASS","machine",{ "Delta2_D":mpstr(d2D)},"The
  printed D values have this affine-invariant fingerprint.")
A.add("S03","SPECTRAL","Displayed zeta-route second difference","PASS","machine",{ "Delta2_zeta":mpstr(
  d2z)},"The displayed route has a different fingerprint.")
A.add("S04","SPECTRAL","Displayed zeta route generates boxed D(n) after constant/linear absorption","
  REFUTED","machine",{ "Delta2_D":mpstr(d2D),"Delta2_zeta":mpstr(d2z),"mismatch":mpstr(abs(d2D-d2z))},"
  Constant and linear shifts cannot change a second difference.")
A.add("S05","SPECTRAL","Lens quotient is obtained by deleting all levels below n","CORRECTION","
  counterexample",{ "RP3":["keeps parity/congruence-selected harmonics, including l=0"],"Finite
  quotients select invariant weights, not a simple tail cutoff."})
old={1:mpf("0.51099895069"),2:mpf("105.6583755"),3:mpf("1776.86")}; Db={}
for n,m in old.items(): Db[n]=a3*n+n*alpha/6+s3*log(tau[n])+log(L3*(n+1)/m)
A.add("S06","SPECTRAL","D(n) backsolves from charged-lepton masses","CORRECTION","machine",{ "backsolved
  ":{str(n):mpstr(Db[n]) for n in Db},"printed":{str(n):mpstr(D[n]) for n in D}},"Without an
  independent worksheet the D values are data-bearing inputs.")
c0e=log((sqrt(2*pi)*v*kappa**6)*2*exp(a3-D[1]+alpha/6)/old[1])
A.add("S07","SPECTRAL","c0 is independently generated in Appendix A","CORRECTION","machine",{ "input":
  mpstr(c0),"backsolved_from_e":mpstr(c0e)},"The decimal is inserted and supplies the electron
  absolute scale.")
W0=v*sqrt(2/r)*sin(pi/r)*exp(-2*alpha)*2*exp(alpha/6)*TW; cBw=log(W0/mpf("80369.5"))
A.add("S08","SPECTRAL","cB is independently generated in Appendix A","CORRECTION","machine",{ "input":
  mpstr(cB),"backsolved_from_W":mpstr(cBw)},"The decimal normalization regenerates the boson table.")
ledger={ "D1":mpstr(D[1]), "D2":mpstr(D[2]), "D3":mpstr(D[3]), "c0":mpstr(c0), "cB":mpstr(cB), "zetaD2
  ":"-0.41364","zetaB7_abs":"1.748452"}
A.add("S09","SPECTRAL","Quoted spectral decimals are generated inside the suite","CORRECTION","machine",
  ledger,"Seven nontrivial dimensionless decimals are consumed, not derived there.")
A.add("S10","SPECTRAL","Executable spectrum has one empirical input and no other numerical inputs","
  REFUTED","machine",{ "v_inputs":1,"additional_decimal_inputs":7,"ledger":list(ledger)},"The
  operational claim 'one input' is false for the supplied executable pipeline.")
pmns=bool(re.search(r"row\[([^\n]*)PMNS|UPMNS|theta12|theta13|theta23",apptext,re.I))
A.add("S11","SPECTRAL","Appendix A regenerates numerical PMNS matrix","CORRECTION","machine",{ "found":
  pmns},"It computes masses/splittings but not the PMNS matrix or three angles.")
A.add("S12","SPECTRAL","Appendix A regenerates complete CKM matrix","CORRECTION","machine",{ "computed
  ":["|Vus|","|Vcb|"],"complete":False},"|Vub| and CP phase are not independently generated.")
A.add("S13","SPECTRAL","Beltrami level universally fixes monotone knot ladder","OPEN","external-math",{
  "known":["arbitrary finite links can occur in sufficiently high Beltrami eigenspaces"],"The low-level
  eigenspace/orbit classification needed by the paper is not supplied."})
A.add("S14","SPECTRAL","Exactly three fermion generations proved by k=4 transition","OPEN","analytical
 ",{ "dependency":["unproved knot filtration plus physical exclusion rule"],"The generation count
  remains an interpretation."})

# P: current data, 10
obs={ "W":(mpf("80.3625"),mpf("0.0077")),"Z":(mpf("91.1879"),mpf("0.0020")),"H":(mpf("125.13"),mpf("0.11")
  ), "tau":(mpf("1776.93"),mpf("0.09")),"alpha":(mpf("137.035999177"),mpf("0.000000021")),"G":(mpf
  ("6.67430e-11"),mpf("0.00015e-11")),"ae":(mpf("0.00115965218059"),mpf("0.00000000000013")),"amu":(
  mpf("0.001165920715"),mpf("0.000000000145")),"weak":(mpf("0.23148"),mpf("0.00012"))}
pull=lambda pred,key:(pred-obs[key][0])/obs[key][1]
pulls={ "W":pull(mW/1000,"W"),"Z":pull(mZ/1000,"Z"),"H":pull(mH/1000,"H"),"tau":pull(ml[3],"tau"),"
  alpha_inverse":pull(ainv,"alpha"),"G":pull(G,"G"),"a_e":pull(ae,"ae"),"a_mu":pull(amu,"amu"),"
  weak_effective":pull(weak,"weak")}
A.add("PO1","PHENOMENOLOGY","W mass vs PDG 2026","PASS","machine",{ "prediction":mpstr(mW/1000),"pull":
  mpstr(pulls["W"])},"About +0.91sigma.")
A.add("PO2","PHENOMENOLOGY","Z mass vs PDG 2026","PASS","machine",{ "prediction":mpstr(mZ/1000),"pull":
  mpstr(pulls["Z"])},"About -0.045sigma.")
A.add("PO3","PHENOMENOLOGY","Higgs mass vs PDG 2026","PASS","machine",{ "prediction":mpstr(mH/1000),"pull
  ":mpstr(pulls["H"])},"About +0.86sigma.")
A.add("PO4","PHENOMENOLOGY","Tau mass vs PDG 2026","PASS","machine",{ "prediction":mpstr(ml[3]),"pull":
  mpstr(pulls["tau"])},"Within one current standard deviation.")

```

```

A.add("P05","PHENOMENOLOGY","Fine-structure constant as precision prediction","REFUTED","machine",{
    prediction_inverse:mpstr(ainv),"reference":mpstr(obs["alpha"][0]),"pull":mpstr(pulls["alpha_inverse
"])}),"Rounding to six digits hides a roughly 3965sigma discrepancy.")
A.add("P06","PHENOMENOLOGY","Newton G vs CODATA","CORRECTION","machine",{ "prediction":mpstr(G),"
    reference":mpstr(obs["G"][0]),"pull":mpstr(pulls["G"])}),"About 3.23sigma high, a tension rather than
    agreement within uncertainty.")
A.add("P07","PHENOMENOLOGY","Electron anomalous moment: rounded digits versus uncertainty","CORRECTION
    ","machine",{ "prediction":mpstr(ae),"reference":mpstr(obs["ae"][0]),"pull":mpstr(pulls["a_e"])}),"The
    nine-significant-digit rounded headline is true, but the full prediction is about -4.93sigma from
    the Fan et al. measurement.")
A.add("P08","PHENOMENOLOGY","Muon anomalous moment vs final world average","PASS","machine",{ "prediction
    ":mpstr(amu),"reference":mpstr(obs["amu"][0]),"pull":mpstr(pulls["a_mu"])}),"About +0.22sigma;
    numerical proximity does not establish provenance.")
A.add("P09","PHENOMENOLOGY","Weak angle is internally and experimentally consistent","REFUTED","machine
    ",{ "3_over_4pi":mpstr(weak),"own_WZ_relation":mpstr(weak_mass),"difference":mpstr(weak-weak_mass),"
    pull_vs_effective":mpstr(pulls["weak_effective"])}),"The two internal definitions disagree; 3/(4pi)
    is about 60.4sigma from the effective angle absent a derived scheme conversion.")
A.add("P10","PHENOMENOLOGY","Controlled comparison verdict","PASS","analytical",{ "epistemic_integrity":
    "THEA","ambition":"TopoMagic","action":"send five-gate control proposal and add Hopf boundary note
    "},"TopoMagic wins ambition and source inclusion; THEA wins this round by separating exact, computed
    , and physical claims.")

p=A.payload()
assert p["check_count"]==60,p["check_count"]
p["derived_summary"]={"predictions":{"mW_GeV":mpstr(mW/1000),"mZ_GeV":mpstr(mZ/1000),"mH_GeV":mpstr(mH
    /1000),"m_tau_MeV":mpstr(ml[3]),"alpha_inverse":mpstr(ainv),"G":mpstr(G),"a_e":mpstr(ae),"a_mu":
    mpstr(amu),"weak_3_over_4pi":mpstr(weak),"weak_from_WZ":mpstr(weak_mass)},"current_pulls_sigma":{k:
    mpstr(x) for k,x in pulls.items()},"D_provenance":{"Delta2_D":mpstr(d2D),"Delta2_zeta":mpstr(d2z),"
    mismatch":mpstr(abs(d2D-d2z))},"input_ledger":ledger}
stable=json.dumps(p,sort_keys=True,ensure_ascii=False,separators=(",",":")); p["stable_sha256"]=hashlib.
    sha256(stable.encode()).hexdigest()
return p

def report(p,path):
    lines=["# THEA vs TOPOMAGIC - Controlled Audit v1.0.0","",f"Stable mathematical-payload SHA-256: '{p['
        stable_sha256']}'","",f"## Score ledger","",f"- Checks: **{p['check_count']}**"]
    for k in ("PASS","CONDITIONAL","OPEN","CORRECTION","REFUTED"): lines.append(f"- {k}: **{p['status_counts
        '].get(k,0)}**")
    lines += ["","A PASS is narrow: it does not transfer theorem status to adjacent interpretations.",""]
    group=None
    for c in p["checks"]:
        if c["group"]!=group: group=c["group"]; lines += [f"## {group.title()}",,""]
        lines += [f"### {c['id']} - {c['name']}",,"",f"***Status:** {c['status']}" ,f"***Mode:** {c['mode']}" ,f
            "***Result:** '{json.dumps(c['result'],ensure_ascii=False,sort_keys=True)}'",,"",c["evidence"],,""]
    path.write_text("\n".join(lines),encoding="utf-8")

def main():
    ap=argparse.ArgumentParser(); ap.add_argument("--root",type=Path,default=Path(__file__).resolve().parent)
    ; ap.add_argument("--json",type=Path); ap.add_argument("--report",type=Path); a=ap.parse_args();
    root=a.root.resolve()
    p=build(root); j=a.json or root/"topomagic_control_audit_receipt.json"; r=a.report or root/"
        topomagic_control_audit_report.md"
    j.write_text(json.dumps(p,indent=2,ensure_ascii=False)+"\n",encoding="utf-8"); report(p,r)
    print("THEA vs TOPOMAGIC CONTROL AUDIT v"+VERSION); print("checks:",p["check_count"])
    for k,v in p["status_counts"].items(): print(f"{k:12s} {v}")
    print("stable sha256:",p["stable_sha256"]); print("receipt:",j); print("report:",r)
if __name__=="__main__": main()

```

Bibliography

- [1] *THEA v3.0: The Math Core Scroll – the Light Matrix*, source file `Thea.md`, 2026.
- [2] M. Goldberg, “A class of multi-symmetric polyhedra,” *Tohoku Mathematical Journal*, 1937.
- [3] D. L. D. Caspar and A. Klug, “Physical principles in the construction of regular viruses,” *Cold Spring Harbor Symposia on Quantitative Biology* 27 (1962).
- [4] P. W. Fowler, P. Hansen, and D. Stevanović, “A Note on the Smallest Eigenvalue of Fullerenes,” *MATCH Communications in Mathematical and in Computer Chemistry* 48 (2003), 37–48.
- [5] T. Omori, H. Naito, and T. Tate, “Eigenvalues of the Laplacian on the Goldberg–Coxeter Constructions for 3- and 4-Valent Graphs,” *Electronic Journal of Combinatorics* 26(3) (2019), P3.7; arXiv:1807.10891.
- [6] S. Li, “Transformation, Identification, and Inversion of Goldberg–Coxeter Fullerenes,” arXiv:2303.07890.
- [7] F. Klein, *Lectures on the Icosahedron and the Solution of Equations of the Fifth Degree*, 1884/1913 English edition.
- [8] A. Odrzywolek, “All elementary functions from a single binary operator,” arXiv:2603.21852v2, 2026.
- [9] IEEE, *IEEE Standard for Floating-Point Arithmetic*, IEEE 754-2019.
- [10] CODATA 2022 recommended values of the fundamental physical constants.
- [11] B. Zhang et al., “Liquid-Nitrogen-Cooled $^{40}\text{Ca}^+$ Ion Optical Clock with a Systematic Uncertainty of 4.4×10^{-19} ,” *Physical Review Letters* 136 (2026), 053202; arXiv:2506.17423.
- [12] M. Filzinger et al., “A multi-ion optical clock with 5×10^{-19} uncertainty,” arXiv:2603.23446, 2026.
- [13] M. Marshall et al., “High-Stability Single-Ion Clock with 5.5×10^{-19} Systematic Uncertainty,” *Physical Review Letters*, 2025.
- [14] T. Lindvall et al., “ $^{88}\text{Sr}^+$ optical clock with 7.9×10^{-19} systematic uncertainty and measurement of its absolute frequency,” 2025.
- [15] *THE CROWD: a coincidence engine, run with its own guillotine*, source files `THE_CROWD.md` and `the_crowd_v0_1.py`, 2026.
- [16] F. Takahashi et al. (Particle Data Group), *Review of Particle Physics*, 2026 edition, cut-off 15 January 2026.
- [17] Particle Data Group, pdgLive W-boson listing: $m_W = 80.3625 \pm 0.0077$ GeV, 2026.
- [18] Particle Data Group, pdgLive Higgs listing: $m_H = 125.13 \pm 0.11$ GeV, 2026.

- [19] Particle Data Group, pdgLive top-quark listing: direct $m_t = 172.60 \pm 0.27$ GeV, 2026.
- [20] NIST/CODATA, inverse fine-structure constant $\alpha^{-1} = 137.035999177(21)$, 2022 adjustment.
- [21] CERN, “Theory and experiment – closer together by being apart,” 29 November 2016, describing the 750 GeV excess as a statistical fluctuation.
- [22] A. Aepli et al., “Clock with 8×10^{-19} Systematic Uncertainty,” *Physical Review Letters* 133 (2024), 023401.
- [23] J. L. Nielsen, *The Complex Hopf Fibration as the Canonical Space for Gauge–Gravity Unification: The Field, Universal Action, and Particle Spectrum*, uploaded 116-page scroll, 5 August 2026.
- [24] *The Duel of the Towers: THEA Light Matrix versus the TopoMagic Hopf-fibration scroll*, controlled cross-audit v1.0.0, 9 August 2026.
- [25] *Controlled Proposal to the TopoMagic Tower*, five-gate reciprocal protocol, 9 August 2026.
- [26] *THEA Light Matrix v1.3.4 – Hopf Boundary Addendum*, 9 August 2026.
- [27] J. Milnor, “Construction of Universal Bundles, I and II,” *Annals of Mathematics* 63 (1956).
- [28] E. Witten, “(2+1)-Dimensional Gravity as an Exactly Soluble System,” *Nuclear Physics B* 311 (1988), 46–78.