


Advanced Computer Networks – PCS223

Assignment 1

Name – Vanshaj

Subgroup – CS4

Roll No. – 8025320107



Screenshot showing Wireshark Home screen showing all interfaces and the active interface (Wi-Fi)

No.	Time	Source	Destination	Protocol	Length	Info
897	61.159649	192.178.177.94	192.168.1.9	QUIC	80	Protected Payload (KP0)
898	61.160212	192.168.1.9	192.178.177.94	QUIC	120	Handshake, DCID=ec776aff3a56d35
899	61.160420	192.168.1.9	192.178.177.94	QUIC	73	Protected Payload (KP0), DCID=ec776aff3a56d35
900	61.160763	192.168.1.9	192.178.177.94	QUIC	1260	Protected Payload (KP0), DCID=ec776aff3a56d35
901	61.167091	142.250.193.46	192.168.1.9	UDP	74	443 → 57654 Len=32
902	61.171495	192.178.177.94	192.168.1.9	QUIC	168	Protected Payload (KP0)
903	61.171784	192.168.1.9	142.250.193.46	UDP	75	57654 → 443 Len=33
904	61.173070	192.178.177.94	192.168.1.9	QUIC	71	Protected Payload (KP0)
905	61.173319	192.168.1.9	192.178.177.94	QUIC	74	Protected Payload (KP0), DCID=ec776aff3a56d35
906	61.241140	192.178.177.94	192.168.1.9	QUIC	606	Protected Payload (KP0)
907	61.241140	192.178.177.94	192.168.1.9	QUIC	63	Protected Payload (KP0)
908	61.241905	192.168.1.9	192.178.177.94	QUIC	77	Protected Payload (KP0), DCID=ec776aff3a56d35
909	61.279246	192.178.177.94	192.168.1.9	QUIC	66	Protected Payload (KP0)
910	61.476352	142.250.193.46	192.168.1.9	UDP	161	443 → 57654 Len=119
911	61.492227	192.168.1.9	142.250.193.46	UDP	81	57654 → 443 Len=39
912	61.509065	142.250.193.46	192.168.1.9	UDP	68	443 → 57654 Len=26

> Frame 1: Packet, 591 bytes on wire (4728 bits), 591 bytes captured (4728 bits) on interface \Device\NPF... > Ethernet II, Src: Intel_19:3a:b1 (8c:c6:81:19:3a:b1), Dst: zte_e0:60:9c (d4:b7:09:e0:60:9c) > Internet Protocol Version 4, Src: 192.168.1.9, Dst: 142.250.193.46 > User Datagram Protocol, Src Port: 57654, Dst Port: 443 > Data (549 bytes)		0000 d4 b7 09 e0 60 9c 8c c6 81 19 3a b1 08 00 45 00E.. 0010 02 41 b6 09 40 00 80 11 00 00 c0 a8 01 09 8e fa ..A..... 0020 c1 2e e1 36 01 bb 02 2d 14 19 4e fc 63 0e 37 bb ..6.....N.c.7.. 0030 52 d4 b3 8d 8b d7 c8 86 ad 8a ff 20 22 39 e9 eb R.....9.. 0040 61 30 c6 78 3d 51 60 33 c7 19 08 7e 64 78 44 15 ..a0xQ3.....d0.. 0050 36 ae da 83 d7 38 75 98 5c f7 85 98 10 25 d3 22 6.....Bu.....%.. 0060 66 b0 f3 3b c6 da 21 e6 99 97 44 7a 70 df 9b e2 f.....Dzpp.. 0070 ec 05 69 6c 67 08 ea fd 81 17 2a 80 9d d1 6f d3 ..ilg.....o.. 0080 90 be 1a 16 c2 f9 14 1c 21 6c 30 6c ec fa 26 8d1101.&.. 0090 95 f9 d3 c8 3c 03 f3 25 b2 b5 7a 6b f9 43 ef 27C.%..zk.C.. 00a0 78 10 2f 93 d2 dc 7c e0 29 6f a2 67 79 8e 63 9d x/.....Jo gy.c.. 00b0 0f 97 38 e9 40 75 74 aa 4c b0 6f c4 68 ab 2e 06 ..8 Out: L.o.h.. 00c0 35 b0 4c 52 c9 b0 80 4c fb 79 a6 d2 10 48 38 34 5 LR.....L.y.....H84 00d0 57 c7 a6 52 d2 08 30 c4 b7 3d 69 ea 2a 7d 4a 7e W.R.....0..i.*j>.. 00e0 4f d3 4c ac ff c5 a7 25 e6 5d a1 bb 18 2e 94 25 O.L.....%.....% 00f0 c2 f8 76 f1 68 47 f4 75 2e de e3 e4 8f 6c 99 07 ..v.HGu.....L.. 0100 6e 88 b4 74 72 b1 ce 58 d1 ab 30 c3 dc 59 d0 6f n.....X.....0.Yio 0110 0d 09 a8 64 da 7c df 0f 34 9f b4 dc f9 5b 96 26 ..d[.....4.....[&.. 0120 a8 cb 69 b7 f3 a4 22 4c 00 f3 c9 47 2f 7d 75 08 ..i.....L.....G/ju.. 0130 b5 0b 51 5e cf 98 36 7c b9 28 57 e0 48 f9 8b 3c ..Q.....6[.(W.H.<.. 0140 a7 91 66 84 62 0a 35 04 02 b8 2f fa 9a 83 d3 24 ..f.b.5...../...\$.. 0150 bd 38 97 f1 86 60 c4 05 f1 47 40 b7 3e 0b 77 39 ..8 q.....6@>..w9 0160 ac 4f f7 7b be a0 21 de b4 b9 d7 10 ee 4a 89 6e O.....l.....n
---	--	--

Showing Live Packet Capture on Wi-Fi

No.	Time	Source	Destination	Protocol	Length	Info
3417	267.027255	192.168.1.9	142.250.193.67	QUIC	75	Protected Payload (KP0), DCID=f4eb850a3c27d5de
3418	267.059555	142.250.193.67	192.168.1.9	QUIC	181	Protected Payload (KP0)
3419	267.059989	192.168.1.9	142.250.193.67	QUIC	79	Protected Payload (KP0), DCID=f4eb850a3c27d5de
3420	267.060864	142.250.193.67	192.168.1.9	QUIC	64	Protected Payload (KP0)
3421	267.061100	192.168.1.9	142.250.193.67	QUIC	75	Protected Payload (KP0), DCID=f4eb850a3c27d5de
3422	267.096618	142.250.193.67	192.168.1.9	QUIC	66	Protected Payload (KP0)
3423	267.289145	192.168.1.9	172.217.27.174	ICMP	74	Echo (ping) request id=0x0001, seq=6/1536, ttl=128 (reply in 3424)
3424	267.303549	172.217.27.174	192.168.1.9	ICMP	74	Echo (ping) reply id=0x0001, seq=6/1536, ttl=119 (request in 3423)
3425	269.245315	zte_e0:60:9c	Intel_19:3a:b1	ARP	42	Who has 192.168.1.9? Tell 192.168.1.1
3426	269.245346	Intel_19:3a:b1	zte_e0:60:9c	ARP	42	192.168.1.9 is at 8c:c6:81:19:3a:b1
3427	269.342278	192.168.1.9	103.195.103.66	UDP	179	9993 → 9993 Len=137
3428	269.342378	192.168.1.9	103.195.103.66	UDP	179	44168 → 9993 Len=137
3429	269.342414	192.168.1.9	103.195.103.66	UDP	179	44169 → 9993 Len=137
3430	269.342503	192.168.1.9	79.127.159.187	UDP	179	9993 → 9993 Len=137
3431	269.342537	192.168.1.9	79.127.159.187	UDP	179	44168 → 9993 Len=137
3432	269.342576	192.168.1.9	79.127.159.187	UDP	179	44169 → 9993 Len=137
3433	269.342667	192.168.1.9	84.17.53.155	UDP	179	9993 → 9993 Len=137

> Frame 1: Packet, 591 bytes on wire (4728 bits), 591 bytes captured (4728 bits) on interface \Device\NPF... > Ethernet II, Src: Intel_19:3a:b1 (8c:c6:81:19:3a:b1), Dst: zte_e0:60:9c (d4:b7:09:e0:60:9c) > Internet Protocol Version 4, Src: 192.168.1.9, Dst: 142.250.193.46 > User Datagram Protocol, Src Port: 57654, Dst Port: 443 > Data (549 bytes)		0000 d4 b7 09 e0 60 9c 8c c6 81 19 3a b1 08 00 45 00E.. 0010 02 41 b6 09 40 00 80 11 00 00 c0 a8 01 09 8e fa ..A..... 0020 c1 2e e1 36 01 bb 02 2d 14 19 4e fc 63 0e 37 bb ..6.....N.c.7.. 0030 52 d4 b3 8d 8b d7 c8 86 ad 8a ff 20 22 39 e9 eb R.....9.. 0040 61 30 c6 78 3d 51 60 33 c7 19 08 7e 64 78 44 15 ..a0xQ3.....d0.. 0050 36 ae da 83 d7 38 75 98 5c f7 85 98 10 25 d3 22 6.....Bu.....%.. 0060 66 b0 f3 3b c6 da 21 e6 99 97 44 7a 70 df 9b e2 f.....Dzpp.. 0070 ec 05 69 6c 67 08 ea fd 81 17 2a 80 9d d1 6f d3 ..ilg.....o.. 0080 90 be 1a 16 c2 f9 14 1c 21 6c 30 6c ec fa 26 8d1101.&.. 0090 95 f9 d3 c8 3c 03 f3 25 b2 b5 7a 6b f9 43 ef 27C.%..zk.C.. 00a0 78 10 2f 93 d2 dc 7c e0 29 6f a2 67 79 8e 63 9d x/.....Jo gy.c.. 00b0 0f 97 38 e9 40 75 74 aa 4c b0 6f c4 68 ab 2e 06 ..8 Out: L.o.h.. 00c0 35 b0 4c 52 c9 b0 80 4c fb 79 a6 d2 10 48 38 34 5 LR.....L.y.....H84 00d0 57 c7 a6 52 d2 08 30 c4 b7 3d 69 ea 2a 7d 4a 7e W.R.....0..i.*j>.. 00e0 4f d3 4c ac ff c5 a7 25 e6 5d a1 bb 18 2e 94 25 O.L.....%.....% 00f0 c2 f8 76 f1 68 47 f4 75 2e de e3 e4 8f 6c 99 07 ..v.HGu.....L.. 0100 6e 88 b4 74 72 b1 ce 58 d1 ab 30 c3 dc 59 d0 6f n.....X.....0.Yio 0110 0d 09 a8 64 da 7c df 0f 34 9f b4 dc f9 5b 96 26 ..d[.....4.....[&.. 0120 a8 cb 69 b7 f3 a4 22 4c 00 f3 c9 47 2f 7d 75 08 ..i.....L.....G/ju.. 0130 b5 0b 51 5e cf 98 36 7c b9 28 57 e0 48 f9 8b 3c ..Q.....6[.(W.H.<.. 0140 a7 91 66 84 62 0a 35 04 02 b8 2f fa 9a 83 d3 24 ..f.b.5...../...\$.. 0150 bd 38 97 f1 86 60 c4 05 f1 47 40 b7 3e 0b 77 39 ..8 q.....6@>..w9 0160 ac 4f f7 7b be a0 21 de b4 b9 d7 10 ee 4a 89 6e O.....l.....n
---	--	--

Screenshot showing ICMP Packets Captured by pinging google.com

No.	Time	Source	Destination	Protocol	Length	Info
1	0.000000	192.168.1.9	142.250.193.46	UDP	591	57654 → 443 Len=549
2	0.018956	142.250.193.46	192.168.1.9	UDP	73	443 → 57654 Len=31
3	0.029040	192.168.1.9	142.250.193.46	UDP	75	57654 → 443 Len=33
4	0.031408	192.168.1.9	172.64.148.235	TLSv1.2	109	Application Data
5	0.044116	172.64.148.235	192.168.1.9	TCP	56	443 → 64482 [ACK] Seq=1 Ack=56 Win=19 Len=0
6	0.062220	192.168.1.9	142.251.43.100	QUIC	1292	Initial, DCID=ce45a285749b77e3, PKN: 1, PADDING, CRYPTO, PING, CRYPTO, CRYPTO, CRYPTO, PING, CRYPTO, PADDING, PING
7	0.062305	192.168.1.9	142.251.43.100	QUIC	1292	Initial, DCID=ce45a285749b77e3, PKN: 2, CRYPTO
8	0.062337	192.168.1.9	142.251.43.100	QUIC	1292	Initial, DCID=ce45a285749b77e3, PKN: 3, CRYPTO, CRYPTO, CRYPTO, CRYPTO, PADDING, CRYPTO, PADDING, PING, PING, CRYPTO, CRYPTO, CRYPTO
9	0.062594	192.168.1.9	142.251.43.100	QUIC	122	0-RTT, DCID=ce45a285749b77e3
10	0.078984	142.251.43.100	192.168.1.9	QUIC	82	Initial, SCID=ee45a285749b77e3, PKN: 1, ACK
11	0.079868	142.251.43.100	192.168.1.9	QUIC	82	Initial, SCID=ee45a285749b77e3, PKN: 2, ACK
12	0.080460	142.251.43.100	192.168.1.9	QUIC	1292	Initial, SCID=ee45a285749b77e3, PKN: 3, ACK, PADDING
13	0.080460	142.251.43.100	192.168.1.9	QUIC	1292	Initial, SCID=ee45a285749b77e3, PKN: 4, ACK, PADDING
14	0.082092	142.251.43.100	192.168.1.9	QUIC	1292	Initial, SCID=ee45a285749b77e3, PKN: 5, CRYPTO, PADDING
15	0.082092	142.251.43.100	192.168.1.9	QUIC	344	Protected Payload (KP0)
16	0.082092	142.251.43.100	192.168.1.9	QUIC	990	Protected Payload (KP0)
17	0.082092	142.251.43.100	192.168.1.9	QUIC	117	Protected Payload (KP0)

Frame 1: Packet, 591 bytes on wire (4728 bits), 591 bytes captured (4728 bits) on interface \Device\NPF...
 Ethernet II, Src: Intel_19:3a:b1 (8c:c6:81:19:3a:b1), Dst: zte_e0:60:9c (d4:b7:09:e0:60:9c)
 Internet Protocol Version 4, Src: 192.168.1.9, Dst: 142.250.193.46
 User Datagram Protocol, Src Port: 57654, Dst Port: 443
 Data (549 bytes)

Screenshot showing IP Packets

No.	Time	Source	Destination	Protocol	Length	Info
4	0.031408	192.168.1.9	172.64.148.235	TLSv1.2	109	Application Data
5	0.044116	172.64.148.235	192.168.1.9	TCP	56	443 → 64482 [ACK] Seq=1 Ack=56 Win=19 Len=0
153	5.548948	172.64.148.235	192.168.1.9	TLSv1.2	78	Application Data
154	5.549299	192.168.1.9	172.64.148.235	TLSv1.2	82	Application Data
155	5.562645	172.64.148.235	192.168.1.9	TCP	56	443 → 64482 [ACK] Seq=25 Ack=84 Win=19 Len=0
234	20.341400	192.168.1.9	44.213.187.187	TCP	55	64668 → 443 [ACK] Seq=1 Ack=1 Win=513 Len=1
235	20.387794	192.168.1.9	52.203.201.52	TCP	55	64675 → 443 [ACK] Seq=1 Ack=1 Win=513 Len=1
238	20.560284	192.168.1.9	98.94.226.245	TCP	55	64677 → 443 [ACK] Seq=1 Ack=1 Win=512 Len=1
239	20.607690	192.168.1.9	98.94.226.245	TCP	55	64671 → 443 [ACK] Seq=1 Ack=1 Win=512 Len=1
240	20.619240	44.213.187.187	192.168.1.9	TCP	66	443 → 64668 [ACK] Seq=1 Ack=2 Win=267 Len=0 SLE=1 SRE=2
241	20.671944	52.203.201.52	192.168.1.9	TCP	66	443 → 64675 [ACK] Seq=1 Ack=2 Win=128 Len=0 SLE=1 SRE=2
242	20.834755	98.94.226.245	192.168.1.9	TCP	66	443 → 64677 [ACK] Seq=1 Ack=2 Win=128 Len=0 SLE=1 SRE=2
243	20.879899	98.94.226.245	192.168.1.9	TCP	66	443 → 64671 [ACK] Seq=1 Ack=2 Win=327 Len=0 SLE=1 SRE=2
290	25.549188	172.64.148.235	192.168.1.9	TLSv1.2	78	Application Data
291	25.549416	192.168.1.9	172.64.148.235	TLSv1.2	82	Application Data
292	25.560337	172.64.148.235	192.168.1.9	TCP	56	443 → 64482 [ACK] Seq=49 Ack=112 Win=19 Len=0
293	25.979204	192.168.1.9	57.144.41.32	TLSv1.2	124	Application Data

Frame 4: Packet, 109 bytes on wire (872 bits), 109 bytes captured (872 bits) on interface \Device\NPF...
 Ethernet II, Src: Intel_19:3a:b1 (8c:c6:81:19:3a:b1), Dst: zte_e0:60:9c (d4:b7:09:e0:60:9c)
 Internet Protocol Version 4, Src: 192.168.1.9, Dst: 172.64.148.235
 Transmission Control Protocol, Src Port: 64482, Dst Port: 443, Seq: 1, Ack: 1, Len: 55
 Transport Layer Security

Screenshot showing TCP Packets Capture

udp						
No.	Time	Source	Destination	Protocol	Length	Info
141	3.377117	192.168.1.9	84.17.53.155	UDP	179	44169 → 9993 Len=137
142	3.377217	192.168.1.9	185.152.67.145	UDP	179	9993 → 9993 Len=137
143	3.377251	192.168.1.9	185.152.67.145	UDP	179	44168 → 9993 Len=137
144	3.377287	192.168.1.9	185.152.67.145	UDP	179	44169 → 9993 Len=137
145	3.522301	79.127.159.187	192.168.1.9	UDP	671	9993 → 9993 Len=629
146	3.552301	84.17.53.155	192.168.1.9	UDP	671	9993 → 9993 Len=629
147	3.645792	185.152.67.145	192.168.1.9	UDP	671	9993 → 44169 Len=629
148	3.652686	103.195.103.66	192.168.1.9	UDP	671	9993 → 44169 Len=629
149	4.971491	192.168.1.9	142.251.43.100	UDP	71	62496 → 443 Len=29
150	5.003433	142.251.43.100	192.168.1.9	UDP	70	443 → 62496 Len=28
156	6.033230	192.168.1.9	172.217.26.106	UDP	71	56825 → 443 Len=29
157	6.076858	172.217.26.106	192.168.1.9	UDP	67	443 → 56825 Len=25
158	6.462845	142.251.43.100	192.168.1.9	UDP	117	443 → 62496 Len=75
159	9.374878	192.168.1.9	103.195.103.66	UDP	70	44169 → 9993 Len=28
160	9.375124	192.168.1.9	79.127.159.187	UDP	179	9993 → 9993 Len=137
161	9.375159	192.168.1.9	79.127.159.187	UDP	179	44168 → 9993 Len=137
162	9.375188	192.168.1.9	79.127.159.187	UDP	179	44169 → 9993 Len=137


> Frame 1: Packet, 591 bytes on wire (4728 bits), 591 bytes captured (4728 bits) on interface \Device\NPF{...}	0000	d4 b7 09 e0 60 9c 8c c6	81 19 3a b1 08 00 45 00	E-
> Ethernet II, Src: Intel_19:3a:b1 (8c:c6:81:19:3a:b1), Dst: zte_e0:60:9c (d4:b7:09:e0:60:9c)	0010	02 41 b6 09 40 00 80 11	00 00 c0 a8 01 09 8e fa	A:.....
> Internet Protocol Version 4, Src: 192.168.1.9, Dst: 142.250.193.46	0020	c1 2e e1 36 01 bb 02 24	14 19 4e fc 63 0e 37 bb	N:c 7-
> User Datagram Protocol, Src Port: 57654, Dst Port: 443	0030	52 44 b3 8d 0b d7 c8 86	ad 8a ff 20 22 39 e9 eb	R:.....9-
> Data (549 bytes)	0040	61 30 c6 78 3d 51 60 33	c7 19 08 7e 64 78 44 15	...x0Q3.....d0-
	0050	36 ae da 83 d7 38 75 98	5c f7 85 98 10 25 d3 22	6....Bu:....% "
	0060	66 b0 f3 3b c6 da 21 e6	99 97 44 7a 70 df 9b e2	f.....Dzp...
	0070	ec 05 69 6c 67 08 ea fd	81 17 2a 00 9d d1 6f d3	...l.....* -o-
	0080	90 be 1a 16 c2 f9 14 1c	21 6c 30 6c ec fa 26 8d	[101] &-
	0090	95 f9 d3 c8 3c 03 f3 25	b2 b5 7a 6b f9 43 ef 27	<.%zkC:'
	00a0	78 10 2f 93 d2 dc 7c e0	29 6f a2 67 79 Be 63 9d	x/f.....]o gy:c-
	00b0	0f 97 38 e9 40 75 74 aa	4c b0 6f c4 68 ab 2e 06	-@Bt: L-o-R-...
	00c0	35 b0 4c 52 c9 b0 80 4c	fb 79 a6 d2 10 48 38 34	5-LR-...y-H84
	00d0	57 c7 a6 52 d2 d0 30 c4	b7 3d 69 ea 2a 7d 4a 7e	W-R-0...si*)3~
	00e0	4f d3 4c ac ff c5 a7 25	e6 5d a1 bb 18 2e 94 25	0-L-...-]....%
	00f0	6e 88 b4 74 72 b1 ca 58	d1 ab 30 c3 dc 59 d0 6f	n-tr-X-0-Y-o
	0100	0d 09 a8 64 da 7c fd 0f	34 9f b4 dc f9 5b 96 26	...d]...4...[&
	0110	a8 cb 69 b7 f3 a4 22 4c	00 f3 c9 47 2f 7d 75 08	...i...G/ u-
	0120	b5 0b 51 5a cf 98 36 7c	b9 28 57 e0 a8 1f 98 3c	-Q-...6]-(W-H-c
	0130	a7 91 66 84 62 0a 35 04	02 b8 2f fa 9a 83 d3 24	...f-b-5-.../...\$
	0140	bd 38 97 71 86 60 c4 05	f1 47 40 b7 3e 0b 77 39	-8-q-...6@->u9
	0150	ac 4f 77 b6 a0 21 de	b4 b9 d7 10 ee 4a 89 6e	0-...-]...-n

Screenshot showing UDP Packets Capture


dns						
No.	Time	Source	Destination	Protocol	Length	Info
1022	75.908177	192.168.1.9	192.168.1.1	DNS	75	Standard query 0x589b HTTPS ssl.gstatic.com
1023	75.908613	192.168.1.9	192.168.1.1	DNS	75	Standard query 0x0ddf A ssl.gstatic.com
1024	75.994872	192.168.1.1	192.168.1.9	DNS	132	Standard query response 0x589b HTTPS ssl.gstatic.com SOA nsl.google.com
1025	75.996829	192.168.1.1	192.168.1.9	DNS	91	Standard query response 0x0ddf A ssl.gstatic.com A 142.250.193.99
1041	76.086696	192.168.1.1	192.168.1.9	DNS	132	Standard query response 0x589b HTTPS ssl.gstatic.com SOA nsl.google.com
1045	76.098895	192.168.1.1	192.168.1.9	DNS	132	Standard query response 0x589b HTTPS ssl.gstatic.com SOA nsl.google.com
1107	86.717504	192.168.1.9	192.168.1.1	DNS	79	Standard query 0x395f A time.cloudflare.com
1108	86.732204	192.168.1.1	192.168.1.9	DNS	111	Standard query response 0x395f A time.cloudflare.com A 162.159.200.1 A 162.159.200.123
1275	120.078961	192.168.1.9	192.168.1.1	DNS	74	Standard query 0x1bc6 HTTPS www.google.com
1276	120.079280	192.168.1.9	192.168.1.1	DNS	74	Standard query 0x403c A www.google.com
1277	120.092034	192.168.1.1	192.168.1.9	DNS	99	Standard query response 0x1bc6 HTTPS www.google.com HTTPS
1278	120.093536	192.168.1.1	192.168.1.9	DNS	90	Standard query response 0x403c A www.google.com A 142.250.183.196
1347	120.310933	192.168.1.9	192.168.1.1	DNS	70	Standard query 0x7db2 HTTPS google.com
1348	120.319181	192.168.1.9	192.168.1.1	DNS	70	Standard query 0x434f A google.com
1356	120.338013	192.168.1.1	192.168.1.9	DNS	95	Standard query response 0x7db2 HTTPS google.com HTTPS
1369	120.398428	192.168.1.1	192.168.1.9	DNS	86	Standard query response 0x434f A google.com A 172.217.27.174
1449	130.310958	192.168.1.9	192.168.1.1	DNS	87	Standard query 0x29cd A roaming.svc.cloud.microsoft

> Frame 85: Packet, 80 bytes on wire (640 bits), 80 bytes captured (640 bits) on interface \Device\NPF{...}	0000	d4 b7 09 e0 60 9c 8c c6	81 19 3a b1 08 00 45 00	E-
> Ethernet II, Src: Intel_19:3a:b1 (8c:c6:81:19:3a:b1), Dst: zte_e0:60:9c (d4:b7:09:e0:60:9c)	0010	00 42 74 c6 00 00 80 11	00 00 c0 a8 01 09 c0 a8	Bt.....
> Internet Protocol Version 4, Src: 192.168.1.9, Dst: 192.168.1.1	0020	01 01 e9 47 00 35 00 2e	83 9a fc 0c 01 00 00 01	...G:S.....
> User Datagram Protocol, Src Port: 59719, Dst Port: 53	0030	00 00 00 00 00 00 07 02	65 61 63 6f 6e 73 03 67	beacons-g
> Domain Name System (query)	0040	63 70 04 67 76 74 32 03	63 6f 6d 00 00 41 00 01	cp gvt2. com-A-

Screenshot showing DNS Packets Capture



Screenshot showing ICMP Packets Capture



Screenshot showing details of a UDP Packet

Observation: UDP Packet 20826 –

- Interface Used: Wi-Fi
- Protocols Observed: Ethernet II, Internet Protocol Version 4, and User Datagram Protocol
- Source IP Address: 79.127.159.187
- Destination IP Address: 192.168.1.9
- Packet Length: 79 Bytes