Questions:

Unit III – Data Handling in UiPath

1.
Main.xaml has lst = New List(Of String) From {"A", "B", "C"} and binds it as an **In** argument in_List to a child workflow.
Inside the child:
in_List.Add("D")
in_List(0) = "Z"
After the Invoke, the expression String.Join("-", lst) in Main returns:

A. Z-B-C-D
B. A-B-C
C. Z-B-C
D. A-B-C-D

2.
data is {2, 5, 2, 8, 5, 2, 8}.
The expression
data.GroupBy(Function(x) x).Where(Function(g) g.Count >= 2).Sum(Function(g) g.Key)
returns:

A. 15
B. 17
C. 10
D. 25

3.
A Global Variable counter (Int32) is created with default value 10.
Inside a sequence an Assign runs counter = counter * 2.
Later another sequence in the same project runs counter = counter + 5.
Final value of counter is:

A. 10
B. 25
C. 20
D. 15

4.
val is a String holding "3.14e2".
An Assign runs num = Convert.ToDouble(val) where num is Double.
Then another Assign runs result = CInt(num).
The value of result is:

A. 3
B. 314
C. 31400
D. A FormatException is thrown

5.
dict is a Dictionary(Of String, Int32) with entries: "A"=8, "B"=12, "C"=8.
An Assign runs:
dict("B") = dict("A") + dict("C")
Then the expression dict.Values.Distinct().Sum() returns:

A. 28
B. 24
C. 16
D. 32

Unit IV – Control Flow and Workflow Layouts

6.
x = 5, sum = 0.
A While loop has condition x < 25.
Body (in order):
sum = sum + x
x = x * 2
When the loop ends, sum is:

A. 35
B. 45
C. 40
D. 55

7.
A Do While has condition val Mod 7 <> 0.
Body contains only: val = val + 3
Initial value of val is 11.
How many times does the body execute?

A. 2 times
B. 3 times
C. 4 times
D. 1 time

8.
Outer For Each takes i over {10, 20, 30}.
Inner For Each takes j over {5, 15, 25, 35}.
Inner body:
If j < i Then Continue
If j > i + 10 Then Break
total = total + 1
total starts at 0. Final value of total is:

A. 4
B. 5
C. 3
D. 6

9.

In a Flowchart, step = 1.
Flow Decision checks step <= 5.
True branch → Assign step = step + 2 → back to Decision.
False branch → “End”.
How many times does the Assign activity execute?

A. 2 times
B. 3 times
C. 4 times
D. 5 times

10.

The expression
Directory.GetFiles("C:\Data", "*.xlsx", SearchOption.TopDirectoryOnly).Length +
Directory.GetFiles("C:\Data", "*.xlsx", SearchOption.AllDirectories).Length
(assuming C:\Data has 4 .xlsx files and one subfolder with 3 more .xlsx files) returns:

A. 7
B. 11
C. 4
D. 10

Unit V – Excel, Email & PDF Automation

11.
A sheet has data in **A1:D40** (1 header + 39 data rows).
Read Range is set with:
Range = "A5"
Add Headers = **unchecked**
The value of dt.Rows.Count is:

A. 35
B. 36
C. 39
D. 40

12.
dtResult has 6 columns and 18 data rows.
Write Range runs with:
Starting Cell = "B8"
Add Headers = **checked**
The last cell filled is:

A. G26
B. H26
C. G27
D. H27

13.
An inbox contains 80 unread emails.
Get IMAP Mail Messages is run **twice** with:
Top = 50
Only Unread Messages = checked
Mark As Read = checked
No new emails arrive. The second run returns:

A. 50 messages
B. 30 messages
C. 0 messages
D. 80 messages

14.
mails has 7 emails with subjects:
“PO-2026”, “Re: PO”, “Invoice PO”, “Meeting”, “po reminder”, “Payment”, “PO Status”.

Expression:
mails.Count(Function(m) m.Subject.ToLower.Contains("po") AndAlso Not m.Subject.StartsWith("Re:"))
returns:

A. 4
B. 5
C. 3
D. 6

15.
Read PDF Text stores:
"Item: Pen Qty: 12 Price: 8.50 Item: Book Qty: 5 Price: 45 Item: Bag Qty: 2 Price: 320"

Expression:
Regex.Matches(pdfText, "Qty:\s*(\d+)\s*Price:\s*([\d.]+)").Cast(Of Match)().Sum(Function(m) CInt(m.Groups(1).Value) * CDbl(m.Groups(2).Value))

returns:

A. 942
B. 962
C. 982
D. 1020