

DhanHQ API

Overview

ENDPOINTS

IP Setup	▼
⦿ modify the static IP	PUT
⦿ static IP Setup	POST
⦿ get the static IP	GET
Orders	▼
⦿ get order by id	GET
⦿ modify pending order	PUT
⦿ cancel given order	DELETE
⦿ get current orders list	GET
⦿ place an order	POST
⦿ place slice order	POST
⦿ get all trades	GET
⦿ get trade by order id	GET
⦿ get trade history	GET
⦿ get order by correlation id	GET
Super Order	▼
⦿ modify pending super order	PUT
⦿ get current super orders list	GET
⦿ place super order	POST
⦿ cancel super order	DELETE
Conditional Triggers	▼
⦿ get conditional trigger by ID	GET
⦿ modify conditional trigger	PUT
⦿ delete conditional trigger	DELETE
⦿ get all conditional triggers	GET

fetch expired option data

POST /charts/rollingopt

Fetch minute-wise rolling option chart data of expired contracts - including OHLC, volume, IV based on strike.

Parameters

access-token* :

Body

```
1 {
2   "c
  n
  S
  m
  t
  "|
  E,
```

Send API I

Request

Headers

Request Sample: Shell / cURL

access-token st... requ

Body applic

exchangeSegment str

```
curl --
--url
--hea
--hea
--hea
--dat
"exch
"inte
"secu
"inst
"expi
```

place conditional trigger	POST
Forever Order	▼
modify pending forever order	PUT
cancel given forever order	DELETE
get forever orders list	GET
place forever order	POST
Positions & Portfolio	▼
convert position	POST
get current positions	GET
exit all position	DELETE
get current holdings	GET
EDIS	▼
generate edis form	POST
generate bulk edis form	POST
generate edis T-pin	GET
get edis authorized quantity	GET
Trader's Control	▼
get P&L based exit	GET
P&L based exit	POST
stop P&L based exit	DELETE
kill switch status	GET
manage kill switch	POST
Funds & Margin	▼
margin calculator	POST
multi order margin calculator	POST
get fund limit details	GET
Statements	▼
get ledger report	GET
Data API's	▼
fetch expired option data	POST
fetch OHLC for minute timeframe	POST

ENUMS	EXCHAN	
NSE_EQ	NSE	"expi
NSE_FNO	NSE	"stri
BSE_EQ	BSE	"drvC
BSE_FNO	BSE	"requ
MCX_COMM	MCX	"from
IDX_I	INDEX	"toDa
Allowed values:	N S E - E Q	1 {
	N S E - F N O	2 "
	B S E - E Q	3
	B S E - F N O	4
	M C X - C O M M	5
	I D	6
		7
		8
		9
		10
		11
		12
		13
		14
		15
		16
		17
		18
		19
		20
		21
		22
		23
		24

🕒 fetch OHLC for daily candle

POST

SCHEMAS

-  SuperModifyRequest
-  OrderStatusResponse
-  OrderModifyRequest
-  UserIPRequest
-  UserIPResponse
-  GttModifyRequest
-  GttOrderStatusResponse
-  AlertCondition
-  AlertModifyRequest
-  AlertOrder
-  AlertOrderResponse
-  SuperOrderRequest
-  PositionConversionRequest
-  PnlBasedExitRequest
-  PnlExitResponse
-  OrderRequest
-  KnowYourMarginReq
-  KnowYourMarginResponse
-  MultiScripMarginCalcRequest
-  ScriptItem
-  MultiScripMarginCalcResponse
-  KillSwitchResponse
-  GTTOrderModel
-  EdisFormRequest
-  EdisFormResponse
-  EdisBulkFormRequest
-  OptionChartRequest
-  ChartData

X

_I

interval string

Represents
time
interval in
minute,
refer charts
annexure
for possible
values.

Allowed values:

1

5

1

5

2

5

6

0

securityId integer<int32>

Underlying
security Id

instrument string

Represents
the security
instrument
type, refer
charts
annexure
for possible
values.

Allowed values:

I

N

D

E

X

F

U

T

I

D

X

O

P

T

I

D

X

E

Q

- OptionChartPayload
- OptionChartResponse
- IntradayChartsRequest
- ChartsResponse
- HistoricalChartsRequest
- AlertOrderRequest
- TradeResponse
- TradeHistoryResponseModel
- SuperOrderLeg
- SuperOrderResponse
- PositionResponse
- ExitPnlResponse
- OrderResponse
- BoLedgerResponse
- GetIPDetailsResponse
- HoldingResponse
- FundLimitResponse
- GttOrderResponse
- EdisQtyStatusResponse
- GetAlertResponse

U
I
T
Y

F
U
T
S
T
K

O
P
T
S
T
K

F
U
T
C
O
M

O
P
T
F
U
T

expiryFlag string

Expiry flag
indicating
type of
expiry

Allowed values: M
O
N
T
H

W
E
E
K

expiryCode integer<int32>

Expiry code
value

Allowed values: 1
2
3

strike string

STRIKE	DESCRIPTION
ATM	At The Money (default)
ATM±3~3	±3 to ±3 strikes (all instruments)
ATM±10~10	±10 to ±10 (only for index near expiry)

Default:

A

T

M

drvOptionType string

Option Type

Allowed values:

C

A

L

L

P

U

T

requiredData array[string]

Requested data type

Allowed values:

o

p

e

n

hi

g

h

lo

w

cl

o

s

e

iv

v

ol

u

m

e

s

tr

ik
e
oi
s
p
o
t

fromDate string<date>

Chart data
request
start date in
format
YYYY-MM-DD

toDate string<date>

Chart data
request end
date in
format
YYYY-MM-DD

Responses

Successful
operation

Body application/json ▾

responses / 200

▾ **data** object
Chart data
for call (ce)
and put
(pe)
options

 > **ce** object
Chart
data
for Put
options,
null if

 powered by **Stoplight**

Dhan API

```
option_type
is CE

> pe object
Chart
data
for Put
options,
null if
option_type
is CE
```