

Welcome to your workspace

A client asks for an update. You need to find the work, see who owns the next step, and know what you can safely do. Portfolio brings those decisions into one workspace.

Portfolio is AmaduTown's website and operating workspace. Visitors explore services and resources; staff use the protected admin area to review client work, content, and agent activity. Connected tools handle specialized jobs, while people remain responsible for approvals and outcomes.

Start with your onboarding owner: confirm your account, assigned workspace, and who approves your work. This guide grants no new permissions.

Open Portfolio at /admin/help/onboarding. Reviewed October 1, 2026. Tool roles reflect repository evidence, not live account or provider readiness.

THE WORK, IN THREE LAYERS

1. Show the work

The public website introduces services, projects, publications, and products.

2. Manage the work

The admin workspace brings leads, proposals, client delivery, and content into reviewable workflows.

3. Coordinate and learn

Agent Ops tracks assisted work and approvals. Open Brain holds approved memory for reuse.

FOLLOW ONE REQUEST

1 • Bring context

An authorized source or request gives the work a starting point.

2 • Review in Portfolio

Find the record, check the evidence, and identify the next owner.

3 • Get approval

Confirm the exact action, destination, content, and scope with the authorized reviewer.

4 • Act and verify

An approved workflow uses the connected tool. Check its receipt before reporting completion.

How the workspace fits together

A map of the work, from first request to a verified result.

Workspace and records

Portfolio > hosted on Vercel > records and access through Supabase / Postgres

Assisted work

Portfolio > n8n for configured workflows; model providers, including OpenAI, for approved analysis

External action boundary

Specific approval > configured Slack, Gmail / Workspace, Telnyx, or Stripe action > receipt in Portfolio

Supporting the work

1Password: access · GitHub / Codex: changes · Open Brain: approved memory

Outside the live path

JEV: offline mock evaluation; live use on HOLD

How to read the evolution

These three layers describe the capabilities visible in the repo. They are an orientation map, not a dated company history or a claim that every integration is active.

Find your starting point

Your owner will identify the workspace and record for your assignment. Use the admin menu to reach that area and the Help link to return to guidance. You do not need an account in every connected tool to begin learning Portfolio.

A day in the life

Practice with a sample client update before taking on live work.

Begin with the assignment

Open the record your owner assigned. Check the latest source and status. If you cannot tell who owns the next step, ask before changing it.

Prepare something reviewable

Draft the update in the approved practice or work area. Include what happened, the supporting source, and the next decision. Mark uncertain facts as questions.

Pause at the boundary

Before a message, provider call, payment, publish, or schedule action, verify the exact approval and destination. A general "proceed" does not identify a recipient or authorize a send.

Check the result

Look for the operation's recorded receipt and outcome. Queued, drafted, approved, and delivered describe different states. Report a missing receipt as unconfirmed; do not create a duplicate action to make the status look complete.

Leave a useful handoff

Record the result, source link, next owner, and any blocker in the agreed workspace. Propose useful learning for review before it becomes durable memory.

Approvals and no-egress boundaries

Know when preparation becomes an external action.

Read and prepare within your assignment

Use only records and materials you are authorized to access. Drafting locally, reviewing evidence, and proposing a next step are distinct from changing a live system.

No-egress means no data leaves the agreed boundary

For an exercise designated no-egress, use synthetic or approved redacted data in the designated practice environment. Do not call model providers, create Gmail drafts, post to Slack, send SMS, publish, schedule, or upload private material. An environment labeled preview or staging is not proof that outbound calls are disabled.

Approval is specific

The authorized owner must approve the action, current content, destination or recipient, and scope. A changed draft needs renewed review where required by the workflow. Sending to a provider, creating a mailbox draft, and sending to a person are separate gates.

Blocked means stop and route

Read the blocker, preserve a safe summary, and return it to the owner. Never bypass access controls, enable a provider, change credentials, alter billing, or repeatedly retry an uncertain external action as part of onboarding.

Protect the source

Keep passwords, private messages, contact details, and raw exports out of screenshots and shared notes. Use sanitized summaries. Approval of a summary does not authorize publication of the underlying private source.

Meet the tools

Plain-language roles and limits; no setup work required.

Portfolio · your working surface

The Next.js/React app is where staff review work and its status. Start with the assigned record or Help. A visible button or an AI suggestion is not permission to act.

Vercel · the place the app runs

Vercel builds and hosts Portfolio deployments. The repo tracks portfolio and portfolio-staging separately. Staff use the review link supplied by the work owner; deployment health belongs to the integration captain.

Supabase / Postgres · records and access

Supabase provides application database and authentication services; Postgres is the database underneath. Staff work through approved Portfolio screens. Missing access should go to the owner rather than being worked around in the database.

n8n · repeatable workflows

n8n connects steps such as intake and follow-up through configured workflows. Portfolio can trigger work and show results. A workflow existing in the repo does not establish that it is enabled or safe to run.

Slack · coordination and review

Slack integrations carry review requests and action receipts. Check the corresponding Portfolio record for the outcome; a Slack click or card update alone does not prove the requested action finished.

Gmail / Google Workspace · correspondence

Portfolio has Gmail draft, send, and response-review paths. Creating a mailbox draft and sending a message are separate actions with separate authorization. Ask the owner which work account and shared materials you should use.

1Password · approved access

The credential runbook assigns human logins and recovery details to 1Password. Request the correct vault or item from its owner. Never paste passwords, tokens, or recovery codes into tasks, screenshots, or guide notes.

OpenAI / model providers · draft and analysis help

The code includes OpenAI and Anthropic model calls for assisted work. Review generated content against its sources. Provider calls may send data outside Portfolio; use only the approved data and workflow for the task.

Telnyx · SMS provider path

The repo contains Telnyx SMS readiness and execution gates. Treat SMS as restricted until the owner verifies provider readiness, recipient eligibility, and approval for the exact message. This guide makes no live-delivery claim.

Stripe · payments

Stripe supports payment and checkout flows. Test and live modes are distinct. Route billing changes, refunds, or payment questions to the responsible owner; onboarding does not authorize a charge.

GitHub / Codex · building and reviewing changes

GitHub holds source changes and pull requests; Codex helps prepare implementation and validation. Report a bug with its route and reproduction steps. Engineers use scoped branches and review before integration.

Open Brain · approved organizational memory

Open Brain is the local-first memory core. Portfolio displays status and proposals; approved summaries can become reusable memory. Raw private material and unapproved guesses stay out of shared knowledge and public outputs.

JEV · offline evaluation only

The current repo has a JEV-shaped mock benchmark for classifying and scoring Engagement Inbox cases. Live use is on HOLD. The mock does not prove model quality, and a classifier result never grants permission to reply or send.

Your first week

Five conversations and practice steps to complete with your owner.

[] Day 1 · Find your starting point

Ask your onboarding owner for the correct Portfolio URL, approved account access, and assigned workspace. Open this guide and bookmark it. Confirm who approves your work.

[] Day 2 · Follow one example

With your owner, open an approved practice record. Identify its source, current status, next action, and owner. Keep private client material out of practice notes.

[] Day 3 · Prepare a small handoff

Write a sample update with the source, proposed next step, and open question. Keep it in the agreed practice space. Ask the owner to review it before any external action.

[] Day 4 · Rehearse a blocked action

Walk through a missing-approval or missing-access example with your owner. Practice reporting the route, safe error summary, and next decision without retrying a send.

[] Day 5 · Close the loop

Show your owner how you check a result receipt and find help. Agree on your first real assignment and its approval boundaries. Completion of this checklist grants no new permissions.

Words you will see

A short translation of common workflow terms.

Record / source

A record tracks a piece of work. Its source is the material supporting what it says. Check both before relying on a claim.

Workflow / provider

A workflow is a sequence of steps. A provider is another service used for a step, such as sending email or generating text.

API / webhook

An API is a way software requests data or an action from other software. A webhook is an automatic notification between systems. Either can move data outside the workspace.

Environment / deployment

An environment is a separately configured version of the system. A deployment is a built version of the app. A preview is for review, but its connections still need to be checked.

Approval / receipt

Approval is permission for a specific action. A receipt is evidence of what the system actually did. One cannot substitute for the other.

Agent / model

An agent carries out a defined role using tools. A model generates or evaluates content. Both need boundaries and human review appropriate to the work.

PR / integration captain

A pull request (PR) presents code changes for review. The integration captain coordinates validation, merges, and deployment checks.

No-egress / fail-closed

No-egress keeps data inside the agreed boundary. Fail-closed means missing permission or evidence blocks the action rather than allowing it by default.

When something goes wrong

Recover safely and give the owner enough context to help.

I see a login screen or access denied

Use the approved work account. Ask your onboarding owner to confirm the account and required role; this guide currently uses the existing admin access gate. After access is restored, reopen /admin/help/onboarding. Never borrow another person's session.

The page is empty or the expected item is missing

Confirm the URL and environment with the owner. Check the page's filters and search, then clear them if appropriate. Refresh once. If the item is still absent, report the route and expected item using a safe reference.

An action is blocked or a tool is unavailable

Read the reason next to the action. Give the owner the route, attempted step, and safe error summary. Ask for the stated prerequisite or the correct reviewer; do not enable or reconnect the tool yourself.

I clicked something but cannot confirm the outcome

Check the related record and receipt. If it remains queued, failed, or unconfirmed, stop retries and ask the owner to reconcile it. State "outcome unconfirmed" rather than "sent."

The PDF will not download

Retry Download PDF once and check your browser's Downloads list. If it still fails, use the on-screen guide and report the browser name plus the safe error shown. The checklist is a practice aid for this visit; its checks are not saved or included in the PDF.

I need to report a problem

Share the page route, environment, time, what you expected, what happened, and a redacted screenshot if safe. Send it through the channel your onboarding owner designates. Never include credentials or private client details.