Visual Studio LIVE!
EXPERT SOLUTIONS FOR ENTERPRISE DEVELOPERS
Las Vegas

Drowning in Details: Turning Tech Talk into Everyday Language

Semira Allen
Manager, MLOps
Grainger

Level: Beginner

Session Survey

- Your feedback is very important to us
- Please take a moment to complete the session survey found in the mobile app
- Use the QR code or search for “Converge360 Events” in your app store
- Find this session on the Agenda tab
- Click “Session Evaluation”
- Thank you!

Hey! I’m Semira

Visual Studio LIVE!
EXPERT SOLUTIONS FOR ENTERPRISE DEVELOPERS

Key Takeaways

Why accessibility matters

What we can learn from GenZ

Practical strategies

Who is GenZ?

Visual Studio LIVE!
EXPERT SOLUTIONS FOR ENTERPRISE DEVELOPERS

GenZ and Language

Visuals



TikTok

Concise language

Why Should You Care?

- Enhances collaboration across departments
- Reduces misunderstandings and costly errors
- Increased stakeholder engagement

Visual Studio LIVE!
EXPERT SOLUTIONS FOR ENTERPRISE DEVELOPERS

Activity:
Translate that Update!

Remember:

- Concise
- Visual
- Simple Language

Visual Studio LIVE!
EXPERT SOLUTIONS FOR ENTERPRISE DEVELOPERS

PROJECT BRIEF: ENTERPRISE GITOPS TRANSFORMATION INITIATIVE

Executive Summary

This initiative proposes a full-scale adoption of a declarative, version-controlled, and continuous delivery-oriented operating model leveraging GitOps paradigms to operationalize Infrastructure-as-Code (IaC), application lifecycle automation, and policy-as-code integration. The transformation will displace traditional imperative CI/CD pipelines with an event-driven, reconciliation-loop-based deployment strategy, aligning with CNCF-compliant GitOps principles and delivering self-healing, audit-compliant, and drift-resilient runtime environments.

Strategic Objective

To standardize delivery velocity, scalability, and platform consistency across multi-cluster Kubernetes (K8s) deployments via Git-centric source-of-truth alignment, facilitated through reconciliation controllers (e.g., ArgoCD, Flux v2) in tandem with sealed secrets, CRDs (Custom Resource Definitions), and GitHub Actions-based progressive delivery workflows.

reconciliation-loop-based deployment strategy,

PROJECT BRIEF: ENTERPRISE GITOPS TRANSFORMATION INITIATIVE

Executive Summary

This initiative proposes a full-scale adoption of a declarative, version-controlled, and continuous delivery-oriented operating model leveraging GitOps paradigms to operationalize Infrastructure-as-Code (IaC), application lifecycle automation, and policy-as-code integration. The transformation will displace traditional imperative CI/CD pipelines with an event-driven, reconciliation-loop-based deployment strategy, aligning with CNCF-compliant GitOps principles and delivering self-healing, audit-compliant, and drift-resilient runtime environments.

CNCF-compliant GitOps principles

Strategic Objective

To standardize delivery velocity, scalability, and platform consistency across multi-cluster Kubernetes (K8s) deployments via Git-centric source-of-truth alignment, facilitated through reconciliation controllers (e.g., ArgoCD, Flux v2) in tandem with sealed secrets, CRDs (Custom Resource Definitions), and GitHub Actions-based progressive delivery workflows.

GitHub Actions-based progressive delivery workflows.

reconciliation-loop-based deployment strategy, → Self-healing deployment approach

CNCF-compliant GitOps principles → Industry-standard GitOps practices

GitHub Actions-based progressive delivery workflows. → Automated, low-risk release workflows

Visual Studio LIVE!
EXPERT SOLUTIONS FOR ENTERPRISE DEVELOPERS

PROJECT BRIEF: ENTERPRISE GITOPS TRANSFORMATION INITIATIVE

Executive Summary

This initiative proposes a full-scale adoption of a declarative, version-controlled, and continuous delivery-oriented operating model leveraging GitOps paradigms to operationalize Infrastructure-as-Code (IaC), application lifecycle automation, and policy-as-code integration. The transformation will displace traditional imperative CI/CD pipelines with an event-driven, reconciliation-loop-based deployment strategy, aligning with CNCF-compliant GitOps principles and delivering self-healing, audit-compliant, and drift-resilient runtime environments.

Strategic Objective

To standardize delivery velocity, scalability, and platform consistency across multi-cluster Kubernetes (K8s) deployments via Git-centric source-of-truth alignment, facilitated through reconciliation controllers (e.g., ArgoCD, Flux v2) in tandem with sealed secrets, CRDs (Custom Resource Definitions), and GitHub Actions-based progressive delivery workflows.

PROJECT BRIEF: ENTERPRISE GITOPS TRANSFORMATION INITIATIVE

Executive Summary

This initiative proposes a full-scale adoption of a [redacted]d continuous delivery-oriented operating model leveraging GitOps paradigms to operationalize Infrastructure-as-Code (IaC), application lifecycle automation, and policy-as-code integration. The transformation will displace traditional imperative CI/CD pipelines with [redacted] reconciliation-loop-based deployment strategy, aligning with [redacted] GitOps principles and delivering self-healing, audit-compliant, and drift-resilient runtime environments.

Strategic Objective

To standardize delivery velocity, scalability, and platform consistency across [redacted] Kubernetes (K8s) deployments via Git-centric source-of-truth alignment, facilitated through reconciliation controllers (e.g., ArgoCD, Flux v2) in tandem with [redacted] and GitHub Actions-based progressive delivery workflows.

This initiative modernizes our infrastructure and application delivery model by adopting a standardized, automated Git-based operating approach.

By shifting to a single source of truth for infrastructure and deployments, we will:

- Improve reliability and reduce configuration drift
- Increase deployment consistency across environments
- Strengthen auditability and governance
- Enhance scalability and operational resilience

This transformation reduces operational risk while enabling faster, more predictable software delivery.

Visuals!



Microsoft Azure

Visual Studio LIVE!
EXPERT SOLUTIONS FOR ENTERPRISE DEVELOPERS

This initiative modernizes our infrastructure and application delivery model by adopting a standardized, automated Git-based operating approach.

By shifting to a single source of truth for infrastructure and deployments, we will:

- Improve reliability and reduce configuration drift
- Increase deployment consistency across environments
- Strengthen auditability and governance
- Enhance scalability and operational resilience

This transformation reduces operational risk while enabling faster, more predictable software delivery.



Round 2

Features graduating to Stable

This is a selection of some of the improvements that are now stable following the v1.35 release.

PreferSameNode traffic distribution

The `trafficDistribution` field for Services has been updated to provide more explicit control over traffic routing. A new option, `PreferSameNode`, has been introduced to let services strictly prioritize endpoints on the local node if available, falling back to remote endpoints otherwise.

Simultaneously, the existing `PreferClose` option has been renamed to `PreferSameZone`. This change makes the API self-explanatory by explicitly indicating that traffic is preferred within the current availability zone. While `PreferClose` is preserved for backward compatibility, `PreferSameZone` is now the standard for zonal routing, ensuring that both node-level and zone-level preferences are clearly distinguished.

Features graduating to Stable

This is a selection of some of the improvements that are now stable following the v1.35 release.

PreferSameNode traffic distribution

The `trafficDistribution` field for Services has been updated to provide more explicit control over traffic routing. A new option, `PreferSameNode`, has been introduced to let services strictly prioritize endpoints on the local node if available, falling back to remote endpoints otherwise.

Simultaneously, the existing `PreferClose` option has been renamed to `PreferSameZone`. This change makes the API self-explanatory by explicitly indicating that traffic is preferred within the current availability zone. While `PreferClose` is preserved for backward compatibility, `PreferSameZone` is now the standard for zonal routing, ensuring that both node-level and zone-level preferences are clearly distinguished.

`trafficDistribution`

`PreferSameNode`,

`availability zone`

`PreferClose` option has been renamed to `PreferSameZone`

Visual Studio LIVE!
EXPERT SOLUTIONS FOR ENTERPRISE DEVELOPERS

Features graduating to Stable

This is a selection of some of the improvements that are now stable following the v1.35 release.

PreferSameNode traffic distribution

The `trafficDistribution` field for Services has been updated to provide more explicit control over traffic routing. A new option, `PreferSameNode`, has been introduced to let services strictly prioritize endpoints on the local node if available, falling back to remote endpoints otherwise.

Simultaneously, the existing `PreferClose` option has been renamed to `PreferSameZone`. This change makes the API self-explanatory by explicitly indicating that traffic is preferred within the current availability zone. While `PreferClose` is preserved for backward compatibility, `PreferSameZone` is now the standard for zonal routing, ensuring that both node-level and zone-level preferences are clearly distinguished.

Kubernetes can now prefer routing traffic to pods running on the **same node** to reduce cross-node networking.

Features graduating to Stable

This is a selection of some of the improvements that are now stable following the v1.35 release.

PreferSameNode traffic distribution

The `trafficDistribution` field for Services has been updated to provide more explicit control over traffic routing. A new option, `PreferSameNode`, has been introduced to let services strictly prioritize endpoints on the local node if available, falling back to remote endpoints otherwise.

Simultaneously, the existing `PreferClose` option has been renamed to `PreferSameZone`. This change makes the API self-explanatory by explicitly indicating that traffic is preferred within the current availability zone. While `PreferClose` is preserved for backward compatibility, `PreferSameZone` is now the standard for zonal routing, ensuring that both node-level and zone-level preferences are clearly distinguished.

Visual Studio LIVE!
EXPERT SOLUTIONS FOR ENTERPRISE DEVELOPERS

Features graduating to Stable

This is a selection of some of the improvements that are now stable following the v1.35 release.

PreferSameNode traffic distribution

The `trafficDistribution` field for Services has been updated to provide more explicit control over traffic routing. A new option, `PreferSameNode`, has been introduced to let services strictly prioritize endpoints on the local node if available, falling back to remote endpoints otherwise.

Simultaneously, the existing `PreferClose` option has been renamed to `PreferSameZone`. [redacted] traffic is preferred within the current availability zone. [redacted] `PreferClose` is preserved for backward compatibility, `PreferSameZone` is now the standard for zonal routing, [redacted]

Visual Studio LIVE!
EXPERT SOLUTIONS FOR ENTERPRISE DEVELOPERS

New Kubernetes Feature: Faster Local Service Routing

What Changed

Kubernetes now supports a routing option called **PreferSameNode**. When enabled, services will **prioritize sending traffic to workloads running on the same node before sending it across the cluster.**



Why This Matters

For workloads like **model inference services or internal APIs**, this can:
Reduce network latency
Improve response times
Lower cross-node network traffic

Visual Studio LIVE!
EXPERT SOLUTIONS FOR ENTERPRISE DEVELOPERS

Round 3: It’s your turn!





Visual Studio LIVE!
EXPERT SOLUTIONS FOR ENTERPRISE DEVELOPERS

“ I read documentation like this all the time and it gives me a headache!”

“As a PM I have this same issue with the teams I work for, sometimes I feel so lost in our meetings”

”You opened my eyes to something I think I’ve been guilty of…”

Visual Studio LIVE!
EXPERT SOLUTIONS FOR ENTERPRISE DEVELOPERS

Decoder Framework

- Step 1. Identify your audience
- Step 2. Identify your goal
- Step 3. Remove the noise
- Step 4. Translate to outcomes

Lets Talk about My Team

User Documentation and Tutorials

Office Hours Calls

Visual Studio LIVE!
EXPERT SOLUTIONS FOR ENTERPRISE DEVELOPERS

On Monday Morning

- Start with an audience check
- Focus on outcome based language
- Don’t forget your visuals
- Human centered documentation

Question the language you use

Let’s keep the conversation going!

Sources

Dimock, Michael. “Defining Generations: Where Millennials End and Generation Z Begins.” Pew Research Center, Pew Research Center, 17 Jan. 2019, www.pewresearch.org/short-reads/2019/01/17/where-millennials-end-and-generation-z-begins/.

Siagian, N. R., & Yuliana, N. (2023). THE ROLE OF SOCIAL MEDIA IN GENERATION Z COMMUNICATION. Interdisciplinary Journal of Advanced Research and Innovation, 1(3). https://doi.org/https://ijari.publicascientificsolution.com/index.php/rv/article/view/27

Kappelman, L. A., McKeeman, R., & Zhang, L. (2006). Early Warning Signs of it Project Failure: The Dominant Dozen. Information Systems Management, 23(4), 31–36. https://doi.org/10.1201/1078.10580530/46352.23.4.20060901/95110.4