

NEW



SBI-612BA-1NE34

X14 SuperBlade®



1 Node



1 CPU



1 GPU



12 DIMMs



4 Drives



AIOM



Redundant

[Learn more](#)

☐ Compare

NEW



SBI-612BA-5NE34

X14 SuperBlade®



1 Node



1 CPU



1 GPU



12 DIMMs



4 Drives



AIOM



Redundant

[Learn more](#)

☐ Compare

NEW



SBI-612BA-1NE34-LCC

X14 SuperBlade®



1 Node



1 CPU



2 GPUs



12 DIMMs



4 Drives



2x 25Gb



AIOM



Redundant

[Learn more](#)

☐ Compare

NEW



MBA-315R-1G

H14 MicroBlade®



1 Node



1 CPU



4 DIMMs



2 Drives



2x 25Gb

[Learn more](#)

☐ Compare

NEW



MBA-315R-5G

H14 MicroBlade®



1 Node



1 CPU



4 DIMMs



2 Drives



2x 25Gb

[Learn more](#)

☐ Compare

NEW



MBA-315R-1DE12

H14 MicroBlade®



2 Nodes



1 CPU



2 DIMMs



2 Drives



2x 25Gb

[Learn more](#)

☐ Compare

NEW



AS-3015MR-H5TNR

H13 MicroCloud



5 Nodes



1 CPU



1 GPU



4 DIMMs



4 Drives



Redundant

[Learn more](#)

☐ Compare



SBI-612B-1C2N

X14 SuperBlade®



1 Node



1 CPU



1 GPU



16 DIMMs



2 Drives



2x 25Gb



AIOM



Redundant

[Learn more](#)

☐ Compare



SBI-422B-1NE14

X14 SuperBlade®



1 Node



2 CPUs



16 DIMMs



4 Drives



2x 25Gb



AIOM



Redundant

[Learn more](#)

☐ Compare



SBI-422B-5NE14

X14 SuperBlade®



1 Node



2 CPUs



16 DIMMs



4 Drives



2x 25Gb



AIOM

[Learn more](#)

☐ Compare



SBI-612B-1NE34

X14 SuperBlade®



1 Node



1 CPU



1 GPU



16 DIMMs



4 Drives



2x 25Gb



AIOM



Redundant

[Learn more](#)

☐ Compare



SBI-612B-5NE34

X14 SuperBlade®



1 Node



1 CPU



1 GPU



16 DIMMs



4 Drives



2x 25Gb



AIOM



Redundant

[Learn more](#)

☐ Compare



SBI-622B-1NE34

X14 SuperBlade®



1 Node



2 CPUs



32 DIMMs



4 Drives



2x 25Gb



AIOM



Redundant

[Learn more](#)

☐ Compare



SBI-622B-1NE38

X14 SuperBlade®



1 Node



2 CPUs



32 DIMMs



8 Drives



2x 25Gb



AIOM



Redundant

[Learn more](#)

☐ Compare



SBI-622B-5NE34

X14 SuperBlade®



1 Node



2 CPUs



32 DIMMs



4 Drives



2x 25Gb



AIOM



Redundant

[Learn more](#)

☐ Compare



SBI-622B-5NE38

X14 SuperBlade®



1 Node



2 CPUs



32 DIMMs



8 Drives



2x 25Gb



AIOM



Redundant

[Learn more](#)

☐ Compare



SBI-622BA-1NE12-LCC

X14 SuperBlade®



1 Node



2 CPUs



24 DIMMs



2 Drives



2x 25Gb



AIOM



Redundant

[Learn more](#)

☐ Compare



SBI-411E-1G

X13 SuperBlade®



1 Node



1 CPU



1 GPU



8 DIMMs



2 Drives



2x 25Gb



1x EDR



1x HDR



Redundant

[Learn more](#)

☐ Compare



SBI-411E-5G

X13 SuperBlade®



1 Node



1 CPU



1 GPU



8 DIMMs



2 Drives



2x 25Gb



1x EDR



1x HDR



Redundant

[Learn more](#)

☐ Compare



SBI-421E-1T3N

X13 SuperBlade®



1 Node



2 CPUs



16 DIMMs



3 Drives



2x 25Gb



1x EDR



1x HDR



AIOM



Redundant

[Learn more](#)

☐ Compare



SBI-421E-5T3N

X13 SuperBlade®



1 Node



2 CPUs



16 DIMMs



3 Drives



2x 25Gb



1x EDR



1x HDR



Redundant

[Learn more](#)

☐ Compare



SBI-611E-1C2N

X13 SuperBlade®



1 Node



1 CPU



1 GPU



16 DIMMs



2 Drives



2x 25Gb



Redundant

[Learn more](#)

☐ Compare



SBI-611E-1T2N

X13 SuperBlade®



1 Node



1 CPU



1 GPU



16 DIMMs



2 Drives



2x 25Gb



Redundant

[Learn more](#)

☐ Compare



SBI-611E-5T2N

X13 SuperBlade®



1 Node



1 CPU



2 GPUs



16 DIMMs



2 Drives



2x 25Gb



Redundant

[Learn more](#)

☐ Compare



SBI-621E-1C3N

X13 SuperBlade®

6U

1 Node 2 CPUs 32 DIMMs 3 Drives 2x 25Gb Redundant

[Learn more](#)

☐ Compare



SBI-621E-1T3N

X13 SuperBlade®

6U

1 Node 2 CPUs 32 DIMMs 3 Drives 2x 25Gb Redundant

[Learn more](#)

☐ Compare



SBI-621E-5T3N

X13 SuperBlade®

6U

1 Node 2 CPUs 32 DIMMs 3 Drives 2x 25Gb Redundant

[Learn more](#)

☐ Compare

SBI-621E-1NE34

X13 SuperBlade®

6U

1 Node 2 CPUs 32 DIMMs 4 Drives 2x 25Gb Redundant

[Learn more](#)

☐ Compare

SBI-621E-1NE38

X13 SuperBlade®

6U					
1 Node	2 CPUs	32 DIMMs	8 Drives	2x 25Gb	Redundant

Learn more

☐ Compare

MBI-311A-1C2

X13 MicroBlade®

6U					
1 Node	1 CPU	4 DIMMs	2 Drives	2x 1Gb	Redundant

Learn more

☐ Compare

MBI-311C-1C2

X13 MicroBlade®

6U					
1 Node	1 CPU	4 DIMMs	2 Drives	2x 1Gb	Redundant

Learn more

☐ Compare

MBI-311A-1T2N

X13 MicroBlade®

6U					
1 Node	1 CPU	4 DIMMs	2 Drives	2x 10Gb	Redundant

Learn more

☐ Compare

MBI-311C-1T2N

X13 MicroBlade®

6U					
1 Node	1 CPU	4 DIMMs	2 Drives	2x 10Gb	Redundant

Learn more

☐ Compare

SYS-531MC-H8TNR

X13 MicroCloud

3U				
8 Nodes	1 CPU	4 DIMMs	2 Drives	Redundant

Learn more

☐ Compare

AS -3015MR-H8TNR

H13 MicroCloud

3U

8 Nodes 1 CPU 4 DIMMs 2 Drives Redundant

[Learn more](#)

☐ Compare

AS -3015MR-H10TNR

H13 MicroCloud

3U

10 Nodes 1 CPU 4 DIMMs 4 Drives Redundant

[Learn more](#)

☐ Compare

SBI-420P-1C2N

X12 SuperBlade®

8U							
1 Node	2 CPUs	16 DIMMs	2 Drives	2x 25Gb	1x EDR	1x HDR	Redundant

Learn more

☐ Compare

SBI-420P-1T3N

X12 SuperBlade®

8U							
1 Node	2 CPUs	8 DIMMs	3 Drives	2x 25Gb	1x EDR	1x HDR	Redundant

Learn more

☐ Compare

SBI-420P-4T2N

X12 SuperBlade®

4U					
1 Node	2 CPUs	16 DIMMs	2 Drives	2x 25Gb	Redundant

Learn more

☐ Compare

SBI-610P-1C2N

X12 SuperBlade®

6U					
1 Node	1 CPU	16 DIMMs	2 Drives	2x 25Gb	Redundant

Learn more

☐ Compare

SBI-610P-1T2N

X12 SuperBlade®

6U					
1 Node	1 CPU	16 DIMMs	2 Drives	2x 25Gb	Redundant

Learn more

☐ Compare

SBI-620P-1C3N

X12 SuperBlade®

6U					
1 Node	2 CPUs	32 DIMMs	3 Drives	2x 25Gb	Redundant

Learn more

☐ Compare

SBI-620P-1T3N

X12 SuperBlade®

6U						
1 Node	2 CPUs	32 DIMMs	3 Drives	2x 25Gb	Redundant	

Learn more

☐ Compare

SBS-820H-420P

X12 SuperBlade®

8U						
20 Nodes	2 CPUs per node	16 DIMMs per node	3 Drives per node	2x 25Gb per node	1x HDR per node	Redundant

Learn more

☐ Compare

MBI-310T-4C2

X12 MicroBlade®

6U/3U					
1 Node	1 CPU	4 DIMMs	2 Drives	2x 1Gb	Redundant

Learn more

☐ Compare

MBI-310T-4T2N

X12 MicroBlade®

6U/3U					
1 Node	1 CPU	4 DIMMs	2 Drives	2x 10Gb	Redundant

Learn more

☐ Compare

MBS-314E-310T

X12 MicroBlade®

3U					
14 Nodes	1 CPU per node	4 DIMMs per node	2 Drives per node	2x 10Gb per node	Redundant

[Learn more](#)

☐ Compare

MBI-310I-1D96N

X12 MicroBlade®

6U					
2 Nodes	1 CPU	2 DIMMs	1 Drive	2x 25Gb	Redundant

[Learn more](#)

☐ Compare

SYS-530MT-H8TNR

X12 MicroCloud

3U
8 Nodes 1 CPU 4 DIMMs 2 Drives 2x 1Gb Redundant

Learn more

☐ Compare

SYS-530MT-H12TRF

X12 MicroCloud

3U
12 Nodes 1 CPU 4 DIMMs 2 Drives 2x 1Gb Redundant

Learn more

☐ Compare

SBA-4119SG

H12 SuperBlade®

8U								
1 Node	1 CPU	1 GPU	8 DIMMs	0 Drive	2x 25Gb	1x EDR	1x HDR	Redundant

Learn more

☐ Compare

SBA-4114S-C2N

H12 SuperBlade®

8U								
1 Node	1 CPU	8 DIMMs	2 Drives	2x 25Gb	1x EDR	1x HDR	Redundant	

Learn more

☐ Compare

SBA-4114S-T2N

H12 SuperBlade®

8U							
1 Node	1 CPU	8 DIMMs	2 Drives	2x 25Gb	1x EDR	1x HDR	Redundant

Learn more

☐ Compare

SBA-4119S-C2N

H12 SuperBlade®

8U							
1 Node	1 CPU	8 DIMMs	2 Drives	2x 25Gb	1x EDR	1x HDR	Redundant

Learn more

☐ Compare

SBA-4119S-T2N

H12 SuperBlade®

8U							
1 Node	1 CPU	8 DIMMs	2 Drives	2x 25Gb	1x EDR	1x HDR	Redundant

Learn more

☐ Compare

SBS-820H-4114S

H12 SuperBlade®

8U							
20 Nodes	1 CPU per node	8 DIMMs per node	2 Drives per node	2x 25Gb per node	1x HDR per node	Redundant	

Learn more

☐ Compare

SBI-4129P-C2N

X11 SuperBlade®

8U								
1 Node	2 CPUs	16 DIMMs	2 Drives	2x 10Gb	2x 25Gb	1x EDR	1x OPA	Redundant

Learn more

☐ Compare

SBI-4129P-T3N

X11 SuperBlade®

8U								
1 Node	2 CPUs	16 DIMMs	3 Drives	2x 10Gb	2x 25Gb	1x EDR	1x OPA	Redundant

Learn more

☐ Compare

SBI-4429P-T2N

X11 SuperBlade®

4U					
1 Node	2 CPUs	12 DIMMs	2 Drives	2x 10Gb	Redundant

Learn more

☐ Compare

SBI-6129P-C3N

X11 SuperBlade®

6U					
1 Node	2 CPUs	24 DIMMs	3 Drives	2x 10Gb	2x 25Gb Redundant

Learn more

☐ Compare

SBI-6129P-T3N

X11 SuperBlade®

6U						
1 Node	2 CPUs	24 DIMMs	3 Drives	2x 10Gb	2x 25Gb	Redundant

Learn more

☐ Compare

SBI-6419P-C3N

X11 SuperBlade®

6U						
1 Node	1 CPU	12 DIMMs	3 Drives	2x 10Gb	Redundant	

Learn more

☐ Compare

SBI-6419P-T3N

X11 SuperBlade®

6U					
1 Node	1 CPU	12 DIMMs	3 Drives	2x 10Gb	Redundant

Learn more

☐ Compare

SBI-6429P-C3N

X11 SuperBlade®

6U					
1 Node	2 CPUs	24 DIMMs	3 Drives	2x 10Gb	Redundant

Learn more

☐ Compare

SBI-6429P-T3N

X11 SuperBlade®

6U					
1 Node	2 CPUs	24 DIMMs	3 Drives	2x 10Gb	Redundant

Learn more

☐ Compare

MBI-6119G-C4

X11 MicroBlade®

6U/3U					
1 Node	1 CPU	4 DIMMs	4 Drives	2x 1Gb	Redundant

Learn more

☐ Compare

MBI-6119M-C2

X11 MicroBlade®

6U/3U					
1 Node	1 CPU	4 DIMMs	2 Drives	2x 1Gb	Redundant

Learn more

☐ Compare

MBI-6119M-T2N

X11 MicroBlade®

6U/3U					
1 Node	1 CPU	4 DIMMs	2 Drives	2x 1Gb	Redundant

Learn more

☐ Compare

MBI-6119G-T7LX

X11 MicroBlade®

6U/3U					
1 Node	1 CPU	2 DIMMs	1 Drive	2x 10Gb	Redundant

Learn more

☐ Compare

MBI-6119G-T8HX

X11 MicroBlade®

6U/3U					
1 Node	1 CPU	2 DIMMs	1 Drive	2x 10Gb	Redundant

Learn more

☐ Compare

MBI-6219B-T63N

X11 MicroBlade®

6U/3U					
2 Nodes	1 CPU	4 DIMMs	1 Drive	2x 10Gb	Redundant

Learn more

☐ Compare

MBI-6219B-T83N

X11 MicroBlade®

6U/3U					
2 Nodes	1 CPU	4 DIMMs	1 Drive	2x 10Gb	Redundant

Learn more

☐ Compare

MBI-6219G-T7LX

X11 MicroBlade®

6U/3U
2 Nodes 1 CPU 2 DIMMs 1 Drive 2x 10Gb Redundant

Learn more

☐ Compare

MBI-6219G-T8HX

X11 MicroBlade®

6U/3U
2 Nodes 1 CPU 2 DIMMs 1 Drive 2x 10Gb Redundant

Learn more

☐ Compare

SYS-5039MC-H8TRF

X11 MicroCloud

3U
8 Nodes 1 CPU 1 GPU 4 DIMMs 2 Drives 2x 1Gb Redundant

[Learn more](#)

☐ Compare

SYS-5039MP-H8TNR

X11 MicroCloud

3U
8 Nodes 1 CPU 1 GPU 4 DIMMs 2 Drives 2x 1Gb Redundant

[Learn more](#)

☐ Compare

SYS-5039MS-H8TRF

X11 MicroCloud

3U
8 Nodes 1 CPU 4 DIMMs 2 Drives 2x 1Gb Redundant

[Learn more](#)

☐ Compare

SYS-5039MC-H12TRF

X11 MicroCloud

/3U
12 Nodes 1 CPU 4 DIMMs 4 Drives 2x 1Gb Redundant

[Learn more](#)

☐ Compare