

ONE STOP AIR SHOP

AUGUST / SEPTEMBER / OCTOBER 2015

21450iMAX-KIT

- 3/4" drive
- Includes 21450iMAX
- 24, 27, 30, 32, 33, 36 mm deep impact sockets
- 3" extension and carry
- 3/4" anvil
- 1,350 ft-lb max torque



C21101

- 3/4" drive
- Max torque 1,050 ft-lbs
- 2 kg weight
- Twin hammer
- BONUS protective boot



Impact Wrenches

\$399





- 1/2" drive
- Max torque 500 ft-lbs
- Only 120 mm in length
- 1.55 kg weight

CCAP5



C4224

- 1" impact wrench
- 3,200 ft-lbs / 4,342 Nm max torque
- D handle and side handle
- Max air consumption 708 lpm
- Also available with 8" extended anvil

CCAP5

2235TIMAX

- 1/2" impact wrench
- 930 ft-lbs / 1,260 Nm max torque
- 1,350 ft-lbs / 1,800 Nm nut busting torque
- 2.1 kg
- Max consumption 678 lpm
- · Titanium hammer case
- BONUS protective boot





131S-EA-Kit

- 1/2" impact wrench
- 450 ft-lbs max torque
- Twin hammer
- 2.63 kg
- Air consumption 120 lpm
- Reverse bias
- 10 impact sockets
 - 10, 11, 12, 13, 14, 17, 19, 21, 22, 24 mm
- 3" extension
- Carry case

\$269





C3114

- 3/4" impact wrench
- 1,600 ft-lbs / 2,300 Nm max torque
- D rear handle and side handle
- 5.7 kg
- Max air consumption 540 lpm
- Twin hammer

\$849 CCAP5

AVAILABLE IN STORE AT:



28 Hicks Street **Emerald OLD 4720**

T: (07) 4987 5488 F: (07) 4987 5484

E: info@airstart.com.au W: www.airstart.com.au

Electric Air Compressors

2545C10/8-SD

- 10 hp
- 2 stage, slow revving cast iron pump
- 968 lpm / 34.2 cfm FAD
- 230 litre tank
- Star delta starter
- 100% duty cycle
- Stainless steel finger valves
- Available in 8 or 12 bar

\$4999





- 5 hp
- 492 lpm / 17.3 cfm FAD
- 150 litre tank
- 2 stage pump
- 100% duty cycle
- Stainless steel finger valves
- Available in 8 or 12 bar

\$3699 /



EL12

- 2.2 hp (10 amp plug)
- 217 lpm / 7.7 cfm free air delivery
- 50 litre tank
- Complete with filter / regulator
- Cast iron pump



EL17

- 3 hp (15 amp plug)
- 280 lpm / 9.9 cfm free air delivery
- 50 litre tank

(IR) Ingersoll Rand

- Complete with filter / regulator
- Cast iron pump





IR) ingersoll-Rand



- 3 hp (15 amp plug)
- 50 litre tank
- 275 lpm / 9.7 cfm free air delivery
- Vertical pump with cast iron cylinder
- Includes filter / regulator
- Max pressure 145 psi
- 2 x Nitto style couplings
- Aftercooled



- 2.5 hp (10 amp plug)
- 50 litre tank
- 178 lpm / 6.3 cfm free air delivery
- Vertical pump with cast iron cylinder
- Includes filter / regulator
- Max pressure 145 psi
- 2 x Nitto style couplings





- 2 hp direct drive (10 amp plug)
- 217 lpm / 7.8 cfm free air delivery
- Direct drive
- 2,850 rpm
- 36 kg
- 116 psi
- 50 litre tank

Petrol / Diesel Air Compressors

CP20/120

- 5.5 hp Honda
- Petrol
- 120 litre tank
- 416 lpm / 12.3 cfm FAD
- Pull start



CCAP5



- 4.8 hp Kohler
- Diesel
- Electric start
- 70 litre tank
- 416 lpm / 14.7 cfm FAD
- Does not include battery and lead





- 5.5 hp Honda
- Petrol
- 70 litre tank
- 349 lpm / 12.3 cfm FAD
- 3 cylinder pump
- Solid wheels
- Pull start

CCAP5



Air Drills

7802RAKC

- 3/8" keyless chuck
- 2,000 rpm
- Reversible

\$2**99**



C61225

- 3/8" keyless chuck
- 1,800 rpm
- Reversible
- Composite body
- Max consumption 396 lpm

\$1**99**





- Reversible
- Includes side handle

\$449



C61235

- 1/2" keyless Jacobs chuck
- 450 rpm
- Reversible
- Composite body
- Max consumption 396 lpm

\$269

CCAP5

7807R

- 3/8" right angle drill
- 2,000 rpm
- 0.25 kW (0.33 hp)
- Max consumption 486 lpm

\$249





7804XP

- 1/4" drill
- 0 1,800 rpm
- Lightweight

\$299



Angle Grinders



C123160

- 100 mm / 4" angle grinder
- 1.3 hp
- Spindle lock
- Right and left handle

\$399

CCAP5

C123161

- 115 mm / 4 1/2" angle grinder
- 1.3 hp
- Spindle lock
- Extend spindle
- Right & left handle

\$399

CCAP5

C123162

- 125 mm / 5" angle grinder
- 1.3 hp
- Spindle lock
- Extend spindle
- Right and left handle

\$399

CCAP5



C12273

- 180 mm / 7" angle grinder
- 2.5 hp
- Right and left hand handle

\$699

CCAP5



C3525

- 125 mm / 5"
- 1 hp
- 3 x water jet points
- Blade not included

\$799

CCAIP5

Impact Sockets

SK34C86

- Mega set
- 86 pieces 1/2" and 3/8" drive
- Standard and deep sockets
- 5/16" to 1 1/4" 9 to 27 mm

\$**699**



SK4H13L

- 1/2" deep SAE sockets
- 13 pieces
- 7/16" to 1 1/4"

\$169



SK4M14L

- 1/2" deep metric
- 14 pieces
- 10 to 21 mm



SK6H8L

- 3/4" deep SAE sockets
- 8 pieces
- 1" to 1 1/2"

\$**299**



SK6M6L

- 3/4" deep metric sockets
- 6 pieces
- 24 to 36 mm





Hammers

C4832

- Mini chipping hammer
- 3,000 bpm
- 45 mm stroke \
- 2.6 kg
- Max consumption 396 lpm
- BONUS MOIL POINT CHISEL

\$499

CCAP5

C163

- 3 headed scaler
- 2,400 bpm
- 4 kg
- Max consumption 300 lpm

\$**94**9

C CAPS

Polishers

C141131-K

- Mini polisher kit
- C141131 polisher
- 3 x 3 1/2" backing pads
- 3" velcro backing pads



314A

- 180 mm / 7" polisher
- 2,500 rpm
- 0.5 hp
- 2 kg
- Max air consumption 822 bpm



M2L025RS9

- 180 mm / 7" industrial polisher
- 2,500 rpm
- 1 hp
- 3.8 kg





(IR) Ingersoll Rand

Sanders

313A

- 180 mm / 7" sande
- 5,000 rpm
- 0.5 hp
- 2 kg



8201MAX 3/32 ORBIT 8202MAX 3/16 ORBIT 8203MAX 3/8 ORBIT

Orbital Sander

- Industrial sander
- 6" hook and loop pad
- Vaccum ready
- Exhaust silencer





- Max torque 60 ft-lbs



C10223

- 1/2" drive
- Max torque 100 ft-lbs





- 1/2" drive
- Max torque 50 ft-lbs

5102MAX

0.4 hp

CCAP5

Die Grinders

C9127

- Right angle 18,000 rpm
- 1/4 hp
- Comes with 1/4" and 6 mm collets
- Composite body
- 90 dBA

C9128

CAP5

308BK • 308B 4 carbide burrs

- Carry case

\$299







• Right angle 20,000 rpm

• Comes with 1/4" and 6 mm collets

(IR) Ingersoll Rand



- Comes with 1/4" and 6 mm collets
- Composite body

• 1/4 hp, 22,000 rpm

90 dBA

CCAP5

C91273

- Pistol grip 16,000 rpm
- 1/3 hp
- Weighs only 0.7 kg
- Comes with 1/4" and 6 mm collets



307B

- 28,000 rpm
- 0.25 hp (0.19 kW)
- Front exhaust
- Comes with 1/4" & 6 mm collets
- Max consumption 678 lpm





308B

- 25,000 rpm
- 0.33 hp (0.25 kW)
- Rear exhaust
- Comes with 1/4" & 6 mm collets
- Max air consumption 792 lpm



0IS2004

- 1/4" pistol QC
- 20 Nm max torque
- Impact screwdriver



0IP2004

- 1/4" drive QC
- 20 Nm max torque
- Impact screwdriver





2101XP-0C

- 1/4" drive QC
- 68 Nm max torque
- 1.14 kg
- Double swing hammer



Screwdrivers

