



# BASE II Clearing Interchange Formats, TC 01 to TC 49

*Effective: 18 October 2025*

Visa Supplemental Requirements

© 2021–2025 Visa. All Rights Reserved.

### **Notice on Confidentiality, Intellectual Property Rights and Disclaimers (“Notice”)**

**Confidentiality.** This document and any information, data, representations, materials, recommendations, exhibits, appendices or glossaries contained herein or attached hereto (collectively, the “Material”) is proprietary and confidential to Visa. The Material is furnished to you solely in your capacity as a client and/or potential client of Visa and/or a participant in the Visa payments system. You agree to keep the Material confidential and not to use or disclose the Material for any purpose other than in such capacity. By accepting the Material, you agree that the Material is intended for use by you solely subject to the confidentiality restrictions in (i) the Visa Charter Documents (as applicable), (ii) the Visa Core Rules and Visa Product and Service Rules, the Visa Payment System Operating Regulations – Russia, Visa International Travelers Cheque Operating Regulations, V PAY Core Rules and V PAY Product and Service Rules and Visa Supplemental Requirements (collectively, the “Visa Rules”) (as applicable), (iii) for VisaNet Processors, an executed and valid VisaNet Letter of Agreement on file with Visa, and (iv) for other third parties, a current participation agreement that includes applicable confidentiality provisions, other non-disclosure agreement with Visa that covers disclosure and use of the Material, and/or other confidentiality agreements that limit your use and disclosure of the Material. The Material may only be disseminated within your organization on a need-to-know basis to enable your participation in the product, service and/or program described herein and/or in the Visa payments system.

Please be advised that the Material may constitute material non-public information under U.S. federal securities laws and that purchasing or selling securities of Visa Inc. while being aware of material non-public information would constitute a violation of applicable U.S. federal securities laws.

**Intellectual Property Rights.** The Material is protected by copyright. The Material and/or any part of the Material must not be duplicated, reproduced, published, distributed or disclosed, in whole or in part, in any form by any means without Visa’s prior written authorization, including to any third party. Visa owns the trademarks, logos, trade names and service marks, whether registered or unregistered, contained in the Material. Third-party trademarks not attributed to Visa are the property of their respective owners, are used for identification purposes only, and do not necessarily imply product endorsement or affiliation with Visa.

**Disclaimers.** THE MATERIAL HEREIN IS PROVIDED ON AN “AS IS,” “WHERE IS,” BASIS, “WITH ALL FAULTS” KNOWN AND UNKNOWN. THE MATERIAL HEREIN IS INTENDED FOR INFORMATIONAL PURPOSES ONLY AND SHOULD NOT BE RELIED UPON FOR OPERATIONAL, MARKETING, LEGAL, REGULATORY, TECHNICAL, TAX, FINANCIAL OR OTHER ADVICE. TO THE MAXIMUM EXTENT PERMITTED BY APPLICABLE LAW, VISA EXPLICITLY DISCLAIMS ALL WARRANTIES, EXPRESS OR IMPLIED, REGARDING THE MATERIAL HEREIN, INCLUDING ANY IMPLIED WARRANTY OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, AND NON-INFRINGEMENT (INCLUDING, BUT NOT LIMITED TO, NON-INFRINGEMENT OF THIRD-PARTY INTELLECTUAL PROPERTY RIGHTS). VISA DOES NOT MAKE ANY WARRANTIES, REPRESENTATIONS, GUARANTEES OR INDEMNITIES AS TO THE COMPLETENESS, ACCURACY AUTHENTICITY, USEFULNESS, TIMELINESS, RELIABILITY OR APPROPRIATENESS OF THE MATERIAL HEREIN OR OF THE INFORMATION OR MATERIALS REFERENCED HEREIN. VISA IS NOT LIABLE OR RESPONSIBLE FOR YOUR USE OR DISCLOSURE OF OR RELIANCE ON THE MATERIAL HEREIN, INCLUDING ERRORS OF ANY KIND, CONTAINED IN THE MATERIAL. NOTHING IN THIS NOTICE OR THE MATERIAL HEREIN SHALL BE DEEMED TO EXCLUDE OR LIMIT LIABILITY THAT CANNOT BE EXCLUDED OR LIMITED AS A MATTER OF LAW.

USE OF THE MATERIAL HEREIN IS AT YOUR OWN RISK. THE MATERIAL HEREIN SHOULD BE INDEPENDENTLY EVALUATED IN LIGHT OF YOUR SPECIFIC BUSINESS NEEDS AND ANY APPLICABLE LAWS AND REGULATIONS. THE

MATERIAL HEREIN IS NOT INTENDED AS INVESTMENT OR LEGAL ADVICE, AND READERS AND RECIPIENTS OF THE MATERIAL ARE ENCOURAGED TO SEEK THE ADVICE OF A COMPETENT PROFESSIONAL WHERE SUCH ADVICE IS REQUIRED.

THE MATERIAL HEREIN MAY CONTAIN DEPICTIONS AND DESCRIPTIONS OF A PRODUCT, SERVICE AND/OR PROGRAM CURRENTLY IN THE PROCESS OF DEVELOPMENT AND DEPLOYMENT, AND SHOULD BE UNDERSTOOD AS A REPRESENTATION OF THE POTENTIAL FEATURES OF THE FULLY-DEPLOYED PRODUCT, SERVICE AND/OR PROGRAM. ANY FINAL VERSION OF SUCH PRODUCT, SERVICE AND/OR PROGRAM MAY NOT CONTAIN ALL OF THE FEATURES DESCRIBED IN THE MATERIAL. WHERE POTENTIAL FUTURE FUNCTIONALITY IS HIGHLIGHTED, VISA DOES NOT PROVIDE ANY WARRANTY ON WHETHER SUCH FUNCTIONALITY WILL BE AVAILABLE OR IF IT WILL BE DELIVERED IN ANY PARTICULAR MANNER OR MARKET. PARTICIPATION IN PRODUCTS, SERVICES AND/OR PROGRAMS, IF AND WHEN OFFERED, MAY BE SUBJECT TO VISA'S TERMS AND CONDITIONS.

THE MATERIAL HEREIN COULD INCLUDE TECHNICAL INACCURACIES OR TYPOGRAPHICAL ERRORS. CHANGES MAY BE PERIODICALLY MADE TO THE MATERIAL. SUCH CHANGES WILL BE INCORPORATED IN NEW EDITIONS OF THE MATERIAL. VISA MAY MAKE IMPROVEMENTS AND/OR CHANGES IN OR TO THE PRODUCT(S), SERVICE(S) AND/OR PROGRAM(S) DESCRIBED IN THE MATERIAL HEREIN AT ANY TIME AT VISA'S SOLE DISCRETION. VISA MAY MODIFY, REPLACE OR RECALL THE MATERIAL HEREIN AT ANY TIME WITHOUT NOTICE TO ANY PARTY AND AT VISA'S SOLE DISCRETION.

**Forward-Looking Statements.** The Material contains forward-looking statements within the meaning of the U.S. Private Securities Litigation Reform Act of 1995 that relate to, among other things, Visa's future operations, prospects, developments, strategies, business growth and financial outlook. Forward-looking statements generally are identified by words such as "believes," "estimates," "expects," "intends," "may," "projects," "could," "should," "will," "continue" and other similar expressions. All statements other than statements of historical fact could be forward-looking statements, which speak only as of the date they are made, are not guarantees of future performance and are subject to certain risks, uncertainties and other factors, many of which are beyond our control and are difficult to predict. Visa describes risks and uncertainties that could cause actual results to differ materially from those expressed in, or implied by, any of these forward-looking statements in Visa's filings with the SEC. Except as required by law, Visa does not intend to update or revise any forward-looking statements as a result of new information, future events or otherwise.

**Reservation of Rights.** Any Visa features, functionality(ies), implementation(s), and/or branding, may be amended, updated or canceled at Visa's discretion. The timing of availability of programs and functionality described herein is subject to a number of factors outside Visa's control, including but not limited to overall levels of anticipated participation and deployment of necessary infrastructure by issuers, acquirers, and other system participants. Participation in programs and services, if and when offered, will be subject to Visa's terms and conditions.

**Additional disclaimers and/or notifications** may be found in the "Additional Notices" section of this document and/or in the Material herein.

**Relationship to the Visa Rules.** The Material is a supplement to the Visa Rules. In the event of any conflict between the Material, any document referenced herein or any communications concerning the Material, and any content in the Visa Rules, the Visa Rules shall govern and control.

**Definitions.** Capitalized terms not otherwise defined herein have the meanings given to them in the Visa Core Rules and Visa Product and Service Rules.

As used in this Notice, the terms "you" or "your" refer to (i) the person using the Material in any way, (ii) your organization and/or (iii) your or your organization's Sponsor.

"Visa" refers to the relevant Visa entity that has entered into an agreement with you governing the subject matter of the Material, being only *one* of the following Visa entities, and any of its current and former affiliates, employees, successors or assigns:

- Visa Canada Corporation;
- Visa do Brasil Empreendimentos Ltda.;
- Visa Europe Limited;
- Visa International Service Association;
- Visa International Servicios de Pagos Espana, S.R.L.U.;
- Visa U.S.A. Inc.;
- Visa Worldwide Pte Limited; OR
- Another Visa entity that is an affiliate of any of the foregoing entities.

\* \* \*

If you have questions about a Visa product, service, program or capability, please contact your Visa representative.

# Contents

## Chapter 1 • BASE II Interchange Files and Transaction Formats

|                                                      |    |
|------------------------------------------------------|----|
| BASE II Interchange Formats Overview. . . . .        | 17 |
| BASE II Clearing System Documentation. . . . .       | 17 |
| BASE II Edit Package Interchange Processing. . . . . | 18 |
| BASE II Edit Package Process Flow. . . . .           | 19 |
| BASE II Non-Edit Package Process Flow. . . . .       | 19 |
| BASE II Center Transaction Files. . . . .            | 20 |
| BASE II CTF Structure. . . . .                       | 21 |
| BASE II Outgoing CTF. . . . .                        | 21 |
| BASE II Incoming CTF. . . . .                        | 21 |
| BASE II Interchange Transaction Files. . . . .       | 22 |
| BASE II Outgoing ITF. . . . .                        | 22 |
| BASE II Incoming ITF. . . . .                        | 22 |
| BASE II Edit Package Run Control Options. . . . .    | 23 |
| BASE II Bypass Business Edits Option. . . . .        | 23 |
| Transaction Codes Print/Pass Summary. . . . .        | 24 |
| BASE II Transaction Formats. . . . .                 | 24 |
| BASE II Transaction Information Guidelines. . . . .  | 24 |
| BASE II Field Edit Criteria. . . . .                 | 25 |

## Chapter 2 • TC 01, 02, 03 Returned Item Transactions

|                                                     |    |
|-----------------------------------------------------|----|
| TC 01, 02, 03 - Returned Item Transactions. . . . . | 26 |
| TC 01, 02, 03 - TCR 0-8, D, E. . . . .              | 27 |
| TC 01, 02, 03 - TCR 9. . . . .                      | 28 |

## Chapter 3 • TC 04 Reclassification Advice Transaction

|                                                      |    |
|------------------------------------------------------|----|
| TC 04 - Reclassification Advice Transaction. . . . . | 32 |
| TC 04 - TCR 0-7, D, and E. . . . .                   | 33 |

|                        |    |
|------------------------|----|
| TC 04 - TCR 9. . . . . | 34 |
|------------------------|----|

## Chapter 4 • TC 05 Draft Data Transactions

|                                                           |     |
|-----------------------------------------------------------|-----|
| BASE II Sales Drafts TCR Delivery. . . . .                | 41  |
| BASE II Undelivered TCRs. . . . .                         | 42  |
| BASE II Draft Data Transactions. . . . .                  | 42  |
| BASE II TCR Formats. . . . .                              | 44  |
| TC 05 - TCR 0. . . . .                                    | 44  |
| TC 05 - TCR 1 Additional Data. . . . .                    | 67  |
| TC 05 - TCR 2 Argentina. . . . .                          | 78  |
| TC 05 - TCR 2 Bolivia. . . . .                            | 84  |
| TC 05 - TCR 2 Brazil. . . . .                             | 86  |
| TC 05 - TCR 2 Chile. . . . .                              | 89  |
| TC 05 - TCR 2 Colombia. . . . .                           | 94  |
| TC 05 - TCR 2 Japan. . . . .                              | 98  |
| TC 05 - TCR 2 Mexico. . . . .                             | 102 |
| TC 05 - TCR 2 Paraguay. . . . .                           | 106 |
| TC 05 - TCR 2 Russia (NSPK Only). . . . .                 | 109 |
| TC 05 - TCR 2 South Korea. . . . .                        | 111 |
| TC 05 - TCR 2 Sweden. . . . .                             | 115 |
| TC 05 - TCR 2 Turkey. . . . .                             | 117 |
| TC 05 - TCR 2 Uruguay. . . . .                            | 120 |
| TC 05 - TCR 3 Industry-Specific Data. . . . .             | 128 |
| TC 05 - TCR 3 Passenger-Itinerary Data. . . . .           | 129 |
| TC 05 - TCR 3 Passenger Transport Ancillary Data. . . . . | 137 |
| TC 05 - TCR 3 Lodging. . . . .                            | 141 |
| TC 05 - TCR 3 Car Rental. . . . .                         | 145 |
| TC 05 - TCR 3 EMV Fleet Service . . . . .                 | 148 |
| TC 05 - TCR 3 Fleet Service. . . . .                      | 152 |
| TC 05 - TCR 3 Loan Detail. . . . .                        | 157 |

|                                                                                      |     |
|--------------------------------------------------------------------------------------|-----|
| TC 05 - TCR 3 Business Application Data. . . . .                                     | 160 |
| TC 05 - TCR 4 Supplemental Financial Data. . . . .                                   | 164 |
| TC 05 - TCR 4 Supplemental Financial and Promotion Data. . . . .                     | 168 |
| TC 05 - TCR 4 Promotion Data. . . . .                                                | 173 |
| TC 05 - TCR 4 Supplemental Visa Resolve Online (VROL) Financial Data Record. . . . . | 175 |
| TC 05 - TCR 5 Payment Service Data. . . . .                                          | 179 |
| TC 05 - TCR 6 Limited-Use Data. . . . .                                              | 193 |
| TC 05 - TCR 7 Chip Card Transaction Data. . . . .                                    | 200 |
| TC 05 - TCR D Recurring Payment. . . . .                                             | 205 |
| TC 05 - TCR D Installment Payment. . . . .                                           | 208 |
| TC 05 - TCR D Original Credit Additional Data. . . . .                               | 211 |
| TC 05 - TCR D Fleet Supplementary Data. . . . .                                      | 214 |
| TC 05 - TCR E Supplemental Payment Data. . . . .                                     | 218 |

## Chapter 5 • TC 10 BASE II Clearing Fee Collection Transactions

|                                                               |     |
|---------------------------------------------------------------|-----|
| TC 10 - BASE II Clearing Fee Collection Transactions. . . . . | 222 |
| TC 10 - TCR 0. . . . .                                        | 223 |
| TC 10 - TCR 0 Visa Award (Loyalty). . . . .                   | 229 |
| TC 10 - TCR 0 Sweepstakes. . . . .                            | 233 |
| TC 10 - TCR 1 Additional Data. . . . .                        | 238 |
| TC 10 - TCR 2 Argentina National Settlement. . . . .          | 239 |
| TC 10 - TCR 2 Brazil National Settlement. . . . .             | 241 |
| TC 10 - TCR 2 Paraguay National Settlement. . . . .           | 243 |
| TC 10 - TCR 2 Uruguay National Settlement. . . . .            | 245 |
| TC 10 - TCR 4 Promotional Data. . . . .                       | 247 |

## Chapter 6 • TC 20 Funds Disbursement Transactions

|                                                  |     |
|--------------------------------------------------|-----|
| TC 20 - Funds Disbursement Transactions. . . . . | 249 |
| TC 20 - TCR 0. . . . .                           | 250 |
| TC 20 - TCR 0 Visa Award (Loyalty). . . . .      | 256 |

|                                                      |     |
|------------------------------------------------------|-----|
| TC 20 - TCR 0 Sweepstakes. . . . .                   | 260 |
| TC 20 - TCR 1 Additional Data. . . . .               | 265 |
| TC 20 - TCR 2 Argentina National Settlement. . . . . | 266 |
| TC 20 - TCR 2 Brazil National Settlement. . . . .    | 268 |
| TC 20 - TCR 2 Paraguay National Settlement . . . . . | 270 |
| TC 20 - TCR 2 Uruguay National Settlement . . . . .  | 272 |
| TC 20 - TCR 4 Promotional Data. . . . .              | 274 |

## Chapter 7 • TC 30 ICS/NARS Input Processing Transactions

|                                                                |     |
|----------------------------------------------------------------|-----|
| TC 30 - ICS/NARS Input Processing Transactions. . . . .        | 276 |
| TC 30 - TCR 0 ICS/NARS Input Processing. . . . .               | 277 |
| TC 30 - TCR 1-7 ICS Input Processing Additional Data. . . . .  | 278 |
| TC 30 - TCR 1-7 NARS Input Processing Additional Data. . . . . | 280 |

## Chapter 8 • TC 31 ICS/NARS Response Processing Transactions

|                                                                   |     |
|-------------------------------------------------------------------|-----|
| TC 31-ICS/NARS Response Processing Transactions. . . . .          | 281 |
| TC 31 - TCR 0 ICS/NARS Response Processing. . . . .               | 282 |
| TC 31 - TCR 1-7 ICS Response Processing Additional Data. . . . .  | 283 |
| TC 31 - TCR 1-7 NARS Response Processing Additional Data. . . . . | 285 |

## Chapter 9 • TC 32 Risk Management Transactions

## Chapter 10 • TC 33 Multipurpose Message Transactions

|                                                                                |     |
|--------------------------------------------------------------------------------|-----|
| TC 33-Multipurpose Message Transactions. . . . .                               | 287 |
| TC 33 - TCR 0 RDMS Message. . . . .                                            | 288 |
| TC 33 - TCR 0 CRS Issuer Advice. . . . .                                       | 290 |
| TC 33 - TCR 0 PLUS Identifier Table Header. . . . .                            | 295 |
| TC 33 - TCR 0 PLUS Identifier Table Detail. . . . .                            | 297 |
| TC 33 - TCR 0 PLUS Identifier Table Trailer. . . . .                           | 300 |
| TC 33 - TCR 0 RDMS Message Europe Non-Reloadable Prepaid Routing File. . . . . | 303 |



|                                                                                     |     |
|-------------------------------------------------------------------------------------|-----|
| TC 33 - TCR 0 Universal Biller File Table Header. . . . .                           | 305 |
| TC 33 - TCR 0 Universal Biller File Table Detail - Biller Master Data. . . . .      | 308 |
| TC 33 - TCR 1 Additional Biller Master Data. . . . .                                | 313 |
| TC 33 - TCR 0 CBAN Mask Data. . . . .                                               | 316 |
| TC 33 - TCR 0 Universal Biller File Table Trailer. . . . .                          | 320 |
| TC 33 - TCR 0 Commercial Choice Select Reference Data Record. . . . .               | 322 |
| BASE II Dispute Financial Status Advice. . . . .                                    | 327 |
| TC 33 - TCR 0 BASE II Dispute Financial Status Advice . . . . .                     | 327 |
| TC 33 - TCR 1 BASE II Dispute Financial Advice (Cont'd). . . . .                    | 332 |
| TC 33 - TCR 0 V.I.P. Full Service Dispute Financial Status Advice. . . . .          | 338 |
| TC 33 - TCR 1 V.I.P. Full Service Dispute Financial Status Advice (Cont'd). . . . . | 343 |
| BASE II Clearing and Settlement Advice. . . . .                                     | 349 |
| TC 33 - TCR 0 BASE II Clearing and Settlement Advice. . . . .                       | 349 |
| TC 33 - TCR 1 BASE II Clearing and Settlement Advice . . . . .                      | 355 |

## Chapter 11 • TC 33.A Capture Transactions (Acquirer)

|                                                                          |     |
|--------------------------------------------------------------------------|-----|
| TC 33.A - Capture File. . . . .                                          | 361 |
| TC 33.A - TCR 0 Capture - File Header. . . . .                           | 362 |
| TC 33.A - TCR 0 Capture - File Trailer. . . . .                          | 364 |
| TC 33.A - CP 01 TCR 0 Transaction Data. . . . .                          | 366 |
| TC 33.A - CP 01 TCR 1 Additional Data. . . . .                           | 371 |
| TC 33.A - CP 01 TCR 2 Billing and Shipping. . . . .                      | 378 |
| TC 33.A - CP 01 TCR 3 Billing and Shipping (Cont'd). . . . .             | 380 |
| TC 33.A - CP 01 TCR 4 Merchant Data. . . . .                             | 382 |
| TC 33.A - CP 01 TCR 5 Installment Payment. . . . .                       | 385 |
| TC 33.A - CP 01 TCR 6 Gateway Data. . . . .                              | 390 |
| TC 33.A - CP 01 TCR 7 Gateway Data (Cont'd). . . . .                     | 399 |
| TC 33.A - CP 01 TCR 8 Supplemental Data. . . . .                         | 402 |
| TC 33.A - CP 01 TCR 9 Argentina Domestic Processing. . . . .             | 407 |
| TC 33.A - CP 01 TCR 9 Intra-Country Data - Brazil National Data. . . . . | 410 |

|                                                                                |     |
|--------------------------------------------------------------------------------|-----|
| TC 33.A - CP 01 TCR 9 Domestic Processing - Chile National Data. . . . .       | 415 |
| TC 33.A - CP 01 TCR 9 Processing - Uruguay National Data. . . . .              | 418 |
| TC 33.A - CP 01 TCR 9 Intra-Country Data - Colombia National Data. . . . .     | 422 |
| TC 33.A - CP 01 TCR 9 Intra- Country Data - India National Data. . . . .       | 424 |
| TC 33.A - CP 01 TCR 9 Intra-Country Data - Japan National Data. . . . .        | 427 |
| TC 33.A - CP 01 TCR 9 Intra- Country Data - Mexico National Data. . . . .      | 431 |
| TC 33.A - CP 01 TCR 9 Intra-Country Data - South Africa National Data. . . . . | 432 |
| TC 33.A - CP 01 TCR A Currency Conversion. . . . .                             | 434 |
| TC 33.A - CP 01 TCR B Gateway Data (Cont'd). . . . .                           | 436 |
| TC 33.A - CP 02 TCR 0 EMV Data. . . . .                                        | 439 |
| TC 33.A - CP 02 TCR 1 EMV Data (Cont'd). . . . .                               | 443 |
| TC 33.A - CP 02 TCR 2 EMV Data (Cont'd). . . . .                               | 446 |
| TC 33.A - CP 03 TCR 0 Lodging Summary. . . . .                                 | 447 |
| TC 33.A - CP 03 TCR 1 Lodging Summary (Cont'd). . . . .                        | 451 |
| TC 33.A - CP 03 TCR 2 Lodging Summary (Cont'd). . . . .                        | 453 |
| TC 33.A - CP 03 TCR 3 Lodging Additional Amounts. . . . .                      | 456 |
| TC 33.A - CP 03 TCR 4 Lodging Additional Amounts (Cont'd). . . . .             | 459 |
| TC 33.A - CP 04 TCR 0 Level II Data. . . . .                                   | 462 |
| TC 33.A - CP 04 TCR 1 Level II Data - American Express. . . . .                | 465 |
| TC 33.A - CP 04 TCR 2 Level III Data - Purchasing Transaction Summary. . . . . | 467 |
| TC 33.A - CP 04 TCR 3 Level III Data - Purchasing Transaction Summary. . . . . | 471 |
| TC 33.A - CP 05 TCR 0 Passenger Itinerary Data. . . . .                        | 472 |
| TC 33.A - CP 05 TCR 1 Passenger Itinerary Data (Cont'd). . . . .               | 476 |
| TC 33.A - CP 05 TCR 2 Passenger Itinerary Data (Cont'd). . . . .               | 478 |
| TC 33.A - CP 05 TCR 3 Passenger Itinerary Data (Cont'd). . . . .               | 482 |
| TC 33.A - CP 05 TCR 4 Passenger Itinerary Data (Cont'd). . . . .               | 487 |
| TC 33.A - CP 05 TCR 5 Passenger Itinerary Data (Cont'd). . . . .               | 491 |
| TC 33.A - CP 05 TCR 6 Passenger Transport. . . . .                             | 495 |
| TC 33.A - CP 05 TCR 7 Passenger Itinerary Data (Cont'd). . . . .               | 498 |

|                                                                                                                   |     |
|-------------------------------------------------------------------------------------------------------------------|-----|
| TC 33.A - CP 06 TCR 0 Enhanced Data - Purchasing Transaction Line Item Detail. . . . .                            | 501 |
| TC 33.A - CP 06 TCR 1 Purchasing Transaction Line Item Detail (Cont'd). . . . .                                   | 505 |
| TC 33.A - CP 07 TCR 0 Country Data. . . . .                                                                       | 507 |
| TC 33.A - CP 07 TCR 1 Brazil Country Data - PARC. . . . .                                                         | 511 |
| TC 33.A - CP 07 TCR 2 Brazil Country Data - BNDES. . . . .                                                        | 513 |
| TC 33.A - CP 07 TCR 3 Brazil Country Data - American Express. . . . .                                             | 515 |
| TC 33.A - CP 07 TCR 4 Commercial Mastercard Installment Payments. . . . .                                         | 516 |
| TC 33.A - CP 07 TCR 5 Consumer Mastercard Installment Payments. . . . .                                           | 519 |
| TC 33.A - CP 07 TCR 6 Brazil Country Data - Mastercard BNDES1. . . . .                                            | 522 |
| TC 33.A - CP 07 TCR 7 Debt Repayment Information. . . . .                                                         | 524 |
| TC 33.A - CP07 TCR 8 Japan's MC Additional Data. . . . .                                                          | 526 |
| TC 33.A - CP07 TCR 9 EU and CEMEA Specific Processing. . . . .                                                    | 529 |
| TC 33.A - CP 07 TCR A Poland - MC Specific - Commercial Cards. . . . .                                            | 532 |
| TC 33.A - CP 07 TCR B Colombia Mastercard Domestic Processing. . . . .                                            | 533 |
| TC 33.A - CP 08 TCR 0 Discretionary Data - Default TCR. . . . .                                                   | 536 |
| TC 33.A - CP 08 TCR 1 Free Form Text. . . . .                                                                     | 538 |
| TC 33.A - CP 09 TCR 0 Push Payment - Default. . . . .                                                             | 539 |
| TC 33.A - CP 09 TCR 1 Push Payment - Original Credit Transactions. . . . .                                        | 542 |
| TC 33.A - CP 09 TCR 2 Original Credit Transaction and Account Funding Transaction,<br>Additional Details. . . . . | 547 |
| TC 33.A - CP 09 TCR 3 - Sender Name (Split). . . . .                                                              | 549 |
| TC 33.A - CP 09 TCR 4 - Recipient Name (Split). . . . .                                                           | 551 |
| TC 33.A - CP 09 TCR 5 - Recipient Additional Data - Canada OCT and AFT in General. . . . .                        | 552 |
| TC 33.A - CP 09 TCR 6 Account Funding Transaction Details. . . . .                                                | 554 |
| TC 33.A - CP 10 TCR 0 Car Rental Default. . . . .                                                                 | 556 |
| TC 33.A - CP 10 TCR 1 Car Rental (Cont'd). . . . .                                                                | 559 |
| TC 33.A - CP 10 TCR 2 Car Rental (Cont'd). . . . .                                                                | 562 |
| TC 33.A - CP 10 TCR 3 Car Rental (Cont'd). . . . .                                                                | 567 |
| TC 33.A - CP 10 TCR 4 Car Rental (Cont'd). . . . .                                                                | 570 |
| TC 33.A - CP 12 TCR 0 Transaction Data. . . . .                                                                   | 573 |

|                                                           |      |
|-----------------------------------------------------------|------|
| TC 33.A - CP 12 TCR 1 Merchant Data. . . . .              | .575 |
| TC 33.A - CP 12 TCR 2 Merchant Data. . . . .              | .581 |
| TC 33.A - CP 12 TCR 3 Gateway Data, continuation. . . . . | .583 |
| TC 33.A - CP 12 TCR 4 Gateway Data, continuation. . . . . | .584 |
| TC 33.A - CP 12 TCR 5 Transaction Data. . . . .           | .587 |

## Chapter 12 • TC 33.B Capture Transactions (Merchant)

|                                                                                |      |
|--------------------------------------------------------------------------------|------|
| TC 33.B - Capture File. . . . .                                                | .590 |
| TC 33.B - TCR 0 Capture - File Header - Merchant. . . . .                      | .592 |
| TC 33.B - TCR 0 Capture- File Header - Acquirer. . . . .                       | .594 |
| TC 33.B - TCR 0 Capture - File Trailer - Merchant. . . . .                     | .596 |
| TC 33.B - TCR 0 Capture - File Trailer - Acquirer. . . . .                     | .598 |
| TC 33.B - CP 51 TCR 0 Transaction Data. . . . .                                | .601 |
| TC 33.B - CP 51 TCR 1 Additional Data. . . . .                                 | .606 |
| TC 33.B - CP 51 TCR 2 Billing and Shipping. . . . .                            | .613 |
| TC 33.B - CP 51 TCR 3 Billing and Shipping (Cont'd). . . . .                   | .615 |
| TC 33.B - CP 51 TCR 4 Merchant Data. . . . .                                   | .617 |
| TC 33.B - CP 51 TCR 5 Installment Payment. . . . .                             | .620 |
| TC 33.B - CP 51 TCR 6 Gateway Data. . . . .                                    | .625 |
| TC 33.B - CP 51 TCR 7 Gateway Data (Cont'd). . . . .                           | .632 |
| TC 33.B - CP 51 TCR 8 Supplemental Data (Cont'd). . . . .                      | .634 |
| TC 33.B - CP 51 TCR 9 Intra-Country Data - Colombia National Data. . . . .     | .638 |
| TC 33.B - CP 51 TCR 9 Intra-Country Data - Japan National Data. . . . .        | .640 |
| TC 33.B - CP 51 TCR 9 Intra-Country Data - South Africa National Data. . . . . | .643 |
| TC 33.B - CP 51 TCR 9 Intra-Country Data - Brazil National Data. . . . .       | .645 |
| TC 33.B - CP 51 TCR 9 Intra-Country Data - Mexico National Data. . . . .       | .650 |
| TC 33.B - CP 51 TCR A Encrypted Pan Data. . . . .                              | .651 |
| TC 33.B - CP 51 TCR B Gateway Data (Cont'd). . . . .                           | .654 |
| TC 33.B - CP 52 TCR 0 EMV Data. . . . .                                        | .656 |
| TC 33.B - CP 52 TCR 1 EMV Data (Cont'd). . . . .                               | .660 |

|                                                                                           |     |
|-------------------------------------------------------------------------------------------|-----|
| TC 33.B - CP 53 TCR 0 Lodging Summary Record. . . . .                                     | 663 |
| TC 33.B - CP 53 TCR 1 Lodging Summary (Cont'd) Record. . . . .                            | 667 |
| TC 33.B - CP 53 TCR 2 Lodging Summary (Cont'd) Record. . . . .                            | 669 |
| TC 33.B - CP 53 TCR 3 Lodging Additional Amounts Record. . . . .                          | 672 |
| TC 33.B - CP 53 TCR 4 Lodging Additional Amounts Record (Cont'd). . . . .                 | 675 |
| TC 33.B - CP 54 TCR 0 Level II Data. . . . .                                              | 678 |
| TC 33.B - CP 54 TCR 1 Level II Data - American Express. . . . .                           | 681 |
| TC 33.B - CP 54 TCR 2 Level III Data - Purchasing Transaction Summary. . . . .            | 683 |
| TC 33.B - CP 54 TCR 3 Level III Data - Purchasing Transaction. . . . .                    | 687 |
| TC 33.B - CP 55 TCR 0 Passenger Itinerary Data. . . . .                                   | 689 |
| TC 33.B - CP 55 TCR 1 Passenger Itinerary Data (Cont'd). . . . .                          | 693 |
| TC 33.B - CP 55 TCR 2 Passenger Itinerary Data (Cont'd). . . . .                          | 695 |
| TC 33.B - CP 55 TCR 3 Passenger Itinerary Data (Cont'd). . . . .                          | 699 |
| TC 33.B - CP 55 TCR 4 Passenger Itinerary Data (Cont'd). . . . .                          | 704 |
| TC 33.B - CP 55 TCR 5 Passenger Itinerary Data (Cont'd). . . . .                          | 708 |
| TC 33.B - CP 55 TCR 6 Passenger Transport. . . . .                                        | 712 |
| TC 33.B - CP 55 TCR 7 Passenger Itinerary Data (Cont'd). . . . .                          | 715 |
| TC 33.B - CP 56 TCR 0 Purchasing Transaction Line Item Detail. . . . .                    | 719 |
| TC 33.B - CP 56 TCR 1 Purchasing Transaction Line Item Detail (Cont'd). . . . .           | 722 |
| TC 33.B - CP 57 TCR 0 Country Data. . . . .                                               | 724 |
| TC 33.B - CP 57 TCR 1 Brazil Country Data - PARC. . . . .                                 | 728 |
| TC 33.B - CP 57 TCR 2 Brazil Country Data - BNDES. . . . .                                | 730 |
| TC 33.B - CP 57 TCR 3 Brazil Country Data - American Express Installment Payment. . . . . | 732 |
| TC 33.B - CP 57 TCR 4 Commercial Mastercard Installment Payment. . . . .                  | 734 |
| TC 33.B - CP 57 TCR 5 Consumer Mastercard Installment Payments. . . . .                   | 737 |
| TC 33.B - CP 57 TCR 6 Brazil Country Data - Mastercard BNDES1. . . . .                    | 741 |
| TC 33.B - CP 57 TCR 7 Debt Repayment Information. . . . .                                 | 743 |
| TC 33.B - CP 59 TCR 0 Push Payment Default. . . . .                                       | 745 |
| TC 33.B - CP 59 TCR 1 Push Payment - Original Credit Transaction. . . . .                 | 747 |

|                                                                           |     |
|---------------------------------------------------------------------------|-----|
| TC 33.B - CP 59 TCR 2 Push Payment - Original Credit Transaction. . . . . | 750 |
| TC 33.B - TCR 0 Acknowledgment File Data. . . . .                         | 753 |
| TC 33.B - TCR 1 Acknowledgment File Data (Cont'd). . . . .                | 756 |

## Chapter 13 • 38 VCRFS/VDAS Message Transactions (Visa Use Only)

|                                                                        |     |
|------------------------------------------------------------------------|-----|
| TC 38 VCRFS/VDAS Message Transactions (Visa Use Only). . . . .         | 758 |
| VisaNet Copy Request and Fulfillment Service (VCRFS) Messages. . . . . | 759 |
| VisaNet Documentation Automation Service (VDAS) Messages. . . . .      | 759 |
| TC 38 - TCR 0 VCRFS/VDAS Message Transactions. . . . .                 | 760 |
| TC 38 - TCR 1 Nonfulfillment. . . . .                                  | 767 |
| TC 38 - TCR 1 VCRFS Nonfulfillment Text Message. . . . .               | 769 |
| TC 38 - TCR 1 VCRFS/VDAS Advice. . . . .                               | 771 |
| TC 38 - TCR 2 VCRFS Advice. . . . .                                    | 776 |
| TC 38 - TCR 2 VDAS Advice. . . . .                                     | 779 |
| TC 38 - TCR 3 VCRFS/VDAS Chargeback Documentation Data. . . . .        | 786 |
| TC 38 - TCR 5 VDAS Industry-Specific Data - Lodging. . . . .           | 790 |
| TC 38 - TCR 5 VDAS Industry-Specific Data - Car Rental. . . . .        | 792 |

## Chapter 14 • 39 VCRFS/VDAS Message Transactions (Visa Use Only)

|                                                                                           |     |
|-------------------------------------------------------------------------------------------|-----|
| TC 39 - VCRFS/VDAS Message Transactions (Visa Use Only). . . . .                          | 795 |
| TC 39 - TCR 0 VCRFS/VDAS Message Transactions. . . . .                                    | 796 |
| TC 39 - TCR 1-7 VCRFS/VDAS Image/Text Message. . . . .                                    | 802 |
| TC 39 - TCR 1 VDAS Forms Data. . . . .                                                    | 803 |
| TC 39 - TCR 1 VDAS Forms Data, Exhibit E or Exhibit 2E. . . . .                           | 805 |
| TC 39 - TCR 2 VDAS Forms, Exhibit E or Exhibit 2E - Optional Collection Data. . . . .     | 810 |
| TC 39 - TCR 3 Exhibit E or Exhibit 2E - Optional Representment/Second Chargeback. . . . . | 812 |
| TC 39 - TCR 4 VDAS Forms Data, Exhibit Q or Exhibit 3D. . . . .                           | 815 |
| TC 39 - TCR 4 VDAS Forms Data, Exhibit Y or Exhibit 3C. . . . .                           | 818 |
| TC 39 - TCR 5, 6 Exhibit Y or Exhibit 3C - Authorizations Obtained Information. . . . .   | 825 |

## Chapter 15 • 40 Fraud Advice Transactions

|                                            |     |
|--------------------------------------------|-----|
| TC 40 - Fraud Advice Transactions. . . . . | 831 |
| TC 40 - TCR 0. . . . .                     | 832 |
| TC 40 - TCR 1. . . . .                     | 833 |
| TC 40 - TCR 2. . . . .                     | 834 |
| TC 40 - TCR 3. . . . .                     | 835 |
| TC 40 - TCR 4-7. . . . .                   | 836 |

## Chapter 16 • 42, 43 Merchant File Update Transactions

|                                                        |     |
|--------------------------------------------------------|-----|
| TC 42, 43 - Merchant File Update Transactions. . . . . | 838 |
| TC 42, 43 - TCR 0 Record 1. . . . .                    | 839 |
| TC 42, 43 - TCR 0 Record 2. . . . .                    | 840 |

## Chapter 17 • 44 Collection Batch Acknowledgment Transactions

|                                                               |     |
|---------------------------------------------------------------|-----|
| TC 44 - Collection Batch Acknowledgment Transactions. . . . . | 843 |
| TC 44 - TCR 0 Batch Disposition Code A. . . . .               | 844 |
| TC 44 - TCR 0 Batch Disposition Code R. . . . .               | 847 |
| TC 44 - TCR 0 Batch Disposition Code X. . . . .               | 850 |
| TC 44 - TCR 1-8. . . . .                                      | 854 |

## Chapter 18 • 45 General Delivery Report Transactions

|                                                       |     |
|-------------------------------------------------------|-----|
| TC 45 - General Delivery Report Transactions. . . . . | 858 |
| TC 45 - TCR 0. . . . .                                | 859 |

## Chapter 19 • TC 46 Member Settlement Data Transactions

|                                                      |     |
|------------------------------------------------------|-----|
| TC 46 - Member Settlement Data Transactions. . . . . | 862 |
|------------------------------------------------------|-----|

## Chapter 20 • 47 Report Generation Record Transactions

|                                                        |     |
|--------------------------------------------------------|-----|
| TC 47 - Report Generation Record Transactions. . . . . | 863 |
| TC 47 - TCR 0. . . . .                                 | 864 |

## Chapter 21 • 48 BASE I Advice Record Transactions

|                                                                  |     |
|------------------------------------------------------------------|-----|
| TC 48 - BASE I Advice Record Transactions. . . . .               | 866 |
| TC 48 - TCR 0 Format 0 (Standard). . . . .                       | 867 |
| TC 48 - TCR 0 Format 1 (ISO-Enriched). . . . .                   | 872 |
| TC 48 - TCR 0 Format 2 (Chip Card Informational Advice). . . . . | 879 |
| TC 48 - TCR 1 ISO-Enriched. . . . .                              | 884 |
| TC 48 - TCR 2 ISO-Enriched. . . . .                              | 890 |
| TC 48 - TCR 3 ISO-Enriched. . . . .                              | 894 |
| TC 48 - TCR 6 ISO-Enriched. . . . .                              | 899 |
| TC 48 - TCR 7 ISO-Enriched. . . . .                              | 902 |
| TC 48 - TCR 7 Format 2 (Chip Card Information). . . . .          | 908 |

## Chapter 22 • 49 Split Batch Acknowledgment Transactions

|                                                                |     |
|----------------------------------------------------------------|-----|
| TC 49 - Split Batch Acknowledgment Transactions. . . . .       | 914 |
| TC 49 - TCR 0 Split Batch Acknowledgment Transactions. . . . . | 915 |

## Glossary



# Chapter 1

## BASE II Interchange Files and Transaction Formats

---

### BASE II Interchange Formats Overview

Transaction codes are used to describe transaction records and edit criteria applied to each field of a record in a transaction file in order to process interchange transactions.

### BASE II Clearing System Documentation

The following documents are available.

- *BASE II Clearing Interchange Formats, TC 01 to TC 49*
- *BASE II Clearing Interchange Formats, TC 50 to TC 92*
- *BASE II Clearing Data Codes*
- *BASE II Clearing Edit Package Messages Reference Guide Release 4*

- *BASE II Clearing Edit Package Reports Reference Guide Release 4*
- *BASE II Clearing PC Edit Package for Windows User Guide Release 4*
- *BASE II Clearing Edit Package Operations Guide Release 4*
- *Card Recovery Bulletin User's Guide*
- *VCRFS Processing Manual*
- *Fraud Reporting System User's Manual*
- *Issuer's Clearinghouse Service User's Manual*
- *Merchant Performance Reporting User's Guide*
- *Visa Merchant Data Standards Manual*
- *Visa Core Rules and Visa Product and Service Rules*

**Note:** VML is no longer being supported.

## **BASE II Edit Package Interchange Processing**


The BASE II Edit Package uses Center Transaction Files (CTFs) and Interchange Transaction Files (ITFs) to process interchange messages.

CTFs are used as the interface between the client's own pre- and post-edit programs and the Edit Package.

## BASE II Edit Package Process Flow

This figure illustrates the flow of ITFs and CTFs through the Edit Package.

### Interchange Processing Flow



- Outgoing CTFs contain interchange generated by the client's pre-edit program and validated by the Edit Package before submission to the VisaNet Interchange Center (VIC).
- Incoming CTFs contain interchange from the VIC that has been processed by the Edit Package for the client's post-edit program. The incoming transactions are processed by the client's post-edit program.

ITFs are used in the transmission of interchange between the Edit Package and the VIC.


- Outgoing ITFs are generated by the Edit Package and contain reformatted validated CTF interchange transactions.
- Incoming ITFs are generated by the VIC for the Edit Package; they contain incoming interchange, BASE II report records, and Center Information Block (CIB) and Center Security Codes.

## BASE II Non-Edit Package Process Flow

A client also has the option to exchange ITFs directly with BASE II without using the Edit Package application.

This figure illustrates the alternative processing flow.

## Interchange Processing Flow Without Edit Package



- Outgoing ITFs are created and sent directly by the client to the VisaNet Interchange Center (VIC).
- Incoming ITFs are created and sent directly by the VIC to the client.

Both CTF and ITF files can reside on magnetic tape or hard disks.

## BASE II Center Transaction Files

Center Transaction Files (CTFs) are sequential, fixed-block files. Each CTF contains one or more logical transactions, each of which is defined by a transaction code (TC) and comprised of one or more transaction component records (TCR). Each TCR is 168 bytes long.

All TCRs in a transaction have the same two-character transaction code (positions 1 and 2). The TCR 0 must be the first number in a transaction, however subsequent TCR numbers are not necessarily consecutive, that is, the TCR sequence may skip a number. For example, the Funds Disbursement transaction contains TCR 0, TCR 1, and TCR 4. The TCRs must be in ascending order within the transaction, however.

The Edit Package considers a transaction complete when either or both of these conditions are encountered:


- The Transaction Code is different from the previous one.
- The Transaction Component Sequence Number (TCR number) is less than the previous one.

## BASE II CTF Structure

The transactions are stored in the Center Transaction File (CTF) in batches. Transactions within each batch do not have to be in any particular order, and a batch may contain multiple issuing or acquiring identifiers.

This figure illustrates the CTF structure.

### CTF Structure



The TC 90 Header Record contains the Center Information Block (CIB) and Security Code, VisaNet Interchange Center (VIC) Processing and Settlement Dates, Edit Package Release Number, and File Type Subfile ID Number (if separate CTFs are created). For outgoing processing, the Edit Package uses the Center File ID and pre-edit processing date for duplicate file checking. For incoming processing, processing centers can elect to receive an incoming CTF Header Record by using the WRITEHEADER Edit Package run control option.

## BASE II Outgoing CTF

The outgoing Edit Package Center Transaction File (CTF) has a batch record capacity of 999. Centers can modify this to allow for up to 3,300 records in a batch if their VisaNet Access Points (VAPs) permit.

Transactions rejected by the Edit Package's outgoing control program can, by the use of a run control option, be written to a separate CTF for correction and re-entry. This separate CTF includes TC 91 (Batch Trailer) and TC 92 (File Trailer) records. A TC 90 (Header Record) is also supplied if the processing center included it on the original outgoing CTF.

## BASE II Incoming CTF

The number of batches in an incoming Center Transaction File (CTF) is determined by the VisaNet Interchange Center (VIC). Incoming batches are not sorted and distributed by

destination identifier; batches may contain transactions for multiple entities processed by the same processing center.

# BASE II Interchange Transaction Files

Interchange Transaction Files (ITFs) are sequential, fixed block size EBCDIC files. ITF transaction records are 170 positions in length, and are identical to Center Transaction File (CTF) transaction records except for a two-byte ITF Record Hash Total field in positions 3 and 4, which pushes all subsequent fields forward by two.

## BASE II Outgoing ITF

Outgoing Interchange Transaction Files (ITFs) can contain up to 999 TCRs in a batch. Before the Edit Package writes each transaction to the outgoing ITF, it checks to see if there is enough room for the component records and the batch and file trailers.

If a client chooses not to use the Edit Package application, an ITF is sent directly from the client to the VIC without Edit Package processing. This option requires clients to modify their pre- and post-Edit Package processing programs. TC 00 short block filler records are not required for outgoing ITFs.

## BASE II Incoming ITF

Incoming Interchange Transaction File (ITF) record batches each contain approximately 1,000 TCRs, although there is no upper limit. Within the Edit Package the processing center has the option of splitting the incoming ITF into a maximum of 25 separate Center Transaction Files (CTFs). Depending on Edit Package run control options, the incoming ITF can be split by ARDEF range, Destination Identifier, Product ID, and Transaction Code.

Rejected transactions on incoming interchange can be written to a separate file for per-field correction, thus avoiding the need to re-key the entire transaction. This rejected transaction file is in CTF format and contains batch trailer (TC 91) and file trailer (TC 92) records. If the Edit Package's WRITEHEADER run control option has been set to Y, a TC 90 Header Record is also supplied.

If a client chooses not to use the Edit Package application, a client receives an ITF directly from the VisaNet Interchange Center (VIC) without Edit Package processing.

# BASE II Edit Package Run Control Options

Run control options allow processing centers to select permanent or temporary Edit Package functions that best meet their needs, such as splitting an incoming Interchange Transaction File (ITF) into several Center Transaction Files (CTFs), setting run- or item-level tolerance checking limits, and establishing duplicate batch detection settings.

See:

- *BASE II Clearing Edit Package Operations Guide Release 4*
- *BASE II Clearing PC Edit Package For Windows User Guide Release 4*

## BASE II Bypass Business Edits Option

During an outgoing edit run, the majority of the business edits can be Bypassed. All of the edits and processing that are necessary to insure file integrity and correct Edit Package processing are always performed. When the Bypass Business Edits option is used, unless indicated, the Edit Package does not perform the edits during an outgoing edit run. Business edits performed when the Bypass Business Edits option is used are noted by :

This edit will continue to be performed by the Edit Package when the Bypass Business Edits option is used during an outgoing edit run.

**Note:**

It may be necessary to obtain authorization from your Visa regional representative to use this run control option.

For the error message that can still be received when the Bypass Business Edits option is used, see *BASE II Clearing Edit Package (Release 4.0) Messages*.

# Transaction Codes Print/Pass Summary

The print/pass run control options determine which incoming transactions are written (passed) to the Center Transaction File (CTF) and which outgoing and incoming transactions are printed. The system defaults can be overridden through the use of Edit Package run control options.

For outgoing runs, the print options for Edit Package Release 4.0 are:

- TRNOUTPRT: Prints reports on outgoing transactions.
- TRNOOUTPRT: Prevents printing reports on outgoing transactions.

For incoming runs, the print options are:

- TRNINPRT: Prints reports on selected incoming transactions.
- TRNNOINPRT: Prevents printing reports on incoming transactions.

For incoming runs, the pass options are:

- TRNPASS: Writes specific transaction codes to the incoming CTF.
- TRNOPASS: Prevents specific transaction codes from being written to the incoming CTF.

See *BASE II Clearing Edit Package Operations Guide Release 4*.

## BASE II Transaction Formats

### BASE II Transaction Information Guidelines

BASE II transactions follow certain information guidelines to prevent transaction rejections during processing.

- Negative values (for example, -1) in any record field cause transactions to be rejected.
- Reserved numeric fields should contain zeros. Reserved alphanumeric fields should contain spaces unless otherwise specified.
- The default entry for any numeric field is zero and the default entry for any alphanumeric field is a space unless otherwise indicated.
- Alphabetic characters should always be uppercase (for example, A, not a).
- Unless specifically stated for a particular field, special characters should not be entered. Special characters include such language-specific ones as accent grave (') or umlaut (ä).
- Numeric fields should be unpacked numeric (UN).



## BASE II Field Edit Criteria

The edit criteria for each field contain several types of edit information.

- **Universal edits**—Apply to all transactions and are always listed first. There may be separate outgoing and incoming universal edits. Edit criterion is universally applicable unless identified by a category subheading:
- **Regional edits**—Apply only to transactions between clients within a region. Applicable regions are identified.
- **National edits**—Apply only to transactions within the specified country. Applicable countries are identified.
- **Visa Interchange Center (VIC)-specific edits**—Are performed only at the VIC and not by the Edit Package. VIC edits may also be applicable to only a specific nation or region.
- **Notes**—Provide information such as descriptions, value definitions, or when an optional field should be used. No edits are applied to the information provided in Notes.

This figure shows an example of a field edit accompanied by explanatory notes.

### Field Edit Criteria Example

|                                                                                                                                                                                                                                                                                                                                                                                                                                                  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <p><b>POS Terminal Capability</b><br/>Position: 158<br/>Length: 1<br/>Format: alphanumeric</p> <p>Universal edit applicable to all transactions</p> <p>Note applicable universally</p> <p>Edit applicable only to CPS participating countries</p> <p>National edit applicable only to the U.S.</p> <p>VIC Edit applicable only to the U.S.</p> <p>Universal edits and notes applying only to dispute response financials, dispute financials</p> | <p><b>Description:</b> Indicates the capability of the Point-of-Sale (POS) Terminal (for example, terminal was not used, terminal can read magnetic stripe, terminal can read chip, etc.) The field must contain a space, 0 through 5, 8 or 9. Refer to the <i>BASE II Clearing Data Codes</i> manual for a list of valid codes.</p> <p><b>Note:</b> Please refer to the <i>BASE II Clearing Data Codes</i> manual for a list of valid codes.</p> <p><b>For CPS Participating Countries:</b> If ACI = M, P, R, or V, this field may contain any valid value. Otherwise, CPS originals and their reversals, except CPS/ATM, must contain a 2 through 5 or 9. CPS vouchers may contain a space.</p> <p><b>National—U.S.:</b> EIRF originals and their reversals must contain 0 through 5, 8, or 9. EIRF credit vouchers may contain a space. Contactless original transactions must contain 8.</p> <p><b>VIC Edit, National—U.S.:</b> EPS and Supermarket originals and reversals must contain 2 through 5, 8, or 9.</p> <p><b>Dispute Response Financials, Dispute Financials</b><br/>The entry is not required, but if it is present it must be a valid value.</p> |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|

# Chapter 2

## TC 01, 02, 03 Returned Item Transactions

---

### TC 01, 02, 03 - Returned Item Transactions

Returned item transactions are included in incoming interchange Center Transaction Files to denote transactions that have failed edits at the VisaNet Interchange Center (VIC).

TCR 0-8, 9, D, E

CTF – Incoming Interchange

The Returned Item transactions (TC 01, 02, and 03) consist of TCRs 0 through 8 and TCR 9, D, and E. TCRs 0 through 8, D, and E contain the contents of the returned item. TCR 9 contains information identifying the original transaction.

The Returned Item Transaction Codes are:

- **Returned Credit (TC 01)**—A credit transaction that failed the edits at the VIC.
- **Returned Debit (TC 02)**—A debit transaction that failed the edits at the VIC.
- **Returned Nonfinancial (TC 03)**—A nonfinancial transaction that failed the edits at the VIC.

## TC 01, 02, 03 - TCR 0-8, D, E

These tables show the Returned Item (TC 01, 02, 03) record layout and edit criteria for TCR 0-8, D, and E.

### CTF - Incoming Interchange

#### Returned Item Record Layout

| Position | Field Length | Format | Contents                              |
|----------|--------------|--------|---------------------------------------|
| 1-2      | 2            | UN     | Transaction Code                      |
| 3        | 1            | UN     | Transaction Code Qualifier            |
| 4        | 1            | UN     | Transaction Component Sequence Number |
| 5-168    | 164          | AN     | Contents of Returned TCR              |

Format: AN = Alphanumeric, ANS = Alphanumeric Special, DX = Display Hexadecimal, N = Numeric, UN = Unpacked Numeric

#### Returned Item Edit Criteria

|                                                                                            |                                                                                                                                                                                           |
|--------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Transaction Code</b><br>Positions: 1-2<br>Length: 2<br>Format: unpacked numeric         | <b>Description:</b> This field contains <b>01</b> , <b>02</b> , or <b>03</b> .<br><b>01</b> = Returned Credit<br><b>02</b> = Returned Debit<br><b>03</b> = Returned Nonfinancial          |
| <b>Transaction Code Qualifier</b><br>Positions: 3<br>Length: 1<br>Format: unpacked numeric | <b>Description:</b> This field contains a <b>0</b> (zero).<br>This edit is still performed by the Edit Package when the Bypass Business Edits option is used during an outgoing edit run. |

### Returned Item Edit Criteria

|                                                                                                       |                                                                                         |
|-------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------|
| <b>Transaction Component Sequence Number</b><br>Positions: 4<br>Length: 1<br>Format: unpacked numeric | <b>Description:</b> This field contains a number from <b>0</b> through <b>8 and D</b> . |
| <b>Contents of Returned TCR</b><br>Positions: 5-168<br>Length: 164<br>Format: alphanumeric            | <b>Description:</b> This field contains data from the transaction being returned.       |

## TC 01, 02, 03 - TCR 9

These tables contain the Returned Item (TC 01, 02, 03) record layout and edit criteria for TCR 9.

### CTF - Incoming Interchange

#### Returned Item Record Layout

| Position | Field Length | Format | Contents                                       |
|----------|--------------|--------|------------------------------------------------|
| 1-2      | 2            | UN     | Transaction Code                               |
| 3        | 1            | UN     | Transaction Code Qualifier                     |
| 4        | 1            | UN     | Transaction Component Sequence Number          |
| 5-10     | 6            | UN     | Destination Identifier                         |
| 11-16    | 6            | UN     | Source Identifier                              |
| 17-18    | 2            | AN     | Original Transaction Code                      |
| 19       | 1            | AN     | Original Transaction Code Qualifier            |
| 20       | 1            | AN     | Original Transaction Component Sequence Number |
| 21-25    | 5            | UN     | Source Batch Date (YYDDD)                      |
| 26-31    | 6            | UN     | Source Batch Number                            |
| 32-35    | 4            | UN     | Item Sequence Number                           |
| 36-38    | 3            | AN     | Return Reason Code 1                           |
| 39-50    | 12           | UN     | Original Source Amount                         |
| 51-53    | 3            | UN     | Original Source Currency                       |

### Returned Item Record Layout

| Position | Field Length | Format | Contents                                       |
|----------|--------------|--------|------------------------------------------------|
| 54       | 1            | AN     | Original Settlement Flag                       |
| 55       | 1            | AN     | Chargeback Reduction Service (CRS) Return Flag |
| 56-58    | 3            | AN     | Return Reason Code 2                           |
| 59-61    | 3            | AN     | Return Reason Code 3                           |
| 62-64    | 3            | AN     | Return Reason Code 4                           |
| 65-67    | 3            | AN     | Return Reason Code 5                           |
| 68-168   | 101          | AN     | Reserved                                       |

Format: AN = Alphanumeric, ANS = Alphanumeric Special, DX = Display Hexadecimal, N = Numeric, UN = Unpacked Numeric

### Returned Item Edit Criteria

|                                                                                                       |                                                                                                                                                                                                         |
|-------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Transaction Code</b><br>Positions: 1-2<br>Length: 2<br>Format: unpacked numeric                    | <b>Description:</b> The field will contain <b>01</b> , <b>02</b> , or <b>03</b> .<br><b>01</b> = Returned Credit<br><b>02</b> = Returned Debit<br><b>03</b> = Returned Nonfinancial transaction         |
| <b>Transaction Code Qualifier</b><br>Positions: 3<br>Length: 1<br>Format: unpacked numeric            | <b>Description:</b> The field will contain a <b>0</b> (zero).<br>This edit will continue to be performed by the Edit Package when the Bypass Business Edits option is used during an outgoing edit run. |
| <b>Transaction Component Sequence Number</b><br>Positions: 4<br>Length: 1<br>Format: unpacked numeric | <b>Description:</b> The field will contain a <b>9</b> .                                                                                                                                                 |
| <b>Destination Identifier</b><br>Positions: 5-10<br>Length: 6<br>Format: unpacked numeric             | <b>Description:</b> The entity to which this transaction message is sent. This field will contain a valid acquiring or issuing identifier.                                                              |
| <b>Source Identifier</b><br>Positions: 11-16<br>Length: 6<br>Format: unpacked numeric                 | <b>Description:</b> The entity from which this transaction message is sent. This field will contain a valid acquiring or issuing identifier.                                                            |

## Returned Item Edit Criteria

|                                                                                                             |                                                                                                                                                                                                                                                                         |
|-------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Original Transaction Code</b><br>Positions: 17–18<br>Length: 2<br>Format: alphanumeric                   | <b>Description:</b> The Transaction Code of the item being returned.                                                                                                                                                                                                    |
| <b>Original Transaction Code Qualifier</b><br>Positions: 19<br>Length: 1<br>Format: alphanumeric            | <b>Description:</b> The Transaction Code Qualifier of the item being returned.                                                                                                                                                                                          |
| <b>Original Transaction Component Sequence Number</b><br>Positions: 20<br>Length: 1<br>Format: alphanumeric | <b>Description:</b> The Transaction Component Sequence Number of the item being returned.                                                                                                                                                                               |
| <b>Source Batch Date</b><br>Positions: 21–25<br>Length: 5<br>Format: unpacked numeric                       | <b>Description:</b> The date of the original batch that contained the item being returned. The format is <b>YYDDD</b> (year and Julian day).                                                                                                                            |
| <b>Source Batch Number</b><br>Positions: 26–31<br>Length: 6<br>Format: unpacked numeric                     | <b>Description:</b> The number of the original batch that contained the item being returned.                                                                                                                                                                            |
| <b>Item Sequence Number</b><br>Positions: 32–35<br>Length: 4<br>Format: unpacked numeric                    | <b>Description:</b> Sequence number of the transaction being returned as it appears in the batch.                                                                                                                                                                       |
| <b>Return Reason Code 1</b><br>Positions: 36–38<br>Length: 3<br>Format: alphanumeric                        | <b>Description:</b> The return reason code from BASE II or the first of five possible return reason codes from the CRS. See <i>BASE II Clearing Data Codes</i> for specific Returned Item Reason Codes.                                                                 |
| <b>Original Source Amount</b><br>Positions: 39–50<br>Length: 12<br>Format: unpacked numeric                 | <b>Description:</b> Amount of the transaction. This field contains numerics. Two decimal positions are implied. If the Original Source Currency code is <b>392</b> (Japanese Yen), any value other than <b>zero</b> after the decimal produces an Invalid Amount error. |

### Returned Item Edit Criteria

|                                                                                              |                                                                                                                                                                                                                                                                                                                                          |
|----------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Original Source Currency</b><br>Positions: 51–53<br>Length: 3<br>Format: unpacked numeric | <b>Description:</b> Currency code indicating the source currency. This field will contain a valid ISO numeric code. See <i>BASE II Clearing Data Codes</i> for Currency Codes.                                                                                                                                                           |
| <b>Original Settlement Flag</b><br>Positions: 54<br>Length: 1<br>Format: alphanumeric        | <b>Description:</b> Flag indicating interchange system used for settlement. Entries are <b>0, 6, 7, or 8</b> :<br><b>0</b> = Visa-settled transaction<br><b>6</b> = National Bilateral Interchange<br><b>7</b> = International Bilateral Interchange (valid only for Latin America and Caribbean)<br><b>8</b> = National Net Interchange |
| <b>CRS Return Flag</b><br>Positions: 55<br>Length: 1<br>Format: alphanumeric                 | <b>Description:</b> Flag indicating the transaction was returned by either BASE II or the Chargeback Reduction Service (CRS).<br>Values:<br><b>Space</b> = Transaction has been returned by BASE II.<br><b>C</b> = Transaction has been returned by the Chargeback Reduction Service.                                                    |
| <b>Return Reason Code 2</b><br>Positions: 56–58<br>Length: 3<br>Format: alphanumeric         | <b>Description:</b> The second of five possible return reason codes from the CRS. See <i>BASE II Clearing Data Codes</i> for Returned Item Reason Codes.                                                                                                                                                                                 |
| <b>Return Reason Code 3</b><br>Positions: 59–61<br>Length: 3<br>Format: alphanumeric         | <b>Description:</b> The third of five possible reason codes from the CRS. See <i>BASE II Clearing Data Codes</i> for Returned Item Reason Codes.                                                                                                                                                                                         |
| <b>Return Reason Code 4</b><br>Positions: 62–64<br>Length: 3<br>Format: alphanumeric         | <b>Description:</b> The fourth of five possible return reason codes from the CRS. See <i>BASE II Clearing Data Codes</i> for Returned Item Reason Codes.                                                                                                                                                                                 |
| <b>Return Reason Code 5</b><br>Positions: 65–67<br>Length: 3<br>Format: alphanumeric         | <b>Description:</b> The fifth of five possible return reason codes from the CRS. See <i>BASE II Clearing Data Codes</i> for Returned Item Reason Codes.                                                                                                                                                                                  |
| <b>Reserved</b><br>Positions: 68–168<br>Length: 101<br>Format: alphanumeric                  | <b>Description:</b> This field is reserved for future use. EP will always space-fill.                                                                                                                                                                                                                                                    |

# Chapter 3

## TC 04 Reclassification Advice Transaction

---

### TC 04 - Reclassification Advice Transaction

The Reclassification Advice transaction (TC 04) consists of TCRs 0 through 7, TCR D, and E, which contain information from the original transaction. Additionally, a TCR-9 contains information identifying the original transaction as well as fields updated during the reclassification process.

TCR 0-7, 9, D, and E

CTF - Incoming Interchange

Clients who want to process the Reclassification Advice must use the Edit Package TCPASS run control option to cause TC 04 transactions to be written to the incoming Center Transaction File (CTF). Clients who do not want to receive the TC 04 transactions in the incoming CTF do not need to take any action.

Clients may choose to have original transactions returned by the BASE-II System for correction, rather than having them reclassified. To have transactions returned, clients must contact their regional representative.



## TC 04 - TCR 0-7, D, and E

These tables contain the Reclassification Advice (TC 04) record layout and edit criteria for TCR 0-7, D, and E.

### CTF - Incoming Interchange

#### Reclassification Advice Record Layout

| Position | Field Length | Format | Contents                              |
|----------|--------------|--------|---------------------------------------|
| 1-2      | 2            | UN     | Transaction Code                      |
| 3        | 1            | UN     | Transaction Code Qualifier            |
| 4        | 1            | UN     | Transaction Component Sequence Number |
| 5-168    | 164          | AN     | Contents of Reclassified TCR          |

Format: AN = Alphanumeric, ANS = Alphanumeric Special, DX = Display Hexadecimal, N = Numeric, UN = Unpacked Numeric

#### Reclassification Advice Edit Criteria

|                                                                                                       |                                                                                                                                                                                                          |
|-------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Transaction Code</b><br>Positions: 1-2<br>Length: 2<br>Format: unpacked numeric                    | <b>Description:</b> This field must contain <b>04</b> .                                                                                                                                                  |
| <b>Transaction Code Qualifier</b><br>Positions: 3<br>Length: 1<br>Format: unpacked numeric            | <b>Description:</b> This field must contain a <b>0</b> (zero).<br><br>This edit continues to be performed by the Edit Package when the Bypass Business Edits option is used during an outgoing edit run. |
| <b>Transaction Component Sequence Number</b><br>Positions: 4<br>Length: 1<br>Format: unpacked numeric | <b>Description:</b> This field must contain a number from <b>0</b> through <b>7 and D</b> .                                                                                                              |
| <b>Contents of Reclassified TCR</b><br>Positions: 5-168<br>Length: 164<br>Format: alphanumeric        | <b>Description:</b> This field contains data from the transaction being reclassified.                                                                                                                    |

## TC 04 - TCR 9

These tables contain the Reclassification Advice (TC 04) record layout and edit criteria for TCR 9.

### CTF - Incoming Interchange

#### Reclassification Advice Record Layout

| Position | Field Length | Format | Contents                                        |
|----------|--------------|--------|-------------------------------------------------|
| 1-2      | 2            | UN     | Transaction Code                                |
| 3        | 1            | UN     | Transaction Code Qualifier                      |
| 4        | 1            | UN     | Transaction Component Sequence Number           |
| 5-10     | 6            | UN     | Destination Identifier                          |
| 11-16    | 6            | UN     | Source Identifier                               |
| 17-18    | 2            | AN     | Original Transaction Code                       |
| 19       | 1            | AN     | Original Transaction Code Qualifier             |
| 20       | 1            | AN     | Original Transaction Component Sequence Number  |
| 21-25    | 5            | UN     | Source Batch Date (YYDDD)                       |
| 26-31    | 6            | UN     | Source Batch Number                             |
| 32-35    | 4            | UN     | Item Sequence Number                            |
| 36-38    | 3            | AN     | Product Reclassification Reason                 |
| 39-40    | 2            | AN     | Settled Product ID                              |
| 41       | 1            | AN     | Settled Spend Qualified Indicator               |
| 42       | 1            | AN     | Settled Account Funding Source                  |
| 43-68    | 26           | AN     | Reserved                                        |
| 69       | 1            | AN     | Settled Authorization Characteristics Indicator |
| 70       | 1            | AN     | Settled Requested Payment Service               |
| 71       | 1            | AN     | Settled Reimbursement Attribute                 |
| 72-87    | 16           | AN     | Derived IRF Descriptor                          |
| 88-103   | 16           | AN     | Settled IRF Descriptor                          |
| 104-106  | 3            | AN     | Payment Service Reclassification Reason         |
| 107-109  | 3            | AN     | Fee Reclassification Reason                     |
| 110-112  | 3            | AN     | Merchant Volume Reclassification Reason         |

### Reclassification Advice Record Layout

| Position | Field Length | Format | Contents                                          |
|----------|--------------|--------|---------------------------------------------------|
| 113-115  | 3            | AN     | Submitted Fee Program Indicator                   |
| 116-118  | 3            | AN     | Assessed Fee Program Indicator                    |
| 119-121  | 3            | AN     | Fee Program Indicator Reclassification Reason     |
| 122-124  | 3            | AN     | MOTO/ECI Reclassification Reason                  |
| 125-139  | 15           | UN     | Interchange Fee Amount                            |
| 140      | 1            | AN     | Interchange Fee Sign                              |
| 141-143  | 3            | AN     | Transaction Integrity Fee Reclassification Reason |
| 144-146  | 3            | AN     | Spend Qualified Indicator Reclassification Reason |
| 147-148  | 2            | AN     | EDQP Reclassification Reason                      |
| 149-150  | 2            | AN     | Account Funding Source Reclassification Reason    |
| 151-168  | 18           | AN     | Reserved                                          |

Format: AN = Alphanumeric, ANS = Alphanumeric Special, DX = Display Hexadecimal, N = Numeric, UN = Unpacked Numeric

### Reclassification Advice Edit Criteria

|                                                                                                       |                                                                                                                                                                                                     |
|-------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Transaction Code</b><br>Positions: 1-2<br>Length: 2<br>Format: unpacked numeric                    | <b>Description:</b> The field will contain <b>04</b> .                                                                                                                                              |
| <b>Transaction Code Qualifier</b><br>Positions: 3<br>Length: 1<br>Format: unpacked numeric            | <b>Description:</b> The field will contain a <b>0</b> (zero).<br>This edit continues to be performed by the Edit Package when the Bypass Business Edits option is used during an outgoing edit run. |
| <b>Transaction Component Sequence Number</b><br>Positions: 4<br>Length: 1<br>Format: unpacked numeric | <b>Description:</b> The field contains a <b>9</b> .                                                                                                                                                 |
| <b>Destination Identifier</b><br>Positions: 5-10<br>Length: 6<br>Format: unpacked numeric             | <b>Description:</b> The entity to which this transaction message is sent.<br>This field will contain a valid acquiring or issuing identifier.                                                       |

## Reclassification Advice Edit Criteria

|                                                                                                             |                                                                                                                                                                                                                                                                                                                                      |
|-------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Source Identifier</b><br>Positions: 11-16<br>Length: 6<br>Format: unpacked numeric                       | <b>Description:</b> The entity from which this transaction message is sent.<br>The field contains the source identifier of the VIC.                                                                                                                                                                                                  |
| <b>Original Transaction Code</b><br>Positions: 17-18<br>Length: 2<br>Format: alphanumeric                   | <b>Description:</b> The Transaction Code of the item being reclassified.                                                                                                                                                                                                                                                             |
| <b>Original Transaction Code Qualifier</b><br>Positions: 19<br>Length: 1<br>Format: alphanumeric            | <b>Description:</b> The Transaction Code Qualifier of the item being reclassified.                                                                                                                                                                                                                                                   |
| <b>Original Transaction Component Sequence Number</b><br>Positions: 20<br>Length: 1<br>Format: alphanumeric | <b>Description:</b> The Transaction Component Sequence Number of the item being reclassified.                                                                                                                                                                                                                                        |
| <b>Source Batch Date</b><br>Positions: 21-25<br>Length: 5<br>Format: unpacked numeric                       | <b>Description:</b> The date of the original batch that contained the item being reclassified.<br>The format is <b>YYDDD</b> (year and Julian day).                                                                                                                                                                                  |
| <b>Source Batch Number</b><br>Positions: 26-31<br>Length: 6<br>Format: unpacked numeric                     | <b>Description:</b> The number of the original batch that contained the item being reclassified.                                                                                                                                                                                                                                     |
| <b>Item Sequence Number</b><br>Positions: 32-35<br>Length: 4<br>Format: unpacked numeric                    | <b>Description:</b> Sequence number of the transaction being reclassified as it appears in the batch.                                                                                                                                                                                                                                |
| <b>Product Reclassification Reason</b><br>Positions: 36-38<br>Length: 3<br>Format: alphanumeric             | <b>Description:</b> The code identifying the reason the Product ID was changed. The codes are the same as the return item codes. See <i>BASE II Clearing Data Codes</i> for a listing of these codes. This field will contain zeros if the Product ID was not changed. This field is left-justified and filled with trailing blanks. |

### Reclassification Advice Edit Criteria

|                                                                                                              |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
|--------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Settled Product ID</b><br>Positions: 39-40<br>Length: 2<br>Format: alphanumeric                           | <b>Description:</b> Indicates the Product ID the transaction was settled with and cleared to the issuer. It may be assigned by the VIC. See <i>BASE II Clearing Data Codes</i> for Product ID values.                                                                                                                                                                                                                                                                                                                              |
| <b>Settled Spend Qualified Indicator</b><br>Positions: 41<br>Length: 1<br>Format: alphanumeric               | <b>Description:</b> Indicates the Spend Qualified Indicator the transaction was settled with and cleared to the issuer.<br><br>This field will contain: <ul style="list-style-type: none"> <li>• <b>B</b> (Base spend assessment threshold defined by Visa has been met.)</li> <li>• <b>Q</b> (Spend assessment threshold defined by Visa has been met.)</li> <li>• <b>N</b> (Spend assessment threshold defined by Visa has not been met.)</li> <li>• <b>Space</b> (Spend processing does not apply (Not Applicable).)</li> </ul> |
| <b>Settled Account Funding Source</b><br>Positions: 42<br>Length: 1<br>Format: alphanumeric                  | <b>Description:</b> This field indicates the Account Funding Source the transaction was settled with and cleared to the issuer.                                                                                                                                                                                                                                                                                                                                                                                                    |
| <b>Reserved</b><br>Positions: 43-68<br>Length: 26<br>Format: alphanumeric                                    | <b>Description:</b> This field is reserved for future use.                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
| <b>Settled Authorization Characteristics Indicator</b><br>Positions: 69<br>Length: 1<br>Format: alphanumeric | <b>Description:</b> Indicates the authorization characteristics (card present, card not present, etc.) the transaction was settled at and cleared to the issuer. It may be assigned by the VIC. See <i>BASE II Clearing Data Codes</i> for Authorization Characteristics Indicator values.                                                                                                                                                                                                                                         |
| <b>Settled Requested Payment Service</b><br>Positions: 70<br>Length: 1<br>Format: alphanumeric               | <b>Description:</b> Indicates the requested payment service (CPS/ATM, CPS/ Retail Service Station, not a payment service transaction, etc.) the transaction was settled at and cleared to the issuer. It may be assigned by the VIC. See <i>BASE II Clearing Data Codes</i> for Requested Payment Service values.                                                                                                                                                                                                                  |
| <b>Settled Reimbursement Attribute</b><br>Positions: 71<br>Length: 1<br>Format: alphanumeric                 | <b>Description:</b> Indicates the interchange reimbursement fees that the transaction was settled at and cleared to the issuer. It may be assigned by the VIC. See <i>BASE II Clearing Data Codes</i> for Reimbursement Attributes.                                                                                                                                                                                                                                                                                                |

### Reclassification Advice Edit Criteria

|                                                                                                                 |                                                                                                                                                                                                                                                                                                                                                                                                                      |
|-----------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Derived IRF Descriptor</b><br>Positions: 72-87<br>Length: 16<br>Format: alphanumeric                         | <b>Description:</b> The descriptor for the Interchange Reimbursement Fee (IRF) that was derived from the fields that were submitted in the transaction.                                                                                                                                                                                                                                                              |
| <b>Settled IRF Descriptor</b><br>Positions: 88-103<br>Length: 16<br>Format: alphanumeric                        | <b>Description:</b> The descriptor for the IRF at which the transaction was settled.                                                                                                                                                                                                                                                                                                                                 |
| <b>Payment Service Reclassification Reason</b><br>Positions: 104-106<br>Length: 3<br>Format: alphanumeric       | <b>Description:</b> The code identifying the reason the payment service was changed. The codes are the same as the return item codes. See <i>BASE II Clearing Data Codes</i> for a listing of these codes. If there was no payment service change, the field will contain zeros. This field is left-justified and space-filled.                                                                                      |
| <b>Fee Reclassification Reason</b><br>Positions: 107-109<br>Length: 3<br>Format: alphanumeric                   | <b>Description:</b> The code identifying the reason the fee was changed. The codes are the same as the return item codes. See <i>BASE II Clearing Data Codes</i> for a listing of these codes. This field will contain zeros if the fee was not changed. This field is left-justified and zero-filled.                                                                                                               |
| <b>Merchant Volume Reclassification Reason</b><br>Positions: 110-112<br>Length: 3<br>Format: alphanumeric       | <b>Description:</b> The code identifying the reason the merchant volume indicator was changed. This field will contain zeros if the indicator was not changed. This field is left-justified and zero-filled.                                                                                                                                                                                                         |
| <b>Submitted Fee Program Indicator</b><br>Positions: 113-115<br>Length: 3<br>Format: alphanumeric               | <b>Description:</b> Indicates the requested Fee Program (Standard-Credit, Electron Card, Business Card Electronic, etc.) if it was present in the transaction. See <i>BASE II Clearing Data Codes</i> for a listing of these indicators. If no indicator was submitted, the field will contain zeros. This field is left-justified and space-filled.                                                                 |
| <b>Assessed Fee Program Indicator</b><br>Positions: 116-118<br>Length: 3<br>Format: alphanumeric                | <b>Description:</b> Indicates the assessed the Fee Program (Standard-Credit, Electron Card, Business Card Electronic, etc.) for which the transaction qualified if the Fee Program Indicator was submitted in the transaction. See <i>BASE II Clearing Data Codes</i> for a listing of these indicators. If no indicator was submitted, the field will contain zeros. This field is left-justified and space-filled. |
| <b>Fee Program Indicator Reclassification Reason</b><br>Positions: 119-121<br>Length: 3<br>Format: alphanumeric | <b>Description:</b> Code identifying the reason the Fee Program Indicator was changed. See <i>BASE II Clearing Data Codes</i> for a listing of these indicators. This field is left justified and contains zeros if the indicator was not changed..                                                                                                                                                                  |

### Reclassification Advice Edit Criteria

|                                                                                                                     |                                                                                                                                                                                                                                                                                                                                                                                                                         |
|---------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>MOTO/ECI Reclassification Reason</b><br>Positions: 122-124<br>Length: 3<br>Format: alphanumeric                  | <b>Description:</b> This field contains the Reclassification Reason code <b>29</b> to indicate that the MOTO or ECI value was invalid and changed to <b>7</b> .                                                                                                                                                                                                                                                         |
| <b>Interchange Fee Amount</b><br>Positions: 125-139<br>Length: 15<br>Format: unpacked numeric                       | <b>Description:</b> This field specifies the interchange or client-to-client fee amount (in the settlement currency of the client) calculated by Visa for this transaction. The field is right-justified, with six decimals implied.                                                                                                                                                                                    |
| <b>Interchange Fee Sign</b><br>Positions: 140<br>Length: 1<br>Format: alphanumeric                                  | <b>Description:</b> This field indicates if the interchange or client-to-client fee amount is a credit or a debit for the receiving client.<br>Values:<br><b>C</b> = Credit<br><b>D</b> = Debit<br>The field must contain spaces. The VIC will insert the valid value.                                                                                                                                                  |
| <b>Transaction Integrity Fee Reclassification Reason</b><br>Positions: 141-143<br>Length: 3<br>Format: alphanumeric | <b>Description:</b> <b>Zero</b> or a reclassification reason code.                                                                                                                                                                                                                                                                                                                                                      |
| <b>Spend Qualified Indicator Reclassification Reason</b><br>Positions: 144-146<br>Length: 3<br>Format: alphanumeric | <b>Description:</b> The code identifying the reclassification reason when the Spend Qualified Indicator (SQI) submitted by the acquirer does not match the SQI used to process the transaction.<br>See <i>BASE II Clearing Data Codes</i> for the listing of these codes. This field will contain <b>zeros</b> if the SQI reclassification did not occur. This field is left-justified and filled with trailing blanks. |
| <b>EDQP Reclassification Reason</b><br>Positions: 147-148<br>Length: 2<br>Format: alphanumeric                      | <b>Description:</b> The code identifying the reason the EDQP transaction was reclassified. The codes are the same as the return item codes. See the <i>BASE II Clearing Data Codes</i> for a listing of these codes. If there was no EDQP reclassification, this field will contain spaces. This field is left-justified and space-filled.                                                                              |

### Reclassification Advice Edit Criteria

|                                                                                                                  |                                                                                                                                                                                                                                                                                            |
|------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Account Funding Source Reclassification Reason</b><br>Positions: 149-150<br>Length: 2<br>Format: alphanumeric | <b>Description:</b> The code identifying the reason the Account Funding Source was changed. See the <i>BASE II Clearing Data Codes</i> for a listing of these codes. This field will contain spaces if the Account Funding was not changed. This field is left-justified and space-filled. |
| <b>Reserved</b><br>Positions: 151-168<br>Length: 18<br>Format: alphanumeric                                      | <b>Description:</b> This field is reserved for future use. EP will always space-fill.                                                                                                                                                                                                      |



# Chapter 4

## TC 05 Draft Data Transactions

---

### BASE II Sales Drafts TCR Delivery

For Sales Drafts, there are situations where BASE II either adds or drops a TCR, based on the service that is being used within a transaction.

**Note:**

A Sales Draft is defined as a transaction with one of these Transaction Codes: **05, 06, 07, 15, 16, 17, 25, 26, 27, 35, 36, or 37.**

## BASE II Undelivered TCRs

There are certain conditions where TCRs are not delivered to recipients.

- The TCR 3 is not delivered:
  - If Business Format Code = Original Credit (**CR**) **and** Transaction Code = **07, 17, 27**, or **37**.
  - If Business Format Code = Airline, Passenger Itinerary (**AI**) **and** Transaction Code = **07, 17, 27**, or **37**.
  - If Business Format Code = Airline, Ancillary Data (**AN**) **and** Transaction Code = **07, 17, 27**, or **37**.
  - If Business Format Code = Lodging (**LG**) **and** Transaction Code = **07, 17, 27**, or **37**.
  - If Business Format Code = Car Rental (**CA**) **and** Transaction Code = **07, 17, 27**, or **37**.
  - If Business Format Code = Fleet (**FL**) or EMV Fleet (FT) **and** Transaction Code = **07, 17, 27**, or **37**.
- The TCR 4 is not delivered if Business Format Code is **not** Promotion Data (**PD**) or SMS Data (**SD**) or SMS and Promotion Data (**SP**) or Dispute Financial Data (**DF**).
- The TCR 5 (Payment Service Data) is not delivered:
  - If Optional Issuer ISA Amount is present **and** Transaction Identifier = **zero** **and** Payment Service data is not included.
  - If CVV2 Result Code is present **and** Payment Service data is not included **or** Optional Issuer ISA Amount is present.
  - If Payment Service data is not included **and** MCC not = **6011** (ATM) **and** Transaction Identifier = **zero**.

## BASE II Draft Data Transactions

Draft data transactions are the most frequently used type of transaction in BASE II processing.

TCR 0, 1, 2, 3, 4, 5, 6, 7

CTF – Outgoing and Incoming Interchange

They are organized into four categories:

- Draft data transactions:
  - **Sales Draft (TC 05)**—Original purchase or dispute response financial
  - **Credit Voucher (TC 06)**—Original credit voucher or dispute response financial or original credit or account funding.
  - **Cash Disbursement (TC 07)**—Original cash disbursement/withdrawal or dispute response financial
- Dispute Financial:
  - **Dispute Financial, Sales Draft (TC 15)**—Purchase transaction dispute financial
  - **Dispute Financial, Credit Voucher (TC 16)**—Credit voucher transaction dispute financial or original credit dispute financial
  - **Dispute Financial, Cash Disbursement (TC 17)**—Cash disbursement/withdrawal transaction dispute financial
- Reversals:
  - **Reversal, Sales Draft (TC 25)**—Reversal of an original purchase or dispute response financial transaction
  - **Reversal, Credit Voucher (TC 26)**—Reversal of an original credit voucher/original credit transaction or dispute response financial transaction.
  - **Reversal, Cash Disbursement (TC 27)**—Reversal of an original cash disbursement/withdrawal transaction or a dispute response financial transaction.
- Dispute Financial Reversal:
  - **Dispute Financial Reversal of Sales Draft (TC 35)**—Reversal of a duplicate sales draft dispute financial
  - **Dispute Financial Reversal of Credit Voucher (TC 36)**—Reversal of a duplicate credit voucher dispute financial; or Reversal of a duplicate original credit dispute financial.
  - **Dispute Financial Reversal of Cash Disbursement (TC 37)**—Reversal of a cash disbursement/withdrawal or dispute financial

## BASE II TCR Formats

TCR 0 is required as the first record in all transactions.

TCR 1 is required for all transactions involving:

- Incentive programs:
  - Custom Payment Service/PSIRF
  - U.S. EIRF
  - EPS original sales drafts (U.S. only)
- ATM transactions
- Other transactions requiring additional data in the TCR 1, for example, Direct Marketing transactions.

TCR 2 is used for National Settlement data in some countries.

TCR 3 is used for industry-specific data for passenger transport, lodging, and car rental merchants:

- In the U.S., TCR 3 is required for passenger transport transactions in EIRF and Custom Payment Service (CPS) programs.
- For intraregional EU and domestic EU transactions, TCR 3 is required in order to qualify for the EU Airline Interchange Reimbursement Fee (IRF).

Clients can send and receive TCR 4 supplemental financial and promotion data. TCR 4 is used by all VROL Dispute Financials, Dispute Financial Reversals, Dispute Response Financials, and Dispute Response Financial Reversals to provide data associated with VROL dispute processing. It is optional for all other transactions.

TCR 5 is used globally for the transmission of the transaction identifier (TID) as well as providing Payment Service Data for other select Visa services.

TCR 6 is used for limited-use data. Currently, it is used in conjunction with commercial card transactions to provide additional information.

TCR 7 is used by VSDC participants to provide audit trail data for full data VSDC transactions.

TCR D Recurring Payments

- TCR D is required for India issued recurring payment transactions.

## TC 05 - TCR 0

These tables contain the Draft Data (TC 05, 06, 07, 15, 16, 17, 25, 26, 27, 35, 36, 37) record layout and edit criteria for TCR 0.

### CTF - Outgoing and Incoming Interchange

### Draft Data Record Layout

| Position | Field Length | Format | Contents                                |
|----------|--------------|--------|-----------------------------------------|
| 1-2      | 2            | UN     | Transaction Code                        |
| 3        | 1            | UN     | Transaction Code Qualifier              |
| 4        | 1            | UN     | Transaction Component Sequence Number   |
| 5-20     | 16           | UN     | Account Number                          |
| 21-23    | 3            | UN     | Account Number Extension                |
| 24       | 1            | AN     | Floor Limit Indicator                   |
| 25       | 1            | AN     | CRB/Exception File Indicator            |
| 26       | 1            | AN     | Reserved                                |
| 27-49    | 23           | UN     | Acquirer Reference Number               |
| 50-57    | 8            | UN     | Acquirer's Business ID                  |
| 58-61    | 4            | UN     | Purchase Date (MMDD)                    |
| 62-73    | 12           | UN     | Destination Amount                      |
| 74-76    | 3            | AN     | Destination Currency Code               |
| 77-88    | 12           | UN     | Source Amount                           |
| 89-91    | 3            | AN     | Source Currency Code                    |
| 92-116   | 25           | AN     | Merchant Name                           |
| 117-129  | 13           | AN     | Merchant City                           |
| 130-132  | 3            | AN     | Merchant Country Code                   |
| 133-136  | 4            | UN     | Merchant Category Code                  |
| 137-141  | 5            | UN     | Merchant ZIP Code                       |
| 142-144  | 3            | AN     | Merchant State/Province Code            |
| 145      | 1            | AN     | Requested Payment Service               |
| 146      | 1            | AN     | Number of Payment Forms                 |
| 147      | 1            | UN     | Usage Code                              |
| 148-149  | 2            | UN     | Reason Code                             |
| 150      | 1            | UN     | Settlement Flag                         |
| 151      | 1            | AN     | Authorization Characteristics Indicator |
| 152-157  | 6            | AN     | Authorization Code                      |
| 158      | 1            | AN     | POS Terminal Capability                 |

### Draft Data Record Layout

| Position | Field Length | Format | Contents                       |
|----------|--------------|--------|--------------------------------|
| 159      | 1            | AN     | Reserved                       |
| 160      | 1            | AN     | Cardholder ID Method           |
| 161      | 1            | AN     | Collection-Only Flag           |
| 162-163  | 2            | AN     | POS Entry Mode                 |
| 164-167  | 4            | UN     | Central Processing Date (YDDD) |
| 168      | 1            | AN     | Reimbursement Attribute        |

Format: AN = Alphanumeric, ANS = Alphanumeric Special, DX = Display Hexadecimal, N = Numeric, UN = Unpacked Numeric

### Draft Data Edit Criteria

|                                                                                            |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
|--------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Transaction Code</b><br>Positions: 1-2<br>Length: 2<br>Format: unpacked numeric         | <b>Description:</b> The field must contain the appropriate transaction code.<br><b>05</b> = Sales draft or dispute response financial<br><b>06</b> = Credit voucher or dispute response financial<br><b>07</b> = Cash disbursement or dispute response financial<br><b>15</b> = Sales draft dispute financial<br><b>16</b> = Credit voucher dispute financial<br><b>17</b> = Cash disbursement dispute financial<br><b>25</b> = Sales draft reversal<br><b>26</b> = Credit voucher reversal<br><b>27</b> = Cash disbursement reversal<br><b>35</b> = Sales draft dispute financial reversal<br><b>36</b> = Credit voucher dispute financial reversal<br><b>37</b> = Cash disbursement dispute financial reversal<br>Dispute response financial transactions must have the original transaction code. |
| <b>Transaction Code Qualifier</b><br>Positions: 3<br>Length: 1<br>Format: unpacked numeric | <b>Description:</b> This field must contain one of these values:<br><b>0</b> = Default<br><b>1</b> = Account Funding<br><b>2</b> = Original Credit<br>This edit will continue to be performed by the Edit Package when the Bypass Business Edits option is used during an outgoing edit run.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |

## Draft Data Edit Criteria

|                                                                                                           |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
|-----------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Transaction Component Sequence Number</b><br><br>Positions: 4<br>Length: 1<br>Format: unpacked numeric | <b>Description:</b> The field must contain a <b>0</b> (zero).                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
| <b>Account Number</b><br><br>Positions: 5–20<br>Length: 16<br>Format: unpacked numeric                    | <p><b>Description:</b> An issuer-assigned number that identifies a cardholder's account. The entry must be a 16-digit numeric. The first nine characters must be numeric. This field must contain a valid number from the BASE II ARDEF. The entire number must belong to an issuing identifier and pass the modulus-10 check digit algorithm as specified by the check-digit indicator in the ARDEF Table. The check-digit must be in the final position according to the account number length in the ARDEF entry. The field must be zero-filled to the right of an account number less than 16 digits in length.</p> <p><b>Edit Package Edit:</b> For Plus International System account numbers (issuing identifier 400087) and other accounts where the ARDEF Account Restricted Use is A (ATM only), this must be an ATM transaction (TC 07 or 27) and Merchant Category Code <b>6011</b>.</p> <p><b>VIC Edit:</b> The Account Number must be the same as in the Authorization Response (V.I.P. Field 2 converted to unpacked numeric) in the following transactions:</p> <ul style="list-style-type: none"> <li>• Custom payment service original purchase transactions and their reversals</li> <li>• CPS/ATM original ATM cash disbursement transactions and their reversals</li> </ul> <p><b>VIC Edit:</b> If multiple authorizations and/or an authorization reversal were submitted, this field must contain the Account Number from the first authorization response.</p> <p><b>For all reversals, disputes, dispute responses and their reversals</b><br/>This field must contain the same account number as the original transaction.</p> <p>Acquirer Note: This field may contain the Token for x5, x6, TCQ 0 transactions.</p> |
| <b>Account Number Extension</b><br><br>Positions: 21–23<br>Length: 3<br>Format: unpacked numeric          | <p><b>Description:</b> A three-digit extension of the account number that allows account numbers up to 19 digits. If the account number exceeds 16 digits, the extension field entry must be numeric, left-justified, and any remaining positions zero-filled.</p> <p><b>Outgoing:</b> The Edit Package inserts zeros in the field if the Account Number is 16 digits or less (per the ARDEF Table).</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |

## Draft Data Edit Criteria

|                                                                                                |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
|------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Floor Limit Indicator</b><br>Positions: 24<br>Length: 1<br>Format: alphanumeric             | <b>Description:</b> Indicates if the transaction was above or below the merchant's floor limit for the date of the purchase.<br><br>When the transaction is validated at the VIC, the VIC inserts the appropriate code in this field.<br><br>Values:<br><b>Space</b> = Floor limit validation not performed<br><b>I</b> = Insufficient information to determine floor limit<br><b>Z</b> = Zero floor limit<br><b>A</b> = Above floor limit by more than 20%<br><b>B</b> = Below floor limit by more than 20%<br><b>C</b> = Above floor limit by 20% or less<br><b>D</b> = Below floor limit by 20% or less, or at the floor limit<br><br>This edit applies to all presentments except credit vouchers.                                                                                                                                                                                         |
| <b>CRB/Exception File Indicator</b><br>Positions: 25<br>Length: 1<br>Format: alphanumeric      | <b>Description:</b> Indicates that the account number on the card used in the transaction was listed in the Card Recovery Bulletin (for international transactions) or Account Screen Authorization File (ASAF) (for U.S. transactions) for the merchant's region on the date of the transaction. CRS evaluates the following transaction elements to determine the account status on the Visa card pickup bulletin: <ul style="list-style-type: none"><li>• Account number</li><li>• Mail/telephone indicator</li><li>• Merchant location</li><li>• Transaction date</li><li>• Authorization code</li><li>• Floor limit indicator</li></ul> The field applies to original sales drafts, cash disbursements. See <i>BASE II Clearing Data Codes</i> manual for a listing of valid codes.<br><b>VIC Edit:</b> The VIC returns original sales drafts if the Indicator has been set to <b>Y</b> . |
| <b>Reserved</b><br>Positions: 26<br>Length: 1<br>Format: alphanumeric                          | <b>Description:</b> This field is reserved for future use. EP will always space-fill.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
| <b>Acquirer Reference Number</b><br>Positions: 27–49<br>Length: 23<br>Format: unpacked numeric | <b>Description:</b> A 23-digit identification number assigned by the acquirer and included in a Clearing Record.<br><br>The ARN should be unique although duplicate ARNs will not be rejected.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |



## Draft Data Edit Criteria

|                                                                                                                                                 |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
|-------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Format Code</b><br>Positions: 27<br>Length: 1<br>Format: unpacked numeric                                                                    | <b>Description:</b> Code used to ensure a valid Visa Reference Number (see above).<br>Purchase and credit voucher transactions, including dispute and dispute response financials: May contain a <b>2</b> or <b>7</b> .<br>Cash disbursement transactions, including dispute and dispute response financials: Must contain a <b>7</b> .<br><b>National—CPS Participating Countries:</b><br>Original purchase/reversal transactions: Must contain a <b>2</b> .                                                                        |
| <b>Acquiring Identifier</b><br>Positions: 28–33<br>Length: 6<br>Format: unpacked numeric                                                        | <b>Description:</b> Acquiring Identifier, a numeric used to identify an acquiring financial institution<br>The entry must be a valid acquiring identifier per the current VID Table. May be an issuing identifier for cash disbursements.                                                                                                                                                                                                                                                                                            |
| <b>Date</b><br>Positions: 34–37<br>Length: 4<br>Format: unpacked numeric                                                                        | <b>Description:</b> A four-digit numeric in the format <b>YDDD</b> (year and Julian day).<br>The date should be either the data capture date or the pre-edit program run date.                                                                                                                                                                                                                                                                                                                                                       |
| <b>Film Locator</b><br>Positions: 38–48<br>Length: 11<br>Format: unpacked numeric                                                               | <b>Description:</b> A number used to identify film records of the transaction.<br><i>Original Draft Transactions:</i><br>(TC 05, 06, and 07; Usage Code = <b>1</b> ) must not be zeros.                                                                                                                                                                                                                                                                                                                                              |
| <b>Check Digit</b><br>Positions: 49<br>Length: 1<br>Format: unpacked numeric                                                                    | <b>Description:</b> Digit used to validate the Acquirer Reference Number. The entry must be a valid standard modulus-10 check digit of the preceding 22 digits (positions 27–48).                                                                                                                                                                                                                                                                                                                                                    |
| <b>Dispute Response Financials, Dispute Financials, Reversals, Dispute Financials Reversals</b><br>Positions: n/a<br>Length: n/a<br>Format: n/a | <b>Description:</b> The field must be the same as in the original transaction unless a correction is required for resolution of a dispute response financial or dispute financial.                                                                                                                                                                                                                                                                                                                                                   |
| <b>Acquirer's Business ID</b><br>Positions: 50–57<br>Length: 8<br>Format: unpacked numeric                                                      | <b>Description:</b> Contains the Visa-assigned business ID of the acquirer that signed the merchant for processing purchase or mail/phone order transactions. In this case, the acquirer is referred to as the Merchant Sponsor. The entry must be numeric.<br>U.S. acquirers must provide this field on all original presentments.<br>For dispute financials, dispute response financial, retrieval requests, and fraud advices, U.S. issuers must retain and return the Acquirer's Business ID if it was provided by the acquirer. |

## Draft Data Edit Criteria

|                                                                                   |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
|-----------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Purchase Date</b><br>Positions: 58–61<br>Length: 4<br>Format: unpacked numeric | <p><b>Description:</b> Date the purchase transaction was made. For dispute response financial, the field must be the same as in the original transaction.</p> <p>The entry must be a four-digit numeric (which may be zeros) in the format <b>MMDD</b> (month and day). Four zeros (<b>0000</b>) must be used only if the date is unavailable or illegible. (See <i>Visa Core Rules and Visa Product and Service Rules</i>.)</p> <p>For originals only, the entry may not be greater than the Edit Package run date. The entry may not be older than 11 months from the Edit Package run date. For example, if the run date is May 1, the Purchase Date can be no older than June 2 of the previous year. The Purchase Date must not be zeros for CPS original purchase transactions and their reversals, or for Pre-PS2000 original purchase transactions and their reversals.</p> <p><b>CPS/Retail (including key-entered), CPS/Restaurant, CPS/Passenger Transport, CPS/Automated Fuel Dispenser, and CPS/ATM:</b> The Purchase Date must be within one calendar day of the authorization date on original purchase transactions and their reversals or original ATM cash disbursement transactions and their reversals.</p> <p><b>CPS/Card Not Present, CPS/Direct Marketing:</b> The Purchase Date must be within one calendar day before the authorization date and seven calendar days after the authorization date on original purchase transactions and their reversals. ATM originals must not contain zeros in this field.</p> <p><b>VIC Edit:</b> For original purchase transactions to qualify for the International Pre-PS2000 or CEMEA Electronic IRF, the Purchase Date must not be more than three days before the BASE II Central Processing Date excluding the transaction date, the central processing date, and Sundays.</p> <p><b>VIC Edit, CPS/ATM:</b> To qualify for Tier II, the Purchase Date on original ATM cash disbursement transactions must not be more than three calendar days before the BASE II Central Processing Date, excluding the transaction date, central processing date, and Sundays.</p> <p><b>National—Mexico National Net Settlement:</b> Original purchases and their reversals must not contain zeros in this field.</p> <p><b>VIC Edit, National—Brazil:</b> For original purchase transactions to qualify for PSIRF for CPS/Retail, CPS/Restaurant, and CPS/Direct Marketing, the Purchase Date must not be more than two business days before the BASE II Central Processing Date, excluding the transaction date, the Central Processing Date, Sundays, and official public holidays within the participating countries.</p> <p><b>VIC Edit, National—Mexico National Net Settlement:</b> For original purchase transactions to qualify for the electronic rate, the Purchase Date must not be more than two business days before the BASE II Central Processing Date, excluding the transaction date, the central processing date, Sundays, and Mexican holidays.</p> |
|-----------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|

## Draft Data Edit Criteria

|                                                                                                                  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
|------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <p><b>Purchase Date (continued)</b></p> <p>Positions: 58–61</p> <p>Length: 4</p> <p>Format: unpacked numeric</p> | <p><b>VIC Edit, National-UK:</b> In order to qualify for the domestic Airline IRF, for U.K. domestic airline transactions, the central processing date (CPD) of the airline transaction must be no more than 10 days from the transaction date, excluding the purchase date, CPD, Sundays, and U.K. holidays.</p> <p><b>VIC Edit, Intraregional EU and Domestic EU:</b></p> <ul style="list-style-type: none"> <li>• In order to qualify for the EU Airline IRF, for intraregional airline transactions, the central processing date (CPD) of the airline transaction must be no more than 15 days from the transaction date, excluding the purchase date, CPD, and Sundays.</li> <li>• For original purchase transactions to qualify for Electronic Authorized (EA), Electronic Data Capture (EDC) or Electronic Commerce. The transaction must clear within three days, excluding purchase date, CPD, and Sundays.</li> </ul> <p><b>VIC Edit, National—U.S.:</b> The following edits exclude the transaction date, the central processing date, Sundays, and U.S. holidays.</p> <ul style="list-style-type: none"> <li>• For EIRF original sales drafts, the purchase date must not be more than three business days before the BASE II Central Processing Date.</li> </ul> <p>The following edits exclude Sundays and holidays.</p> <ul style="list-style-type: none"> <li>• For EPS original sales drafts, the Purchase Date must not be more than three days before the acquirer's Edit Package processing date, excluding the transaction date. If the third day is a Saturday, the last qualifying processing day is Sunday.</li> </ul> <p>The following edits exclude the transaction date, the central processing date, Sundays, and U.S. holidays.</p> <ul style="list-style-type: none"> <li>• For original purchase transactions to qualify for Supermarket IRF or the PSIRF for CPS/Retail, CPS/Hotel (Card Present), CPS/Hotel (Card Not Present), CPS/Car Rental (Card Present), CPS/Car Rental (Card Not Present), CPS/Automated Fuel Dispenser, and CPS/Card Not Present, the Purchase Date must not be more than two business days before the BASE II Central Processing Date.</li> </ul> <p>The following edit excludes the transaction date, the central processing date, Sundays, and Airline Reporting Corporation (ARC) holidays.</p> <ul style="list-style-type: none"> <li>• For original purchase transactions to qualify for the CPS/Passenger Transport PSIRF, the Purchase Date must not be more than eight business days before the BASE II Central Processing Date.</li> </ul> <p><b>Dispute Response Financials, Dispute Financials, Reversals, Dispute Financial Reversals:</b> The entry must be all zeros or a four-digit numeric in the format <b>MMDD</b> (month and day).</p> |
|------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|

### Draft Data Edit Criteria

|                                                                                           |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
|-------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Destination Amount</b><br>Positions: 62–73<br>Length: 12<br>Format: unpacked numeric   | <p><b>Description:</b> Identifies the submitted transaction amount in the currency that is appropriate to the destination endpoint. For most transactions (drafts), it is the billing amount. For other transactions (e.g., fee collections, dispute financials), it is the settlement amount of the destination.</p> <p><b>Outgoing:</b> The field must contain zeros. The VIC converts the Source Amount to the Destination Amount. Two decimals are implied.</p> <p><b>Incoming:</b> The field will contain a numeric value greater than zero. For presentments and reversals, the field will contain the Billing Amount in the issuer's billing currency. For National Settlement, it contains the same value as the Source Amount.</p> <p><b>Dispute Financials Incoming:</b> The field will contain a numeric value greater than zero. The field will contain the Source Amount converted, if necessary, to the acquirer's settlement currency. For National Settlement, it will contain the same value as the Source Amount.</p> |
| <b>Destination Currency Code</b><br>Positions: 74–76<br>Length: 3<br>Format: alphanumeric | <p><b>Description:</b> The currency type presented to the client on incoming transactions. For most transactions (that is, drafts), it is the billing currency. For other transactions (for example, fee collection, dispute financials), it is the settlement currency of the destination.</p> <p><b>Outgoing:</b> The field must contain spaces. The VIC inserts the Destination Currency Code. <b>Incoming:</b> The field will contain the ISO numeric code for the destination amount. For presentments, the field will contain the issuer's Billing Currency Code. For National Settlements, it will contain the same value as the Source Currency Code.</p> <p><b>Dispute Financials Incoming:</b> The field will contain the acquirer's center Settlement Currency Code. For National Settlement, it will contain the same value as the Source Currency Code.</p>                                                                                                                                                                |

## Draft Data Edit Criteria

|                                                                                      |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
|--------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Source Amount</b><br>Positions: 77–88<br>Length: 12<br>Format: unpacked numeric   | <p><b>Description:</b> The purchase value in transaction currency; two decimal places are implied. The entry must be a numeric greater than zero.</p> <p><b>VIC Edit:</b> The value of client-originated financial transactions must be greater than or equal to U.S.\$0.005.</p> <p>If the Source Currency Code is an ISO currency defined with zero minor units (for example, 392 Japanese Yen), the Source Amount must contain zeros in the last two positions; otherwise, the draft data transaction will be returned with an Invalid Source Amount message.</p> <p><b>VIC Edit, National—U.S.:</b> For U.S. domestic Purchasing large-ticket card and Corporate large-ticket card transactions, the value must be less than or equal to U.S. \$10,000,000.00.</p> <p><b>Dispute Financials, Dispute Financial Reversals</b> For dispute financials and dispute financial reversals (unless it is a National Interchange transaction), this field must be in the billing currency presented to the issuer by BASE II. The minimum dispute financial amount applies to Dispute Reason Codes. Refer to <i>BASE II Clearing Data Codes</i> manual for the Dispute Reason Codes.</p> <p>If the Source Currency is U.S. Dollars, the Edit Package rejects the transaction if the Source Amount is less than the minimum amount valid for the dispute reason code. If the Source Currency is in any other currency, the VIC converts the Source Amount to U.S. Dollars and returns the transaction if the converted amount is less than the minimum amount for the dispute reason code.</p> |
| <b>Source Currency Code</b><br>Positions: 89–91<br>Length: 3<br>Format: alphanumeric | <p><b>Description:</b> Currency code used in the transaction.</p> <p><b>Outgoing:</b> The field must contain spaces or a valid currency ISO numeric code. If the field contains spaces, the Edit Package inserts the Currency Code associated with the Merchant Country Code. If the Settlement Flag is <b>6, 7</b> (valid only for Latin America and Caribbean, not valid for original presentments after June 1, 1996), or <b>8</b> (National Interchange), the Source Currency Code must equal that of the merchant's local currency, except for national settlement services that involve multiple currencies. The Source Currency Code must be the same as the currency code in the draft transaction, or in the case of an ATM transaction, the same as the currency dispensed. This edit will continue to be performed by the Edit Package when the Bypass Business Edits option is used during an outgoing edit run.</p> <p><b>Dispute Financials</b> The field must contain a valid issuer's billing currency code.</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |

## Draft Data Edit Criteria

|                                                                                  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
|----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Merchant Name</b><br>Positions: 92–116<br>Length: 25<br>Format: alphanumeric  | <p><b>Description:</b> Name of the merchant in the original transaction. The first position in this field cannot be a space.</p> <p><b>VIC Edit:</b> Entries must not exceed 25 characters. For entries less than 25, space-fill after the last character. Refer to the <i>Visa Core Rules and Visa Product and Service Rules</i> for any special requirements regarding the use of the Merchant Name field.</p> <p><b>Note:</b> Some airline fee programs may require the original ticket number (ticket identifier) or the ancillary service description in positions 13 through 25 of the merchant name.</p> <p><b>Note:</b> VisaPhone transactions (MCC 4815) must be in the following format:</p> <p><b>Dispute Response Financials</b><br/>The field must be the same as in the original transaction unless a correction is required to resolve a dispute financial.</p> <p><b>Dispute Financials, Reversals</b><br/>The entry must be the same as in the original transaction.</p>                                                                                                                                                                                                                                   |
| <b>Merchant City</b><br>Positions: 117–129<br>Length: 13<br>Format: alphanumeric | <p><b>Description:</b> Merchant city, telephone number, email address, or URL (see specifics below). The first position in this field cannot be a space. The field must be space-filled to the right.</p> <ul style="list-style-type: none"><li>• <b>National—U.S.:</b> The telephone number must be left-justified and contain three numeric values followed by a hyphen and at least seven more nonblank characters. To qualify for the CPS/Card Not Present PSIRF, this field must contain a merchant's customer service telephone number. Or, if the MOTO/ECI value is <b>2, 5, 6, or 7</b>, this field must contain a URL or an email address. If the MCC is <b>4816</b>, this field must contain a URL or an email address and the MOTO/ECI can be any value except <b>8</b> or <b>9</b>.</li><li>• <b>National—Brazil:</b> The telephone number must be left-justified and contain a numeric value in the first position.</li></ul> <p><b>Dispute Response Financials</b> The field must be the same as in the original transaction unless a correction is required to resolve a dispute financial issue.</p> <p><b>Dispute Financials, Reversals</b> The field must be the same as in the original transaction.</p> |

## Draft Data Edit Criteria

|                                                                                         |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
|-----------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Merchant Country Code</b><br>Positions: 130–132<br>Length: 3<br>Format: alphanumeric | <p><b>Description:</b> Code indicating country where the Visa transaction occurred, regardless of the location of entry to the system. The field is critical for the proper processing of all transactions. It is one of the criteria for definition of an international transaction, which affects editing of other fields, reimbursement fee calculations, and BASE II processing charges.</p> <p>The entry must be a valid BASE II code. The first two characters must be the country code; the third character must be a space. See <i>BASE II Clearing Data Codes</i> for the valid Country Codes.</p> <p>This edit will continue to be performed by the Edit Package when the Bypass Business Edits option is used during an outgoing edit run.</p> <p><b>Dispute Response Financials, Dispute Financials, Reversals</b> This field must contain the Merchant Country Code from the original presentment unless a new code has been assigned for that country or a correction is required to resolve a dispute financial issue.</p> |
|-----------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|

## Draft Data Edit Criteria

|                                                                                                                 |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
|-----------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <p><b>Merchant Category Code</b></p> <p>Positions: 133–136</p> <p>Length: 4</p> <p>Format: unpacked numeric</p> | <p><b>Description:</b> Indicates merchant's type of business product or service. The field must contain a valid four-digit numeric Merchant Category Code (MCC). For Reimbursement Attribute <b>1, 2, G, or H</b>, the entry must be <b>6011</b>.</p> <p><b>National—U.S.:</b></p> <ul style="list-style-type: none"> <li>• MCCs <b>5962, 5966</b>, and <b>5967</b> cannot be submitted with Reimbursement Attribute <b>A, D</b> or <b>J</b>.</li> <li>• MCCs <b>5962</b> or <b>5964 – 5969</b> cannot be submitted with a Requested Payment Service (RPS) of <b>A</b>, an Authorization Characteristic Indicator (ACI) of <b>A</b> or <b>E</b>, and a POS Entry Mode of <b>01</b> or <b>10</b>.</li> <li>• Only MCC <b>5411</b> is valid on Supermarket transactions (Reimbursement Attribute <b>4</b>).</li> </ul> <p><b>VIC Edits:</b></p> <ul style="list-style-type: none"> <li>• MCC <b>6010</b> and <b>6011</b> are invalid for original sales drafts and credit vouchers and their reversals.</li> <li>• For custom payment service original purchase transactions and their reversals and Electronic Data Quality Program transactions, this field must have the same contents as in the Authorization Request (V.I.P. Field 18 converted to unpacked numeric). If multiple authorizations and/or an authorization reversal were submitted, this field must contain the Merchant Category Code from the first authorization response.</li> <li>• For the CPS/Automated Fuel Dispenser custom payment service, the MCC must be <b>5542</b>.</li> <li>• For the CPS/ATM custom payment service, the MCC must be <b>6011</b>.</li> </ul> <p><b>VIC Edit, National—Brazil:</b></p> <ul style="list-style-type: none"> <li>• To qualify for the CPS/Retail-Petrol PSIRF, the MCC must be <b>5541</b>.</li> <li>• To qualify for the CPS/Restaurant PSIRF, the MCC must be <b>5812</b> or <b>5814</b>.</li> </ul> <p><b>VIC Edit, National—U.S.:</b> Only MCCs <b>7523</b>, and <b>7832</b> are valid on EPS transactions (Reimbursement Attribute <b>3</b>).</p> <p><b>VIC Edit, National—Malaysia and Macau:</b> Only MCCs <b>5814, 4784</b> and <b>7832</b> are valid on EPS transactions (Reimbursement Attribute <b>3</b>).</p> <p><b>VIC Edit, National—Hong Kong*, Australia, New Zealand, Thailand, India and Indonesia:</b> Only MCCs <b>4784, 5813, 7523</b>, and <b>7832</b> are valid on EPS transactions (Reimbursement Attribute <b>3</b>). *MCC <b>8062</b> is also valid for EPS transactions as of August 17, 2002.</p> <p><b>VIC Edit, Intraregional AP:</b> Only MCCs <b>4784, 5814, 7523</b> and <b>7832</b> are valid on EPS transactions (Reimbursement Attribute <b>3</b>).</p> <p><b>Note:</b> See the <i>Visa Core Rules and Visa Product and Service Rules</i> or the <i>Visa Merchant Data Standards Manual</i> for valid codes.</p> <p><b>Dispute Financials, Dispute Financial Reversals</b> The field must be the same as in the original transaction.</p> |
|-----------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|



## Draft Data Edit Criteria

|                                                                                                                   |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
|-------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <p><b>Merchant ZIP Code</b></p> <p>Positions: 137–141</p> <p>Length: 5</p> <p>Format: unpacked numeric</p>        | <p><b>Description:</b> Postal code of the merchant where the transaction took place. The entry must be numeric; may be zeros.</p> <p><b>National—U.S.:</b> The entry may not be zeros for originals or reversals of CPS or EIRF draft (TC 05, 25).</p> <p><b>VIC Edit, National—U.S.:</b> The entry may not be zeros for original or reversal EPS or Supermarket sales drafts.</p> <p><b>Dispute Response Financials, Dispute Financial</b> The field should be the same as in the original transaction.</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
| <p><b>Merchant State/Province Code</b></p> <p>Positions: 142–144</p> <p>Length: 3</p> <p>Format: alphanumeric</p> | <p><b>Description:</b> If the Merchant Country Code is US or CA, this field must contain a valid U.S. State Code or Canadian Province Code, respectively. Otherwise, it must contain spaces.</p> <p><b>Dispute Response Financials, Dispute Financials</b> The field should be the same as in the original transaction.</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
| <p><b>Requested Payment Service</b></p> <p>Positions: 145</p> <p>Length: 1</p> <p>Format: alphanumeric</p>        | <p><b>Description:</b> Codes for dual-message acquirers that define their choice of a specific custom payment service in the deferred clearing transaction. The requested payment service indicates that the acquirer complied with the selected CPS authorization and clearing rules.</p> <p><b>Originals and Reversals of Originals</b></p> <p>Original purchases and credit vouchers and their reversals from acquirers in CPS participating countries must contain a valid value. Refer to the <i>BASE II Clearing Data Codes</i> for a list of valid codes.</p> <p>Original ATM cash disbursements and their reversals should contain one of these values:</p> <p><b>Space</b> = not a CPS transaction</p> <p><b>9</b> = CPS/ATM</p> <p><b>VIC Edit:</b> For purchase transactions occurring at merchants in non-CPS participating countries, BASE II will insert a <b>space</b> in this field.</p> <p><b>VIC Edit, ATM:</b> If the Authorization Characteristics Indicator does not contain a value of <b>E</b>, BASE II will insert a <b>space</b> in this field and an <b>N</b> in the Authorization Characteristics Indicator field.</p> <p><b>VIC Edit:</b> For manual cash transactions, BASE II will insert a <b>space</b> in this field.</p> <p>For valid combinations of the Requested Payment Service and Authorization Characteristics indicator fields please see <i>BASE II Clearing Data Codes</i>.</p> <p>Not all Requested Payment Service options are available in some CPS participating countries.</p> <p><b>Dispute Response Financials, Dispute Financials</b> This field must be the same as in the original transaction.</p> <p>For valid combinations of the Requested Payment Service and Authorization Characteristics indicator fields, refer to <i>BASE II Clearing Data Codes</i>.</p> <p>Not all Requested Payment Service options are available in some CPS participating countries.</p> |

### Draft Data Edit Criteria

|                                                                                       |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
|---------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Number of Payment Forms</b><br>Positions: 146<br>Length: 1<br>Format: alphanumeric | <b>Description:</b> This field indicates the number of forms of payment on a Split Tender Transaction.<br><b>VIC Edit:</b> If an invalid value is received in this field, the BASE II VIC will space-fill the field.<br><b>Values:</b> ^(space) <b>1</b> through <b>9 +</b> (Plus ) for values greater than <b>9</b> .                                                                                                                                                                                                                                                                                                                                                                     |
| <b>Usage Code</b><br>Positions: 147<br>Length: 1<br>Format: unpacked numeric          | <b>Description:</b> Indicates whether this is the first presentment or second. The entry will be 1 on original transactions or 9 for dispute financial transactions.<br><b>Values:</b><br><b>1</b> = First presentment <b>9</b> = dispute financial<br>This edit will continue to be performed by the Edit Package when the Bypass Business Edits option is used during an outgoing edit run.                                                                                                                                                                                                                                                                                              |
| <b>Reason Code</b><br>Positions: 148–149<br>Length: 2<br>Format: unpacked numeric     | <b>Description:</b> Used on dispute financials and dispute response financials to indicate reason for them (for example, fraud).<br>For originals and reversals of originals, the field must contain <b>00</b> .<br><b>Dispute Financials, Dispute Financial Reversals</b> The field must contain a valid two-digit numeric dispute reason code that corresponds to the dispute right. Refer to the <i>BASE II Clearing Data Codes manual</i> for valid dispute reason codes.<br><b>Dispute Response Financials, Dispute Response Financial Reversals</b><br>This field must contain a two-digit numeric. Dispute response financials must contain the same code as the dispute financial. |

## Draft Data Edit Criteria

|                                                                                   |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
|-----------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Settlement Flag</b><br>Positions: 150<br>Length: 1<br>Format: unpacked numeric | <p><b>Description:</b> Indicates the service used for settlement. The field must contain <b>0, 3, 8, or 9</b> per the permitted entries shown below. If the entry is <b>8</b>, the Source Currency Code must be the currency of the national settlement service.</p> <p><b>National—U.S.:</b> The field must contain a <b>0, 3, or 9</b>.</p> <p><b>National—Japan:</b> This field must contain a <b>0, 8, or 9</b>. If this field contains an <b>8</b> on purchase and credit transactions, a TCR 2 must be present.</p> <p><b>National—Mexico:</b> This field must contain a <b>0, 8, or 9</b>. If this field contains an <b>8</b> on purchase and credit transactions, a TCR 2 must be present.</p> <p><b>National—Sweden:</b> The field must contain a <b>3 or 8</b> and a TCR 2 must be present.</p> <p><b>Note:</b> This edit will continue to be performed by the Edit Package when the Bypass Business Edits option is used during an outgoing edit run.</p> <p><b>0</b> = International settlement service</p> <p><b>3</b> = Clearing only international settlement</p> <p><b>4</b> = Clearing only national net settlement</p> <p><b>8</b> = National Net settlement service (valid only for countries with defined service)</p> <p><b>9</b> = BASE II selects the appropriate settlement service based on routing and country-defined default</p> <ul style="list-style-type: none"><li>• The card (ARDEF) range for this account must be designated as clearing-only and reside in the same country as the source identifier.</li><li>• Entries for the Source and Destination identifiers and account number fields will be edited the same as for non-clearing-only transactions.</li><li>• Source Currency code must be valid.</li><li>• Merchant Country Code must be valid.</li><li>• Source Amount must be numeric.</li><li>• Account Number must be valid.</li><li>• Account Number Extension must be numeric.</li><li>• Acquirer Reference Number must be valid.</li><li>• Usage Code must be valid.</li><li>• Central Processing Date must be valid.</li></ul> |
|-----------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|

## Draft Data Edit Criteria

|                                                                                                           |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
|-----------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Authorization Characteristics Indicator</b><br><br>Positions: 151<br>Length: 1<br>Format: alphanumeric | <p><b>Description:</b> Code used by the acquirer to request CPS qualification or to identify an Electronic Data Quality Program transaction.</p> <p><b>Originals and Reversals of Originals</b> Purchases and credit vouchers from CPS participating countries must contain a valid value.</p> <p>Electronic Data Quality Program transactions will contain a value of <b>D</b>. Refer to the <i>BASE II Clearing Data Codes</i> manual for a list of valid codes.</p> <p>Original ATM cash disbursements and their reversals should contain one of these values: <b>T</b>, <b>N</b> or <b>space</b> = Not a payment service transaction <b>E</b> = Card present with merchant name and location data <b>X</b> = Disqualified custom payment service transaction (inserted by BASE II)</p> <p><b>VIC Edit, ATM:</b> If the Authorization Characteristics Indicator does not contain a value of <b>E</b>, BASE II will insert an <b>N</b> in this field and a space in the Requested Payment Service field.</p> <p><b>VIC Edits:</b></p> <ul style="list-style-type: none"><li>• The Authorization Characteristics Indicator must be the same as in the Authorization Response (V.I.P. Field 62.1) in custom payment service original purchase transactions and their reversals and CPS/ATM original ATM cash disbursement transactions and their reversals.</li><li>• The Authorization Characteristics Indicator must be the same as in the V.I.P. Authorization Response in Electronic Data Quality Program transactions.</li><li>• All non-CPS original and reversal transactions submitted with the ACI = <b>T</b> requires the Transaction Identifier (V.I.P. field 62.2) and Validation Code (V.I.P. field 62.3) from the Authorization.</li><li>• If multiple authorizations and/or an authorization reversal were submitted, this field must contain the Authorization Characteristics Indicator from the first authorization response.</li></ul> <p><b>Dispute Financials and Dispute Response Financials</b> Must be a valid value or a space. For valid combinations of the Requested Payment Service and Authorization Characteristics Indicator, refer to the <i>BASE II Clearing Data Codes</i> manual.</p> |
|-----------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|

## Draft Data Edit Criteria

|                                                                                                         |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
|---------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <p><b>Authorization Code</b></p> <p>Positions: 152–157</p> <p>Length: 6</p> <p>Format: alphanumeric</p> | <p><b>Description:</b> A code that an issuer, its authorizing processor, or Stand-In Processing (STIP) provides to indicate approval of a transaction. The code is returned in the Authorization Response and is usually recorded on the Transaction Receipt. The field must contain a six-position Authorization Code. Allowed entries are:</p> <ul style="list-style-type: none"> <li>• Spaces</li> <li>• A through Z</li> <li>• 0 through 9</li> </ul> <p>Failure to pass this edit will result in the transaction being returned.</p> <p><b>Note:</b> In addition to the edit for the allowed entries that determines the validity of a transaction, the following entries indicate that the transaction is considered unauthorized by the issuer (as defined in the <i>Visa Core Rules and Visa Product and Service Rules</i>):</p> <p><b>Note:</b></p> <p><b>SVCxxx</b> (where xxx is the service code from the magnetic stripe)</p> <p><b>00000</b> (in the last five positions of the field) <b>^^^^^</b> (in the last five positions of the field)</p> <p><b>0000N</b> (in the last five positions of the field)</p> <p><b>0000^</b> (in the last five positions of the field)</p> <p><b>0000P</b> (in the last five positions of the field)</p> <p><b>0000Y</b> (in the last five positions of the field) An</p> <p><b>X</b> (in the last position of the field) (^ = space)</p> <p><b>National—U.S.:</b> <b>0000Y</b> is invalid in the last five positions for EPS, and Supermarket original sales drafts and their reversals.</p> <p><b>VIC Edit:</b> For custom payment service original purchase transactions and their reversals and Electronic Data Quality Program transactions, the Authorization Code must be the same as in the Authorization Response (V.I.P. Field 38). If multiple authorizations and/or an authorization reversal were submitted, this field must contain the Authorization Code from the first authorization response.</p> <p><b>VIC Edit, National—Germany:</b> In order to qualify for Airline IRF, the last 5 digits must not be <b>0000N</b>, <b>0000Y</b>, <b>00000</b>, <b>0000^</b>, or <b>^^^^^</b>.</p> <p><b>VIC Edit, Intraregional EU and Domestic EU:</b> In order to qualify for Airline IRF, the last 5 digits must not be <b>0000N</b>, <b>0000Y</b>, <b>00000</b>, <b>0000^</b>, <b>^^^^^</b>, <b>SVCXXX</b>, <b>0000P</b>, or <b>X</b> in the last position.</p> <p><b>National—U.K.:</b> Only authorized transactions may qualify for the CNP '94 IRF rates.</p> <p><b>International Pre-PS2000 or Hungary Domestic:</b> A transaction will be returned or reclassified if this field contains any of these values:</p> <p><b>^^^^^</b> (in the last five positions of the field) <b>00000</b> (in the last five positions of the field) <b>0000^</b> (in the last five positions of the field) <b>0000N</b> (in the last five positions of the field) (^ = space)</p> |
|---------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|

### Draft Data Edit Criteria

|                                                                                       |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
|---------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>POS Terminal Capability</b><br>Positions: 158<br>Length: 1<br>Format: alphanumeric | <p><b>Description:</b> Indicates the capability of the point-of-sale (POS) terminal (for example, terminal was not used, terminal can read magnetic stripe, terminal can read chip, etc.) The field must contain a <b>space</b>, <b>0</b> through <b>5</b>, <b>8</b>, or <b>9</b>. Refer to the <i>BASE II Clearing Data Codes</i> manual for a list of valid codes.</p> <p><b>For CPS Participating Countries:</b> If ACI = <b>M</b>, <b>P</b>, <b>R</b>, or <b>V</b>, this field may contain any valid value. Otherwise, CPS originals and their reversals, except CPS/ATM, must contain a <b>2</b> through <b>5</b>, <b>8</b> or <b>9</b>. CPS credit vouchers may contain a space.</p> <p><b>For CPS/ATM transactions:</b> CPS/ATM may contain any valid value.</p> <p><b>National—U.S.:</b> EIRF originals and their reversals must contain <b>0</b> through <b>5</b>, <b>8</b>, or <b>9</b>. EIRF credit vouchers may contain a <b>space</b>. Contactless original transactions must contain <b>8</b>.</p> <p><b>VIC Edit, National—U.S.:</b> EPS and Supermarket originals and reversals must contain <b>2</b> through <b>5</b>, <b>8</b>, or <b>9</b>.</p> <p><b>Dispute Response Financials, Dispute Financials</b> The entry is not required, but if it is present it must be a valid value.</p> |
| <b>Reserved</b><br>Positions: 159<br>Length: 1<br>Format: alphanumeric                | <p><b>Description:</b> This field is reserved for future use. EP will always space-fill.</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |

## Draft Data Edit Criteria

|                                                                                        |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
|----------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Cardholder ID Method</b><br><br>Positions: 160<br>Length: 1<br>Format: alphanumeric | <p><b>Description:</b> Indicates method used to identify cardholder (e.g., signature, Personal Identification Number (PIN), etc.). The field must contain a <b>space</b> or <b>1</b> through <b>4</b>. Refer to the <i>BASE II Clearing Data Codes</i> manual for a list of valid codes.</p> <p><b>National—Brazil:</b></p> <ul style="list-style-type: none"><li>• CPS/Retail and CPS/Restaurant originals and their reversals must contain a <b>1</b>.</li><li>• CPS/Direct Marketing originals and their reversals must contain a <b>4</b>.</li></ul> <p><b>National—U.S.:</b></p> <ul style="list-style-type: none"><li>• EIRF originals and their reversals (except those reclassified CPS/Auto Rental (Card Not Present), CPS/Hotel (Card Not Present), and CPS/ Passenger Transport) must contain <b>1</b> through <b>4</b>.</li><li>• CPS/Retail, CPS/Hotel (Card Present), CPS/Car Rental (Card Present) originals and their reversals must contain a <b>1</b> through <b>3</b>.</li><li>• CPS/Card Not Present originals and their reversals must contain a <b>4</b>.</li><li>• CPS/Automated Fuel Dispenser originals and their reversals must contain a <b>3</b>.</li><li>• CPS/Hotel (Card Not Present), CPS/Car Rental (Card Not Present) originals and their reversals must contain a <b>space</b> or a <b>1</b>.</li><li>• CPS/Passenger Transport originals and their reversals must contain a <b>space</b> or <b>1</b> through <b>4</b>.</li><li>• Custom payment service and EIRF credit vouchers may contain a <b>space</b>.</li></ul> <p><b>VIC Edit, National—U.S.:</b> EPS and Supermarket originals and reversals must contain <b>1</b> through <b>3</b>.</p> <p><b>Dispute Response Financials, Dispute Financials</b> The entry is not required, but if it is present it must be a space or one of the permitted values.</p> |
|----------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|

## Draft Data Edit Criteria

|                                                                                    |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
|------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Collection-Only Flag</b><br>Positions: 161<br>Length: 1<br>Format: alphanumeric | <p><b>Description:</b> Flag indicating if this transaction is being submitted for collection only. The field must contain a <b>space</b> or <b>C</b>. An entry of <b>C</b> indicates that this is an intraprocessor transaction being submitted for collection only. Such transactions are not interchanged or settled.</p> <p>If a <b>C</b> is entered, these edit criteria apply:</p> <ul style="list-style-type: none"><li>• Entries for Source and Destination identifiers, and account number fields must be the same as for non-collection-only transactions.</li><li>• The Source Currency Code must be spaces or a valid currency. If spaces are entered, the Merchant Country Code must be valid.</li><li>• The Destination Amount must be zero.</li><li>• The Destination Currency Code must be spaces.</li><li>• The following fields must be numeric:<ul style="list-style-type: none"><li>– Acquirer Reference Number</li><li>– Acquirer's Business ID</li><li>– Purchase Date</li><li>– Merchant Category Code</li><li>– Reason Code</li><li>– Central Processing Date</li><li>– Settlement Flag</li><li>– Source Amount</li></ul></li></ul> |
|------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|



## Draft Data Edit Criteria

|                                                                                  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
|----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>POS Entry Mode</b><br>Positions: 162–163<br>Length: 2<br>Format: alphanumeric | <p><b>Description:</b> A V.I.P. System field indicating the method by which a point-of-transaction terminal obtains and transmits the cardholder information necessary to complete a Transaction.</p> <p>This entry must be <b>spaces, 00</b> through <b>07, 10, 90, 91</b> or <b>95</b>.</p> <p><b>VIC Edits:</b> For custom payment service original purchase transactions and their reversals and Electronic Data Quality Program transactions, this field must have the same contents as in the Authorization Request (V.I.P. Field 22.1, converted to unpacked numeric). If multiple authorizations and/or an authorization reversal were submitted, this field must contain the POS Entry Mode from the first authorization response.</p> <p><b>VIC Edit, Asia Pacific Region:</b> For transactions submitted requesting the EIRF rate this field must contain a value of <b>90</b>.</p> <p><b>VIC Edit, National—Mexico National Net Settlement:</b> For transactions submitted at the electronic rate, this field must contain a value of <b>02</b> or <b>90</b>.</p> <p><b>VIC Edit, National—U.S.:</b> EIRF originals and reversals must contain a <b>space, 00</b> through <b>06, 10,</b> or <b>90</b>. EPS transactions must contain <b>01</b> through <b>06, 10,</b> or <b>90</b>.</p> <p>This field must contain a 90 if custom payment service original transactions and their reversals meet the following criteria:</p> <ul style="list-style-type: none"><li>• The Requested Payment Service (RPS) = <b>A, C, D, 1, 2</b> (not valid for original transactions), <b>4, 6, or 8</b>.</li><li>• The Authorization Characteristic Indicator (ACI) is <b>A</b> or <b>E</b>.</li><li>• The Reimbursement Attribute (RA) = <b>A</b> or <b>4</b>, POS EM must be <b>90</b>.</li></ul> <p><b>VIC Edit, National—U.K.:</b> CNP '94 original sales drafts must contain <b>01</b>.</p> <p>Please refer to the <i>BASE II Clearing Data Codes</i> manual for a list of valid codes.</p> <p><b>Dispute Response Financials, Dispute Financials</b> The entry must be a valid value for the transaction type.</p> |
|----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|

## Draft Data Edit Criteria

|                                                                                                                  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
|------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <p><b>Central Processing Date</b></p> <p>Positions: 164-167</p> <p>Length: 4</p> <p>Format: unpacked numeric</p> | <p><b>Description:</b> The date that BASE II processes this transaction or item. This field is used to ensure that the correct currency conversion rates are used.</p> <p><b>Outgoing:</b> The VIC inserts the Central Processing Date.</p> <p><b>Incoming:</b> The field contains the date format <b>YDDD</b> (year and day).</p> <p><b>Originals, Dispute Response Financials, Dispute Financials VIC Edit:</b> The entry must be numeric. The VIC will insert the Central Processing Date in the <b>YDDD</b> format.</p> <p><b>Reversals, Dispute Financial Reversals VIC Edit:</b> The entry must be numeric. The entry cannot be a future date. The field must contain the Central Processing Date (in the <b>YDDD</b> format) of the transaction being reversed.</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
| <p><b>Reimbursement Attribute</b></p> <p>Positions: 168</p> <p>Length: 1</p> <p>Format: alphanumeric</p>         | <p><b>Description:</b> This field must contain <b>A</b> through <b>Z</b> or <b>0</b> through <b>9</b>.</p> <p>If <b>1</b>, <b>2</b>, <b>G</b>, or <b>H</b> is entered, the Merchant Category Code must be <b>6011</b> and the transaction must be a cash disbursement (TC 07, 17, 27, 37).</p> <p>If a <b>6</b>, <b>7</b>, or <b>J</b> is entered, the transaction cannot be a cash disbursement (TC 07, 17, 27, and 37).</p> <p>If a <b>7</b> is entered, the transaction cannot be an original purchased or credit voucher except in the EU region.</p> <p>If <b>8</b>, <b>9</b>, <b>A</b>, <b>B</b>, <b>C</b>, or <b>J</b> is entered, the transaction must be a sales draft (TC 05, 15, 25, 35) or a credit voucher (TC 06, 16, 26, 36).</p> <p>If <b>A</b> is entered, the transaction must be participating in a custom payment service (that is, the Authorization Characteristics Indicator cannot equal <b>N</b>).</p> <p><b>Regional—CEMEA:</b> If <b>C</b> is entered, the MCC must be classified as an International Airline.</p> <p><b>VIC Edit, Intraregional EU and Domestic EU:</b> <b>C</b> is valid for all airline MCCs for domestic and intraregional airline transactions.</p> <p><b>National—U.S.:</b> If <b>4</b> is entered, the Merchant Category Code must be <b>5411</b>. MCCs <b>5962</b>, <b>5966</b>, and <b>5967</b> cannot be submitted with a Reimbursement Attribute of <b>A</b>, <b>D</b>, or <b>J</b>. Transactions from U.S. acquirers for nonsecured electronic commerce (Moto/EC Indicator 8) must contain Reimbursement Attribute <b>0</b>.</p> <p><b>VIC Edit:</b> If <b>A</b> is entered, the transaction must meet all qualification criteria for the PSIRF rate.</p> <p><b>VIC Edit, National—U.S.:</b> If <b>3</b> is entered, the Merchant Category Code must be valid for EPS transactions.</p> <p><b>VIC Edit, Regional—Asia Pacific:</b> A <b>7</b> is not valid on original transactions (TC 05, 06, 25, 26; usage code 1).</p> <p>If <b>3</b> is entered, the Merchant Category Code must be valid for EPS transactions.</p> <p><b>VIC Edit, National—Malaysia, Hong Kong, Macau, Australia, New Zealand, Thailand, India, and Indonesia:</b> If <b>3</b> is entered, the Merchant Category Code must be valid for EPS transactions.</p> <p><b>Note:</b> Refer to <i>BASE II Clearing Data Codes</i> for Reimbursement Attribute definitions.</p> |

# TC 05 - TCR 1 Additional Data

These tables contain the Draft Data (TC 05, 06, 07, 15, 16, 17, 25, 26, 27, 35, 36, 37) record layout and edit criteria for TCR 1 - ADDITIONAL DATA. In certain regions, Fleet Level 2 and Level 3 data are required for specific MCCs. Please consult your Fleet 2.0 Implementation Guide for details.

## CTF - Outgoing and Incoming Interchange

### Draft Data Record Layout

| Position | Field Length | Format | Contents                                             |
|----------|--------------|--------|------------------------------------------------------|
| 1-2      | 2            | UN     | Transaction Code                                     |
| 3        | 1            | UN     | Transaction Code Qualifier                           |
| 4        | 1            | UN     | Transaction Component Sequence Number                |
| 5        | 1            | AN     | Business Format Code                                 |
| 6-7      | 2            | AN     | Token Assurance Method                               |
| 8-12     | 5            | AN     | Rate Table ID                                        |
| 13-14    | 2            | AN     | Scheme Identifier                                    |
| 15-16    | 2            | AN     | Reserved                                             |
| 17-22    | 6            | UN     | Reserved                                             |
| 23       | 1            | AN     | Documentation Indicator                              |
| 24-73    | 50           | AN     | Member Message Text                                  |
| 74-75    | 2            | AN     | Special Condition Indicators                         |
| 76-78    | 3            | AN     | Fee Program Indicator                                |
| 79       | 1            | AN     | Issuer Charge                                        |
| 80       | 1            | AN     | Persistent FX Applied Indicator                      |
| 81-95    | 15           | AN     | Card Acceptor ID                                     |
| 96-103   | 8            | AN     | Terminal ID                                          |
| 104-115  | 12           | UN     | National Reimbursement Fee                           |
| 116      | 1            | AN     | Mail/Phone/Electronic Commerce and Payment Indicator |
| 117      | 1            | AN     | Special Chargeback Indicator                         |
| 118-121  | 4            | AN     | Conversion Date                                      |
| 122      | 1            | AN     | Additional Token Response Information                |

### Draft Data Record Layout

| Position | Field Length | Format | Contents                      |
|----------|--------------|--------|-------------------------------|
| 123      | 1            | AN     | Reserved                      |
| 124      | 1            | AN     | Acceptance Terminal Indicator |
| 125      | 1            | AN     | Prepaid Card Indicator        |
| 126      | 1            | AN     | Service Development Field     |
| 127      | 1            | AN     | AVS Response Code             |
| 128      | 1            | AN     | Authorization Source Code     |
| 129      | 1            | AN     | Purchase Identifier Format    |
| 130      | 1            | AN     | Account Selection             |
| 131-132  | 2            | AN     | Installment Payment Count     |
| 133-157  | 25           | AN     | Purchase Identifier           |
| 158-166  | 9            | UN     | Cashback                      |
| 167      | 1            | AN     | Chip Condition Code           |
| 168      | 1            | AN     | POS Environment               |

Format: AN = Alphanumeric, ANS = Alphanumeric Special, DX = Display Hexadecimal, N = Numeric, UN = Unpacked Numeric

### Draft Data Edit Criteria

|                                                                                                       |                                                                                                                                                                                                                                                                                                  |
|-------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Transaction Code</b><br>Positions: 1-2<br>Length: 2<br>Format: unpacked numeric                    | <b>Description:</b> The field must contain the appropriate transaction code. It must be the same as the transaction code in the TCR 0.<br><br>Dispute response financial transactions must have the original transaction code.                                                                   |
| <b>Transaction Code Qualifier</b><br>Positions: 3<br>Length: 1<br>Format: unpacked numeric            | <b>Description:</b> This field must contain one of these values:<br><b>0</b> = Default<br><b>1</b> = Account Funding<br><b>2</b> = Original Credit<br><br>This edit will continue to be performed by the Edit Package when the Bypass Business Edits option is used during an outgoing edit run. |
| <b>Transaction Component Sequence Number</b><br>Positions: 4<br>Length: 1<br>Format: unpacked numeric | <b>Description:</b> The field must contain a <b>1</b> .                                                                                                                                                                                                                                          |

### Draft Data Edit Criteria

|                                                                                      |                                                                                                                                                                                                                                                                                                             |
|--------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Business Format Code</b><br>Positions: 5<br>Length: 1<br>Format: alphanumeric     | <b>Description:</b> This field is reserved for future use. EP will always space-fill.                                                                                                                                                                                                                       |
| <b>Token Assurance Method</b><br>Positions: 6–7<br>Length: 2<br>Format: alphanumeric | <b>Description:</b> A value that allows the Token Service provider to indicate the trust level of the Token to PAN/cardholder. It is determined as a result of the type of identification and verification (ID & V) performed and the entity that performed it.<br><br>If not used, should be space-filled. |
| <b>Rate Table ID</b><br>Positions: 8–12<br>Length: 5<br>Format: alphanumeric         | <b>Description:</b> This field will contain the rate table ID of the foreign exchange rate table used for currency conversion. The rate table ID contains alpha and numeric values for a total of five characters.                                                                                          |
| <b>Scheme Identifier</b><br>Positions: 13–14<br>Length: 2<br>Format: alphanumeric    | <b>Description:</b> This field contains the card scheme selected by the cardholder for the transaction.<br><br>Values are:<br><b>01</b> = Visa<br><b>02</b> = Other<br><b>Note:</b> Other values may be defined in future.                                                                                  |
| <b>Reserved</b><br>Positions: 15–16<br>Length: 2<br>Format: alphanumeric             | <b>Description:</b> This field is reserved for future use.                                                                                                                                                                                                                                                  |
| <b>Reserved</b><br>Positions: 17–22<br>Length: 6<br>Format: unpacked numeric         | <b>Description:</b> This field is reserved for future use.                                                                                                                                                                                                                                                  |

## Draft Data Edit Criteria

|                                                                                              |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
|----------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Documentation Indicator</b><br>Positions: 23<br>Length: 1<br>Format: alphanumeric         | <b>Description:</b> This is a 1-position code identifying the status of supporting documentation.<br>For originals, the entry must be a space.<br><b>Note:</b> This field is required for international transactions.<br><b>Dispute Response Financials, Dispute Financials</b><br>The field must contain a <b>space</b> .<br><b>Note:</b> <b>Space</b> = No support documentation required<br>Refer to <i>Visa Core Rules and Visa Product and Service Rules</i> .<br><b>Reversals</b><br>The entry must be the same as the transaction being reversed. |
| <b>Member Message Text</b><br>Positions: 24–73<br>Length: 50<br>Format: alphanumeric         | <b>Description:</b> This field is used to send text messages. All members must be able to receive and process this field. If used, the entry must be left justified. Characters must be EBCDIC.<br><b>Note:</b> See <i>BASE II Clearing Data Codes</i> for Dispute Reason Codes and <i>Visa Core Rules and Visa Product and Service Rules</i> for further information.<br><b>National—Brazil:</b> Tax ID: positions 24–37 (14 digits), Merchant Legal Name: positions 38–73.                                                                             |
| <b>Special Condition Indicators</b><br>Positions: 74–75<br>Length: 2<br>Format: alphanumeric | <b>Description:</b> This subfield supplies extra information regarding dispute financials (validation reject advices).<br>The entry must begin with a <b>space</b> or <b>1, 2, or 3</b> . The field's second position must be a <b>space, F, H, L, 1, 2, 3, 4, 7, 8 or 9</b> .<br><b>National—U.S.:</b> The above edit applies, but the second position cannot be an <b>H</b> .<br><b>Note:</b> See <i>BASE II Clearing Data Codes</i> for Special Condition Indicators.                                                                                 |

## Draft Data Edit Criteria

|                                                                                                          |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
|----------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <p><b>Fee Program Indicator</b></p> <p>Positions: 76–78</p> <p>Length: 3</p> <p>Format: alphanumeric</p> | <p><b>Description:</b> This field contains an interchange reimbursement fee program indicator (FPI). This field is left-justified and space-filled. See <i>BASE II Clearing Data Codes</i> for a listing of the fee program indicators.</p> <p><b>Edit Package Outgoing Edit:</b> If present, this field will be edited for valid alphanumeric values.</p> <p><b>VIC Edit, Domestic—U.S., Canada and Peru:</b> If this field in the transaction is blank, the VIC will move the fee program indicator for the fee program for which the transaction qualifies to this field. If the fee program indicator submitted in this field in the transaction does not match the fee program indicator for which the transaction qualifies, the VIC will replace the contents of this field with the assessed fee program indicator.</p> <p><b>VIC Edit, Intraregional AP and CEMEA and Domestic AP and CEMEA:</b> If the transaction is submitted with a fee program indicator and the transaction does not qualify for the requested fee program, the VIC will replace the fee program indicator with spaces.</p> <p><b>VIC Edit, Inter-regional U.S., Canada, AP, CEMEA and LAC:</b> If this field in the transaction is blank, the VIC will move the fee program indicator for the fee program for which the transaction qualifies to this field. If the fee program indicator submitted in this field in the transaction does not match the fee program indicator for which the transaction qualifies, the VIC will replace the contents of this field with the assessed fee program indicator.</p> <p><b>Incoming, Domestic—U.S., Canada and Peru:</b> This field will contain the fee program indicator for the fee program for which the transaction qualifies.</p> <p><b>Incoming, Intraregional AP and CEMEA and Domestic AP and CEMEA:</b> This field will contain the fee program indicator for the requested fee program if the transaction qualifies for that fee program. If the transaction does not qualify for the requested fee program, the field value will be replaced with spaces.</p> <p><b>Incoming, Intraregional LAC and EU and Domestic LAC and EU:</b> This field will contain spaces.</p> <p><b>Incoming, Inter-regional U.S., Canada, AP, CEMEA and LAC:</b> This field will contain the fee program indicator for the fee program for which the transaction qualifies.</p> <p><b>Dispute Financials, Dispute Response Financials and their Reversals</b></p> <p><b>Domestic—U.S., Canada, AP, CEMEA and Peru Domestic:</b> This field must be the same as in the previous transaction.</p> <p><b>Intraregional AP and CEMEA:</b> This field must be the same as in the previous transaction.</p> <p><b>Inter-regional U.S., Canada, AP, CEMEA and LAC Acquired:</b> This field must be the same as in the previous transaction.</p> |
|----------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|

## Draft Data Edit Criteria

|                                                                                              |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
|----------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Issuer Charge</b><br>Positions: 79<br>Length: 1<br>Format: alphanumeric                   | <p><b>Description:</b> This field is populated when International Service Assessment (ISA) has been assessed on the transaction.</p> <p>Values:</p> <p><b>UK Issuer, Gibraltar Issuer, EU Microstates (Andorra, Monaco, San Marino, Vatican City) where Merchant is in EU excluding Switzerland, Israel and Turkey:</b></p> <p><b>P</b> = Card-present (CP) POS issuer ISA assessed</p> <p><b>N</b> = Card-not-present (CNP) POS issuer ISA assessed where account funding source is credit, deferred debit, or charge</p> <p><b>M</b> = Card-not-present (CNP) POS issuer ISA assessed where account funding source is debit or prepaid</p> <p><b>Other Non-US Issuer</b></p> <p><b>S</b> = ISA assessed</p> <p><b>Spaces</b> = no charge assessed</p> <p><b>US Issuer</b></p> <p><b>R</b> = ISA assessed and rebated</p> <p><b>S</b> = ISA assessed on multicurrency transaction</p> <p><b>C</b> = ISA assessed on single-currency transaction</p> <p><b>Spaces</b> = no charge assessed</p> |
| <b>Persistent FX Applied Indicator</b><br>Positions: 80<br>Length: 1<br>Format: alphanumeric | <p><b>Description:</b> This field contains a code that identifies if the transaction underwent Persistent Foreign Exchange service processing.</p> <p>Valid values are:</p> <ul style="list-style-type: none"> <li>• <b>Y</b> (Transaction eligible, service applied)</li> <li>• <b>N</b> (Transaction eligible, service not applied)</li> <li>• <b>Space</b> (Transaction not eligible)</li> </ul>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
| <b>Card Acceptor ID</b><br>Positions: 81–95<br>Length: 15<br>Format: alphanumeric            | <p><b>Description:</b> Code that identifies the card acceptor operating the POS terminal.</p> <p>This field must contain an acquirer-assigned alphanumeric code that identifies the Card Acceptor. This field must not be all zeros or spaces.</p> <p><b>Dispute Financial</b> This field must be retained and returned when it was provided in the original transaction.</p> <p><b>Dispute Response Financials</b> This field must be retained and returned when it was provided in the dispute financial transaction.</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |



## Draft Data Edit Criteria

|                                                                                                                    |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
|--------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Terminal ID</b><br>Positions: 96–103<br>Length: 8<br>Format: alphanumeric                                       | <p><b>Description:</b> Code that identifies the card acceptor terminal or ATM. For electronic point-of-sale or point-of-service (POS) terminals, when the ID is not unique to a specific terminal, Card Acceptor Identification Code can be used along with this field. ATM terminal IDs must be unique within the acquirer's network. An identification code of fewer than 8 positions must be left justified and the remainder of the field space-filled.</p> <p><b>National—U.S.:</b> This field is required if the Card Acceptor ID in a EIRF original does not fully identify the terminal.</p> <p><b>National—CPS Participating:</b> This field is required and must identify a specific terminal if the card acceptor identified by the Card Acceptor ID in a Custom Payment Service original has multiple terminals.</p>                                                                                                                                                                                                                                                                      |
| <b>National Reimbursement Fee</b><br>Positions: 104–115<br>Length: 12<br>Format: unpacked numeric                  | <p><b>Description:</b> Numeric entry indicating a fee for a National Settlement transaction. It must be zeros unless the transaction is a National Settlement transaction for a country using this capability. Two decimal positions are implied.</p> <p>Implementation of this capability requires pre-notification to the Visa Regional office.</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
| <b>Mail/Phone/Electronic Commerce and Payment Indicator</b><br>Positions: 116<br>Length: 1<br>Format: alphanumeric | <p><b>Description:</b> Indicates transaction performed by mail order, telephone, or electronic commerce.</p> <p>The field must contain a space or <b>1</b> through <b>9</b>. If the Merchant Category Code on an original transaction is <b>5960</b>, <b>5962</b>, or <b>5964</b> through <b>5969</b>, the entry cannot be a space, unless <b>R</b> is present in the POS Environment code (TCR1, position 168). See <i>BASE II Clearing Data Codes</i> for a list of valid codes.</p> <p><b>VIC Edit:</b> This field must contain <b>1</b>, <b>2</b>, <b>3</b>, <b>5</b>, <b>6</b>, <b>7</b>, or <b>8</b> to qualify for CPS/ Card Not Present or CPS/Direct Marketing PSIRF.</p> <p><b>National—U.S.:</b> This field must contain <b>1</b>, <b>2</b>, <b>3</b>, <b>5</b>, <b>6</b>, or <b>7</b> to qualify for CPS/Card Not Present rate.</p> <p><b>National—U.S.:</b> If Requested Payment Service is A and POS Entry Mode is <b>01</b> or <b>10</b>, this field must contain a space.</p> <p><b>Europe:</b> This field must contain <b>8</b> or <b>9</b> to qualify for the secure MOTO fees.</p> |
| <b>Special Chargeback Indicator</b><br>Positions: 117<br>Length: 1<br>Format: alphanumeric                         | <p><b>Description:</b> This subfield supplies extra information regarding dispute financials (validation requests and advices).</p> <p><b>Originals, Reversals of Originals</b> The field must contain a <b>space</b>.<br/> <b>Dispute Financials, Dispute Financial Reversals, Dispute Response Financials, Dispute Response Financial Reversals</b></p> <p><b>Note:</b> Values are:</p> <p><b>Space</b> = Field not applicable</p> <p><b>P</b> = Partial amount</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |

## Draft Data Edit Criteria

|                                                                                                     |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
|-----------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Conversion Date</b><br>Positions: 118–121<br>Length: 4<br>Format: alphanumeric                   | <b>Description:</b> This field will contain the date of the currency file that was used to convert the currency and will be in the format of YDDD, where: <ul style="list-style-type: none"> <li>• <b>Y</b> = year (1–9)</li> <li>• <b>DDD</b> = day (01–366)</li> </ul>                                                                                                                                                                                                                                                                                                                                                                                                                            |
| <b>Additional Token Response Information</b><br>Positions: 122<br>Length: 1<br>Format: alphanumeric | <b>Description:</b> This field contains a code that identifies if the transaction is eligible for token services.<br>Values:<br><b>1</b> = Token program<br><b>Space</b> = Not applicable                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
| <b>Reserved</b><br>Positions: 123<br>Length: 1<br>Format: alphanumeric                              | <b>Description:</b> This field will contain the value of <b>0</b> .                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
| <b>Acceptance Terminal Indicator</b><br>Positions: 124<br>Length: 1<br>Format: alphanumeric         | <b>Description:</b> Indicates type of acceptance terminal. The field must contain a <b>space</b> , <b>1</b> through <b>5</b> or <b>9</b> .<br>Values:<br><b>Space</b> = Not applicable to this transaction<br><b>1</b> = Unattended cardholder activated, no authorization, below-floor-limit transaction<br><b>2</b> = Unattended chip and PIN transactions (VE use only)<br><b>3</b> = Unattended cardholder activated, authorized transaction<br><b>4</b> = Remote Indicator (Remote Terminal)<br><b>5</b> = Unattended Consumer Device (LAC use only)<br><b>9</b> = Mobile Acceptance Solution<br><b>VIC Edit:</b> The field must contain <b>3</b> to qualify for CPS/Automated Fuel Dispenser. |
| <b>Prepaid Card Indicator</b><br>Positions: 125<br>Length: 1<br>Format: alphanumeric                | <b>Description:</b> Indicates type of prepaid card.<br>Values:<br><b>Space</b> = Not applicable<br><b>P</b> = Prepaid card<br><b>L</b> = Prepaid Load<br><br><b>Note:</b> For dispute financials and dispute response financials, the entry for this field should be the same as the original transaction.                                                                                                                                                                                                                                                                                                                                                                                          |

## Draft Data Edit Criteria

|                                                                                         |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
|-----------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Service Development Field</b><br>Positions: 126<br>Length: 1<br>Format: alphanumeric | <b>Description:</b> Indicates type of commerce. This field should be numeric.<br>Values:<br><b>0</b> = Not used<br><b>1</b> = Electronic Commerce<br><b>2</b> = In-Flight Commerce<br><b>5</b> = Transponder-Initiated<br><b>6</b> = Relationship Participant<br><b>7</b> = Deferred Billing Indicator                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| <b>AVS Response Code</b><br>Positions: 127<br>Length: 1<br>Format: alphanumeric         | <b>Description:</b> Contains the response to an Address Verification Service (AVS) request, indicating matches or discrepancies between addresses and ZIP codes. The entry must contain a valid value. See <i>BASE II Clearing Data Codes</i> for a listing of AVS Response Codes.<br><b>Note:</b> Effective 14 April 2007, Canadian Acquirers participating in the Address Verification Service populated the Address Verification Service results code received in the V.I.P. Authorization Response message in a Transaction's corresponding BASE II Clearing Record.                                                                                                                                                                                                                                                                                                                                            |
| <b>Authorization Source Code</b><br>Positions: 128<br>Length: 1<br>Format: alphanumeric | <b>Description:</b> Indicates whether authorization was obtained and the source of the authorization. The allowable entries are <b>V, 6, 7, 9, B, E, F, G, N,</b> and <b>L</b> . See <i>BASE II Clearing Data Codes</i> for the list of codes that are defined for use by the clients.<br><b>National—U.S.:</b> For EIRF originals and reversals, the entry may be a <b>space</b> . The entry may also be a <b>space</b> for credit vouchers and credit reversals.*<br><b>National—CPS Participating:</b> For CPS originals and their reversals, the entry may be a <b>space</b> . The entry may also be a <b>space</b> for credit vouchers and their reversals.*<br><b>VIC Edit, National—U.S:</b> For EPS and Supermarket originals and their reversals, the entry may be a <b>space</b> .*<br><b>*Space</b> though deprecated and will not signify anything Visa would still allow to be submitted in the field. |

## Draft Data Edit Criteria

|                                                                                                                |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
|----------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <p><b>Purchase Identifier Format</b></p> <p>Positions: 129</p> <p>Length: 1</p> <p>Format: alphanumeric</p>    | <p><b>Description:</b> Indicates the format of additional identifying information for purchases, such as order number or invoice number, etc. Format can include free text or type of number.</p> <p>This field must be a <b>space</b> or <b>0, 1, 3, 4, 5</b> or <b>6</b>. See <i>BASE II Clearing Data Codes</i> for a listing of the Purchase Identifier Format codes.</p> <p><b>VIC Edit National—U.S.:</b> For original purchase transactions and their reversals:</p> <ul style="list-style-type: none"> <li>• To qualify for CPS/Car Rental (Card Not Present), CPS/Car Rental (Card Present), CPS/Retail, or CPS/Retail Debit Card PSIRF, this field must contain a <b>3</b>.</li> <li>• To qualify for CPS/Hotel (Card Not Present), CPS/Hotel (Card Present), CPS/Retail, or CPS/Retail Debit Card PSIRF, this field must contain a <b>4</b>.</li> <li>• To qualify for CPS/Card Not Present PSIRF, this field must contain a <b>1</b>.</li> </ul> <p><b>VIC Edit, National—Brazil:</b> To qualify for CPS/Direct Marketing PSIRF, this field must contain a <b>1</b> for original purchase transactions and their reversals.</p> |
| <p><b>Account Selection</b></p> <p>Positions: 130</p> <p>Length: 1</p> <p>Format: alphanumeric</p>             | <p><b>Description:</b> Indicates type of account (savings, checking, etc.).</p> <p>For TC07 with MCC = <b>6011</b> this field must be:</p> <p><b>0</b> = Unavailable</p> <p><b>1</b> = Savings Account</p> <p><b>2</b> = Checking Account</p> <p><b>3</b> = Credit Card Account</p> <p>“Plus” issuers must retain and return this field in subsequent U.S. national dispute financials.</p> <p>For POS draft transactions, this field must contain:</p> <p><b>Space</b> = Not Applicable</p> <p><b>0</b> = Unavailable</p> <p><b>1</b> = Savings Account</p> <p><b>2</b> = Checking Account</p> <p><b>3</b> = Credit Card Account</p> <p><b>D</b> = Debit (Line of credit) (for POS only)</p> <p><b>P</b> = Prepaid (Electronic Purse) (For POS only)</p>                                                                                                                                                                                                                                                                                                                                                                                   |
| <p><b>Installment Payment Count</b></p> <p>Positions: 131–132</p> <p>Length: 2</p> <p>Format: alphanumeric</p> | <p><b>Description:</b> If installment purchase, indicates the number of installments. This edit applies only to the LAC and Caribbean Region, including Crediario installment transactions.</p> <p><b>VIC Edit:</b> For National Bilateral and National Net transactions (Settlement Flag <b>6</b> or <b>8</b>), the entry must be <b>00</b> through <b>99</b>, or <b>spaces</b>.</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |

## Draft Data Edit Criteria

|                                                                                        |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
|----------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Purchase Identifier</b><br>Positions: 133–157<br>Length: 25<br>Format: alphanumeric | <p><b>Description:</b> Used to send information identifying the purchase to the issuer and cardholder. Indicates the type of identifying information (order number, invoice number, text description, etc.). If this field is not used, it should contain spaces. The entry must be left justified. Unused positions of the field should be space-filled.</p> <p>If the Purchase Identifier Format field contains a value of <b>1, 3, 4,</b> or <b>5</b>, this field must not be all spaces.</p> <p><b>VIC Edit, National—U.S.:</b> If the Purchase Identifier Format of a U.S. original is <b>spaces</b> or <b>0</b>, the Purchase Identifier can be spaces or nonblank.</p> <p>For original purchase transactions and their reversals:</p> <ul style="list-style-type: none"><li>• To qualify for CPS/Car Rental (Card Not Present) or CPS/Car Rental (Card Present) this field must contain the rental agreement number.</li><li>• To qualify for CPS/Hotel (Card Not Present) or CPS/Hotel (Card Present), this field must contain the hotel folio number.</li><li>• To qualify for CPS/Card Not Present PSIRF, this field must contain the order number.</li></ul> <p><b>VIC Edit, National—Brazil:</b> To qualify for CPS/Direct Marketing PSIRF, this field must contain the order number on original purchase transactions and their reversals.</p> |
| <b>Cashback</b><br>Positions: 158–166<br>Length: 9<br>Format: unpacked numeric         | <p><b>Description:</b> Cashback amount. This entry must be numeric and equal to or less than the Source Amount. Two decimals are implied. For cashback originals and their reversals this field must contain the cashback amount submitted in the authorization request. For all other transactions, including partial authorizations where the cashback amount was not authorized, this field must contain <b>zeros</b>.</p> <p><b>VIC Edit:</b> For Custom Payment Service and the Electronic Data Quality Program original purchase transactions and their reversals, this field must have the same contents as that in the Authorization Response (V.I.P. field 61.1 converted to unpacked numeric). If multiple authorizations were submitted, this field must contain the Cashback from the first authorization response.</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |

## Draft Data Edit Criteria

|                                                                                   |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Chip Condition Code</b><br>Positions: 167<br>Length: 1<br>Format: alphanumeric | <b>Description:</b> Provides information about magnetic stripe-read transactions of VSDC cards at VSDC ATMs ("fallback" transactions). It does not apply to VSDC transactions where the chip is read.<br>Values:<br><b>Space</b> or <b>0</b> = unknown/not applicable<br><b>1</b> = magnetic stripe service code begins with <b>2</b> or <b>6</b> , last transaction at the chip-capable terminal was a successful chip read, or was not a chip transaction.<br><b>2</b> = magnetic stripe service code begins with <b>2</b> or <b>6</b> , last transaction at the chip-capable terminal was an unsuccessful chip read.                                                                                                           |
| <b>POS Environment</b><br>Positions: 168<br>Length: 1<br>Format: alphanumeric     | <b>Description:</b> A recurring transaction indicator, indicating that the cardholder and merchant have agreed to periodic billing for goods and services, such as utility bills, internet connection, and magazine subscriptions.<br>Values:<br><b>Space</b> = default<br><b>R</b> = Recurring Payment Transaction<br><b>I</b> = Installment Payment<br><b>C</b> = Credential on File<br><b>Recurring Payment:</b> This field must contain code <b>R</b> for recurring payment transactions that are acquired outside the U.S. region. U.S. acquired recurring payment transaction position 116, Mail/Phone/Electronic Commerce and Payment Indicator, code <b>2</b> should be used to indicate a recurring payment transaction. |

# TC 05 - TCR 2 Argentina

These tables contain the National Net Draft Data (TC 05, 06, 07, 15, 16, 17, 25, 26, 27, 35, 36, 37) record layout and edit criteria for TCR 2 - ARGENTINA.

## CTF - Outgoing and Incoming Interchange

### Argentina National Settlement Draft Data Record Layout

| Position | Field Length | Format | Contents                              |
|----------|--------------|--------|---------------------------------------|
| 1-2      | 2            | UN     | Transaction Code                      |
| 3        | 1            | UN     | Transaction Code Qualifier            |
| 4        | 1            | UN     | Transaction Component Sequence Number |
| 5-16     | 12           | UN     | Installment Payment Total Amount      |

### Argentina National Settlement Draft Data Record Layout

| Position | Field Length | Format | Contents                                                                            |
|----------|--------------|--------|-------------------------------------------------------------------------------------|
| 17-19    | 3            | AN     | Country Code (AR^)                                                                  |
| 20-21    | 2            | AN     | Payment Indicator                                                                   |
| 22-23    | 2            | UN     | Number of Installment Payments                                                      |
| 24-25    | 2            | UN     | Installment Payment Number                                                          |
| 26-37    | 12           | UN     | Installment Payment Interest Amount                                                 |
| 38-47    | 10           | UN     | VAT for Installment Payment Interest Amount                                         |
| 48-57    | 10           | UN     | Installment Payment Risk Fee Amount                                                 |
| 58-67    | 10           | UN     | VAT for Installment Payment Risk Fee Amount                                         |
| 68       | 1            | AN     | Installment Payment Interest National Net Impact in IRF Calculation – IRF Indicator |
| 69       | 1            | AN     | Installment Payment Interest National Net Impact – Settlement Indicator             |
| 70-75    | 6            | UN     | Deferred Cardholder Billing Date                                                    |
| 76-81    | 6            | UN     | Deferred Settlement Date                                                            |
| 82-93    | 12           | UN     | Tip Amount                                                                          |
| 94-103   | 10           | UN     | Interchange Reimbursement Fee (IRF)                                                 |
| 104-113  | 10           | UN     | VAT National Reimbursement Fee                                                      |
| 114-133  | 20           | AN     | Promotion Data                                                                      |
| 134-139  | 6            | UN     | Deferred Settlement Date of the Original                                            |
| 140-143  | 4            | UN     | VAT Rate                                                                            |
| 144-153  | 10           | UN     | Cashback Interchange Reimbursement Fee (IRF)                                        |
| 154-163  | 10           | UN     | VAT Cashback National Reimbursement Fee                                             |
| 164-168  | 5            | AN     | Reserved                                                                            |

Format: AN = Alphanumeric, ANS = Alphanumeric Special, DX = Display Hexadecimal, N = Numeric, UN = Unpacked Numeric

## Argentina National Settlement Draft Data Edit Criteria

|                                                                                                       |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
|-------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Transaction Code</b><br>Positions: 1–2<br>Length: 2<br>Format: unpacked numeric                    | <b>Description:</b> The field must contain the same transaction code as the TCR 0.                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
| <b>Transaction Code Qualifier</b><br>Positions: 3<br>Length: 1<br>Format: unpacked numeric            | <b>Description:</b> The field must contain one of these values:<br><b>0</b> = Default<br><b>1</b> = Account Funding<br><b>2</b> = Original Credit                                                                                                                                                                                                                                                                                                                                                                                                              |
| <b>Transaction Component Sequence Number</b><br>Positions: 4<br>Length: 1<br>Format: unpacked numeric | <b>Description:</b> The field must contain a <b>2</b> .                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
| <b>Installment Payment Total Amount</b><br>Positions: 5–16<br>Length: 12<br>Format: unpacked numeric  | <b>Description:</b> This field will contain the total amount of the Installment Payments and must contain the total amount approved in the authorization message. If the value of the Payment Indicator in positions 20–21 contains a <b>CO</b> or <b>CD</b> , this field must contain all <b>zeros</b> . If the value in positions 20–21 contains <b>PA</b> and the value of Installment Payment Number in positions 24–25 contains all zeros, this field must contain all <b>zeros</b> .<br>For cash disbursement, Visa will default to zeros.               |
| <b>Country Code</b><br>Positions: 17–19<br>Length: 3<br>Format: alphanumeric                          | <b>Description:</b> Code that represents the country involved. This field must contain the value <b>AR^</b> (Argentina), where <b>^</b> = <b>space</b> . This field is left-justified and followed by a <b>space</b> .                                                                                                                                                                                                                                                                                                                                         |
| <b>Payment Indicator</b><br>Positions: 20–21<br>Length: 2<br>Format: alphanumeric                     | <b>Description:</b> This field must contain the installment payment types. Values are: <ul style="list-style-type: none"> <li>• <b>AC</b> (Accelerated plan)</li> <li>• <b>AD</b> (Installments accelerated and deferred)</li> <li>• <b>AN</b> (Installments accelerated)</li> <li>• <b>CC</b> (Cuota a Cuota Installment Plans)</li> <li>• <b>CD</b> (Sale deferred)</li> <li>• <b>CO</b> (Sale/Cash Disbursement)</li> <li>• <b>CR</b> (Issuer Installments)</li> <li>• <b>GB</b> (Govern plan)</li> <li>• <b>PA</b> (Agro installments deferred)</li> </ul> |



## Argentina National Settlement Draft Data Edit Criteria

|                                                                                                                  |                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
|------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Number of Installment Payments</b><br>Positions: 22–23<br>Length: 2<br>Format: unpacked numeric               | <b>Description:</b> This field must contain the total number of installment payments. When the value of Payment Indicator in positions 20–21 is <b>CC</b> , the value in this field must be greater than <b>01</b> .<br><br>For cash disbursement, Visa will default to zeros.                                                                                                                                                                          |
| <b>Installment Payment Number</b><br>Positions: 24–25<br>Length: 2<br>Format: unpacked numeric                   | <b>Description:</b> This field must contain the current number of installment payments. This field must be less than or equal to the number of installment payments in positions 22–23.<br><br>For cash disbursement, Visa will default to zeros.                                                                                                                                                                                                       |
| <b>Installment Payment Interest Amount</b><br>Positions: 26–37<br>Length: 12<br>Format: unpacked numeric         | <b>Description:</b> This field must contain the installment payment interest amount. This field must contain all <b>zeros</b> , when the value of payment indicator in positions 20–21 contains one of the following: <ul style="list-style-type: none"> <li>• <b>CC</b></li> <li>• <b>CO</b></li> <li>• <b>CR</b></li> <li>• <b>PA</b></li> </ul> For cash disbursement, Visa will default to zeros.                                                   |
| <b>VAT for Installment Payment Interest Amount</b><br>Positions: 38–47<br>Length: 10<br>Format: unpacked numeric | <b>Description:</b> This field must contain the value added tax (VAT) for the Installment Payment Interest Amount. The value must be less than or equal to Installment Payment Interest Amount in positions 26–37.<br><br>For cash disbursement, Visa will default to zeros.                                                                                                                                                                            |
| <b>Installment Payment Risk Fee Amount</b><br>Positions: 48–57<br>Length: 10<br>Format: unpacked numeric         | <b>Description:</b> This field must contain the total amount of the Installment Payment Risk Fee. If Payment Indicator in positions 20–21 contains <b>CC</b> and the Installment Payment Number in positions 24–25 contains <b>01</b> , this field must be greater than <b>zero</b> . For all other Payment Indicators in positions 20–21, the value in this field must be all <b>zeros</b> .<br><br>For cash disbursement, Visa will default to zeros. |
| <b>VAT for Installment Payment Risk Fee Amount</b><br>Positions: 58–67<br>Length: 10<br>Format: unpacked numeric | <b>Description:</b> This field must contain the VAT for the Installment Payment Risk Fee Amount. This field must be less than or equal to Installment Payment Risk Fee Amount in positions 48–57.<br><br>For cash disbursement, Visa will default to zeros.                                                                                                                                                                                             |

## Argentina National Settlement Draft Data Edit Criteria

|                                                                                                                                                  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
|--------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Installment Payment Interest National Net Impact in IRF Calculation – IRF Indicator</b><br>Positions: 68<br>Length: 1<br>Format: alphanumeric | <b>Description:</b> This field indicates whether the Installment Payment Interest Amount in positions 26–37 must be subtracted from the transaction amount before calculating the Interchange Reimbursement Fee (IRF) and VAT on IRF. Values are: <ul style="list-style-type: none"><li>• <b>S</b> = Subtract</li><li>• <b>D</b> = Do Not Subtract</li></ul> For cash disbursement, Visa will default to value "D".                                                                                                                                                                                                                                                                                                                                                                                                           |
| <b>Installment Payment Interest National Net Impact – Settlement Indicator</b><br>Positions: 69<br>Length: 1<br>Format: alphanumeric             | <b>Description:</b> This field indicates whether the Installment Payment Interest Risk Fee Amount and the Installment Payment Interest Amount and their VAT are to be disregarded or added to the charges settled to the issuer. Values are: <ul style="list-style-type: none"><li>• <b>A</b> = Add</li><li>• <b>D</b> = Do Not Add</li></ul> For cash disbursement, Visa will default to value "D".                                                                                                                                                                                                                                                                                                                                                                                                                          |
| <b>Deferred Cardholder Billing Date</b><br>Positions: 70–75<br>Length: 6<br>Format: unpacked numeric                                             | <b>Description:</b> This field will contain the deferred cardholder billing date in the <b>yymmdd</b> format, where: <ul style="list-style-type: none"><li>• <b>yy</b> (Year) = <b>00–99</b></li><li>• <b>mm</b> (Month) = <b>01–12</b></li><li>• <b>dd</b> (Day) = <b>01–31</b></li></ul> This field must be present when the payment indicator in positions 20–21 contains one of the following values: <ul style="list-style-type: none"><li>• <b>AD</b></li><li>• <b>CD</b></li><li>• <b>PA</b></li></ul> Additionally, this field must not be submitted earlier than the CPD. For all other values of Payment Indicator in positions 20–21, this field must contain all <b>zeros</b> .<br><br><b>Note:</b> Cardholder Billing Date can be up to 365 calendar days.<br>For cash disbursement, Visa will default to zeros. |

## Argentina National Settlement Draft Data Edit Criteria

|                                                                                                           |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
|-----------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Deferred Settlement Date</b><br>Positions: 76–81<br>Length: 6<br>Format: unpacked numeric              | <b>Description:</b> This field is mandatory and must not be submitted earlier than the CPD. This field will contain the deferred settlement date in <b>yymmdd</b> format, where: <ul style="list-style-type: none"><li>• <b>yy</b> (Year) = <b>00–99</b></li><li>• <b>mm</b> (Month) = <b>01–12</b></li><li>• <b>dd</b> (Day) = <b>01–31</b></li></ul> <b>Note:</b> Deferred Settlement Date can be up to 365 calendar days.<br>On purchase reversals, credit voucher originals/reversal transactions, this date should be equal or greater than the Deferred Settlement Date of the Original.<br>For cash disbursement, Visa will default to zeros. |
| <b>Tip Amount</b><br>Positions: 82–93<br>Length: 12<br>Format: unpacked numeric                           | <b>Description:</b> This field can contain the tip amount. If present, the value must be less than or equal to the transaction amount.<br>For cash disbursement, Visa will default to zeros.                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
| <b>Interchange Reimbursement Fee (IRF)</b><br>Positions: 94–103<br>Length: 10<br>Format: unpacked numeric | <b>Description:</b> This field will contain the issuer national reimbursement fee amount that is calculated by Visa.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
| <b>VAT National Reimbursement Fee</b><br>Positions: 104–113<br>Length: 10<br>Format: unpacked numeric     | <b>Description:</b> This field will contain the issuer IRF VAT amount that is calculated by Visa.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
| <b>Promotion Data</b><br>Positions: 114–133<br>Length: 20<br>Format: alphanumeric                         | <b>Description:</b> This field will contain the name and description of the transaction promotion. The value in position 114 will contain an <b>A</b> .                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |

## Argentina National Settlement Draft Data Edit Criteria

|                                                                                                                     |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
|---------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Deferred Settlement Date of the Original</b><br>Positions: 134–139<br>Length: 6<br>Format: unpacked numeric      | <b>Description:</b> On purchase originals, this date should be submitted with zeros, Visa will calculate the appropriate date based on the Argentina calendar in <b>yymmdd</b> format, where: <ul style="list-style-type: none"> <li>• <b>yy</b> (Year) = <b>00–99</b></li> <li>• <b>mm</b> (Month) = <b>01–12</b></li> <li>• <b>dd</b> (Day) = <b>01–31</b></li> </ul> On purchase reversals, credit voucher originals/reversal transactions, this date should be retained and returned with the "purchase original" Deferred Settlement Date of the Original.<br>For cash disbursement, Visa will default to zeros. |
| <b>VAT Rate</b><br>Positions: 140–143<br>Length: 4<br>Format: unpacked numeric                                      | <b>Description:</b> This field will contain the IRF VAT rate provided by the Acquirer or Issuer that will be used to calculate the VAT on IRF. Two (2) decimal positions are applied.                                                                                                                                                                                                                                                                                                                                                                                                                                 |
| <b>Cashback Interchange Reimbursement Fee (IRF)</b><br>Positions: 144–153<br>Length: 10<br>Format: unpacked numeric | <b>Description:</b> This field will contain the issuer national reimbursement fee amount that is calculated by Visa on cashback.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
| <b>VAT Cashback National Reimbursement Fee</b><br>Positions: 154–163<br>Length: 10<br>Format: unpacked numeric      | <b>Description:</b> This field will contain the issuer IRF VAT amount that is calculated by Visa on cashback.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
| <b>Reserved</b><br>Positions: 164–168<br>Length: 5<br>Format: alphanumeric                                          | <b>Description:</b> This field will be space-filled.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |

## TC 05 - TCR 2 Bolivia

These tables contain the National Settlement Draft Data (TC 05, 06, 15, 16, 25, 26, 35, 36) record layout and edit criteria for TCR 2 - BOLIVIA.

### CTF - Outgoing and Incoming Interchange

### Bolivia National Settlement Draft Data Record Layout

| Position | Field Length | Format | Contents                              |
|----------|--------------|--------|---------------------------------------|
| 1-2      | 2            | UN     | Transaction Code                      |
| 3        | 1            | UN     | Transaction Code Qualifier            |
| 4        | 1            | UN     | Transaction Component Sequence Number |
| 5-16     | 12           | AN     | Reserved                              |
| 17-19    | 3            | AN     | Country Code (BO^)                    |
| 20-21    | 2            | UN     | Number of Installment Payments        |
| 22-23    | 2            | UN     | Installment Payment Number            |
| 24-35    | 12           | UN     | Installment Payment Total Amount      |
| 36-168   | 133          | AN     | Reserved                              |

Format: AN = Alphanumeric, ANS = Alphanumeric Special, DX = Display Hexadecimal, N = Numeric, UN = Unpacked Numeric

### Bolivia National Settlement Draft Data Edit Criteria

|                                                                                                       |                                                                                                                                                           |
|-------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Transaction Code</b><br>Positions: 1-2<br>Length: 2<br>Format: unpacked numeric                    | <b>Description:</b> The field must contain the same transaction code as the TCR 0.                                                                        |
| <b>Transaction Code Qualifier</b><br>Positions: 3<br>Length: 1<br>Format: unpacked numeric            | <b>Description:</b> The field must contain one of the following values:<br><b>0</b> = Default<br><b>1</b> = Account Funding<br><b>2</b> = Original Credit |
| <b>Transaction Component Sequence Number</b><br>Positions: 4<br>Length: 1<br>Format: unpacked numeric | <b>Description:</b> The field must contain a <b>2</b> .                                                                                                   |
| <b>Reserved</b><br>Positions: 5-16<br>Length: 12<br>Format: alphanumeric                              | <b>Description:</b> This field is reserved for future use. Edit Package will space-fill this field.                                                       |

### Bolivia National Settlement Draft Data Edit Criteria

|                                                                                                       |                                                                                                                                                                                                                                                                                                                                                                          |
|-------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Country Code</b><br>Positions: 17–19<br>Length: 3<br>Format: alphanumeric                          | <b>Description:</b> Code that represents the country involved. This field must contain the value <b>BO^</b> (Bolivia), where ^ = <b>space</b> . This field is left-justified and followed by a <b>space</b> .                                                                                                                                                            |
| <b>Number of Installment Payments</b><br>Positions: 20–21<br>Length: 2<br>Format: unpacked numeric    | <b>Description:</b> This field must contain a numeric entry. Default value is <b>01</b> .<br>For Regular Sale, this field must contain <b>01</b> .<br>For Merchant installment, this field must contain the total number of installments.                                                                                                                                |
| <b>Installment Payment Number</b><br>Positions: 22–23<br>Length: 2<br>Format: unpacked numeric        | <b>Description:</b> This field must contain a numeric entry from <b>00</b> to <b>99</b> . Default value is <b>00</b> .<br>For Regular Sale, this field must contain zeros (0).<br>For Merchant installment, this field must contain the installment numbers that is being presented.<br>This field must contain a value less or equal to Number of Installment Payments. |
| <b>Installment Payment Total Amount</b><br>Positions: 24–35<br>Length: 12<br>Format: unpacked numeric | <b>Description:</b> This field must be numeric and must contain the total amount authorized in the authorization message. Default value is <b>zeros</b> .<br>For Regular Sale, this field must contain zeros ( <b>0</b> ).<br>For Merchant installment, this field must contain the total amount authorized.                                                             |
| <b>Reserved</b><br>Positions: 36–168<br>Length: 133<br>Format: alphanumeric                           | <b>Description:</b> This field is reserved for future use. Edit Package will space-fill this field.                                                                                                                                                                                                                                                                      |

## TC 05 - TCR 2 Brazil

These tables contain the National Settlement Draft Data (TC 05, 06, 07, 15, 16, 17, 25, 26, 27, 35, 36, 37) record layout and edit criteria for TCR 2 - BRAZIL.

### CTF - Outgoing and Incoming Interchange

### Brazil National Settlement Draft Data Record Layout

| Position | Field Length | Format | Contents                              |
|----------|--------------|--------|---------------------------------------|
| 1-2      | 2            | UN     | Transaction Code                      |
| 3        | 1            | UN     | Transaction Code Qualifier            |
| 4        | 1            | UN     | Transaction Component Sequence Number |
| 5-16     | 12           | AN     | Reserved                              |
| 17-19    | 3            | AN     | Country Code (BR^)                    |
| 20-22    | 3            | AN     | Reserved                              |
| 23-25    | 3            | UN     | Settlement Type                       |
| 26-35    | 10           | UN     | National Reimbursement Fee            |
| 36-39    | 4            | UN     | National Net CPD of Original (YDDD)   |
| 40-41    | 2            | AN     | Installment Payment Count             |
| 42-46    | 5            | AN     | Special Merchant Identifier           |
| 47       | 1            | AN     | Special Purchase Identifier           |
| 48-62    | 15           | AN     | Merchant Tax ID Number                |
| 63-168   | 106          | AN     | Reserved                              |

Format: AN = Alphanumeric, ANS = Alphanumeric Special, DX = Display Hexadecimal, N = Numeric, UN = Unpacked Numeric

### Brazil National Settlement Draft Data Edit Criteria

|                                                                                            |                                                                                                                                                                                                                                                                                                              |
|--------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Transaction Code</b><br>Positions: 1-2<br>Length: 2<br>Format: unpacked numeric         | <b>Description:</b> The field must contain the same transaction code as the TCR 0.                                                                                                                                                                                                                           |
| <b>Transaction Code Qualifier</b><br>Positions: 3<br>Length: 1<br>Format: unpacked numeric | <b>Description:</b> The field must contain one of these values:<br><b>0</b> = Default<br><b>1</b> = Account Funding<br><b>2</b> = Original Credit<br><br><b>Note:</b> This edit will continue to be performed by the Edit Package when the Bypass Business Edits option is used during an outgoing edit run. |

## Brazil National Settlement Draft Data Edit Criteria

|                                                                                                       |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
|-------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Transaction Component Sequence Number</b><br>Positions: 4<br>Length: 1<br>Format: unpacked numeric | <b>Description:</b> The field must contain a <b>2</b> .                                                                                                                                                                                                                                                                                                                                                                                                                         |
| <b>Reserved</b><br>Positions: 5–16<br>Length: 12<br>Format: alphanumeric                              | <b>Description:</b> This field is reserved for future use. EP will always space-fill.                                                                                                                                                                                                                                                                                                                                                                                           |
| <b>Country Code</b><br>Positions: 17–19<br>Length: 3<br>Format: alphanumeric                          | <b>Description:</b> Code that represents the country involved. This field must contain the value <b>BR^</b> (Brazil) where <b>^</b> = <b>space</b> . This field is left-justified and followed by a <b>space</b> .                                                                                                                                                                                                                                                              |
| <b>Reserved</b><br>Positions: 20–22<br>Length: 3<br>Format: alphanumeric                              | <b>Description:</b> This field is reserved for future use. EP will always space-fill.                                                                                                                                                                                                                                                                                                                                                                                           |
| <b>Settlement Type</b><br>Positions: 23–25<br>Length: 3<br>Format: unpacked numeric                   | <b>Description:</b> Indicates if settlement is deferred and by how many days. The field must be numeric and contain a valid entry. The entry must be zero-filled to the left (for example, Settlement Type of 2 is entered as <b>002</b> ). Refer to <i>BASE II Clearing Data Codes</i> for valid Settlement Type codes.<br><br><b>Note:</b> Crediario installment payment transactions must be paid by the acquirer to the merchant within 2 days from the authorization date. |
| <b>National Reimbursement Fee</b><br>Positions: 26–35<br>Length: 10<br>Format: unpacked numeric       | <b>Description:</b> Indicates fee form national reimbursement fee. The field must be <b>zero</b> .<br><br><b>VIC Edit:</b> This field will be set to zeros.                                                                                                                                                                                                                                                                                                                     |
| <b>National Net CPD of Original</b><br>Positions: 36–39<br>Length: 4<br>Format: unpacked numeric      | <b>Description:</b> The date BASE II processed this transaction or item. This field must be <b>zeros</b> for original transactions.<br><br><b>Dispute Response Financials, Reversals, Dispute Financials</b> The entry must be the Central Processing Date of the original transaction in the format <b>YDDD</b> .                                                                                                                                                              |
| <b>Installment Payment Count</b><br>Positions: 40–41<br>Length: 2<br>Format: alphanumeric             | <b>Description:</b> Indicates the number of installment payments. The field must contain a numeric entry from <b>00</b> through <b>99</b> , or <b>spaces</b> .                                                                                                                                                                                                                                                                                                                  |



## Brazil National Settlement Draft Data Edit Criteria

|                                                                                             |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
|---------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Special Merchant Identifier</b><br>Positions: 42–46<br>Length: 5<br>Format: alphanumeric | <b>Description:</b> Contains the Special Merchant Identifier. It is not edited by the Edit Package or BASE II.                                                                                                                                                                                                                                                                                                                                                                    |
| <b>Special Purchase Identifier</b><br>Positions: 47<br>Length: 1<br>Format: alphanumeric    | <b>Description:</b> This field must contain one of these values:<br><b>1</b> = Commissioned Purchase<br><b>2</b> = Correspondente Bancario<br><b>3</b> = Carne<br><b>4</b> = Commissioned Purchase 2<br><b>5</b> = Crediario<br><b>Space</b> = Not Special Purchase                                                                                                                                                                                                               |
| <b>Merchant Tax ID Number</b><br>Positions: 48–62<br>Length: 15<br>Format: alphanumeric     | <b>Description:</b> This field contains the merchant tax ID for each Brazil merchant assigned by the merchant local authority. Required for domestic point-of-sale transactions, optional for reversals.<br>The information should be submitted left-justified and space-filled.<br>It is not edited by Edit Package or BASE II.<br>Incoming: This field will be initialized to spaces prior to delivery.<br><b>Note:</b> Some merchant tax ID numbers may only be 11 characters. |
| <b>Reserved</b><br>Positions: 63–168<br>Length: 106<br>Format: alphanumeric                 | <b>Description:</b> This field is reserved for future use. EP will always space-fill.                                                                                                                                                                                                                                                                                                                                                                                             |

## TC 05 - TCR 2 Chile

These tables contain the National Settlement Draft Data (TC 05, 06, 15, 16, 25, 26, 35, 36) record layout and edit criteria for TCR 2 - CHILE.

### CTF - Outgoing and Incoming Interchange

#### Chile National Settlement Draft Data Record Layout

| Position | Field Length | Format | Contents                   |
|----------|--------------|--------|----------------------------|
| 1–2      | 2            | UN     | Transaction Code           |
| 3        | 1            | UN     | Transaction Code Qualifier |

### Chile National Settlement Draft Data Record Layout

| Position | Field Length | Format | Contents                                 |
|----------|--------------|--------|------------------------------------------|
| 4        | 1            | UN     | Transaction Component Sequence Number    |
| 5        | 1            | AN     | Sale Type Indicator                      |
| 6-8      | 3            | UN     | Number of Installment Payments           |
| 9-11     | 3            | UN     | Installment Payment Number               |
| 12       | 1            | AN     | Issuer Promo Flag                        |
| 13       | 1            | AN     | Deferred Flag                            |
| 14       | 1            | AN     | Deferred Period                          |
| 15       | 1            | AN     | Grace Period Flag                        |
| 16       | 1            | AN     | Grace Period                             |
| 17-19    | 3            | AN     | Country Code (CL^)                       |
| 20-31    | 12           | UN     | Installment Payment Total Amount         |
| 32-43    | 12           | UN     | Installment Payment Amount               |
| 44-48    | 5            | UN     | Installment Interest Rate                |
| 49-52    | 4            | UN     | VAT Rate                                 |
| 53-64    | 12           | UN     | Interchange Reimbursement Fee (IRF)      |
| 65-76    | 12           | UN     | VAT National Reimbursement Fee           |
| 77-82    | 6            | UN     | Deferred Settlement Date                 |
| 83-88    | 6            | UN     | Deferred Settlement Date of the Original |
| 89-168   | 80           | AN     | Reserved                                 |

Format: AN = Alphanumeric, ANS = Alphanumeric Special, DX = Display Hexadecimal, N = Numeric, UN = Unpacked Numeric

### Chile National Settlement Draft Data Edit Criteria

|                                                                                                       |                                                                                                                                                                                                                                                                                                                                         |
|-------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Transaction Code</b><br>Positions: 1–2<br>Length: 2<br>Format: unpacked numeric                    | <b>Description</b> The field must contain the same transaction code as the TCR 0.                                                                                                                                                                                                                                                       |
| <b>Transaction Code Qualifier</b><br>Positions: 3<br>Length: 1<br>Format: unpacked numeric            | <b>Description</b> The field must contain one of the following values:<br><b>0</b> = Default<br><b>1</b> = Account Funding<br><b>2</b> = Original Credit                                                                                                                                                                                |
| <b>Transaction Component Sequence Number</b><br>Positions: 4<br>Length: 1<br>Format: unpacked numeric | <b>Description</b> The field must contain a <b>2</b> .                                                                                                                                                                                                                                                                                  |
| <b>Sale Type Indicator</b><br>Positions: 5<br>Length: 1<br>Format: alphanumeric                       | <b>Description</b> Indicates the type of sale.<br>Must contain one of the values:<br><b>1</b> – No installments<br><b>2</b> – QuasiCash<br><b>5</b> – Issuer Installments<br><b>6</b> – Merchant Installments<br><b>8</b> – Sale by agreement of quotas with a single interest rate<br><b>9</b> – Tax Payment. Regular sale             |
| <b>Number of Installment Payments</b><br>Positions: 6–8<br>Length: 3<br>Format: unpacked numeric      | <b>Description</b> If installment purchase, indicates the number of installments. The field must contain a numeric entry from 000 through 999. Default value 000.<br>If Sale Type Indicator in position 5 equal 2, this field must be zero.<br>If Sale Type Indicator in position 5 equal 5, 6 or 8, this field must be greater than 1. |
| <b>Installment Payment Number</b><br>Positions: 9–11<br>Length: 3<br>Format: unpacked numeric         | <b>Description</b> This field must contain the current number of payment. The field must contain a numeric entry from 000 through 999. Default value 000.<br>This field must be less than or equal to the number of installment payments in positions 6–8.                                                                              |
| <b>Issuer Promo Flag</b><br>Positions: 12<br>Length: 1<br>Format: alphanumeric                        | <b>Description</b> Value that indicates that this transaction was performed according with the issuer promotion campaign agreed with the acquirer.<br>Values: <b>0</b> = no promotion campaign was agreed<br><b>1</b> = promotion campaign agreed                                                                                       |

## Chile National Settlement Draft Data Edit Criteria

|                                                                                                       |                                                                                                                                                                                                                                                      |
|-------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Deferred Flag</b><br>Positions: 13<br>Length: 1<br>Format: alphanumeric                            | <b>Description</b> Value that indicates that one deferred option was selected by cardholder.<br>Values: <b>0</b> = cardholder hasn't selected a deferred period<br><b>1</b> = cardholder has selected a deferred period                              |
| <b>Deferred Period</b><br>Positions: 14<br>Length: 1<br>Format: alphanumeric                          | <b>Description:</b> Value that indicates which deferred period was selected by the cardholder.<br>Values: <b>0, 1, 2, 3</b>                                                                                                                          |
| <b>Grace Period Flag</b><br>Positions: 15<br>Length: 1<br>Format: alphanumeric                        | <b>Description:</b> Value that indicates that the grace period flag was selected by cardholder.<br>Values: <b>0</b> = cardholder hasn't selected a grace period flag, <b>1</b> = cardholder has selected a grace period.                             |
| <b>Grace Period</b><br>Positions: 16<br>Length: 1<br>Format: alphanumeric                             | <b>Description:</b> Value that indicates which grace period was selected by cardholder.<br>Values: <b>0</b> = cardholder hasn't selected the period<br><b>1</b> = cardholder has selected one month as grace period                                  |
| <b>Country Code</b><br>Positions: 17–19<br>Length: 3<br>Format: alphanumeric                          | <b>Description:</b> Code that represents the country involved. This field must contain the value <b>CL^</b> (Chile), where ^ = <b>space</b> . This field is left-justified and followed by a <b>space</b> .                                          |
| <b>Installment Payment Total Amount</b><br>Positions: 20–31<br>Length: 12<br>Format: unpacked numeric | <b>Description:</b> This field must contain the total amount of the installment payments. Two (2) decimal positions are implied with zeros after applying the rounding rule. It must contain the total amount approved in the authorization message. |
| <b>Installment Payment Amount</b><br>Positions: 32–43<br>Length: 12<br>Format: unpacked numeric       | <b>Description:</b> This field must contain the installment amount. Two (2) decimal positions are implied with zeros after applying the rounding rule.                                                                                               |
| <b>Installment Interest Rate</b><br>Positions: 44–48<br>Length: 5<br>Format: unpacked numeric         | <b>Description:</b> This field must contain the interest rate applied to installment payments with interest. Two (2) decimal positions are implied. It must contain same rate approved in the authorization message.                                 |

### Chile National Settlement Draft Data Edit Criteria

|                                                                                                          |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
|----------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>VAT Rate</b><br>Positions: 49–52<br>Length: 4<br>Format: unpacked numeric                             | <b>Description:</b> This field must contain the VAT rate that should be used to calculate the VAT IRF in position 65–76. Two (2) decimal positions are implied.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
| <b>Interchange Reimbursement Fee (IRF)</b><br>Positions: 53–64<br>Length: 12<br>Format: unpacked numeric | <b>Description:</b> This field will contain the issuer national reimbursement fee amount that is calculated by Visa. Two decimal places are implied with zeros after applying the rounding rule.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
| <b>VAT National Reimbursement Fee</b><br>Positions: 65–76<br>Length: 12<br>Format: unpacked numeric      | <b>Description:</b> This field will contain the issuer IRF VAT amount that is calculated by Visa. Two decimal places are implied with zeros after applying the rounding rule.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
| <b>Deferred Settlement Date</b><br>Positions: 77–82<br>Length: 6<br>Format: unpacked numeric             | <b>Description:</b> Indicates the date when the settlement will be processed in yymmdd format, where: <ul style="list-style-type: none"> <li>yy (Year) = <b>00–99</b></li> <li>mm (Month) = <b>01–12</b></li> <li>dd (Day) = <b>01–31</b></li> </ul> Usually filled out with zeros if not defined.<br><br><b>IMPORTANT:</b> If the acquirer sends a date that is not a working day according to the financial calendar of Chile, Visa will schedule the settlement for the next first business' day.<br><br><b>Note:</b> Deferred Settlement Date can be up to 365 calendar days.<br><br>On purchase reversals, credit voucher originals/reversal transactions, this date should be equal or greater than the Deferred Settlement Date of the Original. |

## Chile National Settlement Draft Data Edit Criteria

|                                                                                                              |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
|--------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Deferred Settlement Date of the Original</b><br>Positions: 83–88<br>Length: 6<br>Format: unpacked numeric | <b>Description:</b> On purchase originals, this date should be submitted with zeroes. Visa will calculate the appropriate date based on the Chilean calendar in yymmdd format, where: <ul style="list-style-type: none"> <li>yy (Year) = <b>00–99</b></li> <li>mm (Month) = <b>01–12</b></li> <li>dd (Day) = <b>01–31</b></li> </ul> On purchase reversals, credit voucher originals/reversal transactions, this date should be retained and returned with the “purchase original” Deferred Settlement Date of Original. |
| <b>Reserved</b><br>Positions: 89–168<br>Length: 80<br>Format: alphanumeric                                   | <b>Description:</b> This field will be space-filled.                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |

# TC 05 - TCR 2 Colombia

These tables contain the National Settlement Draft Data (TC 05, 06, 07, 15, 16, 17, 25, 26, 27, 35, 36, 37) record layout and edit criteria for TCR 2 - COLOMBIA.

## CTF - Outgoing and Incoming Interchange

### Colombia National Settlement Draft Data Record Layout

| Position | Field Length | Format | Contents                               |
|----------|--------------|--------|----------------------------------------|
| 1–2      | 2            | UN     | Transaction Code                       |
| 3        | 1            | UN     | Transaction Code Qualifier             |
| 4        | 1            | UN     | Transaction Component Sequence Number  |
| 5–16     | 12           | UN     | Reserved                               |
| 17–19    | 3            | AN     | Country Code (CO^)                     |
| 20       | 1            | AN     | National Net Miscellaneous Amount Type |
| 21       | 1            | AN     | Reserved                               |
| 22–75    | 54           | UN     | Reserved                               |
| 76–84    | 9            | UN     | National Net Miscellaneous Amount      |
| 85–87    | 3            | UN     | Reserved                               |
| 88–95    | 8            | UN     | Amount Base of Add Value Tax to Return |

### Colombia National Settlement Draft Data Record Layout

| Position | Field Length | Format | Contents                     |
|----------|--------------|--------|------------------------------|
| 96-104   | 9            | UN     | Consumption Tax Amount       |
| 105-113  | 9            | UN     | Add Value Tax Amount         |
| 114      | 1            | UN     | Cost Transaction Indicator   |
| 115      | 1            | UN     | EMV Transaction Indicator    |
| 116      | 1            | UN     | Reserved                     |
| 117-118  | 2            | AN     | National Dispute Reason Code |
| 119-168  | 50           | AN     | Reserved                     |

Format: AN = Alphanumeric, ANS = Alphanumeric Special, DX = Display Hexadecimal, N = Numeric, UN = Unpacked Numeric

### Colombia National Settlement Draft Data Edit Criteria

|                                                                                                       |                                                                                                                                                                                                                                                                                                        |
|-------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Transaction Code</b><br>Positions: 1-2<br>Length: 2<br>Format: unpacked numeric                    | <b>Description:</b> The field must contain the same transaction code as the TCR 0.                                                                                                                                                                                                                     |
| <b>Transaction Code Qualifier</b><br>Positions: 3<br>Length: 1<br>Format: unpacked numeric            | <b>Description:</b> The field must contain one of these values:<br><b>0</b> = Default <b>1</b> = Account Funding <b>2</b> = Original Credit<br><br><b>Note:</b> This edit will continue to be performed by the Edit Package when the Bypass Business Edits option is used during an outgoing edit run. |
| <b>Transaction Component Sequence Number</b><br>Positions: 4<br>Length: 1<br>Format: unpacked numeric | <b>Description:</b> The field must contain a <b>2</b> .                                                                                                                                                                                                                                                |
| <b>Reserved</b><br>Positions: 5-16<br>Length: 12<br>Format: unpacked numeric                          | <b>Description:</b> This field will be zero-filled.                                                                                                                                                                                                                                                    |
| <b>Country Code</b><br>Positions: 17-19<br>Length: 3<br>Format: alphanumeric                          | <b>Description:</b> Code that represents the country involved. This field must contain <b>CO ^</b> (Colombia), where <b>^</b> = <b>space</b> . This field must be left-justified and followed by a <b>space</b> .                                                                                      |

## Colombia National Settlement Draft Data Edit Criteria

|                                                                                                            |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
|------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>National Net Miscellaneous Amount Type</b><br>Positions: 20<br>Length: 1<br>Format: alphanumeric        | <b>Description:</b> Conditional. Indicates the type of other amount. Must be present if "National Net Miscellaneous Amount" is present.<br>Values:<br><b>T</b> = Tip<br><b>C</b> = Cashback<br><b>A</b> = Airport Charge<br><b>Space</b> = n/a<br><b>VIC Edit:</b> The VIC will return the transaction if "National Net Miscellaneous Amount" is present and this field value is other than <b>T</b> , <b>C</b> , or <b>A</b> .                                                     |
| <b>Reserved</b><br>Positions: 21<br>Length: 1<br>Format: alphanumeric                                      | <b>Description:</b> This field will be space-filled                                                                                                                                                                                                                                                                                                                                                                                                                                 |
| <b>Reserved</b><br>Positions: 22–75<br>Length: 54<br>Format: unpacked numeric                              | <b>Description:</b> This field will be zero-filled.                                                                                                                                                                                                                                                                                                                                                                                                                                 |
| <b>National Net Miscellaneous Amount</b><br>Positions: 76–84<br>Length: 9<br>Format: unpacked numeric      | <b>Description:</b> Optional.<br><b>Note:</b> <b>Zero</b> is the default value when no amount is present.                                                                                                                                                                                                                                                                                                                                                                           |
| <b>Reserved</b><br>Positions: 85–87<br>Length: 3<br>Format: unpacked numeric                               | <b>Description:</b> This field will be zero-filled                                                                                                                                                                                                                                                                                                                                                                                                                                  |
| <b>Amount Base of Add Value Tax to Return</b><br>Positions: 88–95<br>Length: 8<br>Format: unpacked numeric | <b>Description:</b> Optional. This field indicates base value of the IVA (Sales Tax) which is part of the benefit of the tax legislations for the 2% sales tax return to the cardholder.<br>This field should be right-justified. Value should be greater or equal to 0. Two decimal places are implied.<br>This field should be zero-filled when the information is not present.<br><b>Outgoing:</b> The Edit Package will insert zeros in this field if the value is not numeric. |



## Colombia National Settlement Draft Data Edit Criteria

|                                                                                              |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
|----------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Consumption Tax Amount</b><br>Positions: 96–104<br>Length: 9<br>Format: unpacked numeric  | <b>Description:</b> Optional. This field will contain the National Consumption Tax and is applicable for the following goods and services. <ul style="list-style-type: none"><li>• Mobile Services</li><li>• Motor vehicles, boats, airplane</li><li>• Sale of food and beverages</li></ul> This field should be right-justified. Two decimal places are implied.<br>This field should be zero-filled when the information is not present.<br><b>Outgoing:</b> The Edit Package will insert zeros in this field if the value is not numeric. |
| <b>Add Value Tax Amount</b><br>Positions: 105–113<br>Length: 9<br>Format: unpacked numeric   | <b>Description:</b> Optional. This field contains the National Government Tax for the added value of a good or service.<br>This field should be right-justified. Two decimal places are implied.<br>This field should be zero-filled when the information is not present.<br><b>Outgoing:</b> The Edit Package will insert zeros in this field if the value is not numeric.                                                                                                                                                                  |
| <b>Cost Transaction Indicator</b><br>Positions: 114<br>Length: 1<br>Format: unpacked numeric | <b>Description:</b> Mandatory. This field will contain a value that will indicate if the transaction was a cost inquiry.<br>Values:<br><b>0</b> – Not a cost inquiry amount<br><b>1</b> – Cost inquiry transaction<br><b>VIC Edit:</b> The VIC will return the transaction if value is not <b>0</b> or <b>1</b> .<br><b>Outgoing:</b> The Edit Package will reject the transaction if value is not <b>0</b> or <b>1</b> .                                                                                                                    |
| <b>EMV Transaction Indicator</b><br>Positions: 115<br>Length: 1<br>Format: unpacked numeric  | <b>Description:</b> Mandatory. This field will contain a value that indicates if this was a chip transaction.<br>Values:<br><b>0</b> – Does not apply to EMV<br><b>1</b> – EMV transaction<br><b>2</b> – Fallback transaction<br><b>VIC Edit:</b> The VIC will return the transaction if value is not <b>0</b> or <b>1</b> or <b>2</b> .<br><b>Outgoing:</b> The Edit Package will reject the transaction if value is not <b>0</b> or <b>1</b> or <b>2</b> .                                                                                 |
| <b>Reserved</b><br>Positions: 116<br>Length: 1<br>Format: unpacked numeric                   | <b>Description:</b> This field will be zero-filled.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |

## Colombia National Settlement Draft Data Edit Criteria

|                                                                                                |                                                                                                                                                                                                                                                                           |
|------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>National Dispute Reason Code</b><br>Positions: 117–118<br>Length: 2<br>Format: alphanumeric | <b>Description:</b> Optional. This field contains a valid dispute reason code based on domestic laws.<br>This field should be space-filled when the information is not present.<br><b>Outgoing:</b> The Edit Package will insert spaces if the value is not alphanumeric. |
| <b>Reserved</b><br>Positions: 119–168<br>Length: 50<br>Format: alphanumeric                    | <b>Description:</b> This field will be space-filled.                                                                                                                                                                                                                      |

## TC 05 - TCR 2 Japan

These tables contain the National Settlement Draft Data (TC 05, 06, 07, 25, 26, 27,) record layout and edit criteria for TCR 2 - JAPAN.

### CTF - Outgoing and Incoming Interchange

#### Japan National Settlement Draft Data Record Layout

| Position | Field Length | Format | Contents                              |
|----------|--------------|--------|---------------------------------------|
| 1–2      | 2            | UN     | Transaction Code                      |
| 3        | 1            | UN     | Transaction Code Qualifier            |
| 4        | 1            | UN     | Transaction Component Sequence Number |
| 5        | 1            | UN     | Number of Bonus Payments              |
| 6        | 1            | AN     | Bonus Month Sign                      |
| 7–10     | 4            | UN     | Bonus Amount                          |
| 11–14    | 4            | UN     | National Net CPD of Original          |
| 15–16    | 2            | AN     | Reserved                              |
| 17–19    | 3            | AN     | Country Code (JP^)                    |
| 20–22    | 3            | UN     | Number of Installment Payments        |
| 23–24    | 2            | UN     | Payment Mode                          |
| 25       | 1            | AN     | Reserved                              |
| 26–33    | 8            | UN     | Net Sales Amount                      |
| 34–41    | 8            | UN     | Tax and Mailing Charge                |

## Japan National Settlement Draft Data Record Layout

| Position | Field Length | Format | Contents                       |
|----------|--------------|--------|--------------------------------|
| 42-58    | 17           | UN     | Sales Draft Reference Number   |
| 59-73    | 15           | AN     | Acquiring Bank/Merchant Number |
| 74-96    | 23           | AN     | Merchant Name—Katakana         |
| 97-98    | 2            | AN     | National Dispute Reason Code   |
| 99-138   | 40           | AN     | Merchant Name—Kanji            |
| 139      | 1            | UN     | Net/Gross Flag                 |
| 140-159  | 20           | AN     | Text Message                   |
| 160-167  | 8            | UN     | Acquirer's Invoice Amount      |
| 168      | 1            | UN     | Bonus Code                     |

Format: AN = Alphanumeric, ANS = Alphanumeric Special, DX = Display Hexadecimal, N = Numeric, UN = Unpacked Numeric

## Japan National Settlement Draft Data Edit Criteria

|                                                                                                       |                                                                                                                                                                                                                                                                                                             |
|-------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Transaction Code</b><br>Positions: 1-2<br>Length: 2<br>Format: unpacked numeric                    | <b>Description:</b> The field must contain the same transaction code as the TCR 0.                                                                                                                                                                                                                          |
| <b>Transaction Code Qualifier</b><br>Positions: 3<br>Length: 1<br>Format: unpacked numeric            | <b>Description:</b> The field must contain one of these values:<br><b>0</b> = Default<br><b>1</b> = Account Funding<br><b>2</b> = Original Credit<br>This edit will continue to be performed by the Edit Package when the Bypass Business Edits option is used during an outgoing edit run.                 |
| <b>Transaction Component Sequence Number</b><br>Positions: 4<br>Length: 1<br>Format: unpacked numeric | <b>Description:</b> The field must contain a <b>2</b> .                                                                                                                                                                                                                                                     |
| <b>Number of Bonus Payments</b><br>Positions: 5<br>Length: 1<br>Format: unpacked numeric              | <b>Description:</b> The number of lump sum bonus payments that the cardholder will make. Valid values are <b>1</b> through <b>9</b> . When not used, the field should be zero-filled. When the Payment Mode field has values <b>22</b> , <b>24</b> , <b>33</b> , and <b>34</b> , the entry must be numeric. |

## Japan National Settlement Draft Data Edit Criteria

|                                                                                                    |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
|----------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Bonus Month Sign</b><br>Positions: 6<br>Length: 1<br>Format: alphanumeric                       | <b>Description:</b> Contains a code that represents the month(s) that the cardholder will make a bonus payment. The code is preset between acquirers and issuers. If this field is not used, the entry should be a space. Refer to <i>BASE II Clearing Data Codes</i> for valid Bonus Month Sign values and definitions.                                                                                                                                                                                               |
| <b>Bonus Amount</b><br>Positions: 7–10<br>Length: 4<br>Format: unpacked numeric                    | <b>Description:</b> Contains the add-on amount the cardholder will pay as a bonus payment in Yen 1000. Valid values are <b>0001</b> through <b>9999</b> . Values must be right-justified and zero-filled. If not used, this field should be zero-filled.<br><br>The entry must be numeric when the Payment Mode field has values <b>32</b> and <b>34</b> .                                                                                                                                                             |
| <b>National Net CPD of Original</b><br>Positions: 11–14<br>Length: 4<br>Format: unpacked numeric   | <b>Description:</b> CPD Date of the Original transaction. Field Format: <b>YDDD</b> .                                                                                                                                                                                                                                                                                                                                                                                                                                  |
| <b>Reserved</b><br>Positions: 15–16<br>Length: 2<br>Format: alphanumeric                           | <b>Description:</b> This field is reserved for future use. EP will always space-fill.                                                                                                                                                                                                                                                                                                                                                                                                                                  |
| <b>Country Code</b><br>Positions: 17–19<br>Length: 3<br>Format: alphanumeric                       | <b>Description:</b> Code that represents the country involved. This field must contain <b>JP^</b> (Japan) , where <b>^</b> = <b>space</b> . This field is left-justified and followed by a <b>space</b> .                                                                                                                                                                                                                                                                                                              |
| <b>Number of Installment Payments</b><br>Positions: 20–22<br>Length: 3<br>Format: unpacked numeric | <b>Description:</b> Indicates the number of installment payments.<br><br>The entry must be numeric when the Payment Mode field has values <b>31</b> , <b>32</b> , <b>33</b> , and <b>34</b> . For Payment Mode 61, the value must not be <b>001</b> and the value must be numeric.<br><br>The valid values are <b>000</b> and <b>002</b> for Twice Payments and <b>003</b> through <b>099</b> for Installment Payments. Values must be right-justified and zero-filled. If not used, this field should be zero-filled. |
| <b>Payment Mode</b><br>Positions: 23–24<br>Length: 2<br>Format: unpacked numeric                   | <b>Description:</b> Indicates type of bonus or installment payment (semi-annual payment, cash transactions, bonus payment with bonus month sign, etc.) The field must contain a valid value.<br><br>For TC 05, 06, 25 and 26, the entry cannot be <b>71</b> .<br><br>For TC 07 and 27, the entry must be <b>71</b> .<br><br>Refer to <i>BASE II Clearing Data Codes</i> for valid Payment Mode values and definitions.                                                                                                 |

## Japan National Settlement Draft Data Edit Criteria

|                                                                                                   |                                                                                                                                                                                                                                                                |
|---------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Reserved</b><br>Positions: 25<br>Length: 1<br>Format: alphanumeric                             | <b>Description:</b> This field is reserved for future use. EP will always space-fill.                                                                                                                                                                          |
| <b>Net Sales Amount</b><br>Positions: 26–33<br>Length: 8<br>Format: unpacked numeric              | <b>Description:</b> This field must contain the sales amount of the goods and service before tax and mailing charges. The entry must be numeric.<br><br><b>Note:</b> If the Tax and Mailing Charge is zero, this value should be equal to TCR 0 Source Amount. |
| <b>Tax and Mailing Charge</b><br>Positions: 34–41<br>Length: 8<br>Format: unpacked numeric        | <b>Description:</b> Tax and mailing charge portion of transaction. The entry must be numeric and may be zeros.<br><br><b>Note:</b> * TCR 2 Net Sales Amount (position 26–33) + Tax and Mailing Charge (34–41) = TCR 0 Source Amount (= Destination Amount).    |
| <b>Sales Draft Reference Number</b><br>Positions: 42–58<br>Length: 17<br>Format: unpacked numeric | <b>Description:</b> Reference number of the sales draft. The entry must be numeric.<br><br><b>Note:</b> First 4 byte = <b>MMDD</b> . May copy from TCR 0 Purchase Date (position 58–61) to first 4 byte.                                                       |
| <b>Acquiring Bank/Merchant Number</b><br>Positions: 59–73<br>Length: 15<br>Format: alphanumeric   | <b>Description:</b> Identifying number of acquiring bank/merchant. If not used, the field should contain spaces.                                                                                                                                               |
| <b>Merchant Name—Katakana</b><br>Positions: 74–96<br>Length: 23<br>Format: alphanumeric           | <b>Description:</b> The merchant name in Katakana characters. The first character may not be a <b>space</b> .                                                                                                                                                  |
| <b>National Dispute Reason Code</b><br>Positions: 97–98<br>Length: 2<br>Format: alphanumeric      | <b>Description:</b> Reason for dispute financial. The field must not be spaces for a dispute financial or dispute financial reversal (TC 15, 16, 17, 35, 36, 37).                                                                                              |
| <b>Merchant Name—Kanji</b><br>Positions: 99–138<br>Length: 40<br>Format: alphanumeric             | <b>Description:</b> The merchant name in Kanji characters. If the field is not used, it should be spaces.                                                                                                                                                      |

## Japan National Settlement Draft Data Edit Criteria

|                                                                                                 |                                                                                                                                                                                                                                |
|-------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Net/Gross Flag</b><br>Positions: 139<br>Length: 1<br>Format: unpacked numeric                | <b>Description:</b> Indicates net or gross amount. The entry must be numeric.<br><br><b>Note:</b> 1, 2, 8 or 9 must be set. If not used set 1 (no space or 0).                                                                 |
| <b>Text Message</b><br>Positions: 140–159<br>Length: 20<br>Format: alphanumeric                 | <b>Description:</b> Administrative message used to convey information from a sender to a receiver. If this field is not used, the entry should be spaces.                                                                      |
| <b>Acquirer's Invoice Amount</b><br>Positions: 160–167<br>Length: 8<br>Format: unpacked numeric | <b>Description:</b> The net value of the transaction after applying the Interchange Reimbursement Fee. The entry must be numeric.                                                                                              |
| <b>Bonus Code</b><br>Positions: 168<br>Length: 1<br>Format: unpacked numeric                    | <b>Description:</b> Indicates if bonus payment changed to lump sum payment. The entry must be 0 or 1, and 1 is only valid for Payment Mode 10.<br><br>Values: 0 = Not applicable 1 = Bonus payment changed to lump sum payment |

## TC 05 - TCR 2 Mexico

These tables contain the National Settlement Draft Data (TC 05, 06, 15, 16, 25, 26, 35, 36) record layout and edit criteria for TCR 2 - MEXICO.

### CTF - Outgoing and Incoming Interchange

#### Mexico National Settlement Draft Data Record Layout

| Position | Field Length | Format | Contents                              |
|----------|--------------|--------|---------------------------------------|
| 1–2      | 2            | UN     | Transaction Code                      |
| 3        | 1            | UN     | Transaction Code Qualifier            |
| 4        | 1            | UN     | Transaction Component Sequence Number |
| 5–16     | 12           | AN     | Reserved                              |
| 17–19    | 3            | AN     | Country Code (MX^)                    |
| 20–21    | 2            | AN     | Account Type                          |
| 22       | 1            | UN     | IRF Type                              |

### Mexico National Settlement Draft Data Record Layout

| Position | Field Length | Format | Contents                             |
|----------|--------------|--------|--------------------------------------|
| 23-24    | 2            | UN     | IRF Category                         |
| 25-34    | 10           | UN     | VAT on IRF                           |
| 35-47    | 13           | AN     | Merchant Fiscal ID (RFC)             |
| 48       | 1            | AN     | Reserved                             |
| 49-51    | 3            | UN     | Number of Installment Payments       |
| 52-54    | 3            | UN     | Grace Period                         |
| 55       | 1            | AN     | Frequency of Payment                 |
| 56-67    | 12           | UN     | Installment Payment Interest         |
| 68-77    | 10           | UN     | VAT for Installment Payment Interest |
| 78-80    | 3            | AN     | Reserved                             |
| 81-82    | 2            | UN     | Installment Payment Type             |
| 83-168   | 86           | AN     | Reserved                             |

Format: AN = Alphanumeric, ANS = Alphanumeric Special, DX = Display Hexadecimal, N = Numeric, UN = Unpacked Numeric

### Mexico National Settlement Draft Data Edit Criteria

|                                                                                                       |                                                                                                                                                                                                                                                                                              |
|-------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Transaction Code</b><br>Positions: 1-2<br>Length: 2<br>Format: unpacked numeric                    | <b>Description:</b> The field must contain the same transaction code as the TCR 0.                                                                                                                                                                                                           |
| <b>Transaction Code Qualifier</b><br>Positions: 3<br>Length: 1<br>Format: unpacked numeric            | <b>Description:</b> This field must contain one of these values:<br><b>0</b> = Default<br><b>1</b> = Account Funding<br><b>2</b> = Original Credit<br>This edit will continue to be performed by the Edit Package when the Bypass Business Edits option is used during an outgoing edit run. |
| <b>Transaction Component Sequence Number</b><br>Positions: 4<br>Length: 1<br>Format: unpacked numeric | <b>Description:</b> The field must contain a <b>2</b> .                                                                                                                                                                                                                                      |

### Mexico National Settlement Draft Data Edit Criteria

|                                                                                           |                                                                                                                                                                                                                                            |
|-------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Reserved</b><br>Positions: 5–16<br>Length: 12<br>Format: alphanumeric                  | <b>Description:</b> This field is reserved for future use. Edit Package will space-fill this field.                                                                                                                                        |
| <b>Country Code</b><br>Positions: 17–19<br>Length: 3<br>Format: alphanumeric              | <b>Description:</b> Code that represents the country involved. This field must contain the value <b>MX^</b> (Mexico), where ^ = <b>space</b> . This field is left-justified and followed by a <b>space</b> .                               |
| <b>Account Type</b><br>Positions: 20–21<br>Length: 2<br>Format: alphanumeric              | <b>Description:</b> This field must contain one of the following values:<br><b>Blank</b> = Default Value<br><b>CR</b> = Credit<br><b>DB</b> = Debit<br><b>PP</b> = Prepaid<br><b>CO</b> = Commercial Products<br><b>PL</b> = Private Label |
| <b>IRF Type</b><br>Positions: 22<br>Length: 1<br>Format: unpacked numeric                 | <b>Description:</b> This field must contain one of the following values:<br><b>0</b> = Default<br><b>1</b> = Fixed<br><b>2</b> = Ad valorem (%)<br><b>3</b> = Composite (Fixed amount and ad valorem)                                      |
| <b>IRF Category</b><br>Positions: 23–24<br>Length: 2<br>Format: unpacked numeric          | <b>Description:</b> This field will contain the IRF Category that is provided by the acquirer.<br>Zero-fill if not used.                                                                                                                   |
| <b>VAT on IRF</b><br>Positions: 25–34<br>Length: 10<br>Format: unpacked numeric           | <b>Description:</b> This field must contain the VAT calculated by the acquirer for the IRF applicable to this transaction. Two decimal positions are implied.                                                                              |
| <b>Merchant Fiscal ID (RFC)</b><br>Positions: 35–47<br>Length: 13<br>Format: alphanumeric | <b>Description:</b> This field is optional. If supplied, this field must contain the RFC for the merchant in the example format (right-justified filled with blanks): <b>AAAAANNNNNNAAA</b>                                                |



## Mexico National Settlement Draft Data Edit Criteria

|                                                                                                           |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
|-----------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Reserved</b><br>Positions: 48<br>Length: 1<br>Format: alphanumeric                                     | <b>Description:</b> This field is reserved for future use. Edit Package will space-fill this field.                                                                                                                                                                                                                                                                                                                                                                                                                  |
| <b>Number of Installment Payments</b><br>Positions: 49–51<br>Length: 3<br>Format: unpacked numeric        | <b>Description:</b> This field must be numeric and contain the number of installment payments. Must be present or greater than zeros if Installment Payment Type = <b>01</b> or <b>02</b> ; otherwise, must be filled with zeros.<br><br>It must be filled with the value of Number of Installments field in the authorization response message.                                                                                                                                                                     |
| <b>Grace Period</b><br>Positions: 52–54<br>Length: 3<br>Format: unpacked numeric                          | <b>Description:</b> This field must be numeric and contain the number of billing cycles that the payment of the installment that will not be required payments.<br><br>It must be filled with the value of Grace Period field in the authorization response message.                                                                                                                                                                                                                                                 |
| <b>Frequency of Payment</b><br>Positions: 55<br>Length: 1<br>Format: alphanumeric                         | <b>Description:</b> This field must contain one of the following values if Installment Payment Type = <b>01</b> or <b>02</b> :<br><br><b>Blank</b> = Not applicable<br><b>W</b> = Weekly<br><b>Q</b> = Every two weeks<br><b>M</b> = Monthly<br><b>B</b> = Bi-weekly (every two weeks)<br><b>T</b> = Trimester<br><b>C</b> = Quarterly<br><b>2</b> = Bi-monthly (every two months)<br><b>A</b> = Annual<br><b>S</b> = Twice a year (Every six months)<br><br>Must be blank if Installment Payment Type = <b>00</b> . |
| <b>Installment Payment Interest</b><br>Positions: 56–67<br>Length: 12<br>Format: unpacked numeric         | <b>Description:</b> This field must contain the interest calculated for the installment period. Two decimal positions are implied.<br><br>Must be greater than zero if Installment Payment Type = <b>01</b> or <b>02</b> .<br><br>Must be zero if Installment Payment Type = <b>00</b> .                                                                                                                                                                                                                             |
| <b>VAT for Installment Payment Interest</b><br>Positions: 68–77<br>Length: 10<br>Format: unpacked numeric | <b>Description:</b> This field must contain the VAT calculated by the acquirer for the interest applicable to this transaction. Two decimal positions are implied.<br><br>Must be greater than zero if Installment Payment Interest is greater than zero.                                                                                                                                                                                                                                                            |

## Mexico National Settlement Draft Data Edit Criteria

|                                                                                              |                                                                                                                                                                                                                                |
|----------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Reserved</b><br>Positions: 78–80<br>Length: 3<br>Format: alphanumeric                     | <b>Description:</b> This field is reserved for future use. Edit Package will space-fill this field.                                                                                                                            |
| <b>Installment Payment Type</b><br>Positions: 81–82<br>Length: 2<br>Format: unpacked numeric | <b>Description:</b> This field must be numeric and contain the Installment Payment Type. Values are:<br><b>00</b> = Without plan<br><b>01</b> = No interest to the cardholder<br><b>02</b> = With interests for the cardholder |
| <b>Reserved</b><br>Positions: 83–168<br>Length: 86<br>Format: alphanumeric                   | <b>Description:</b> This field is reserved for future use. Edit Package will space-fill this field.                                                                                                                            |

## TC 05 - TCR 2 Paraguay

This table contains the National Settlement Draft Data (TC 05, 06, 07, 15, 16, 17, 25, 26, 27, 35, 36, 37) record layout and edit criteria for TCR 2 - Paraguay.

### CTF - Outgoing and Incoming Interchange

#### Paraguay National Settlement Draft Data Record Layout

| Position | Field Length | Format | Contents                                 |
|----------|--------------|--------|------------------------------------------|
| 1–2      | 2            | UN     | Transaction Code                         |
| 3        | 1            | UN     | Transaction Code Qualifier               |
| 4        | 1            | UN     | Transaction Component Sequence Number    |
| 5–10     | 6            | UN     | Deferred Settlement Date                 |
| 11–16    | 6            | UN     | Deferred Settlement Date of the Original |
| 17–19    | 3            | AN     | Country Code (PY^)                       |
| 20–21    | 2            | UN     | Plan Owner                               |
| 22–23    | 2            | UN     | Number of Installment Payments           |
| 24–25    | 2            | UN     | Installment Payment Number               |
| 26–37    | 12           | UN     | Installment Payment Total Amount         |

### Paraguay National Settlement Draft Data Record Layout

| Position | Field Length | Format | Contents |
|----------|--------------|--------|----------|
| 38-168   | 131          | AN     | Reserved |

Format: AN = Alphanumeric, ANS = Alphanumeric Special, DX = Display Hexadecimal, N = Numeric, UN = Unpacked Numeric

### Paraguay National Settlement Draft Data Edit Criteria

|                                                                                                       |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
|-------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Transaction Code</b><br>Positions: 1–2<br>Length: 2<br>Format: unpacked numeric                    | <b>Description:</b> The field must contain the same transaction code as the TCR 0.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
| <b>Transaction Code Qualifier</b><br>Positions: 3<br>Length: 1<br>Format: unpacked numeric            | <b>Description:</b> This field must contain the following value:<br><b>0</b> = Default                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
| <b>Transaction Component Sequence Number</b><br>Positions: 4<br>Length: 1<br>Format: unpacked numeric | <b>Description:</b> The field must contain a <b>2</b> .                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
| <b>Deferred Settlement Date</b><br>Positions: 5–10<br>Length: 6<br>Format: unpacked numeric           | <b>Description:</b> Indicates the date when the settlement will be processed in <b>yymmdd</b> format, where:<br>yy (Year) = 00-99<br>mm (Month) = 01-12<br>Dd (Date) = 01-31<br>Usually filled out with zeroes, if not defined.<br><b>IMPORTANT:</b> If the acquirer sends a date that is not a working day according to the financial calendar of Paraguay, Visa will schedule the settlement for the next first business' day.<br><br><b>Note:</b> Deferred Settlement Date can be up to 365 calendar days.<br>On purchase reversals, credit voucher originals/reversal transactions, this date should be equal or greater than the Deferred Settlement Date of the Original.<br>For Cash Disbursements, this field should be submitted with zeroes. |

## Paraguay National Settlement Draft Data Edit Criteria

|                                                                                                              |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
|--------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Deferred Settlement Date of the Original</b><br>Positions: 11-16<br>Length: 6<br>Format: unpacked numeric | <b>Description:</b> On purchase originals, this date should be submitted with zeroes. Visa will calculate the appropriate date based on the Paraguayan calendar in <b>yymmdd</b> format, where:<br>yy (Year) = 00-99<br>mm (Month) = 01-12<br>dd (Day) = 01-31<br><br>On purchase reversals, credit voucher originals/reversal transactions, this date should be retained and returned with the "purchase original" Deferred Settlement Date of Original.<br><br>This field should be submitted with zeroes in Purchase Originals and Cash Disbursements. |
| <b>Country Code</b><br>Positions: 17-19<br>Length: 3<br>Format: alphanumeric                                 | <b>Description:</b> Code that represents the country involved. This field must contain the value <b>PY^</b> (Paraguay), where <b>^ = space</b> . This field is left-justified and followed by a space.                                                                                                                                                                                                                                                                                                                                                    |
| <b>Plan Owner</b><br>Positions: 20-21<br>Length: 2<br>Format: unpacked numeric                               | <b>Description:</b> This field must contain numeric values from 00 through 03. It must contain the same value as processed during Authorization.<br><br>It must contain one of the following values:<br>00 = Normal Purchase (not an Installment Purchase)<br>01 = Issuer Installments<br>02 = Deferred Issuer Installments<br>03 = Merchant Installments                                                                                                                                                                                                 |
| <b>Number of Installment Payments</b><br>Positions: 22-23<br>Length: 2<br>Format: unpacked numeric           | <b>Description:</b> If installment purchase, indicates the number of installments. The field must contain a numeric entry from 01 through 99. Default value 01.                                                                                                                                                                                                                                                                                                                                                                                           |
| <b>Installment Payment Number</b><br>Positions: 24-25<br>Length: 2<br>Format: unpacked numeric               | <b>Description:</b> This field must contain the current number of payment. The field must contain a numeric entry from 01 through 99. Default value 01.<br><br>This field must be less than or equal to the number of installment payments in positions 22-23.                                                                                                                                                                                                                                                                                            |

## Paraguay National Settlement Draft Data Edit Criteria

|                                                                                                       |                                                                                                                                                                                                                                                                                                                    |
|-------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Installment Payment Total Amount</b><br>Positions: 26-37<br>Length: 12<br>Format: unpacked numeric | <b>Description:</b> Total amount of the installment payments and must contain the total amount approved in the authorization message. Amount is in Paraguay Guarani (PYG) currency. This currency has zero minor units.<br><br>Two (2) decimal positions are implied with zeroes after applying the rounding rule. |
| <b>Reserved</b><br>Positions: 38-168<br>Length: 131<br>Format: alphanumeric                           | <b>Description:</b> This field will be space-filled.                                                                                                                                                                                                                                                               |

## TC 05 - TCR 2 Russia (NSPK Only)

These tables contain the National Settlement Draft Data (TC 05, 06, 07, 15, 16, 17, 25, 26, 27, 35, 36, 37) record layout and edit criteria for TCR 2 - RUSSIA (FOR NSPK USE ONLY).

### CTF - Outgoing and Incoming Interchange

#### Russia National Settlement Draft Data Record Layout

| Position | Field Length | Format | Contents                              |
|----------|--------------|--------|---------------------------------------|
| 1-2      | 2            | UN     | Transaction Code                      |
| 3        | 1            | UN     | Transaction Code Qualifier            |
| 4        | 1            | UN     | Transaction Component Sequence Number |
| 5-16     | 12           | AN     | Reserved                              |
| 17-19    | 3            | AN     | Country Code (RU^)                    |
| 20       | 1            | UN     | Merchant Tax ID Type                  |
| 21-40    | 20           | AN     | Merchant Tax ID                       |
| 41-49    | 9            | AN     | Merchant Postal Code                  |
| 50-168   | 119          | AN     | Reserved                              |

Format: AN = Alphanumeric, ANS = Alphanumeric Special, DX = Display Hexadecimal, N = Numeric, UN = Unpacked Numeric

### Russia National Settlement Draft Data Edit Criteria

|                                                                                                       |                                                                                                                                                                                                                         |
|-------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Transaction Code</b><br>Positions: 1–2<br>Length: 2<br>Format: unpacked numeric                    | <b>Description:</b> This field will contain the same transaction code as the TCR 0.                                                                                                                                     |
| <b>Transaction Code Qualifier</b><br>Positions: 3<br>Length: 1<br>Format: unpacked numeric            | <b>Description:</b> This field will contain one of the values: <ul style="list-style-type: none"><li>• <b>0</b> (Default)</li><li>• <b>1</b> (Account Funding)</li><li>• <b>2</b> (Original Credit)</li></ul>           |
| <b>Transaction Component Sequence Number</b><br>Positions: 4<br>Length: 1<br>Format: unpacked numeric | <b>Description:</b> This field must contain a <b>2</b> .                                                                                                                                                                |
| <b>Reserved</b><br>Positions: 5–16<br>Length: 12<br>Format: alphanumeric                              | <b>Description:</b> This field is reserved for future use. Edit Package will space-fill this field.                                                                                                                     |
| <b>Country Code</b><br>Positions: 17–19<br>Length: 3<br>Format: alphanumeric                          | <b>Description:</b> Code that represents the country involved. This field must contain the value <b>RU^</b> (Russian Federation), where <b>^</b> = <b>space</b> . This field is left-justified and followed by a space. |
| <b>Merchant Tax ID Type</b><br>Positions: 20<br>Length: 1<br>Format: unpacked numeric                 | <b>Description:</b> This field will contain one of the following: <ul style="list-style-type: none"><li>• <b>1</b> (Corporate)</li><li>• <b>2</b> (Small business, includes individual)</li></ul>                       |
| <b>Merchant Tax ID</b><br>Positions: 21–40<br>Length: 20<br>Format: alphanumeric                      | <b>Description:</b> This field will contain the tax ID of the merchant or small business.                                                                                                                               |

## Russia National Settlement Draft Data Edit Criteria

|                                                                                      |                                                                                                     |
|--------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------|
| <b>Merchant Postal Code</b><br>Positions: 41–49<br>Length: 9<br>Format: alphanumeric | <b>Description:</b> This field will contain the postal code of the merchant.                        |
| <b>Reserved</b><br>Positions: 50–168<br>Length: 119<br>Format: alphanumeric          | <b>Description:</b> This field is reserved for future use. Edit Package will space-fill this field. |

# TC 05 - TCR 2 South Korea

These tables contain the National Settlement Draft Data (TC 05, 06, 07, 15, 16, 17, 25, 26, 27, 35, 36, 37) record layout and edit criteria for TCR 2 - SOUTH KOREA.

## CTF - Outgoing and Incoming Interchange

### South Korea National Settlement Draft Data Record Layout

| Position | Field Length | Format | Contents                              |
|----------|--------------|--------|---------------------------------------|
| 1–2      | 2            | UN     | Transaction Code                      |
| 3        | 1            | UN     | Transaction Code Qualifier            |
| 4        | 1            | UN     | Transaction Component Sequence Number |
| 5–16     | 12           | AN     | Reserved                              |
| 17–19    | 3            | AN     | Country Code (KR^)                    |
| 20–22    | 3            | AN     | Reserved                              |
| 23       | 1            | UN     | Payment Code                          |
| 24–25    | 2            | UN     | Number of Payments                    |
| 26–28    | 3            | UN     | Merchant Discount Rate                |
| 29–60    | 32           | AN     | Merchant Name - Korean                |
| 61–72    | 12           | AN     | Merchant Location - Korean            |
| 73–82    | 10           | AN     | Reserved                              |
| 83–86    | 4            | UN     | Merchant Type                         |
| 87–94    | 8            | UN     | Local Authorization Number            |

### South Korea National Settlement Draft Data Record Layout

| Position | Field Length | Format | Contents                                 |
|----------|--------------|--------|------------------------------------------|
| 95-96    | 2            | AN     | Local Dispute Reason Code                |
| 97-98    | 2            | UN     | Interchange Reimbursement Fee Multiplier |
| 99-106   | 8            | UN     | Purchase Date                            |
| 107-121  | 15           | UN     | Merchant ID                              |
| 122-123  | 2            | UN     | Payment Method                           |
| 124-125  | 2            | AN     | Card Type Local                          |
| 126-168  | 43           | AN     | Reserved                                 |

Format: AN = Alphanumeric, ANS = Alphanumeric Special, DX = Display Hexadecimal, N = Numeric, UN = Unpacked Numeric

### South Korea National Settlement Draft Data Edit Criteria

|                                                                                                       |                                                                                                                                                                                                                                                                                              |
|-------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Transaction Code</b><br>Positions: 1-2<br>Length: 2<br>Format: unpacked numeric                    | <b>Description:</b> This field must contain the appropriate transaction code. The field must contain the same transaction code as the TCR 0.                                                                                                                                                 |
| <b>Transaction Code Qualifier</b><br>Positions: 3<br>Length: 1<br>Format: unpacked numeric            | <b>Description:</b> This field must contain one of these values:<br><b>0</b> = Default<br><b>1</b> = Account Funding<br><b>2</b> = Original Credit<br>This edit will continue to be performed by the Edit Package when the Bypass Business Edits option is used during an outgoing edit run. |
| <b>Transaction Component Sequence Number</b><br>Positions: 4<br>Length: 1<br>Format: unpacked numeric | <b>Description:</b> The field must contain a <b>2</b> .                                                                                                                                                                                                                                      |
| <b>Reserved</b><br>Positions: 5-16<br>Length: 12<br>Format: alphanumeric                              | <b>Description:</b> This field is reserved for future use. EP will always space-fill.                                                                                                                                                                                                        |



### South Korea National Settlement Draft Data Edit Criteria

|                                                                                             |                                                                                                                                                                                                                        |
|---------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Country Code</b><br>Positions: 17–19<br>Length: 3<br>Format: alphanumeric                | <b>Description:</b> Code that represents the country involved. This field must contain the value <b>KR^</b> (South Korea), where ^ = <b>space</b> . This field must be left-justified and followed by a <b>space</b> . |
| <b>Reserved</b><br>Positions: 20–22<br>Length: 3<br>Format: alphanumeric                    | <b>Description:</b> This field is reserved for future use. EP will always space-fill.                                                                                                                                  |
| <b>Payment Code</b><br>Positions: 23<br>Length: 1<br>Format: unpacked numeric               | <b>Description:</b> Indicates whether the payments are regular or installment. This field must be numeric and one of the two following values:<br><b>0</b> = Regular payments<br><b>1</b> = Installment payments       |
| <b>Number of Payments</b><br>Positions: 24–25<br>Length: 2<br>Format: unpacked numeric      | <b>Description:</b> Indicates number of payments to be made. This field must be numeric and must be in the range of <b>2</b> through <b>60</b> .                                                                       |
| <b>Merchant Discount Rate</b><br>Positions: 26–28<br>Length: 3<br>Format: unpacked numeric  | <b>Description:</b> Fee that is charged to the merchant. This field must be numeric and greater than zero.                                                                                                             |
| <b>Merchant Name - Korean</b><br>Positions: 29–60<br>Length: 32<br>Format: alphanumeric     | <b>Description:</b> The merchant name entered using Korean characters. This field must not be blank.                                                                                                                   |
| <b>Merchant Location - Korean</b><br>Positions: 61–72<br>Length: 12<br>Format: alphanumeric | <b>Description:</b> The merchant location entered using Korean characters. If this field is not used, it should be spaces.                                                                                             |
| <b>Reserved</b><br>Positions: 73–82<br>Length: 10<br>Format: alphanumeric                   | <b>Description:</b> This field is reserved for future use. EP will always space-fill.                                                                                                                                  |

### South Korea National Settlement Draft Data Edit Criteria

|                                                                                                                |                                                                                                                                                                                                                       |
|----------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Merchant Type</b><br>Positions: 83–86<br>Length: 4<br>Format: unpacked numeric                              | <b>Description:</b> Code describing the merchant's type of business product or service, also known as the Merchant Category Code (MCC). This field must be numeric.                                                   |
| <b>Local Authorization Number</b><br>Positions: 87–94<br>Length: 8<br>Format: unpacked numeric                 | <b>Description:</b> South Korean authorization ID. This field must be numeric and greater than zero.                                                                                                                  |
| <b>Local Dispute Reason Code</b><br>Positions: 95–96<br>Length: 2<br>Format: unpacked numeric                  | <b>Description:</b> Code indicating reason for the dispute financial. This field is not edited by the Edit Package or BASE II.                                                                                        |
| <b>Interchange Reimbursement Fee Multiplier</b><br>Positions: 97–98<br>Length: 2<br>Format: unpacked numeric   | <b>Description:</b> This field must be numeric in the range <b>00</b> to <b>99</b> . It should be right-justified and zero-filled.                                                                                    |
| <b>Purchase Date</b><br>Positions: 99–106<br>Length: 8<br>Format: unpacked numeric                             | <b>Description:</b> The date refers to a client purchase agreement date. This field must be an eight digit numeric in the format <b>YYYYMMDD</b> (Year, Month and Day). YYYY value must be greater than <b>1999</b> . |
| <b>Merchant ID</b><br>Positions: 107–121<br>Length: 15<br>Format: unpacked numeric                             | <b>Description:</b> Code identifying merchant. This field must be numeric and greater than zero. Should also be right-justified and zero-filled.                                                                      |
| <b>Payment Method</b><br>Positions: Position: 122–123<br>Length: Length: 2<br>Format: Format: unpacked numeric | <b>Description:</b> Code indicating method of payment.<br><br>This field must contain a valid numeric value. Refer to <i>BASE II Clearing Data Codes</i> for valid Payment Method codes and definitions.              |

## South Korea National Settlement Draft Data Edit Criteria

|                                                                                   |                                                                                                                                                                                                |
|-----------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Card Type Local</b><br>Positions: 124–125<br>Length: 2<br>Format: alphanumeric | <b>Description:</b> This field is optional and indicates a non-Visa local card issuer.<br>Values:<br><b>BC</b> = BC Card<br><b>KE</b> = KEB Credit Service<br><b>KM</b> = Kook Min Credit Card |
| <b>Reserved</b><br>Positions: 126–168<br>Length: 43<br>Format: alphanumeric       | <b>Description:</b> This field is reserved for future use. EP will always space-fill.                                                                                                          |

# TC 05 - TCR 2 Sweden

These tables contain the National Settlement Draft Data (TC 05, 06, 07, 15, 16, 17, 25, 26, 27, 35, 36, 37) record layout and edit criteria for TCR 2 - SWEDEN.

## CTF - Outgoing and Incoming Interchange

### Sweden National Settlement Draft Data Record Layout

| Position | Field Length | Format | Contents                              |
|----------|--------------|--------|---------------------------------------|
| 1-2      | 2            | UN     | Transaction Code                      |
| 3        | 1            | UN     | Transaction Code Qualifier            |
| 4        | 1            | UN     | Transaction Component Sequence Number |
| 5-16     | 12           | AN     | Reserved                              |
| 17-19    | 3            | AN     | Country Code (SE^)                    |
| 20-31    | 12           | UN     | National Tax                          |
| 32       | 1            | AN     | Reserved                              |
| 33-34    | 2            | AN     | Payment Indicator                     |
| 35-49    | 15           | UN     | National Merchant ID                  |
| 50-74    | 25           | AN     | Merchant Name                         |
| 75-87    | 13           | AN     | Merchant City                         |
| 88-117   | 30           | AN     | Department ID                         |

### Sweden National Settlement Draft Data Record Layout

| Position | Field Length | Format | Contents |
|----------|--------------|--------|----------|
| 118-168  | 51           | AN     | Reserved |

Format: AN = Alphanumeric, ANS = Alphanumeric Special, DX = Display Hexadecimal, N = Numeric, UN = Unpacked Numeric

### Sweden National Settlement Draft Data Edit Criteria

|                                                                                                       |                                                                                                                                                                                                                                                                                                     |
|-------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Transaction Code</b><br>Positions: 1-2<br>Length: 2<br>Format: unpacked numeric                    | <b>Description:</b> The field must contain the same transaction code as the TCR 0.                                                                                                                                                                                                                  |
| <b>Transaction Code Qualifier</b><br>Positions: 3<br>Length: 1<br>Format: unpacked numeric            | <b>Description:</b> This field must contain one of these values:<br><b>0</b> = Default<br><b>1</b> = Account Funding<br><b>2</b> = Original Credit<br>This edit will continue to be performed by the Edit Package when the Bypass Business Edits option is used during an outgoing edit run.        |
| <b>Transaction Component Sequence Number</b><br>Positions: 4<br>Length: 1<br>Format: unpacked numeric | <b>Description:</b> The field must contain a <b>2</b> .                                                                                                                                                                                                                                             |
| <b>Reserved</b><br>Positions: 5-16<br>Length: 12<br>Format: alphanumeric                              | <b>Description:</b> This field is reserved for future use. EP will always space-fill.                                                                                                                                                                                                               |
| <b>Country Code</b><br>Positions: 17-19<br>Length: 3<br>Format: alphanumeric                          | <b>Description:</b> Code that represents the country involved. This field must contain the value <b>SE^</b> (Sweden), where ^ = <b>space</b> . This field is left-justified and followed by a <b>space</b> .                                                                                        |
| <b>National Tax</b><br>Positions: 20-31<br>Length: 12<br>Format: unpacked numeric                     | <b>Description:</b> Used by acquirers to indicate the amount of Value Added Tax (VAT) included in the transaction amount. This amount must be expressed in the same currency as the source amount. This field must be numeric. It may contain zeros. The field contains two implied decimal places. |

### Sweden National Settlement Draft Data Edit Criteria

|                                                                                           |                                                                                                                                                       |
|-------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Reserved</b><br>Positions: 32<br>Length: 1<br>Format: alphanumeric                     | <b>Description:</b> This field is reserved for future use. EP will always space-fill.                                                                 |
| <b>Payment Indicator</b><br>Positions: 33–34<br>Length: 2<br>Format: alphanumeric         | <b>Description:</b> Used by acquirers to indicate cardholder account selection (for example, deposit account or credit account) at the point of sale. |
| <b>National Merchant ID</b><br>Positions: 35–49<br>Length: 15<br>Format: unpacked numeric | <b>Description:</b> Numeric code used to identify the merchant. This field must be numeric. It may contain zeros.                                     |
| <b>Merchant Name</b><br>Positions: 50–74<br>Length: 25<br>Format: alphanumeric            | <b>Description:</b> Name of merchant. The field may contain Swedish characters.                                                                       |
| <b>Merchant City</b><br>Positions: 75–87<br>Length: 13<br>Format: alphanumeric            | <b>Description:</b> City in which merchant is located. The field may contain Swedish characters.                                                      |
| <b>Department ID</b><br>Positions: 88–117<br>Length: 30<br>Format: alphanumeric           | <b>Description:</b> Client-defined data. This field may contain Swedish characters.                                                                   |
| <b>Reserved</b><br>Positions: 118–168<br>Length: 51<br>Format: alphanumeric               | <b>Description:</b> This field is reserved for future use. EP will always space-fill.                                                                 |

## TC 05 - TCR 2 Turkey

These tables contain the National Settlement Draft Data (TC 05, 06, 07, 15, 16, 17, 25, 26, 27, 35, 36, 37) record layout and edit criteria for TCR 2 - TURKEY.

### CTF - Outgoing and Incoming Interchange

### Turkey National Settlement Draft Data Record Layout

| Position | Field Length | Format | Contents                              |
|----------|--------------|--------|---------------------------------------|
| 1-2      | 2            | UN     | Transaction Code                      |
| 3        | 1            | AN     | Transaction Code Qualifier            |
| 4        | 1            | UN     | Transaction Component Sequence Number |
| 5-16     | 12           | AN     | Reserved                              |
| 17-19    | 3            | AN     | Country Code (TU^)                    |
| 20-44    | 25           | AN     | Merchant Name – Turkish               |
| 45-57    | 13           | AN     | Merchant Location – Turkish           |
| 58-65    | 8            | UN     | Central Merchant Identifier (CMI)     |
| 66       | 1            | AN     | CMI Valid Indicator                   |
| 67-70    | 4            | UN     | Acquiring Institution Code – EFT      |
| 71       | 1            | AN     | Type of ATM                           |
| 72-168   | 97           | AN     | Reserved                              |

Format: AN = Alphanumeric, ANS = Alphanumeric Special, DX = Display Hexadecimal, N = Numeric, UN = Unpacked Numeric

### Turkey National Settlement Draft Data Edit Criteria

|                                                                                                       |                                                                                                                                                                                                                                                                                              |
|-------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Transaction Code</b><br>Positions: 1-2<br>Length: 2<br>Format: unpacked numeric                    | <b>Description:</b> This field must contain the same transaction code as the TCR.                                                                                                                                                                                                            |
| <b>Transaction Code Qualifier</b><br>Positions: 3<br>Length: 1<br>Format: alphanumeric                | <b>Description:</b> This field must contain one of these values:<br><b>0</b> = Default<br><b>1</b> = Account Funding<br><b>2</b> = Original Credit<br>This edit will continue to be performed by the Edit Package when the Bypass Business Edits option is used during an outgoing edit run. |
| <b>Transaction Component Sequence Number</b><br>Positions: 4<br>Length: 1<br>Format: unpacked numeric | <b>Description:</b> This field must contain a <b>2</b> .                                                                                                                                                                                                                                     |

### Turkey National Settlement Draft Data Edit Criteria

|                                                                                                       |                                                                                                                                                                                                              |
|-------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Reserved</b><br>Positions: 5–16<br>Length: 12<br>Format: alphanumeric                              | <b>Description:</b> This field is reserved for future use.                                                                                                                                                   |
| <b>Country Code</b><br>Positions: 17–19<br>Length: 3<br>Format: alphanumeric                          | <b>Description:</b> Code that represents the country involved. This field must contain the value <b>TU^</b> (Turkey), where ^ = <b>space</b> . This field is left-justified and followed by a <b>space</b> . |
| <b>Merchant Name – Turkish</b><br>Positions: 20–44<br>Length: 25<br>Format: alphanumeric              | <b>Description:</b> Merchant Name in Turkish language. This field must be present.                                                                                                                           |
| <b>Merchant Location – Turkish</b><br>Positions: 45–57<br>Length: 13<br>Format: alphanumeric          | <b>Description:</b> Merchant Location in Turkish language. This field must be present.                                                                                                                       |
| <b>Central Merchant Identifier (CMI)</b><br>Positions: 58–65<br>Length: 8<br>Format: unpacked numeric | <b>Description:</b> This field will have a numeric value that will have a standard Mod-10 check performed on it. This field must be present.                                                                 |
| <b>CMI Valid Indicator</b><br>Positions: 66<br>Length: 1<br>Format: alphanumeric                      | <b>Description:</b> This field will contain the Yes/No results from the Mod-10 check on the CMI field.                                                                                                       |
| <b>Acquiring Institution Code – EFT</b><br>Positions: 67–70<br>Length: 4<br>Format: unpacked numeric  | <b>Description:</b> Acquiring Institution Code.                                                                                                                                                              |

## Turkey National Settlement Draft Data Edit Criteria

|                                                                            |                                                                                                          |
|----------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------|
| <b>Type of ATM</b><br>Positions: 71<br>Length: 1<br>Format: alphanumeric   | <b>Description:</b> This field must contain of these values:<br><b>S</b> = Standard<br><b>U</b> = Unique |
| <b>Reserved</b><br>Positions: 72-168<br>Length: 97<br>Format: alphanumeric | <b>Description:</b> This field is reserved for future use.                                               |

# TC 05 - TCR 2 Uruguay

This table contains the National Settlement Draft Data (TC 05, 06, 07, 15, 16, 17, 25, 26, 27, 35, 36, 37) record layout and edit criteria for TCR 2 - Uruguay.

## CTF - Outgoing and Incoming Interchange

### Uruguay National Settlement Draft Data Record Layout

| Position | Field Length | Format | Contents                                 |
|----------|--------------|--------|------------------------------------------|
| 1-2      | 2            | UN     | Transaction Code                         |
| 3        | 1            | UN     | Transaction Code Qualifier               |
| 4        | 1            | UN     | Transaction Component Sequence Number    |
| 5-10     | 6            | UN     | Deferred Settlement Date                 |
| 11-16    | 6            | UN     | Deferred Settlement Date of the Original |
| 17-19    | 3            | AN     | Country Code (UY^)                       |
| 20       | 1            | UN     | Cardholder Deferred Period               |
| 21-22    | 2            | UN     | Number of Installments                   |
| 23-24    | 2            | UN     | Installment Payment Number               |
| 25       | 1            | AN     | Tax Benefit Law                          |
| 26       | 1            | AN     | Fiscal Benefits Retention Agent          |
| 27       | 1            | AN     | Floor Limit applied by Tax Benefits Law  |
| 28-31    | 4            | UN     | Basis Points Applied By Law              |
| 32-43    | 12           | UN     | Tax Benefits Total Amount                |



### Uruguay National Settlement Draft Data Record Layout

| Position | Field Length | Format | Contents                                         |
|----------|--------------|--------|--------------------------------------------------|
| 44-55    | 12           | UN     | Installment Payment Total Amount                 |
| 56-65    | 10           | UN     | Installment Payment Interest Amount              |
| 66-75    | 10           | UN     | Installment Payment VAT Interest Amount          |
| 76-79    | 4            | UN     | Annual Effective Rate plus VAT                   |
| 80-91    | 12           | UN     | Base Amount for Tax Benefits Calculation         |
| 92-103   | 12           | UN     | Tip Amount                                       |
| 104-116  | 13           | AN     | Cardholder Identification for Recurring Payments |
| 117-118  | 2            | AN     | Merchant Invoice Series Number                   |
| 119-125  | 7            | AN     | Merchant's Invoice Number                        |
| 126-137  | 12           | AN     | Merchant Tax ID                                  |
| 138-141  | 4            | UN     | VAT Rate                                         |
| 142-151  | 10           | UN     | Interchange Reimbursement Fee (IRF)              |
| 152-161  | 10           | UN     | VAT National Interchange Reimbursement Fee       |
| 162-168  | 7            | AN     | Reserved                                         |

Format: AN = Alphanumeric, ANS = Alphanumeric Special, DX = Display Hexadecimal, N = Numeric, UN = Unpacked Numeric

### Uruguay National Settlement Draft Data Edit Criteria

|                                                                                                       |                                                                                                                                                           |
|-------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Transaction Code</b><br>Positions: 1-2<br>Length: 2<br>Format: unpacked numeric                    | <b>Description:</b> The field must contain the same transaction code as the TCR 0.                                                                        |
| <b>Transaction Code Qualifier</b><br>Positions: 3<br>Length: 1<br>Format: unpacked numeric            | <b>Description:</b> The field must contain one of the following values:<br><b>0</b> = Default<br><b>1</b> = Account Funding<br><b>2</b> = Original Credit |
| <b>Transaction Component Sequence Number</b><br>Positions: 4<br>Length: 1<br>Format: unpacked numeric | <b>Description:</b> The field must contain a <b>2</b> .                                                                                                   |

## Uruguay National Settlement Draft Data Edit Criteria

|                                                                                                                                 |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
|---------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <p><b>Deferred Settlement Date</b></p> <p>Positions: 5–10</p> <p>Length: 6</p> <p>Format: unpacked numeric</p>                  | <p><b>Description:</b> This field will contain the deferred settlement date in <b>yymmdd</b> format, where:</p> <p>yy (Year) = <b>00-99</b></p> <p>mm (Month) = <b>01-12</b></p> <p>dd (Day) = <b>01-31</b></p> <p>If the transaction is not deferred, this field must be filled with all zeros.</p> <p>If the acquirer sends a date that is not a working day according to the financial calendar of Uruguay, Visa must automatically set to the next settlement/business date in Uruguay.</p> <p><b>Note:</b> Deferred Settlement Date can be up to 365 calendar days.</p> <p>For disputes, purchase reversals, credit voucher originals/reversal transactions, this date should be equal to or greater than the Deferred Settlement Date of the Original in TCR 2, positions 11-16.</p> <p>For transactions that cannot be deferred (Cash Disbursement, Account Funding and Original Credit), this field should be zeros.</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
| <p><b>Deferred Settlement Date of the Original</b></p> <p>Positions: 11–16</p> <p>Length: 6</p> <p>Format: unpacked numeric</p> | <p><b>Description:</b> For purchase originals, this date should be submitted with zeros.</p> <p>Visa will calculate the appropriate date based on the Uruguay calendar in <b>yymmdd</b> format, where:</p> <p>yy (Year) = <b>00-99</b></p> <p>mm (Month) = <b>01-12</b></p> <p>dd (Day) = <b>01-31</b></p> <p>For purchase reversal, this date should be populated with the Deferred Settlement Date from TCR 2, positions 5-10 submitted in the original purchase transaction.</p> <p>For credit voucher original and reversal transactions with purchase originals, this date should be populated with the Deferred Settlement Date from TCR 2, positions 5-10 submitted in the original purchase transaction.</p> <p>For credit voucher originals without purchase originals, this date should be populated with zeros.</p> <p>For credit voucher reversal transactions without purchase originals, this date should be populated with Deferred Settlement Date from TCR 2, positions 5-10 submitted in the credit voucher original transaction.</p> <p>For purchase reversals and credit voucher reversals of deferred purchase originals, if submitted with zeros, transaction will return.</p> <p>For purchase reversals and credit voucher reversals of non-deferred purchase originals, all zeros is supported.</p> <p>On disputes this field will contain the original deferred settlement date, populated by VROL from transaction history.</p> |

## Uruguay National Settlement Draft Data Edit Criteria

|                                                                                                |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
|------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Country Code</b><br>Positions: 17–19<br>Length: 3<br>Format: alphanumeric                   | <b>Description:</b> This field must contain the value <b>UY^</b> (Uruguay), where ^ = space.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
| <b>Cardholder Deferred Period</b><br>Positions: 20<br>Length: 1<br>Format: unpacked numeric    | <b>Description:</b> This field contains the number of months the transaction was deferred to the cardholder.<br>Default value is zero. Max value of 9<br>For Cash Disbursement, Account Funding and Original Credit, this field must be zero.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
| <b>Number of Installments</b><br>Positions: 21–22<br>Length: 2<br>Format: unpacked numeric     | <b>Description:</b> This field contains the total number of installments with a value between <b>00-99</b> . Default value is zeros.<br>For Regular Sale (Venta Al Contado), this field must contain zeros.<br>For Merchant Installments where the acquirer will require the settlement in a monthly basis (Cuota a Cuota) it must always contain the total Number of Installments.<br>For Merchant Installments where the acquirer will require the total settlement in average term (Plazo Promedio) it must always contain the total Number of Installments.<br>For Issuer Installments, this field must contain the total Number of Installments.<br>For Cash Disbursement, Account Funding and Original Credit, this field must be zeros.                                                                               |
| <b>Installment Payment Number</b><br>Positions: 23–24<br>Length: 2<br>Format: unpacked numeric | <b>Description:</b> This field contains the current number of Installment Payment.<br>Must contain a value between <b>00-99</b> . Default value is zeros.<br>For Regular Sale (Venta Al Contado), this field must contain zeros.<br>For Merchant Installments where the acquirer will require the settlement in a monthly basis (Cuota a Cuota), it must contain the number of installments that is being presented starting with one (01).<br>For Merchant Installments where the acquirer will require the total settlement in average term (Plazo Promedio), it must contain zeros.<br>For Issuer Installments it must contain zeros.<br>This field must be less than or equal to the Number of Installments in positions 21-22.<br>For Cash Disbursement, Account Funding and Original Credit, this field must be zeros. |

## Uruguay National Settlement Draft Data Edit Criteria

|                                                                                                                         |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
|-------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <p><b>Tax Benefit Law</b></p> <p>Positions: 25</p> <p>Length: 1</p> <p>Format: alphanumeric</p>                         | <p><b>Description:</b> This field indicates if Tax Benefits Law is applied to this transaction:</p> <p><b>0</b> = No Devuelve Impuestos</p> <p><b>1</b> = Devuelve IVA (17.934)</p> <p><b>2</b> = Devuelve IMESI (18.083)</p> <p><b>3</b> = Devuelve AFAM (18.910)</p> <p><b>4</b> = Reintegro Impuestos (18.999)</p> <p><b>6</b> = Ley Inclusion Financiera (19.210)</p> <p>This field must contain one of the valid values above. Default value is zero.</p> <p>For Cash Disbursement, Account Funding and Original Credit, this field must be zero.</p>                                                                                                                                                                                                |
| <p><b>Fiscal Benefits Retention Agent</b></p> <p>Positions: 26</p> <p>Length: 1</p> <p>Format: alphanumeric</p>         | <p><b>Description:</b> This field indicates the Tax Benefits Retention Agent. Default value is space.</p> <p><b>Space</b> = No tax benefits law applied</p> <p><b>A</b> = The Acquirer was the Tax Benefits Law Retention Agent</p> <p><b>I</b> = The Issuer was the Tax Benefits Law Retention Agent</p> <p><b>T</b> = Third Party with benefits net from the total amount</p> <p><b>O</b> = Third Party with benefits as part of the total amount</p> <p>This field must contain one of the valid values above.</p> <p>If set to "<b>A</b>" or "<b>T</b>", the "Tax Benefits Total Amount" will be added to the source amount for calculating the IRF.</p> <p>For Cash Disbursement, Account Funding and Original Credit, this field must be space.</p> |
| <p><b>Floor Limit applied by Tax Benefits Law</b></p> <p>Positions: 27</p> <p>Length: 1</p> <p>Format: alphanumeric</p> | <p><b>Description:</b> This field indicates if floor limit amount, established by the Tax Benefits Law, was applied to the transaction. Default value is space.</p> <p><b>Space</b> = No floor limit amount applied</p> <p><b>T</b> = Transaction floor limit</p> <p><b>S</b> = Applied by Third Party (e.g. Payment Facilitator)</p> <p>Must contain one of the valid values above.</p> <p>For Cash Disbursement, Account Funding and Original Credit, this field must be space.</p>                                                                                                                                                                                                                                                                     |

## Uruguay National Settlement Draft Data Edit Criteria

|                                                                                                       |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
|-------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Basis Points Applied By Law</b><br>Positions: 28–31<br>Length: 4<br>Format: unpacked numeric       | <b>Description:</b> This field contains the basis points applied by the law.<br><br>The basis points represent the percentage reduction in tax applied to the purchase. This information allows for reconciliation by market participants.<br><br>Two (2) decimal positions are implied.<br><br>Default value is zeros.<br><br>For Cash Disbursement, Account Funding and Original Credit, this field must be zeros.                                                                                                                                                                                                                                                                                                                                                                                                                                |
| <b>Tax Benefits Total Amount</b><br>Positions: 32–43<br>Length: 12<br>Format: unpacked numeric        | <b>Description:</b> This field contains the tax benefits total amount. Two (2) decimal positions are implied.<br><br>The Source Amount is the purchase amount after this rebate has been applied.<br><br>Default value is zeros.<br><br>For Cash Disbursement, Account Funding and Original Credit, this field must be zeros.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
| <b>Installment Payment Total Amount</b><br>Positions: 44–55<br>Length: 12<br>Format: unpacked numeric | <b>Description:</b> This field will contain the total amount of the installment payments and must contain the total amount approved in the authorization message. Two (2) decimal positions are implied.<br><br>For Regular Sale (Venta Al Contado), this field should be zeros.<br><br>For Merchant Installments where the acquirer will require the settlement in a monthly basis (Cuota a Cuota) it must always contain the total amount authorized.<br><br>For Merchant Installments where the acquirer will require the total settlement in average term (Plazo Promedio) it must always contain the total amount authorized.<br><br>For Issuer Installments, this field must contain the total amount authorized.<br><br>Default value is zeros.<br><br>For Cash Disbursement, Account Funding and Original Credit, this field must be zeros. |

## Uruguay National Settlement Draft Data Edit Criteria

|                                                                                                              |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
|--------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Installment Payment Interest Amount</b><br>Positions: 56–65<br>Length: 10<br>Format: unpacked numeric     | <p><b>Description:</b> This field will contain the total interest amount of the installment payment for purchases with installment payments. Two (2) decimal positions are implied.</p> <p>This amount is included in the source amount sent by the acquirer.</p> <p>This field must be less than or equal to source amount.</p> <p>This field must contain the interest amount for purchase with issuers' installments.</p> <p>Default value is zeros.</p> <p>For regular purchase and merchant installments, this field should be zeros.</p> <p>For Cash Disbursement, Account Funding and Original Credit, this field should be zeros.</p> <p>The sum of Installment Payment Interest Amount + Installment Payment VAT Interest Amount + cashback amount must not exceed source amount.</p>                                     |
| <b>Installment Payment VAT Interest Amount</b><br>Positions: 66–75<br>Length: 10<br>Format: unpacked numeric | <p><b>Description:</b> This field will contain the VAT interest on the installment payments for purchases with installment payments. Two (2) decimal positions are implied.</p> <p>This amount is included in the source amount sent by the acquirer.</p> <p>This field must be less than or equal to Installment Payment Interest Amount (position 56-65).</p> <p>This field must contain the VAT interest amount for purchases with issuer's installments.</p> <p>Default value is zeros.</p> <p>For regular purchase and merchant installments, this field should be zeros.</p> <p>For Cash Disbursement, Account Funding and Original Credit, this field should be zeros.</p> <p>The sum of Installment Payment Interest Amount + Installment Payment VAT Interest Amount + cashback amount must not exceed source amount.</p> |
| <b>Annual Effective Rate plus VAT</b><br>Positions: 76–79<br>Length: 4<br>Format: unpacked numeric           | <p><b>Description:</b> This field will contain the Annual Effective Interest Rate plus VAT applied to installment payments with interest (issuer installments only). Two (2) decimal positions are implied.</p> <p>Default value is zeros.</p> <p>For Cash Disbursement, Account Funding and Original Credit, this field must be zeros.</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |

## Uruguay National Settlement Draft Data Edit Criteria

|                                                                                                                     |                                                                                                                                                                                                                                                                                                                                                 |
|---------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Base Amount for Tax Benefits Calculation</b><br>Positions: 80–91<br>Length: 12<br>Format: unpacked numeric       | <b>Description:</b> This field will contain the Base Amount used for Tax Benefits Calculation. Two (2) decimal positions are implied.<br>Default value is zeros.<br>For Cash Disbursement, Account Funding and Original Credit, this field must be zeros.                                                                                       |
| <b>Tip Amount</b><br>Positions: 92–103<br>Length: 12<br>Format: unpacked numeric                                    | <b>Description:</b> This field will contain the Tip Amount. Two (2) decimal positions are implied.<br>This amount is included in source amount sent by acquirer.<br>This field must be less than or equal to source amount.<br>Default value of zeros.<br>For Cash Disbursement, Account Funding and Original Credit, this field must be zeros. |
| <b>Cardholder Identification for Recurring Payments</b><br>Positions: 104–116<br>Length: 13<br>Format: alphanumeric | <b>Description:</b> This field will contain the 13-byte free text positions for acquirer's recurring merchants to identify the cardholder recurring payment.<br>This is a pass-through field.<br>Default value is spaces.<br>For Cash Disbursement, Account Funding and Original Credit, this field must be spaces.                             |
| <b>Merchant Invoice Series Number</b><br>Positions: 117–118<br>Length: 2<br>Format: alphanumeric                    | <b>Description:</b> This field will contain the series of the Merchant's Invoice Number.<br>Default value is spaces.<br>For Cash Disbursement, Account Funding and Original Credit, this field must be spaces.                                                                                                                                  |
| <b>Merchant's Invoice Number</b><br>Positions: 119–125<br>Length: 7<br>Format: alphanumeric                         | <b>Description:</b> This field will contain the Merchant's Invoice Number.<br>The Merchant Invoice Number may be repeated for the same merchant but within a different Invoice Series Number.<br>Default value is spaces.<br>For Cash Disbursement, Account Funding and Original Credit, this field must be spaces.                             |
| <b>Merchant Tax ID</b><br>Positions: 126–137<br>Length: 12<br>Format: alphanumeric                                  | <b>Description:</b> This field contains the Merchant Tax ID number required for all purchase and ecommerce original transactions.<br>Default value is spaces.<br>For Cash Disbursement, Account Funding and Original Credit, this field must be spaces.                                                                                         |
| <b>VAT Rate</b><br>Positions: 138–141<br>Length: 4<br>Format: unpacked numeric                                      | <b>Description:</b> This field will contain the VAT rate that will be used to calculate the VAT on IRF. Two (2) decimal positions are applied.<br>For Purchase, Cash Disbursement, Account Funding and Original Credit, this field must be present. It could be zeros.                                                                          |

### Uruguay National Settlement Draft Data Edit Criteria

|                                                                                                                   |                                                                                                                                                               |
|-------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Interchange Reimbursement Fee (IRF)</b><br>Positions: 142–151<br>Length: 10<br>Format: unpacked numeric        | <b>Description:</b> This field will contain the Interchange Reimbursement Fee (IRF) amount that is calculated by Visa. Two (2) decimal positions are applied. |
| <b>VAT National Interchange Reimbursement Fee</b><br>Positions: 152–161<br>Length: 10<br>Format: unpacked numeric | <b>Description:</b> This field will contain the issuer IRF VAT amount that is calculated by Visa. Two (2) decimal positions are implied.                      |
| <b>Reserved</b><br>Positions: 162–168<br>Length: 7<br>Format: alphanumeric                                        | <b>Description:</b> This field will be space-filled.                                                                                                          |

## TC 05 - TCR 3 Industry-Specific Data

These tables contain the Draft Data (TC 05, 06, 15, 16, 25, 26, 35, 36) record layout and edit criteria for TCR 3 - INDUSTRY-SPECIFIC DATA.

### CTF - Outgoing and Incoming Interchange

#### Industry-Specific Draft Data Record Layout

| Position | Field Length | Format | Contents                                         |
|----------|--------------|--------|--------------------------------------------------|
| 1–2      | 2            | UN     | Transaction Code                                 |
| 3        | 1            | UN     | Transaction Code Qualifier                       |
| 4        | 1            | UN     | Transaction Component Sequence Number            |
| 5–16     | 12           | AN     | Reserved                                         |
| 17–18    | 2            | AN     | Business Format Code                             |
| 19–168   | 150          | AN     | Data Content (dependent on Business Format Code) |

Format: AN = Alphanumeric, ANS = Alphanumeric Special, DX = Display Hexadecimal, N = Numeric, UN = Unpacked Numeric



# TC 05 - TCR 3 Passenger-Itinerary Data

These tables contain the Draft Data (TC 05, 06, 15, 16, 25, 26, 35, 36) record layout and edit criteria for TCR 3 - INDUSTRY-SPECIFIC DATA - PASSENGER ITINERARY DATA.

## CTF - Outgoing and Incoming Interchange

### Passenger-Itinerary Draft Data Record Layout

| Position | Field Length | Format | Contents                              |
|----------|--------------|--------|---------------------------------------|
| 1-2      | 2            | UN     | Transaction Code                      |
| 3        | 1            | UN     | Transaction Code Qualifier            |
| 4        | 1            | UN     | Transaction Component Sequence Number |
| 5-14     | 10           | AN     | Reserved                              |
| 15-16    | 2            | AN     | Business Application ID               |
| 17-18    | 2            | AN     | Business Format Code (AI)             |
| 19-26    | 8            | AN     | Reserved                              |
| 27-46    | 20           | AN     | Passenger Name                        |
| 47-52    | 6            | UN     | Departure Date (MMDDYY)               |
| 53-55    | 3            | AN     | Origination City/Airport Code         |
| 56-62    | 7            | Group  | Trip Leg 1 Information                |
| 63-69    | 7            | Group  | Trip Leg 2 Information                |
| 70-76    | 7            | Group  | Trip Leg 3 Information                |
| 77-83    | 7            | Group  | Trip Leg 4 Information                |
| 84-91    | 8            | AN     | Travel Agency Code                    |
| 92-116   | 25           | AN     | Travel Agency Name                    |
| 117      | 1            | AN     | Restricted Ticket Indicator           |
| 118-123  | 6            | AN     | Fare Basis Code - Leg 1               |
| 124-129  | 6            | AN     | Fare Basis Code - Leg 2               |
| 130-135  | 6            | AN     | Fare Basis Code - Leg 3               |
| 136-141  | 6            | AN     | Fare Basis Code - Leg 4               |
| 142-145  | 4            | AN     | Computerized Reservation System       |

### Passenger-Itinerary Draft Data Record Layout

| Position | Field Length | Format | Contents                |
|----------|--------------|--------|-------------------------|
| 146-150  | 5            | AN     | Flight Number - Leg 1   |
| 151-155  | 5            | AN     | Flight Number - Leg 2   |
| 156-160  | 5            | AN     | Flight Number - Leg 3   |
| 161-165  | 5            | AN     | Flight Number - Leg 4   |
| 166      | 1            | AN     | Credit Reason Indicator |
| 167      | 1            | AN     | Ticket Change Indicator |
| 168      | 1            | AN     | Reserved                |

Format: AN = Alphanumeric, ANS = Alphanumeric Special, DX = Display Hexadecimal, N = Numeric, UN = Unpacked Numeric

### Passenger-Itinerary Draft Data Edit Criteria

|                                                                                                       |                                                                                                                                                                                                                                                                                              |
|-------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Transaction Code</b><br>Positions: 1-2<br>Length: 2<br>Format: unpacked numeric                    | <b>Description:</b> The field must contain the same transaction code as the TCR 0.                                                                                                                                                                                                           |
| <b>Transaction Code Qualifier</b><br>Positions: 3<br>Length: 1<br>Format: unpacked numeric            | <b>Description:</b> This field must contain one of these values:<br><b>0</b> = Default<br><b>1</b> = Account Funding<br><b>2</b> = Original Credit<br>This edit will continue to be performed by the Edit Package when the Bypass Business Edits option is used during an outgoing edit run. |
| <b>Transaction Component Sequence Number</b><br>Positions: 4<br>Length: 1<br>Format: unpacked numeric | <b>Description:</b> The field must contain a <b>3</b> .                                                                                                                                                                                                                                      |
| <b>Reserved</b><br>Positions: 5-14<br>Length: 10<br>Format: alphanumeric                              | <b>Description:</b> This field is reserved for future use. EP will always space-fill.                                                                                                                                                                                                        |

### Passenger-Itinerary Draft Data Edit Criteria

|                                                                                               |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
|-----------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Business Application ID</b><br>Positions: 15–16<br>Length: 2<br>Format: alphanumeric       | <b>Description:</b> This field provides additional information regarding the usage and application of the transaction. Please refer to the <i>BASE II Clearing Data Codes</i> manual for a list of valid codes.                                                                                                                                                                                                                                                                                                                                                        |
| <b>Business Format Code</b><br>Positions: 17–18<br>Length: 2<br>Format: alphanumeric          | <b>Description:</b> Code indicating the type of business that is applicable to this transaction. If the Merchant Category Code on the TCR 0 indicates an airline or a passenger railway, this field must contain <b>AI</b> (Passenger Itinerary) format. This entry is not valid for cash disbursement transactions.                                                                                                                                                                                                                                                   |
| <b>Reserved</b><br>Positions: 19–26<br>Length: 8<br>Format: alphanumeric                      | <b>Description:</b> This field is reserved for future use. EP will always space-fill.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
| <b>Passenger Name</b><br>Positions: 27–46<br>Length: 20<br>Format: alphanumeric               | <b>Description:</b> Name of passenger.<br><br><b>National—U.S.:</b> This field cannot begin with a space on originals and their reversals of Passenger Transport transactions requesting EIRF or any custom payment service.<br><br><b>VIC Edit, Intraregional EU and Domestic EU:</b> For Miscellaneous Airline Charges, this field must be present. May be the cardholder name if the passenger name is unavailable. Must be nonblank.<br><br><b>VIC Edit, Intraregional EU and Domestic EU:</b> To qualify for Airline IRF, the first position must not be a space. |
| <b>Departure Date</b><br>Positions: 47–52<br>Length: 6<br>Format: unpacked numeric            | <b>Description:</b> Date of passenger's departure. The field may contain zeros or a valid date in the format <b>MMDDYY</b> (month, day, year). The date may be a future one.                                                                                                                                                                                                                                                                                                                                                                                           |
| <b>Origination City/Airport Code</b><br>Positions: 53–55<br>Length: 3<br>Format: alphanumeric | <b>Description:</b> Code indicating the city and/or airport where the trip originates.<br><br><b>National—U.S.:</b> This field may not contain all spaces or all zeros for originals and their reversals of Passenger Transport transactions requesting EIRF or any custom payment service.<br><br><b>VIC Edit, Intraregional EU and Domestic EU:</b> For Miscellaneous Airline Charges, value must be <b>XAA</b> . This field must not contain all spaces or all zeros for transactions requesting the Airline IRF.                                                   |

## Passenger-Itinerary Draft Data Edit Criteria

|                                                                                               |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
|-----------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Trip Leg 1 Information</b><br>Positions: 56–62<br>Length: 7<br>Format: group               | <b>Description:</b> Description of first leg of trip. Up to four groups of data from trip leg data can be entered; one group for each trip leg, up to four legs total, is allowed. Refer to TC 50 format descriptions for the additional Passenger Itinerary Data - Leg-Specific for legs 5 through 32.<br><br>The Carrier Code, Service Class, and Destination City/Airport Code are edited only on Leg 1. Only the Stop-Over Code is edited for all four legs in this record. The entry must be in the format shown in the sub-fields below. |
| <b>Carrier Code</b><br>Positions: 56–57<br>Length: 2<br>Format: alphanumeric                  | <b>Description:</b> Code indicating name of carrier (United Airlines, Jet Blue, etc.).<br><br><b>National—U.S.:</b> The entry may not contain all spaces or zeros for originals and reversals of Passenger Transport transactions requesting EIRF or any custom payment service.<br><br><b>VIC Edit, Intraregional EU and Domestic EU:</b> For Miscellaneous Airline Charges this field must be present and nonblank. This field must not contain all spaces or all zeros for transactions requesting the Airline IRF.                         |
| <b>Service Class</b><br>Positions: 58<br>Length: 1<br>Format: alphanumeric                    | <b>Description:</b> Indicates service class (first class, business class, etc.).<br><br><b>National—U.S.:</b> The entry may not be a space or zero for originals and reversals of Passenger Transport transactions requesting EIRF or any custom payment service.<br><br><b>VIC Edit, Intraregional EU and Domestic EU:</b> This field may not be a space or zero for transactions requesting Airline IRF.                                                                                                                                     |
| <b>Stop-Over Code</b><br>Positions: 59<br>Length: 1<br>Format: alphanumeric                   | <b>Description:</b> Indicates whether a stopover is allowed on this ticket.<br>The entry must be a <b>space, O, or X</b> .<br>Values:<br><b>O</b> = Stopover allowed<br><b>X</b> = Stopover not allowed                                                                                                                                                                                                                                                                                                                                        |
| <b>Destination City/Airport Code</b><br>Positions: 60–62<br>Length: 3<br>Format: alphanumeric | <b>Description:</b> Indicates destination city's airport code.<br><br><b>National—U.S.:</b> The entry may not contain all spaces or zeros for originals and reversals of Passenger Transport transactions requesting EIRF or any custom payment service.<br><br><b>VIC Edit, Intraregional EU and Domestic EU:</b> For Miscellaneous Airline Charges, must be a valid value. Refer to <i>BASE II Clearing Data Codes</i> for valid values. This field must not contain all spaces or all zeros, for transactions requesting Airline IRF.       |
| <b>Trip Leg 2 Information</b><br>Positions: 63–69<br>Length: 7<br>Format: group               | <b>Description:</b> Description of second leg of trip.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |

## Passenger-Itinerary Draft Data Edit Criteria

|                                                                                               |                                                                                                                                                                                                                         |
|-----------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Carrier Code</b><br>Positions: 63–64<br>Length: 2<br>Format: alphanumeric                  | <b>Description:</b> Code indicating name of carrier (United Airlines, Jet Blue, etc.).<br>Edited only on Leg 1.                                                                                                         |
| <b>Service Class</b><br>Positions: 65<br>Length: 1<br>Format: alphanumeric                    | <b>Description:</b> Indicates service class (first class, business class, etc.).<br>Edited only on Leg 1.                                                                                                               |
| <b>Stop-Over Code</b><br>Positions: 66<br>Length: 1<br>Format: alphanumeric                   | <b>Description:</b> Indicates whether a stopover is allowed on this ticket.<br>The entry must be a <b>space</b> , <b>O</b> , or <b>X</b> .<br>Values:<br><b>O</b> = Stopover allowed<br><b>X</b> = Stopover not allowed |
| <b>Destination City/Airport Code</b><br>Positions: 67–69<br>Length: 3<br>Format: alphanumeric | <b>Description:</b> Indicates destination city's airport code.<br>Edited only on Leg 1.                                                                                                                                 |
| <b>Trip Leg 3 Information</b><br>Positions: 70–76<br>Length: 7<br>Format: group               | <b>Description:</b> Description of third leg of trip.                                                                                                                                                                   |
| <b>Carrier Code</b><br>Positions: 70–71<br>Length: 2<br>Format: alphanumeric                  | <b>Description:</b> Code indicating name of carrier (United Airlines, Jet Blue, etc.).<br>Edited only on Leg 1.                                                                                                         |
| <b>Service Class</b><br>Positions: 72<br>Length: 1<br>Format: alphanumeric                    | <b>Description:</b> Indicates service class (first class, business class, etc.).<br>Edited only on Leg 1.                                                                                                               |
| <b>Stop-Over Code</b><br>Positions: 73<br>Length: 1<br>Format: alphanumeric                   | <b>Description:</b> Indicates whether a stopover is allowed on this ticket.<br>The entry must be a <b>space</b> , <b>O</b> , or <b>X</b> .<br>Values:<br><b>O</b> = Stopover allowed<br><b>X</b> = Stopover not allowed |

## Passenger-Itinerary Draft Data Edit Criteria

|                                                                                               |                                                                                                                                                                                                                         |
|-----------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Destination City/Airport Code</b><br>Positions: 74–76<br>Length: 3<br>Format: alphanumeric | <b>Description:</b> Indicates destination city's airport code.<br>Edited only on Leg 1.                                                                                                                                 |
| <b>Trip Leg 4 Information</b><br>Positions: 77–83<br>Length: 7<br>Format: group               | <b>Description:</b> Description of fourth leg of trip.                                                                                                                                                                  |
| <b>Carrier Code</b><br>Positions: 77–78<br>Length: 2<br>Format: alphanumeric                  | <b>Description:</b> Code indicating name of carrier (United Airlines, Jet Blue, etc.).<br>Edited only on Leg 1.                                                                                                         |
| <b>Service Class</b><br>Positions: 79<br>Length: 1<br>Format: alphanumeric                    | <b>Description:</b> Indicates service class (first class, business class, etc.).<br>Edited only on Leg 1.                                                                                                               |
| <b>Stop-Over Code</b><br>Positions: 80<br>Length: 1<br>Format: alphanumeric                   | <b>Description:</b> Indicates whether a stopover is allowed on this ticket.<br>The entry must be a <b>space</b> , <b>O</b> , or <b>X</b> .<br>Values:<br><b>O</b> = Stopover allowed<br><b>X</b> = Stopover not allowed |
| <b>Destination City/Airport Code</b><br>Positions: 81–83<br>Length: 3<br>Format: alphanumeric | <b>Description:</b> Indicates destination city's airport code.<br>Edited only on Leg 1.                                                                                                                                 |
| <b>Travel Agency Code</b><br>Positions: 84–91<br>Length: 8<br>Format: alphanumeric            | <b>Description:</b> Code identifying travel agency if the ticket was issued by a travel agency.                                                                                                                         |
| <b>Travel Agency Name</b><br>Positions: 92–116<br>Length: 25<br>Format: alphanumeric          | <b>Description:</b> Name of travel agency if the ticket was issued by a travel agency.                                                                                                                                  |

### Passenger-Itinerary Draft Data Edit Criteria

|                                                                                                   |                                                                                                                                                                                                                                                                                                                                                                                                              |
|---------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Restricted Ticket Indicator</b><br>Positions: 117<br>Length: 1<br>Format: alphanumeric         | <b>Description:</b> Indicates whether this ticket is non-refundable. This entry should be supplied on CPS/Passenger Transport 1 or 2 transactions if the ticket was purchased as a non-refundable ticket.<br><br>The entry must be a <b>space, 0, or 1</b> .<br><b>Space or 0</b> = No restriction<br><b>1</b> = Restricted (nonrefundable) ticket                                                           |
| <b>Fare Basis Code—Leg 1</b><br>Positions: 118–123<br>Length: 6<br>Format: alphanumeric           | <b>Description:</b> Fare basis code used for Leg 1 of the trip.<br>This field may contain spaces.                                                                                                                                                                                                                                                                                                            |
| <b>Fare Basis Code—Leg 2</b><br>Positions: 124–129<br>Length: 6<br>Format: alphanumeric           | <b>Description:</b> Fare basis code used for Leg 2 of the trip.<br>This field may contain spaces.                                                                                                                                                                                                                                                                                                            |
| <b>Fare Basis Code—Leg 3</b><br>Positions: 130–135<br>Length: 6<br>Format: alphanumeric           | <b>Description:</b> Fare basis code used for Leg 3 of the trip.<br>This field may contain spaces.                                                                                                                                                                                                                                                                                                            |
| <b>Fare Basis Code—Leg 4</b><br>Positions: 136–141<br>Length: 6<br>Format: alphanumeric           | <b>Description:</b> Fare basis code used for Leg 4 of the trip.<br>This field may contain spaces.                                                                                                                                                                                                                                                                                                            |
| <b>Computerized Reservation System</b><br>Positions: 142–145<br>Length: 4<br>Format: alphanumeric | <b>Description:</b> Indicates the computerized reservation system used to make the reservation and purchase the ticket.<br><br><b>National—Germany:</b> This field should contain spaces or one of these codes:<br><b>STRT</b> = Start<br><b>PARS</b> = TWA<br><b>DATS</b> = Delta<br><b>SABR</b> = Sabre<br><b>DALA</b> = Covia-Apollo<br><b>BLAN</b> = Dr. Blank<br><b>DERD</b> = DER<br><b>TUID</b> = TUI |

## Passenger-Itinerary Draft Data Edit Criteria

|                                                                                       |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
|---------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Flight Number—Leg 1</b><br>Positions: 146–150<br>Length: 5<br>Format: alphanumeric | <b>Description:</b> Number of the airline flight to be taken on Leg 1 of the trip.<br>This field may contain spaces.                                                                                                                                                                                                                                                                                                                                                             |
| <b>Flight Number—Leg 2</b><br>Positions: 151–155<br>Length: 5<br>Format: alphanumeric | <b>Description:</b> Number of the airline flight to be taken on Leg 2 of the trip.<br>This field may contain spaces.                                                                                                                                                                                                                                                                                                                                                             |
| <b>Flight Number—Leg 3</b><br>Positions: 156–160<br>Length: 5<br>Format: alphanumeric | <b>Description:</b> Number of the airline flight to be taken on Leg 3 of the trip.<br>This field may contain spaces.                                                                                                                                                                                                                                                                                                                                                             |
| <b>Flight Number—Leg 4</b><br>Positions: 161–165<br>Length: 5<br>Format: alphanumeric | <b>Description:</b> Number of the airline flight to be taken on Leg 4 of the trip.<br>This field may contain spaces.                                                                                                                                                                                                                                                                                                                                                             |
| <b>Credit Reason Indicator</b><br>Positions: 166<br>Length: 1<br>Format: alphanumeric | <b>Description:</b> Indicates the reason for a credit to the cardholder.<br>This field should contain spaces or one of these codes:<br><b>A</b> – Passenger transport ancillary purchase cancellation<br><b>B</b> – Airline ticket and passenger transport ancillary purchase cancellation<br><b>C</b> – Airline ticket cancellation<br><b>O</b> – Other<br><b>P</b> – Partial refund of airline ticket<br><b>VIC edit:</b> The VIC will change invalid values to <b>space</b> . |
| <b>Ticket Change Indicator</b><br>Positions: 167<br>Length: 1<br>Format: alphanumeric | <b>Description:</b> Indicates why a ticket was changed.<br>This field should contain spaces or one of these codes:<br><b>C</b> – Change to existing ticket<br><b>N</b> – New ticket<br><b>VIC edit:</b> The VIC will change invalid values to <b>space</b> .                                                                                                                                                                                                                     |
| <b>Reserved</b><br>Positions: 168<br>Length: 1<br>Format: alphanumeric                | <b>Description:</b> This field is reserved for future use. EP will always space-fill.                                                                                                                                                                                                                                                                                                                                                                                            |



# TC 05 - TCR 3 Passenger Transport Ancillary Data

These tables contain the Draft Data (TC 05, 06, 15, 16, 25, 26, 35, 36) record layout and edit criteria for TCR 3 - INDUSTRY-SPECIFIC DATA - PASSENGER TRANSPORT ANCILLARY DATA.

## Passenger Transport Ancillary Draft Data Record Layout

| Position | Field Length | Format | Contents                                |
|----------|--------------|--------|-----------------------------------------|
| 1-2      | 2            | UN     | Transaction Code                        |
| 3        | 1            | UN     | Transaction Code Qualifier              |
| 4        | 1            | UN     | Transaction Component Sequence Number   |
| 5-14     | 10           | AN     | Reserved                                |
| 15-16    | 2            | AN     | Business Application ID                 |
| 17-18    | 2            | AN     | Business Format Code (AN)               |
| 19-33    | 15           | AN     | Ancillary Ticket Document Number        |
| 34-37    | 4            | AN     | Ancillary Service Category 1            |
| 38-41    | 4            | AN     | Ancillary Service Sub-Category 1        |
| 42-45    | 4            | AN     | Ancillary Service Category 2            |
| 46-49    | 4            | AN     | Ancillary Service Sub-Category 2        |
| 50-53    | 4            | AN     | Ancillary Service Category 3            |
| 54-57    | 4            | AN     | Ancillary Service Sub-Category 3        |
| 58-61    | 4            | AN     | Ancillary Service Category 4            |
| 62-65    | 4            | AN     | Ancillary Service Sub-Category 4        |
| 66-85    | 20           | AN     | Passenger Name                          |
| 86-100   | 15           | AN     | Issued in Connection With Ticket Number |
| 101      | 1            | AN     | Credit Reason Indicator                 |
| 102-168  | 67           | AN     | Reserved                                |

Format: AN = Alphanumeric, ANS = Alphanumeric Special, DX = Display Hexadecimal, N = Numeric, UN = Unpacked Numeric

### Passenger Transport Ancillary Draft Data Edit Criteria

|                                                                                                       |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
|-------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Transaction Code</b><br>Positions: 1–2<br>Length: 2<br>Format: unpacked numeric                    | <b>Description:</b> This field must contain the same transaction code as the TCR 0.                                                                                                                                                                                                                                                                                                                                                                                                                                    |
| <b>Transaction Code Qualifier</b><br>Positions: 3<br>Length: 1<br>Format: unpacked numeric            | <b>Description:</b> This field must contain one of these values:<br><b>0</b> = Default<br><b>1</b> = Account Funding<br><b>2</b> = Original Credit<br>This edit will continue to be performed by the Edit Package when the Bypass Business Edits option is used during an outgoing edit run.                                                                                                                                                                                                                           |
| <b>Transaction Component Sequence Number</b><br>Positions: 4<br>Length: 1<br>Format: unpacked numeric | <b>Description:</b> This field must contain a <b>3</b> .                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
| <b>Reserved</b><br>Positions: 5–14<br>Length: 10<br>Format: alphanumeric                              | <b>Description:</b> This field is reserved for future use. EP will always space-fill.                                                                                                                                                                                                                                                                                                                                                                                                                                  |
| <b>Business Application ID</b><br>Positions: 15–16<br>Length: 2<br>Format: alphanumeric               | <b>Description:</b> This field provides additional information regarding the usage and application of the transaction. Please refer to the <i>BASE II Clearing Data Codes</i> manual for a list of valid codes.                                                                                                                                                                                                                                                                                                        |
| <b>Business Format Code</b><br>Positions: 17–18<br>Length: 2<br>Format: alphanumeric                  | <b>Description:</b> Code indicating the type of business that is applicable to this transaction. If the Merchant Category Code in the TCR 0 indicates an airline or a passenger railway, this field must contain the <b>AN</b> (Passenger Transport Ancillary Data) format. This entry is not valid for cash disbursement transactions.                                                                                                                                                                                |
| <b>Ancillary Ticket Document</b><br>Positions: 19–33<br>Length: 15<br>Format: alphanumeric            | <b>Description:</b> The form number assigned by the carrier for the transaction. The value of this field includes the carrier code, form, and serial number, without the check digit.<br><b>National—U.S.:</b> The entry may not contain all spaces or all zeros for originals and reversals of Passenger Transport transactions requesting EIRF or a custom payment service.<br><b>VIC Edit Intraregional EU and Domestic EU:</b> This field must not contain all spaces for transactions requesting the Airline IRF. |

### Passenger Transport Ancillary Draft Data Edit Criteria

|                                                                                                  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
|--------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Ancillary Service Category 1</b><br>Positions: 34–37<br>Length: 4<br>Format: alphanumeric     | <b>Description:</b> Ancillary Service Category code for the sole, or primary, type of service that has been provided.<br><br>This field may contain any alphanumeric value up to four characters. For Ancillary Service Category code values, see <i>BASE II Clearing Data Codes</i> .<br><br><b>National—U.S.:</b> The entry may not contain all spaces for originals and reversals of Passenger Transport transactions requesting EIRF or a custom payment service.<br><br><b>VIC Edit, Intraregional EU and Domestic EU:</b> This field must not contain all spaces for transactions requesting the Airline IRF. |
| <b>Ancillary Service Sub-Category 1</b><br>Positions: 38–41<br>Length: 4<br>Format: alphanumeric | <b>Description:</b> Ancillary Service Sub-Category code for the Ancillary Service Category 1.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
| <b>Ancillary Service Category 2</b><br>Positions: 42–45<br>Length: 4<br>Format: alphanumeric     | <b>Description:</b> Ancillary Service Category code for an additional second type of service that has been provided.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
| <b>Ancillary Service Sub-Category 2</b><br>Positions: 46–49<br>Length: 4<br>Format: alphanumeric | <b>Description:</b> Ancillary Service Sub-Category code for the Ancillary Service Category 2.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
| <b>Ancillary Service Category 3</b><br>Positions: 50–53<br>Length: 4<br>Format: alphanumeric     | <b>Description:</b> Ancillary Service Category code for an additional third type of service that has been provided.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
| <b>Ancillary Service Sub-Category 3</b><br>Positions: 54–57<br>Length: 4<br>Format: alphanumeric | <b>Description:</b> Ancillary Service Sub-Category code for the Ancillary Service Category 3.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
| <b>Ancillary Service Category 4</b><br>Positions: 58–61<br>Length: 4<br>Format: alphanumeric     | <b>Description:</b> Ancillary Service Category code for an additional fourth type of service that has been provided.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |

## Passenger Transport Ancillary Draft Data Edit Criteria

|                                                                                                           |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
|-----------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Ancillary Service Sub-Category 4</b><br>Positions: 62–65<br>Length: 4<br>Format: alphanumeric          | <b>Description:</b> Ancillary Service Sub-Category code for the Ancillary Service Category 4.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
| <b>Passenger Name</b><br>Positions: 66–85<br>Length: 20<br>Format: alphanumeric                           | <b>Description:</b> Either the passenger's name or the cardholder's name if the passenger's name is unavailable. If the name is not available, a description of the ancillary purchase should be used.<br><br><b>National—U.S.:</b> The entry may not contain all spaces for originals and reversals of Passenger Transport transactions requesting EIRF or a custom payment service.<br><br><b>VIC Edit, Intraregional EU and Domestic EU:</b> This field must not contain all spaces for transactions requesting the Airline IRF.                                                                                                                                                                  |
| <b>Issued in Connection With Ticket Number</b><br>Positions: 86–100<br>Length: 15<br>Format: alphanumeric | <b>Description:</b> If this purchase has a connection or relationship to another purchase, such as a baggage fee for a passenger transport ticket, this field should contain the ticket document number for the other purchase.<br><br>For a stand-alone purchase, this field should contain the same value as the value in the Ancillary Ticket Document Number field.<br><br><b>National—U.S.:</b> The entry may not contain all spaces for originals and reversals of Passenger Transport transactions requesting EIRF or a custom payment service.<br><br><b>VIC Edit, Intraregional EU and Domestic EU:</b> This field must not contain all spaces for transactions requesting the Airline IRF. |
| <b>Credit Reason Indicator</b><br>Positions: 101<br>Length: 1<br>Format: alphanumeric                     | <b>Description:</b> Indicates the reason for a credit to the cardholder.<br><br>This field should contain space or one of these codes:<br><b>A</b> – Passenger Transport Ancillary Purchase Cancellation<br><b>B</b> – Airline Ticket and Passenger Transport Ancillary Purchase Cancellation<br><b>O</b> – Other<br><b>VIC Edit:</b> The VIC will change invalid values to spaces.                                                                                                                                                                                                                                                                                                                  |
| <b>Reserved</b><br>Positions: 102–168<br>Length: 67<br>Format: alphanumeric                               | <b>Description:</b> This field is reserved for future use. EP will always space-fill.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |

# TC 05 - TCR 3 Lodging

These tables contain the Draft Data (TC 05, 06, 15, 16, 25, 26, 35, 36) record layout and edit criteria for TCR 3 - INDUSTRY-SPECIFIC DATA - LODGING.

## CTF - Outgoing and Incoming Interchange

### Lodging Draft Data Record Layout

| Position | Field Length | Format | Contents                              |
|----------|--------------|--------|---------------------------------------|
| 1-2      | 2            | UN     | Transaction Code                      |
| 3        | 1            | UN     | Transaction Code Qualifier            |
| 4        | 1            | UN     | Transaction Component Sequence Number |
| 5-14     | 10           | AN     | Reserved                              |
| 15-16    | 2            | AN     | Business Application ID               |
| 17-18    | 2            | AN     | Business Format Code (LG)             |
| 19-26    | 8            | AN     | Reserved                              |
| 27       | 1            | AN     | Lodging No-Show Indicator             |
| 28-33    | 6            | UN     | Lodging Extra Charges                 |
| 34-37    | 4            | AN     | Reserved                              |
| 38-43    | 6            | UN     | Lodging Check-in Date (YYMMDD)        |
| 44-55    | 12           | UN     | Daily Room Rate                       |
| 56-67    | 12           | UN     | Total Tax                             |
| 68-79    | 12           | UN     | Prepaid Expenses                      |
| 80-91    | 12           | UN     | Food/Beverage Charges                 |
| 92-103   | 12           | UN     | Folio Cash Advances                   |
| 104-105  | 2            | UN     | Room Nights                           |
| 106-117  | 12           | UN     | Total Room Tax                        |
| 118-168  | 51           | AN     | Reserved                              |

Format: AN = Alphanumeric, ANS = Alphanumeric Special, DX = Display Hexadecimal, N = Numeric, UN = Unpacked Numeric

### Lodging Draft Data Edit Criteria

|                                                                                                       |                                                                                                                                                                                                                                                                                              |
|-------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Transaction Code</b><br>Positions: 1–2<br>Length: 2<br>Format: unpacked numeric                    | <b>Description:</b> The field must contain the same transaction code as the TCR 0.                                                                                                                                                                                                           |
| <b>Transaction Code Qualifier</b><br>Positions: 3<br>Length: 1<br>Format: unpacked numeric            | <b>Description:</b> This field must contain one of these values:<br><b>0</b> = Default<br><b>1</b> = Account Funding<br><b>2</b> = Original Credit<br>This edit will continue to be performed by the Edit Package when the Bypass Business Edits option is used during an outgoing edit run. |
| <b>Transaction Component Sequence Number</b><br>Positions: 4<br>Length: 1<br>Format: unpacked numeric | <b>Description:</b> The field must contain a <b>3</b> .                                                                                                                                                                                                                                      |
| <b>Reserved</b><br>Positions: 5–14<br>Length: 10<br>Format: alphanumeric                              | <b>Description:</b> This field is reserved for future use. EP will always space-fill.                                                                                                                                                                                                        |
| <b>Business Application ID</b><br>Positions: 15–16<br>Length: 2<br>Format: alphanumeric               | <b>Description:</b> This field provides additional information regarding the usage and application of the transaction. Please refer to the <i>BASE II Clearing Data Codes</i> manual for a list of valid codes.                                                                              |
| <b>Business Format Code</b><br>Positions: 17–18<br>Length: 2<br>Format: alphanumeric                  | <b>Description:</b> Code indicating the type of business that is applicable to this transaction. Contains the <b>LG</b> (Lodging) format. This entry is not valid for cash disbursement transactions.                                                                                        |
| <b>Reserved</b><br>Positions: 19–26<br>Length: 8<br>Format: alphanumeric                              | <b>Description:</b> This field is reserved for future use. EP will always space-fill.                                                                                                                                                                                                        |

## Lodging Draft Data Edit Criteria

|                                                                                           |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
|-------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Lodging No-Show Indicator</b><br>Positions: 27<br>Length: 1<br>Format: alphanumeric    | <b>Description:</b> An indicator that the cardholder is being billed for a reserved room that was not actually rented (AKA a “no-show” charge). The issuer may provide this information on the customer statement or use it to enhance customer service information.<br><br>Values:<br><b>0</b> = Not applicable<br><b>1</b> = No-show<br><br>To qualify for the CPS/Hotel (Card Not Present) or CPS/Hotel (Card Present) PSIRF, this field must be used if the transaction is due to a no-show charge.                                                                                                                                                                                                                                                                                                                                   |
| <b>Lodging Extra Charges</b><br>Positions: 28–33<br>Length: 6<br>Format: unpacked numeric | <b>Description:</b> This field may be used to indicate the type of additional charges added to a customer's bill after check-out. Each position in the field can be used to indicate a type of charge. If there are less than six additional charges, they must be left-justified, space-filled or zero-filled to the right.<br><br>Lodging Extra Charges codes are:<br><b>Space</b> = No extra charge<br><b>0</b> = No extra charge<br><b>2</b> = Restaurant<br><b>3</b> = Gift Shop<br><b>4</b> = Mini Bar<br><b>5</b> = Telephone<br><b>6</b> = Other<br><b>7</b> = Laundry If there are no extra charges, this field must be all <b>spaces</b> or all <b>zeros</b> .<br><br>To qualify for the CPS/Retail, CPS/Hotel (Card Not Present), or CPS/Hotel (Card Present) PSIRF, this field must be used if there were additional charges. |
| <b>Reserved</b><br>Positions: 34–37<br>Length: 4<br>Format: alphanumeric                  | <b>Description:</b> This field is reserved for future use. EP will always space-fill.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
| <b>Lodging Check-In Date</b><br>Positions: 38–43<br>Length: 6<br>Format: unpacked numeric | <b>Description:</b> The date the customer checked into the hotel, or in the case of a no-show or an advance lodging, the scheduled arrival date. The entry must be a six-digit numeric, either zeros or a valid date, in the format <b>YYMMDD</b> .<br><br><b>VIC Edit:</b> To qualify for the CPS/Retail, CPS/Hotel (Card Not Present), or CPS/Hotel (Card Present) PSIRF, this entry must be a valid date.                                                                                                                                                                                                                                                                                                                                                                                                                              |

### Lodging Draft Data Edit Criteria

|                                                                                            |                                                                                                                                                                                                                    |
|--------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Daily Room Rate</b><br>Positions: 44–55<br>Length: 12<br>Format: unpacked numeric       | <b>Description:</b> Daily rate being charged for the room.<br><br>The entry must be numeric, two decimal positions are implied. If the entry is not numeric, the BASE II VIC will insert zeros.                    |
| <b>Total Tax</b><br>Positions: 56–67<br>Length: 12<br>Format: unpacked numeric             | <b>Description:</b> Tax portion of the amount being billed.<br><br>The entry must be numeric, two decimal positions are implied. If the entry is not numeric, the BASE II VIC will insert zeros.                   |
| <b>Prepaid Expenses</b><br>Positions: 68–79<br>Length: 12<br>Format: unpacked numeric      | <b>Description:</b> Any prepaid expenses being billed.<br><br>The entry must be numeric, two decimal positions are implied. If the entry is not numeric, the BASE II VIC will insert zeros.                        |
| <b>Food/Beverage Charges</b><br>Positions: 80–91<br>Length: 12<br>Format: unpacked numeric | <b>Description:</b> All food and beverage charges.<br><br>The entry must be numeric, two decimal positions are implied. If the entry is not numeric, the BASE II VIC will insert zeros.                            |
| <b>Folio Cash Advances</b><br>Positions: 92–103<br>Length: 12<br>Format: unpacked numeric  | <b>Description:</b> Any Folio cash advances being billed.<br><br>The entry must be numeric, two decimal positions are implied. If the entry is not numeric, the BASE II VIC will insert zeros.                     |
| <b>Room Nights</b><br>Positions: 104–105<br>Length: 2<br>Format: unpacked numeric          | <b>Description:</b> Number of nights being billed.<br><br>The entry must be numeric. The entry may contain zeros. If the entry is not numeric, the BASE II VIC will insert zeros.                                  |
| <b>Total Room Tax</b><br>Positions: 106–117<br>Length: 12<br>Format: unpacked numeric      | <b>Description:</b> Total room tax being billed.<br><br>The entry must be numeric, two decimal positions are implied. The entry may contain zeros. If the entry is not numeric, the BASE II VIC will insert zeros. |
| <b>Reserved</b><br>Positions: 118–168<br>Length: 51<br>Format: alphanumeric                | <b>Description:</b> This field is reserved for future use. EP will always space-fill.                                                                                                                              |



# TC 05 - TCR 3 Car Rental

These tables contain the Draft Data (TC 05, 06, 15, 16, 25, 26, 35, 36) record layout and edit criteria for TCR 3 - INDUSTRY-SPECIFIC DATA - CAR RENTAL.

## CTF - Outgoing and Incoming Interchange

### Car Rental Draft Data Record Layout

| Position | Field Length | Format | Contents                              |
|----------|--------------|--------|---------------------------------------|
| 1-2      | 2            | UN     | Transaction Code                      |
| 3        | 1            | UN     | Transaction Code Qualifier            |
| 4        | 1            | UN     | Transaction Component Sequence Number |
| 5-14     | 10           | AN     | Reserved                              |
| 15-16    | 2            | AN     | Business Application ID               |
| 17-18    | 2            | AN     | Business Format Code (CA)             |
| 19-20    | 2            | UN     | Days Rented                           |
| 21-26    | 6            | AN     | Reserved                              |
| 27       | 1            | AN     | Car Rental No-Show Indicator          |
| 28-33    | 6            | UN     | Car Rental Extra Charges              |
| 34-37    | 4            | AN     | Reserved                              |
| 38-43    | 6            | UN     | Car Rental Check-out Date (YYMMDD)    |
| 44-55    | 12           | UN     | Daily Rental Rate                     |
| 56-67    | 12           | UN     | Weekly Rental Rate                    |
| 68-79    | 12           | UN     | Insurance Charges                     |
| 80-91    | 12           | UN     | Fuel Charges                          |
| 92-93    | 2            | AN     | Car Class Code                        |
| 94-105   | 12           | UN     | One-Way Drop-off Charges              |
| 106-145  | 40           | AN     | Renter Name                           |
| 146-168  | 23           | AN     | Reserved                              |

Format: AN = Alphanumeric, ANS = Alphanumeric Special, DX = Display Hexadecimal, N = Numeric, UN = Unpacked Numeric

### Car Rental Draft Data Edit Criteria

|                                                                                                       |                                                                                                                                                                                                                                                                                              |
|-------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Transaction Code</b><br>Positions: 1–2<br>Length: 2<br>Format: unpacked numeric                    | <b>Description:</b> The field must contain the same transaction code as the TCR 0.                                                                                                                                                                                                           |
| <b>Transaction Code Qualifier</b><br>Positions: 3<br>Length: 1<br>Format: unpacked numeric            | <b>Description:</b> This field must contain one of these values:<br><b>0</b> = Default<br><b>1</b> = Account Funding<br><b>2</b> = Original Credit<br>This edit will continue to be performed by the Edit Package when the Bypass Business Edits option is used during an outgoing edit run. |
| <b>Transaction Component Sequence Number</b><br>Positions: 4<br>Length: 1<br>Format: unpacked numeric | <b>Description:</b> The field must contain a <b>3</b> .                                                                                                                                                                                                                                      |
| <b>Reserved</b><br>Positions: 5–14<br>Length: 10<br>Format: alphanumeric                              | <b>Description:</b> This field is reserved for future use. EP will always space-fill.                                                                                                                                                                                                        |
| <b>Business Application ID</b><br>Positions: 15–16<br>Length: 2<br>Format: alphanumeric               | <b>Description:</b> This field provides additional information regarding the usage and application of the transaction. Please refer to the <i>BASE II Clearing Data Codes</i> manual for a list of valid codes.                                                                              |
| <b>Business Format Code</b><br>Positions: 17–18<br>Length: 2<br>Format: alphanumeric                  | <b>Description:</b> Code indicating the type of business that is applicable to this transaction. This field must contain <b>CA</b> (Car Rental). This entry is not valid for cash disbursement transactions.                                                                                 |
| <b>Days Rented</b><br>Positions: 19–20<br>Length: 2<br>Format: unpacked numeric                       | <b>Description:</b> Number of days the vehicle was rented.<br>The entry must be numeric. The entry may contain zeros. If the entry is not numeric, the BASE II VIC will insert zeros.                                                                                                        |
| <b>Reserved</b><br>Positions: 21–26<br>Length: 6<br>Format: alphanumeric                              | <b>Description:</b> This field is reserved for future use. EP will always space-fill.                                                                                                                                                                                                        |

### Car Rental Draft Data Edit Criteria

|                                                                                               |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
|-----------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Car Rental No-Show Indicator</b><br>Positions: 27<br>Length: 1<br>Format: alphanumeric     | <b>Description:</b> An indicator that the cardholder is being billed for a reserved vehicle that was not actually rented (that is, a "no-show" charge).<br><br>The entry must be <b>zero</b> or <b>1</b> .<br><br><b>0</b> = Not applicable<br><b>1</b> = No-show for a Specialized Vehicle<br><br>To qualify for the CPS/Car Rental (Card Not Present) or CPS/Car Rental (Card Present) PSIRF, this field must be used if the transaction is due to a no-show for a specialized vehicle.                                                                                                                               |
| <b>Car Rental Extra Charges</b><br>Positions: 28–33<br>Length: 6<br>Format: unpacked numeric  | <b>Description:</b> Additional charges (gas, late fee, etc.) being billed.<br>Valid Car Rental Extra Charges codes are:<br><br><b>Space</b> = No extra charge<br><b>0</b> = No Extra Charge<br><b>1</b> = Gas<br><b>2</b> = Extra Mileage<br><b>3</b> = Late Return<br><b>4</b> = One Way Service Fee<br><b>5</b> = Parking Violation If there are no extra charges, this field must be all <b>spaces</b> or all <b>zeros</b> .<br><br><b>Note:</b> To qualify for the CPS/Retail, CPS/Car Rental (Card Not Present), or CPS/Car Rental (Card Present) PSIRF, this field must be used if there were additional charges. |
| <b>Reserved</b><br>Positions: 34–37<br>Length: 4<br>Format: alphanumeric                      | <b>Description:</b> This field is reserved for future use. EP will always space-fill.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
| <b>Car Rental Check-Out Date</b><br>Positions: 38–43<br>Length: 6<br>Format: unpacked numeric | <b>Description:</b> Date the customer picked up the car or, in the case of a no-show or pre-pay transaction, the scheduled pick up date. The entry must be a six-digit numeric, either zeros or a valid date, in the format <b>YYMMDD</b> .<br><br><b>VIC Edit:</b> To qualify for the CPS/Retail, CPS/Car Rental (Card Not Present), or CPS/Car Rental (Card Present) PSIRF, this entry must be a valid date.                                                                                                                                                                                                          |
| <b>Daily Rental Rate</b><br>Positions: 44–55<br>Length: 12<br>Format: unpacked numeric        | <b>Description:</b> Daily rate being charged for the vehicle.<br><br>The entry must be numeric, two decimal positions are implied. If the entry is not numeric, the BASE II VIC will insert zeros.                                                                                                                                                                                                                                                                                                                                                                                                                      |

### Car Rental Draft Data Edit Criteria

|                                                                                                |                                                                                                                                                                                                                                                                                                             |
|------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Weekly Rental Rate</b><br>Positions: 56–67<br>Length: 12<br>Format: unpacked numeric        | <b>Description:</b> Weekly rate being charged for the vehicle.<br><br>The entry must be numeric, two decimal positions are implied. If the entry is not numeric, the BASE II VIC will insert zeros.                                                                                                         |
| <b>Insurance Charges</b><br>Positions: 68–79<br>Length: 12<br>Format: unpacked numeric         | <b>Description:</b> Any insurance being charged for the vehicle.<br><br>The entry must be numeric, two decimal positions are implied. If the entry is not numeric, the BASE II VIC will insert zeros.                                                                                                       |
| <b>Fuel Charges</b><br>Positions: 80–91<br>Length: 12<br>Format: unpacked numeric              | <b>Description:</b> Fuel charges for the vehicle.<br><br>The entry must be numeric, two decimal positions are implied. If the entry is not numeric, the BASE II VIC will insert zeros.                                                                                                                      |
| <b>Car Class Code</b><br>Positions: 92–93<br>Length: 2<br>Format: alphanumeric                 | <b>Description:</b> Code indicating the vehicle's class. The entry may be spaces.                                                                                                                                                                                                                           |
| <b>One-Way Drop-Off Charges</b><br>Positions: 94–105<br>Length: 12<br>Format: unpacked numeric | <b>Description:</b> Any charges for one-way drop-off of the vehicle (that is, additional charges for returning the vehicle at a location other than the pickup point).<br><br>The entry must be numeric, two decimal positions are implied. If the entry is not numeric, the BASE II VIC will insert zeros. |
| <b>Renter Name</b><br>Positions: 106–145<br>Length: 40<br>Format: alphanumeric                 | <b>Description:</b> Name of renter. The entry may be spaces.                                                                                                                                                                                                                                                |
| <b>Reserved</b><br>Positions: 146–168<br>Length: 23<br>Format: alphanumeric                    | <b>Description:</b> This field is reserved for future use. EP will always space-fill.                                                                                                                                                                                                                       |

## TC 05 - TCR 3 EMV Fleet Service

These tables contain the Draft Data (TC 05, 06, 15, 16, 25, 26, 35, 36) record layout and edit criteria for TCR 3 - INDUSTRY-SPECIFIC DATA - EMV FLEET SERVICE. In certain regions, Fleet Level

2 and Level 3 data is required for specific MCCs. Please consult your Fleet 2.0 Implementation Guide for details.

### **CTF - Outgoing and Incoming Interchange**

#### **EMV Fleet Service Draft Data Record Layout**

| <b>Position</b> | <b>Field Length</b> | <b>Format</b> | <b>Contents</b>                       |
|-----------------|---------------------|---------------|---------------------------------------|
| 1-2             | 2                   | UN            | Transaction Code                      |
| 3               | 1                   | UN            | Transaction Code Qualifier            |
| 4               | 1                   | UN            | Transaction Component Sequence Number |
| 5-16            | 12                  | AN            | Fleet Employee Number                 |
| 17-18           | 2                   | AN            | Business Format Code (FT)             |
| 19              | 1                   | AN            | Type of Purchase                      |
| 20-23           | 4                   | AN            | Expanded Fuel Type                    |
| 24              | 1                   | AN            | Service Type                          |
| 25              | 1                   | AN            | Unit of Measure                       |
| 26-37           | 12                  | UN            | Quantity                              |
| 38-49           | 12                  | UN            | Unit Cost                             |
| 50-61           | 12                  | UN            | Gross Fuel Price                      |
| 62-73           | 12                  | UN            | Net Fuel Price                        |
| 74-85           | 12                  | UN            | Gross Non-Fuel Price                  |
| 86-97           | 12                  | UN            | Net Non-Fuel Price                    |
| 98-104          | 7                   | AN            | Odometer Reading                      |
| 105-108         | 4                   | UN            | VAT/Tax Rate                          |
| 109-124         | 16                  | AN            | Fleet Trailer Number                  |
| 125-144         | 20                  | AN            | Fleet Additional Prompted Data 1      |
| 145-164         | 20                  | AN            | Fleet Additional Prompted Data 2      |
| 165-166         | 2                   | AN            | Business Application ID               |
| 167-168         | 2                   | AN            | Reserved                              |

Format: AN = Alphanumeric, ANS = Alphanumeric Special, DX = Display Hexadecimal, N = Numeric, UN = Unpacked Numeric

### EMV Fleet Service Draft Data Edit Criteria

|                                                                                                       |                                                                                                                                                                                                                                                                                              |
|-------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Transaction Code</b><br>Positions: 1–2<br>Length: 2<br>Format: unpacked numeric                    | <b>Description:</b> The field must contain the same transaction code as the TCR 0.                                                                                                                                                                                                           |
| <b>Transaction Code Qualifier</b><br>Positions: 3<br>Length: 1<br>Format: unpacked numeric            | <b>Description:</b> This field must contain one of these values:<br><b>0</b> = Default<br><b>1</b> = Account Funding<br><b>2</b> = Original Credit<br>This edit will continue to be performed by the Edit Package when the Bypass Business Edits option is used during an outgoing edit run. |
| <b>Transaction Component Sequence Number</b><br>Positions: 4<br>Length: 1<br>Format: unpacked numeric | <b>Description:</b> The field must contain a <b>3</b> .                                                                                                                                                                                                                                      |
| <b>Fleet Employee Number</b><br>Positions: 5–16<br>Length: 12<br>Format: alphanumeric                 | <b>Description:</b> This field will contain the Visa Fleet cardholder employee number.                                                                                                                                                                                                       |
| <b>Business Format Code (FT)</b><br>Positions: 17–18<br>Length: 2<br>Format: alphanumeric             | <b>Description:</b> Code indicating the type of business that is applicable to this transaction. This field must contain <b>FT</b> (for Fleet EMV service).                                                                                                                                  |
| <b>Type of Purchase</b><br>Positions: 19<br>Length: 1<br>Format: alphanumeric                         | <b>Description:</b> Type of purchase (gas, non-fuel item, etc.).<br>See <i>BASE II Clearing Data Codes</i> for a listing of valid codes.                                                                                                                                                     |
| <b>Expanded Fuel Type</b><br>Positions: 20–23<br>Length: 4<br>Format: alphanumeric                    | <b>Description:</b> This field contains the Expanded Fuel Type. This field should be left-justified and space-filled.<br>Refer to the <i>Visa Fleet Card 2.0 Implementation Guide</i> for a list of valid codes.                                                                             |
| <b>Service Type</b><br>Positions: 24<br>Length: 1<br>Format: alphanumeric                             | <b>Description:</b> Identifies type of service at the fuel station.<br>See <i>BASE II Clearing Data Codes</i> for a listing of valid codes.                                                                                                                                                  |

## EMV Fleet Service Draft Data Edit Criteria

|                                                                                           |                                                                                                                                                                                          |
|-------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Unit of Measure</b><br>Positions: 25<br>Length: 1<br>Format: alphanumeric              | <b>Description:</b> Unit of measure used for fuel.<br>See <i>BASE II Clearing Data Codes</i> for a listing of valid codes.                                                               |
| <b>Quantity</b><br>Positions: 26–37<br>Length: 12<br>Format: unpacked numeric             | <b>Description:</b> Quantity of fuel being billed. Four decimal places are implied. If the entry is not numeric, the BASE II VIC will insert zeros.                                      |
| <b>Unit Cost</b><br>Positions: 38–49<br>Length: 12<br>Format: unpacked numeric            | <b>Description:</b> Cost of fuel per unit of measure (for example, dollars per gallon). Four decimal places are implied. If the entry is not numeric, the BASE II VIC will insert zeros. |
| <b>Gross Fuel Price</b><br>Positions: 50–61<br>Length: 12<br>Format: unpacked numeric     | <b>Description:</b> Gross fuel price. Four decimal places are implied. If the entry is not numeric, the BASE II VIC will insert zeros.                                                   |
| <b>Net Fuel Price</b><br>Positions: 62–73<br>Length: 12<br>Format: unpacked numeric       | <b>Description:</b> Net fuel price. Four decimal places are implied. If the entry is not numeric, the BASE II VIC will insert zeros.                                                     |
| <b>Gross Non-Fuel Price</b><br>Positions: 74–85<br>Length: 12<br>Format: unpacked numeric | <b>Description:</b> Gross price of non-fuel items. Two decimal places are implied. If the entry is not numeric, the BASE II VIC will insert zeros.                                       |
| <b>Net Non-Fuel Price</b><br>Positions: 86–97<br>Length: 12<br>Format: unpacked numeric   | <b>Description:</b> Net price of non-fuel items. Two decimal places are implied. If the entry is not numeric, the BASE II VIC will insert zeros.                                         |
| <b>Odometer Reading</b><br>Positions: 98–104<br>Length: 7<br>Format: alphanumeric         | <b>Description:</b> Reading taken from vehicle's odometer.                                                                                                                               |

### EMV Fleet Service Draft Data Edit Criteria

|                                                                                                     |                                                                                                                                                                                                                 |
|-----------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>VAT/Tax Rate</b><br>Positions: 105–108<br>Length: 4<br>Format: unpacked numeric                  | <b>Description:</b> Value Added Tax or other tax on amount being charged. Two decimal places are implied. If the entry is not numeric, the BASE II VIC will insert zeros.                                       |
| <b>Fleet Trailer Number</b><br>Positions: 109–124<br>Length: 16<br>Format: alphanumeric             | <b>Description:</b> This field will contain the trailer number for the Visa Fleet cardholder or vehicle assigned card.                                                                                          |
| <b>Fleet Additional Prompted Data 1</b><br>Positions: 125–144<br>Length: 20<br>Format: alphanumeric | <b>Description:</b> This field will contain information that the cardholder is prompted to provide at the POS for issuer and fleet employer purposes.                                                           |
| <b>Fleet Additional Prompted Data 2</b><br>Positions: 145–164<br>Length: 20<br>Format: alphanumeric | <b>Description:</b> This field will contain information that the cardholder is prompted to provide at the POS for issuer and fleet employer purposes.                                                           |
| <b>Business Application ID</b><br>Positions: 165–166<br>Length: 2<br>Format: alphanumeric           | <b>Description:</b> This field provides additional information regarding the usage and application of the transaction. Please refer to the <i>BASE II Clearing Data Codes</i> manual for a list of valid codes. |
| <b>Reserved</b><br>Positions: 167–168<br>Length: 2<br>Format: alphanumeric                          | <b>Description:</b> This field is reserved for future use. EP will always space-fill.                                                                                                                           |

## TC 05 - TCR 3 Fleet Service

These tables contain the Draft Data (TC 05, 06, 15, 16, 25, 26, 35, 36) record layout and edit criteria for TCR 3 - INDUSTRY-SPECIFIC DATA - FLEET SERVICE.

### CTF - Outgoing and Incoming Interchange



### Fleet Service Draft Data Record Layout

| Position | Field Length | Format | Contents                                    |
|----------|--------------|--------|---------------------------------------------|
| 1-2      | 2            | UN     | Transaction Code                            |
| 3        | 1            | UN     | Transaction Code Qualifier                  |
| 4        | 1            | UN     | Transaction Component Sequence Number       |
| 5-14     | 10           | AN     | Reserved                                    |
| 15-16    | 2            | AN     | Business Application ID                     |
| 17-18    | 2            | AN     | Business Format Code (FL)                   |
| 19-22    | 4            | AN     | Reserved                                    |
| 23-26    | 4            | AN     | Expanded Fuel Type                          |
| 27       | 1            | AN     | Type of Purchase                            |
| 28-29    | 2            | AN     | Fuel Type                                   |
| 30       | 1            | AN     | Unit of Measure                             |
| 31-42    | 12           | UN     | Quantity                                    |
| 43-54    | 12           | UN     | Unit Cost                                   |
| 55-66    | 12           | UN     | Gross Fuel Price                            |
| 67-78    | 12           | UN     | Net Fuel Price                              |
| 79-90    | 12           | UN     | Gross Non-Fuel Price                        |
| 91-102   | 12           | UN     | Net Non-Fuel Price                          |
| 103-109  | 7            | AN     | Odometer Reading                            |
| 110-113  | 4            | UN     | VAT/Tax Rate                                |
| 114-125  | 12           | UN     | Miscellaneous Fuel Tax                      |
| 126-131  | 6            | AN     | Product Qualifier                           |
| 132-137  | 6            | AN     | Reserved                                    |
| 138-149  | 12           | UN     | Miscellaneous Non-Fuel Tax                  |
| 150      | 1            | AN     | Service Type                                |
| 151      | 1            | AN     | Miscellaneous Fuel Tax Exemption Status     |
| 152      | 1            | AN     | Miscellaneous Non-Fuel Tax Exemption Status |
| 153-168  | 16           | AN     | Reserved                                    |

Format: AN = Alphanumeric, ANS = Alphanumeric Special, DX = Display Hexadecimal, N = Numeric, UN = Unpacked Numeric

### Fleet Service Draft Data Edit Criteria

|                                                                                                       |                                                                                                                                                                                                                                                                                              |
|-------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Transaction Code</b><br>Positions: 1–2<br>Length: 2<br>Format: unpacked numeric                    | <b>Description:</b> The field must contain the same transaction code as the TCR 0.                                                                                                                                                                                                           |
| <b>Transaction Code Qualifier</b><br>Positions: 3<br>Length: 1<br>Format: unpacked numeric            | <b>Description:</b> This field must contain one of these values:<br><b>0</b> = Default<br><b>1</b> = Account Funding<br><b>2</b> = Original Credit<br>This edit will continue to be performed by the Edit Package when the Bypass Business Edits option is used during an outgoing edit run. |
| <b>Transaction Component Sequence Number</b><br>Positions: 4<br>Length: 1<br>Format: unpacked numeric | <b>Description:</b> The field must contain a <b>3</b> .                                                                                                                                                                                                                                      |
| <b>Reserved</b><br>Positions: 5–14<br>Length: 10<br>Format: alphanumeric                              | <b>Description:</b> This field is reserved for future use. EP will always space-fill.                                                                                                                                                                                                        |
| <b>Business Application ID</b><br>Positions: 15–16<br>Length: 2<br>Format: alphanumeric               | <b>Description:</b> This field provides additional information regarding the usage and application of the transaction. Please refer to the <i>BASE II Clearing Data Codes</i> manual for a list of valid codes.                                                                              |
| <b>Business Format Code</b><br>Positions: 17–18<br>Length: 2<br>Format: alphanumeric                  | <b>Description:</b> Code indicating the type of business that is applicable to this transaction. This field must contain <b>FL</b> (for Fleet service).                                                                                                                                      |
| <b>Reserved</b><br>Positions: 19–22<br>Length: 4<br>Format: alphanumeric                              | <b>Description:</b> This field is reserved for future use. EP will always space-fill.                                                                                                                                                                                                        |
| <b>Expanded Fuel Type</b><br>Positions: 23–26<br>Length: 4<br>Format: alphanumeric                    | <b>Description:</b> This field contains the Expanded Fuel Type. This field should be left-justified and space-filled.<br>Refer to the <i>Visa Fleet Card 2.0 Implementation Guide</i> for a list of valid codes.                                                                             |

### Fleet Service Draft Data Edit Criteria

|                                                                                           |                                                                                                                                                                                          |
|-------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Type of Purchase</b><br>Positions: 27<br>Length: 1<br>Format: alphanumeric             | <b>Description:</b> Type of purchase (gas, non-fuel item, etc.).<br>See <i>BASE II Clearing Data Codes</i> for a listing of valid codes.                                                 |
| <b>Fuel Type</b><br>Positions: 28–29<br>Length: 2<br>Format: alphanumeric                 | <b>Description:</b> Type of fuel (unleaded regular, diesel, gasohol, etc.)<br>Refer to the <i>Visa Fleet Card 2.0 Implementation Guide</i> for a list of valid codes.                    |
| <b>Unit of Measure</b><br>Positions: 30<br>Length: 1<br>Format: alphanumeric              | <b>Description:</b> Unit of measure used for fuel.<br>See <i>BASE II Clearing Data Codes</i> for a listing of valid codes.                                                               |
| <b>Quantity</b><br>Positions: 31–42<br>Length: 12<br>Format: unpacked numeric             | <b>Description:</b> Quantity of fuel being billed. Four decimal places are implied. If the entry is not numeric, the BASE II VIC will insert zeros.                                      |
| <b>Unit Cost</b><br>Positions: 43–54<br>Length: 12<br>Format: unpacked numeric            | <b>Description:</b> Cost of fuel per unit of measure (for example, dollars per gallon). Four decimal places are implied. If the entry is not numeric, the BASE II VIC will insert zeros. |
| <b>Gross Fuel Price</b><br>Positions: 55–66<br>Length: 12<br>Format: unpacked numeric     | <b>Description:</b> Gross fuel price. Four decimal places are implied. If the entry is not numeric, the BASE II VIC will insert zeros.                                                   |
| <b>Net Fuel Price</b><br>Positions: 67–78<br>Length: 12<br>Format: unpacked numeric       | <b>Description:</b> Net fuel price. Four decimal places are implied. If the entry is not numeric, the BASE II VIC will insert zeros.                                                     |
| <b>Gross Non-Fuel Price</b><br>Positions: 79–90<br>Length: 12<br>Format: unpacked numeric | <b>Description:</b> Gross price of non-fuel items. Two decimal places are implied. If the entry is not numeric, the BASE II VIC will insert zeros.                                       |

### Fleet Service Draft Data Edit Criteria

|                                                                                                   |                                                                                                                                                                                       |
|---------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Net Non-Fuel Price</b><br>Positions: 91–102<br>Length: 12<br>Format: unpacked numeric          | <b>Description:</b> Net price of non-fuel items. Two decimal places are implied. If the entry is not numeric, the BASE II VIC will insert zeros.                                      |
| <b>Odometer Reading</b><br>Positions: 103–109<br>Length: 7<br>Format: alphanumeric                | <b>Description:</b> Reading taken from vehicle's odometer.                                                                                                                            |
| <b>VAT/Tax Rate</b><br>Positions: 110–113<br>Length: 4<br>Format: unpacked numeric                | <b>Description:</b> Value Added Tax or other tax on amount being charged. Two decimal places are implied. If the entry is not numeric, the BASE II VIC will insert zeros.             |
| <b>Miscellaneous Fuel Tax</b><br>Positions: 114–125<br>Length: 12<br>Format: unpacked numeric     | <b>Description:</b> Fuel tax being charged. If the entry is not numeric, the BASE II VIC will insert zeros. This field must be numeric. Two decimal places are implied.               |
| <b>Product Qualifier</b><br>Positions: 126–131<br>Length: 6<br>Format: alphanumeric               | <b>Description:</b> This field contains the Product Qualifier. This field should be left-justified and space-filled.                                                                  |
| <b>Reserved</b><br>Positions: 132–137<br>Length: 6<br>Format: alphanumeric                        | <b>Description:</b> This field is reserved for future use. EP will always space-fill.                                                                                                 |
| <b>Miscellaneous Non-Fuel Tax</b><br>Positions: 138–149<br>Length: 12<br>Format: unpacked numeric | <b>Description:</b> Tax being charged for non-fuel items. If the entry is not numeric, the BASE II VIC will insert zeros. This field must be numeric. Two decimal places are implied. |
| <b>Service Type</b><br>Positions: 150<br>Length: 1<br>Format: alphanumeric                        | <b>Description:</b> Identifies type of service at the fuel station.<br><br>See <i>BASE II Clearing Data Codes</i> for a listing of valid codes.                                       |

## Fleet Service Draft Data Edit Criteria

|                                                                                                           |                                                                                                                                                                      |
|-----------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Miscellaneous Fuel Tax Exemption Status</b><br>Positions: 151<br>Length: 1<br>Format: alphanumeric     | <b>Description:</b> Indicates whether the fuel purchase was exempt from fuel tax.<br>Values:<br><b>Blank</b> = Default<br><b>0</b> = Non-Exempt<br><b>1</b> = Exempt |
| <b>Miscellaneous Non-Fuel Tax Exemption Status</b><br>Positions: 152<br>Length: 1<br>Format: alphanumeric | <b>Description:</b> Whether the non-fuel purchase was exempt from tax.<br>Values:<br><b>0</b> = Non-Exempt<br><b>1</b> = Exempt                                      |
| <b>Reserved</b><br>Positions: 153–168<br>Length: 16<br>Format: alphanumeric                               | <b>Description:</b> This field is reserved for future use. EP will always space-fill.                                                                                |

# TC 05 - TCR 3 Loan Detail

These tables contain the Draft Data (TC 05, 06, 15, 16, 25, 26, 35, 36) record layout and edit criteria for TCR 3 - INDUSTRY-SPECIFIC DATA - LOAN DETAIL.

## CTF - Outgoing and Incoming Interchange

### Loan Detail Draft Data Record Layout

| Position | Field Length | Format | Contents                              |
|----------|--------------|--------|---------------------------------------|
| 1–2      | 2            | UN     | Transaction Code                      |
| 3        | 1            | UN     | Transaction Code Qualifier            |
| 4        | 1            | UN     | Transaction Component Sequence Number |
| 5–16     | 12           | AN     | Reserved                              |
| 17–18    | 2            | AN     | Business Format Code (LD)             |
| 19–22    | 4            | AN     | Cardholder Tax ID Type                |
| 23–37    | 15           | AN     | Cardholder Tax ID                     |
| 38–39    | 2            | AN     | Reserved                              |
| 40       | 1            | AN     | Asset Indicator                       |

### Loan Detail Draft Data Record Layout

| Position | Field Length | Format | Contents                    |
|----------|--------------|--------|-----------------------------|
| 41-60    | 20           | AN     | Loan Type                   |
| 61-66    | 6            | AN     | Merchant Program Identifier |
| 67-168   | 102          | AN     | Reserved                    |

Format: AN = Alphanumeric, ANS = Alphanumeric Special, DX = Display Hexadecimal, N = Numeric, UN = Unpacked Numeric

### Loan Detail Draft Data Edit Criteria

|                                                                                                       |                                                                                                                                                                                                                                                                                              |
|-------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Transaction Code</b><br>Positions: 1-2<br>Length: 2<br>Format: unpacked numeric                    | <b>Description:</b> This field must contain the same transaction code as the TCR 0.                                                                                                                                                                                                          |
| <b>Transaction Code Qualifier</b><br>Positions: 3<br>Length: 1<br>Format: unpacked numeric            | <b>Description:</b> This field must contain one of these values:<br><b>0</b> = Default<br><b>1</b> = Account Funding<br><b>2</b> = Original Credit<br>This edit will continue to be performed by the Edit Package when the Bypass Business Edits option is used during an outgoing edit run. |
| <b>Transaction Component Sequence Number</b><br>Positions: 4<br>Length: 1<br>Format: unpacked numeric | <b>Description:</b> The field must contain a <b>3</b> .                                                                                                                                                                                                                                      |
| <b>Reserved</b><br>Positions: 5-16<br>Length: 12<br>Format: alphanumeric                              | <b>Description:</b> This field is reserved for future use. EP will always space-fill.                                                                                                                                                                                                        |
| <b>Business Format Code</b><br>Positions: 17-18<br>Length: 2<br>Format: alphanumeric                  | <b>Description:</b> Code indicating the type of business that is applicable to this transaction. This field must contain <b>LD</b> (Loan Detail). This entry is not valid for cash disbursement transactions.                                                                                |

### Loan Detail Draft Data Edit Criteria

|                                                                                             |                                                                                                                                                                                                                                                       |
|---------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Cardholder Tax ID Type</b><br>Positions: 19–22<br>Length: 4<br>Format: alphanumeric      | <b>Description:</b> Optionally present.<br>National Brazil: Two types of tax IDs can be provided: <ul style="list-style-type: none"><li>• CNPJ-Company Tax</li><li>• CPF-Consumer Tax</li></ul> This field should be left-justified and space-filled. |
| <b>Cardholder Tax ID</b><br>Positions: 23–37<br>Length: 15<br>Format: alphanumeric          | <b>Description:</b> Optionally present.<br>National-Brazil: Data should be present when the product ID is S6 and the transaction is Brazil domestic.                                                                                                  |
| <b>Reserved</b><br>Positions: 38–39<br>Length: 2<br>Format: alphanumeric                    | <b>Description:</b> This field is reserved for future use. EP will always space-fill.                                                                                                                                                                 |
| <b>Asset Indicator</b><br>Positions: 40<br>Length: 1<br>Format: alphanumeric                | <b>Description:</b> Optionally present.<br>National-Brazil: Data should be present when the product ID is S6 and the transaction is Brazil domestic. Valid values are <b>Y</b> (yes) or <b>N</b> (no).                                                |
| <b>Loan Type</b><br>Positions: 41–60<br>Length: 20<br>Format: alphanumeric                  | <b>Description:</b> Optionally present.                                                                                                                                                                                                               |
| <b>Merchant Program Identifier</b><br>Positions: 61–66<br>Length: 6<br>Format: alphanumeric | <b>Description:</b> Optionally present.<br>National-Brazil: When the product ID is S6, this value should be <b>BNDES</b> .<br>This field should be left-justified and space-filled.                                                                   |
| <b>Reserved</b><br>Positions: 67–168<br>Length: 102<br>Format: alphanumeric                 | <b>Description:</b> This field is reserved for future use. EP will always space-fill.                                                                                                                                                                 |

# TC 05 - TCR 3 Business Application Data

These tables contain the Draft Data (TC 05, 06, 15, 16, 25, 26, 35, 36) record layout and edit criteria for TCR 3 - INDUSTRY-SPECIFIC DATA - BUSINESS APPLICATION DATA.

## CTF - Outgoing and Incoming Interchange

### Business Application Draft Data Record Layout

| Position | Field Length | Format | Contents                              |
|----------|--------------|--------|---------------------------------------|
| 1-2      | 2            | UN     | Transaction Code                      |
| 3        | 1            | UN     | Transaction Code Qualifier            |
| 4        | 1            | UN     | Transaction Component Sequence Number |
| 5-6      | 2            | AN     | Service Processing Type               |
| 7-15     | 9            | AN     | Reserved                              |
| 16       | 1            | AN     | Fast Funds Indicator                  |
| 17-18    | 2            | AN     | Business Format Code (CR)             |
| 19-20    | 2            | AN     | Business Application ID               |
| 21       | 1            | AN     | Source of Funds                       |
| 22-23    | 2            | AN     | Payment Reversal Reason Code          |
| 24-39    | 16           | AN     | Sender Reference Number               |
| 40-73    | 34           | AN     | Sender Account Number                 |
| 74-103   | 30           | AN     | Sender Name                           |
| 104-138  | 35           | AN     | Sender Address                        |
| 139-163  | 25           | AN     | Sender City                           |
| 164-165  | 2            | AN     | Sender State                          |
| 166-168  | 3            | AN     | Sender Country                        |

Format: AN = Alphanumeric, ANS = Alphanumeric Special, DX = Display Hexadecimal, N = Numeric, UN = Unpacked Numeric



## Business Application Draft Data Edit Criteria

|                                                                                                       |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
|-------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Transaction Code</b><br>Positions: 1–2<br>Length: 2<br>Format: unpacked numeric                    | <b>Description:</b> The field must contain the same transaction code as the TCR 0.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
| <b>Transaction Code Qualifier</b><br>Positions: 3<br>Length: 1<br>Format: unpacked numeric            | <b>Description:</b> This field must contain one of these values:<br><b>0</b> = Default<br><b>1</b> = Account Funding<br><b>2</b> = Original Credit<br>This edit will continue to be performed by the Edit Package when the Bypass Business Edits option is used during an outgoing edit run.                                                                                                                                                                                                                                                                                                                                  |
| <b>Transaction Component Sequence Number</b><br>Positions: 4<br>Length: 1<br>Format: unpacked numeric | <b>Description:</b> The field must contain a <b>3</b> .                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
| <b>Service Processing Type</b><br>Positions: 5–6<br>Length: 2<br>Format: alphanumeric                 | <b>Description:</b> This field will contain the Service Processing Type.<br>Following are the values:<br><b>00</b> (Normal transaction)<br><b>01</b> Visa deferred OCT Originator hold<br><b>02</b> Visa deferred OCT hold, default interval<br><b>03</b> Visa deferred OCT hold, user-defined interval<br><b>0B</b> Back-to-Back<br><b>A0</b> (Alias Directory)<br><b>P0</b> (Payment Tags)<br>Value <b>0B</b> identifies back-to-back funding transactions containing existing business application identifier of AA (Account-to-account) in Europe domestic and intra-EEA AFTs. <b>0B</b> is number 0 (zero) and letter B. |
| <b>Reserved</b><br>Positions: 7–15<br>Length: 9<br>Format: alphanumeric                               | <b>Description:</b> This field is reserved for future use. EP will always space-fill.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
| <b>Fast Funds Indicator</b><br>Positions: 16<br>Length: 1<br>Format: alphanumeric                     | <b>Description:</b> VIC Edit: VIC will return the transaction if any non-space value is present on an Original Transaction.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |

### Business Application Draft Data Edit Criteria

|                                                                                              |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
|----------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Business Format Code</b><br>Positions: 17–18<br>Length: 2<br>Format: alphanumeric         | <b>Description:</b> Code indicating the type of business that is applicable to this transaction. This field must contain <b>CR</b> (for Business Application Data).                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
| <b>Business Application ID</b><br>Positions: 19–20<br>Length: 2<br>Format: alphanumeric      | <b>Description:</b> This field provides additional information regarding the usage and application of the transaction. Please refer to the <i>BASE II Clearing Data Codes</i> manual for a list of valid codes.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
| <b>Source of Funds</b><br>Positions: 21<br>Length: 1<br>Format: alphanumeric                 | <b>Description:</b> This field should contain one of these values:<br><b>1</b> = Cash<br><b>2</b> = Check<br><b>3</b> = Card                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
| <b>Payment Reversal Reason Code</b><br>Positions: 22–23<br>Length: 2<br>Format: alphanumeric | <b>Description:</b> This field should contain one of these values:<br><b>01</b> = Returned check not sufficient funds (NSF)<br><b>02</b> = Returned check stop payment<br><b>03</b> = Returned check account closed<br><b>04</b> = Returned check refer to maker<br><b>05</b> = Returned check – other<br><b>Spaces</b> = Unspecified                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
| <b>Sender Reference Number</b><br>Positions: 24–39<br>Length: 16<br>Format: alphanumeric     | <b>Description:</b> This field will contain a transaction reference number that is provided by the originator and can be used to uniquely identify the sender.<br><br><b>Domestic:</b> This field is required if the Business Application ID field (pos. 19–20) of the TCR 3 = <b>AA</b> or <b>PP</b> AND the Sender Account Number field (pos. 39–66) is <b>spaces</b> . Transactions that fail the edit criteria will be returned with new Return Reason Code = <b>V4 – Money Transfer Data Requirement Not Met - Missing AML Data</b> .<br><br><b>International:</b> This field is required if the Business Application ID field (pos. 19–20) of the TCR 3 = <b>AA</b> or <b>PP</b> AND the Sender Account Number field (pos. 39–66) is <b>spaces</b> . Transactions that fail the edit criteria will be returned with new Return Reason Code = <b>V4 – Money Transfer Data Requirement Not Met - Missing AML Data</b> . |

## Business Application Draft Data Edit Criteria

|                                                                                        |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
|----------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Sender Account Number</b><br>Positions: 40–73<br>Length: 34<br>Format: alphanumeric | <p><b>Description:</b> This field will contain the sender's card number or bank account number from which the funds are to be taken.</p> <p><b>Domestic:</b> This field is required if the Business Application ID field (pos. 19–20) of the TCR 3 = <b>AA</b> or <b>PP</b> AND the Sender Account Number field (pos. 24–38) is <b>spaces</b>. Transactions that fail the edit criteria will be returned with new Return Reason Code = <b>V4 – Money Transfer Data Requirement Not Met - Missing AML Data</b>.</p> <p><b>International:</b> This field is required if the Business Application ID field (pos. 19–20) of the TCR 3 = <b>AA</b> or <b>PP</b> AND the Sender Account Number field (pos. 24–38) is <b>spaces</b>. Transactions that fail the edit criteria will be returned with new Return Reason Code = <b>V4 – Money Transfer Data Requirement Not Met - Missing AML Data</b>.</p> |
| <b>Sender Name</b><br>Positions: 74–103<br>Length: 30<br>Format: alphanumeric          | <p><b>Description:</b> This field will contain the name of the person or entity for the account from which funds are to be taken.</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
| <b>Sender Address</b><br>Positions: 104–138<br>Length: 35<br>Format: alphanumeric      | <p><b>Description:</b> This field will contain the address of the person or entity for the account from which funds are to be taken.</p> <p><b>International:</b> This field is required if the Business Application ID field (pos. 19–20) of the TCR 3 = <b>AA</b> or <b>PP</b>. Transactions that fail the edit criteria will be returned with new Return Reason Code = <b>V4 – Money Transfer Data Requirement Not Met - Missing AML Data</b>.</p>                                                                                                                                                                                                                                                                                                                                                                                                                                             |
| <b>Sender City</b><br>Positions: 139–163<br>Length: 25<br>Format: alphanumeric         | <p><b>Description:</b> This field will contain the city of the person or entity for the account from which funds are to be taken.</p> <p><b>International:</b> This field is required if the Business Application ID field (pos. 19–20) of the TCR 3 = <b>AA</b> or <b>PP</b>. Transactions that fail the edit criteria will be returned with new Return Reason Code = <b>V4 – Money Transfer Data Requirement Not Met - Missing AML Data</b>.</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                |
| <b>Sender State</b><br>Positions: 164–165<br>Length: 2<br>Format: alphanumeric         | <p><b>Description:</b> This field will contain the geographical state or province of the person or entity for the account from which funds are to be taken.</p> <p><b>Interregional/Regional:</b> This field is required if the Business Application ID field (pos. 19–20) of the TCR 3 = <b>AA</b> or <b>PP</b> and the Sender Country Code is <b>U.S.</b> or <b>CA</b>. Transactions that fail the edit criteria will be returned with new Return Reason Code = <b>V4 – Money Transfer Data Requirement Not Met - Missing AML Data</b>.</p>                                                                                                                                                                                                                                                                                                                                                     |
| <b>Sender Country</b><br>Positions: 166–168<br>Length: 3<br>Format: alphanumeric       | <p><b>Description:</b> This field will contain the country of the person or entity for the account from which funds are to be taken.</p> <p><b>International:</b> This field is required if the Business Application ID field (pos. 19–20) of the TCR 3 = <b>AA</b> or <b>PP</b>. Transactions that fail the edit criteria will be returned with new Return Reason Code = <b>V4 – Money Transfer Data Requirement Not Met - Missing AML Data</b>.</p>                                                                                                                                                                                                                                                                                                                                                                                                                                             |

# TC 05 - TCR 4 Supplemental Financial Data

These tables contain the Draft Data (TC 05, 06, 07, 15, 16, 17, 25, 26, 27, 35, 36, 37) record layout and edit criteria for TCR 4 - SUPPLEMENTAL FINANCIAL DATA.

## CTF - Outgoing and Incoming Interchange

### Supplemental Financial Draft Data Record Layout

| Position | Field Length | Format | Contents                                        |
|----------|--------------|--------|-------------------------------------------------|
| 1-2      | 2            | UN     | Transaction Code                                |
| 3        | 1            | UN     | Transaction Code Qualifier                      |
| 4        | 1            | UN     | Transaction Component Sequence Number           |
| 5-9      | 5            | AN     | Enabler Verification Value                      |
| 10-14    | 5            | AN     | Reserved                                        |
| 15-16    | 2            | AN     | Business Format Code (SD)                       |
| 17-20    | 4            | UN     | Network Identification Code                     |
| 21-45    | 25           | AN     | Contact for Information                         |
| 46       | 1            | AN     | Adjustment Processing Indicator                 |
| 47-50    | 4            | AN     | Message Reason Code                             |
| 51-58    | 8            | UN     | Surcharge Amount                                |
| 59-60    | 2            | AN     | Surcharge Credit/Debit Indicator                |
| 61-76    | 16           | AN     | Visa_Internal_Use_Only                          |
| 77-84    | 8            | UN     | Additional Transaction Fee 1 Amount             |
| 85-92    | 8            | UN     | Additional Transaction Fee 2 Amount             |
| 93-100   | 8            | UN     | Total Discount Amount                           |
| 101-103  | 3            | UN     | Reserved                                        |
| 104-111  | 8            | UN     | Surcharge Amount in Cardholder Billing Currency |
| 112-119  | 8            | UN     | Money Transfer Foreign Exchange Fee             |
| 120-148  | 29           | AN     | Payment Account Reference                       |
| 149-159  | 11           | UN     | Token Requestor ID                              |

### Supplemental Financial Draft Data Record Layout

| Position | Field Length | Format | Contents |
|----------|--------------|--------|----------|
| 160-168  | 9            | AN     | Reserved |

Format: AN = Alphanumeric, ANS = Alphanumeric Special, DX = Display Hexadecimal, N = Numeric, UN = Unpacked Numeric

### Supplemental Financial Draft Data Edit Criteria

|                                                                                                       |                                                                                                                                                                                                                                                                                              |
|-------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Transaction Code</b><br>Positions: 1-2<br>Length: 2<br>Format: unpacked numeric                    | <b>Description:</b> The field must contain the same transaction code as the TCR 0.                                                                                                                                                                                                           |
| <b>Transaction Code Qualifier</b><br>Positions: 3<br>Length: 1<br>Format: unpacked numeric            | <b>Description:</b> This field must contain one of these values:<br><b>0</b> = Default<br><b>1</b> = Account Funding<br><b>2</b> = Original Credit<br>This edit will continue to be performed by the Edit Package when the Bypass Business Edits option is used during an outgoing edit run. |
| <b>Transaction Component Sequence Number</b><br>Positions: 4<br>Length: 1<br>Format: unpacked numeric | <b>Description:</b> The field must contain a <b>4</b> .                                                                                                                                                                                                                                      |
| <b>Enabler Verification Value</b><br>Positions: 5-9<br>Length: 5<br>Format: alphanumeric              | <b>Description:</b> This field will contain A-Z, 0-9, or all characters as spaces. Non-alphanumeric values are not allowed.                                                                                                                                                                  |
| <b>Reserved</b><br>Positions: 10-14<br>Length: 5<br>Format: alphanumeric                              | <b>Description:</b> This field will be space-filled by the Edit Package.                                                                                                                                                                                                                     |
| <b>Business Format Code (SD)</b><br>Positions: 15-16<br>Length: 2<br>Format: alphanumeric             | <b>Description:</b> Code indicating the type of business that is applicable to this transaction. This field must contain <b>SD</b> (SMS Data).                                                                                                                                               |

## Supplemental Financial Draft Data Edit Criteria

|                                                                                                 |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
|-------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Network Identification Code</b><br>Positions: 17–20<br>Length: 4<br>Format: unpacked numeric | <b>Description:</b> Indicates brand of debit product being used (Visa, Plus, Discover, etc.). The entry must be numeric and may be zeros. This field is mapped to the V.I.P. Network ID field and is included in all non-Visa original full financial transactions acquired by V.I.P.<br>Values:<br><b>0002</b> = Visa (the default if the TCR 4 is not included)<br><b>0003</b> = Interlink<br><b>0004</b> = Plus<br><b>0006</b> = Mastercard<br><b>0040</b> = American Express<br><b>0041</b> = Discover Card<br><b>0042</b> = AFFN<br><b>0043</b> = Diner's Club<br><b>Dispute Financials Note, National—U.S.:</b> “Plus” issuers are required to retain and return the Network Identification Code in subsequent dispute financials and retrieval requests if this field was received in the original. |
| <b>Contact for Information</b><br>Positions: 21–45<br>Length: 25<br>Format: alphanumeric        | <b>Description:</b> Contact information for Plus transactions.<br>The field must contain spaces if not used. It is used for Plus transactions only. V.I.P. will drop the field for non-Plus full financial transactions.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
| <b>Adjustment Processing Indicator</b><br>Positions: 46<br>Length: 1<br>Format: alphanumeric    | <b>Description:</b> Indicates if adjustment processing occurred.<br>Values:<br><b>Space</b> = No adjustment<br><b>A</b> = Adjustment<br><b>National—U.S.:</b> “Plus” issuers are required to retain and return this field when it was provided on the original.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
| <b>Message Reason Code</b><br>Positions: 47–50<br>Length: 4<br>Format: alphanumeric             | <b>Description:</b> Message reason code explaining the reason for sending a reversal, adjustment, dispute financials, dispute financials reversal, dispute response financials, or fee collection/funds disbursement (Visa only).<br>This field is mapped to the V.I.P. MIS/CAS Reason Code. The field must contain spaces if not used.<br>Please refer to <i>Full Service ATM Online Messages Technical Specifications</i> for their applicable MIS/CAS reason codes.                                                                                                                                                                                                                                                                                                                                     |

## Supplemental Financial Draft Data Edit Criteria

|                                                                                                         |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
|---------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Surcharge Amount</b><br>Positions: 51–58<br>Length: 8<br>Format: unpacked numeric                    | <b>Description:</b> Used for cash disbursement (ATM and manual cash) and POS transactions. This field contains an acquirer-assessed cash disbursement access fee or POS transaction surcharge for informational purposes only.<br><br>When access fee or POS surcharge is assessed in the authorization, the acquirer must include the fee information in the TCR 4 and the amount must be the same as in Field 28 of the authorization request.<br><br>If the field is used, two decimal positions are implied.<br><br>The access fee amount in V.I.P. Field 28 must be the same as in the authorization request for CPS/ATM original ATM cash disbursements and their reversals. |
| <b>Surcharge Credit/Debit Indicator</b><br>Positions: 59–60<br>Length: 2<br>Format: alphanumeric        | <b>Description:</b> If surcharge, indicates if debit or credit.<br><br>The entry is optional, but if the field is used, the entry should be <b>CR</b> or <b>DB</b> .                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
| <b>Visa Internal Use Only</b><br>Positions: 61–76<br>Length: 16<br>Format: alphanumeric                 | <b>Description:</b> This field is used by Visa.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
| <b>Additional Transaction Fee 1 Amount</b><br>Positions: 77–84<br>Length: 8<br>Format: unpacked numeric | <b>Description:</b> This field contains additional transaction fee 1 amount.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
| <b>Additional Transaction Fee 2 Amount</b><br>Positions: 85–92<br>Length: 8<br>Format: unpacked numeric | <b>Description:</b> This field contains additional transaction fee 2 amount.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
| <b>Total Discount Amount</b><br>Positions: 93–100<br>Length: 8<br>Format: unpacked numeric              | <b>Description:</b> This field contains the total discount amount.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
| <b>Reserved</b><br>Positions: 101–103<br>Length: 3<br>Format: unpacked numeric                          | <b>Description:</b> This field is reserved for future use.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |

### Supplemental Financial Draft Data Edit Criteria

|                                                                                                                       |                                                                                              |
|-----------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------|
| <b>Surcharge Amount in Cardholder Billing Currency</b><br>Positions: 104–111<br>Length: 8<br>Format: unpacked numeric | <b>Description:</b> This field contains the surcharge amount in cardholder billing currency. |
| <b>Money Transfer Foreign Exchange Fee</b><br>Positions: 112–119<br>Length: 8<br>Format: unpacked numeric             | <b>Description:</b> This field contains the money transfer foreign exchange fee.             |
| <b>Payment Account Reference</b><br>Positions: 120–148<br>Length: 29<br>Format: alphanumeric                          | <b>Description:</b> This field contains the payment account reference.                       |
| <b>Token Requestor ID</b><br>Positions: 149–159<br>Length: 11<br>Format: unpacked numeric                             | <b>Description:</b> This field contains the token requestor ID.                              |
| <b>Reserved</b><br>Positions: 160–168<br>Length: 9<br>Format: alphanumeric                                            | <b>Description:</b> This field is reserved for future use. EP will always space-fill.        |

## TC 05 - TCR 4 Supplemental Financial and Promotion Data

These tables contain the Draft Data (TC 05, 06, 15, 16, 25, 26, 35, 36) record layout and edit criteria for TCR 4 - SUPPLEMENTAL FINANCIAL AND PROMOTION DATA.

### CTF - Outgoing and Incoming Interchange



### Supplemental Financial and Promotion Draft Data Record Layout

| Position | Field Length | Format | Contents                                        |
|----------|--------------|--------|-------------------------------------------------|
| 1-2      | 2            | UN     | Transaction Code                                |
| 3        | 1            | UN     | Transaction Code Qualifier                      |
| 4        | 1            | UN     | Transaction Component Sequence Number           |
| 5-9      | 5            | AN     | Enabler Verification Value                      |
| 10-14    | 5            | AN     | Reserved                                        |
| 15-16    | 2            | AN     | Business Format Code (SP)                       |
| 17-20    | 4            | UN     | Network Identification Code                     |
| 21-45    | 25           | AN     | Contact for Information                         |
| 46       | 1            | AN     | Adjustment Processing Indicator                 |
| 47-50    | 4            | AN     | Message Reason Code                             |
| 51-58    | 8            | UN     | Surcharge Amount                                |
| 59-60    | 2            | AN     | Surcharge Credit/Debit Indicator                |
| 61-76    | 16           | AN     | Visa_Internal_Use_Only                          |
| 77-78    | 2            | UN     | Promotion Type                                  |
| 79-103   | 25           | UN     | Promotion Code                                  |
| 104-111  | 8            | UN     | Surcharge Amount in Cardholder Billing Currency |
| 112-140  | 29           | AN     | Payment Account Reference                       |
| 141-151  | 11           | UN     | Token Requestor ID                              |
| 152-159  | 8            | UN     | Additional Transaction Fee 1 Amount             |
| 160-167  | 8            | UN     | Total Discount Amount                           |
| 168      | 1            | AN     | Reserved                                        |

Format: AN = Alphanumeric, ANS = Alphanumeric Special, DX = Display Hexadecimal, N = Numeric, UN = Unpacked Numeric

### Supplemental Financial and Promotion Draft Data Edit Criteria

|                                                                                                       |                                                                                                                                                                                                                                                                                                  |
|-------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Transaction Code</b><br>Positions: 1–2<br>Length: 2<br>Format: unpacked numeric                    | <b>Description:</b> This field must contain the same transaction code as the TCR 0.                                                                                                                                                                                                              |
| <b>Transaction Code Qualifier</b><br>Positions: 3<br>Length: 1<br>Format: unpacked numeric            | <b>Description:</b> This field must contain one of these values:<br><b>0</b> = Default<br><b>1</b> = Account Funding<br><b>2</b> = Original Credit<br><br>This edit will continue to be performed by the Edit Package when the Bypass Business Edits option is used during an outgoing edit run. |
| <b>Transaction Component Sequence Number</b><br>Positions: 4<br>Length: 1<br>Format: unpacked numeric | <b>Description:</b> This field must contain a <b>4</b> .                                                                                                                                                                                                                                         |
| <b>Enabler Verification Value</b><br>Positions: 5–9<br>Length: 5<br>Format: alphanumeric              | <b>Description:</b> This field will contain A-Z, 0-9, or all characters as spaces. Non-alphanumeric values are not allowed.                                                                                                                                                                      |
| <b>Reserved</b><br>Positions: 10–14<br>Length: 5<br>Format: alphanumeric                              | <b>Description:</b> This field will be space-filled by the Edit Package.                                                                                                                                                                                                                         |
| <b>Business Format Code (SP)</b><br>Positions: 15–16<br>Length: 2<br>Format: alphanumeric             | <b>Description:</b> Code indicating the type of business that is applicable to this transaction. This field must contain <b>SP</b> (SMS and Promotion Data).                                                                                                                                     |

## Supplemental Financial and Promotion Draft Data Edit Criteria

|                                                                                                  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
|--------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Network Identification Code</b><br>Positions: 17–20<br>Length: 4<br>Format: unpacked numeric  | <b>Description:</b> Indicates brand of debit product being used (Visa, Plus, Discover, etc.). The entry must be numeric and may be zeros. This field is mapped to the V.I.P. Network ID field and is included in all non-Visa original full financial transactions acquired by V.I.P.<br>Values:<br><b>0002</b> = Visa (the default if the TCR 4 is not included)<br><b>0003</b> = Interlink<br><b>0004</b> = Plus<br><b>0006</b> = Mastercard<br><b>0040</b> = American Express<br><b>0041</b> = Discover Card<br><b>0042</b> = AFFN<br><b>0043</b> = Diner's club |
| <b>Contact for Information</b><br>Positions: 21–45<br>Length: 25<br>Format: alphanumeric         | <b>Description:</b> Contact for information for Plus transactions.<br>The field must contain spaces if not used. It is used for Plus transaction only. V.I.P. will drop the field for non-Plus full financial transactions.                                                                                                                                                                                                                                                                                                                                         |
| <b>Adjustment Processing Indicator</b><br>Positions: 46<br>Length: 1<br>Format: alphanumeric     | <b>Description:</b> Indicates if adjustment processing occurred.<br>Values: <b>Space</b> = No adjustment<br><b>A</b> = Adjustment                                                                                                                                                                                                                                                                                                                                                                                                                                   |
| <b>Message Reason Code</b><br>Positions: 47–50<br>Length: 4<br>Format: alphanumeric              | <b>Description:</b> Message reason code explaining the reason for sending a reversal, adjustment, dispute financial, dispute financial reversal, dispute response financial, or fee collection/funds disbursement (Visa only).<br>This field is mapped to the V.I.P. MIS/CAS Reason Code. The field must contain spaces if not used.                                                                                                                                                                                                                                |
| <b>Surcharge Amount</b><br>Positions: 51–58<br>Length: 8<br>Format: unpacked numeric             | <b>Description:</b> Used for POS transactions with promotion data. This field contains an acquirer-assessed POS transaction surcharge for informational purposes only.<br>When POS surcharge is assessed in the authorization, the acquirer must include the fee information in the TCR 4 and the amount must be the same as in Field 28 of the authorization request.<br>If the field is used, two decimal positions are implied.                                                                                                                                  |
| <b>Surcharge Credit/Debit Indicator</b><br>Positions: 59–60<br>Length: 2<br>Format: alphanumeric | <b>Description:</b> If surcharge, indicates if debit or credit.<br>The entry is optional, but if the field is used, the entry should be <b>CR</b> or <b>DB</b> .                                                                                                                                                                                                                                                                                                                                                                                                    |

## Supplemental Financial and Promotion Draft Data Edit Criteria

|                                                                                                                       |                                                                                                                                                                                                |
|-----------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Visa Internal Use Only</b><br>Positions: 61–76<br>Length: 16<br>Format: alphanumeric                               | <b>Description:</b> This field is used by Visa.                                                                                                                                                |
| <b>Promotion Type</b><br>Positions: 77–78<br>Length: 2<br>Format: unpacked numeric                                    | <b>Description:</b> Defines the type of promotion associated with the transaction. Reserved for Visa use only.<br>Values:<br>Position 77: <b>A–Z</b><br>Position 78: <b>1–9</b> and <b>A–Z</b> |
| <b>Promotion Code</b><br>Positions: 79–103<br>Length: 25<br>Format: unpacked numeric                                  | <b>Description:</b> Indicates a specific promotional or loyalty program. Reserved for Visa use only.<br>Values:<br>Position 79: <b>A–Z</b><br>Position 80-103: <b>1–9</b> and <b>A–Z</b>       |
| <b>Surcharge Amount in Cardholder Billing Currency</b><br>Positions: 104–111<br>Length: 8<br>Format: unpacked numeric | <b>Description:</b> This field will contain the access fee amount in the cardholder billing currency.<br><br><b>Note:</b> Two decimal positions are implied.                                   |
| <b>Payment Account Reference</b><br>Positions: 112–140<br>Length: 29<br>Format: alphanumeric                          | <b>Description:</b> This field will contain Senders Payment Account Reference on original and exception transactions.                                                                          |
| <b>Token Requestor ID</b><br>Positions: 141–151<br>Length: 11<br>Format: unpacked numeric                             | <b>Description:</b> This field will contain Token Requestor ID for Purchase and Credit Voucher token transactions.                                                                             |
| <b>Additional Transaction Fee 1 Amount</b><br>Positions: 152–159<br>Length: 8<br>Format: unpacked numeric             | <b>Description:</b> This field contains the additional transaction fee 1 amount.                                                                                                               |

### Supplemental Financial and Promotion Draft Data Edit Criteria

|                                                                                             |                                                                                       |
|---------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
| <b>Total Discount Amount</b><br>Positions: 160–167<br>Length: 8<br>Format: unpacked numeric | <b>Description:</b> This field contains the total discount amount.                    |
| <b>Reserved</b><br>Positions: 168<br>Length: 1<br>Format: alphanumeric                      | <b>Description:</b> This field is reserved for future use. EP will always space-fill. |

## TC 05 - TCR 4 Promotion Data

These tables contain the Draft Data (TC 05, 06, 15, 16, 25, 26, 35, 36) record layout and edit criteria for TCR 4 - PROMOTION DATA.

### CTF - Outgoing and Incoming Interchange

#### Promotion Draft Data Record Layout

| Position | Field Length | Format | Contents                              |
|----------|--------------|--------|---------------------------------------|
| 1–2      | 2            | UN     | Transaction Code                      |
| 3        | 1            | UN     | Transaction Code Qualifier            |
| 4        | 1            | UN     | Transaction Component Sequence Number |
| 5–14     | 10           | AN     | Reserved                              |
| 15–16    | 2            | AN     | Business Format Code (PD)             |
| 17–18    | 2            | AN     | Promotion Type                        |
| 19–43    | 25           | AN     | Promotion Code                        |
| 44–168   | 125          | AN     | Reserved                              |

Format: AN = Alphanumeric, ANS = Alphanumeric Special, DX = Display Hexadecimal, N = Numeric, UN = Unpacked Numeric

### Promotion Draft Data Edit Criteria Title

|                                                                                                       |                                                                                                                                                                                                                                                                                                  |
|-------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Transaction Code</b><br>Positions: 1–2<br>Length: 2<br>Format: unpacked numeric                    | <b>Description:</b> This field must contain the same transaction code as the TCR 0.                                                                                                                                                                                                              |
| <b>Transaction Code Qualifier</b><br>Positions: 3<br>Length: 1<br>Format: unpacked numeric            | <b>Description:</b> This field must contain one of these values:<br><b>0</b> = Default<br><b>1</b> = Account Funding<br><b>2</b> = Original Credit<br><br>This edit will continue to be performed by the Edit Package when the Bypass Business Edits option is used during an outgoing edit run. |
| <b>Transaction Component Sequence Number</b><br>Positions: 4<br>Length: 1<br>Format: unpacked numeric | <b>Description:</b> This field must contain a <b>4</b> .                                                                                                                                                                                                                                         |
| <b>Reserved</b><br>Positions: 5–14<br>Length: 10<br>Format: alphanumeric                              | <b>Description:</b> This field is reserved for future use. EP will always space-fill.                                                                                                                                                                                                            |
| <b>Business Format Code</b><br>Positions: 15–16<br>Length: 2<br>Format: alphanumeric                  | <b>Description:</b> Code indicating the type of business that is applicable to this transaction. This field must contain <b>PD</b> (for Promotion Data).                                                                                                                                         |
| <b>Promotion Type</b><br>Positions: 17–18<br>Length: 2<br>Format: alphanumeric                        | <b>Description:</b> Defines the type of promotion associated with the transaction. Reserved for Visa use only.<br><br>Values:<br>Position 17: <b>V–Z</b><br>Position 18: <b>1–9</b> and <b>A–Z</b>                                                                                               |

### Promotion Draft Data Edit Criteria Title

|                                                                                 |                                                                                                                                                                                             |
|---------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Promotion Code</b><br>Positions: 19–43<br>Length: 25<br>Format: alphanumeric | <b>Description:</b> Indicates a specific promotional or loyalty program.<br>Reserved for Visa use only.<br>Values:<br>Position 19: <b>V–Z</b><br>Position 20-103: <b>1–9</b> and <b>A–Z</b> |
| <b>Reserved</b><br>Positions: 44–168<br>Length: 125<br>Format: alphanumeric     | <b>Description:</b> This field is reserved for future use. EP will always space-fill.                                                                                                       |

## TC 05 - TCR 4 Supplemental Visa Resolve Online (VROL) Financial Data Record

These tables contain the Draft Data (TC 05, 06, 07, 15, 16, 17, 25, 26, 27, 35, 36, 37) record layout and edit criteria for TCR 4 - SUPPLEMENTAL VISA RESOLVE ONLINE (VROL) FINANCIAL DATA RECORD.

### CTF - Outgoing and Incoming Interchange

#### VROL Financial Draft Data Record Layout

| Position | Field Length | Format | Contents                              |
|----------|--------------|--------|---------------------------------------|
| 1–2      | 2            | UN     | Transaction Code                      |
| 3        | 1            | UN     | Transaction Code Qualifier            |
| 4        | 1            | UN     | Transaction Component Sequence Number |
| 5–9      | 5            | AN     | Enabler Verification Value            |
| 10–14    | 5            | AN     | Reserved                              |
| 15–16    | 2            | AN     | Business Format Code (DF)             |
| 17–20    | 4            | UN     | Network Identification Code           |
| 21–45    | 25           | AN     | Contact for Information               |
| 46       | 1            | AN     | Adjustment Processing Indicator       |
| 47–50    | 4            | AN     | Message Reason Code                   |

## VROL Financial Draft Data Record Layout

| Position | Field Length | Format | Contents                         |
|----------|--------------|--------|----------------------------------|
| 51-53    | 3            | AN     | Dispute Condition                |
| 54-64    | 11           | AN     | VROL Financial ID                |
| 65-74    | 10           | UN     | VROL Case Number                 |
| 75-84    | 10           | UN     | VROL Bundle Case Number          |
| 85-104   | 20           | AN     | Client Case Number               |
| 105-106  | 2            | AN     | Dispute Status                   |
| 107-114  | 8            | UN     | Surcharge Amount                 |
| 115-116  | 2            | AN     | Surcharge Credit/Debit Indicator |
| 117-168  | 52           | AN     | Reserved                         |

Format: AN = Alphanumeric, ANS = Alphanumeric Special, DX = Display Hexadecimal, N = Numeric, UN = Unpacked Numeric

## VROL Financial Draft Data Edit Criteria Title

|                                                                                            |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
|--------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Transaction Code</b><br>Positions: 1-2<br>Length: 2<br>Format: unpacked numeric         | <b>Description:</b> This field will contain one of these values for dispute financial transactions: <ul style="list-style-type: none"> <li>• <b>05</b> (Dispute response financial of sales draft)</li> <li>• <b>06</b> (Dispute response financial of credit voucher)</li> <li>• <b>07</b> (Dispute response financial of cash disbursement)</li> <li>• <b>15</b> (Dispute financial of sales draft)</li> <li>• <b>16</b> (Dispute financial of credit voucher)</li> <li>• <b>17</b> (Dispute financial of cash disbursement)</li> <li>• <b>25</b> (Dispute response financial reversal of sales draft)</li> <li>• <b>26</b> (Dispute response financial reversal of credit voucher)</li> <li>• <b>27</b> (Dispute response financial reversal of cash disbursement)</li> <li>• <b>35</b> (Dispute financial reversal of sales draft)</li> <li>• <b>36</b> (Dispute financial reversal of credit voucher)</li> <li>• <b>37</b> (Dispute financial reversal of cash disbursement)</li> </ul> |
| <b>Transaction Code Qualifier</b><br>Positions: 3<br>Length: 1<br>Format: unpacked numeric | <b>Description:</b> This field will contain the transaction code qualifier from the original transaction.<br>Values: <ul style="list-style-type: none"> <li>• <b>0</b> (Default)</li> <li>• <b>1</b> (Account funding)</li> <li>• <b>2</b> (Original credit)</li> </ul>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |



## VROL Financial Draft Data Edit Criteria Title

|                                                                                                       |                                                                                                                                                                                                                                                                                                                                                                               |
|-------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Transaction Component Sequence Number</b><br>Positions: 4<br>Length: 1<br>Format: unpacked numeric | <b>Description:</b> This field will contain the value of <b>4</b> (Supplemental Visa Resolve Online (VROL) financial data).                                                                                                                                                                                                                                                   |
| <b>Enabler Verification Value</b><br>Positions: 5–9<br>Length: 5<br>Format: alphanumeric              | <b>Description:</b> This field will contain A-Z, 0-9, or all characters as spaces. Non-alphanumeric values are not allowed.                                                                                                                                                                                                                                                   |
| <b>Reserved</b><br>Positions: 10–14<br>Length: 5<br>Format: alphanumeric                              | <b>Description:</b> This field is reserved for future use.                                                                                                                                                                                                                                                                                                                    |
| <b>Business Format Code</b><br>Positions: 15–16<br>Length: 2<br>Format: alphanumeric                  | <b>Description:</b> This field will contain a code indicating the type of business that is applicable to this transaction. This field will contain the new value of <b>DF</b> (Dispute financial).<br><br>This is a required field for endpoint-initiated transactions.                                                                                                       |
| <b>Network Identification Code</b><br>Positions: 17–20<br>Length: 4<br>Format: unpacked numeric       | <b>Description:</b> This field will contain the network identification code received in the original transaction, if present.<br><br>Values: <ul style="list-style-type: none"> <li>• <b>0002</b> (Visa)</li> <li>• <b>0003</b> (Interlink)</li> <li>• <b>0004</b> (Plus)</li> </ul> <p><b>Note:</b> The network identification code populated with all zeros is allowed.</p> |
| <b>Contact for Information</b><br>Positions: 21–45<br>Length: 25<br>Format: alphanumeric              | <b>Description:</b> This field will contain contact information for Plus transactions. This field is used for Plus transactions only and will contain spaces if not used.                                                                                                                                                                                                     |
| <b>Adjustment Processing Indicator</b><br>Positions: 46<br>Length: 1<br>Format: alphanumeric          | <b>Description:</b> This field will contain an indicator if adjustment processing occurred on the original transaction.<br><br>Values: <ul style="list-style-type: none"> <li>• <b>Space</b> (No adjustment)</li> <li>• <b>A</b> (Adjustment)</li> </ul>                                                                                                                      |

## VROL Financial Draft Data Edit Criteria Title

|                                                                                              |                                                                                                                                                                                                                             |
|----------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Message Reason Code</b><br>Positions: 47–50<br>Length: 4<br>Format: alphanumeric          | <b>Description:</b> This field will contain the message reason code explaining the reason for the transaction.                                                                                                              |
| <b>Dispute Condition</b><br>Positions: 51–53<br>Length: 3<br>Format: alphanumeric            | <b>Description:</b> This field will contain the dispute condition assigned through the Visa Resolve Online (VROL) process.                                                                                                  |
| <b>VROL Financial ID</b><br>Positions: 54–64<br>Length: 11<br>Format: alphanumeric           | <b>Description:</b> This field will contain the Visa Resolve Online (VROL) financial ID assigned through the VROL process.                                                                                                  |
| <b>VROL Case Number</b><br>Positions: 65–74<br>Length: 10<br>Format: unpacked numeric        | <b>Description:</b> This field will contain the VROL case number assigned through the VROL process.<br><br>This is a required field for endpoint-initiated transactions.                                                    |
| <b>VROL Bundle Case Number</b><br>Positions: 75–84<br>Length: 10<br>Format: unpacked numeric | <b>Description:</b> This field will contain the VROL bundle case number when the dispute was submitted to VROL as part of a bundle of disputes. And populated with zeros when the dispute is not part of a bundle.          |
| <b>Client Case Number</b><br>Positions: 85–104<br>Length: 20<br>Format: alphanumeric         | <b>Description:</b> This field will contain a case tracking number assigned by the endpoint in VROL when a VROL dispute is created.                                                                                         |
| <b>Dispute Status</b><br>Positions: 105–106<br>Length: 2<br>Format: alphanumeric             | <b>Description:</b> This field will contain one of the new dispute status codes. Refer to the <i>BASE II Clearing Data Codes</i> manual for a listing of valid codes.                                                       |
| <b>Surcharge Amount</b><br>Positions: 107–114<br>Length: 8<br>Format: unpacked numeric       | <b>Description:</b> This field will contain an acquirer-assessed cash disbursement access fee or POS transaction surcharge for informational purposes only.<br><br>If the field is used, two decimal positions are implied. |

## VROL Financial Draft Data Edit Criteria Title

|                                                                                                    |                                                                                                                                                                                                           |
|----------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Surcharge Credit/Debit Indicator</b><br>Positions: 115–116<br>Length: 2<br>Format: alphanumeric | <b>Description:</b> This field will contain one of these values: <ul style="list-style-type: none"><li>• <b>CR</b> (Credit)</li><li>• <b>DB</b> (Debit)</li><li>• <b>Space</b> (Not Applicable)</li></ul> |
| <b>Reserved</b><br>Positions: 117–168<br>Length: 52<br>Format: alphanumeric                        | <b>Description:</b> This field is reserved for future use.                                                                                                                                                |

# TC 05 - TCR 5 Payment Service Data

These tables contain the Draft Data (TC 05, 06, 07, 15, 16, 17, 25, 26, 27, 35, 36, 37) record layout and edit criteria for TCR 5 - PAYMENT SERVICE DATA.

## CTF - Outgoing and Incoming Interchange

### Draft Data Record Layout

| Position | Field Length | Format | Contents                                     |
|----------|--------------|--------|----------------------------------------------|
| 1–2      | 2            | UN     | Transaction Code                             |
| 3        | 1            | UN     | Transaction Code Qualifier                   |
| 4        | 1            | UN     | Transaction Component Sequence Number        |
| 5–19     | 15           | UN     | Transaction Identifier                       |
| 20–31    | 12           | UN     | Authorized Amount                            |
| 32–34    | 3            | AN     | Authorization Currency Code                  |
| 35–36    | 2            | AN     | Authorization Response Code                  |
| 37–40    | 4            | AN     | Validation Code                              |
| 41       | 1            | AN     | Excluded Transaction Identifier Reason       |
| 42       | 1            | AN     | Reserved                                     |
| 43–44    | 2            | AN     | Reserved                                     |
| 45–46    | 2            | UN     | Multiple Clearing Sequence Number            |
| 47–48    | 2            | UN     | Multiple Clearing Sequence Count             |
| 49       | 1            | AN     | Market-Specific Authorization Data Indicator |

### Draft Data Record Layout

| Position | Field Length | Format | Contents                                            |
|----------|--------------|--------|-----------------------------------------------------|
| 50-61    | 12           | UN     | Total Authorized Amount                             |
| 62       | 1            | AN     | Information Indicator                               |
| 63-76    | 14           | AN     | Merchant Telephone Number                           |
| 77       | 1            | AN     | Additional Data Indicator                           |
| 78-79    | 2            | AN     | Merchant Volume Indicator                           |
| 80-81    | 2            | AN     | Electronic Commerce Goods Indicator                 |
| 82-91    | 10           | AN     | Merchant Verification Value                         |
| 92-106   | 15           | UN     | Interchange Fee Amount                              |
| 107      | 1            | AN     | Interchange Fee Sign                                |
| 108-115  | 8            | UN     | Source Currency to Base Currency Exchange Rate      |
| 116-123  | 8            | UN     | Base Currency to Destination Currency Exchange Rate |
| 124-135  | 12           | UN     | Optional Issuer ISA Amount                          |
| 136-137  | 2            | AN     | Product ID                                          |
| 138-143  | 6            | AN     | Program ID                                          |
| 144      | 1            | AN     | Dynamic Currency Conversion (DCC) Indicator         |
| 145-148  | 4            | AN     | Account Type Identification                         |
| 149      | 1            | AN     | Spend Qualified Indicator                           |
| 150-165  | 16           | UN     | PAN Token                                           |
| 166      | 1            | AN     | Reserved                                            |
| 167      | 1            | AN     | Account Funding Source                              |
| 168      | 1            | AN     | CVV2 Result Code                                    |

Format: AN = Alphanumeric, ANS = Alphanumeric Special, DX = Display Hexadecimal, N = Numeric, UN = Unpacked Numeric

### Draft Data Edit Criteria

|                                                                                                       |                                                                                                                                                                                                                                                                                                      |
|-------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Transaction Code</b><br>Positions: 1–2<br>Length: 2<br>Format: unpacked numeric                    | <b>Description:</b> The field must contain the same transaction code as the TCR 0.<br><br>Dispute response financial transactions must have the original transaction code.                                                                                                                           |
| <b>Transaction Code Qualifier</b><br>Positions: 3<br>Length: 1<br>Format: unpacked numeric            | <b>Description:</b> This field must contain one of these values:<br><br><b>0</b> = Default<br><b>1</b> = Account Funding<br><b>2</b> = Original Credit<br><br>This edit will continue to be performed by the Edit Package when the Bypass Business Edits option is used during an outgoing edit run. |
| <b>Transaction Component Sequence Number</b><br>Positions: 4<br>Length: 1<br>Format: unpacked numeric | <b>Description:</b> The field must contain a <b>5</b> .                                                                                                                                                                                                                                              |

## Draft Data Edit Criteria

|                                                                                                               |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
|---------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <p><b>Transaction Identifier</b></p> <p>Positions: 5–19</p> <p>Length: 15</p> <p>Format: unpacked numeric</p> | <p><b>Description:</b> A unique value that Visa assigns to each transaction and returns to the acquirer in the authorization response. Visa uses this value to maintain an audit trail throughout the life cycle of the transaction and all related transactions, such as reversals, adjustments, confirmations, and disputes.</p> <p>If the Transaction Identifier is not present or the format is invalid in original clearing draft transactions received from acquirers, BASE II will assign a new Transaction Identifier value. This new value must be retained and returned in all subsequent transactions that carry the Transaction Identifier.</p> <p>The entry must be numeric. It must be either zeros or a valid Transaction Identifier.</p> <p><b>All Transaction Types</b> For all transaction types and all payment services, and Electronic Data Quality Program transactions, this field must contain the Transaction Identifier.</p> <p><b>Originals and Original Reversals</b> For Custom Payment Service purchase transactions and their reversals, and CPS/ATM original ATM cash disbursements and their reversals, and Electronic Data Quality Program transactions, this field must not be zeros.</p> <p><b>VIC Edit:</b> The Transaction Identifier must be the same as in the Authorization Response (V.I.P. Field 62.2, converted to unpacked numeric) in the following transactions:</p> <ul style="list-style-type: none"> <li>• CPS original purchase transactions and their reversals</li> <li>• CPS/ATM original ATM cash disbursement transactions and their reversals</li> <li>• Electronic Data Quality Program transactions</li> </ul> <p>If multiple authorizations and/or an authorization reversal were submitted, this field must contain the Transaction Identifier from the first authorization response.</p> <p><b>Incoming, CPS Participating Countries:</b> A Transaction Identifier is assigned to every original purchase transaction that does not already contain one. This field must be retained and returned in subsequent exception transactions.</p> <p><b>Incoming:</b> A Transaction Identifier is assigned to every ATM original cash disbursement transaction that does not already contain one. This field must be retained and returned in subsequent exception transactions.</p> <p><b>Dispute Financials, Dispute Response Financials, and their Reversals CPS Participating Countries:</b> The Transaction Identifier must be included for a domestic transaction with an Acquirer Reference Number Format Code of <b>2</b>. If the Acquirer Reference Number Format Code is a <b>2</b>, this field may not contain zeros. If the original transaction contained a Transaction Identifier, it must be included on the TCR 5.</p> <p><b>Credit Voucher Reversals and Credit Voucher Dispute Financials</b> This field may contain a Transaction Identifier.</p> <p><b>Note:</b> Positions 1 and 2 contain proprietary information used by Visa; position 3 contains the last digit of the current year; positions 4 through 6 contain the Greenwich mean time (GMT) date (Julian date in the format <b>DDD</b>); positions 7 through 11 contain the GMT in relative seconds since start of day; positions 12 through 15 contain a sequence number.</p> |
|---------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|

## Draft Data Edit Criteria

|                                                                                             |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
|---------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Authorized Amount</b><br>Positions: 20–31<br>Length: 12<br>Format: unpacked numeric      | <p><b>Description:</b> Amount the issuer originally authorized. The entry must be numeric. For CPS original draft transactions and their reversals, and Electronic Data Quality Program transactions, this entry may not be zeros. U.S. CPS credit vouchers and their reversals must contain zeros in this field.</p> <p><b>VIC Edit:</b> For Custom Payment Service original draft transactions and their reversals, and Electronic Data Quality Program transactions, this field must contain the same amount as in the Authorization Response (V.I.P. Field 4, converted to unpacked numeric). If multiple authorizations and/or an authorization reversal were supplied, this field must contain the Authorized Amount from the first authorization response.</p> <p><b>Outgoing:</b> For originals and reversals that do not participate in a payment service or chip card service, the Edit Package will not initialize this field to zeros. EP will retain the original contents, if the field is numeric.</p> <p><b>Incoming:</b> This field does not contain a fixed implied decimal location. The decimal location is determined by the Authorization Currency Code, as specified in the V.I.P. System Technical Reference manuals.</p> <p><b>Note:</b> Non-CPS transactions, including Electronic Data Quality Program transactions may contain this field.</p>                                                               |
| <b>Authorization Currency Code</b><br>Positions: 32–34<br>Length: 3<br>Format: alphanumeric | <p><b>Description:</b> Currency code of the authorized source amount. The entry must be spaces or a valid ISO numeric currency code. If the Authorized Amount is not zeros, then the Authorization Currency Code must not be spaces. The source currency and the authorization currency must be the same. CPS credit vouchers and their reversals must contain spaces in this field.</p> <p><b>VIC Edit:</b> The Authorization Currency Code must be the same as in the Authorization Response (V.I.P. Field 49, converted to unpacked numeric) in the following transactions:</p> <ul style="list-style-type: none"><li>• Custom Payment Service original purchase transactions and their reversals</li><li>• CPS/ATM original ATM cash disbursement transactions and their reversals</li><li>• Electronic Data Quality Program transactions</li></ul> <p><b>VIC Edit:</b> If multiple authorizations and/or an authorization reversal were supplied, this field must contain the Transaction Currency Code from the first authorization response.</p> <p><b>Outgoing:</b> For originals and reversals that do not participate in a payment service or chip card service, the Edit Package will not initialize this field to spaces. EP will retain the original contents, if the field is a valid currency code.</p> <p><b>Note:</b> Non-CPS transactions and Electronic Data Quality Program transactions may contain this field.</p> |

## Draft Data Edit Criteria

|                                                                                                                |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
|----------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <p><b>Authorization Response Code</b></p> <p>Positions: 35–36</p> <p>Length: 2</p> <p>Format: alphanumeric</p> | <p><b>Description:</b> The authorization code provided by the issuer when a transaction is approved or a “no reason to decline” code is provided. The entry must be two alphanumeric characters: <b>spaces</b>, <b>A</b> through <b>Z</b>, or <b>0</b> through <b>9</b>. For Custom Payment Service credit vouchers and their reversals, this field must contain spaces.</p> <p><b>VIC Edit:</b> For Custom Payment Service original purchase transactions and their reversals, and Electronic Data Quality Program transactions, this field must contain the Response Code received in the Authorization Response (V.I.P. Field 39). If multiple authorizations and/or an authorization reversal were supplied, this field must contain the Authorization Response Code from the first authorization response.</p> <p>The values for this code, and their meanings, are documented in <i>Full Service POS Online Messages Technical Specifications</i>.</p> <p>For chip transactions that are processed offline, this field must contain one of these offline authorization codes:</p> <p><b>Y1</b> = Offline Approval</p> <p><b>Z1</b> = Offline Decline</p> <p><b>Y3</b> = Unable to go online, approval</p> <p><b>Z3</b> = Unable to go online, decline</p>                                                                                                                                                             |
| <p><b>Validation Code</b></p> <p>Positions: 37–40</p> <p>Length: 4</p> <p>Format: alphanumeric</p>             | <p><b>Description:</b> A unique value that Visa includes as part of the Custom Payment Service and the Electronic Data Quality Programs in each authorization response to ensure that key authorization fields are preserved in the clearing record.</p> <p>For CPS original purchase transactions and their reversals, this entry may not be spaces. For CPS/ATM original ATM cash disbursements and their reversals, this entry may not be spaces. CPS credit vouchers and their reversals must contain spaces in this field.</p> <p>For Electronic Data Quality Program originals and reversals, this entry may not be spaces.</p> <p><b>Outgoing:</b> For cash disbursement originals and reversals that do not participate in a Custom Payment Service (Authorization Characteristics Indicator = <b>N</b>), Edit Package will move spaces to this field.</p> <p><b>Dispute Financials, Dispute Response Financials:</b> This field will be initialized to spaces by the Edit Package.</p> <p><b>VIC Edit:</b> For CPS and Electronic Data Quality Program originals and their reversals, this field must contain the Validation Code received in the Authorization Response (V.I.P. Field 62.3). If multiple authorizations were supplied, this field must contain the Validation Code from the first authorization response.</p> <p><b>Incoming:</b> This field will be initialized to spaces prior to delivery.</p> |



### Draft Data Edit Criteria

|                                                                                                       |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
|-------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Excluded Transaction Identifier Reason</b><br>Positions: 41<br>Length: 1<br>Format: alphanumeric   | <b>Description:</b> Code indicating that a transaction identifier is not included in the transaction. Use of this field ensures that certain transactions that do not have a transaction identifier can be processed successfully through the VisaNet systems. This field must be a space.<br><br><b>Dispute Financials and Dispute Response Financials VIC Edit – BASE II</b> will initialize this field to spaces.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
| <b>Reserved</b><br>Positions: 42<br>Length: 1<br>Format: alphanumeric                                 | <b>Description:</b> This field is reserved for future use.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| <b>Reserved</b><br>Positions: 43–44<br>Length: 2<br>Format: alphanumeric                              | <b>Description:</b> This field is reserved for future use.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| <b>Multiple Clearing Sequence Number</b><br>Positions: 45–46<br>Length: 2<br>Format: unpacked numeric | <b>Description:</b> A sequence number that distinguishes a specific clearing message among multiple clearing messages being submitted for a single CPS authorization. All BASE II Clearing messages linked to a single authorization request must contain a unique clearing sequence number from at least <b>1</b> to the total number of clearing records for the authorization.<br><br>For U.S. transactions, this field must be numeric.<br><br><b>VIC Edit:</b> BASE II will move zeros to this field for the following situations:<br>— All cash disbursement transactions — All purchase and credit voucher originals, its reversals and their exception transactions (TCx5s, TCx6s) including Account Funding (AFT) and Original Credit (OC) transactions that have non-numeric data in this field.<br><br><b>Outgoing:</b> The Edit Package will move zeros to this field for the following situations: — All cash disbursement transactions — All purchase and credit voucher originals, its reversals and their exception transactions (TCx5s, TCx6s) including Account Funding (AFT) and Original Credit (OC) transactions that have non-numeric data in this field.<br><br><b>Dispute Response Financials, Reversals, Dispute Financials, Dispute Financials Reversals, Retrieval Requests, and Fraud Advices</b> This field must contain the same Multiple Clearing Sequence Number as the original purchase transaction.<br><br><b>Note:</b> Non-CPS transactions may contain this field. |

## Draft Data Edit Criteria

|                                                                                                      |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
|------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Multiple Clearing Sequence Count</b><br>Positions: 47–48<br>Length: 2<br>Format: unpacked numeric | <p><b>Description:</b> Count of multiple clearing sequence.</p> <p>For U.S. CPS transactions, this field must be numeric. To qualify for CPS/ Passenger Transport original purchase transactions and their reversals, the last transaction in the series <b>must</b> carry the Multiple Clearing Sequence Count with a value greater than zero. (All transactions within the series may carry the Multiple Clearing Sequence Count.)</p> <p>For all multiple clearing BASE II Card-Not-Present transactions linked to a single authorization request, excluding U.S. CPS/Passenger Transport transactions, the Multiple Clearing Sequence Count (MCSC) must be included in each clearing record.</p> <p>All transactions associated with the same Transaction Identifier must be in sequence and in the same batch.</p> <p><b>Outgoing:</b> The Edit Package will move zeros to this field for the following situations: — All cash disbursement transactions — All purchase and credit voucher originals, its reversals and their exception transactions (TCx5s, TCx6s) including Account Funding (AFT) and Original Credit (OC) transactions that have non-numeric data in this field.</p> <p><b>VIC Edit:</b> BASE II will move zeros to this field for the following situations: — All cash disbursement transactions — All purchase and credit voucher originals, its reversals and their exception transactions (TCx5s, TCx6s) including Account Funding (AFT) and Original Credit (OC) transactions that have non-numeric data in this field.</p> |
|------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|

### Draft Data Edit Criteria

|                                                                                                                       |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
|-----------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Market-Specific Authorization Data Indicator</b><br><br>Positions: 49<br><br>Length: 1<br><br>Format: alphanumeric | <p><b>Description:</b> Code indicating the industry for which market-specific authorization data was included in the transaction.</p> <p>Values:</p> <p><b>Space</b> = No market-specific authorization data supplied.</p> <p><b>A</b> = Valid Auto Rental market-specific authorization data received.</p> <p><b>B</b> = Valid Bill Payment market-specific authorization data received.</p> <p><b>E</b> = Valid Electronic Commerce Transaction Aggregation data received.</p> <p><b>H</b> = Valid Hotel market-specific authorization data received.</p> <p><b>J</b> = Valid B2B Invoice Payment received.</p> <p><b>M</b> = Valid Healthcare market-specific authorization data received.</p> <p><b>N</b> = Invalid or not applicable market-specific data received.</p> <p><b>T</b> = Valid Transit market-specific authorization data received.</p> <p><b>VIC Edit:</b> For Custom Payment Service original purchase transactions and their reversals, and Electronic Data Quality Program transactions, this field must have the same contents as that in the Authorization Response (V.I.P. Field 62.4). If multiple authorizations were submitted, this field must contain the Market-Specific Authorization Data Indicator from the first authorization response.</p> <p>For CPS/Hotel (Card Not Present) or CPS/Hotel (Card Present) PSIRF, this entry must contain an <b>H</b>. For CPS/Car Rental (Card Not Present) or CPS/Car Rental (Card Present) PSIRF, this entry must contain an <b>A</b>.</p> <p><b>Outgoing:</b> For draft transactions that do not participate in a Custom Payment Service (Authorization Characteristics Indicator = <b>N</b>), the Edit Package will initialize this field to spaces, if it is not alphanumeric.</p> <p><b>Note:</b> Non-CPS transactions and Electronic Data Quality Program transactions may contain this field.</p> |
|-----------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|

## Draft Data Edit Criteria

|                                                                                              |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
|----------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Total Authorized Amount</b><br>Positions: 50–61<br>Length: 12<br>Format: unpacked numeric | <p><b>Description:</b> Total authorized amount. This entry must be numeric. Custom Payment Service credit vouchers and their reversals must contain zeros in this field. CPS/ATM transactions must contain zeros in this field.</p> <p><b>VIC Edit:</b> To qualify for CPS/Hotel (Card Not Present) or CPS/Hotel (Card Present) PSIRF, CPS/Car Rental (Card Not Present) or CPS/Car Rental (Card Present) PSIRF, or CPS/Card Not Present PSIRF, or CPS/Direct Marketing PSIRF, the Total Authorized Amount must be provided on original purchase transactions and their reversals. The entry must be numeric and contain a value greater than zero.</p> <p><b>Outgoing:</b> For draft transactions that do not participate in a Custom Payment Service (Authorization Characteristics Indicator = <b>N</b>), the Edit Package will initialize this field to zero, if it is not numeric.</p> <p><b>Incoming:</b> This field does not contain a fixed implied decimal location. The decimal location is determined by the Authorization Currency Code, as specified in the V.I.P. System Message Formats manual.</p> <p style="text-align: center;"><b>Note:</b> Non-CPS transactions may contain this field.</p> |
| <b>Information Indicator</b><br>Positions: 62<br>Length: 1<br>Format: alphanumeric           | <p><b>Description:</b> Indicates if the merchant or customer service telephone number is provided on the cardholder billing statement or is stored internally. Optional field.</p> <p>Values:</p> <p><b>Y</b> = the merchant or customer service telephone number may be provided on the cardholder statement.</p> <p><b>N</b> = indicates that the telephone number must not be provided on the cardholder's statement but should be stored internally for cardholder inquiries.</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
| <b>Merchant Telephone Number</b><br>Positions: 63–76<br>Length: 14<br>Format: alphanumeric   | <p><b>Description:</b> Optional field containing the merchant or customer service telephone number. This field should be left justified with trailing spaces. Spaces should be used if the field is not supplied.</p> <p>The phone number should be in the Merchant City field for CPS/Card Not Present or CPS/Direct Marketing transactions.</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
| <b>Additional Data Indicator</b><br>Positions: 77<br>Length: 1<br>Format: alphanumeric       | <p><b>Description:</b> The VIC inserts a space in this field.</p> <p><b>Space</b> = Indicator not set</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
| <b>Merchant Volume Indicator</b><br>Positions: 78–79<br>Length: 2<br>Format: alphanumeric    | <p><b>Description:</b> U.S. domestic acquired purchases and credit transactions only. It must contain one of these values:</p> <p><b>Space, 00-99, MP</b></p> <p>For non-U.S. domestic acquired purchases and credits, as well as all cash transactions, the Edit Package will move a space to this field.</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |

### Draft Data Edit Criteria

|                                                                                                         |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
|---------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Electronic Commerce Goods Indicator</b><br><br>Positions: 80–81<br>Length: 2<br>Format: alphanumeric | <b>Description:</b> This field indicates the type of goods that were purchased on the Internet.<br><br>The field must be left-justified and space-filled. The first position must contain: <b>Space</b> = Not used<br><br><b>D</b> = Digital Goods<br><b>P</b> = Physical Goods                                                                                                                                                                                                                                                                                                                                             |
| <b>Merchant Verification Value</b><br><br>Positions: 82–91<br>Length: 10<br>Format: alphanumeric        | <b>Description:</b> The value if used by Visa to determine a merchant's eligibility to participate in any special programs. The first six positions of the MVV will be assigned to participating merchants by Visa. The last four positions will be defined in conjunction with the acquirer. Acquirers must include the MVV in BASE II Clearing transactions to qualify for any special fee programs or global merchant tracking programs.<br><br>Values:<br><b>A–F</b><br><b>0–9</b><br>Default value:<br><b>Spaces</b><br>If any position of the field has a value, then all positions must have a nonspace valid value. |
| <b>Interchange Fee Amount</b><br><br>Positions: 92–106<br>Length: 15<br>Format: UN                      | <b>Description:</b> Specifies the interchange or client-to-client fee amount (in the settlement currency of the client) calculated by Visa for this transaction. The field is right-justified, with six decimals implied.<br><br><b>Outgoing:</b> The field must contain zeroes. This field will be populated by the VIC. <b>Incoming:</b> The field will contain the interchange or client-to-client fee amount assessed on this transaction by Visa.                                                                                                                                                                      |
| <b>Interchange Fee Sign</b><br><br>Positions: 107<br>Length: 1<br>Format: AN                            | <b>Description:</b> Specifies if the interchange or client to client fee amount is a credit or a debit for the receiving client.<br><br>Values:<br><b>C</b> = Credit<br><b>D</b> = Debit<br><b>Outgoing:</b> The field must contain spaces. The VIC will insert the valid value.                                                                                                                                                                                                                                                                                                                                            |

## Draft Data Edit Criteria

|                                                                                                                                |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
|--------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <p><b>Source Currency to Base Currency Exchange Rate</b></p> <p>Positions: 108–115</p> <p>Length: 8</p> <p>Format: UN</p>      | <p><b>Description:</b> Specifies the Source Currency to Base Currency Exchange Rate applied to this transaction when Visa converts the source amount to the transaction amount in the destination currency.</p> <p>The format of this field is <b>SSRRRRRR</b>, where:</p> <p><b>SS</b> = Scale Factor. These positions represent number of digits to the right of the decimal point in the currency conversion rate field. The first two positions will be <b>00</b> through <b>12</b>.</p> <p><b>RRRRRR</b> = Conversion Rate — A scale factor of zeros means that the entry is a whole number. — A scale factor of 01 means that the number has one decimal place accuracy; RRRRR.R is entered as 01RRRRRR. — A scale factor of 02 means that the number has two decimal place accuracy; RRRR.RR is entered as 02RRRRRR, and so forth. — For a scale factor greater than 6, as many leading zeros as necessary should be inserted; for example, .00RRRRRR is entered as 08RRRRRR.</p> <p><b>Outgoing:</b> This field will be populated by the VIC. <b>Incoming:</b> This field will contain the currency exchange rate applied to this transaction by Visa. This field will contain zeroes if currency conversion does not apply or the source currency is the same as the base currency.</p>        |
| <p><b>Base Currency to Destination Currency Exchange Rate</b></p> <p>Positions: 116–123</p> <p>Length: 8</p> <p>Format: UN</p> | <p><b>Description:</b> Specifies the Base Currency to Destination Currency Exchange Rate applied to this transaction when Visa converts the source amount to the transaction amount in the destination currency.</p> <p>The format of this field is <b>SSRRRRRR</b> where:</p> <p><b>SS</b> = Scale Factor. These positions represent number of digits to the right of the decimal point in the currency conversion rate field. The first two positions will be <b>00</b> through <b>12</b>.</p> <p><b>RRRRRR</b> = Conversion Rate — A scale factor of zeros means that the entry is a whole number. — A scale factor of 01 means that the number has one decimal place accuracy; RRRRR.R is entered as 01RRRRRR. — A scale factor of 02 means that the number has two decimal place accuracy; RRRRR.RR is entered as 02RRRRRR, and so forth. — For a scale factor greater than 6, as many leading zeros as necessary should be inserted; for example, .00RRRRRR is entered as 08RRRRRR.</p> <p><b>Outgoing:</b> This field will be populated by the VIC. <b>Incoming:</b> The field will contain the currency exchange rate applied to this transaction by Visa. The field will contain zeros if currency conversion does not apply or the destination currency is the same as the base currency.</p> |

## Draft Data Edit Criteria

|                                                                                                   |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
|---------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Optional Issuer ISA Amount</b><br>Positions: 124–135<br>Length: 12<br>Format: unpacked numeric | <p><b>Description:</b> This ISO-defined field can be used for any charge type or any fee applied to a transaction. Currently, Visa uses this field to carry optional International Service Assessment (ISA) data for issuers in the LAC region.</p> <p>The optional issuer ISA amount in this field is not included in the destination amount. Optional issuer ISA amounts are calculated in conjunction with ISA processing, but they are not included in settlement amounts or subject to acquirer allocation.</p> <p>The field is calculated by the VIC when the Optional Issuer ISA percentage is defined in the clients' profile.</p> <p>The Optional Issuer ISA Amount is in the destination currency; two decimal places are implied.</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
| <b>Product ID</b><br>Positions: 136–137<br>Length: 2<br>Format: alphanumeric                      | <p><b>Description:</b> Product identifier code.</p> <p><b>Note:</b> All U.S.-acquired purchase, credit voucher, and cash disbursement transactions should contain the Card-Level Results received in the authorization response (V.I.P. Field 62.23). If this field is not received in the V.I.P. response message, the Product ID field should contain spaces.</p> <p><b>Note:</b> All non-U.S. acquired purchase, credit voucher, and cash disbursement transactions from acquirers that choose to receive the Card-Level Results should contain the Card-Level Results received in the authorization response (V.I.P. Field 62.23). If this field is not received in the V.I.P. response message, the Product ID field should contain spaces.</p> <p><b>VIC Edit:</b> For Custom Payment Service original purchase transactions and their reversals, and Electronic Data Quality Data Program transactions, this field must contain Card-Level Results received in the Authorization Response (V.I.P. Field 62.23). If multiple authorizations and/or an authorization reversal were supplied, this field must contain the Authorization Response Code from the first authorization response.</p> |
| <b>Program ID</b><br>Positions: 138–143<br>Length: 6<br>Format: alphanumeric                      | <p><b>Description:</b> Program identifier. For US domestic transactions, the acquirer may optionally send in a Program ID value.</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
| <b>DCC Indicator</b><br>Positions: 144<br>Length: 1<br>Format: alphanumeric                       | <p><b>Description:</b> This field must contain one of these values:</p> <p><b>1</b> = DCC performed</p> <p><b>Space</b> = default, no DCC has been performed</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |

## Draft Data Edit Criteria

|                                                                                               |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
|-----------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Account Type Identification</b><br>Positions: 145–148<br>Length: 4<br>Format: alphanumeric | <p><b>Description:</b> This field identifies the specific type of account used. This field should be left-justified, space-filled.</p> <p><b>VIC Edits:</b></p> <ul style="list-style-type: none"> <li>Invalid values will be changed to space.</li> </ul> <p><b>Note:</b> Edit Package will initialize invalid values to spaces.</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
| <b>Spend Qualified Indicator</b><br>Positions: 149<br>Length: 1<br>Format: alphanumeric       | <p><b>Description:</b> This field indicates whether the account is Spend Qualified or not.</p> <p><b>VIC Edit:</b> Visa will include the appropriate value in this field. This field will contain;</p> <ul style="list-style-type: none"> <li><b>B</b> (Base spend assessment threshold defined by Visa has been met.)</li> <li><b>Q</b> (Spend assessment threshold defined by Visa has been met.)</li> <li><b>N</b> (Spend assessment threshold defined by Visa has not been met.)</li> <li><b>Space</b> (Spend processing does not apply (Not applicable).)</li> <li><b>J</b> Not Qualified Tier 5</li> <li><b>K</b> Not Qualified Tier 4</li> <li><b>L</b> Not Qualified Tier 3</li> <li><b>M</b> Not Qualified Tier 2</li> <li><b>R</b> Qualified Tier 2</li> <li><b>S</b> Qualified Tier 3</li> <li><b>T</b> Qualified Tier 4</li> <li><b>U</b> Qualified Tier 5</li> <li><b>V</b> Qualified Tier 6</li> <li><b>W</b> Qualified Tier 7</li> <li><b>1</b> Tier 1 - Spend assessment threshold defined by Visa has been met</li> <li><b>2</b> Tier 2 - Spend assessment threshold defined by Visa has been met</li> <li><b>3</b> Tier 3 - Spend assessment threshold defined by Visa has been met</li> <li><b>4</b> Tier 4 - Spend assessment threshold defined by Visa has been met</li> <li><b>5</b> Tier 5 - Spend assessment threshold defined by Visa has been met</li> </ul> <p>Acquirers can choose to receive spend qualified indicator reclassifications by submitting nonspace values in this field.</p> <p>Acquirers that choose not to receive spend qualified indicator reclassifications should submit space in this field.</p> |
| <b>PAN Token</b><br>Positions: 150–165<br>Length: 16<br>Format: unpacked numeric              | <p><b>Description:</b> A value that replaces the PAN at the time of authorization and clearing for merchants/acquirers.</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |



## Draft Data Edit Criteria

|                                                                                      |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
|--------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Reserved</b><br>Positions: 166<br>Length: 1<br>Format: alphanumeric               | <b>Description:</b> This field is reserved for future use. EP will always space-fill.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
| <b>Account Funding Source</b><br>Positions: 167<br>Length: 1<br>Format: alphanumeric | <b>Description:</b> This field will contain the Account Funding Source that was used in a transaction.<br>Values:<br><b>Space</b><br><b>C</b> = Credit<br><b>D</b> = Debit<br><b>H</b> = Charge<br><b>P</b> = Prepaid<br><b>R</b> = Deferred Debit<br><b>VIC Edit:</b> If not submitted by the acquirer, BASE II will populate this field.<br>Electronic Data Quality Program transactions must contain the account funding source that was used in the original authorization.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
| <b>CVV2 Result Code</b><br>Positions: 168<br>Length: 1<br>Format: alphanumeric       | <b>Description:</b> Card Verification Value 2 (CVV2) is the verification result for card-not-present transactions and also for card-present CVV2 verification-only requests. This field must contain a space or a valid code. For cash disbursement transactions, this field should contain a space. Refer to the <i>BASE II Clearing Data Codes</i> manual for valid CVV2 Result Codes.<br><b>VIC Edits:</b> <ul style="list-style-type: none"> <li>Invalid values will be initialized to space.</li> <li>All values submitted for cash disbursement transactions will be initialized to space.</li> </ul> <b>Incoming:</b> Edit Package will initialize this field to space for transactions submitted with invalid values and for all cash disbursement transactions.<br><b>Note:</b> Effective 14 April 2007, Canadian Acquirers participating in the Card Verification Value 2 Service were required to populate the Card Verification Value 2 results code received in the V.I.P. Authorization Response in a Transaction's corresponding BASE II Clearing Record. |

## TC 05 - TCR 6 Limited-Use Data

These tables contain the Draft Data (TC 05, 06, 07, 15, 16, 17, 25, 26, 27, 35, 36, 37) record layout and edit criteria for TCR 6 - LIMITED-USE DATA. In certain regions, Fleet Level 2 and Level

3 data is required for specific MCCs. Please consult your Fleet 2.0 Implementation Guide for details.

### **CTF - Outgoing and Incoming Interchange**

#### **Draft Data Record Layout**

| <b>Position</b> | <b>Field Length</b> | <b>Format</b> | <b>Contents</b>                                            |
|-----------------|---------------------|---------------|------------------------------------------------------------|
| 1-2             | 2                   | UN            | Transaction Code                                           |
| 3               | 1                   | UN            | Transaction Code Qualifier                                 |
| 4               | 1                   | UN            | Transaction Component Sequence Number                      |
| 5-16            | 12                  | UN            | Local Tax                                                  |
| 17              | 1                   | UN            | Local Tax Included                                         |
| 18-29           | 12                  | UN            | National Tax                                               |
| 30              | 1                   | UN            | National Tax Included                                      |
| 31-50           | 20                  | AN            | Merchant VAT Registration/Single Business Reference Number |
| 51-63           | 13                  | AN            | Customer VAT Registration Number                           |
| 64-71           | 8                   | AN            | Visa Merchant Identifier                                   |
| 72              | 1                   | AN            | Requested Special Service                                  |
| 73-75           | 3                   | AN            | Reserved                                                   |
| 76-79           | 4                   | AN            | Summary Commodity Code                                     |
| 80-91           | 12                  | UN            | Other Tax                                                  |
| 92-106          | 15                  | AN            | Message Identifier                                         |
| 107-110         | 4                   | UN            | Time of Purchase                                           |
| 111-127         | 17                  | AN            | Customer Code/Customer Reference Identifier (CRI)          |
| 128-129         | 2                   | AN            | Non-Fuel Product Code 1                                    |
| 130-131         | 2                   | AN            | Non-Fuel Product Code 2                                    |
| 132-133         | 2                   | AN            | Non-Fuel Product Code 3                                    |
| 134-135         | 2                   | AN            | Non-Fuel Product Code 4                                    |
| 136-137         | 2                   | AN            | Non-Fuel Product Code 5                                    |
| 138-139         | 2                   | AN            | Non-Fuel Product Code 6                                    |
| 140-141         | 2                   | AN            | Non-Fuel Product Code 7                                    |
| 142-143         | 2                   | AN            | Non-Fuel Product Code 8                                    |
| 144-154         | 11                  | AN            | Merchant Postal Code                                       |

### Draft Data Record Layout

| Position | Field Length | Format | Contents                               |
|----------|--------------|--------|----------------------------------------|
| 155      | 1            | AN     | VAT Documentation Indicator - Merchant |
| 156      | 1            | AN     | VAT Documentation Indicator - Issuer   |
| 157      | 1            | AN     | Applied Special Service                |
| 158-168  | 11           | AN     | Reserved                               |

Format: AN = Alphanumeric, ANS = Alphanumeric Special, DX = Display Hexadecimal, N = Numeric, UN = Unpacked Numeric

### Draft Data Edit Criteria

|                                                                                                       |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
|-------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Transaction Code</b><br>Positions: 1-2<br>Length: 2<br>Format: unpacked numeric                    | <b>Description:</b> The field must contain the same transaction code as the TCR 0.                                                                                                                                                                                                                                                                                                                                                                                                                                          |
| <b>Transaction Code Qualifier</b><br>Positions: 3<br>Length: 1<br>Format: unpacked numeric            | <b>Description:</b> This field must contain one of these values:<br><b>0</b> = Default<br><b>1</b> = Account Funding<br><b>2</b> = Original Credit<br>This edit will continue to be performed by the Edit Package when the Bypass Business Edits option is used during an outgoing edit run.                                                                                                                                                                                                                                |
| <b>Transaction Component Sequence Number</b><br>Positions: 4<br>Length: 1<br>Format: unpacked numeric | <b>Description:</b> The field must contain a <b>6</b> .                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
| <b>Local Tax</b><br>Positions: 5-16<br>Length: 12<br>Format: unpacked numeric                         | <b>Description:</b> This field may be used by acquirers to indicate the amount of state or provincial tax included in the transaction amount. This amount must be expressed in the same currency as the source amount. This field must be numeric. It may contain zeros. This field contains two implied decimal places.<br><b>VIC Edit:</b> U.S. Only - When submitted on taxable non-fuel commercial card transactions, the local tax amount that is greater than zero must be between 0.1% and 22% of the source amount. |

### Draft Data Edit Criteria

|                                                                                                                              |                                                                                                                                                                                                                                                                                                                                                                                  |
|------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Local Tax Included</b><br>Positions: 17<br>Length: 1<br>Format: unpacked numeric                                          | <b>Description:</b> Indicates if local tax is included or not.<br>Values:<br><b>0</b> = Tax not included<br><b>1</b> = State or Provincial Tax included<br><b>2</b> = Transaction is not subject to tax.<br>This field must contain <b>1</b> if the Local Tax field is not zeros.                                                                                                |
| <b>National Tax</b><br>Positions: 18–29<br>Length: 12<br>Format: unpacked numeric                                            | <b>Description:</b> This field may be used by acquirers to indicate the amount of National Tax included in the transaction amount. This amount must be expressed in the same currency as the source amount.<br>This field must be numeric. It may contain zeros. If the entry is not numeric, the BASE II VIC will insert zeros. This field contains two implied decimal places. |
| <b>National Tax Included</b><br>Positions: 30<br>Length: 1<br>Format: unpacked numeric                                       | <b>Description:</b> Indicates if national tax is included or not.<br>Values:<br><b>0</b> = not subject to tax<br><b>1</b> = subject to tax<br>This field must contain <b>0</b> or <b>1</b> .                                                                                                                                                                                     |
| <b>Merchant VAT Registration/ Single Business Reference Number</b><br>Positions: 31–50<br>Length: 20<br>Format: alphanumeric | <b>Description:</b> Contains the merchant's VAT registration number or Single Business Reference Number (SBRN).                                                                                                                                                                                                                                                                  |
| <b>Customer VAT Registration Number</b><br>Positions: 51–63<br>Length: 13<br>Format: alphanumeric                            | <b>Description:</b> Contains the customer's value-added tax registration number.                                                                                                                                                                                                                                                                                                 |
| <b>Visa Merchant Identifier</b><br>Positions: 64–71<br>Length: 8<br>Format: alphanumeric                                     | <b>Description:</b> This field will contain a unique identifier value assigned by Visa for each merchant included in the identification program.                                                                                                                                                                                                                                 |
| <b>Requested Special Service</b><br>Positions: 72<br>Length: 1<br>Format: alphanumeric                                       | <b>Description:</b> This field will contain a value indicating the special program requested by the acquirer.<br>The valid values are:<br><b>1</b> - Commercial Enhance Data Program (CEDP) participant<br><b>Space</b> - Non CEDP Participant                                                                                                                                   |

### Draft Data Edit Criteria

|                                                                                                                      |                                                                                                                                                                                                                                                                                                                                                                                                                           |
|----------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Reserved</b><br>Positions: 73–75<br>Length: 3<br>Format: alphanumeric                                             | <b>Description:</b> This field is reserved for future use. EP will always space-fill.                                                                                                                                                                                                                                                                                                                                     |
| <b>Summary Commodity Code</b><br>Positions: 76–79<br>Length: 4<br>Format: alphanumeric                               | <b>Description:</b> Contains the national standard coding structure for the description of goods.                                                                                                                                                                                                                                                                                                                         |
| <b>Other Tax</b><br>Positions: 80–91<br>Length: 12<br>Format: unpacked numeric                                       | <b>Description:</b> Indicates other taxes. This field must be numeric; two decimal positions are implied. The field may contain zeros. If the entry is not numeric, the BASE II VIC will insert zeros.                                                                                                                                                                                                                    |
| <b>Message Identifier</b><br>Positions: 92–106<br>Length: 15<br>Format: alphanumeric                                 | <b>Description:</b> If additional data is provided in the TC 50, this field must contain the Message Identifier used to link the transactions.                                                                                                                                                                                                                                                                            |
| <b>Time of Purchase</b><br>Positions: 107–110<br>Length: 4<br>Format: unpacked numeric                               | <b>Description:</b> Indicates time the purchase was made.<br><br>The format is <b>HHMM</b> in local merchant or acquirer time. <b>HH</b> = Time in hours (00 to 23) <b>MM</b> = Time in minutes (00 to 59) If the entry is not numeric, the BASE II VIC will insert zeros.                                                                                                                                                |
| <b>Customer Code/Customer Reference Identifier (CRI)</b><br>Positions: 111–127<br>Length: 17<br>Format: alphanumeric | <b>Description:</b> A reference number or code that identifies the customer or consumer.<br><br>For U.S. Purchasing Card Large-Ticket, GSA Large-Ticket or Purchasing Card fuel transactions, if additional data is provided, this field must be nonblank. Space-fill if unused.<br><br>For Fuel Transactions, field may be drivers ID, vehicle number, or generic number entered by the cardholder at the point of sale. |
| <b>Non-Fuel Product Code 1</b><br>Positions: 128–129<br>Length: 2<br>Format: alphanumeric                            | This field contains a code for the non-fuel product. Refer to the <i>Visa Fleet Card 2.0 Implementation Guide</i> for a list of valid codes.                                                                                                                                                                                                                                                                              |
| <b>Non-Fuel Product Code 2</b><br>Positions: 130–131<br>Length: 2<br>Format: alphanumeric                            | This field contains a code for the non-fuel product. Refer to the <i>Visa Fleet Card 2.0 Implementation Guide</i> for a list of valid codes.                                                                                                                                                                                                                                                                              |

### Draft Data Edit Criteria

|                                                                                           |                                                                                                                                                                                              |
|-------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Non-Fuel Product Code 3</b><br>Positions: 132–133<br>Length: 2<br>Format: alphanumeric | This field contains a code for the non-fuel product. Refer to the <i>Visa Fleet Card 2.0 Implementation Guide</i> for a list of valid codes.                                                 |
| <b>Non-Fuel Product Code 4</b><br>Positions: 134–135<br>Length: 2<br>Format: alphanumeric | This field contains a code for the non-fuel product. Refer to the <i>Visa Fleet Card 2.0 Implementation Guide</i> for a list of valid codes.                                                 |
| <b>Non-Fuel Product Code 5</b><br>Positions: 136–137<br>Length: 2<br>Format: alphanumeric | This field contains a code for the non-fuel product. Refer to the <i>Visa Fleet Card 2.0 Implementation Guide</i> for a list of valid codes.                                                 |
| <b>Non-Fuel Product Code 6</b><br>Positions: 138–139<br>Length: 2<br>Format: alphanumeric | This field contains a code for the non-fuel product. Refer to the <i>Visa Fleet Card 2.0 Implementation Guide</i> for a list of valid codes.                                                 |
| <b>Non-Fuel Product Code 7</b><br>Positions: 140–141<br>Length: 2<br>Format: alphanumeric | This field contains a code for the non-fuel product. Refer to the <i>Visa Fleet Card 2.0 Implementation Guide</i> for a list of valid codes.                                                 |
| <b>Non-Fuel Product Code 8</b><br>Positions: 142–143<br>Length: 2<br>Format: alphanumeric | This field contains a code for the non-fuel product. Refer to the <i>Visa Fleet Card 2.0 Implementation Guide</i> for a list of valid codes.                                                 |
| <b>Merchant Postal Code</b><br>Positions: 144–154<br>Length: 11<br>Format: alphanumeric   | <b>Description:</b> Contains the postal code to identify the merchant location of commercial card transactions. The entry must be alphanumeric and may contain spaces or special characters. |

## Draft Data Edit Criteria

|                                                                                                      |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
|------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>VAT Documentation Indicator - Merchant</b><br>Positions: 155<br>Length: 1<br>Format: alphanumeric | <b>Description:</b> This field will contain Indicator from Merchant.<br>This field can contain value of <b>1</b> , <b>2</b> , or <b>Blank</b> .<br><b>1</b> - Indicates<br>- EU Merchant agrees for EU Issuer to IOB or<br>- EU Merchant (Excluding Spain, Portugal, France) agrees for Non-EU Issuer to IOB or<br>- Non-EU Merchant agrees for EU or Non-EU Issuer to IOB<br><b>2</b> - Indicates<br>- Spain, Portugal, France Merchant agrees for Non-EU Issuer to IOB and confirms Incremental Certification<br><b>Blank</b> - Merchant does not agree to VAT IOB and provides VAT Documentation.                    |
| <b>VAT Documentation Indicator - Issuer</b><br>Positions: 156<br>Length: 1<br>Format: alphanumeric   | <b>Description:</b> This field will contain Indicator from Issuer.<br>This field can contain value of <b>1</b> , <b>2</b> , or <b>Blank</b> .<br><b>1</b> - Indicates<br>- EU Issuer agrees to provide VAT IOB for EU or Non-EU Merchant or<br>- Non-EU Issuer agrees to provide VAT IOB for EU Merchant (Excluding Spain, Portugal, France) or<br>- Non-EU Issuer agrees to provide VAT IOB for Non-EU Merchant<br><b>2</b> - Indicates<br>- Non-EU Issuer agrees to provide VAT IOB for Merchant from Portugal, Spain, France.<br><b>Blank</b> - Issuer does not agree to VAT IOB. Merchant to provide documentation. |
| <b>Applied Special Service</b><br>Positions: 157<br>Length: 1<br>Format: alphanumeric                | <b>Description:</b> This field will contain VDCAP Indicator from acquirer.<br>This field will contain a value of <b>1</b> (VDCAP).<br><b>1</b> = VDCAP<br><b>Space</b> = Default                                                                                                                                                                                                                                                                                                                                                                                                                                        |
| <b>Reserved</b><br>Positions: 158–168<br>Length: 11<br>Format: alphanumeric                          | <b>Description:</b> This field will be space-filled.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |

# TC 05 - TCR 7 Chip Card Transaction Data

These tables contain the Draft Data (TC 05, 06, 07, 15, 16, 17, 25, 26, 27, 35, 36, 37) record layout and edit criteria for TCR 7 - CHIP CARD TRANSACTION DATA.

## CTF - Outgoing and Incoming Interchange

### Draft Data Record Layout

| Position | Field Length | Format | Contents                              |
|----------|--------------|--------|---------------------------------------|
| 1-2      | 2            | UN     | Transaction Code                      |
| 3        | 1            | UN     | Transaction Code Qualifier            |
| 4        | 1            | UN     | Transaction Component Sequence Number |
| 5-6      | 2            | AN     | Transaction Type                      |
| 7-9      | 3            | UN     | Card Sequence Number                  |
| 10-15    | 6            | UN     | Terminal Transaction Date             |
| 16-21    | 6            | DX     | Terminal Capability Profile           |
| 22-24    | 3            | UN     | Terminal Country Code                 |
| 25-32    | 8            | AN     | Terminal Serial Number                |
| 33-40    | 8            | DX     | Unpredictable Number                  |
| 41-44    | 4            | DX     | Application Transaction Counter       |
| 45-48    | 4            | DX     | Application Interchange Profile       |
| 49-64    | 16           | DX     | Cryptogram                            |
| 65-66    | 2            | DX     | Issuer Application Data, Byte 2       |
| 67-68    | 2            | DX     | Issuer Application Data, Byte 3       |
| 69-78    | 10           | DX     | Terminal Verification Results         |
| 79-86    | 8            | DX     | Issuer Application Data, Byte 4-7     |
| 87-98    | 12           | UN     | Cryptogram Amount                     |
| 99-100   | 2            | DX     | Issuer Application Data, Byte 8       |
| 101-116  | 16           | DX     | Issuer Application Data, Byte 9-16    |
| 117-118  | 2            | DX     | Issuer Application Data, Byte 1       |
| 119-120  | 2            | DX     | Issuer Application Data, Byte 17      |



### Draft Data Record Layout

| Position | Field Length | Format | Contents                            |
|----------|--------------|--------|-------------------------------------|
| 121-150  | 30           | DX     | Issuer Application Data, Byte 18-32 |
| 151-158  | 8            | DX     | Form Factor Indicator               |
| 159-168  | 10           | DX     | Issuer Script 1 Results             |

Format: AN = Alphanumeric, ANS = Alphanumeric Special, DX = Display Hexadecimal, N = Numeric, UN = Unpacked Numeric

### Draft Data Edit Criteria

|                                                                                                       |                                                                                                                                                    |
|-------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Transaction Code</b><br>Positions: 1-2<br>Length: 2<br>Format: unpacked numeric                    | <b>Description:</b> The field must contain the appropriate transaction code.<br>The field must contain the same transaction code as the TCR 0.     |
| <b>Transaction Code Qualifier</b><br>Positions: 3<br>Length: 1<br>Format: unpacked numeric            | <b>Description:</b> This field must contain one of these values:<br><b>0</b> = Default<br><b>1</b> = Account Funding<br><b>2</b> = Original Credit |
| <b>Transaction Component Sequence Number</b><br>Positions: 4<br>Length: 1<br>Format: unpacked numeric | <b>Description:</b> The field must contain a <b>7</b> .                                                                                            |

### Draft Data Edit Criteria

|                                                                                                    |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
|----------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Transaction Type</b><br>Positions: 5–6<br>Length: 2<br>Format: alphanumeric                     | <b>Description:</b> Contains the transaction type as used by the card to calculate the cryptogram.<br>Values:<br><b>00</b> = Goods or Service Purchase<br><b>01</b> = Withdrawal/Cash Advance<br><b>02</b> = Adjustment<br><b>03</b> = Check Guarantee (funds guaranteed)<br><b>11</b> = Quasi-Cash Transaction<br><b>17</b> = Script<br><b>19</b> = Fee Collection<br><b>20</b> = Return (of goods)<br><b>22</b> = Adjustment<br><b>29</b> = Funds Disbursement<br><b>30</b> = Available Funds Inquiry<br><b>40</b> = Cardholder Account Transfer<br><b>A0</b> = COPAC Goods or Service Purchaser (Obsolete)<br><b>A1</b> = COPAC Withdrawal Cash Advance (Obsolete) |
| <b>Card Sequence Number</b><br>Positions: 7–9<br>Length: 3<br>Format: unpacked numeric             | <b>Description:</b> Contains the number assigned to a specific card when two or more cards are associated with a single account number. This field must be numeric.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
| <b>Terminal Transaction Date</b><br>Positions: 10–15<br>Length: 6<br>Format: unpacked numeric      | <b>Description:</b> Contains the local date at the terminal on which the transaction was authorized. This field must be numeric. Date is in <b>YYMMDD</b> format.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
| <b>Terminal Capability Profile</b><br>Positions: 16–21<br>Length: 6<br>Format: display hexadecimal | <b>Description:</b> Indicates the card input data, the Cardholder Verification Method (CVM), and the security capabilities that are supported by the terminal. See the <i>Visa Smart Debit/Visa Smart Credit System Technical</i> manual for specific information on the indicators that are carried in this field.<br><b>VIC Edit:</b> This field must be display hexadecimal.                                                                                                                                                                                                                                                                                       |
| <b>Terminal Country Code</b><br>Positions: 22–24<br>Length: 3<br>Format: unpacked numeric          | <b>Description:</b> Contains the country code of the country where the terminal is located. This field must be numeric.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |

## Draft Data Edit Criteria

|                                                                                                        |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
|--------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Terminal Serial Number</b><br>Positions: 25–32<br>Length: 8<br>Format: alphanumeric                 | <b>Description:</b> Reserved.<br>Effective April 2008, this field is temporarily reserved while Visa evaluates the current methodology used by manufacturers to assign the identification number for VSDC terminals. The field may be reinstated after a standard is established within Visa and the payments industry related to the formatting and coding of the data. New VSDC-certified acquirers should space-fill the field. There is no requirement for existing VSDC acquirers to modify their internal systems to space-fill the field. |
| <b>Unpredictable Number</b><br>Positions: 33–40<br>Length: 8<br>Format: display hexadecimal            | <b>Description:</b> Contains the number used in the generation of the cryptogram for chip (VSDC) transactions. It provides variability and uniqueness to the cryptogram.<br><b>VIC Edit:</b> This field must be display hexadecimal.                                                                                                                                                                                                                                                                                                             |
| <b>Application Transaction Counter</b><br>Positions: 41–44<br>Length: 4<br>Format: display hexadecimal | <b>Description:</b> Contains the count of the transactions performed within the application. This field increments by 1 each time a transaction is initiated. Multiple authorization requests for the same transaction will have the same ATC; for example, when online PIN fails and the next authorization represents a different PIN try for the same transaction, the ATC will be the same. For reversals and advices, the ATC is the value from the original message.<br><b>VIC Edit:</b> This field must be display hexadecimal.           |
| <b>Application Interchange Profile</b><br>Positions: 45–48<br>Length: 4<br>Format: display hexadecimal | <b>Description:</b> Carried in VSDC transactions, this field provides a series of indicators that reflect the specific functions supported by the chip card account. For example, this field indicates whether cardholder verification is supported.<br><b>VIC Edit:</b> This field must be display hexadecimal.                                                                                                                                                                                                                                 |
| <b>Cryptogram</b><br>Positions: 49–64<br>Length: 16<br>Format: display hexadecimal                     | <b>Description:</b> Contains the clearing cryptogram used to validate transaction processing in the event of a dispute.<br><b>VIC Edit:</b> This field must be display hexadecimal.                                                                                                                                                                                                                                                                                                                                                              |
| <b>Issuer Application Data, Byte 2</b><br>Positions: 65–66<br>Length: 2<br>Format: display hexadecimal | <b>Description:</b> Contains one of these depending on type of Chip card:<br>VIS = Derivation Key Index<br>CCD = Common Core Identifier<br>Generic EMV Transport = Undefined Data                                                                                                                                                                                                                                                                                                                                                                |
| <b>Issuer Application Data, Byte 3</b><br>Positions: 67–68<br>Length: 2<br>Format: display hexadecimal | <b>Description:</b> Contains one of the following depending on type of Chip card:<br>VIS = Cryptogram Version<br>CCD = Derivation Key Index<br>Generic EMV Transport = Undefined Data                                                                                                                                                                                                                                                                                                                                                            |

### Draft Data Edit Criteria

|                                                                                                               |                                                                                                                                                                                                                                                                                                                                                    |
|---------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Terminal Verification Results</b><br>Positions: 69–78<br>Length: 10<br>Format: display hexadecimal         | <b>Description:</b> A series of indicators from the terminal perspective. The terminal records the results of offline and online processing by setting a series of indicators in this field. These indicators are available to clients in the online message and clearing transaction.<br><b>VIC Edit:</b> This field must be display hexadecimal. |
| <b>Issuer Application Data, Bytes 4–7</b><br>Positions: 79–86<br>Length: 8<br>Format: display hexadecimal     | <b>Description:</b> Contains one of the following depending on type of Chip card:<br>VIS & CCD = Card Verification Results<br>Generic EMV Transport = Undefined Data                                                                                                                                                                               |
| <b>Cryptogram Amount</b><br>Positions: 87–98<br>Length: 12<br>Format: unpacked numeric                        | <b>Description:</b> The transaction amount used by the chip when calculating the cryptogram. It must contain right-justified numeric data with leading zeros.                                                                                                                                                                                      |
| <b>Issuer Application Data, Byte 8</b><br>Positions: 99–100<br>Length: 2<br>Format: display hexadecimal       | <b>Description:</b> Contains one of the following depending on type of Chip card:<br>VIS = Data could be present<br>CCD = CVR Extension<br>Generic EMV Transport = Undefined Data                                                                                                                                                                  |
| <b>Issuer Application Data, Bytes 9–16</b><br>Positions: 101–116<br>Length: 16<br>Format: display hexadecimal | <b>Description:</b> Contains one of the following depending on type of Chip card:<br>VIS = Data could be present<br>CCD = Counters<br>Generic EMV Transport = Undefined Data                                                                                                                                                                       |
| <b>Issuer Application Data, Byte 1</b><br>Positions: 117–118<br>Length: 2<br>Format: display hexadecimal      | <b>Description:</b> Contains one of the following depending on type of Chip card:<br>VIS = Data could be present<br>CCD = Length Indicator<br>Generic EMV Transport = Undefined Data                                                                                                                                                               |
| <b>Issuer Application Data, Byte 17</b><br>Positions: 119–120<br>Length: 2<br>Format: display hexadecimal     | <b>Description:</b> This field will contain one of the following depending on type of Chip card:<br>VIS = Data could be present<br>CCD = Length Indicator<br>Generic EMV Transport = Undefined Data                                                                                                                                                |

### Draft Data Edit Criteria

|                                                                                                                |                                                                                                                                                                                                                                                                                                                                                              |
|----------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Issuer Application Data, Bytes 18–32</b><br>Positions: 121–150<br>Length: 30<br>Format: display hexadecimal | <b>Description:</b> This field will contain one of the following depending on type of Chip card:<br>VIS = Data could be present<br>CCD = Issuer Discretionary Data<br>Generic EMV Transport = Undefined Data                                                                                                                                                 |
| <b>Form Factor Indicator</b><br>Positions: 151–158<br>Length: 8<br>Format: display hexadecimal                 | <b>Description:</b> This field contains indicators related to the attributes of the cardholder's device and the technology used for the communication between the cardholder's device and the acquiring device. This field must be display hexadecimal.                                                                                                      |
| <b>Issuer Script 1 Results</b><br>Positions: 159–168<br>Length: 10<br>Format: display hexadecimal              | <b>Description:</b> Identifies the update command that the issuer sends in the authorization response to the card during online processing. With the command, the card updates the card parameters and records the success or failure of the updates in the Issuer Script 1 Results field.<br>The entry must be in the format shown in the sub-fields below. |
| <b>Script 1 Results</b><br>Positions: 1<br>Length: 2<br>Format: display hexadecimal                            | <b>Description:</b><br><b>VIC Edit:</b> This field must be display hexadecimal.                                                                                                                                                                                                                                                                              |
| <b>Script 1 Identifier</b><br>Positions: 1<br>Length: 8<br>Format: display hexadecimal                         | <b>Description:</b><br><b>VIC Edit:</b> This field must be display hexadecimal.                                                                                                                                                                                                                                                                              |

## TC 05 - TCR D Recurring Payment

These tables contain the Draft Data (TC 05, 06, 25, 26) record layout and edit criteria for TCR D - RECURRING PAYMENT.

### CTF - Outgoing and Incoming Interchange

#### Draft Data Record Layout

| Position | Field Length | Format | Contents                              |
|----------|--------------|--------|---------------------------------------|
| 1–2      | 2            | UN     | Transaction Code                      |
| 3        | 1            | UN     | Transaction Code Qualifier            |
| 4        | 1            | AN     | Transaction Component Sequence Number |

### Draft Data Record Layout

| Position | Field Length | Format | Contents                                 |
|----------|--------------|--------|------------------------------------------|
| 5-6      | 2            | AN     | Business Format Code (RP)                |
| 7        | 1            | UN     | Recurring Payment Type                   |
| 8        | 1            | UN     | Payment Amount Indicator Per Transaction |
| 9-10     | 2            | UN     | Number of Recurring Payment              |
| 11-12    | 2            | UN     | Frequency of Recurring Payment           |
| 13-47    | 35           | AN     | Registration Reference Number            |
| 48-59    | 12           | UN     | Maximum Recurring Payment Amount         |
| 60       | 1            | UN     | Validation Indicator                     |
| 61-168   | 108          | AN     | Reserved                                 |

Format: AN = Alphanumeric, ANS = Alphanumeric Special, DX = Display Hexadecimal, N = Numeric, UN = Unpacked Numeric

### Draft Data Edit Criteria

|                                                                                                   |                                                                                             |
|---------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------|
| <b>Transaction Code</b><br>Positions: 1-2<br>Length: 2<br>Format: unpacked numeric                | <b>Description:</b> This field must contain the same transaction code as the TCR 0.         |
| <b>Transaction Code Qualifier</b><br>Positions: 3<br>Length: 1<br>Format: unpacked numeric        | <b>Description:</b> This field must contain the value of <b>0</b> .<br><b>0</b> = Default   |
| <b>Transaction Component Sequence Number</b><br>Positions: 4<br>Length: 1<br>Format: alphanumeric | <b>Description:</b> This field must contain a <b>D</b> .                                    |
| <b>Business Format Code (RP)</b><br>Positions: 5-6<br>Length: 2<br>Format: alphanumeric           | <b>Description:</b> This field must contain the new value of <b>RP</b> (Recurring Payment). |

### Draft Data Edit Criteria

|                                                                                                          |                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
|----------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Recurring Payment Type</b><br>Positions: 7<br>Length: 1<br>Format: unpacked numeric                   | <b>Description:</b> This field will contain the type of recurring payment.<br>Valid values are:<br><b>1</b> (Registration/first transaction)<br><b>2</b> (Subsequent transaction)<br><b>3</b> (Modification)<br><b>4</b> (Cancellation)                                                                                                                                                                                                         |
| <b>Payment Amount Indicator Per Transaction</b><br>Positions: 8<br>Length: 1<br>Format: unpacked numeric | <b>Description:</b> This field will contain the payment amount per recurring payment transaction.<br>Valid values are:<br><b>1</b> (Fixed amount recurring payment)<br><b>2</b> (Recurring payment with maximum amount)                                                                                                                                                                                                                         |
| <b>Number of Recurring Payment</b><br>Positions: 9–10<br>Length: 2<br>Format: unpacked numeric           | <b>Description:</b> This field will contain a value ranging from <b>01-99</b> that helps the issuer to identify total number of recurring debits for that cardholder as agreed with merchant.<br>Value of <b>99</b> means that recurring payments are authorized until cancelled or that the Number of Recurring Payments is not defined.                                                                                                       |
| <b>Frequency of Recurring Payment</b><br>Positions: 11–12<br>Length: 2<br>Format: unpacked numeric       | <b>Description:</b> This field will contain a value that indicates how often a recurring payment occurs.<br>Valid values are:<br><b>01</b> (Daily)<br><b>02</b> (Twice weekly)<br><b>03</b> (Weekly)<br><b>04</b> (Ten days)<br><b>05</b> (Fortnightly)<br><b>06</b> (Monthly)<br><b>07</b> (Every two months)<br><b>08</b> (Trimester)<br><b>09</b> (Quarterly)<br><b>10</b> (Twice yearly)<br><b>11</b> (Annually)<br><b>12</b> (Unscheduled) |
| <b>Registration Reference Number</b><br>Positions: 13–47<br>Length: 35<br>Format: alphanumeric           | <b>Description:</b> This field will contain a unique reference number for the recurring payment transaction.                                                                                                                                                                                                                                                                                                                                    |

### Draft Data Edit Criteria

|                                                                                                       |                                                                                                                                                                                                                                      |
|-------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Maximum Recurring Payment Amount</b><br>Positions: 48–59<br>Length: 12<br>Format: unpacked numeric | <b>Description:</b> This field will contain the maximum amount agreed to by the cardholder. The currency of this amount will be specified in positions 89–91, Source Currency, of the TCR 0. Two decimals are implied.               |
| <b>Validation Indicator</b><br>Positions: 60<br>Length: 1<br>Format: unpacked numeric                 | <b>Description:</b> This field will contain a value that indicates whether or not the recurring payment transaction has been validated by the acquirer.<br><br>Valid values are:<br><b>0</b> (Not validated)<br><b>1</b> (Validated) |
| <b>Reserved</b><br>Positions: 61–168<br>Length: 108<br>Format: alphanumeric                           | <b>Description:</b> This field is reserved for future use.                                                                                                                                                                           |

## TC 05 - TCR D Installment Payment

These tables contain the Draft Data (TC 05, 06, 25, 26) record layout and edit criteria for TCR D - INSTALLMENT PAYMENT.

### CTF - Outgoing and Incoming Interchange

#### Draft Data Record Layout

| Position | Field Length | Format | Contents                              |
|----------|--------------|--------|---------------------------------------|
| 1–2      | 2            | UN     | Transaction Code                      |
| 3        | 1            | UN     | Transaction Code Qualifier            |
| 4        | 1            | AN     | Transaction Component Sequence Number |
| 5–6      | 2            | AN     | Business Format Code (IP)             |
| 7–18     | 12           | UN     | Installment Payment Total Amount      |
| 19–21    | 3            | AN     | Installment Payment Currency Code     |
| 22–24    | 3            | UN     | Number of Installments                |
| 25–36    | 12           | UN     | Amount of Each Installment            |
| 37–39    | 3            | UN     | Installment Payment Number            |
| 40       | 1            | AN     | Frequency of Installments             |



### Draft Data Record Layout

| Position | Field Length | Format | Contents                            |
|----------|--------------|--------|-------------------------------------|
| 41-42    | 2            | UN     | Plan Owner                          |
| 43-52    | 10           | AN     | Plan Registration System Identifier |
| 53-168   | 116          | AN     | Reserved                            |

Format: AN = Alphanumeric, ANS = Alphanumeric Special, DX = Display Hexadecimal, N = Numeric, UN = Unpacked Numeric

### Draft Data Edit Criteria

|                                                                                                      |                                                                                                     |
|------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------|
| <b>Transaction Code</b><br>Positions: 1-2<br>Length: 2<br>Format: unpacked numeric                   | <b>Description:</b> The field must contain the same transaction code as the TCR 0.                  |
| <b>Transaction Code Qualifier</b><br>Positions: 3<br>Length: 1<br>Format: unpacked numeric           | <b>Description:</b> This field must contain this value:<br><b>0</b> = Default                       |
| <b>Transaction Component Sequence Number</b><br>Positions: 4<br>Length: 1<br>Format: alphanumeric    | <b>Description:</b> This field must contain a <b>D</b> .                                            |
| <b>Business Format Code (IP)</b><br>Positions: 5-6<br>Length: 2<br>Format: alphanumeric              | <b>Description:</b> This field will contain <b>IP</b> for installment payment transactions.         |
| <b>Installment Payment Total Amount</b><br>Positions: 7-18<br>Length: 12<br>Format: unpacked numeric | <b>Description:</b> This field will contain the total amount of the installment payments.           |
| <b>Installment Payment Currency Code</b><br>Positions: 19-21<br>Length: 3<br>Format: alphanumeric    | <b>Description:</b> Valid currency code as listed in the <i>BASE II Clearing Data Codes</i> manual. |

### Draft Data Edit Criteria

|                                                                                                      |                                                                                                                                                                                                                                                                                                                                    |
|------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Number of Installments</b><br>Positions: 22–24<br>Length: 3<br>Format: unpacked numeric           | <b>Description:</b> This field will contain the number of installment payments.                                                                                                                                                                                                                                                    |
| <b>Amount of Each Installment</b><br>Positions: 25–36<br>Length: 12<br>Format: unpacked numeric      | <b>Description:</b> This field will contain the amount of each installment payment.                                                                                                                                                                                                                                                |
| <b>Installment Payment Number</b><br>Positions: 37–39<br>Length: 3<br>Format: unpacked numeric       | <b>Description:</b> This field will contain the Installment Payment Number.                                                                                                                                                                                                                                                        |
| <b>Frequency of Installments</b><br>Positions: 40<br>Length: 1<br>Format: alphanumeric               | <b>Description:</b> This field will contain the frequency of installment payments.                                                                                                                                                                                                                                                 |
| <b>Plan Owner</b><br>Positions: 41–42<br>Length: 2<br>Format: unpacked numeric                       | <b>Description:</b> This field must contain a numeric value from <b>00</b> through <b>03</b> . Default value is <b>00</b> .<br>Current list of value in this field:<br><b>00</b> = Not installment or not used<br><b>01</b> = Issuer Installments<br><b>02</b> = Deferred Issuer Installments<br><b>03</b> = Merchant Installments |
| <b>Plan Registration System Identifier</b><br>Positions: 43–52<br>Length: 10<br>Format: alphanumeric | <b>Description:</b> This field will contain a unique value to identify a Visa Installment Payment transaction so that you can tie the return with originals.<br>Default is spaces.                                                                                                                                                 |
| <b>Reserved</b><br>Positions: 53–168<br>Length: 116<br>Format: alphanumeric                          | <b>Description:</b> This field is reserved for future use.                                                                                                                                                                                                                                                                         |

# TC 05 - TCR D Original Credit Additional Data

These tables contain the Draft Data (TC 05, 06) record layout and edit criteria for TCR D - ORIGINAL CREDIT ADDITIONAL DATA.

## CTF - Outgoing and Incoming Interchange

### Draft Data Record Layout

| Position | Field Length | Format | Contents                              |
|----------|--------------|--------|---------------------------------------|
| 1-2      | 2            | UN     | Transaction Code                      |
| 3        | 1            | UN     | Transaction Code Qualifier            |
| 4        | 1            | AN     | Transaction Component Sequence Number |
| 5-6      | 2            | AN     | Business Format Code (OC)             |
| 7-36     | 30           | AN     | Recipient Name                        |
| 37-48    | 12           | AN     | Purpose of Payment                    |
| 49-60    | 12           | UN     | Pre-Currency Conversion Amount        |
| 61-63    | 3            | AN     | Pre-Currency Conversion Currency Code |
| 64-88    | 25           | AN     | Acceptor Legal Business Name          |
| 89-113   | 25           | AN     | Payment Facilitator Name              |
| 114-115  | 2            | N      | Customer Reference Code               |
| 116-119  | 4            | AN     | Identification Type Code              |
| 120-121  | 2            | AN     | Identification Subtype                |
| 122-156  | 35           | AN     | Identification Value                  |
| 157-159  | 3            | AN     | Identification Issuing Country Code   |
| 160-168  | 9            | AN     | Reserved                              |

Format: AN = Alphanumeric, ANS = Alphanumeric Special, DX = Display Hexadecimal, N = Numeric, UN = Unpacked Numeric

### Draft Data Edit Criteria

|                                                                                                       |                                                                                                                                                              |
|-------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Transaction Code</b><br>Positions: 1–2<br>Length: 2<br>Format: unpacked numeric                    | <b>Description:</b> The field must contain the same transaction code as the TCR 0.                                                                           |
| <b>Transaction Code Qualifier</b><br>Positions: 3<br>Length: 1<br>Format: unpacked numeric            | <b>Description:</b> This field must contain one of these values:<br><b>0</b> = Default<br><b>1</b> = Account Funding<br><b>2</b> = Original Credit           |
| <b>Transaction Component Sequence Number</b><br>Positions: 4<br>Length: 1<br>Format: alphanumeric     | <b>Description:</b> This field must contain the value of <b>D</b> .                                                                                          |
| <b>Business Format Code (OC)</b><br>Positions: 5–6<br>Length: 2<br>Format: alphanumeric               | <b>Description:</b> This field will contain the value of <b>OC</b> (Original Credit).                                                                        |
| <b>Recipient Name</b><br>Positions: 7–36<br>Length: 30<br>Format: alphanumeric                        | <b>Description:</b> This field will contain the name of the entity receiving the funds.                                                                      |
| <b>Purpose of Payment</b><br>Positions: 37–48<br>Length: 12<br>Format: alphanumeric                   | <b>Description:</b> This field will contain the purpose of payment code from the originating acquirer and must be left-justified and space-filled.           |
| <b>Pre-Currency Conversion Amount</b><br>Positions: 49–60<br>Length: 12<br>Format: unpacked numeric   | <b>Description:</b> This field will contain the original amount sent by the sender prior to currency conversion and must be left-justified and space-filled. |
| <b>Pre-Currency Conversion Currency Code</b><br>Positions: 61–63<br>Length: 3<br>Format: alphanumeric | <b>Description:</b> This field will contain the currency code of the original amount sent by the sender prior to currency conversion.                        |

### Draft Data Edit Criteria

|                                                                                               |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
|-----------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Acceptor Legal Business Name</b><br>Positions: 64–88<br>Length: 25<br>Format: alphanumeric | <b>Description:</b> This field will contain the transfer service provider name and must be left-justified and space-filled.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
| <b>Payment Facilitator Name</b><br>Positions: 89–113<br>Length: 25<br>Format: alphanumeric    | <b>Description:</b> This field will contain the payment facilitator name or ramp ID and must be left-justified and space-filled.<br><br>This field is a conditional field for Original Credit transactions. It is required when there is a payment facilitator in the payment chain who is touching the funds. This will be present only if Sender also sends the Payment Facilitator ID or Ramp ID in the request.                                                                                                                                                                                                                                                                                                                                                                                                                 |
| <b>Customer Reference Code</b><br>Positions: 114–115<br>Length: 2<br>Format: numeric          | <b>Description:</b> This field will contain a code that denotes whether the customer identification data belongs to the sender or the recipient. The values are:<br><br><b>05 (Payer (sender))</b><br><b>06 (Payee (recipient))</b>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
| <b>Identification Type Code</b><br>Positions: 116–119<br>Length: 4<br>Format: alphanumeric    | <b>Description:</b> This field is a conditional field. This is present only when Customer Reference Code is 05, 06. This field will contain the type of sender identification. The valid values are:<br><br><b>BTHD (Date of birth) <sup>1</sup></b><br><b>CUID (Customer identification (unspecified))</b><br><b>NTID (National identification)</b><br><b>PASN (Passport number)</b><br><b>DRLN (Driver license)</b><br><b>TXIN (Tax identification)</b><br><b>CPNY (Company registration number)</b><br><b>PRXY (Proxy identification)</b><br><b>SSNB (Social security number)</b><br><b>ARNB (Alien registration number)</b><br><b>LAWL (Law enforcement identification)</b><br><b>MILI (Military identification)</b><br><b>TRVL (Travel identification (non-passport))</b><br><b>EMAL (Email)</b><br><b>PHON (Phone number)</b> |

<sup>1</sup> The value of BTHD does not apply to OCTs.

### Draft Data Edit Criteria

|                                                                                                       |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
|-------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Identification Subtype</b><br>Positions: 120–121<br>Length: 2<br>Format: alphanumeric              | <b>Description:</b> This field is a conditional field. This is present only when Customer Reference Code is 05, 06.<br><br>This field will denote whether the tax ID is a business or individual tax ID when positions 116-119 contain the value of TXIN (Tax identification). The valid values are:<br><br><b>0B (Business)</b><br><b>0I (Individual)</b>                                                                                                                                                       |
| <b>Identification Value</b><br>Positions: 122–156<br>Length: 35<br>Format: alphanumeric               | <b>Description:</b> This field is a conditional field. This is present only when Customer Reference Code is 05, 06.<br><br>This field will contain a value populated by the originating acquirer to identify the sender. It must be left-justified and space-filled.<br><br>When positions 116-119 contain the value of BTHD (Date of birth), 1 this field will contain a date of birth in <b>ccyyymmdd</b> format where:<br><br><b>cc = century</b><br><b>yy = year</b><br><b>mm = month</b><br><b>dd = day</b> |
| <b>Identification Issuing Country Code</b><br>Positions: 157–159<br>Length: 3<br>Format: alphanumeric | <b>Description:</b> This field is a conditional field. This is present only when Customer Reference Code is 05, 06.<br><br>This field will contain the 3-digit ISO country code of the sender when positions 116-119 contains an applicable value.                                                                                                                                                                                                                                                               |
| <b>Reserved</b><br>Positions: 160–168<br>Length: 9<br>Format: alphanumeric                            | <b>Description:</b> This field will be space-filled.                                                                                                                                                                                                                                                                                                                                                                                                                                                             |

## TC 05 - TCR D Fleet Supplementary Data

These tables contain the Draft Data (TC 05, 06, 15, 16, 25, 26, 35, 36) record layout and edit criteria for TCR D - (FS) FLEET SUPPLEMENTARY DATA.

### CTF - Outgoing and Incoming Interchange

### Draft Data Record Layout

| Position | Field Length | Format | Contents                              |
|----------|--------------|--------|---------------------------------------|
| 1-2      | 2            | UN     | Transaction Code                      |
| 3        | 1            | UN     | Transaction Code Qualifier            |
| 4        | 1            | UN     | Transaction Component Sequence Number |
| 5-6      | 2            | AN     | Business Format Code (FS)             |
| 7-12     | 6            | UN     | Charging Power Output Capacity        |
| 13-15    | 3            | UN     | Charging Reason Code                  |
| 16-21    | 6            | UN     | Total Time Plugged In                 |
| 22-27    | 6            | UN     | Total Charging Time                   |
| 28-33    | 6            | UN     | Start Time of Charge                  |
| 34-39    | 6            | UN     | Finish Time of Charge                 |
| 40-45    | 6            | UN     | Estimated km/miles added              |
| 46-57    | 12           | UN     | Carbon Footprint                      |
| 58-63    | 6            | UN     | Estimated vehicle km/miles available  |
| 64-69    | 6            | UN     | Maximum Power Dispensed               |
| 70-72    | 3            | AN     | Connector Type                        |
| 73       | 1            | AN     | Discount Method                       |
| 74       | 1            | AN     | Discount Agent                        |
| 75-78    | 4            | AN     | Discount Plan ID                      |
| 79-93    | 15           | AN     | Client ID                             |
| 94-168   | 75           | AN     | Reserved                              |

Format: AN = Alphanumeric, ANS = Alphanumeric Special, DX = Display Hexadecimal, N = Numeric, UN = Unpacked Numeric

### Draft Data Edit Criteria

|                                                                                                       |                                                                                                                                                                                                                                                            |
|-------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Transaction Code</b><br>Positions: 1–2<br>Length: 2<br>Format: unpacked numeric                    | <b>Description:</b> The field must contain the same transaction code as the TCR 0.                                                                                                                                                                         |
| <b>Transaction Code Qualifier</b><br>Positions: 3<br>Length: 1<br>Format: unpacked numeric            | <b>Description:</b> This field must contain <b>0</b> (default).                                                                                                                                                                                            |
| <b>Transaction Component Sequence Number</b><br>Positions: 4<br>Length: 1<br>Format: unpacked numeric | <b>Description:</b> This field must contain the value of <b>D</b> .                                                                                                                                                                                        |
| <b>Business Format Code (FS)</b><br>Positions: 5–6<br>Length: 2<br>Format: alphanumeric               | <b>Description:</b> This field will contain the value of <b>FS</b> (Fleet Supplementary Data).                                                                                                                                                             |
| <b>Charging Power Output Capacity</b><br>Positions: 7–12<br>Length: 6<br>Format: unpacked numeric     | <b>Description:</b> This field contains the charging station power output capacity and represent in kW.                                                                                                                                                    |
| <b>Charging Reason Code</b><br>Positions: 13–15<br>Length: 3<br>Format: unpacked numeric              | <b>Description:</b> This field provides specific charging reason code that occurred with transaction.<br><br>Refer to the <i>Visa Fleet Card 2.0 Implementation Guide</i> for the list of valid charging reason codes that occurred with this transaction. |
| <b>Total Time Plugged In</b><br>Positions: 16–21<br>Length: 6<br>Format: unpacked numeric             | <b>Description:</b> This field contains the total time plugged in.                                                                                                                                                                                         |
| <b>Total Charging Time</b><br>Positions: 22–27<br>Length: 6<br>Format: unpacked numeric               | <b>Description:</b> This field contains the actual time taken for EV charge.                                                                                                                                                                               |



## Draft Data Edit Criteria

|                                                                                                          |                                                                                                                                                                                                                                                                                                                                                                 |
|----------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Start Time of Charge</b><br>Positions: 28–33<br>Length: 6<br>Format: unpacked numeric                 | <b>Description:</b> This field contains start time of charge, expressed in the local of the card acceptor location.<br><br><b>HH:</b> 00-23<br><b>MM:</b> 00-59<br><b>SS:</b> 00-59                                                                                                                                                                             |
| <b>Finish Time of Charge</b><br>Positions: 34–39<br>Length: 6<br>Format: unpacked numeric                | <b>Description:</b> This field contains finish time of charge, expressed in the local of the card acceptor location.<br><br><b>HH:</b> 00-23<br><b>MM:</b> 00-59<br><b>SS:</b> 00-59                                                                                                                                                                            |
| <b>Estimated km/miles added</b><br>Positions: 40–45<br>Length: 6<br>Format: unpacked numeric             | <b>Description:</b> This field contains an estimate of the total km/miles added based on the kWh added and the type of vehicle engine charged.                                                                                                                                                                                                                  |
| <b>Carbon Footprint</b><br>Positions: 46–57<br>Length: 12<br>Format: unpacked numeric                    | <b>Description:</b> This field contains the carbon footprint avoidance (how much you saved from this charge) measurement for the purchase on the transaction - measured in grams of carbon dioxide equivalent (CO2e).                                                                                                                                           |
| <b>Estimated vehicle km/miles available</b><br>Positions: 58–63<br>Length: 6<br>Format: unpacked numeric | <b>Description:</b> After the charge completion, it provides the estimated mileage the car will have once it leaves the EV charging station.                                                                                                                                                                                                                    |
| <b>Maximum Power Dispensed</b><br>Positions: 64–69<br>Length: 6<br>Format: unpacked numeric              | <b>Description:</b> This field contains the maximum power dispensed during that specific charge session from that charging station. This could be different than the power output capacity of the station based on power management by the Site Operator.                                                                                                       |
| <b>Connector Type</b><br>Positions: 70–72<br>Length: 3<br>Format: alphanumeric                           | <b>Description:</b> This field contains a Visa Defined code for a specific connector type to identify the connection/EV for the charge session.<br><br>Refer to the <i>Visa Fleet Card 2.0 Implementation Guide</i> for the list of valid connector types to identify the connection/EV for the charge session: Used in Fleet Data Reporting by Fleet Managers. |

### Draft Data Edit Criteria

|                                                                                  |                                                                                                                                                                                                                                                     |
|----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Discount Method</b><br>Positions: 73<br>Length: 1<br>Format: alphanumeric     | <b>Description:</b> This field contains the discount method applied to the transaction.<br><br>Valid values are:<br><b>1</b> = Retail Minus Discount Method<br><b>2</b> = Cost Plus Discount Method<br><b>3</b> = Best of Retail Minus or Cost Plus |
| <b>Discount Agent</b><br>Positions: 74<br>Length: 1<br>Format: alphanumeric      | <b>Description:</b> This field contains the code of party type who calculate the discount.<br><br><b>M</b> = Merchant<br><b>V</b> = Visa                                                                                                            |
| <b>Discount Plan ID</b><br>Positions: 75–78<br>Length: 4<br>Format: alphanumeric | <b>Description:</b> This field contains a value that identifies the discount plan applied to the transaction.<br><br><b>M</b> = Merchant<br><b>V</b> = Visa                                                                                         |
| <b>Client ID</b><br>Positions: 79–93<br>Length: 15<br>Format: alphanumeric       | <b>Description:</b> This field contains an identifier of the client who gets a discount.                                                                                                                                                            |
| <b>Reserved</b><br>Positions: 94–168<br>Length: 75<br>Format: alphanumeric       | <b>Description:</b> This field will be space-filled.                                                                                                                                                                                                |

## TC 05 - TCR E Supplemental Payment Data

These tables contain the Draft Data (TC 05, 06, 15, 16, 25, 26, 35, 36) record layout and edit criteria for TCR E - SUPPLEMENTAL PAYMENT DATA.

### CTF - Outgoing and Incoming Interchange

## Supplemental Payment Draft Data Record Layout

| Position | Field Length | Format | Contents                              |
|----------|--------------|--------|---------------------------------------|
| 1-2      | 2            | UN     | Transaction Code                      |
| 3        | 1            | UN     | Transaction Code Qualifier            |
| 4        | 1            | UN     | Transaction Component Sequence Number |
| 5-6      | 2            | AN     | Reserved                              |
| 7-25     | 19           | N      | VFC Payment Credential                |
| 26-70    | 45           | ANS    | Account Rule Identifier               |
| 71-78    | 8            | UN     | Payment Facilitator ID                |
| 79-86    | 8            | UN     | Marketplace ID                        |
| 87-94    | 8            | UN     | Staged Digital Wallet ID              |
| 95-102   | 8            | UN     | Ramp Provider ID                      |
| 103      | 1            | AN     | Foreign Retailer Indicator            |
| 104-115  | 12           | UN     | Foreign Retailer Transaction Amount   |
| 116-118  | 3            | AN     | Submitted Merchant Country Code       |
| 119      | 1            | AN     | IMP Qualified                         |
| 120-168  | 49           | AN     | Reserved                              |

Format: AN = Alphanumeric, ANS = Alphanumeric Special, DX = Display Hexadecimal, N = Numeric, UN = Unpacked Numeric

## Supplemental Payment Draft Data Edit Criteria

|                                                                                            |                                                                                                                                           |
|--------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Transaction Code</b><br>Positions: 1-2<br>Length: 2<br>Format: unpacked numeric         | <b>Description:</b> The field must contain the same transaction code as the TCR 0.                                                        |
| <b>Transaction Code Qualifier</b><br>Positions: 3<br>Length: 1<br>Format: unpacked numeric | <b>Description:</b> This field must contain this value:<br><b>0</b> = Default<br><b>1</b> = Account Funding<br><b>2</b> = Original Credit |

## Supplemental Payment Draft Data Edit Criteria

|                                                                                                       |                                                                                                                               |
|-------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------|
| <b>Transaction Component Sequence Number</b><br>Positions: 4<br>Length: 1<br>Format: unpacked numeric | <b>Description:</b> The field must contain an <b>E</b> = TCRE.                                                                |
| <b>Reserved</b><br>Positions: 5–6<br>Length: 2<br>Format: alphanumeric                                | <b>Description:</b> This field is reserved for future use.                                                                    |
| <b>VFC Payment Credential</b><br>Positions: 7–25<br>Length: 19<br>Format: numeric                     | <b>Description:</b> Payment Credential presented by the acquirer for Visa Flexible Credential Managed transaction processing. |
| <b>Account Rule Identifier</b><br>Positions: 26–70<br>Length: 45<br>Format: alphanumeric special      | <b>Description:</b> Identifier assigned by Visa Transaction Controls (VTC) to manage Visa Flexible Credential Managed rules.  |
| <b>Payment Facilitator ID</b><br>Positions: 71–78<br>Length: 8<br>Format: unpacked numeric            | <b>Description:</b> This field contains the Payment Facilitator ID.                                                           |
| <b>Marketplace ID</b><br>Positions: 79–86<br>Length: 8<br>Format: unpacked numeric                    | <b>Description:</b> This field contains the Marketplace ID.                                                                   |
| <b>Staged Digital Wallet ID</b><br>Positions: 87–94<br>Length: 8<br>Format: unpacked numeric          | <b>Description:</b> This field contains the Staged Digital Wallet ID.                                                         |
| <b>Ramp Provider ID</b><br>Positions: 95–102<br>Length: 8<br>Format: unpacked numeric                 | <b>Description:</b> This field contains the Ramp Provider ID.                                                                 |

## Supplemental Payment Draft Data Edit Criteria

|                                                                                                            |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
|------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Foreign Retailer Indicator</b><br>Positions: 103<br>Length: 1<br>Format: alphanumeric                   | <b>Description:</b> This field contains the Foreign Retailer Indicator.<br><br>This field indicates if the marketplace and its retailers are located in the same or different countries or if the ramp provider and its conversion affiliate are located in the same or different countries. For all other transactions, this field should be defaulted as a space.<br><br>Values:<br><br>For transactions that involve a marketplace's retailers:<br><br><b>F</b> = (One or more retailers are located in a different country from the marketplace).<br><br><b>Space</b> = (All retailers are located in the same country as the marketplace).<br><br>For transactions that involve a ramp provider's conversion affiliate:<br><br><b>A</b> = (Conversion affiliate is located in the same country as the ramp provider).<br><br><b>B</b> = (Conversion affiliate is located in a different country from the ramp provider). |
| <b>Foreign Retailer Transaction Amount</b><br>Positions: 104–115<br>Length: 12<br>Format: unpacked numeric | <b>Description:</b> This field contains the Foreign Retailer Transaction Amount.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| <b>Submitted Merchant Country Code</b><br>Positions: 116–118<br>Length: 3<br>Format: alphanumeric          | <b>Description:</b> Reserved for future Enhancement.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
| <b>IMP Qualified</b><br>Positions: 119<br>Length: 1<br>Format: alphanumeric                                | <b>Description:</b> Reserved for future Enhancement.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
| <b>Reserved</b><br>Positions: 120–168<br>Length: 49<br>Format: alphanumeric                                | <b>Description:</b> This field is reserved for future use.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |

# Chapter 5

## TC 10 BASE II Clearing Fee Collection Transactions

---

### TC 10 - BASE II Clearing Fee Collection Transactions

The Fee Collection transaction (TC 10) allows charges to be routed between Visa clients, to settle fees and distribute rewards for card recovery. This transaction can be used to reverse a Funds Disbursement transaction (TC 20).

TCR 0, 2

CTF - Outgoing and Incoming Interchange

Fee Collection transactions consist of a TCR 0. For some National Settlement transactions such as Brazil National Settlement, a TCR 2 is required.

# TC 10 - TCR 0

These tables contain the Fee Collection (TC 10) record layout and edit criteria for TCR 0.

## CTF - Outgoing and Incoming Interchange

### Fee Collection Record Layout

| Position | Field Length | Format | Contents                              |
|----------|--------------|--------|---------------------------------------|
| 1-2      | 2            | UN     | Transaction Code                      |
| 3        | 1            | UN     | Transaction Code Qualifier            |
| 4        | 1            | UN     | Transaction Component Sequence Number |
| 5-10     | 6            | UN     | Destination Identifier                |
| 11-16    | 6            | UN     | Source Identifier                     |
| 17-20    | 4            | UN     | Reason Code                           |
| 21-23    | 3            | AN     | Country Code                          |
| 24-27    | 4            | UN     | Event Date (MMDD)                     |
| 28-43    | 16           | UN     | Account Number                        |
| 44-46    | 3            | AN     | Account Number Extension              |
| 47-58    | 12           | UN     | Destination Amount                    |
| 59-61    | 3            | AN     | Destination Currency Code             |
| 62-73    | 12           | UN     | Source Amount                         |
| 74-76    | 3            | AN     | Source Currency Code                  |
| 77-146   | 70           | AN     | Message Text                          |
| 147      | 1            | UN     | Settlement Flag                       |
| 148-162  | 15           | UN     | Transaction Identifier                |
| 163      | 1            | AN     | Reserved                              |
| 164-167  | 4            | UN     | Central Processing Date (YDDD)        |
| 168      | 1            | AN     | Reimbursement Attribute               |

Format: AN = Alphanumeric, ANS = Alphanumeric Special, DX = Display Hexadecimal, N = Numeric, UN = Unpacked Numeric

### Fee Collection Edit Criteria

|                                                                                                       |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
|-------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Transaction Code</b><br>Positions: 1-2<br>Length: 2<br>Format: unpacked numeric                    | <b>Description:</b> The field must contain a <b>10</b> .                                                                                                                                                                                                                                                                                                                                                                                                                              |
| <b>Transaction Code Qualifier</b><br>Positions: 3<br>Length: 1<br>Format: unpacked numeric            | <b>Description:</b> The field must contain a <b>0</b> (zero).<br>This edit will continue to be performed by the Edit Package when the Bypass Business Edits option is used during an outgoing edit run.                                                                                                                                                                                                                                                                               |
| <b>Transaction Component Sequence Number</b><br>Positions: 4<br>Length: 1<br>Format: unpacked numeric | <b>Description:</b> The field must contain a <b>0</b> (zero).                                                                                                                                                                                                                                                                                                                                                                                                                         |
| <b>Destination Identifier</b><br>Positions: 5-10<br>Length: 6<br>Format: unpacked numeric             | <b>Description:</b> The entity to which this BASE II transaction message is sent.<br>This field must contain spaces or a valid identifier to receive monetary items.<br>If spaces are entered, the VIC inserts the destination identifier based on the account number (if the account number is a numeric other than all zeros).                                                                                                                                                      |
| <b>Source Identifier</b><br>Positions: 11-16<br>Length: 6<br>Format: unpacked numeric                 | <b>Description:</b> The entity from which this BASE II transaction message was sent.<br>This field must contain a valid identifier to send monetary items.                                                                                                                                                                                                                                                                                                                            |
| <b>Reason Code</b><br>Positions: 17-20<br>Length: 4<br>Format: unpacked numeric                       | <b>Description:</b> A VisaNet code that tells the receiving client the reason for the Fee Collection.<br>This field must contain a valid four-digit Funds Disbursement Reason Code (for example, <b>5310</b> - ATM Cash Disbursement Issuer Credit).<br>See <i>BASE II Clearing Data Codes</i> for Fee Collection/Funds Disbursement Reason Codes.                                                                                                                                    |
| <b>Country Code</b><br>Positions: 21-23<br>Length: 3<br>Format: alphanumeric                          | <b>Description:</b> A three-digit code that represents the country involved.<br>If the Funds Disbursement Reason Code equals <b>0100</b> or <b>0190</b> , the field must contain a valid country code followed by a space. If the Funds Disbursement Reason Code is <b>0300</b> the country code must be <b>CA</b> or <b>BR</b> . The field must contain spaces for all other Funds Disbursement Reason Codes.<br>See <i>BASE II Clearing Data Codes</i> for a list of country codes. |



### Fee Collection Edit Criteria

|                                                                                          |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
|------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Event Date</b><br>Positions: 24-27<br>Length: 4<br>Format: unpacked numeric           | <b>Description:</b> The date of the event for which the funds disbursement is being initiated.<br><br>The field must contain a valid four-digit date in the format <b>MMDD</b> .                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
| <b>Account Number</b><br>Positions: 28-43<br>Length: 16<br>Format: unpacked numeric      | <b>Description:</b> An issuer-assigned number that identifies a cardholder's account.<br><br><b>Outgoing:</b> The entry must be a 16-digit numeric. The first nine characters must be valid per the current ARDEF Table. For account numbers less than 16 digits, zero-fill to the right. The entry must be the correct length, must check digit.<br><br><b>VIC Edit:</b> The entry must represent either the Destination Identifier or Source Identifier according to the ARDEF Table.<br><br>Account numbers are required on some transactions depending on the specified Funds Disbursement Reason Code. See the Funds Disbursement Reason Code table in <i>BASE II Clearing Data Codes</i> to determine which reason code requires an account number.<br><br><b>Incoming:</b> The edit criteria is the same as for outgoing except that the field must be filled with zeros for those Funds Disbursement Reason Codes so specified in the Fee Collection/Funds Disbursement Reason Codes table located in <i>BASE II Clearing Data Codes</i> . |
| <b>Account Number Extension</b><br>Positions: 44-46<br>Length: 3<br>Format: alphanumeric | <b>Description:</b> A three-digit extension of the account number that allows account numbers up to 19 digits.<br><br>If used, the field must be left-justified and zero-filled to the right.<br><br>The field is used for account numbers greater than 16 digits. The Outgoing Edit Package inserts zeros if there are spaces or if the account number is all zeros.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| <b>Destination Amount</b><br>Positions: 47-58<br>Length: 12<br>Format: unpacked numeric  | <b>Description:</b> Identifies the submitted transaction amount in the currency that is appropriate to the destination endpoint.<br><br><b>Outgoing:</b> The field must contain zeros.<br><br><b>Incoming:</b> The field must contain a number greater than zero and it must be the same as the Outgoing Source Amount.<br><br>The VIC converts the Source Amount to the Destination Amount. For National Net and Bilateral transactions, the VIC moves the Source Amount to the Destination Amount field.<br><br><b>Note:</b> Two decimals are implied.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |

### Fee Collection Edit Criteria

|                                                                                                           |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
|-----------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Destination Currency Code</b><br>Positions: 59-61<br>Length: 3<br>Format: alphanumeric                 | <p><b>Description:</b> The currency type presented to the client on incoming transactions. For most transactions (that is, drafts), it is the billing currency. For other transactions (for example, fee collection, dispute financial), it is the settlement currency of the destination.</p> <p><b>Outgoing:</b> The field must contain spaces.</p> <p><b>Incoming:</b> The field must contain a valid ISO numeric code.</p> <p>The VIC inserts the settlement currency of the receiving processing center. For National Net and Bilateral transactions, the Destination Currency Code will be the same as the Source Currency Code.</p>                                                                                                                                                                                                                                 |
| <b>Source Amount</b><br>Positions: 62-73<br>Length: 12<br>Format: unpacked numeric                        | <p><b>Description:</b> Identifies the submitted transaction amount in the currency that is appropriate to the source endpoint.</p> <p><b>Outgoing:</b> The field must be numeric and be greater than zero. The Source Amount cannot exceed the maximum amount allowed by the Reason Code.</p> <p>Two decimals are implied. To perform the edit check, the VIC converts the amount to U.S. Dollars if it is not already so, and returns the transaction if the converted amount exceeds the maximum allowed for the Funds Disbursement Reason Code (see <i>BASE II Clearing Data Codes</i> for Funds Disbursement Reason Codes).</p> <p><b>Incoming:</b> The field must be numeric and be greater than zero.</p> <p><b>Note:</b> This edit will continue to be performed by the Edit Package when the Bypass Business Edits option is used during an outgoing edit run.</p> |
| <b>Source Currency Code</b><br>Positions: 74-76<br>Length: 3<br>Format: alphanumeric                      | <p><b>Description:</b> The currency type associated with the amount of a transaction entered into interchange.</p> <p>This field must contain a valid ISO numeric code.</p> <p><b>Note:</b> This edit will continue to be performed by the Edit Package when the Bypass Business Edits option is used during an outgoing edit run.</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
| <b>Message Text</b><br>Positions: 77-146<br>Length: 70<br>Format: alphanumeric                            | <p><b>Description:</b> This field can be used for a freeform text message or a Funds Disbursement Reason Code 0300 transaction (Bill Payment Service; Brazil and Canada only).</p> <p>The field must not contain all spaces.</p> <p>Funds Disbursement Reason Code <b>0300</b> edit criteria are shown as follows.</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
| <b>Message Text Field for Reason Code 0300</b><br>Positions: 77-146<br>Length: 70<br>Format: alphanumeric | <p><b>Description:</b> This field can be used for a freeform text message for transactions with a Reason Code of <b>0300</b>.</p> <p>This field is used only in Brazil and Canada Bill Payment Service.</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |

## Fee Collection Edit Criteria

|                                                                                                |                                                                                                                                                                                                                                                                                                                                                                                                                                 |
|------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Acquirer Reference Number</b><br>Positions: 77-99<br>Length: 23<br>Format: unpacked numeric | <b>Description:</b> A 23-digit identification number assigned by the acquirer and associated with every draft/voucher. It consists of a format code, acquiring identifier, capture date, file locator, and check digit.                                                                                                                                                                                                         |
| <b>Format Code</b><br>Positions: 77<br>Length: 1<br>Format: unpacked numeric                   | <b>Description:</b> Used to ensure a valid Visa reference number.<br><br>The entry must be a <b>7</b> .                                                                                                                                                                                                                                                                                                                         |
| <b>Acquiring Identifier</b><br>Positions: 78-83<br>Length: 6<br>Format: unpacked numeric       | <b>Description:</b> A numeric used to identify an acquiring financial institution. An acquiring identifier may also be assigned to client or non-client processing for identification purposes.<br><br>The entry must represent either the destination identifier or the source identifier.                                                                                                                                     |
| <b>Date</b><br>Positions: 84-87<br>Length: 4<br>Format: unpacked numeric                       | <b>Description:</b> The entry must contain a four-digit numeric in the format <b>YDDD</b> (year and Julian day).                                                                                                                                                                                                                                                                                                                |
| <b>Film Locator</b><br>Positions: 88-98<br>Length: 11<br>Format: unpacked numeric              | <b>Description:</b> A number used to identify film records of the transaction.<br><br>This field must contain an 11-digit numeric. The entry may be zeroes if the center has other provisions for quick retrieval of originals/ photocopies.                                                                                                                                                                                    |
| <b>Check Digit</b><br>Positions: 99<br>Length: 1<br>Format: unpacked numeric                   | <b>Description:</b> A digit added to the end of an account number of Acquirer Reference Number that is derived from a computation using a predetermined formula and the preceding digits of the account number. It is used during editing processes to validate account numbers and acquirer Reference Numbers.<br><br>This entry must be a valid standard modulus-10 check digit of the preceding 22 digits (positions 77-98). |
| <b>Bank Name</b><br>Positions: 100-124<br>Length: 25<br>Format: alphanumeric                   | <b>Description:</b> The name of the bank.<br><br>An entry is required and must be space-filled to the right.                                                                                                                                                                                                                                                                                                                    |
| <b>Bank City</b><br>Positions: 125-137<br>Length: 13<br>Format: alphanumeric                   | <b>Description:</b> The city where the bank is located.<br><br>An entry is required and must be space-filled to the right.                                                                                                                                                                                                                                                                                                      |

### Fee Collection Edit Criteria

|                                                                                               |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
|-----------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Merchant Category Code</b><br>Positions: 138-141<br>Length: 4<br>Format: unpacked numeric  | <b>Description:</b> A code designating the principal trade, profession, or line of business in which a merchant is engaged.<br><br>The entry must be <b>6010</b> .                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
| <b>Transfer Type</b><br>Positions: 142-143<br>Length: 2<br>Format: unpacked numeric           | <b>Description:</b> Type of transfer being made.<br><br>The entry must be <b>00</b> , <b>01</b> , or <b>02</b> :<br><b>00</b> = Cardholder payment<br><b>01</b> = Returned/invalid account<br><b>02</b> = Returned/other reason                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| <b>Reserved</b><br>Positions: 144-146<br>Length: 3<br>Format: alphanumeric                    | <b>Description:</b> This field is reserved for future use. EP will always space-fill.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
| <b>Settlement Flag</b><br>Positions: 147<br>Length: 1<br>Format: unpacked numeric             | <b>Description:</b> Indicates the service used for settlement. See <i>BASE II Clearing Data Codes</i> for a definition of the Settlement Flag codes.<br><br><b>Outgoing:</b> The field must contain <b>0</b> , <b>7</b> (valid only for Latin America and Caribbean), <b>8</b> , or <b>9</b> . If <b>7</b> , or <b>8</b> are entered, both the Source and Destination identifiers must be non-U.S.<br><br><b>Incoming:</b> The field must contain <b>0</b> , <b>7</b> (valid only for Latin America and Caribbean), or <b>8</b> .<br><br><b>Note:</b> This edit will continue to be performed by the Edit Package when the Bypass Business Edits option is used during an outgoing edit run. |
| <b>Transaction Identifier</b><br>Positions: 148-162<br>Length: 15<br>Format: unpacked numeric | <b>Description:</b> A unique value that Visa assigns to each transaction and returns to the acquirer in the authorization response. Visa uses this value to maintain an audit trail throughout the life cycle of the transaction and all related transactions, such as reversals, adjustments, confirmations, and dispute financials.<br><br>This field must be numeric.<br><br>The entry must be either zeros or a valid Transaction Identifier. For fulfillment and nonfulfillment fee transactions (Reason Codes <b>5160</b> and <b>5170</b> ), the Transaction Identifier from the corresponding transaction will be included.                                                           |
| <b>Reserved</b><br>Positions: 163<br>Length: 1<br>Format: alphanumeric                        | <b>Description:</b> This field is reserved for future use. EP will always space-fill.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |

## Fee Collection Edit Criteria

|                                                                                               |                                                                                                                                                                                                                                                                                                                                                                  |
|-----------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Central Processing Date</b><br>Positions: 164-167<br>Length: 4<br>Format: unpacked numeric | <b>Description:</b> The date (based on GMT) when the ITF or report in question was generated at a VIC. For any given BASE II processing day, this date is based on the input phase of VIC processing.<br><br><b>Outgoing:</b> The VIC inserts the Central Processing Date. The field will contain a four-digit numeric in the format <b>YDDD</b> (year and day). |
| <b>Reimbursement Attribute</b><br>Positions: 168<br>Length: 1<br>Format: alphanumeric         | <b>Description:</b> This field must contain <b>0</b> (zero).                                                                                                                                                                                                                                                                                                     |

# TC 10 - TCR 0 Visa Award (Loyalty)

These tables contain the Fee Collection (TC 10) record layout and edit criteria for TCR 0 - VISA AWARD (LOYALTY).

## CTF - Incoming Interchange

### Visa Award Record Layout

| Position | Field Length | Format | Contents                              |
|----------|--------------|--------|---------------------------------------|
| 1-2      | 2            | UN     | Transaction Code                      |
| 3        | 1            | UN     | Transaction Code Qualifier            |
| 4        | 1            | UN     | Transaction Component Sequence Number |
| 5-10     | 6            | UN     | Destination Identifier                |
| 11-16    | 6            | UN     | Source Identifier                     |
| 17-20    | 4            | UN     | Reason Code                           |
| 21-23    | 3            | AN     | Originator Country Code               |
| 24-27    | 4            | UN     | Event Date (MMDD)                     |
| 28-43    | 16           | UN     | Account Number                        |
| 44-46    | 3            | UN     | Account Number Extension              |
| 47-58    | 12           | UN     | Destination Amount                    |
| 59-61    | 3            | AN     | Destination Currency Code             |
| 62-73    | 12           | UN     | Source Amount                         |
| 74-76    | 3            | AN     | Source Currency Code                  |

### Visa Award Record Layout

| Position | Field Length | Format | Contents                       |
|----------|--------------|--------|--------------------------------|
| 77-101   | 25           | AN     | Originator Name                |
| 102-114  | 13           | AN     | Originator City                |
| 115-119  | 5            | UN     | Originator ZIP Code            |
| 120-122  | 3            | AN     | Originator State/Province Code |
| 123-136  | 14           | AN     | Merchant Telephone Number      |
| 137-146  | 10           | AN     | Merchant Verification Value    |
| 147      | 1            | UN     | Settlement Flag                |
| 148-162  | 15           | UN     | Transaction Identifier         |
| 163      | 1            | AN     | Funding Source                 |
| 164-167  | 4            | UN     | Central Processing Date (YDDD) |
| 168      | 1            | AN     | Reimbursement Attribute        |

Format: AN = Alphanumeric, ANS = Alphanumeric Special, DX = Display Hexadecimal, N = Numeric, UN = Unpacked Numeric

### Visa Award Edit Criteria

|                                                                                                       |                                                                                                        |
|-------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------|
| <b>Transaction Code</b><br>Positions: 1-2<br>Length: 2<br>Format: unpacked numeric                    | <b>Description: 10</b> - Used for Visa Award Reversal and Visa Award Offset Summary.                   |
| <b>Transaction Code Qualifier</b><br>Positions: 3<br>Length: 1<br>Format: unpacked numeric            | <b>Description:</b> Value will be <b>1</b> Visa Award, Reversals and offsets.                          |
| <b>Transaction Component Sequence Number</b><br>Positions: 4<br>Length: 1<br>Format: unpacked numeric | <b>Description:</b> Value will be <b>0</b> (zero).                                                     |
| <b>Destination Identifier</b><br>Positions: 5-10<br>Length: 6<br>Format: unpacked numeric             | <b>Description:</b> The entity to which a BASE II transaction message is sent. A financial identifier. |

### Visa Award Edit Criteria

|                                                                                              |                                                                                                                                                                                                                                                                                                                                                                                                   |
|----------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Source Identifier</b><br>Positions: 11-16<br>Length: 6<br>Format: unpacked numeric        | <b>Description:</b> The entity from which this BASE II transaction message was sent.<br><br>A financial identifier.                                                                                                                                                                                                                                                                               |
| <b>Reason Code</b><br>Positions: 17-20<br>Length: 4<br>Format: unpacked numeric              | <b>Description:</b> A VisaNet code that provides additional information to the receiving client regarding a Dispute Financial, Dispute Response Financial, Fee Collection, Funds Disbursement, or Transaction Receipt Request.<br><br>These values should be used:<br><b>6000</b> - OCT TC 10 PO Statement Credit<br><b>6050</b> - Visa Award Reversal<br><b>6060</b> - Visa Award Offset Summary |
| <b>Originator Country Code</b><br>Positions: 21-23<br>Length: 3<br>Format: alphanumeric      | <b>Description:</b> Identifies the two-digit country code.                                                                                                                                                                                                                                                                                                                                        |
| <b>Event Date (MMDD)</b><br>Positions: 24-27<br>Length: 4<br>Format: unpacked numeric        | <b>Description:</b> The date the transaction was created.                                                                                                                                                                                                                                                                                                                                         |
| <b>Account Number</b><br>Positions: 28-43<br>Length: 16<br>Format: unpacked numeric          | <b>Description:</b> An issuer-assigned number that identifies a cardholder's account.<br><br>Left-justified, zero-filled (zero filled for the summary).                                                                                                                                                                                                                                           |
| <b>Account Number Extension</b><br>Positions: 44-46<br>Length: 3<br>Format: unpacked numeric | <b>Description:</b> A three-digit extension of the account number that allows account numbers up to 19 digits.<br><br>Left-justified, zero-filled (zero filled for the summary).                                                                                                                                                                                                                  |
| <b>Destination Amount</b><br>Positions: 47-58<br>Length: 12<br>Format: unpacked numeric      | <b>Description:</b> Identifies the submitted transaction amount in the currency that is appropriate to the destination endpoint. Two decimals are implied.<br><br>Amount of Award.                                                                                                                                                                                                                |
| <b>Destination Currency Code</b><br>Positions: 59-61<br>Length: 3<br>Format: alphanumeric    | <b>Description:</b> The currency type presented to the client on incoming transactions. For most transactions (that is, drafts), it is the billing currency. For other transactions (for example, fee collection, dispute financial), it is the settlement currency of the destination.                                                                                                           |

### Visa Award Edit Criteria

|                                                                                                  |                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
|--------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Source Amount</b><br>Positions: 62-73<br>Length: 12<br>Format: unpacked numeric               | <b>Description:</b> Identifies the submitted transaction amount in the currency that is appropriate to the source endpoint. Two decimals are implied.<br><br>Same as the Destination Amount.                                                                                                                                                                                                                                                       |
| <b>Source Currency Code</b><br>Positions: 74-76<br>Length: 3<br>Format: alphanumeric             | <b>Description:</b> The currency type associated with the amount of a transaction entered into interchange.                                                                                                                                                                                                                                                                                                                                        |
| <b>Originator Name</b><br>Positions: 77-101<br>Length: 25<br>Format: alphanumeric                | <b>Description:</b> Name of the originator of the transaction.                                                                                                                                                                                                                                                                                                                                                                                     |
| <b>Originator City</b><br>Positions: 102-114<br>Length: 13<br>Format: alphanumeric               | <b>Description:</b> Originator City.                                                                                                                                                                                                                                                                                                                                                                                                               |
| <b>Originator ZIP Code</b><br>Positions: 115-119<br>Length: 5<br>Format: unpacked numeric        | <b>Description:</b> Originator ZIP.                                                                                                                                                                                                                                                                                                                                                                                                                |
| <b>Originator State/Province Code</b><br>Positions: 120-122<br>Length: 3<br>Format: alphanumeric | <b>Description:</b> Originator State.                                                                                                                                                                                                                                                                                                                                                                                                              |
| <b>Merchant Telephone Number</b><br>Positions: 123-136<br>Length: 14<br>Format: alphanumeric     | <b>Description:</b> Merchant telephone number.<br><br>This field will be blank.                                                                                                                                                                                                                                                                                                                                                                    |
| <b>Merchant Verification Value</b><br>Positions: 137-146<br>Length: 10<br>Format: alphanumeric   | <b>Description:</b> The value is used by Visa to determine a merchant's eligibility to participate in any special programs. The first six positions of the MVV will be assigned to participating merchants by Visa. The last four positions will be defined in conjunction with the acquirer. Acquirers must include the MVV in BASE II Clearing transactions to qualify for any special programs fee processing.<br><br>This field will be blank. |



## Visa Award Edit Criteria

|                                                                                                      |                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
|------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Settlement Flag</b><br>Positions: 147<br>Length: 1<br>Format: unpacked numeric                    | <b>Description:</b> Indicates the service used for settlement.<br>Value will be <b>0</b> (zero).                                                                                                                                                                                                                                                                                                                                                               |
| <b>Transaction Identifier</b><br>Positions: 148-162<br>Length: 15<br>Format: unpacked numeric        | <b>Description:</b> A unique value that Visa assigns to each transaction and returns to the acquirer in the authorization response. Visa uses this value to maintain an audit trail throughout the life cycle of the transaction and all related transactions, such as reversals, adjustments, confirmations, and dispute financials.<br>This field may have a value only for Pay With Points records. For all other Visa Award types the value will be zeros. |
| <b>Funding Source</b><br>Positions: 163<br>Length: 1<br>Format: alphanumeric                         | <b>Description:</b><br><b>I</b> = Issuer Funded<br><b>V</b> = Visa Funded<br><b>M</b> = Merchant Funded<br><b>P</b> = Program Sponsor Funded<br><b>O</b> = Any source other than the above.<br>This field is valid for TAQC and Sweepstakes records.                                                                                                                                                                                                           |
| <b>Central Processing Date (YDDD)</b><br>Positions: 164-167<br>Length: 4<br>Format: unpacked numeric | <b>Description:</b> The date (based on GMT) when the ITF or report in question was generated at a VIC. For any given BASE II processing day, this date is based on the input phase of VIC processing.                                                                                                                                                                                                                                                          |
| <b>Reimbursement Attribute</b><br>Positions: 168<br>Length: 1<br>Format: alphanumeric                | <b>Description:</b> Obsolete - must be zero-filled.                                                                                                                                                                                                                                                                                                                                                                                                            |

## TC 10 - TCR 0 Sweepstakes

These tables contain the Fee Collection (TC 10) record layout and edit criteria for TCR 0 - SWEEPSTAKES.

### CTF - Incoming Interchange

### Sweepstakes Record Layout

| Position | Field Length | Format | Contents                              |
|----------|--------------|--------|---------------------------------------|
| 1-2      | 2            | UN     | Transaction Code                      |
| 3        | 1            | UN     | Transaction Code Qualifier            |
| 4        | 1            | UN     | Transaction Component Sequence Number |
| 5-10     | 6            | UN     | Destination Identifier                |
| 11-16    | 6            | UN     | Source Identifier                     |
| 17-20    | 4            | UN     | Reason Code                           |
| 21-23    | 3            | AN     | Originator Country Code               |
| 24-27    | 4            | UN     | Event Date (MMDD)                     |
| 28-43    | 16           | UN     | Account Number                        |
| 44-46    | 3            | UN     | Account Number Extension              |
| 47-58    | 12           | UN     | Destination Amount                    |
| 59-61    | 3            | AN     | Destination Currency Code             |
| 62-73    | 12           | UN     | Source Amount                         |
| 74-76    | 3            | AN     | Source Currency Code                  |
| 77-101   | 25           | AN     | Originator Name                       |
| 102-114  | 13           | AN     | Originator City                       |
| 115-119  | 5            | UN     | Originator ZIP Code                   |
| 120-122  | 3            | AN     | Originator State/Province Code        |
| 123-136  | 14           | AN     | Merchant Telephone Number             |
| 137-146  | 10           | AN     | Merchant Verification Value           |
| 147      | 1            | UN     | Settlement Flag                       |
| 148-162  | 15           | UN     | Transaction Identifier                |
| 163      | 1            | AN     | Funding Source                        |
| 164-167  | 4            | UN     | Central Processing Date (YDDD)        |
| 168      | 1            | AN     | Reimbursement Attribute               |

Format: AN = Alphanumeric, ANS = Alphanumeric Special, DX = Display Hexadecimal, N = Numeric, UN = Unpacked Numeric

### Sweepstakes Edit Criteria

|                                                                                                       |                                                                                                                                                                                                                                                                                                                                                 |
|-------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Transaction Code</b><br>Positions: 1-2<br>Length: 2<br>Format: unpacked numeric                    | <b>Description:</b> <b>10</b> - Sweepstakes Award Reversal or sweepstakes summary                                                                                                                                                                                                                                                               |
| <b>Transaction Code Qualifier</b><br>Positions: 3<br>Length: 1<br>Format: unpacked numeric            | <b>Description:</b> Value will be <b>1</b> Sweepstakes.                                                                                                                                                                                                                                                                                         |
| <b>Transaction Component Sequence Number</b><br>Positions: 4<br>Length: 1<br>Format: unpacked numeric | <b>Description:</b> Value will be <b>zero</b> .                                                                                                                                                                                                                                                                                                 |
| <b>Destination Identifier</b><br>Positions: 5-10<br>Length: 6<br>Format: unpacked numeric             | <b>Description:</b> The entity to which a BASE II transaction message is sent.<br>Visa issuing identifier.                                                                                                                                                                                                                                      |
| <b>Source Identifier</b><br>Positions: 11-16<br>Length: 6<br>Format: unpacked numeric                 | <b>Description:</b> The identifier from which this BASE II transaction message was sent.<br>Visa U.S. issuing or acquiring identifier.                                                                                                                                                                                                          |
| <b>Reason Code</b><br>Positions: 17-20<br>Length: 4<br>Format: unpacked numeric                       | <b>Description:</b> A VisaNet code that provides additional information to the receiving client regarding a Dispute Financial, Dispute Response Financial, Fee Collection, Funds Disbursement, or Transaction Receipt Request.<br>These values should be used:<br><b>5340</b> = Sweepstakes Award Reversal<br><b>5350</b> = Sweepstakes Summary |
| <b>Originator Country Code</b><br>Positions: 21-23<br>Length: 3<br>Format: alphanumeric               | <b>Description:</b> Identifies the two-digit country code.<br>For Sweepstakes, the value will be <b>U.S.</b>                                                                                                                                                                                                                                    |
| <b>Event Date (MMDD)</b><br>Positions: 24-27-<br>Length: 4<br>Format: unpacked numeric                | <b>Description:</b> The date the transaction was created.                                                                                                                                                                                                                                                                                       |

## Sweepstakes Edit Criteria

|                                                                                              |                                                                                                                                                                                                                                                                                                                                |
|----------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Account Number</b><br>Positions: 28-43<br>Length: 16<br>Format: unpacked numeric          | <b>Description:</b> An issuer-assigned number that identifies a cardholder's account.<br><br>Left-justified, zero-filled (zero filled for the summary record).                                                                                                                                                                 |
| <b>Account Number Extension</b><br>Positions: 44-46<br>Length: 3<br>Format: unpacked numeric | <b>Description:</b> A three-digit extension of the account number that allows account numbers up to 19 digits.<br><br>Left-justified, zero-filled (zero filled for the summary record).                                                                                                                                        |
| <b>Destination Amount</b><br>Positions: 47-58<br>Length: 12<br>Format: unpacked numeric      | <b>Description:</b> Identifies the submitted transaction amount in the currency that is appropriate to the destination endpoint. Two decimals are implied.<br><br>Amount of award reversal or summary.                                                                                                                         |
| <b>Destination Currency Code</b><br>Positions: 59-61<br>Length: 3<br>Format: alphanumeric    | <b>Description:</b> The currency type presented to the client on incoming transactions. For most transactions (that is, drafts), it is the billing currency. For other transactions (for example, fee collection, dispute financial), it is the settlement currency of the destination.<br><br>This field will be <b>840</b> . |
| <b>Source Amount</b><br>Positions: 62-73<br>Length: 12<br>Format: unpacked numeric           | <b>Description:</b> Identifies the submitted transaction amount in the currency that is appropriate to the source endpoint. Two decimals are implied.<br><br>Same as the Destination Amount.                                                                                                                                   |
| <b>Source Currency Code</b><br>Positions: 74-76<br>Length: 3<br>Format: alphanumeric         | <b>Description:</b> The currency type associated with the amount of a transaction entered into interchange.<br><br>The value will be <b>840</b> .                                                                                                                                                                              |
| <b>Originator Name</b><br>Positions: 77-101<br>Length: 25<br>Format: alphanumeric            | <b>Description:</b> Originator name.<br><br>This field will contain a description of the purpose of the statement credit. This information should be printed on the cardholder statement.                                                                                                                                      |
| <b>Originator City</b><br>Positions: 102-114<br>Length: 13<br>Format: alphanumeric           | <b>Description:</b> Originator city.<br><br>This field must not be blank.                                                                                                                                                                                                                                                      |

### Sweepstakes Edit Criteria

|                                                                                                  |                                                                                                                                                                                                                                                                                                                                                                                                                                                |
|--------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Originator ZIP Code</b><br>Positions: 115-119<br>Length: 5<br>Format: unpacked numeric        | <b>Description:</b> Originator ZIP.<br>This field must not be blank.                                                                                                                                                                                                                                                                                                                                                                           |
| <b>Originator State/Province Code</b><br>Positions: 120-122<br>Length: 3<br>Format: alphanumeric | <b>Description:</b> Originator state.<br>This field must not be blank.                                                                                                                                                                                                                                                                                                                                                                         |
| <b>Merchant Telephone Number</b><br>Positions: 123-136<br>Length: 14<br>Format: alphanumeric     | <b>Description:</b> Merchant telephone number.<br>This field will be blank.                                                                                                                                                                                                                                                                                                                                                                    |
| <b>Merchant Verification Value</b><br>Positions: 137-146<br>Length: 10<br>Format: alphanumeric   | <b>Description:</b> The value is used by Visa to determine a merchant's eligibility to participate in any special programs. The first six positions of the MVV will be assigned to participating merchants by Visa. The last four positions will be defined in conjunction with the acquirer. Acquirers must include the MVV in BASE II Clearing transactions to qualify for any special programs fee processing.<br>This field will be blank. |
| <b>Settlement Flag</b><br>Positions: 147<br>Length: 1<br>Format: unpacked numeric                | <b>Description:</b> Indicates the service used for settlement.<br>Value will be <b>0</b> (zero).                                                                                                                                                                                                                                                                                                                                               |
| <b>Transaction Identifier</b><br>Positions: 148-162<br>Length: 15<br>Format: unpacked numeric    | <b>Description:</b> A unique value that Visa assigns to each transaction and returns to the acquirer in the authorization response. Visa uses this value to maintain an audit trail throughout the life cycle of the transaction and all related transactions, such as reversals, adjustments, confirmations, and dispute financials.<br>This field will contain zeros.                                                                        |
| <b>Funding Source</b><br>Positions: 163<br>Length: 1<br>Format: alphanumeric                     | <b>Description:</b><br><b>I</b> = Issuer Funded<br><b>V</b> = Visa Funded<br><b>M</b> = Merchant Funded<br><b>P</b> = Program Sponsor Funded<br><b>O</b> = Any source other than the above.<br>This field is valid for TAQC and Sweepstakes records.                                                                                                                                                                                           |

### Sweepstakes Edit Criteria

|                                                                                                      |                                                                                                                                                                                                       |
|------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Central Processing Date (YDDD)</b><br>Positions: 164-167<br>Length: 4<br>Format: unpacked numeric | <b>Description:</b> The date (based on GMT) when the ITF or report in question was generated at a VIC. For any given BASE II processing day, this date is based on the input phase of VIC processing. |
| <b>Reimbursement Attribute</b><br>Positions: 168<br>Length: 1<br>Format: alphanumeric                | <b>Description:</b> Obsolete - must be zero-filled.                                                                                                                                                   |

## TC 10 - TCR 1 Additional Data

These tables contain the Fee Collection (TC 10) record layout and edit criteria for TCR 1 - ADDITIONAL DATA.

### CTF - Outgoing and Incoming Interchange

#### Fee Collection Record Layout

| Position | Field Length | Format | Contents                              |
|----------|--------------|--------|---------------------------------------|
| 1-2      | 2            | UN     | Transaction Code                      |
| 3        | 1            | UN     | Transaction Code Qualifier            |
| 4        | 1            | UN     | Transaction Component Sequence Number |
| 5-9      | 5            | AN     | Rate Table ID                         |
| 10-168   | 159          | AN     | Reserved                              |

Format: AN = Alphanumeric, ANS = Alphanumeric Special, DX = Display Hexadecimal, N = Numeric, UN = Unpacked Numeric

### Fee Collection Edit Criteria

|                                                                                                       |                                                                                                                                                                                                                      |
|-------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Transaction Code</b><br>Positions: 1-2<br>Length: 2<br>Format: unpacked numeric                    | <b>Description:</b> The field must contain a <b>10</b> .                                                                                                                                                             |
| <b>Transaction Code Qualifier</b><br>Positions: 3<br>Length: 1<br>Format: unpacked numeric            | <b>Description:</b> The field must contain a <b>0 (zero)</b> .                                                                                                                                                       |
| <b>Transaction Component Sequence Number</b><br>Positions: 4<br>Length: 1<br>Format: unpacked numeric | <b>Description:</b> The field must contain a <b>1</b> .                                                                                                                                                              |
| <b>Rate Table ID</b><br>Positions: 5-9<br>Length: 5<br>Format: alphanumeric                           | <b>Description:</b> This field indicates the Rate Table ID used for transactions that underwent Multicurrency processing.<br><br>The field must begin with an alpha followed by a four-digit numeric, <b>Annnn</b> . |
| <b>Reserved</b><br>Positions: 10-168<br>Length: 159<br>Format: alphanumeric                           | <b>Description:</b> This field is reserved for future use.                                                                                                                                                           |

## TC 10 - TCR 2 Argentina National Settlement

These tables contain the Fee Collection (TC 10) record layout and edit criteria for TCR 2 - ARGENTINA NATIONAL SETTLEMENT.

### CTF - Outgoing and Incoming Interchange

#### Argentina Fee Collection Record Layout

| Position | Field Length | Format | Contents                   |
|----------|--------------|--------|----------------------------|
| 1-2      | 2            | UN     | Transaction Code           |
| 3        | 1            | UN     | Transaction Code Qualifier |

### Argentina Fee Collection Record Layout

| Position | Field Length | Format | Contents                              |
|----------|--------------|--------|---------------------------------------|
| 4        | 1            | UN     | Transaction Component Sequence Number |
| 5-16     | 12           | AN     | Reserved                              |
| 17-19    | 3            | AN     | Country Code (AR^)                    |
| 20-75    | 56           | AN     | Reserved                              |
| 76-81    | 6            | UN     | Deferred Settlement Date              |
| 82-168   | 87           | AN     | Reserved                              |

Format: AN = Alphanumeric, ANS = Alphanumeric Special, DX = Display Hexadecimal, N = Numeric, UN = Unpacked Numeric

### Argentina Fee Collection Edit Criteria

|                                                                                                       |                                                                                                        |
|-------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------|
| <b>Transaction Code</b><br>Positions: 1-2<br>Length: 2<br>Format: unpacked numeric                    | <b>Description:</b> The field must contain a <b>10</b> .                                               |
| <b>Transaction Code Qualifier</b><br>Positions: 3<br>Length: 1<br>Format: unpacked numeric            | <b>Description:</b> The field must contain a <b>0 (zero)</b> .                                         |
| <b>Transaction Component Sequence Number</b><br>Positions: 4<br>Length: 1<br>Format: unpacked numeric | <b>Description:</b> The field must contain a <b>2</b> .                                                |
| <b>Reserved</b><br>Positions: 5-16<br>Length: 12<br>Format: alphanumeric                              | <b>Description:</b> This field will be space-filled.                                                   |
| <b>Country Code</b><br>Positions: 17-19<br>Length: 3<br>Format: alphanumeric                          | <b>Description:</b> This field must contain the value <b>AR^</b> (Argentina), where ^ = <b>space</b> . |



## Argentina Fee Collection Edit Criteria

|                                                                                              |                                                                                                                                                                                                                                                                                                                                                                                         |
|----------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Reserved</b><br>Positions: 20-75<br>Length: 56<br>Format: alphanumeric                    | <b>Description:</b> This field will be space-filled.                                                                                                                                                                                                                                                                                                                                    |
| <b>Deferred Settlement Date</b><br>Positions: 76-81<br>Length: 6<br>Format: unpacked numeric | <b>Description:</b> This field will contain the deferred settlement date in yymmdd format, where: <ul style="list-style-type: none"><li>• yy (Year) = <b>00-99</b></li><li>• mm (Month) = <b>01-12</b></li><li>• dd (Day) = <b>01-31</b></li></ul> This field may be equal to or greater than the current CPD.<br><b>Note:</b> Deferred Settlement Date can be up to 365 calendar days. |
| <b>Reserved</b><br>Positions: 82-168<br>Length: 87<br>Format: alphanumeric                   | <b>Description:</b> This field will be space-filled.                                                                                                                                                                                                                                                                                                                                    |

# TC 10 - TCR 2 Brazil National Settlement

These tables contain the Fee Collection (TC 10) record layout and edit criteria for TCR 2 - BRAZIL NATIONAL SETTLEMENT.

## CTF - Outgoing and Incoming Interchange

### Brazil Fee Collection Record Layout

| Position | Field Length | Format | Contents                              |
|----------|--------------|--------|---------------------------------------|
| 1-2      | 2            | UN     | Transaction Code                      |
| 3        | 1            | UN     | Transaction Code Qualifier            |
| 4        | 1            | UN     | Transaction Component Sequence Number |
| 5-16     | 12           | AN     | Reserved                              |
| 17-19    | 3            | AN     | Country Code (BR^)                    |
| 20-22    | 3            | AN     | Reserved                              |
| 23-25    | 3            | AN     | Settlement Type                       |

### Brazil Fee Collection Record Layout

| Position | Field Length | Format | Contents                       |
|----------|--------------|--------|--------------------------------|
| 26-35    | 10           | UN     | National Reimbursement Fee     |
| 36-39    | 4            | UN     | Central Processing Date (YDDD) |
| 40-41    | 2            | AN     | Installment Payment Count      |
| 42-168   | 127          | AN     | Reserved                       |

Format: AN = Alphanumeric, ANS = Alphanumeric Special, DX = Display Hexadecimal, N = Numeric, UN = Unpacked Numeric

### Brazil Fee Collection Edit Criteria

|                                                                                                       |                                                                                                                                                                                                         |
|-------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Transaction Code</b><br>Positions: 1-2<br>Length: 2<br>Format: unpacked numeric                    | <b>Description:</b> The field must contain a <b>10</b> .                                                                                                                                                |
| <b>Transaction Code Qualifier</b><br>Positions: 3<br>Length: 1<br>Format: unpacked numeric            | <b>Description:</b> The field must contain a <b>0</b> (zero).<br>This edit will continue to be performed by the Edit Package when the Bypass Business Edits option is used during an outgoing edit run. |
| <b>Transaction Component Sequence Number</b><br>Positions: 4<br>Length: 1<br>Format: unpacked numeric | <b>Description:</b> The field must contain a <b>2</b> .                                                                                                                                                 |
| <b>Reserved</b><br>Positions: 5-16<br>Length: 12<br>Format: alphanumeric                              | <b>Description:</b> This field is reserved for future use. EP will always space-fill.                                                                                                                   |
| <b>Country Code</b><br>Positions: 17-19<br>Length: 3<br>Format: alphanumeric                          | <b>Description:</b> Identifies the country of the acquiring institution for the merchant.<br>This field must contain <b>BR^</b> (Brazil), where ^ = <b>space</b> .                                      |
| <b>Reserved</b><br>Positions: 20-22<br>Length: 3<br>Format: alphanumeric                              | <b>Description:</b> This field is reserved for future use. EP will always space-fill.                                                                                                                   |

### Brazil Fee Collection Edit Criteria

|                                                                                                 |                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
|-------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Settlement Type</b><br>Positions: 23-25<br>Length: 3<br>Format: alphanumeric                 | <b>Description:</b> Indicates if settlement is deferred and by how many days.<br><b>VIC Edit:</b> The field must contain a valid entry as defined on the National Calendar. The entry must be zero-filled to the left (for example, settlement Type of 2 is entered as 002).<br><b>Reversals of Fee Collection Reason Code 0300 transactions only:</b> The entry must be the settlement type from the original transaction.                         |
| <b>National Reimbursement Fee</b><br>Positions: 26-35<br>Length: 10<br>Format: unpacked numeric | <b>Description:</b> Indicates amount of national reimbursement fee.<br><b>VIC Edit:</b> An entry is not required, but the field must be zero-filled.<br><b>Reversals of Fee Collection Reason Code 0300 transactions only:</b> The entry must be the reimbursement fee from the original transaction.<br><b>Note:</b> Two decimal positions are implied.                                                                                            |
| <b>Central Processing Date</b><br>Positions: 36-39<br>Length: 4<br>Format: unpacked numeric     | <b>Description:</b> The date (based on GMT) when the ITF or report in question was generated at a VIC. For any given BASE II processing day, this date is based on the input phase of VIC processing.<br><b>VIC Edit:</b> This field is not required and must be zero-filled.<br><b>Reversals of Fee Collection Reason Code 0300 transactions only:</b> The entry must be the central processing date from the original transaction in YDDD format. |
| <b>Installment Payment Count</b><br>Positions: 40-41<br>Length: 2<br>Format: alphanumeric       | <b>Description:</b> If installment purchase, indicates the number of installments.<br><b>VIC Edit:</b> This field must contain a numeric entry from <b>00</b> through <b>99</b> or spaces.                                                                                                                                                                                                                                                          |
| <b>Reserved</b><br>Positions: 42-168<br>Length: 127<br>Format: alphanumeric                     | <b>Description:</b> This field is reserved for future use. EP will always space-fill.                                                                                                                                                                                                                                                                                                                                                               |

## TC 10 - TCR 2 Paraguay National Settlement

These tables contain the Fee Collection (TC 10) record layout and edit criteria for TCR 2 - PARAGUAY NATIONAL SETTLEMENT.

### CTF - Outgoing and Incoming Interchange

### Fee Collection Record Layout

| Position | Field Length | Format | Contents                              |
|----------|--------------|--------|---------------------------------------|
| 1-2      | 2            | UN     | Transaction Code                      |
| 3        | 1            | UN     | Transaction Code Qualifier            |
| 4        | 1            | UN     | Transaction Component Sequence Number |
| 5-10     | 6            | UN     | Deferred Settlement Date              |
| 11-16    | 6            | AN     | Reserved                              |
| 17-19    | 3            | AN     | Country Code (PY^)                    |
| 20-168   | 149          | AN     | Reserved                              |

Format: AN = Alphanumeric, ANS = Alphanumeric Special, DX = Display Hexadecimal, N = Numeric, UN = Unpacked Numeric

### Fee Collection Edit Criteria

|                                                                                                       |                                                                                                                                                                                                                                                                                                                  |
|-------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Transaction Code</b><br>Positions: 1-2<br>Length: 2<br>Format: unpacked numeric                    | <b>Description:</b> The field must contain a <b>10</b> .                                                                                                                                                                                                                                                         |
| <b>Transaction Code Qualifier</b><br>Positions: 3<br>Length: 1<br>Format: unpacked numeric            | <b>Description:</b> The field must contain a <b>0 (zero)</b> .                                                                                                                                                                                                                                                   |
| <b>Transaction Component Sequence Number</b><br>Positions: 4<br>Length: 1<br>Format: unpacked numeric | <b>Description:</b> The field must contain a <b>2</b> .                                                                                                                                                                                                                                                          |
| <b>Deferred Settlement Date</b><br>Positions: 5-10<br>Length: 6<br>Format: unpacked numeric           | <b>Description:</b> This field will contain the deferred settlement date in <b>yyymmdd</b> format, where:<br>yy (Year) = 00-99<br>mm (Month) = 01-12<br>dd (Day) = 01-31<br>This field may be equal to or greater than the current CPD.<br><b>Note:</b> Deferred Settlement Date can be up to 365 calendar days. |

### Fee Collection Edit Criteria

|                                                                              |                                                                                               |
|------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------|
| <b>Reserved</b><br>Positions: 11-16<br>Length: 6<br>Format: alphanumeric     | <b>Description:</b> This field is reserved for future use.                                    |
| <b>Country Code</b><br>Positions: 17-19<br>Length: 3<br>Format: alphanumeric | <b>Description:</b> This field must contain the value <b>PY^</b> (Paraguay), where ^ = space. |
| <b>Reserved</b><br>Positions: 20-168<br>Length: 149<br>Format: alphanumeric  | <b>Description:</b> This field is reserved for future use.                                    |

## TC 10 - TCR 2 Uruguay National Settlement

These tables contain the Fee Collection (TC 10) record layout and edit criteria for TCR 2 - URUGUAY NATIONAL SETTLEMENT.

### CTF - Outgoing and Incoming Interchange

#### Uruguay Fee Collection Record Layout

| Position | Field Length | Format | Contents                              |
|----------|--------------|--------|---------------------------------------|
| 1-2      | 2            | UN     | Transaction Code                      |
| 3        | 1            | UN     | Transaction Code Qualifier            |
| 4        | 1            | UN     | Transaction Component Sequence Number |
| 5-10     | 6            | UN     | Deferred Settlement Date              |
| 11-16    | 6            | AN     | Reserved                              |
| 17-19    | 3            | AN     | Country Code (UY^)                    |
| 20-168   | 149          | AN     | Reserved                              |

Format: AN = Alphanumeric, ANS = Alphanumeric Special, DX = Display Hexadecimal, N = Numeric, UN = Unpacked Numeric

## Uruguay Fee Collection Edit Criteria

|                                                                                                       |                                                                                                                                                                                                                                                                                                                                      |
|-------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Transaction Code</b><br>Positions: 1-2<br>Length: 2<br>Format: unpacked numeric                    | <b>Description:</b> The field must contain a <b>10</b> .                                                                                                                                                                                                                                                                             |
| <b>Transaction Code Qualifier</b><br>Positions: 3<br>Length: 1<br>Format: unpacked numeric            | <b>Description:</b> The field must contain a <b>0 (zero)</b> .                                                                                                                                                                                                                                                                       |
| <b>Transaction Component Sequence Number</b><br>Positions: 4<br>Length: 1<br>Format: unpacked numeric | <b>Description:</b> The field must contain a <b>2</b> .                                                                                                                                                                                                                                                                              |
| <b>Deferred Settlement Date</b><br>Positions: 5-10<br>Length: 6<br>Format: unpacked numeric           | <b>Description:</b> This field will contain the deferred settlement date in <b>yymmdd</b> format, where:<br>yy (Year) = <b>00-99</b><br>mm (Month) = <b>01-12</b><br>dd (Day) = <b>01-31</b><br>This field may be equal to or greater than the current CPD.<br><b>Note:</b> Deferred Settlement Date can be up to 365 calendar days. |
| <b>Reserved</b><br>Positions: 11-16<br>Length: 6<br>Format: alphanumeric                              | <b>Description:</b> This field is reserved for future use. This field will be space-filled.                                                                                                                                                                                                                                          |
| <b>Country Code</b><br>Positions: 17-19<br>Length: 3<br>Format: alphanumeric                          | <b>Description:</b> This field must contain the value <b>UY^</b> (Uruguay), where ^ = <b>space</b> .                                                                                                                                                                                                                                 |
| <b>Reserved</b><br>Positions: 20-168<br>Length: 149<br>Format: alphanumeric                           | <b>Description:</b> This field is reserved for future use. This field will be space-filled.                                                                                                                                                                                                                                          |

# TC 10 - TCR 4 Promotional Data

These tables contain the Fee Collection (TC 10) record layout and edit criteria for TCR 4 - PROMOTION DATA.

## Cardholder Credits/Rebates Record Layout

| Position | Field Length | Format | Contents                              |
|----------|--------------|--------|---------------------------------------|
| 1-2      | 2            | UN     | Transaction Code                      |
| 3        | 1            | UN     | Transaction Code Qualifier            |
| 4        | 1            | UN     | Transaction Component Sequence Number |
| 5-6      | 2            | AN     | Business Format Code                  |
| 7-8      | 2            | AN     | Promotion Type                        |
| 9-33     | 25           | AN     | Promotion Code                        |
| 34-37    | 4            | UN     | Network Identification Code           |
| 38-168   | 131          | AN     | Reserved                              |

Format: AN = Alphanumeric, ANS = Alphanumeric Special, DX = Display Hexadecimal, N = Numeric, UN = Unpacked Numeric

## Cardholder Credits/Rebates Edit Criteria

|                                                                                                       |                                                           |
|-------------------------------------------------------------------------------------------------------|-----------------------------------------------------------|
| <b>Transaction Code</b><br>Positions: 1-2<br>Length: 2<br>Format: unpacked numeric                    | <b>Description:</b> This field must contain a <b>10</b> . |
| <b>Transaction Code Qualifier</b><br>Positions: 3<br>Length: 1<br>Format: unpacked numeric            | <b>Description:</b> This field must contain a <b>1</b> .  |
| <b>Transaction Component Sequence Number</b><br>Positions: 4<br>Length: 1<br>Format: unpacked numeric | <b>Description:</b> This field must contain a <b>4</b> .  |

### Cardholder Credits/Rebates Edit Criteria

|                                                                                                 |                                                                                                                                                                                                                                        |
|-------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Business Format Code</b><br>Positions: 5-6<br>Length: 2<br>Format: alphanumeric              | <b>Description:</b> This field must contain <b>PD</b> (for Promotion data).                                                                                                                                                            |
| <b>Promotion Type</b><br>Positions: 7-8<br>Length: 2<br>Format: alphanumeric                    | <b>Description:</b> A code that will define the type of promotion associated with the transaction.<br><br>The range of values reserved for Visa use only are:<br>Position 7: <b>V - Z</b><br>Position 8: <b>1 - 9</b> and <b>A - Z</b> |
| <b>Promotion Code</b><br>Positions: 9-33<br>Length: 25<br>Format: alphanumeric                  | <b>Description:</b> A value that will refer to a specific promotional or loyalty program.<br><br>The range of values reserved for Visa use only are:<br>Position 9: <b>V - Z</b><br>Positions 10-33: <b>1 - 9</b> and <b>A - Z</b>     |
| <b>Network Identification Code</b><br>Positions: 34-37<br>Length: 4<br>Format: unpacked numeric | <b>Description:</b> This field will include the network identification code.<br><br>Valid values are <b>0000-9999</b> . For transactions that do not contain network identification data, this field should contain all zeros.         |
| <b>Reserved</b><br>Positions: 38-168<br>Length: 131<br>Format: alphanumeric                     | <b>Description:</b> This field will be space-filled by the Edit Package.                                                                                                                                                               |



# Chapter 6

## TC 20 Funds Disbursement Transactions

---

### TC 20 - Funds Disbursement Transactions

The Funds Disbursement transaction (TC 20) is used to reverse a Fee Collection transaction (TC 10) and to transmit monetary credits.

TCR 0, 2

CTF - Outgoing and Incoming Interchange

Funds Disbursement transactions consist of a TCR 0. For some National Settlement transactions such as Brazil National Settlement, a TCR 2 is required.

# TC 20 - TCR 0

This table contains the Funds Disbursement (TC 20) record layout for TCR 0.

## CTF - Outgoing and Incoming Interchange

### Funds Disbursement Record Layout

| Position | Field Length | Format | Contents                              |
|----------|--------------|--------|---------------------------------------|
| 1-2      | 2            | UN     | Transaction Code                      |
| 3        | 1            | UN     | Transaction Code Qualifier            |
| 4        | 1            | UN     | Transaction Component Sequence Number |
| 5-10     | 6            | UN     | Destination Identifier                |
| 11-16    | 6            | UN     | Source Identifier                     |
| 17-20    | 4            | UN     | Reason Code                           |
| 21-23    | 3            | AN     | Country Code                          |
| 24-27    | 4            | UN     | Event Date (MMDD)                     |
| 28-43    | 16           | UN     | Account Number                        |
| 44-46    | 3            | AN     | Account Number Extension              |
| 47-58    | 12           | UN     | Destination Amount                    |
| 59-61    | 3            | AN     | Destination Currency Code             |
| 62-73    | 12           | UN     | Source Amount                         |
| 74-76    | 3            | AN     | Source Currency Code                  |
| 77-146   | 70           | AN     | Message Text                          |
| 147      | 1            | UN     | Settlement Flag                       |
| 148-162  | 15           | UN     | Transaction Identifier                |
| 163      | 1            | AN     | Reserved                              |
| 164-167  | 4            | UN     | Central Processing Date (YDDD)        |
| 168      | 1            | AN     | Reimbursement Attribute               |

Format: AN = Alphanumeric, ANS = Alphanumeric Special, DX = Display Hexadecimal, N = Numeric, UN = Unpacked Numeric

### Funds Disbursement Edit Criteria

|                                                                                                       |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
|-------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Transaction Code</b><br>Positions: 1-2<br>Length: 2<br>Format: unpacked numeric                    | <b>Description:</b> The field must contain a <b>20</b> .                                                                                                                                                                                                                                                                                                                                                                                                                              |
| <b>Transaction Code Qualifier</b><br>Positions: 3<br>Length: 1<br>Format: unpacked numeric            | <b>Description:</b> The field must contain a <b>0</b> (zero).<br>This edit will continue to be performed by the Edit Package when the Bypass Business Edits option is used during an outgoing edit run.                                                                                                                                                                                                                                                                               |
| <b>Transaction Component Sequence Number</b><br>Positions: 4<br>Length: 1<br>Format: unpacked numeric | <b>Description:</b> The field must contain a <b>0</b> (zero).                                                                                                                                                                                                                                                                                                                                                                                                                         |
| <b>Destination Identifier</b><br>Positions: 5-10<br>Length: 6<br>Format: unpacked numeric             | <b>Description:</b> The entity to which this transaction message is sent.<br>The field must contain spaces or a valid identifier to receive monetary items.<br>If spaces are entered, the VIC inserts the destination identifier based on the account number (if the account number is a numeric other than all zeros).                                                                                                                                                               |
| <b>Source Identifier</b><br>Positions: 11-16<br>Length: 6<br>Format: unpacked numeric                 | <b>Description:</b> The entity from which this BASE II transaction message was sent.<br>The field must contain a valid identifier to send monetary items.                                                                                                                                                                                                                                                                                                                             |
| <b>Reason Code</b><br>Positions: 17-20<br>Length: 4<br>Format: unpacked numeric                       | <b>Description:</b> A VisaNet code that tells the receiving client the reason for the Funds Disbursement.<br>The field must contain a valid four-digit Funds Disbursement Reason Code.<br>See <i>BASE II Clearing Data Codes</i> for Fee Collection Reason Codes.                                                                                                                                                                                                                     |
| <b>Country Code</b><br>Positions: 21-23<br>Length: 3<br>Format: alphanumeric                          | <b>Description:</b> A three-digit code that represents the country involved.<br>If the Funds Disbursement Reason Code equals <b>0100</b> or <b>0190</b> , the field must contain a valid country code followed by a space. If the Funds Disbursement Reason Code is <b>0300</b> the country code must be <b>CA</b> or <b>BR</b> . The field must contain spaces for all other Funds Disbursement Reason Codes.<br>See <i>BASE II Clearing Data Codes</i> for a list of country codes. |

## Funds Disbursement Edit Criteria

|                                                                                           |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
|-------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Event Date</b><br>Positions: 24-27<br>Length: 4<br>Format: unpacked numeric            | <b>Description:</b> The date of the event for which the funds disbursement is being initiated.<br><br>The field must contain a valid four-digit date in the format <b>MMDD</b> .                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
| <b>Account Number</b><br>Positions: 28-43<br>Length: 16<br>Format: unpacked numeric       | <b>Description:</b> An issuer-assigned number that identifies a cardholder's account.<br><br>Account numbers are required on some transactions depending on the specified Funds Disbursement Reason Code. See the Funds Disbursement Reason Code table in <i>BASE II Clearing Data Codes</i> to determine which reason code requires an account number.<br><br><b>Outgoing:</b> When the field is required, the entry must be a 16-digit numeric. The first nine characters must be valid per the current ARDEF Table. For account numbers less than 16 digits, zero-fill to the right. The entry must be the correct length, must check digit.<br><br><b>VIC Edit:</b> The entry must represent either the Destination Identifier or Source Identifier according to the ARDEF Table. |
| <b>Account Number Extension</b><br>Positions: 44-46<br>Length: 3<br>Format: alphanumeric  | <b>Description:</b> A three-digit extension of the account number that allows account numbers up to 19 digits.<br><br>If used, the field must be left-justified and zero-filled to the right.<br><br>The field is used for account numbers greater than 16 digits. The Outgoing Edit Package inserts zeros if there are spaces or if the account number is all zeros.                                                                                                                                                                                                                                                                                                                                                                                                                 |
| <b>Destination Amount</b><br>Positions: 47-58<br>Length: 12<br>Format: unpacked numeric   | <b>Description:</b> The amount that is credited to the destination identifier.<br><br><b>Outgoing:</b> The field must contain zeros.<br><br><b>Incoming:</b> The field will contain a number greater than zero. The VIC converts the Source Amount to the Destination Amount. For National Net and Bilateral transactions, the VIC moves the Source Amount to the Destination Amount field.<br><br>Two decimals are implied.                                                                                                                                                                                                                                                                                                                                                          |
| <b>Destination Currency Code</b><br>Positions: 59-61<br>Length: 3<br>Format: alphanumeric | <b>Description:</b> The currency type presented to the client on incoming transactions.<br><br><b>Outgoing:</b> The field must contain spaces.<br><br><b>Incoming:</b> The field will contain a valid ISO numeric code. The VIC inserts the settlement currency of the receiving processing center. For National Net and Bilateral transactions, the Destination Currency Code will be the same as the Source Currency Code.                                                                                                                                                                                                                                                                                                                                                          |

## Funds Disbursement Edit Criteria

|                                                                                                           |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
|-----------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Source Amount</b><br>Positions: 62-73<br>Length: 12<br>Format: unpacked numeric                        | <p><b>Description:</b> Identifies the submitted transaction amount in the currency that is appropriate to the source endpoint. The amount that will be debited to the source identifier.</p> <p><b>Outgoing:</b> The field must be numeric and be greater than zero. The Source Amount cannot exceed the maximum amount allowed by the Reason Code.</p> <p>Two decimals are implied. To perform the edit check, the VIC converts the amount to U.S. Dollars if it is not already so, and returns the transaction if the converted amount exceeds the maximum allowed for the Funds Disbursement Reason Code (see <i>BASE II Clearing Data Codes</i> for Funds Disbursement Reason Codes).</p> <p><b>Note:</b> This edit will continue to be performed by the Edit Package when the Bypass Business Edits option is used during an outgoing edit run.</p> <p><b>Incoming:</b> The field must contain a numeric greater than zero.</p> |
| <b>Source Currency Code</b><br>Positions: 74-76<br>Length: 3<br>Format: alphanumeric                      | <p><b>Description:</b> The currency associated with the source amount of the transaction.</p> <p>The field must contain a valid ISO numeric code.</p> <p><b>Note:</b> This edit will continue to be performed by the Edit Package when the Bypass Business Edits option is used during an outgoing edit run.</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
| <b>Message Text</b><br>Positions: 77-146<br>Length: 70<br>Format: alphanumeric                            | <p><b>Description:</b> This field can be used for a freeform text message or for required information in a Funds Disbursement Reason Code <b>0300</b> transaction (Bill Payment Service; Brazil and Canada only).</p> <p>This field must not contain all spaces.</p> <p>Funds Disbursement Reason Code <b>0300</b> edit criteria are shown as follows.</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
| <b>Message Text Field for Reason Code 0300</b><br>Positions: 77-146<br>Length: 70<br>Format: alphanumeric | <p><b>Description:</b> This field can be used for a text message for transactions with a Reason Code of <b>0300</b>.</p> <p>This field is used only in Brazil and Canada Bill Payment Service.</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
| <b>Acquirer Reference Number</b><br>Positions: 77-99<br>Length: 23<br>Format: unpacked numeric            | <p><b>Description:</b> A 23-digit identification number assigned by the acquirer or source of the transaction. It consists of a format code, acquiring identifier, capture date, file locator, and check digit.</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
| <b>Format Code</b><br>Positions: 77<br>Length: 1<br>Format: unpacked numeric                              | <p><b>Description:</b> Used to ensure a valid Visa reference number.</p> <p>The entry must be a <b>7</b>.</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |

## Funds Disbursement Edit Criteria

|                                                                                              |                                                                                                                                                                                                                                                                                                                                                                                                        |
|----------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Acquiring Identifier</b><br>Positions: 78-83<br>Length: 6<br>Format: unpacked numeric     | <b>Description:</b> A numeric used to identify an acquiring financial institution.<br><br>The entity must represent the source acquiring identifier.                                                                                                                                                                                                                                                   |
| <b>Date</b><br>Positions: 84-87<br>Length: 4<br>Format: unpacked numeric                     | <b>Description:</b> The date the transaction was originated.<br><br>The entry must contain a four-digit numeric in the format <b>YDDD</b> (year and Julian day).                                                                                                                                                                                                                                       |
| <b>Film Locator</b><br>Positions: 88-98<br>Length: 11<br>Format: unpacked numeric            | <b>Description:</b> A number used to identify film records of the transaction.<br><br>This field must contain an 11-digit numeric. The entry may be zeroes if the center has other provisions for quick retrieval of originals/ photocopies.                                                                                                                                                           |
| <b>Check Digit</b><br>Positions: 99<br>Length: 1<br>Format: unpacked numeric                 | <b>Description:</b> A digit added to the end of the Acquirer Reference Number that is derived from a computation using a predetermined formula and the preceding digits of the Acquirer Reference Number. It is used during editing processes to validate the Acquirer Reference Number.<br><br>The entry must be a valid standard modulus-10 check digit of the preceding 22 digits (positions 77-98) |
| <b>Bank Name</b><br>Positions: 100-124<br>Length: 25<br>Format: alphanumeric                 | <b>Description:</b> The name of the bank.<br><br>An entry is required and must be space-filled to the right.                                                                                                                                                                                                                                                                                           |
| <b>Bank City</b><br>Positions: 125-137<br>Length: 13<br>Format: alphanumeric                 | <b>Description:</b> The city where the bank is located.<br><br>An entry is required and must be space-filled to the right.                                                                                                                                                                                                                                                                             |
| <b>Merchant Category Code</b><br>Positions: 138-141<br>Length: 4<br>Format: unpacked numeric | <b>Description:</b> A code indicating the principal line of business the merchant is engaged in.<br><br>The entry must be <b>6010</b> .                                                                                                                                                                                                                                                                |
| <b>Transfer Type</b><br>Positions: 142-143<br>Length: 2<br>Format: unpacked numeric          | <b>Description:</b> A code indicating the reason for the cardholder payment transaction.<br><br>The entry must be <b>00</b> , <b>01</b> , or <b>02</b> :<br><b>00</b> = Cardholder payment<br><b>01</b> = Returned/invalid account<br><b>02</b> = Returned/other reason                                                                                                                                |

### Funds Disbursement Edit Criteria

|                                                                                               |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
|-----------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Reserved</b><br>Positions: 144-146<br>Length: 3<br>Format: alphanumeric                    | <b>Description:</b> This field is reserved for future use. EP will always space-fill.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
| <b>Settlement Flag</b><br>Positions: 147<br>Length: 1<br>Format: unpacked numeric             | <b>Description:</b> Indicates if the transaction will settle in the International Settlement Service or in a National Area Net.<br><br><b>Outgoing:</b> The field must contain <b>0, 8, or 9</b> . If is entered, both the Source and Destination identifiers must be non-U.S.<br><br><b>Note:</b> This edit will continue to be performed by the Edit Package when the Bypass Business Edits option is used during an outgoing edit run.<br><br><b>Incoming:</b> The field will contain <b>0 or 8</b> .<br><br>See <i>BASE II Clearing Data Codes</i> for a definition of the Settlement Flag codes.                             |
| <b>Transaction Identifier</b><br>Positions: 148-162<br>Length: 15<br>Format: unpacked numeric | <b>Description:</b> A unique value that Visa assigns to each transaction and returns to the acquirer in the authorization response. Visa uses this value to maintain an audit trail throughout the life cycle of the transaction and all related transactions, such as reversals, adjustments, confirmations, and dispute financials.<br><br>The entry must be numeric.<br><br>The entry must be either zeros or a valid Transaction Identifier. For fulfillment and nonfulfillment fee transactions (Reason Codes <b>5160</b> and <b>5170</b> ), the Transaction Identifier from the corresponding transaction will be included. |
| <b>Reserved</b><br>Positions: 163<br>Length: 1<br>Format: alphanumeric                        | <b>Description:</b> This field is reserved for future use. EP will always space-fill.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
| <b>Central Processing Date</b><br>Positions: 164-167<br>Length: 4<br>Format: unpacked numeric | <b>Description:</b> The date (based on GMT) when the ITF was generated at a VIC.<br><br><b>Outgoing:</b> The VIC inserts the Central Processing Date. The field will contain a four-digit numeric in the format <b>YDDD</b> (year and day).                                                                                                                                                                                                                                                                                                                                                                                       |
| <b>Reimbursement Attribute</b><br>Positions: 168<br>Length: 1<br>Format: alphanumeric         | <b>Description:</b> This field must contain <b>0</b> (zero).                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |

# TC 20 - TCR 0 Visa Award (Loyalty)

This table contains the Funds Disbursement (TC 20) record layout for TCR 0 - VISA AWARD (LOYALTY).

## CTF - Incoming Interchange

### Visa Award Record Layout

| Position | Field Length | Format | Contents                              |
|----------|--------------|--------|---------------------------------------|
| 1-2      | 2            | UN     | Transaction Code                      |
| 3        | 1            | UN     | Transaction Code Qualifier            |
| 4        | 1            | UN     | Transaction Component Sequence Number |
| 5-10     | 6            | UN     | Destination Identifier                |
| 11-16    | 6            | UN     | Source Identifier                     |
| 17-20    | 4            | UN     | Reason Code                           |
| 21-23    | 3            | AN     | Originator Country Code               |
| 24-27    | 4            | UN     | Event Date (MMDD)                     |
| 28-43    | 16           | UN     | Account Number                        |
| 44-46    | 3            | UN     | Account Number Extension              |
| 47-58    | 12           | UN     | Destination Amount                    |
| 59-61    | 3            | AN     | Destination Currency Code             |
| 62-73    | 12           | UN     | Source Amount                         |
| 74-76    | 3            | AN     | Source Currency Code                  |
| 77-101   | 25           | AN     | Originator Name                       |
| 102-114  | 13           | AN     | Originator City                       |
| 115-119  | 5            | UN     | Originator ZIP Code                   |
| 120-122  | 3            | AN     | Originator State/Province Code        |
| 123-136  | 14           | AN     | Merchant Telephone Number             |
| 137-146  | 10           | AN     | Merchant Verification Value           |
| 147      | 1            | UN     | Settlement Flag                       |
| 148-162  | 15           | UN     | Transaction Identifier                |
| 163      | 1            | AN     | Funding Source                        |
| 164-167  | 4            | UN     | Central Processing Date (YDDD)        |



### Visa Award Record Layout

| Position | Field Length | Format | Contents                |
|----------|--------------|--------|-------------------------|
| 168      | 1            | AN     | Reimbursement Attribute |

Format: AN = Alphanumeric, ANS = Alphanumeric Special, DX = Display Hexadecimal, N = Numeric, UN = Unpacked Numeric

### Visa Award Edit Criteria

|                                                                                                       |                                                                                                                                                                                                                           |
|-------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Transaction Code</b><br>Positions: 1-2<br>Length: 2<br>Format: unpacked numeric                    | <b>Description:</b> <b>20</b> - Visa Award or Visa Award Reversal Offset Summary.                                                                                                                                         |
| <b>Transaction Code Qualifier</b><br>Positions: 3<br>Length: 1<br>Format: unpacked numeric            | <b>Description:</b> Value will be <b>1</b> Visa Award, Reversals and offsets.                                                                                                                                             |
| <b>Transaction Component Sequence Number</b><br>Positions: 4<br>Length: 1<br>Format: unpacked numeric | <b>Description:</b> Value will be <b>0</b> (zero).                                                                                                                                                                        |
| <b>Destination Identifier</b><br>Positions: 5-10<br>Length: 6<br>Format: unpacked numeric             | <b>Description:</b> The entity to which a transaction message is sent.<br>A financial identifier.                                                                                                                         |
| <b>Source Identifier</b><br>Positions: 11-16<br>Length: 6<br>Format: unpacked numeric                 | <b>Description:</b> The entity from which a BASE II transaction message was sent.<br>A financial identifier.                                                                                                              |
| <b>Reason Code</b><br>Positions: 17-20<br>Length: 4<br>Format: unpacked numeric                       | <b>Description:</b> A VisaNet code that tells the receiving client the reason for the Funds Disbursement.<br>These values should be used:<br><b>6040</b> = Visa Award<br><b>6070</b> = Visa Award Reversal Offset Summary |

## Visa Award Edit Criteria

|                                                                                              |                                                                                                                                                                                                                                                                                         |
|----------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Originator Country Code</b><br>Positions: 21-23<br>Length: 3<br>Format: alphanumeric      | <b>Description:</b> An ISO alpha country code.                                                                                                                                                                                                                                          |
| <b>Event Date (MMDD)</b><br>Positions: 24-27<br>Length: 4<br>Format: unpacked numeric        | <b>Description:</b> Date the transaction was created.                                                                                                                                                                                                                                   |
| <b>Account Number</b><br>Positions: 28-43<br>Length: 16<br>Format: unpacked numeric          | <b>Description:</b> An issuer-assigned number that identifies a cardholder's account.<br>Left-justified, zero-filled.                                                                                                                                                                   |
| <b>Account Number Extension</b><br>Positions: 44-46<br>Length: 3<br>Format: unpacked numeric | <b>Description:</b> A three-digit extension of the account number that allows account numbers up to 19 digits.<br>Left-justified, zero-filled.                                                                                                                                          |
| <b>Destination Amount</b><br>Positions: 47-58<br>Length: 12<br>Format: unpacked numeric      | <b>Description:</b> Amount of award.<br>This field will contain a numeric value greater than zero. Two decimals are implied.                                                                                                                                                            |
| <b>Destination Currency Code</b><br>Positions: 59-61<br>Length: 3<br>Format: alphanumeric    | <b>Description:</b> The currency type presented to the client on incoming transactions. For most transactions (that is, drafts), it is the billing currency. For other transactions (for example, fee collection, dispute financial), it is the settlement currency of the destination. |
| <b>Source Amount</b><br>Positions: 62-73<br>Length: 12<br>Format: unpacked numeric           | <b>Description:</b> Identifies the submitted transaction amount in the currency that is appropriate to the source endpoint. Amount of reward. Two decimals are implied.                                                                                                                 |
| <b>Source Currency Code</b><br>Positions: 74-76<br>Length: 3<br>Format: alphanumeric         | <b>Description:</b> The currency type associated with the amount of a transaction entered into interchange.                                                                                                                                                                             |

### Visa Award Edit Criteria

|                                                                                                  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
|--------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Originator Name</b><br>Positions: 77-101<br>Length: 25<br>Format: alphanumeric                | <b>Description:</b> Originator name.                                                                                                                                                                                                                                                                                                                                                                                                                                       |
| <b>Originator City</b><br>Positions: 102-114<br>Length: 13<br>Format: alphanumeric               | <b>Description:</b> Originator city.                                                                                                                                                                                                                                                                                                                                                                                                                                       |
| <b>Originator ZIP Code</b><br>Positions: 115-119<br>Length: 5<br>Format: unpacked numeric        | <b>Description:</b> Originator ZIP code.                                                                                                                                                                                                                                                                                                                                                                                                                                   |
| <b>Originator State/Province Code</b><br>Positions: 120-122<br>Length: 3<br>Format: alphanumeric | <b>Description:</b> Originator state.                                                                                                                                                                                                                                                                                                                                                                                                                                      |
| <b>Merchant Telephone Number</b><br>Positions: 123-136<br>Length: 14<br>Format: alphanumeric     | <b>Description:</b> Merchant telephone number.<br><br>This field will be blank.                                                                                                                                                                                                                                                                                                                                                                                            |
| <b>Merchant Verification Value</b><br>Positions: 137-146<br>Length: 10<br>Format: alphanumeric   | <b>Description:</b> The value is used by Visa to determine a merchant's eligibility to participate in any special programs. The first six positions of the MVV will be assigned to participating merchants by Visa. The last four positions will be defined in conjunction with the acquirer. Acquirers must include the MVV in BASE II Clearing transactions to qualify for any special programs fee processing.<br><br>This field will be blank.                         |
| <b>Settlement Flag</b><br>Positions: 147<br>Length: 1<br>Format: unpacked numeric                | <b>Description:</b> Indicates if the transaction will settle in the International Settlement Service or in a National Area Net.<br><br>Value will be <b>0</b> (zero)                                                                                                                                                                                                                                                                                                       |
| <b>Transaction Identifier</b><br>Positions: 148-162<br>Length: 15<br>Format: unpacked numeric    | <b>Description:</b> A unique value that Visa assigns to each transaction and returns to the acquirer in the authorization response. Visa uses this value to maintain an audit trail throughout the life cycle of the transaction and all related transactions, such as reversals, adjustments, confirmations, and dispute financials.<br><br>This field may have a value only for Pay With Points records. For all other Visa Award types the value will be <b>zeros</b> . |

## Visa Award Edit Criteria

|                                                                                                      |                                                                                                                                                                                                                                                      |
|------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Funding Source</b><br>Positions: 163<br>Length: 1<br>Format: alphanumeric                         | <b>Description:</b><br><b>I</b> = Issuer Funded<br><b>V</b> = Visa Funded<br><b>M</b> = Merchant Funded<br><b>P</b> = Program Sponsor Funded<br><b>O</b> = Any source other than the above.<br>This field is valid for TAQC and Sweepstakes records. |
| <b>Central Processing Date (YDDD)</b><br>Positions: 164-167<br>Length: 4<br>Format: unpacked numeric | <b>Description:</b> The date (based on GMT) when the ITF was generated at a VIC.                                                                                                                                                                     |
| <b>Reimbursement Attribute</b><br>Positions: 168<br>Length: 1<br>Format: alphanumeric                | <b>Description:</b> Obsolete - must be zero-filled.                                                                                                                                                                                                  |

# TC 20 - TCR 0 Sweepstakes

This table contains the Funds Disbursement (TC 20) record layout for TCR 0 - SWEEPSTAKES.

## CTF - Incoming Interchange

### Sweepstakes Record Layout

| Position | Field Length | Format | Contents                              |
|----------|--------------|--------|---------------------------------------|
| 1-2      | 2            | UN     | Transaction Code                      |
| 3        | 1            | UN     | Transaction Code Qualifier            |
| 4        | 1            | UN     | Transaction Component Sequence Number |
| 5-10     | 6            | UN     | Destination Identifier                |
| 11-16    | 6            | UN     | Source Identifier                     |
| 17-20    | 4            | UN     | Reason Code                           |
| 21-23    | 3            | AN     | Originator Country Code               |
| 24-27    | 4            | UN     | Event Date (MMDD)                     |
| 28-43    | 16           | UN     | Account Number                        |

### Sweepstakes Record Layout

| Position | Field Length | Format | Contents                       |
|----------|--------------|--------|--------------------------------|
| 44-46    | 3            | UN     | Account Number Extension       |
| 47-58    | 12           | UN     | Destination Amount             |
| 59-61    | 3            | AN     | Destination Currency Code      |
| 62-73    | 12           | UN     | Source Amount                  |
| 74-76    | 3            | AN     | Source Currency Code           |
| 77-101   | 25           | AN     | Originator Name                |
| 102-114  | 13           | AN     | Originator City                |
| 115-119  | 5            | UN     | Originator Zip Code            |
| 120-122  | 3            | AN     | Originator State/Province Code |
| 123-136  | 14           | AN     | Merchant Telephone Number      |
| 137-146  | 10           | AN     | Merchant Verification Value    |
| 147      | 1            | UN     | Settlement Flag                |
| 148-162  | 15           | UN     | Transaction Identifier         |
| 163      | 1            | AN     | Funding Source                 |
| 164-167  | 4            | UN     | Central Processing Date (YDDD) |
| 168      | 1            | AN     | Reimbursement Attribute        |

Format: AN = Alphanumeric, ANS = Alphanumeric Special, DX = Display Hexadecimal, N = Numeric, UN = Unpacked Numeric

### Sweepstakes Edit Criteria

|                                                                                            |                                                                                      |
|--------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|
| <b>Transaction Code</b><br>Positions: 1-2<br>Length: 2<br>Format: unpacked numeric         | <b>Description: 20</b> - Used for sweepstakes award or sweepstakes summary reversal. |
| <b>Transaction Code Qualifier</b><br>Positions: 3<br>Length: 1<br>Format: unpacked numeric | <b>Description:</b> Value will be <b>1</b> Sweepstakes.                              |

### Sweepstakes Edit Criteria

|                                                                                                       |                                                                                                                                                                                                                    |
|-------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Transaction Component Sequence Number</b><br>Positions: 4<br>Length: 1<br>Format: unpacked numeric | <b>Description:</b> Value will be <b>zero</b> .                                                                                                                                                                    |
| <b>Destination Identifier</b><br>Positions: 5-10<br>Length: 6<br>Format: unpacked numeric             | <b>Description:</b> The entity to which this transaction message is sent.<br>Visa issuing identifier.                                                                                                              |
| <b>Source Identifier</b><br>Positions: 11-16<br>Length: 6<br>Format: unpacked numeric                 | <b>Description:</b> The entity from which this BASE II transaction message was sent.<br>Visa internal identifier.                                                                                                  |
| <b>Reason Code</b><br>Positions: 17-20<br>Length: 4<br>Format: unpacked numeric                       | <b>Description:</b> A VisaNet code that tells the receiving client the reason for the Funds Disbursement.<br>These values should be used:<br><b>5330</b> = Sweepstakes Award<br><b>5360</b> = Sweepstakes Reversal |
| <b>Originator Country Code</b><br>Positions: 21-23<br>Length: 3<br>Format: alphanumeric               | <b>Description:</b> An ISO alpha country code.<br>The value will be US for Visa Sweepstakes                                                                                                                        |
| <b>Event Date (MMDD)</b><br>Positions: 24-27<br>Length: 4<br>Format: unpacked numeric                 | <b>Description:</b> The date the transaction was created.                                                                                                                                                          |
| <b>Account Number</b><br>Positions: 28-43<br>Length: 16<br>Format: unpacked numeric                   | <b>Description:</b> An issuer-assigned number that identifies a cardholder's account.<br>Left-justified zero-filled (zero filled for the summary)                                                                  |
| <b>Account Number Extension</b><br>Positions: 44-46<br>Length: 3<br>Format: unpacked numeric          | <b>Description:</b> A three-digit extension of the account number that allows account numbers up to 19 digits.<br>Left-justified, zero-filled (zero filled for the summary).                                       |

## Sweepstakes Edit Criteria

|                                                                                                  |                                                                                                                                                                                             |
|--------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Destination Amount</b><br>Positions: 47-58<br>Length: 12<br>Format: unpacked numeric          | <b>Description:</b> Amount of award or summary reversal. Two decimals are implied.                                                                                                          |
| <b>Destination Currency Code</b><br>Positions: 59-61<br>Length: 3<br>Format: alphanumeric        | <b>Description:</b> The currency type presented to the client on incoming transactions.<br>The field will be <b>840</b> .                                                                   |
| <b>Source Amount</b><br>Positions: 62-73<br>Length: 12<br>Format: unpacked numeric               | <b>Description:</b> Identifies the submitted transaction amount in the currency that is appropriate to the source endpoint. Amount of reward or summary reversal. Two decimals are implied. |
| <b>Source Currency Code</b><br>Positions: 74-76<br>Length: 3<br>Format: alphanumeric             | <b>Description:</b> The ISO numeric currency code for the US dollar.<br>The value will be <b>840</b> .                                                                                      |
| <b>Originator Name.</b><br>Positions: 77-101<br>Length: 25<br>Format: alphanumeric               | <b>Description:</b> Originator name.<br>This field will contain a description of the purpose of the statement credit. This information should be printed on the cardholder statement.       |
| <b>Originator City</b><br>Positions: 102-114<br>Length: 13<br>Format: alphanumeric               | <b>Description:</b> Originator city.<br>This field must not be blank.                                                                                                                       |
| <b>Originator Zip Code</b><br>Positions: 115-119<br>Length: 5<br>Format: unpacked numeric        | <b>Description:</b> Originator ZIP code.<br>This field must not be blank.                                                                                                                   |
| <b>Originator State/Province Code</b><br>Positions: 120-122<br>Length: 3<br>Format: alphanumeric | <b>Description:</b> Originator state.<br>This field must not be blank.                                                                                                                      |

### Sweepstakes Edit Criteria

|                                                                                                      |                                                                                                                                                                                                                                                                                                                                                                                                                                                |
|------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Merchant Telephone Number</b><br>Positions: 123-136<br>Length: 14<br>Format: alphanumeric         | <b>Description:</b> Merchant telephone number.<br>This field will be blank.                                                                                                                                                                                                                                                                                                                                                                    |
| <b>Merchant Verification Value</b><br>Positions: 137-146<br>Length: 10<br>Format: alphanumeric       | <b>Description:</b> The value is used by Visa to determine a merchant's eligibility to participate in any special programs. The first six positions of the MVV will be assigned to participating merchants by Visa. The last four positions will be defined in conjunction with the acquirer. Acquirers must include the MVV in BASE II Clearing transactions to qualify for any special programs fee processing.<br>This field will be blank. |
| <b>Settlement Flag</b><br>Positions: 147<br>Length: 1<br>Format: unpacked numeric                    | <b>Description:</b> Indicates if the transaction will settle in the International Settlement Service or in a National Area Net.<br>Value will be <b>0</b> (zero).                                                                                                                                                                                                                                                                              |
| <b>Transaction Identifier</b><br>Positions: 148-162<br>Length: 15<br>Format: unpacked numeric        | <b>Description:</b> A unique value that Visa assigns to each transaction and returns to the acquirer in the authorization response. Visa uses this value to maintain an audit trail throughout the life cycle of the transaction and all related transactions, such as reversals, adjustments, confirmations, and dispute financials.<br>This field will contain zeros.                                                                        |
| <b>Funding Source</b><br>Positions: 163<br>Length: 1<br>Format: alphanumeric                         | <b>Description:</b><br><b>I</b> = Issuer Funded<br><b>V</b> = Visa Funded<br><b>M</b> = Merchant Funded<br><b>P</b> = Program Sponsor Funded<br><b>O</b> = Any source other than the above.<br>This field is valid for TAQC and Sweepstakes records.                                                                                                                                                                                           |
| <b>Central Processing Date (YDDD)</b><br>Positions: 164-167<br>Length: 4<br>Format: unpacked numeric | <b>Description:</b> The date (based on GMT) when the ITF was generated at a VIC.                                                                                                                                                                                                                                                                                                                                                               |
| <b>Reimbursement Attribute</b><br>Positions: 168<br>Length: 1<br>Format: alphanumeric                | <b>Description:</b> Obsolete - must be zero-filled.                                                                                                                                                                                                                                                                                                                                                                                            |



# TC 20 - TCR 1 Additional Data

These tables contain the Funds Disbursement (TC 20) record layout and edit criteria for TCR 1 - ADDITIONAL DATA.

## CTF - Outgoing and Incoming Interchange

### Funds Disbursement Record Layout

| Position | Field Length | Format | Contents                              |
|----------|--------------|--------|---------------------------------------|
| 1-2      | 2            | UN     | Transaction Code                      |
| 3        | 1            | UN     | Transaction Code Qualifier            |
| 4        | 1            | UN     | Transaction Component Sequence Number |
| 5-9      | 5            | AN     | Rate Table ID                         |
| 10-168   | 159          | AN     | Reserved                              |

Format: AN = Alphanumeric, ANS = Alphanumeric Special, DX = Display Hexadecimal, N = Numeric, UN = Unpacked Numeric

### Funds Disbursement Edit Criteria

|                                                                                                       |                                                                |
|-------------------------------------------------------------------------------------------------------|----------------------------------------------------------------|
| <b>Transaction Code</b><br>Positions: 1-2<br>Length: 2<br>Format: unpacked numeric                    | <b>Description:</b> The field must contain a <b>20</b> .       |
| <b>Transaction Code Qualifier</b><br>Positions: 3<br>Length: 1<br>Format: unpacked numeric            | <b>Description:</b> The field must contain a <b>0 (zero)</b> . |
| <b>Transaction Component Sequence Number</b><br>Positions: 4<br>Length: 1<br>Format: unpacked numeric | <b>Description:</b> The field must contain a <b>1</b> .        |

## Funds Disbursement Edit Criteria

|                                                                             |                                                                                                                                                                                                                      |
|-----------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Rate Table ID</b><br>Positions: 5-9<br>Length: 5<br>Format: alphanumeric | <b>Description:</b> This field indicates the Rate Table ID used for transactions that underwent Multicurrency processing.<br><br>The field must begin with an alpha followed by a four-digit numeric, <b>Annnn</b> . |
| <b>Reserved</b><br>Positions: 10-168<br>Length: 159<br>Format: alphanumeric | <b>Description:</b> This field is reserved for future use.                                                                                                                                                           |

# TC 20 - TCR 2 Argentina National Settlement

This table contains the Funds Disbursement (TC 20) record layout for TCR 2 - ARGENTINA NATIONAL SETTLEMENT.

## CTF - Outgoing and Incoming Interchange

### Argentina Funds Disbursement Record Layout

| Position | Field Length | Format | Contents                              |
|----------|--------------|--------|---------------------------------------|
| 1-2      | 2            | UN     | Transaction Code                      |
| 3        | 1            | UN     | Transaction Code Qualifier            |
| 4        | 1            | UN     | Transaction Component Sequence Number |
| 5-16     | 12           | AN     | Reserved                              |
| 17-19    | 3            | AN     | Country Code (AR^)                    |
| 20-75    | 56           | AN     | Reserved                              |
| 76-81    | 6            | UN     | Deferred Settlement Date              |
| 82-168   | 87           | AN     | Reserved                              |

Format: AN = Alphanumeric, ANS = Alphanumeric Special, DX = Display Hexadecimal, N = Numeric, UN = Unpacked Numeric

## Argentina Funds Disbursement Edit Criteria

|                                                                                                       |                                                                                                        |
|-------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------|
| <b>Transaction Code</b><br>Positions: 1-2<br>Length: 2<br>Format: unpacked numeric                    | <b>Description:</b> The field must contain a <b>20</b> .                                               |
| <b>Transaction Code Qualifier</b><br>Positions: 3<br>Length: 1<br>Format: unpacked numeric            | <b>Description:</b> The field must contain a <b>0</b> (zero).                                          |
| <b>Transaction Component Sequence Number</b><br>Positions: 4<br>Length: 1<br>Format: unpacked numeric | <b>Description:</b> The field must contain a <b>2</b> .                                                |
| <b>Reserved</b><br>Positions: 5-16<br>Length: 12<br>Format: alphanumeric                              | <b>Description:</b> This field will be space-filled.                                                   |
| <b>Country Code</b><br>Positions: 17-19<br>Length: 3<br>Format: alphanumeric                          | <b>Description:</b> This field must contain the value <b>AR^</b> (Argentina), where ^ = <b>space</b> . |
| <b>Reserved</b><br>Positions: 20-75<br>Length: 56<br>Format: alphanumeric                             | <b>Description:</b> This field will be space-filled.                                                   |

## Argentina Funds Disbursement Edit Criteria

|                                                                                              |                                                                                                                                                                                                                                                                                                                                                                                           |
|----------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Deferred Settlement Date</b><br>Positions: 76-81<br>Length: 6<br>Format: unpacked numeric | <b>Description:</b> This field will contain the deferred settlement date in yymmdd format, where: <ul style="list-style-type: none"> <li>yy (Year) = <b>00-99</b></li> <li>mm (Month) = <b>01-12</b></li> <li>dd (Day) = <b>01-31</b></li> </ul> This field may be equal to or greater than the current CPD.<br><br><b>Note:</b> Deferred Settlement Date can be up to 365 calendar days. |
| <b>Reserved</b><br>Positions: 82-168<br>Length: 87<br>Format: alphanumeric                   | <b>Description:</b> This field will be space-filled.                                                                                                                                                                                                                                                                                                                                      |

# TC 20 - TCR 2 Brazil National Settlement

This table contains the Funds Disbursement (TC 20) record layout for TCR 2 - BRAZIL NATIONAL SETTLEMENT.

## CTF - Outgoing and Incoming Interchange

### Brazil Funds Disbursement Record Layout

| Position | Field Length | Format | Contents                              |
|----------|--------------|--------|---------------------------------------|
| 1-2      | 2            | UN     | Transaction Code                      |
| 3        | 1            | UN     | Transaction Code Qualifier            |
| 4        | 1            | UN     | Transaction Component Sequence Number |
| 5-16     | 12           | AN     | Reserved                              |
| 17-19    | 3            | AN     | Country Code (BR^)                    |
| 20-22    | 3            | AN     | Reserved                              |
| 23-25    | 3            | AN     | Settlement Type                       |
| 26-35    | 10           | UN     | National Reimbursement Fee            |
| 36-39    | 4            | UN     | Central Processing Date (YDDD)        |
| 40-41    | 2            | AN     | Installment Payment Count             |

### Brazil Funds Disbursement Record Layout

| Position | Field Length | Format | Contents |
|----------|--------------|--------|----------|
| 42-168   | 127          | AN     | Reserved |

Format: AN = Alphanumeric, ANS = Alphanumeric Special, DX = Display Hexadecimal, N = Numeric, UN = Unpacked Numeric

### Brazil Funds Disbursement Edit Criteria

|                                                                                                       |                                                                                                                                                                                                             |
|-------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Transaction Code</b><br>Positions: 1-2<br>Length: 2<br>Format: unpacked numeric                    | <b>Description:</b> The field must contain a <b>20</b> .                                                                                                                                                    |
| <b>Transaction Code Qualifier</b><br>Positions: 3<br>Length: 1<br>Format: unpacked numeric            | <b>Description:</b> The field must contain a <b>0</b> (zero).<br><br>This edit will continue to be performed by the Edit Package when the Bypass Business Edits option is used during an outgoing edit run. |
| <b>Transaction Component Sequence Number</b><br>Positions: 4<br>Length: 1<br>Format: unpacked numeric | <b>Description:</b> The field must contain a <b>2</b> .                                                                                                                                                     |
| <b>Reserved</b><br>Positions: 5-16<br>Length: 12<br>Format: alphanumeric                              | <b>Description:</b> This field is reserved for future use. EP will always space-fill.                                                                                                                       |
| <b>Country Code</b><br>Positions: 17-19<br>Length: 3<br>Format: alphanumeric                          | <b>Description:</b> Identifies the country of the acquiring institution.<br><br>This field must contain the value <b>BR^</b> (Brazil), where ^ = <b>space</b> .                                             |
| <b>Reserved</b><br>Positions: 20-22<br>Length: 3<br>Format: alphanumeric                              | <b>Description:</b> This field is reserved for future use. EP will always space-fill.                                                                                                                       |

## Brazil Funds Disbursement Edit Criteria

|                                                                                                 |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
|-------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Settlement Type</b><br>Positions: 23-25<br>Length: 3<br>Format: alphanumeric                 | <b>Description:</b> Code specifying the number of days for settlement deferment.<br><b>VIC Edit:</b> The field must contain a valid entry as defined on the National Calendar. The entry must be zero-filled to the left (for example, Settlement Type of 2 is entered as 002).<br><b>Reversals of Fee Collection Reason Code 0300 transactions only:</b> The entry must be the settlement type from the original transaction.                                                 |
| <b>National Reimbursement Fee</b><br>Positions: 26-35<br>Length: 10<br>Format: unpacked numeric | <b>Description:</b> Amount of the National Interchange Reimbursement Fee.<br><b>VIC Edit:</b> This field is required for transactions with a Funds Disbursement Reason Code of <b>0300</b> . An entry is not required for other Funds Disbursement transactions, but the field must be zero-filled.<br><b>Reversals of Fee Collection Reason Code 0300 transactions only:</b> The entry must be the same as in the original transaction.<br>Two decimal positions are implied. |
| <b>Central Processing Date</b><br>Positions: 36-39<br>Length: 4<br>Format: unpacked numeric     | <b>Description:</b> The date (based on GMT) when the ITF was generated at a VIC.<br><b>VIC Edit:</b> This field is not required and must be zero-filled.<br><b>Reversals of Fee Collection Reason Code 0300 transactions only:</b> The entry must be the central processing date from the original transaction in <b>YDDD</b> format.                                                                                                                                          |
| <b>Installment Payment Count</b><br>Positions: 40-41<br>Length: 2<br>Format: alphanumeric       | <b>Description:</b> If installment purchase, indicates the number of installments.<br><b>VIC Edit:</b> The field must contain a numeric entry from <b>00</b> through <b>99</b> or <b>spaces</b> .                                                                                                                                                                                                                                                                              |
| <b>Reserved</b><br>Positions: 42-168<br>Length: 127<br>Format: alphanumeric                     | <b>Description:</b> This field is reserved for future use. EP will always space-fill.                                                                                                                                                                                                                                                                                                                                                                                          |

# TC 20 - TCR 2 Paraguay National Settlement

These tables contain the Funds Disbursement (TC 20) record layout and edit criteria for TCR 2 - Paraguay National Settlement.

## CTF - Outgoing and Incoming Interchange

### Funds Disbursement Record Layout

| Position | Field Length | Format | Contents                              |
|----------|--------------|--------|---------------------------------------|
| 1-2      | 2            | UN     | Transaction Code                      |
| 3        | 1            | UN     | Transaction Code Qualifier            |
| 4        | 1            | UN     | Transaction Component Sequence Number |
| 5-10     | 6            | UN     | Deferred Settlement Date              |
| 11-16    | 6            | AN     | Reserved                              |
| 17-19    | 3            | AN     | Country Code (PY^)                    |
| 20-168   | 148          | AN     | Reserved                              |

Format: AN = Alphanumeric, ANS = Alphanumeric Special, DX = Display Hexadecimal, N = Numeric, UN = Unpacked Numeric

### Funds Disbursement Edit Criteria

|                                                                                                       |                                                                                                                                                                                                                                                                                                                 |
|-------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Transaction Code</b><br>Positions: 1-2<br>Length: 2<br>Format: unpacked numeric                    | <b>Description:</b> The field must contain a <b>20</b> .                                                                                                                                                                                                                                                        |
| <b>Transaction Code Qualifier</b><br>Positions: 3<br>Length: 1<br>Format: unpacked numeric            | <b>Description:</b> The field must contain a <b>0 (zero)</b> .                                                                                                                                                                                                                                                  |
| <b>Transaction Component Sequence Number</b><br>Positions: 4<br>Length: 1<br>Format: unpacked numeric | <b>Description:</b> The field must contain a <b>2</b> .                                                                                                                                                                                                                                                         |
| <b>Deferred Settlement Date</b><br>Positions: 5-10<br>Length: 6<br>Format: unpacked numeric           | <b>Description:</b> This field will contain the deferred settlement date in <b>yymmdd</b> format, where:<br>yy (Year) = 00-99<br>mm (Month) = 01-12<br>dd (Day) = 01-31<br>This field may be equal to or greater than the current CPD.<br><b>Note:</b> Deferred Settlement Date can be up to 365 calendar days. |

## Funds Disbursement Edit Criteria

|                                                                              |                                                                                               |
|------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------|
| <b>Reserved</b><br>Positions: 11-16<br>Length: 6<br>Format: alphanumeric     | <b>Description:</b> This field is reserved for future use.                                    |
| <b>Country Code</b><br>Positions: 17-19<br>Length: 3<br>Format: alphanumeric | <b>Description:</b> This field must contain the value <b>PY^</b> (Paraguay), where ^ = space. |
| <b>Reserved</b><br>Positions: 20-168<br>Length: 148<br>Format: alphanumeric  | <b>Description:</b> This field is reserved for future use.                                    |

# TC 20 - TCR 2 Uruguay National Settlement

These tables contain the Funds Disbursement (TC 20) record layout and edit criteria for TCR 2 - URUGUAY NATIONAL SETTLEMENT.

## CTF - Outgoing and Incoming Interchange

### Uruguay Funds Disbursement Record Layout

| Position | Field Length | Format | Contents                              |
|----------|--------------|--------|---------------------------------------|
| 1-2      | 2            | UN     | Transaction Code                      |
| 3        | 1            | UN     | Transaction Code Qualifier            |
| 4        | 1            | UN     | Transaction Component Sequence Number |
| 5-10     | 6            | UN     | Deferred Settlement Date              |
| 11-16    | 6            | AN     | Reserved                              |
| 17-19    | 3            | AN     | Country Code (UY^)                    |
| 20-168   | 149          | AN     | Reserved                              |

Format: AN = Alphanumeric, ANS = Alphanumeric Special, DX = Display Hexadecimal, N = Numeric, UN = Unpacked Numeric



### Uruguay Funds Disbursement Edit Criteria

|                                                                                                       |                                                                                                                                                                                                                                                                                                                                      |
|-------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Transaction Code</b><br>Positions: 1-2<br>Length: 2<br>Format: unpacked numeric                    | <b>Description:</b> The field must contain a <b>20</b> .                                                                                                                                                                                                                                                                             |
| <b>Transaction Code Qualifier</b><br>Positions: 3<br>Length: 1<br>Format: unpacked numeric            | <b>Description:</b> The field must contain a <b>0 (zero)</b> .                                                                                                                                                                                                                                                                       |
| <b>Transaction Component Sequence Number</b><br>Positions: 4<br>Length: 1<br>Format: unpacked numeric | <b>Description:</b> The field must contain a <b>2</b> .                                                                                                                                                                                                                                                                              |
| <b>Deferred Settlement Date</b><br>Positions: 5-10<br>Length: 6<br>Format: unpacked numeric           | <b>Description:</b> This field will contain the deferred settlement date in <b>yymmdd</b> format, where:<br>yy (Year) = <b>00-99</b><br>mm (Month) = <b>01-12</b><br>dd (Day) = <b>01-31</b><br>This field may be equal to or greater than the current CPD.<br><b>Note:</b> Deferred Settlement Date can be up to 365 calendar days. |
| <b>Reserved</b><br>Positions: 11-16<br>Length: 6<br>Format: alphanumeric                              | <b>Description:</b> This field is reserved for future use. This field will be space-filled.                                                                                                                                                                                                                                          |
| <b>Country Code</b><br>Positions: 17-19<br>Length: 3<br>Format: alphanumeric                          | <b>Description:</b> This field must contain the value <b>UY^</b> (Uruguay), where ^ = <b>space</b> .                                                                                                                                                                                                                                 |
| <b>Reserved</b><br>Positions: 20-168<br>Length: 149<br>Format: alphanumeric                           | <b>Description:</b> This field is reserved for future use. This field will be space-filled.                                                                                                                                                                                                                                          |

# TC 20 - TCR 4 Promotional Data

This table contains the Funds Disbursement (TC 20) record layout for TCR 4 - PROMOTIONAL DATA.

## Cardholder Credits/Rebates Record Layout

| Position | Field Length | Format | Contents                              |
|----------|--------------|--------|---------------------------------------|
| 1-2      | 2            | UN     | Transaction Code                      |
| 3        | 1            | UN     | Transaction Code Qualifier            |
| 4        | 1            | UN     | Transaction Component Sequence Number |
| 5-6      | 2            | AN     | Business Format Code                  |
| 7-8      | 2            | AN     | Promotion Type                        |
| 9-33     | 25           | AN     | Promotion Code                        |
| 34-37    | 4            | UN     | Network Identification Code           |
| 38-168   | 131          | AN     | Reserved                              |

Format: AN = Alphanumeric, ANS = Alphanumeric Special, DX = Display Hexadecimal, N = Numeric, UN = Unpacked Numeric

## Cardholder Credits/Rebates Edit Criteria

|                                                                                                       |                                                           |
|-------------------------------------------------------------------------------------------------------|-----------------------------------------------------------|
| <b>Transaction Code</b><br>Positions: 1-2<br>Length: 2<br>Format: unpacked numeric                    | <b>Description:</b> This field must contain a <b>20</b> . |
| <b>Transaction Code Qualifier</b><br>Positions: 3<br>Length: 1<br>Format: unpacked numeric            | <b>Description:</b> This field must contain a <b>1</b> .  |
| <b>Transaction Component Sequence Number</b><br>Positions: 4<br>Length: 1<br>Format: unpacked numeric | <b>Description:</b> This field must contain a <b>4</b> .  |

### Cardholder Credits/Rebates Edit Criteria

|                                                                                                 |                                                                                                                                                                                                                                        |
|-------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Business Format Code</b><br>Positions: 5-6<br>Length: 2<br>Format: alphanumeric              | <b>Description:</b> This field must contain <b>PD</b> (for Promotion data.)                                                                                                                                                            |
| <b>Promotion Type</b><br>Positions: 7-8<br>Length: 2<br>Format: alphanumeric                    | <b>Description:</b> A code that will define the type of promotion associated with the transaction.<br><br>The range of values reserved for Visa use only are:<br>Position 7: <b>V - Z</b><br>Position 8: <b>1 - 9</b> and <b>A - Z</b> |
| <b>Promotion Code</b><br>Positions: 9-33<br>Length: 25<br>Format: alphanumeric                  | <b>Description:</b> A value that will refer to a specific promotional or loyalty program.<br><br>The range of values reserved for Visa use only are:<br>Position 9: <b>V - Z</b><br>Positions 10-33: <b>1 - 9</b> and <b>A - Z</b>     |
| <b>Network Identification Code</b><br>Positions: 34-37<br>Length: 4<br>Format: unpacked numeric | <b>Description:</b> This field will include the network identification code.<br><br>Valid values are <b>0000-9999</b> . For transactions that do not contain network identification code, this field should contain all zeros.         |
| <b>Reserved</b><br>Positions: 38-168<br>Length: 131<br>Format: alphanumeric                     | <b>Description:</b> This field will be space-filled by the Edit Package.                                                                                                                                                               |

# Chapter 7

## TC 30 ICS/NARS Input Processing Transactions

---

### TC 30 - ICS/NARS Input Processing Transactions

The Issuers' Clearinghouse Service (ICS) and National Application Review Service (NARS) TC 30 transaction transmits information to a VIC for query purposes. ICS applies only to U.S. transactions and NARS applies only to non-U.S. transactions. TCR 0 is always required. TCRs 1 through 7 are optional.

TCR 0, 1-7

CTF - Outgoing Interchange

# TC 30 - TCR 0 ICS/NARS Input Processing

These tables contain the ICS/NARS Input Processing (TC 30) record layout and edit criteria for TCR 0 - ICS/NARS INPUT PROCESSING.

## CTF - Outgoing Interchange

### ICS/NARS Input Processing Record Layout

| Position | Field Length | Format | Contents                              |
|----------|--------------|--------|---------------------------------------|
| 1-2      | 2            | UN     | Transaction Code                      |
| 3        | 1            | UN     | Transaction Code Qualifier            |
| 4        | 1            | UN     | Transaction Component Sequence Number |
| 5-10     | 6            | UN     | Destination Identifier                |
| 11-16    | 6            | UN     | Source Identifier                     |
| 17-167   | 151          | AN     | Transaction Data                      |
| 168      | 1            | AN     | Reimbursement Attribute               |

Format: AN = Alphanumeric, ANS = Alphanumeric Special, DX = Display Hexadecimal, N = Numeric, UN = Unpacked Numeric

### ICS/NARS Input Processing Edit Criteria

|                                                                                                       |                                                                                                                                                                                                         |
|-------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Transaction Code</b><br>Positions: 1-2<br>Length: 2<br>Format: unpacked numeric                    | <b>Description:</b> This field must contain a <b>30</b> .                                                                                                                                               |
| <b>Transaction Code Qualifier</b><br>Positions: 3<br>Length: 1<br>Format: unpacked numeric            | <b>Description:</b> The field must contain a <b>0</b> (zero).<br>This edit will continue to be performed by the Edit Package when the Bypass Business Edits option is used during an outgoing edit run. |
| <b>Transaction Component Sequence Number</b><br>Positions: 4<br>Length: 1<br>Format: unpacked numeric | <b>Description:</b> The field must contain a <b>0</b> (zero).                                                                                                                                           |

### ICS/NARS Input Processing Edit Criteria

|                                                                                           |                                                                                                                                                                                                                                            |
|-------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Destination Identifier</b><br>Positions: 5-10<br>Length: 6<br>Format: unpacked numeric | <b>Description:</b> The entity to which this BASE II transaction message is sent.<br>The field must contain <b>400025</b> , <b>400026</b> , or <b>479195</b> .                                                                             |
| <b>Source Identifier</b><br>Positions: 11-16<br>Length: 6<br>Format: unpacked numeric     | <b>Description:</b> The entity from which this BASE II transaction message was sent.<br>The entry must be a U.S. identifier if the Destination Identifier is <b>400025</b> or <b>400026</b> .                                              |
| <b>Transaction Data</b><br>Positions: 17-167<br>Length: 151<br>Format: alphanumeric       | <b>Description:</b><br><i>See Issuers' Clearinghouse Service User's Manual for specific transaction data information for ICS, or National Application Review Service User's Manual for specific transaction data information for NARS.</i> |
| <b>Reimbursement Attribute</b><br>Positions: 168<br>Length: 1<br>Format: alphanumeric     | <b>Description:</b> Obsolete - must be zero-filled.                                                                                                                                                                                        |

## TC 30 - TCR 1-7 ICS Input Processing Additional Data

These tables contain the ICS/NARS Input Processing (TC 30) record layout and edit criteria for TCR 1-7 - ICS INPUT PROCESSING ADDITIONAL DATA.

### CTF - Outgoing Interchange

#### ICS Input Processing Record Layout

| Position | Field Length | Format | Contents                              |
|----------|--------------|--------|---------------------------------------|
| 1-2      | 2            | UN     | Transaction Code                      |
| 3        | 1            | UN     | Transaction Code Qualifier            |
| 4        | 1            | UN     | Transaction Component Sequence Number |
| 5-16     | 12           | AN     | Reserved                              |

## ICS Input Processing Record Layout

| Position | Field Length | Format | Contents         |
|----------|--------------|--------|------------------|
| 17-168   | 152          | AN     | Transaction Data |

Format: AN = Alphanumeric, ANS = Alphanumeric Special, DX = Display Hexadecimal, N = Numeric, UN = Unpacked Numeric

## ICS Input Processing Edit Criteria

|                                                                                                       |                                                                                                                                                                                                             |
|-------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Transaction Code</b><br>Positions: 1-2<br>Length: 2<br>Format: unpacked numeric                    | <b>Description:</b> The field must contain a <b>30</b> .                                                                                                                                                    |
| <b>Transaction Code Qualifier</b><br>Positions: 3<br>Length: 1<br>Format: unpacked numeric            | <b>Description:</b> The field must contain a <b>0</b> (zero).<br><br>This edit will continue to be performed by the Edit Package when the Bypass Business Edits option is used during an outgoing edit run. |
| <b>Transaction Component Sequence Number</b><br>Positions: 4<br>Length: 1<br>Format: unpacked numeric | <b>Description:</b> The field must contain a <b>1</b> .                                                                                                                                                     |
| <b>Reserved</b><br>Positions: 5-16<br>Length: 12<br>Format: alphanumeric                              | <b>Description:</b> This field is reserved for future use. EP will always space-fill.                                                                                                                       |
| <b>Transaction Data</b><br>Positions: 17-168<br>Length: 152<br>Format: alphanumeric                   | <b>Description:</b><br><br>See <i>Issuers' Clearinghouse Service User's Manual</i> for specific transaction data information.                                                                               |

# TC 30 - TCR 1-7 NARS Input Processing Additional Data

These tables contain the ICS/NARS Input Processing (TC 30) record layout and edit criteria for TCR 1-7 -NARS INPUT PROCESSING ADDITIONAL DATA.

## CTF - Outgoing Interchange

### NARS Input Processing Record Layout

| Position | Field Length | Format | Contents                              |
|----------|--------------|--------|---------------------------------------|
| 1-2      | 2            | UN     | Transaction Code                      |
| 3        | 1            | UN     | Transaction Code Qualifier            |
| 4        | 1            | UN     | Transaction Component Sequence Number |
| 5-168    | 164          | AN     | Transaction Data                      |

Format: AN = Alphanumeric, ANS = Alphanumeric Special, DX = Display Hexadecimal, N = Numeric, UN = Unpacked Numeric

### NARS Input Processing Edit Criteria

|                                                                                                       |                                                                                                                                                                                                             |
|-------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Transaction Code</b><br>Positions: 1-2<br>Length: 2<br>Format: unpacked numeric                    | <b>Description:</b> The field must contain a <b>30</b> .                                                                                                                                                    |
| <b>Transaction Code Qualifier</b><br>Positions: 3<br>Length: 1<br>Format: unpacked numeric            | <b>Description:</b> The field must contain a <b>0</b> (zero).<br><br>This edit will continue to be performed by the Edit Package when the Bypass Business Edits option is used during an outgoing edit run. |
| <b>Transaction Component Sequence Number</b><br>Positions: 4<br>Length: 1<br>Format: unpacked numeric | <b>Description:</b> The field must contain a number from <b>1</b> through <b>7</b> .                                                                                                                        |
| <b>Transaction Data</b><br>Positions: 5-168<br>Length: 164<br>Format: alphanumeric                    | <b>Description:</b><br><br>See <i>National Application Review Service User's Manual</i> for specific transaction data information.                                                                          |



# Chapter 8

## TC 31 ICS/NARS Response Processing Transactions

---

### TC 31-ICS/NARS Response Processing Transactions

The Issuers' Clearinghouse Service (ICS) and National Application Review Service (NARS) TC 31 transaction transmits information from a VIC for reporting purposes. ICS applies only to U.S. transactions and NARS applies only to non-U.S. transactions. TCR 0 is always required. TCRs 1 through 7 are optional.

TCR 0, 1-7

CTF - Incoming Interchange

# TC 31 - TCR 0 ICS/NARS Response Processing

This table contains the ICS/NARS Response Processing (TC 31) record layout for TCR 0 -ICS/NARS RESPONSE PROCESSING.

## CTF - Incoming Interchange

### ICS/NARS Response Processing Record Layout

| Position | Field Length | Format | Contents                              |
|----------|--------------|--------|---------------------------------------|
| 1-2      | 2            | UN     | Transaction Code                      |
| 3        | 1            | UN     | Transaction Code Qualifier            |
| 4        | 1            | UN     | Transaction Component Sequence Number |
| 5-10     | 6            | UN     | Destination Identifier                |
| 11-16    | 6            | UN     | Source Identifier                     |
| 17-167   | 151          | AN     | Transaction Data                      |
| 168      | 1            | AN     | Member Market Segmentation            |

Format: AN = Alphanumeric, ANS = Alphanumeric Special, DX = Display Hexadecimal, N = Numeric, UN = Unpacked Numeric

### ICS/NARS Response Processing Edit Criteria

|                                                                                                       |                                                                |
|-------------------------------------------------------------------------------------------------------|----------------------------------------------------------------|
| <b>Transaction Code</b><br>Positions: 1-2<br>Length: 2<br>Format: unpacked numeric                    | <b>Description:</b> This field will contain a <b>31</b> .      |
| <b>Transaction Code Qualifier</b><br>Positions: 3<br>Length: 1<br>Format: unpacked numeric            | <b>Description:</b> This field will contain a <b>0</b> (zero). |
| <b>Transaction Component Sequence Number</b><br>Positions: 4<br>Length: 1<br>Format: unpacked numeric | <b>Description:</b> This field will contain a <b>0</b> (zero). |

### ICS/NARS Response Processing Edit Criteria

|                                                                                           |                                                                                                                                                                                                                                                                                                                                         |
|-------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Destination Identifier</b><br>Positions: 5-10<br>Length: 6<br>Format: unpacked numeric | <b>Description:</b> The entity to which this BASE II transaction message is sent.<br><br>If the Source Identifier is <b>479192</b> (NARS), the entry will contain a valid BASE II destination identifier. If the Source Identifier is <b>400025</b> or <b>400026</b> (ICS), the entry will contain a valid U.S. destination identifier. |
| <b>Source Identifier</b><br>Positions: 11-16<br>Length: 6<br>Format: unpacked numeric     | <b>Description:</b> The entity from which this BASE II transaction message was sent.<br><br>This field will contain <b>400025</b> , <b>400026</b> , or <b>479192</b> .                                                                                                                                                                  |
| <b>Transaction Data</b><br>Positions: 17-167<br>Length: 151<br>Format: alphanumeric       | <b>Description:</b><br><br>See the <i>Issuers' Clearinghouse Service User's Manual</i> for specific transaction data information for ICS, or the <i>National Application Review Service User's Manual</i> for specific transaction data information for NARS.                                                                           |
| <b>Member Market Segmentation</b><br>Positions: 168<br>Length: 1<br>Format: alphanumeric  | <b>Description:</b> Identifies market or industry segment for this transaction.                                                                                                                                                                                                                                                         |

## TC 31 - TCR 1-7 ICS Response Processing Additional Data

This table contains the ICS/NARS Response Processing (TC 31) record layout for TCR 1-7 -ICS RESPONSE PROCESSING ADDITIONAL DATA.

### CTF - Incoming Interchange

#### ICS Response Processing Additional Data Record Layout

| Position | Field Length | Format | Contents                              |
|----------|--------------|--------|---------------------------------------|
| 1-2      | 2            | UN     | Transaction Code                      |
| 3        | 1            | UN     | Transaction Code Qualifier            |
| 4        | 1            | UN     | Transaction Component Sequence Number |
| 5-16     | 12           | AN     | Reserved                              |

### ICS Response Processing Additional Data Record Layout

| Position | Field Length | Format | Contents         |
|----------|--------------|--------|------------------|
| 17-168   | 152          | AN     | Transaction Data |

Format: AN = Alphanumeric, ANS = Alphanumeric Special, DX = Display Hexadecimal, N = Numeric, UN = Unpacked Numeric

### ICS Response Processing Additional Data Edit Criteria

|                                                                                                       |                                                                                                                                                                                                              |
|-------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Transaction Code</b><br>Positions: 1-2<br>Length: 2<br>Format: unpacked numeric                    | <b>Description:</b> This field will contain a <b>31</b> .                                                                                                                                                    |
| <b>Transaction Code Qualifier</b><br>Positions: 3<br>Length: 1<br>Format: unpacked numeric            | <b>Description:</b> This field will contain a <b>0</b> (zero).<br><br>This edit will continue to be performed by the Edit Package when the Bypass Business Edits option is used during an outgoing edit run. |
| <b>Transaction Component Sequence Number</b><br>Positions: 4<br>Length: 1<br>Format: unpacked numeric | <b>Description:</b> This field will contain a number from <b>1</b> through <b>7</b> .                                                                                                                        |
| <b>Reserved</b><br>Positions: 5-16<br>Length: 12<br>Format: alphanumeric                              | <b>Description:</b> This field is reserved for future use. EP will always space-fill.                                                                                                                        |
| <b>Transaction Data</b><br>Positions: 17-168<br>Length: 152<br>Format: alphanumeric                   | <b>Description:</b><br>See the <i>Issuers' Clearinghouse Service User's Manual</i> for specific transaction data information.                                                                                |

# TC 31 - TCR 1-7 NARS Response Processing Additional Data

This table contains the ICS/NARS Response Processing (TC 31) record layout for TCR 1-7 -NARS RESPONSE PROCESSING ADDITIONAL DATA.

## CTF - Incoming Interchange

### NARS Response Processing Additional Data Record Layout

| Position | Field Length | Format | Contents                              |
|----------|--------------|--------|---------------------------------------|
| 1-2      | 2            | UN     | Transaction Code                      |
| 3        | 1            | UN     | Transaction Code Qualifier            |
| 4        | 1            | UN     | Transaction Component Sequence Number |
| 5-168    | 164          | AN     | Transaction Data                      |

Format: AN = Alphanumeric, ANS = Alphanumeric Special, DX = Display Hexadecimal, N = Numeric, UN = Unpacked Numeric

### NARS Response Processing Additional Data Edit Criteria

|                                                                                                       |                                                                                                                                                                                                              |
|-------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Transaction Code</b><br>Positions: 1-2<br>Length: 2<br>Format: unpacked numeric                    | <b>Description:</b> This field will contain a <b>31</b> .                                                                                                                                                    |
| <b>Transaction Code Qualifier</b><br>Positions: 3<br>Length: 1<br>Format: unpacked numeric            | <b>Description:</b> This field will contain a <b>0</b> (zero).<br><br>This edit will continue to be performed by the Edit Package when the Bypass Business Edits option is used during an outgoing edit run. |
| <b>Transaction Component Sequence Number</b><br>Positions: 4<br>Length: 1<br>Format: unpacked numeric | <b>Description:</b> This field will contain a number from <b>1</b> through <b>7</b> .                                                                                                                        |
| <b>Transaction Data</b><br>Positions: 5-168<br>Length: 164<br>Format: alphanumeric                    | <b>Description:</b><br><br>See the <i>National Application Review Service User's Manual</i> for specific transaction data information.                                                                       |

# Chapter 9

## TC 32 Risk Management Transactions

---

Starting 16 October 2010, all TC 32 transactions were returned in BASE II.

# Chapter 10

## TC 33 Multipurpose Message Transactions

---

### TC 33-Multipurpose Message Transactions

The TC 33 is used to transmit several types of information:

- Report Distribution Management System (RDMS)
- Chargeback Reduction Service (CRS) Issuer Advice
- Duplicate Transactions Reports
- Plus Identifier tables
- Transaction Routing Service
- Interlink routing tables
- VisaVue Solution Series
- Raw Data File records

- Visa Electron Routing Table
- Visa Extras Daily Points Balance
- Visa Extras Daily Incremental Enrollment
- Visa Extras Monthly Enrollment Detail
- Visa Capture Transactions
- Visa Commercial Choice Select
- Dispute Financial Status Advice

TCR 0, 1, 2

CTF - Incoming Interchange

These TC 33 Authorization Record (POS and PSR) transaction records are also supported by BASE II:

- TCR 0 - Authorization and Incremental Authorization (POS)
- TCR 1 - Authorization and Incremental Authorization (POS), Additional Information
- TCR 0 - Authorization Full and Partial Reversal (PSR)
- TCR 1 - Authorization Full and Partial Reversal (PSR), Additional Information

See *V.I.P. System Technical Specifications*.

See:

- VisaVue Solution Series:
  - *Market Advantage User Guide*
  - *Performance Plus User Guide*
- Transaction Routing Service and Interlink routing tables.

Contact your regional Visa representative for information about TC 33 delivery of the tables.

## TC 33 - TCR 0 RDMS Message

These tables contain the Multipurpose Message (TC 33) record layout and edit criteria for TCR 0 - RDMS MESSAGE.

**CTF - Incoming Interchange**



### RDMS Message Record Layout

| Position | Field Length | Format | Contents                              |
|----------|--------------|--------|---------------------------------------|
| 1-2      | 2            | UN     | Transaction Code                      |
| 3        | 1            | UN     | Transaction Code Qualifier            |
| 4        | 1            | UN     | Transaction Component Sequence Number |
| 5-10     | 6            | UN     | Destination Identifier                |
| 11-16    | 6            | UN     | Source Identifier                     |
| 17-26    | 10           | AN     | Report Identifier                     |
| 27-34    | 8            | UN     | Report Line Sequence Number           |
| 35-167   | 133          | AN     | Report Text                           |
| 168      | 1            | AN     | Reimbursement Attribute               |

Format: AN = Alphanumeric, ANS = Alphanumeric Special, DX = Display Hexadecimal, N = Numeric, UN = Unpacked Numeric

### RDMS Message Edit Criteria

|                                                                                                       |                                                                                                                                                                                                          |
|-------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Transaction Code</b><br>Positions: 1-2<br>Length: 2<br>Format: unpacked numeric                    | <b>Description:</b> This field will contain a <b>33</b> .                                                                                                                                                |
| <b>Transaction Code Qualifier</b><br>Positions: 3<br>Length: 1<br>Format: unpacked numeric            | <b>Description:</b> This field will contain a <b>0</b> (zero).<br>This edit will continue to be performed by the Edit Package when the Bypass Business Edits option is used during an outgoing edit run. |
| <b>Transaction Component Sequence Number</b><br>Positions: 4<br>Length: 1<br>Format: unpacked numeric | <b>Description:</b> This field will contain a <b>0</b> (zero).                                                                                                                                           |
| <b>Destination Identifier</b><br>Positions: 5-10<br>Length: 6<br>Format: unpacked numeric             | <b>Description:</b> The entity to which the BASE II transaction message is sent.<br>This field will contain a valid acquiring or issuing identifier.                                                     |

### RDMS Message Edit Criteria

|                                                                                                 |                                                                                                                                                                                            |
|-------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Source Identifier</b><br>Positions: 11-16<br>Length: 6<br>Format: unpacked numeric           | <b>Description:</b> The entity from which this BASE II transaction message was sent.<br><br>This field will contain a valid acquiring or issuing identifier.                               |
| <b>Report Identifier</b><br>Positions: 17-26<br>Length: 10<br>Format: alphanumeric              | <b>Description:</b> Indicates which report is being transmitted.<br><br>The report number is left-justified and space-filled (for example, 21xx, 22xx, 51xx, or 61xx for the APR reports). |
| <b>Report Line Sequence Number</b><br>Positions: 27-34<br>Length: 8<br>Format: unpacked numeric | <b>Description:</b> Used to ensure that the report comes out in the sequence in which it was generated.                                                                                    |
| <b>Report Text</b><br>Positions: 35-167<br>Length: 133<br>Format: alphanumeric                  | <b>Description:</b> Contents of the report line.                                                                                                                                           |
| <b>Reimbursement Attribute</b><br>Positions: 168<br>Length: 1<br>Format: alphanumeric           | <b>Description:</b> Obsolete - must be zero-filled.                                                                                                                                        |

## TC 33 - TCR 0 CRS Issuer Advice

These tables contain the Multipurpose Message (TC 33) record layout and edit criteria for TCR 0 - CRS ISSUER ADVICE.

### CTF - Incoming Interchange

#### CRS Issuer Advice Record Layout

| Position | Field Length | Format | Contents                              |
|----------|--------------|--------|---------------------------------------|
| 1-2      | 2            | UN     | Transaction Code                      |
| 3        | 1            | UN     | Transaction Code Qualifier            |
| 4        | 1            | UN     | Transaction Component Sequence Number |
| 5-10     | 6            | UN     | Destination Identifier                |

### CRS Issuer Advice Record Layout

| Position | Field Length | Format | Contents                     |
|----------|--------------|--------|------------------------------|
| 11-16    | 6            | UN     | Source Identifier            |
| 17-26    | 10           | AN     | Report Identifier            |
| 27-29    | 3            | AN     | Return Reason Code           |
| 30-34    | 5            | AN     | Reserved                     |
| 35-36    | 2            | UN     | Returned Transaction Code    |
| 37-55    | 19           | UN     | Account Number               |
| 56-67    | 12           | UN     | Source Amount                |
| 68-70    | 3            | UN     | Source Currency Code         |
| 71-82    | 12           | UN     | Destination Amount           |
| 83-85    | 3            | UN     | Destination Currency Code    |
| 86-89    | 4            | UN     | Transaction Date (MMDD)      |
| 90-114   | 25           | AN     | Merchant Name                |
| 115-127  | 13           | AN     | Merchant City                |
| 128-130  | 3            | AN     | Merchant State/Province Code |
| 131-133  | 3            | AN     | Merchant Country Code        |
| 134-137  | 4            | UN     | Merchant Category Code       |
| 138-160  | 23           | UN     | Acquirer Reference Number    |
| 161      | 1            | AN     | CRB Region Code              |
| 162-167  | 6            | AN     | Reserved                     |
| 168      | 1            | UN     | Reimbursement Attribute      |

Format: AN = Alphanumeric, ANS = Alphanumeric Special, DX = Display Hexadecimal, N = Numeric, UN = Unpacked Numeric

### CRS Issuer Advice Edit Criteria

|                                                                                                       |                                                                                                                                                                                                                                                                                                                        |
|-------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Transaction Code</b><br>Positions: 1-2<br>Length: 2<br>Format: unpacked numeric                    | <b>Description:</b> This field will contain a <b>33</b> .                                                                                                                                                                                                                                                              |
| <b>Transaction Code Qualifier</b><br>Positions: 3<br>Length: 1<br>Format: unpacked numeric            | <b>Description:</b> This field will contain a <b>0</b> (zero).<br>This edit will continue to be performed by the Edit Package when the Bypass Business Edits option is used during an outgoing edit run.                                                                                                               |
| <b>Transaction Component Sequence Number</b><br>Positions: 4<br>Length: 1<br>Format: unpacked numeric | <b>Description:</b> This field will contain a <b>0</b> (zero).                                                                                                                                                                                                                                                         |
| <b>Destination Identifier</b><br>Positions: 5-10<br>Length: 6<br>Format: unpacked numeric             | <b>Description:</b> The entity to which the BASE II transaction message is sent.<br>This field will contain a valid issuing identifier.                                                                                                                                                                                |
| <b>Source Identifier</b><br>Positions: 11-16<br>Length: 6<br>Format: unpacked numeric                 | <b>Description:</b> The entity from which this BASE II transaction message was sent.<br>This field will contain a valid acquiring or issuing identifier.                                                                                                                                                               |
| <b>Report Identifier</b><br>Positions: 17-26<br>Length: 10<br>Format: alphanumeric                    | <b>Description:</b> Indicates which report is being transmitted.<br>The report number is left-justified and space-filled (for example, 21xx, 22xx, 51xx, or 61xx for the APR reports).                                                                                                                                 |
| <b>Return Reason Code</b><br>Positions: 27-29<br>Length: 3<br>Format: alphanumeric                    | <b>Description:</b> Return reason codes are used in Chargeback Reduction Service (CRS) processing.<br>This field is to be used for the Visa Stop Payment Service (VSPS) only.<br>Values:<br><b>C0</b> - Stop Payment<br><b>C1</b> - Revocation of Authorization<br><b>C2</b> - Revocation for all authorizations order |

## CRS Issuer Advice Edit Criteria

|                                                                                               |                                                                                                                                                                                                                                                                                         |
|-----------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Reserved</b><br>Positions: 30-34<br>Length: 3<br>Format: alphanumeric                      | <b>Description:</b> This field is reserved for future use. EP will always space-fill.                                                                                                                                                                                                   |
| <b>Returned Transaction Code</b><br>Positions: 35-36<br>Length: 2<br>Format: unpacked numeric | <b>Description:</b> Returned Transaction Code <b>35-362</b> .                                                                                                                                                                                                                           |
| <b>Account Number</b><br>Positions: 37-55<br>Length: 19<br>Format: unpacked numeric           | <b>Description:</b> An issuer-assigned number that identifies a cardholder's account.                                                                                                                                                                                                   |
| <b>Source Amount</b><br>Positions: 56-67<br>Length: 12<br>Format: unpacked numeric            | <b>Description:</b> Identifies the submitted transaction amount in the currency that is appropriate to the source endpoint. Two decimals are implied.                                                                                                                                   |
| <b>Source Currency Code</b><br>Positions: 68-70<br>Length: 3<br>Format: unpacked numeric      | <b>Description:</b> The currency type associated with the amount of a transaction entered into interchange.                                                                                                                                                                             |
| <b>Destination Amount</b><br>Positions: 71-82<br>Length: 12<br>Format: unpacked numeric       | <b>Description:</b> Identifies the submitted transaction amount in the currency that is appropriate to the destination endpoint. Two decimals are implied.                                                                                                                              |
| <b>Destination Currency Code</b><br>Positions: 83-85<br>Length: 3<br>Format: unpacked numeric | <b>Description:</b> The currency type presented to the client on incoming transactions. For most transactions (that is, drafts), it is the billing currency. For other transactions (for example, fee collection, dispute financial), it is the settlement currency of the destination. |
| <b>Transaction Date</b><br>Positions: 86-89<br>Length: 4<br>Format: unpacked numeric          | <b>Description:</b> The date on which a transaction between a cardholder and a merchant, an acquirer, or a carrier, occurs.<br><br>This field will contain the date in the <b>MMDD</b> (month and day) format.                                                                          |

### CRS Issuer Advice Edit Criteria

|                                                                                                  |                                                                                                                                                                                                                     |
|--------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Merchant Name</b><br>Positions: 90-114<br>Length: 25<br>Format: alphanumeric                  | <b>Description:</b> Name of the merchant.                                                                                                                                                                           |
| <b>Merchant City</b><br>Positions: 115-127<br>Length: 13<br>Format: alphanumeric                 | <b>Description:</b> The city location of the merchant or client outlet where the transaction occurred.                                                                                                              |
| <b>Merchant State/Province Code</b><br>Positions: 128-130<br>Length: 3<br>Format: alphanumeric   | <b>Description:</b> The merchant's U.S. state or Canadian province.                                                                                                                                                 |
| <b>Merchant Country Code</b><br>Positions: 131-133<br>Length: 3<br>Format: alphanumeric          | <b>Description:</b> Identifies the merchant's country code.                                                                                                                                                         |
| <b>Merchant Category Code</b><br>Positions: 134-137<br>Length: 4<br>Format: unpacked numeric     | <b>Description:</b> Identifies the merchant's line of business.                                                                                                                                                     |
| <b>Acquirer Reference Number</b><br>Positions: 138-160<br>Length: 23<br>Format: unpacked numeric | <b>Description:</b> Number assigned by the acquirer and associated with every draft/voucher. It contains a format code, acquiring identifier, capture date, file locator, and check digit.                          |
| <b>CRB Region Code</b><br>Positions: 161<br>Length: 1<br>Format: alphanumeric                    | <b>Description:</b> In an update for the Exception Files, this field contains one or more CRB region codes that define the distribution of an account number in Card Recovery Bulletin Service files and bulletins. |

### CRS Issuer Advice Edit Criteria

|                                                                                           |                                                                                       |
|-------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
| <b>Reserved</b><br>Positions: 162-167<br>Length: 6<br>Format: alphanumeric                | <b>Description:</b> This field is reserved for future use. EP will always space-fill. |
| <b>Reimbursement Attribute</b><br>Positions: 168<br>Length: 1<br>Format: unpacked numeric | <b>Description:</b> Obsolete - must be zero-filled.                                   |

## TC 33 - TCR 0 PLUS Identifier Table Header

These tables contain the Multipurpose Message (TC 33) record layout and edit criteria for TCR 0 - PLUS IDENTIFIER TABLE HEADER.

### CTF - Incoming Interchange

#### Plus Identifier Table Record Layout

| Position | Field Length | Format | Contents                   |
|----------|--------------|--------|----------------------------|
| 1-2      | 2            | AN     | Transaction Code           |
| 3-4      | 2            | AN     | Transaction Code Qualifier |
| 5-10     | 6            | AN     | Destination Identifier     |
| 11-16    | 6            | AN     | Source Identifier          |
| 17-26    | 10           | AN     | Report Identifier          |
| 27-34    | 8            | UN     | Data Sequence Number       |
| 35-45    | 11           | AN     | Record Type                |
| 46-53    | 8            | AN     | File Type                  |
| 54-55    | 2            | AN     | Reserved                   |
| 56-60    | 5            | UN     | Creation Date (YYDDD)      |
| 61-114   | 54           | AN     | Reserved                   |
| 115-167  | 53           | AN     | Reserved                   |

### Plus Identifier Table Record Layout

| Position | Field Length | Format | Contents                |
|----------|--------------|--------|-------------------------|
| 168      | 1            | AN     | Reimbursement Attribute |

Format: AN = Alphanumeric, ANS = Alphanumeric Special, DX = Display Hexadecimal, N = Numeric, UN = Unpacked Numeric

### Plus Identifier Table Edit Criteria

|                                                                                          |                                                                                                                                                                                                                                                    |
|------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Transaction Code</b><br>Positions: 1-2<br>Length: 2<br>Format: alphanumeric           | <b>Description:</b> This field will contain a <b>33</b> .                                                                                                                                                                                          |
| <b>Transaction Code Qualifier</b><br>Positions: 3-4<br>Length: 2<br>Format: alphanumeric | <b>Description:</b> This field will contain a <b>0</b> (zero).<br><br>This edit will continue to be performed by the Edit Package when the Bypass Business Edits option is used during an outgoing edit run.                                       |
| <b>Destination Identifier</b><br>Positions: 5-10<br>Length: 6<br>Format: alphanumeric    | <b>Description:</b> The entity to which the BASE II transaction message is sent.<br><br>This field will contain a valid acquiring or issuing identifier.                                                                                           |
| <b>Source Identifier</b><br>Positions: 11-16<br>Length: 6<br>Format: alphanumeric        | <b>Description:</b> The entity from which this BASE II transaction message was sent.<br><br>This field will contain a valid acquiring or issuing identifier.                                                                                       |
| <b>Report Identifier</b><br>Positions: 17-26<br>Length: 10<br>Format: alphanumeric       | <b>Description:</b> Indicates which report is being transmitted.<br><br>The report number, which is left-justified and space-filled (for example, 21xx, 22xx, 51xx, or 61xx for the APR reports)<br><br>This field will contain a valid DSPLUSBIN. |
| <b>Data Sequence Number</b><br>Positions: 27-34<br>Length: 8<br>Format: unpacked numeric | <b>Description:</b> Indicates the sequence number of the data.                                                                                                                                                                                     |
| <b>Record Type</b><br>Positions: 35-45<br>Length: 11<br>Format: alphanumeric             | <b>Description:</b> Contains the value <b>TAPEHEADER</b> .                                                                                                                                                                                         |



### Plus Identifier Table Edit Criteria

|                                                                                       |                                                                                           |
|---------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------|
| <b>File Type</b><br>Positions: 46-53<br>Length: 8<br>Format: alphanumeric             | <b>Description:</b> Contains the value <b>BINDISTR</b> .                                  |
| <b>Reserved</b><br>Positions: 54-55<br>Length: 2<br>Format: alphanumeric              | <b>Description:</b> This field is reserved for future use. EP will always space-fill.     |
| <b>Creation Date</b><br>Positions: 56-60<br>Length: 5<br>Format: unpacked numeric     | <b>Description:</b> The date (Julian format <b>YYDDD</b> ) when the updates were created. |
| <b>Reserved</b><br>Positions: 61-114<br>Length: 54<br>Format: alphanumeric            | <b>Description:</b> This field is reserved for future use. EP will always space-fill.     |
| <b>Reserved</b><br>Positions: 115-167<br>Length: 53<br>Format: alphanumeric           | <b>Description:</b> This field is reserved for future use. EP will always space-fill.     |
| <b>Reimbursement Attribute</b><br>Positions: 168<br>Length: 1<br>Format: alphanumeric | <b>Description:</b> Obsolete - must be zero-filled.                                       |

## TC 33 - TCR 0 PLUS Identifier Table Detail

These tables contain the Multipurpose Message (TC 33) record layout and edit criteria for TCR 0 - PLUS IDENTIFIER TABLE DETAIL.

### CTF - Incoming Interchange

### Plus Identifier Table Record Layout

| Position | Field Length | Format | Contents                   |
|----------|--------------|--------|----------------------------|
| 1-2      | 2            | AN     | Transaction Code           |
| 3-4      | 2            | AN     | Transaction Code Qualifier |
| 5-10     | 6            | AN     | Destination Identifier     |
| 11-16    | 6            | AN     | Source Identifier          |
| 17-26    | 10           | AN     | Report Identifier          |
| 27-34    | 8            | UN     | Data Sequence Number       |
| 35-40    | 6            | UN     | Plus Sequence Number       |
| 41       | 1            | UN     | Format Code                |
| 42-43    | 2            | UN     | Account Length             |
| 44-45    | 2            | UN     | Card Prefix Length         |
| 46-57    | 12           | UN     | Card Prefix Account Range  |
| 58-60    | 3            | AN     | Account Type               |
| 61-114   | 54           | AN     | Reserved                   |
| 115-167  | 53           | AN     | Reserved                   |
| 168      | 1            | AN     | Reimbursement Attribute    |

Format: AN = Alphanumeric, ANS = Alphanumeric Special, DX = Display Hexadecimal, N = Numeric, UN = Unpacked Numeric

### Plus Identifier Table Edit Criteria

|                                                                                          |                                                                                                                                                                                                          |
|------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Transaction Code</b><br>Positions: 1-2<br>Length: 2<br>Format: alphanumeric           | <b>Description:</b> This field will contain a <b>33</b> .                                                                                                                                                |
| <b>Transaction Code Qualifier</b><br>Positions: 3-4<br>Length: 2<br>Format: alphanumeric | <b>Description:</b> This field will contain a <b>0</b> (zero).<br>This edit will continue to be performed by the Edit Package when the Bypass Business Edits option is used during an outgoing edit run. |
| <b>Destination Identifier</b><br>Positions: 5-10<br>Length: 6<br>Format: alphanumeric    | <b>Description:</b> The entity to which the BASE II transaction message is sent.<br>This field will contain a valid acquiring or issuing identifier.                                                     |

### Plus Identifier Table Edit Criteria

|                                                                                                       |                                                                                                                                                                                                                        |
|-------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Source Identifier</b><br>Positions: 11-16<br>Length: 6<br>Format: alphanumeric                     | <b>Description:</b> The entity from which this BASE II transaction message was sent.<br><br>This field will contain a valid acquiring or issuing identifier.                                                           |
| <b>Report Identifier</b><br>Positions: 17-26<br>Length: 10<br>Format: alphanumeric                    | <b>Description:</b> The Report Identifier field indicates which report is being transmitted.<br><br>The report number is left-justified and space-filled (for example, 21xx, 22xx, 51xx, or 61xx for the APR reports). |
| <b>Data Sequence Number</b><br>Positions: 27-34<br>Length: 8<br>Format: unpacked numeric              | <b>Description:</b> Indicates the sequence number of the data.                                                                                                                                                         |
| <b>Plus Sequence Number</b><br>Positions: 35-40<br>Length: 6<br>Format: unpacked numeric              | <b>Description:</b> Contains the Plus issuing or acquiring identifier sequence number.                                                                                                                                 |
| <b>Format Code</b><br>Positions: 41<br>Length: 1<br>Format: unpacked numeric                          | <b>Description:</b> Specifies the message data field format. The field will contain a <b>1</b> (fixed format).                                                                                                         |
| <b>Account Length</b><br>Positions: 42-43<br>Length: 2<br>Format: unpacked numeric                    | <b>Description:</b> Length of account number (i.e., number of digits).                                                                                                                                                 |
| <b>Card Prefix Length</b><br>Positions: 44-45<br>Length: 2<br>Format: unpacked numeric                | <b>Description:</b> Contains the card prefix number length.                                                                                                                                                            |
| <b>Card Prefix Number Account Range</b><br>Positions: 46-57<br>Length: 12<br>Format: unpacked numeric | <b>Description:</b> This field will contain the account range for the card prefix. If the number is less than 12 digits, it will be left-justified.                                                                    |

### Plus Identifier Table Edit Criteria

|                                                                                       |                                                                                                                                                                                                                                            |
|---------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Account Type</b><br>Positions: 58-60<br>Length: 3<br>Format: alphanumeric          | <b>Description:</b> Type of financial account. This field will contain one of these account types:<br><b>SAV</b> = Savings Account<br><b>DDA</b> = Demand Deposit Account<br><b>CCD</b> = Credit Card<br><b>NAS</b> = No Account Specified |
| <b>Reserved</b><br>Positions: 61-114<br>Length: 54<br>Format: alphanumeric            | <b>Description:</b> This field is reserved for future use. EP will always space-fill.                                                                                                                                                      |
| <b>Reserved</b><br>Positions: 115-167<br>Length: 53<br>Format: alphanumeric           | <b>Description:</b> This field is reserved for future use. EP will always space-fill.                                                                                                                                                      |
| <b>Reimbursement Attribute</b><br>Positions: 168<br>Length: 1<br>Format: alphanumeric | <b>Description:</b> Obsolete - must be zero-filled.                                                                                                                                                                                        |

## TC 33 - TCR 0 PLUS Identifier Table Trailer

These tables contain the Multipurpose Message (TC 33) record layout and edit criteria for TCR 0 - PLUS IDENTIFIER TABLE TRAILER.

### CTF - Incoming Interchange

#### Plus Identifier Table Record Layout

| Position | Field Length | Format | Contents                   |
|----------|--------------|--------|----------------------------|
| 1-2      | 2            | AN     | Transaction Code           |
| 3-4      | 2            | AN     | Transaction Code Qualifier |
| 5-10     | 6            | AN     | Destination Identifier     |
| 11-16    | 6            | AN     | Source Identifier          |
| 17-26    | 10           | AN     | Report Identifier          |

### Plus Identifier Table Record Layout

| Position | Field Length | Format | Contents                |
|----------|--------------|--------|-------------------------|
| 27-34    | 8            | UN     | Data Sequence Number    |
| 35-45    | 11           | AN     | Record Type             |
| 46-53    | 8            | AN     | File Type               |
| 54-60    | 7            | UN     | Detail Record Count     |
| 61-114   | 54           | AN     | Reserved                |
| 115-167  | 53           | AN     | Reserved                |
| 168      | 1            | AN     | Reimbursement Attribute |

Format: AN = Alphanumeric, ANS = Alphanumeric Special, DX = Display Hexadecimal, N = Numeric, UN = Unpacked Numeric

### Plus Identifier Table Edit Criteria

|                                                                                          |                                                                                                                                                                                                          |
|------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Transaction Code</b><br>Positions: 1-2<br>Length: 2<br>Format: alphanumeric           | <b>Description:</b> This field will contain a <b>33</b> .                                                                                                                                                |
| <b>Transaction Code Qualifier</b><br>Positions: 3-4<br>Length: 2<br>Format: alphanumeric | <b>Description:</b> This field will contain a <b>0</b> (zero).<br>This edit will continue to be performed by the Edit Package when the Bypass Business Edits option is used during an outgoing edit run. |
| <b>Destination Identifier</b><br>Positions: 5-10<br>Length: 6<br>Format: alphanumeric    | <b>Description:</b> The entity to which the BASE II transaction message is sent.<br>This field will contain a valid acquiring or issuing identifier.                                                     |
| <b>Source Identifier</b><br>Positions: 11-16<br>Length: 6<br>Format: alphanumeric        | <b>Description:</b> The entity from which this BASE II transaction message was sent.<br>This field will contain a valid acquiring or issuing identifier.                                                 |
| <b>Report Identifier</b><br>Positions: 17-26<br>Length: 10<br>Format: alphanumeric       | <b>Description:</b> Indicates which report is being transmitted.<br>The report number is left-justified and space-filled (for example, 21xx, 22xx, 51xx, or 61xx for the APR reports).                   |

### Plus Identifier Table Edit Criteria

|                                                                                          |                                                                                       |
|------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
| <b>Data Sequence Number</b><br>Positions: 27-34<br>Length: 8<br>Format: unpacked numeric | <b>Description:</b> Contains the sequence number of the data.                         |
| <b>Record Type</b><br>Positions: 35-45<br>Length: 11<br>Format: alphanumeric             | <b>Description:</b> Contains the value <b>TAPEHEADER</b> .                            |
| <b>File Type</b><br>Positions: 46-53<br>Length: 8<br>Format: alphanumeric                | <b>Description:</b> Contains the value <b>BINDISTR</b> .                              |
| <b>Detail Record Count</b><br>Positions: 54-60<br>Length: 7<br>Format: unpacked numeric  | <b>Description:</b> Contains the number of updates in this field.                     |
| <b>Reserved</b><br>Positions: 61-114<br>Length: 54<br>Format: alphanumeric               | <b>Description:</b> This field is reserved for future use. EP will always space-fill. |
| <b>Reserved</b><br>Positions: 115-167<br>Length: 53<br>Format: alphanumeric              | <b>Description:</b> This field is reserved for future use. EP will always space-fill. |
| <b>Reimbursement Attribute</b><br>Positions: 168<br>Length: 1<br>Format: alphanumeric    | <b>Description:</b> Obsolete - must be zero-filled.                                   |

# TC 33 - TCR 0 RDMS Message Europe Non-Reloadable Prepaid Routing File

This table contains the Multipurpose Message (TC 33) record layout and edit criteria for TCR 0 - RDMS MESSAGE for the Europe Non-Reloadable Prepaid Routing File.

## CTF - Incoming Interchange

### RDMS Message Record Layout

| Position | Field Length | Format | Contents                              |
|----------|--------------|--------|---------------------------------------|
| 1-2      | 2            | UN     | Transaction Code                      |
| 3        | 1            | UN     | Transaction Code Qualifier            |
| 4        | 1            | UN     | Transaction Component Sequence Number |
| 5-10     | 6            | UN     | Destination Identifier                |
| 11-16    | 6            | UN     | Source Identifier                     |
| 17-26    | 10           | AN     | Report Identifier                     |
| 27-34    | 8            | UN     | Report Line Sequence Number           |
| 35-36    | 2            | N      | Account Card Length                   |
| 37-38    | 2            | N      | Card Prefix Length                    |
| 39-50    | 12           | N      | Card Prefix Account Range             |
| 51-53    | 3            | AN     | Issuer Country Code                   |
| 54-155   | 102          | AN     | Filler                                |
| 156-167  | 12           | AN     | Table Identifier                      |
| 168      | 1            | AN     | Reimbursement Attribute               |

Format: AN = Alphanumeric, ANS = Alphanumeric Special, DX = Display Hexadecimal, N = Numeric, UN = Unpacked Numeric

### RDMS Message Edit Criteria

|                                                                                                       |                                                                                                                                                                                                                                                        |
|-------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Transaction Code</b><br>Positions: 1-2<br>Length: 2<br>Format: unpacked numeric                    | <b>Description:</b> This field will contain a <b>33</b> .                                                                                                                                                                                              |
| <b>Transaction Code Qualifier</b><br>Positions: 3<br>Length: 1<br>Format: unpacked numeric            | <b>Description:</b> This field will contain a <b>0</b> (zero).<br>This edit will continue to be performed by the Edit Package when the Bypass Business Edits option is used during an outgoing edit run.                                               |
| <b>Transaction Component Sequence Number</b><br>Positions: 4<br>Length: 1<br>Format: unpacked numeric | <b>Description:</b> This field will contain a <b>0</b> (zero).                                                                                                                                                                                         |
| <b>Destination Identifier</b><br>Positions: 5-10<br>Length: 6<br>Format: unpacked numeric             | <b>Description:</b> The entity to which the BASE II transaction message is sent.<br>This field will contain a valid destination identifier.                                                                                                            |
| <b>Source Identifier</b><br>Positions: 11-16<br>Length: 6<br>Format: unpacked numeric                 | <b>Description:</b> The entity from which this BASE II transaction message was sent.<br>This field will contain a valid source identifier.                                                                                                             |
| <b>Report Identifier</b><br>Positions: 17-26<br>Length: 10<br>Format: alphanumeric                    | <b>Description:</b> Indicates which report is being transmitted.<br>The report number is left-justified and space-filled (for example, 21xx, 22xx, 51xx, or 61xx for the APR reports).<br>For Europe Non-Reloadable Prepaid, it is <b>DSNRLFULDY</b> . |
| <b>Report Line Sequence Number</b><br>Positions: 27-34<br>Length: 8<br>Format: unpacked numeric       | <b>Description:</b> Used to ensure that the report comes out in the sequence in which it was generated.                                                                                                                                                |
| <b>Account Card Length</b><br>Positions: 35-36<br>Length: 2<br>Format: numeric                        | <b>Description:</b> Length of account number. Values are: <b>11-19</b> .                                                                                                                                                                               |



### RDMS Message Edit Criteria

|                                                                                       |                                                                                                                                                                                                                                               |
|---------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Card Prefix Length</b><br>Positions: 37-38<br>Length: 2<br>Format: numeric         | <b>Description:</b> This field will contain the number of digits associated with the card prefix. Values are <b>4-12</b> .<br><br>Recipients must use the Card Prefix Length field to determine how many digits in the field are significant. |
| <b>Card Prefix Account Range</b><br>Positions: 39-50<br>Length: 12<br>Format: numeric | <b>Description:</b> Unique portion of the account number used for routing, left-justified, and padded with trailing <b>zeros</b> .                                                                                                            |
| <b>Issuer Country Code</b><br>Positions: 51-53<br>Length: 3<br>Format: alphanumeric   | <b>Description:</b> 3-digit numeric country code of the issuer Destination Identifier.                                                                                                                                                        |
| <b>Filler</b><br>Positions: 54-155<br>Length: 102<br>Format: alphanumeric             | <b>Description:</b> Space-filled.                                                                                                                                                                                                             |
| <b>Table Identifier</b><br>Positions: 156-167<br>Length: 12<br>Format: alphanumeric   | <b>Description:</b> Table Identifier:<br><br>For Europe Non-Reloadable Prepaid, it is: RTG NRL FULL                                                                                                                                           |
| <b>Reimbursement Attribute</b><br>Positions: 168<br>Length: 1<br>Format: alphanumeric | <b>Description:</b> Obsolete - must be zero-filled.                                                                                                                                                                                           |

## TC 33 - TCR 0 Universal Biller File Table Header

These tables contain the Multipurpose Message (TC 33) record layout and edit criteria for TCR 0 - UNIVERSAL BILLER FILE TABLE HEADER.

### CTF - Incoming Interchange

### UBF Table Record Layout

| Position | Field Length | Format | Contents                              |
|----------|--------------|--------|---------------------------------------|
| 1-2      | 2            | UN     | Transaction Code                      |
| 3        | 1            | UN     | Transaction Code Qualifier            |
| 4        | 1            | UN     | Transaction Component Sequence Number |
| 5-10     | 6            | UN     | Destination Identifier                |
| 11-16    | 6            | UN     | Source Identifier                     |
| 17-19    | 3            | AN     | UBF Identifier                        |
| 20-34    | 15           | AN     | Reserved                              |
| 35-45    | 11           | AN     | Record Type                           |
| 46-53    | 8            | AN     | File Type                             |
| 54-55    | 2            | AN     | Reserved                              |
| 56-60    | 5            | UN     | Creation Date (YYDDD)                 |
| 61-65    | 5            | UN     | Version Number                        |
| 66-167   | 102          | AN     | Reserved                              |
| 168      | 1            | AN     | Reimbursement Attribute               |

Format: AN = Alphanumeric, ANS = Alphanumeric Special, DX = Display Hexadecimal, N = Numeric, UN = Unpacked Numeric

### UBF Table Edit Criteria

|                                                                                                   |                                                                                                                                                                                                        |
|---------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Transaction Code</b><br>Positions: 1-2<br>Length: 2<br>Format: unpacked numeric                | <b>Description:</b> This field must contain <b>33</b> .                                                                                                                                                |
| <b>Transaction Code Qualifier</b><br>Positions: 3<br>Length: 1<br>Format: unpacked numeric        | <b>Description:</b> This field must contain <b>0</b> (zero).<br>This edit will continue to be performed by the Edit Package when the Bypass Business Edits option is used during an outgoing edit run. |
| <b>Transaction Code Qualifier Number</b><br>Positions: 4<br>Length: 1<br>Format: unpacked numeric | <b>Description:</b> This field must contain <b>0</b> (zero).                                                                                                                                           |

### UBF Table Edit Criteria

|                                                                                           |                                                                                                                                                          |
|-------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Destination Identifier</b><br>Positions: 5-10<br>Length: 6<br>Format: unpacked numeric | <b>Description:</b> The entity to which the BASE II transaction message is sent.<br>This field will contain a valid acquiring or issuing identifier.     |
| <b>Source Identifier</b><br>Positions: 11-16<br>Length: 6<br>Format: unpacked numeric     | <b>Description:</b> The entity from which this BASE II transaction message was sent.<br>This field will contain a valid acquiring or issuing identifier. |
| <b>UBF Identifier</b><br>Positions: 17-19<br>Length: 3<br>Format: alphanumeric            | <b>Description:</b> Contains the Universal Biller File (UBF) identifier.                                                                                 |
| <b>Reserved</b><br>Positions: 20-34<br>Length: 15<br>Format: alphanumeric                 | <b>Description:</b> This field is reserved for future use. EP will always space-fill.                                                                    |
| <b>Record Type</b><br>Positions: 35-45<br>Length: 11<br>Format: alphanumeric              | <b>Description:</b> Contains the value <b>TAPEHEADER</b> .                                                                                               |
| <b>File Type</b><br>Positions: 46-53<br>Length: 8<br>Format: alphanumeric                 | <b>Description:</b> Contains the value <b>UBFDISTR</b> (Universal Biller File).                                                                          |
| <b>Reserved</b><br>Positions: 54-55<br>Length: 2<br>Format: alphanumeric                  | <b>Description:</b> This field is reserved for future use. EP will always space-fill.                                                                    |
| <b>Creation Date</b><br>Positions: 56-60<br>Length: 5<br>Format: unpacked numeric         | <b>Description:</b> The date (Julian format <b>YYDDD</b> ) when the records were created.                                                                |

### UBF Table Edit Criteria

|                                                                                       |                                                                                       |
|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
| <b>Version Number</b><br>Positions: 61-65<br>Length: 5<br>Format: unpacked numeric    | <b>Description:</b> This field will contain the current version number of the file.   |
| <b>Reserved</b><br>Positions: 66-167<br>Length: 102<br>Format: alphanumeric           | <b>Description:</b> This field is reserved for future use. EP will always space-fill. |
| <b>Reimbursement Attribute</b><br>Positions: 168<br>Length: 1<br>Format: alphanumeric | <b>Description:</b> Obsolete - must be zero-filled.                                   |

## TC 33 - TCR 0 Universal Biller File Table Detail - Biller Master Data

These tables contain the Multipurpose Message (TC 33) record layout and edit criteria for TCR 0 - UNIVERSAL BILLER FILE TABLE DETAIL - BILLER MASTER DATA.

### CTF - Incoming Interchange

#### UBF Table Record Layout

| Position | Field Length | Format | Contents                              |
|----------|--------------|--------|---------------------------------------|
| 1-2      | 2            | UN     | Transaction Code                      |
| 3        | 1            | UN     | Transaction Code Qualifier            |
| 4        | 1            | UN     | Transaction Component Sequence Number |
| 5-10     | 6            | UN     | Destination Identifier                |
| 11-16    | 6            | UN     | Source Identifier                     |
| 17-19    | 3            | AN     | UBF Identifier                        |
| 20       | 1            | AN     | UBF Detail Record Type                |
| 21-32    | 12           | UN     | Biller ID                             |
| 33       | 1            | AN     | Summary Invoice Option                |

### UBF Table Record Layout

| Position | Field Length | Format | Contents                      |
|----------|--------------|--------|-------------------------------|
| 34       | 1            | AN     | Biller Invoice Option         |
| 35       | 1            | AN     | Previous Invoice Option       |
| 36-60    | 25           | AN     | Biller Name                   |
| 61-85    | 25           | AN     | Biller Mailing Address 1      |
| 86-110   | 25           | AN     | Biller Mailing Address 2      |
| 111-125  | 15           | AN     | Biller City                   |
| 126-128  | 3            | AN     | Biller State/Province/Region  |
| 129-139  | 11           | AN     | Biller Postal Code            |
| 140-142  | 3            | AN     | Biller Country                |
| 143-146  | 4            | UN     | Biller Merchant Category Code |
| 147-153  | 7            | UN     | Effective Date (YYYYDDD)      |
| 154-160  | 7            | UN     | Expiration Date (YYYYDDD)     |
| 161-164  | 4            | UN     | CBAN Mask Count               |
| 165-166  | 2            | AN     | Reserved                      |
| 167      | 1            | AN     | Account Verification Option   |
| 168      | 1            | AN     | Reimbursement Attribute       |

Format: AN = Alphanumeric, ANS = Alphanumeric Special, DX = Display Hexadecimal, N = Numeric, UN = Unpacked Numeric

### UBF Table Edit Criteria

|                                                                                            |                                                                                                                                                                                                            |
|--------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Transaction Code</b><br>Positions: 1-2<br>Length: 2<br>Format: unpacked numeric         | <b>Description:</b> This field must contain <b>33</b> .                                                                                                                                                    |
| <b>Transaction Code Qualifier</b><br>Positions: 3<br>Length: 1<br>Format: unpacked numeric | <b>Description:</b> This field must contain <b>0</b> (zero).<br><br>This edit will continue to be performed by the Edit Package when the Bypass Business Edits option is used during an outgoing edit run. |

### UBF Table Edit Criteria

|                                                                                                       |                                                                                                                                                                                                                                                                                                        |
|-------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Transaction Component Sequence Number</b><br>Positions: 4<br>Length: 1<br>Format: unpacked numeric | <b>Description:</b> This field must contain <b>0</b> (zero).                                                                                                                                                                                                                                           |
| <b>Destination Identifier</b><br>Positions: 5-10<br>Length: 6<br>Format: unpacked numeric             | <b>Description:</b> The entity to which the BASE II transaction message is sent. This field will contain a valid acquiring or issuing identifier.                                                                                                                                                      |
| <b>Source Identifier</b><br>Positions: 11-16<br>Length: 6<br>Format: unpacked numeric                 | <b>Description:</b> The entity from which this BASE II transaction message was sent.<br>This field will contain <b>400008</b> (the BASE II table distribution identifier).                                                                                                                             |
| <b>UBF Identifier</b><br>Positions: 17-19<br>Length: 3<br>Format: alphanumeric                        | <b>Description:</b> Contains the Universal Biller File (UBF) identifier.                                                                                                                                                                                                                               |
| <b>UBF Detail Record Type</b><br>Positions: 20<br>Length: 1<br>Format: alphanumeric                   | <b>Description:</b> Identifies the type of UBF detail record. The file will contain:<br><b>B</b> = Biller Master Record                                                                                                                                                                                |
| <b>Biller ID</b><br>Positions: 21-32<br>Length: 12<br>Format: unpacked numeric                        | <b>Description:</b> Contains the Visa-assigned unique identifier for the biller.                                                                                                                                                                                                                       |
| <b>Summary Invoice Option</b><br>Positions: 33<br>Length: 1<br>Format: alphanumeric                   | <b>Description:</b> Indicates whether invoice presentment is supported by the biller. This field will contain one of these values:<br><b>Y</b> = Invoice Presentment supported by biller<br><b>N</b> = Invoice Presentment not supported by biller                                                     |
| <b>Biller Invoice Option</b><br>Positions: 34<br>Length: 1<br>Format: alphanumeric                    | <b>Description:</b> Indicates the invoice option selected. This field will contain one of these values:<br><b>1</b> = Biller will always mail detail invoice<br><b>2</b> = Biller will never mail detail invoice<br><b>3</b> = Biller will discontinue mailing detail invoice at customer request only |

## UBF Table Edit Criteria

|                                                                                                |                                                                                                                                                                                                                                                                   |
|------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Previous Invoice Option</b><br>Positions: 35<br>Length: 1<br>Format: alphanumeric           | <b>Description:</b> Indicates the invoice option selected for previous invoice.<br>This field will contain one of these values:<br><b>1</b> = Biller will mail most recent detail invoice upon customer request<br><b>2</b> = Biller will not mail detail invoice |
| <b>Biller Name</b><br>Positions: 36-60<br>Length: 25<br>Format: alphanumeric                   | <b>Description:</b> Biller's name.                                                                                                                                                                                                                                |
| <b>Biller Mailing Address 1</b><br>Positions: 61-85<br>Length: 25<br>Format: alphanumeric      | <b>Description:</b> First line of the biller's address.                                                                                                                                                                                                           |
| <b>Biller Mailing Address 2</b><br>Positions: 86-110<br>Length: 25<br>Format: alphanumeric     | <b>Description:</b> Second line of the biller's address.                                                                                                                                                                                                          |
| <b>Biller City</b><br>Positions: 111-125<br>Length: 15<br>Format: alphanumeric                 | <b>Description:</b> The city where the biller is located.                                                                                                                                                                                                         |
| <b>Biller State/Province/Region</b><br>Positions: 126-128<br>Length: 3<br>Format: alphanumeric | <b>Description:</b> Biller's state, province, or region.                                                                                                                                                                                                          |
| <b>Biller ZIP Code</b><br>Positions: 129-139<br>Length: 11<br>Format: alphanumeric             | <b>Description:</b> Biller's postal code.<br>This field will contain the biller's postal code.                                                                                                                                                                    |
| <b>Biller Country</b><br>Positions: 140-142<br>Length: 3<br>Format: alphanumeric               | <b>Description:</b> Identifies the biller's country code.                                                                                                                                                                                                         |

## UBF Table Edit Criteria

|                                                                                                  |                                                                                                                                                                                                                                                      |
|--------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Billers Merchant Category Code</b><br>Positions: 143-146<br>Length: 4<br>Format: alphanumeric | <b>Description:</b> Identifies the merchant's principal line of business. Contains the biller's Merchant Category Code from the UBF.                                                                                                                 |
| <b>Effective Date</b><br>Positions: 147-153<br>Length: 7<br>Format: unpacked numeric             | <b>Description:</b> The effective date of this record in Julian format (YYYYDDD).                                                                                                                                                                    |
| <b>Expiration Date</b><br>Positions: 154-160<br>Length: 7<br>Format: unpacked numeric            | <b>Description:</b> The expiration date of this record in Julian format (YYYYDDD). This field will contain <b>9999365</b> if the record does not expire.                                                                                             |
| <b>CBAN Mask Count</b><br>Positions: 161-164<br>Length: 4<br>Format: unpacked numeric            | <b>Description:</b> This field will contain the total number of customer biller account number masks for the biller ID.                                                                                                                              |
| <b>Reserved</b><br>Positions: 165-166<br>Length: 2<br>Format: alphanumeric                       | <b>Description:</b> This field is reserved for future use. EP will always space-fill.                                                                                                                                                                |
| <b>Account Verification Option</b><br>Positions: 167<br>Length: 1<br>Format: alphanumeric        | <b>Description:</b> Indicates if biller uses account verification option. This field will contain one of these values:<br><br><b>Y</b> = Account verification supported by the biller<br><b>N</b> = Account verification not supported by the biller |
| <b>Reimbursement Attribute</b><br>Positions: 168<br>Length: 1<br>Format: alphanumeric            | <b>Description:</b> Obsolete - must be zero-filled.                                                                                                                                                                                                  |



# TC 33 - TCR 1 Additional Biller Master Data

These tables contain the Multipurpose Message (TC 33) record layout and edit criteria for TCR 1 - UNIVERSAL BILLER FILE TABLE DETAIL - ADDITIONAL BILLER MASTER DATA.

## CTF - Incoming Interchange

### UBF Table Record Layout

| Position | Field Length | Format | Contents                              |
|----------|--------------|--------|---------------------------------------|
| 1-2      | 2            | UN     | Transaction Code                      |
| 3        | 1            | UN     | Transaction Code Qualifier            |
| 4        | 1            | UN     | Transaction Component Sequence Number |
| 5-10     | 6            | UN     | Destination Identifier                |
| 11-16    | 6            | UN     | Source Identifier                     |
| 17-19    | 3            | AN     | UBF Identifier                        |
| 20       | 1            | AN     | UBF Detail Record Type - Master       |
| 21-32    | 12           | UN     | Biller ID                             |
| 33-41    | 9            | UN     | Biller Tax Payer ID                   |
| 42       | 1            | AN     | Electronic Statement Option           |
| 43-44    | 2            | AN     | Statement Device Option               |
| 45       | 1            | AN     | Invoice Delivery Notification Flag    |
| 46       | 1            | AN     | Official Notification Flag            |
| 47       | 1            | UN     | Standard Paper Delivery Option        |
| 48-50    | 3            | UN     | Prior Paper Statement Parameter       |
| 51-53    | 3            | UN     | Future Paper Statement Parameter      |
| 54-56    | 3            | UN     | Prior Electronic Statement Parameter  |
| 57-72    | 16           | AN     | Biller Service Provider ID            |
| 73-96    | 24           | AN     | Biller Capabilities Parameter         |
| 97-168   | 72           | AN     | Reserved                              |

Format: AN = Alphanumeric, ANS = Alphanumeric Special, DX = Display Hexadecimal, N = Numeric, UN = Unpacked Numeric

## UBF Table Edit Criteria

|                                                                                                       |                                                                                                                                                                                                        |
|-------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Transaction Code</b><br>Positions: 1-2<br>Length: 2<br>Format: unpacked numeric                    | <b>Description:</b> This field must contain <b>33</b> .                                                                                                                                                |
| <b>Transaction Code Qualifier</b><br>Positions: 3<br>Length: 1<br>Format: unpacked numeric            | <b>Description:</b> This field must contain <b>0</b> (zero).<br>This edit will continue to be performed by the Edit Package when the Bypass Business Edits option is used during an outgoing edit run. |
| <b>Transaction Component Sequence Number</b><br>Positions: 4<br>Length: 1<br>Format: unpacked numeric | <b>Description:</b> This field must contain <b>1</b> .                                                                                                                                                 |
| <b>Destination Identifier</b><br>Positions: 5-10<br>Length: 6<br>Format: unpacked numeric             | <b>Description:</b> The entity to which the BASE II transaction message is sent.<br>This field will contain a valid acquiring or issuing identifier.                                                   |
| <b>Source Identifier</b><br>Positions: 11-16<br>Length: 6<br>Format: unpacked numeric                 | <b>Description:</b> The entity from which this BASE II transaction message was sent.<br>This field will contain <b>400008</b> (the BASE II table distribution identifier).                             |
| <b>UBF Identifier</b><br>Positions: 17-19<br>Length: 3<br>Format: alphanumeric                        | <b>Description:</b> Contains the Universal Biller File (UBF) identifier.<br>The field will contain <b>UBF</b> .                                                                                        |
| <b>UBF Detail Record Type</b><br>Positions: 20<br>Length: 1<br>Format: alphanumeric                   | <b>Description:</b> Identifies the type of UBF detail record. The file will contain:<br>B = Biller Master Record                                                                                       |
| <b>Biller ID</b><br>Positions: 21-32<br>Length: 12<br>Format: unpacked numeric                        | <b>Description:</b> Contains the Visa-assigned unique identifier for the biller.                                                                                                                       |

## UBF Table Edit Criteria

|                                                                                                 |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
|-------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Biller Tax Payer ID</b><br>Positions: 33-41<br>Length: 9<br>Format: unpacked numeric         | <b>Description:</b> Contains the taxpayer ID of the biller.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
| <b>Electronic Statement Option</b><br>Positions: 42<br>Length: 1<br>Format: alphanumeric        | <b>Description:</b> Indicates if the biller uses the Electronic Statement option.<br>This field will contain one of these values:<br><b>Y</b> = Electronic Statement Presentment supported by biller<br><b>N</b> = Electronic Statement Presentment not supported by biller                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
| <b>Statement Device Option</b><br>Positions: 43-44<br>Length: 2<br>Format: alphanumeric         | <b>Description:</b> Contains the device option supported by the biller for the Electronic Statement Presentation service.<br>Values:<br><b>CD</b> = Conforming Device<br><b>ND</b> = Nonconforming Device<br><b>CN</b> = Both Conforming and Nonconforming                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
| <b>Invoice Delivery Notification Flag</b><br>Positions: 45<br>Length: 1<br>Format: alphanumeric | <b>Description:</b> Indicates if biller requires notification of statement delivery.<br>This field will contain one of these values:<br><b>Y</b> = Biller requires notification of statement delivery<br><b>N</b> = Biller does not require notification of statement delivery                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
| <b>Official Notification Flag</b><br>Positions: 46<br>Length: 1<br>Format: alphanumeric         | <b>Description:</b> Indicates if biller will accept an electronic change request as official notification. This field will contain one of these values:<br><b>Y</b> = Biller accepts an electronic change request as official notification<br><b>N</b> = Biller does not accept an electronic change request as official notification                                                                                                                                                                                                                                                                                                                                                                                                                        |
| <b>Standard Paper Delivery Option</b><br>Positions: 47<br>Length: 1<br>Format: unpacked numeric | <b>Description:</b> Indicates biller's paper statement delivery method to customers.<br>This field will contain one of these values:<br><b>0</b> = Biller will not support electronic delivery of statements<br><b>1</b> = Biller will always mail paper statements even though the customer receives statements electronically<br><b>2</b> = Biller will never mail paper statements to a customer receiving statements electronically<br><b>3</b> = Biller will not mail paper statements to a customer receiving statements electronically unless there is a request from the customer<br><b>4</b> = Biller will mail paper statements to a customer receiving statements electronically unless there is a request from the customer to stop the mailings |

### UBF Table Edit Criteria

|                                                                                                          |                                                                                                                                                                                |
|----------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Prior Paper Statement Parameter</b><br>Positions: 48-50<br>Length: 3<br>Format: unpacked numeric      | <b>Description:</b> Indicates the time period supported by the biller for mailing paper copies of prior statements. The time period will range from 0 to 999 days.             |
| <b>Future Paper Statement Parameter</b><br>Positions: 51-53<br>Length: 3<br>Format: unpacked numeric     | <b>Description:</b> Indicates the time period supported by the biller for mailing paper copies of future electronic statements. The time period will range from 0 to 999 days. |
| <b>Prior Electronic Statement Parameter</b><br>Positions: 54-56<br>Length: 3<br>Format: unpacked numeric | <b>Description:</b> Indicates the time period supported by the biller for resending prior electronic statements. The time period will range from 0 to 999 days.                |
| <b>Biller Service Provider ID</b><br>Positions: 57-72<br>Length: 16<br>Format: alphanumeric              | <b>Description:</b> Contains the biller service provider identification to be used in operation of the Electronic Statement Processing service.                                |
| <b>Biller Capabilities Parameter</b><br>Positions: 73-96<br>Length: 24<br>Format: alphanumeric           | <b>Description:</b> Contains the processing attributes associated with the biller for the Electronic Statement Processing service.                                             |
| <b>Summary Invoice Option</b><br>Positions: 97-168<br>Length: 72<br>Format: alphanumeric                 | <b>Description:</b> This field will contain spaces.                                                                                                                            |

## TC 33 - TCR 0 CBAN Mask Data

These tables contain the Multipurpose Message (TC 33) record layout and edit criteria for TCR 0 - UNIVERSAL BILLER FILE TABLE DETAIL - CBAN MASK DATA.

### CTF - Incoming Interchange

### UBF Table Record Layout

| Position | Field Length | Format | Contents                              |
|----------|--------------|--------|---------------------------------------|
| 1-2      | 2            | UN     | Transaction Code                      |
| 3        | 1            | UN     | Transaction Code Qualifier            |
| 4        | 1            | UN     | Transaction Component Sequence Number |
| 5-10     | 6            | UN     | Destination Identifier                |
| 11-16    | 6            | UN     | Source Identifier                     |
| 17-19    | 3            | AN     | UBF Identifier                        |
| 20       | 1            | UN     | UBF Detail Record Type                |
| 21-32    | 12           | UN     | Biller ID                             |
| 33-35    | 3            | AN     | Reserved                              |
| 36-63    | 28           | AN     | CBAN Mask 1                           |
| 64-66    | 3            | AN     | Reserved                              |
| 67-94    | 28           | AN     | CBAN Mask 2                           |
| 95-97    | 3            | AN     | Reserved                              |
| 98-125   | 28           | AN     | CBAN Mask 3                           |
| 126-128  | 3            | AN     | Reserved                              |
| 129-156  | 28           | AN     | CBAN Mask 4                           |
| 157-167  | 11           | AN     | Reserved                              |
| 168      | 1            | AN     | Reimbursement Attribute               |

Format: AN = Alphanumeric, ANS = Alphanumeric Special, DX = Display Hexadecimal, N = Numeric, UN = Unpacked Numeric

### UBF Table Edit Criteria

|                                                                                            |                                                                                                                                                                                                            |
|--------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Transaction Code</b><br>Positions: 1-2<br>Length: 2<br>Format: unpacked numeric         | <b>Description:</b> This field will contain <b>33</b> .                                                                                                                                                    |
| <b>Transaction Code Qualifier</b><br>Positions: 3<br>Length: 1<br>Format: unpacked numeric | <b>Description:</b> This field will contain <b>0</b> (zero).<br><br>This edit will continue to be performed by the Edit Package when the Bypass Business Edits option is used during an outgoing edit run. |

### UBF Table Edit Criteria

|                                                                                                       |                                                                                                                                                                                |
|-------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Transaction Component Sequence Number</b><br>Positions: 4<br>Length: 1<br>Format: unpacked numeric | <b>Description:</b> This field will contain <b>0</b> (zero).                                                                                                                   |
| <b>Destination Identifier</b><br>Positions: 5-10<br>Length: 6<br>Format: unpacked numeric             | <b>Description:</b> The entity to which the BASE II transaction message is sent. This field will contain a valid acquiring or issuing identifier.                              |
| <b>Source Identifier</b><br>Positions: 11-16<br>Length: 6<br>Format: unpacked numeric                 | <b>Description:</b> The entity from which this BASE II transaction message was sent.<br><br>This field will contain <b>400008</b> (the BASE II table distribution identifier). |
| <b>UBF Identifier</b><br>Positions: 17-19<br>Length: 3<br>Format: alphanumeric                        | <b>Description:</b> Contains the Universal Biller File (UBF) identifier.                                                                                                       |
| <b>UBF Detail Record Type</b><br>Positions: 20<br>Length: 1<br>Format: alphanumeric                   | <b>Description:</b> Contains the type of UBF detail record. The field will contain:<br><br><b>M</b> = Account Mask Data                                                        |
| <b>Biller ID</b><br>Positions: 21-32<br>Length: 12<br>Format: unpacked numeric                        | <b>Description:</b> Contains the Visa-assigned unique identifier for the biller.                                                                                               |
| <b>Reserved</b><br>Positions: 33-35<br>Length: 3<br>Format: alphanumeric                              | <b>Description:</b> This field is reserved for future use. EP will always space-fill.                                                                                          |
| <b>CBAN Mask 1</b><br>Positions: 36-63<br>Length: 28<br>Format: alphanumeric                          | <b>Description:</b> This field can contain an account mask. This mask can be used to validate the customer's account number structure with the biller.                         |

### UBF Table Edit Criteria

|                                                                                       |                                                                                                                                                        |
|---------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Reserved</b><br>Positions: 64-66<br>Length: 3<br>Format: alphanumeric              | <b>Description:</b> This field is reserved for future use. EP will always space-fill.                                                                  |
| <b>CBAN Mask 2</b><br>Positions: 67-94<br>Length: 28<br>Format: alphanumeric          | <b>Description:</b> This field can contain an account mask. This mask can be used to validate the customer's account number structure with the biller. |
| <b>Reserved</b><br>Positions: 95-97<br>Length: 3<br>Format: alphanumeric              | <b>Description:</b> This field is reserved for future use. EP will always space-fill.                                                                  |
| <b>CBAN Mask 3</b><br>Positions: 98-125<br>Length: 28<br>Format: alphanumeric         | <b>Description:</b> This field can contain an account mask. This mask can be used to validate the customer's account number structure with the biller. |
| <b>Reserved</b><br>Positions: 126-128<br>Length: 3<br>Format: alphanumeric            | <b>Description:</b> This field is reserved for future use. EP will always space-fill.                                                                  |
| <b>CBAN Mask 4</b><br>Positions: 129-156<br>Length: 28<br>Format: alphanumeric        | <b>Description:</b> This field can contain an account mask. This mask can be used to validate the customer's account number structure with the biller. |
| <b>Reserved</b><br>Positions: 157-167<br>Length: 11<br>Format: alphanumeric           | <b>Description:</b> This field is reserved for future use. EP will always space-fill.                                                                  |
| <b>Reimbursement Attribute</b><br>Positions: 168<br>Length: 1<br>Format: alphanumeric | <b>Description:</b> Obsolete - must be zero-filled.                                                                                                    |

# TC 33 - TCR 0 Universal Biller File Table Trailer

These tables contain the Multipurpose Message (TC 33) record layout and edit criteria for TCR 0 - UNIVERSAL BILLER FILE TABLE TRAILER.

## CTF - Incoming Interchange

### UBF Table Record Layout

| Position | Field Length | Format | Contents                              |
|----------|--------------|--------|---------------------------------------|
| 1-2      | 2            | UN     | Transaction Code                      |
| 3        | 1            | UN     | Transaction Code Qualifier            |
| 4        | 1            | UN     | Transaction Component Sequence Number |
| 5-10     | 6            | UN     | Destination Identifier                |
| 11-16    | 6            | UN     | Source Identifier                     |
| 17-19    | 3            | AN     | UBF Identifier                        |
| 20-34    | 15           | AN     | Reserved                              |
| 35-45    | 11           | AN     | Record Type                           |
| 46-53    | 8            | AN     | File Type                             |
| 54-60    | 7            | UN     | Biller Master Record Count            |
| 61-67    | 7            | UN     | Total Detail Record Count             |
| 68-167   | 100          | AN     | Reserved                              |
| 168      | 1            | AN     | Reimbursement Attribute               |

Format: AN = Alphanumeric, ANS = Alphanumeric Special, DX = Display Hexadecimal, N = Numeric, UN = Unpacked Numeric

---



### UBF Table Edit Criteria

|                                                                                                       |                                                                                                                                                                                                           |
|-------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Transaction Code</b><br>Positions: 1-2<br>Length: 2<br>Format: unpacked numeric                    | <b>Description:</b> This field will contain <b>33</b> .                                                                                                                                                   |
| <b>Transaction Code Qualifier</b><br>Positions: 3<br>Length: 1<br>Format: unpacked numeric            | <b>Description:</b> This field will contain <b>0</b> (zero).<br><br>This edit will continue to be performed by the Edit Package when the Bypass Business Edits option is used during an outgoing edit run |
| <b>Transaction Component Sequence Number</b><br>Positions: 4<br>Length: 1<br>Format: unpacked numeric | <b>Description:</b> This field will contain <b>0</b> (zero).                                                                                                                                              |
| <b>Destination Identifier</b><br>Positions: 5-10<br>Length: 6<br>Format: unpacked numeric             | <b>Description:</b> The entity to which the BASE II transaction message is sent.<br><br>This field will contain a valid acquiring or issuing identifier.                                                  |
| <b>Source Identifier</b><br>Positions: 11-16<br>Length: 6<br>Format: unpacked numeric                 | <b>Description:</b> The entity from which this BASE II transaction message was sent.<br><br>This field will contain a valid acquiring or issuing identifier.                                              |
| <b>UBF Identifier</b><br>Positions: 17-19<br>Length: 3<br>Format: alphanumeric                        | <b>Description:</b> Contains the Universal Biller File (UBF) identifier.                                                                                                                                  |
| <b>Reserved</b><br>Positions: 20-34<br>Length: 15<br>Format: alphanumeric                             | <b>Description:</b> This field is reserved for future use. EP will always space-fill.                                                                                                                     |
| <b>Record Type</b><br>Positions: 35-45<br>Length: 11<br>Format: alphanumeric                          | <b>Description:</b> Contain the value <b>TAPEHEADER</b> .                                                                                                                                                 |

### UBF Table Edit Criteria

|                                                                                                |                                                                                            |
|------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------|
| <b>File Type</b><br>Positions: 46-53<br>Length: 8<br>Format: alphanumeric                      | <b>Description:</b> Contains the value <b>UBFDISTR</b> (Universal Biller File).            |
| <b>Biller Master Record Count</b><br>Positions: 54-60<br>Length: 7<br>Format: unpacked numeric | <b>Description:</b> The number of biller master records in the file.                       |
| <b>Detail Record Count</b><br>Positions: 61-67<br>Length: 7<br>Format: unpacked numeric        | <b>Description:</b> The total number of biller master data and CBAN mask data in the file. |
| <b>Reserved</b><br>Positions: 68-167<br>Length: 100<br>Format: alphanumeric                    | <b>Description:</b> This field is reserved for future use. EP will always space-fill.      |
| <b>Reimbursement Attribute</b><br>Positions: 168<br>Length: 1<br>Format: alphanumeric          | <b>Description:</b> Obsolete - must be zero-filled.                                        |

## TC 33 - TCR 0 Commercial Choice Select Reference Data Record

These tables contain the Multipurpose Message (TC 33) record layout and edit criteria for TCR 0 - COMMERCIAL CHOICE SELECT REFERENCE DATA.

BASE II participating acquirers in Visa Commercial Choice Select may choose to subscribe to the TC 33-Commercial Choice Select Reference Data in RDMS.

### CTF - Incoming Interchange

### Commercial Choice Select Reference Data Record Layout

| Position | Field Length | Format | Contents                              |
|----------|--------------|--------|---------------------------------------|
| 1-2      | 2            | UN     | Transaction Code                      |
| 3        | 1            | UN     | Transaction Code Qualifier            |
| 4        | 1            | UN     | Transaction Component Sequence Number |
| 5-10     | 6            | UN     | Destination Identifier                |
| 11-16    | 6            | UN     | Source Identifier                     |
| 17-26    | 10           | AN     | Report Identifier                     |
| 27-34    | 8            | UN     | Report Line Sequence Number           |
| 35-42    | 8            | UN     | Acquiring Identifier                  |
| 43-61    | 19           | UN     | Account Minimum                       |
| 62-80    | 19           | UN     | Account Maximum                       |
| 81-88    | 8            | AN     | Visa Merchant Identifier              |
| 89-103   | 15           | AN     | Card Acceptor ID                      |
| 104      | 1            | UN     | Issuer Identification Indicator       |
| 105-116  | 12           | UN     | Amount Tier - Minimum Value           |
| 117-128  | 12           | UN     | Amount Tier - Maximum Value           |
| 129-131  | 3            | AN     | Transaction Currency                  |
| 132-139  | 8            | UN     | Effective Start Date                  |
| 140-147  | 8            | UN     | Expiration End Date                   |
| 148-151  | 4            | AN     | Selected Program ID                   |
| 152-159  | 8            | N      | Rate                                  |
| 160-162  | 3            | AN     | Agreement Jurisdiction Identifier     |
| 163-168  | 6            | AN     | Reserved                              |

Format: AN = Alphanumeric, ANS = Alphanumeric Special, DX = Display Hexadecimal, N = Numeric, UN = Unpacked Numeric

### Commercial Choice Select Reference Data Edit Criteria

|                                                                                                       |                                                                                                                                                                                                    |
|-------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Transaction Code</b><br>Positions: 1-2<br>Length: 2<br>Format: unpacked numeric                    | <b>Description:</b> This field will contain the value of <b>33</b> .                                                                                                                               |
| <b>Transaction Code Qualifier</b><br>Positions: 3<br>Length: 1<br>Format: unpacked numeric            | <b>Description:</b> This field will contain the value of <b>0</b> (Default).                                                                                                                       |
| <b>Transaction Component Sequence Number</b><br>Positions: 4<br>Length: 1<br>Format: unpacked numeric | <b>Description:</b> This field will contain the value of <b>0</b> .                                                                                                                                |
| <b>Destination Identifier</b><br>Positions: 5-10<br>Length: 6<br>Format: unpacked numeric             | <b>Description:</b> The field will contain the recipient identifier to which the BASE II transaction message is sent.                                                                              |
| <b>Source Identifier</b><br>Positions: 11-16<br>Length: 6<br>Format: unpacked numeric                 | <b>Description:</b> This field will contain the identifier from which the BASE II transaction message was sent.                                                                                    |
| <b>Report Identifier</b><br>Positions: 17-26<br>Length: 10<br>Format: alphanumeric                    | <b>Description:</b> This field will indicate the type of report and will contain the value of <b>COMCHRPT</b> (Commercial choice reference report). This field is left-justified and space-filled. |
| <b>Report Line Sequence Number</b><br>Positions: 27-34<br>Length: 8<br>Format: unpacked numeric       | <b>Description:</b> This field will be used to ensure that the report comes out in the sequence in which it was generated.                                                                         |
| <b>Acquiring Identifier</b><br>Positions: 35-42<br>Length: 8<br>Format: unpacked numeric              | <b>Description:</b> This field will be used to identify an acquiring financial institution. Up to two leading zeros may be present if the Acquiring Identifier field is less than eight digits.    |

## Commercial Choice Select Reference Data Edit Criteria

|                                                                                                    |                                                                                                                                                                                                                                   |
|----------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Account Minimum</b><br>Positions: 43-61<br>Length: 19<br>Format: unpacked numeric               | <b>Description:</b> This field will contain the low account range value.<br><br>If the Account Minimum field and the Account Maximum field contain the same value, this will identify that the agreement is for a singular card.  |
| <b>Account Maximum</b><br>Positions: 62-80<br>Length: 19<br>Format: unpacked numeric               | <b>Description:</b> This field will contain the high account range value.<br><br>If the Account Minimum field and the Account Maximum field contain the same value, this will identify that the agreement is for a singular card. |
| <b>Visa Merchant Identifier</b><br>Positions: 81-88<br>Length: 8<br>Format: alphanumeric           | <b>Description:</b> This field contains a unique identifier value assigned by Visa for each merchant included in the program.                                                                                                     |
| <b>Card Acceptor ID</b><br>Positions: 89-103<br>Length: 15<br>Format: alphanumeric                 | <b>Description:</b> This field will contain an acquirer-assigned alphanumeric code that identifies the card acceptor. This field is left-justified and space-filled.                                                              |
| <b>Issuer Identification Indicator</b><br>Positions: 104<br>Length: 1<br>Format: unpacked numeric  | <b>Description:</b> This field will indicate the type of the record with one of the following values:<br><br><b>1</b> = (Account range)<br><b>2</b> = (PAN)                                                                       |
| <b>Amount Tier - Minimum Value</b><br>Positions: 105-116<br>Length: 12<br>Format: unpacked numeric | <b>Description:</b> This field will contain the transaction minimum amount limit.<br><br>This field may contain values from <b>0-9</b> . Two decimal places are implied. For example, 000025000000 is equal to 250,000.00.        |
| <b>Amount Tier - Maximum Value</b><br>Positions: 117-128<br>Length: 12<br>Format: unpacked numeric | <b>Description:</b> This field will contain the transaction maximum amount limit.<br><br>This field may contain values from <b>0-9</b> . Two decimal places are implied. For example, 000074999999 is equal to 749,999.99.        |
| <b>Transaction Currency</b><br>Positions: 129-131<br>Length: 3<br>Format: alphanumeric             | <b>Description:</b> This field will contain a three-digit currency code of the amount tier negotiated with the value of <b>840</b> (USD).                                                                                         |

### Commercial Choice Select Reference Data Edit Criteria

|                                                                                                     |                                                                                                                                                                                                                                                                   |
|-----------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Effective Start Date</b><br>Positions: 132-139<br>Length: 8<br>Format: unpacked numeric          | <b>Description:</b> This field will contain the date when the rate for a relationship was effective in <b>ccyyymmdd</b> format, where:<br>cc = Century ( <b>20-99</b> )<br>yy = Year ( <b>00-99</b> )<br>mm = Month ( <b>01-12</b> )<br>dd = Day ( <b>01-31</b> ) |
| <b>Expiration End Date</b><br>Positions: 140-147<br>Length: 8<br>Format: unpacked numeric           | <b>Description:</b> This field will contain the date at which the agreement expires in <b>ccyyymmdd</b> format, where:<br>cc = Century ( <b>20-99</b> )<br>yy = Year ( <b>00-99</b> )<br>mm = Month ( <b>01-12</b> )<br>dd = Day ( <b>01-31</b> )                 |
| <b>Selected Program ID</b><br>Positions: 148-151<br>Length: 4<br>Format: alphanumeric               | <b>Description:</b> This field will contain the selected program ID associated with the agreed fee rate.                                                                                                                                                          |
| <b>Rate</b><br>Positions: 152-159<br>Length: 8<br>Format: numeric                                   | <b>Description:</b> This field identifies the rate associated to a Selected Program ID. This field may contain values from <b>0-9</b> . Six decimal places are implied. For example, 00450000 is equal to 0.45% or 01450000 is equal to 1.45%.                    |
| <b>Agreement Jurisdiction Identifier</b><br>Positions: 160-162<br>Length: 3<br>Format: alphanumeric | <b>Description:</b> This field will contain the agreement jurisdiction identifier. A domestic jurisdiction will contain the country code.                                                                                                                         |
| <b>Reserved</b><br>Positions: 163-168<br>Length: 6<br>Format: alphanumeric                          | <b>Description:</b> This field is reserved for future use and will contain spaces.                                                                                                                                                                                |

# BASE II Dispute Financial Status Advice

The dispute financial status advice for Visa Resolve Online (VROL) are optionally sent to endpoints when Visa generates a dispute financial transaction on behalf of the endpoint.

TCR 0, 1

CTF - Incoming Interchange

## TC 33 - TCR 0 BASE II Dispute Financial Status Advice

These tables contain the Multipurpose Message (TC 33) record layout and edit criteria for TCR 0 - BASE II DISPUTE FINANCIAL STATUS ADVICE.

**CTF - Incoming Interchange**

### BASE II Dispute Financial Status Advice Record Layout

| Position | Field Length | Format | Contents                              |
|----------|--------------|--------|---------------------------------------|
| 1-2      | 2            | UN     | Transaction Code                      |
| 3        | 1            | UN     | Transaction Code Qualifier            |
| 4        | 1            | UN     | Transaction Component Sequence Number |
| 5-10     | 6            | AN     | Destination Identifier                |
| 11-16    | 6            | AN     | Source Identifier                     |
| 17-19    | 3            | AN     | VCR Record Identifier                 |
| 20-21    | 2            | AN     | Dispute Status                        |
| 22-23    | 2            | AN     | Dispute Transaction Code              |
| 24       | 1            | AN     | Dispute Transaction Code Qualifier    |
| 25       | 1            | AN     | Originator Recipient Indicator        |
| 26-41    | 16           | UN     | Account Number                        |
| 42-44    | 3            | UN     | Account Number Extension              |
| 45-67    | 23           | UN     | Acquirer Reference Number             |
| 68-71    | 4            | UN     | Purchase Date (MMDD)                  |
| 72-83    | 12           | UN     | Source Amount                         |

## BASE II Dispute Financial Status Advice Record Layout

| Position | Field Length | Format | Contents                       |
|----------|--------------|--------|--------------------------------|
| 84-86    | 3            | UN     | Source Currency Code           |
| 87-111   | 25           | AN     | Merchant Name                  |
| 112-124  | 13           | AN     | Merchant City                  |
| 125-127  | 3            | AN     | Merchant Country Code          |
| 128-131  | 4            | UN     | Merchant Category Code         |
| 132-134  | 3            | AN     | Merchant State/Province Code   |
| 135-139  | 5            | AN     | Merchant ZIP Code              |
| 140      | 1            | AN     | Requested Payment Service      |
| 141-146  | 6            | AN     | Authorization Code             |
| 147-148  | 2            | AN     | POS Entry Mode                 |
| 149-152  | 4            | UN     | Central Processing Date (YDDD) |
| 153-167  | 15           | AN     | Card Acceptor ID               |
| 168      | 1            | AN     | Reimbursement Attribute        |

Format: AN = Alphanumeric, ANS = Alphanumeric Special, DX = Display Hexadecimal, N = Numeric, UN = Unpacked Numeric

## BASE II Dispute Financial Status Advice Edit Criteria

|                                                                                                       |                                                                                                       |
|-------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------|
| <b>Transaction Code</b><br>Positions: 1-2<br>Length: 2<br>Format: unpacked numeric                    | <b>Description:</b> This field will contain the value of <b>33</b> (Dispute financial status advice). |
| <b>Transaction Code Qualifier</b><br>Positions: 3<br>Length: 1<br>Format: unpacked numeric            | <b>Description:</b> This field will contain the value of <b>0</b> (Default).                          |
| <b>Transaction Component Sequence Number</b><br>Positions: 4<br>Length: 1<br>Format: unpacked numeric | <b>Description:</b> This field will contain the value of <b>0</b> (zero).                             |



## BASE II Dispute Financial Status Advice Edit Criteria

|                                                                                                 |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
|-------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Destination Identifier</b><br>Positions: 5-10<br>Length: 6<br>Format: alphanumeric           | <b>Description:</b> The entity to which this transaction message is sent.<br>This field will contain a valid acquiring or issuing identifier.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
| <b>Source Identifier</b><br>Positions: 11-16<br>Length: 6<br>Format: alphanumeric               | <b>Description:</b> The entity from which this BASE II transaction message is sent.<br>This field will contain a valid acquiring or issuing identifier.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
| <b>VCR Record Identifier</b><br>Positions: 17-19<br>Length: 3<br>Format: alphanumeric           | <b>Description:</b> This field will contain the value of <b>VCR</b> to identify this TC 33 record as a VROL status advice.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
| <b>Dispute Status</b><br>Positions: 20-21<br>Length: 2<br>Format: alphanumeric                  | <b>Description:</b> This field will contain a code to indicate the status of the VROL dispute.<br>Values: <ul style="list-style-type: none"> <li>• <b>F1</b> (Dispute financial)</li> <li>• <b>R1</b> (Dispute financial reversal-recall)</li> <li>• <b>R2</b> (Dispute financial reversal-pre-arbitration acceptance)</li> <li>• <b>R3</b> (Dispute financial reversal-arbitration decision)</li> <li>• <b>P1</b> (Dispute response financial)</li> <li>• <b>L1</b> (Dispute response financial reversal-recall)</li> <li>• <b>L2</b> (Dispute response financial reversal-pre-arbitration acceptance)</li> <li>• <b>L3</b> (Dispute response financial reversal-arbitration decision)</li> </ul> |
| <b>Dispute Transaction Code</b><br>Positions: 22-23<br>Length: 2<br>Format: alphanumeric        | <b>Description:</b> This field will contain the transaction code of the dispute transaction.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
| <b>Dispute Transaction Code Qualifier</b><br>Positions: 24<br>Length: 1<br>Format: alphanumeric | <b>Description:</b> This field will contain the transaction code qualifier of the dispute transaction.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |

## BASE II Dispute Financial Status Advice Edit Criteria

|                                                                                                |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
|------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Originator/Recipient Indicator</b><br>Positions: 25<br>Length: 1<br>Format: alphanumeric    | <b>Description:</b> This field indicates if the advice will be sent to the originator or to the recipient.<br><br><b>O</b> = Originator<br><b>R</b> = Recipient                                                                                                                                                                                                                                                                                                                                                                                                                               |
| <b>Account Number</b><br>Positions: 26-41<br>Length: 16<br>Format: unpacked numeric            | <b>Description:</b> This field will contain a number identifying the customer account or relationship.<br><br><b>Note:</b> If the original transaction was submitted with a token, the advice will be populated as following: <ul style="list-style-type: none"><li>• Dispute response financial status advices and dispute response financial reversal status advices sent to acquirers will contain the token.</li><li>• Dispute financial status advices and dispute financial reversal status advices sent to issuers will contain the cardholder primary account number (PAN).</li></ul> |
| <b>Account Number Extension</b><br>Positions: 42-44<br>Length: 3<br>Format: unpacked numeric   | <b>Description:</b> This field will contain the account number extension.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
| <b>Acquirer Reference Number</b><br>Positions: 45-67<br>Length: 23<br>Format: unpacked numeric | <b>Description:</b> This field will contain the 23-digit identification number assigned by the acquirer.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
| <b>Purchase Date (MMDD)</b><br>Positions: 68-71<br>Length: 4<br>Format: unpacked numeric       | <b>Description:</b> This field will contain the date the original transaction was made.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
| <b>Source Amount</b><br>Positions: 72-83<br>Length: 12<br>Format: unpacked numeric             | <b>Description:</b> This field will contain the dispute value in transaction currency. Two decimal places are implied. The entry must be a numeric greater than zero.                                                                                                                                                                                                                                                                                                                                                                                                                         |
| <b>Source Currency Code</b><br>Positions: 84-86<br>Length: 3<br>Format: unpacked numeric       | <b>Description:</b> This field will contain the currency code used in this transaction.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |

## BASE II Dispute Financial Status Advice Edit Criteria

|                                                                                                |                                                                                                                                                                                                                                                                                          |
|------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Merchant Name</b><br>Positions: 87-111<br>Length: 25<br>Format: alphanumeric                | <b>Description:</b> This field will contain the name of the merchant.                                                                                                                                                                                                                    |
| <b>Merchant City</b><br>Positions: 112-124<br>Length: 13<br>Format: alphanumeric               | <b>Description:</b> This field will contain the merchant city, telephone number, email address, or URL.                                                                                                                                                                                  |
| <b>Merchant Country Code</b><br>Positions: 125-127<br>Length: 3<br>Format: alphanumeric        | <b>Description:</b> This field will contain the code indicating the country where the Visa transaction occurred.<br><br><b>Note:</b> For valid country codes, see <i>BASE II Clearing Data Codes</i> .                                                                                   |
| <b>Merchant Category Code</b><br>Positions: 128-131<br>Length: 4<br>Format: unpacked numeric   | <b>Description:</b> This field will contain the merchant category code.<br><br><b>Note:</b> For valid codes, see: <ul style="list-style-type: none"><li>• <i>Visa Core Rules</i></li><li>• <i>Visa Product and Service Rules</i></li><li>• <i>Visa Merchant Data Standards</i></li></ul> |
| <b>Merchant State/Province Code</b><br>Positions: 132-134<br>Length: 3<br>Format: alphanumeric | <b>Description:</b> If the code in Merchant Country, positions 125-127, is <b>US</b> or <b>CA</b> , this field will contain the U.S. state code or Canadian province code, respectively. Otherwise, it will contain spaces.                                                              |
| <b>Merchant ZIP Code</b><br>Positions: 135-139<br>Length: 5<br>Format: alphanumeric            | <b>Description:</b> This field will contain the postal code of the merchant where the transaction took place.                                                                                                                                                                            |
| <b>Requested Payment Service</b><br>Positions: 140<br>Length: 1<br>Format: alphanumeric        | <b>Description:</b> This field will contain a code indicating the acquirer's choice of custom payment service.<br><br><b>Note:</b> For valid values, see <i>BASE II Clearing Data Codes</i> .                                                                                            |
| <b>Authorization Code</b><br>Positions: 141-146<br>Length: 6<br>Format: alphanumeric           | <b>Description:</b> This field will contain a code provided by the issuer when the original transaction was approved.                                                                                                                                                                    |

## BASE II Dispute Financial Status Advice Edit Criteria

|                                                                                                      |                                                                                                                                                                                                                                                                                                                                                                                                                                     |
|------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>POS Entry Mode</b><br>Positions: 147-148<br>Length: 2<br>Format: alphanumeric                     | <b>Description:</b> This field will contain a value indicating the method by which a point-of-transaction terminal obtains and transmits the cardholder information necessary to complete a transaction.                                                                                                                                                                                                                            |
| <b>Central Processing Date (YDDD)</b><br>Positions: 149-152<br>Length: 4<br>Format: unpacked numeric | <b>Description:</b> This field will contain the date that BASE II processes the dispute financial transaction.<br><br>The date will be in yddd format where:<br><b>yddd</b> = Julian date<br><br><b>Dispute Financial Reversal</b><br><br><b>VIC Edit:</b> The entry must be numeric. The entry cannot be a future date. The field must contain the Central Processing Date (in the YDDD format) of the transaction being reversed. |
| <b>Card Acceptor ID</b><br>Positions: 153-167<br>Length: 15<br>Format: alphanumeric                  | <b>Description:</b> This field will contain a code that identifies the card acceptor from the original transaction.                                                                                                                                                                                                                                                                                                                 |
| <b>Reimbursement Attribute</b><br>Positions: 168<br>Length: 1<br>Format: alphanumeric                | <b>Description:</b> This field will contain the reimbursement attribute.<br><br><b>Note:</b> For valid values, see <i>BASE II Clearing Data Codes</i> .                                                                                                                                                                                                                                                                             |

## TC 33 - TCR 1 BASE II Dispute Financial Advice (Cont'd)

These tables contain the Multipurpose Message (TC 33) record layout and edit criteria for TCR 1 - BASE II DISPUTE FINANCIAL STATUS ADVICE (CONT'D).

### CTF - Incoming Interchange

#### BASE II Dispute Financial Status Advice Record Layout

| Position | Field Length | Format | Contents                              |
|----------|--------------|--------|---------------------------------------|
| 1-2      | 2            | UN     | Transaction Code                      |
| 3        | 1            | UN     | Transaction Code Qualifier            |
| 4        | 1            | UN     | Transaction Component Sequence Number |
| 5-8      | 4            | UN     | Network Identification Code           |

### BASE II Dispute Financial Status Advice Record Layout

| Position | Field Length | Format | Contents                               |
|----------|--------------|--------|----------------------------------------|
| 9-11     | 3            | AN     | Dispute Condition                      |
| 12-22    | 11           | AN     | VROL Financial ID                      |
| 23-32    | 10           | UN     | VROL Case Number                       |
| 33-42    | 10           | UN     | VROL Bundle Case Number                |
| 43-62    | 20           | AN     | Client Case Number                     |
| 63-66    | 4            | AN     | Reserved                               |
| 67-68    | 2            | UN     | Multiple Clearing Sequence Number      |
| 69-70    | 2            | UN     | Multiple Clearing Sequence Count       |
| 71-72    | 2            | AN     | Product ID                             |
| 73       | 1            | AN     | Spend Qualified Indicator              |
| 74-75    | 2            | UN     | Dispute Financial Reason Code          |
| 76       | 1            | UN     | Settlement Flag                        |
| 77       | 1            | UN     | Usage Code                             |
| 78-92    | 15           | UN     | Transaction Identifier                 |
| 93-100   | 8            | UN     | Acquirer's Business ID                 |
| 101-112  | 12           | UN     | Original Transaction Amount            |
| 113-115  | 3            | UN     | Original Transaction Currency Code     |
| 116      | 1            | AN     | Special Chargeback Indicator           |
| 117-128  | 12           | UN     | Destination/Source Settlement Amount   |
| 129-131  | 3            | AN     | Destination/Source Settlement Currency |
| 132      | 1            | AN     | Source Settlement Amount Sign          |
| 133-137  | 5            | AN     | Rate Table ID                          |
| 138-168  | 31           | AN     | Reserved                               |

Format: AN = Alphanumeric, ANS = Alphanumeric Special, DX = Display Hexadecimal, N = Numeric, UN = Unpacked Numeric

## BASE II Dispute Financial Status Advice Edit Criteria

|                                                                                                       |                                                                                                                                                                                                                                                                                                                     |
|-------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Transaction Code</b><br>Positions: 1-2<br>Length: 2<br>Format: unpacked numeric                    | <b>Description:</b> This field will contain the value of <b>33</b> (Dispute financial status advice).                                                                                                                                                                                                               |
| <b>Transaction Code Qualifier</b><br>Positions: 3<br>Length: 1<br>Format: unpacked numeric            | <b>Description:</b> This field will contain the value of <b>0</b> (Default).                                                                                                                                                                                                                                        |
| <b>Transaction Component Sequence Number</b><br>Positions: 4<br>Length: 1<br>Format: unpacked numeric | <b>Description:</b> This field will contain the value of <b>1</b> .                                                                                                                                                                                                                                                 |
| <b>Network Identification Code</b><br>Positions: 5-8<br>Length: 4<br>Format: unpacked numeric         | <b>Description:</b> This field will contain the network identification code.<br>Values: <ul style="list-style-type: none"><li>• <b>0002</b> (Visa)</li><li>• <b>0003</b> (Interlink)</li><li>• <b>0004</b> (Plus)</li></ul> <b>Note:</b> The network identification code field populated with all zeros is allowed. |
| <b>Dispute Condition</b><br>Positions: 9-11<br>Length: 3<br>Format: alphanumeric                      | <b>Description:</b> This field will contain the dispute condition assigned through the VROL process.                                                                                                                                                                                                                |
| <b>VROL Financial ID</b><br>Positions: 12-22<br>Length: 11<br>Format: alphanumeric                    | <b>Description:</b> This field will contain the VROL financial ID assigned through the VROL process.                                                                                                                                                                                                                |
| <b>VROL Case Number</b><br>Positions: 23-32<br>Length: 10<br>Format: unpacked numeric                 | <b>Description:</b> This field will contain the VROL case number assigned through the VROL process.                                                                                                                                                                                                                 |

## BASE II Dispute Financial Status Advice Edit Criteria

|                                                                                                       |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
|-------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>VROL Bundle Case Number</b><br>Positions: 33-42<br>Length: 10<br>Format: unpacked numeric          | <b>Description:</b> This field will contain the VROL bundle case number when the dispute is part of a bundle.                                                                                                                                                                                                                                                                                                                                                                                 |
| <b>Client Case Number</b><br>Positions: 43-62<br>Length: 20<br>Format: alphanumeric                   | <b>Description:</b> This field will contain a case tracking number assigned by the endpoint in VROL when a VROL dispute is created.                                                                                                                                                                                                                                                                                                                                                           |
| <b>Reserved</b><br>Positions: 63-66<br>Length: 4<br>Format: alphanumeric                              | <b>Description:</b> This field is reserved for future use.                                                                                                                                                                                                                                                                                                                                                                                                                                    |
| <b>Multiple Clearing Sequence Number</b><br>Positions: 67-68<br>Length: 2<br>Format: unpacked numeric | <b>Description:</b> This field will contain a sequence number that distinguishes a specific clearing message among multiple clearing messages being submitted for a single authorization.                                                                                                                                                                                                                                                                                                     |
| <b>Multiple Clearing Sequence Count</b><br>Positions: 69-70<br>Length: 2<br>Format: unpacked numeric  | <b>Description:</b> This field will contain the count of multiple clearing sequence.                                                                                                                                                                                                                                                                                                                                                                                                          |
| <b>Product ID</b><br>Positions: 71-72<br>Length: 2<br>Format: alphanumeric                            | <b>Description:</b> This field will contain the product identifier code.                                                                                                                                                                                                                                                                                                                                                                                                                      |
| <b>Spend Qualified Indicator</b><br>Positions: 73<br>Length: 1<br>Format: alphanumeric                | <b>Description:</b> This field will contain a code that indicates whether the account is spend qualified or not.<br>Values: <ul style="list-style-type: none"><li>• <b>Space</b> (Spend processing does not apply (not applicable))</li><li>• <b>B</b> (Base spend assessment threshold defined by Visa has been met)</li><li>• <b>N</b> (Spend assessment threshold defined by Visa has not been met)</li><li>• <b>Q</b> (Spend assessment threshold defined by Visa has been met)</li></ul> |

## BASE II Dispute Financial Status Advice Edit Criteria

|                                                                                                    |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
|----------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Dispute Financial Reason Code</b><br>Positions: 74-75<br>Length: 2<br>Format: unpacked numeric  | <b>Description:</b> This field will contain one of the new reason codes used to identify the dispute category for disputes processed through VROL.<br><br>Values: <ul style="list-style-type: none"><li>• <b>10</b> (Fraud)</li><li>• <b>11</b> (Authorization)</li><li>• <b>12</b> (Processing error)</li><li>• <b>13</b> (Consumer dispute)</li></ul>                                                                                                                                                                       |
| <b>Settlement Flag</b><br>Positions: 76<br>Length: 1<br>Format: unpacked numeric                   | <b>Description:</b> This field will contain a value that indicates the service used for settlement.<br><br>Values: <ul style="list-style-type: none"><li>• <b>0</b> (International settlement service)</li><li>• <b>3</b> (Clearing-only (valid only for countries with defined service))</li><li>• <b>8</b> (National net settlement service (valid only for countries with defined service))</li><li>• <b>9</b> (BASE II selects the appropriate settlement service based on routing and country-defined default)</li></ul> |
| <b>Usage Code</b><br>Positions: 77<br>Length: 1<br>Format: unpacked numeric                        | <b>Description:</b> This field will contain the new usage code value of <b>9</b> (Dispute financial).                                                                                                                                                                                                                                                                                                                                                                                                                         |
| <b>Transaction Identifier</b><br>Positions: 78-92<br>Length: 15<br>Format: unpacked numeric        | <b>Description:</b> This field will contain the transaction identifier, a unique value that Visa assigns to each transaction and returns to the acquirer in the authorization response. Visa uses this value to maintain an audit trail throughout the life cycle of the transaction and all related transactions, such as reversals, adjustments, confirmations, and dispute financials.                                                                                                                                     |
| <b>Acquirer's Business ID</b><br>Positions: 93-100<br>Length: 8<br>Format: unpacked numeric        | <b>Description:</b> This field will contain the Visa-assigned business ID of the acquirer.                                                                                                                                                                                                                                                                                                                                                                                                                                    |
| <b>Original Transaction Amount</b><br>Positions: 101-112<br>Length: 12<br>Format: unpacked numeric | <b>Description:</b> This field indicates the transaction amount of the original transaction being disputed.                                                                                                                                                                                                                                                                                                                                                                                                                   |



## BASE II Dispute Financial Status Advice Edit Criteria

|                                                                                                             |                                                                                                                                                                                                                                                                                                                                                                                                                                     |
|-------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Original Transaction Currency Code</b><br>Positions: 113-115<br>Length: 3<br>Format: unpacked numeric    | <b>Description:</b> This field indicates the currency code of original transaction amount in position 101.                                                                                                                                                                                                                                                                                                                          |
| <b>Special Chargeback Indicator</b><br>Positions: 116<br>Length: 1<br>Format: alphanumeric                  | <b>Description:</b> This field supplies extra information regarding disputes (validation requests and advices).<br><br><b>Note:</b> Values:<br><b>Space</b> = Field not applicable<br><b>P</b> = Partial amount                                                                                                                                                                                                                     |
| <b>Destination/Source Settlement Amount</b><br>Positions: 117-128<br>Length: 12<br>Format: unpacked numeric | <b>Description:</b> This field contains the following value depending on subscription option. <ul style="list-style-type: none"> <li>• <b>N</b> = none</li> <li>• <b>S</b> = source settlement amount</li> <li>• <b>D</b> = destination amount</li> <li>• <b>B</b> = 1) source settlement amount if TC 33 goes to Originator or 2) destination amount if TC 33 goes to Receiver.</li> </ul>                                         |
| <b>Destination/Source Settlement Currency</b><br>Positions: 129-131<br>Length: 3<br>Format: alphanumeric    | <b>Description:</b> This field contains the following value depending on subscription option. <ul style="list-style-type: none"> <li>• <b>N</b> = none</li> <li>• <b>S</b> = source settlement currency</li> <li>• <b>D</b> = destination currency</li> <li>• <b>B</b> = 1) source settlement currency if TC 33 goes to Originator or 2) destination currency if TC 33 goes to Receiver.</li> </ul>                                 |
| <b>Source Settlement Amount Sign</b><br>Positions: 132<br>Length: 1<br>Format: alphanumeric                 | <b>Description:</b> This field will indicate if the source settlement amount is a credit or debit for the recipient of the advice. Values are: <ul style="list-style-type: none"> <li>• <b>C</b> (Credit)</li> <li>• <b>D</b> (Debit)</li> </ul> <p>This field will only be populated for dispute financial status advices containing the value of <b>O</b> (Originator) in TCR 0, position 25, Originator/Recipient Indicator.</p> |

## BASE II Dispute Financial Status Advice Edit Criteria

|                                                                                 |                                                                                                                                                                                                                    |
|---------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Rate Table ID</b><br>Positions: 133-137<br>Length: 5<br>Format: alphanumeric | <b>Description:</b> This field will contain the rate table ID of the foreign exchange rate table used for currency conversion. The rate table ID contains alpha and numeric values for a total of five characters. |
| <b>Reserved</b><br>Positions: 138-168<br>Length: 31<br>Format: alphanumeric     | <b>Description:</b> This field is reserved for future use.                                                                                                                                                         |

## TC 33 - TCR 0 V.I.P. Full Service Dispute Financial Status Advice

These tables contain the Multipurpose Message (TC 33) record layout and edit criteria for TCR 0 - V.I.P. FULL SERVICE DISPUTE FINANCIAL STATUS ADVICE.

### CTF - Incoming Interchange

#### V.I.P. Full Service Dispute Financial Status Advice Record Layout

| Position | Field Length | Format | Contents                              |
|----------|--------------|--------|---------------------------------------|
| 1-2      | 2            | UN     | Transaction Code                      |
| 3        | 1            | UN     | Transaction Code Qualifier            |
| 4        | 1            | UN     | Transaction Component Sequence Number |
| 5-10     | 6            | AN     | Destination Identifier                |
| 11-16    | 6            | AN     | Source Identifier                     |
| 17-19    | 3            | AN     | VCR Record Identifier                 |
| 20-21    | 2            | AN     | Dispute Status                        |
| 22-23    | 2            | AN     | POS Condition Code                    |
| 24       | 1            | AN     | Reserved                              |
| 25       | 1            | AN     | Originator/Recipient Indicator        |
| 26-41    | 16           | UN     | Account Number                        |
| 42-44    | 3            | UN     | Account Number Extension              |
| 45-55    | 11           | UN     | Acquirer Institution ID Code          |

### V.I.P. Full Service Dispute Financial Status Advice Record Layout

| Position | Field Length | Format | Contents                       |
|----------|--------------|--------|--------------------------------|
| 56-67    | 12           | AN     | Retrieval Reference Number     |
| 68-71    | 4            | UN     | Purchase Date (MMDD)           |
| 72-83    | 12           | UN     | Source Amount                  |
| 84-86    | 3            | UN     | Source Currency Code           |
| 87-111   | 25           | AN     | Merchant Name                  |
| 112-124  | 13           | AN     | Merchant City                  |
| 125-127  | 3            | AN     | Merchant Country Code          |
| 128-131  | 4            | UN     | Merchant Category Code         |
| 132-134  | 3            | AN     | Merchant State/Province Code   |
| 135-139  | 5            | AN     | Merchant ZIP Code              |
| 140      | 1            | AN     | Requested Payment Service      |
| 141-146  | 6            | AN     | Authorization Code             |
| 147-148  | 2            | AN     | POS Entry Mode                 |
| 149-152  | 4            | UN     | Central Processing Date (YDDD) |
| 153-167  | 15           | AN     | Card Acceptor ID               |
| 168      | 1            | AN     | Reimbursement Attribute        |

Format: AN = Alphanumeric, ANS = Alphanumeric Special, DX = Display Hexadecimal, N = Numeric, UN = Unpacked Numeric

### V.I.P. Full Service Dispute Financial Status Advice Edit Criteria

|                                                                                            |                                                                                                       |
|--------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------|
| <b>Transaction Code</b><br>Positions: 1-2<br>Length: 2<br>Format: unpacked numeric         | <b>Description:</b> This field will contain the value of <b>33</b> (Dispute financial status advice). |
| <b>Transaction Code Qualifier</b><br>Positions: 3<br>Length: 1<br>Format: unpacked numeric | <b>Description:</b> This field will contain the value of <b>1</b> (V.I.P. VROL Dispute Financial).    |

### V.I.P. Full Service Dispute Financial Status Advice Edit Criteria

|                                                                                                       |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
|-------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Transaction Component Sequence Number</b><br>Positions: 4<br>Length: 1<br>Format: unpacked numeric | <b>Description:</b> This field will contain the value of <b>0</b> (zero).                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
| <b>Destination Identifier</b><br>Positions: 5-10<br>Length: 6<br>Format: alphanumeric                 | <b>Description:</b> The entity to which this transaction message is sent.<br>This field will contain a valid acquiring or issuing identifier.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
| <b>Source Identifier</b><br>Positions: 11-16<br>Length: 6<br>Format: alphanumeric                     | <b>Description:</b> The entity from which this BASE II transaction message is sent.<br>This field will contain a valid acquiring or issuing identifier.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
| <b>VCR Record Identifier</b><br>Positions: 17-19<br>Length: 3<br>Format: alphanumeric                 | <b>Description:</b> This field will contain the value of <b>VCR</b> to identify this TC 33 record as a VROL status advice.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
| <b>Dispute Status</b><br>Positions: 20-21<br>Length: 2<br>Format: alphanumeric                        | <b>Description:</b> This field will contain a code to indicate the status of the VROL dispute.<br>Values: <ul style="list-style-type: none"><li>• <b>F1</b> (Dispute financial)</li><li>• <b>R1</b> (Dispute financial reversal-recall)</li><li>• <b>R2</b> (Dispute financial reversal-pre-arbitration acceptance)</li><li>• <b>R3</b> (Dispute financial reversal-arbitration decision)</li><li>• <b>P1</b> (Dispute response financial)</li><li>• <b>L1</b> (Dispute response financial reversal-recall)</li><li>• <b>L2</b> (Dispute response financial reversal-pre-arbitration acceptance)</li><li>• <b>L3</b> (Dispute response financial reversal-arbitration decision)</li></ul> |
| <b>POS Condition Code</b><br>Positions: 22-23<br>Length: 2<br>Format: alphanumeric                    | <b>Description:</b> This field will contain the point-of-sale (POS) condition code of the dispute transaction.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |

## V.I.P. Full Service Dispute Financial Status Advice Edit Criteria

|                                                                                                   |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
|---------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Reserved</b><br>Positions: 24<br>Length: 1<br>Format: alphanumeric                             | <b>Description:</b> This field is reserved for future use.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
| <b>Originator/Recipient Indicator</b><br>Positions: 25<br>Length: 1<br>Format: alphanumeric       | <b>Description:</b> This field indicates if the advice will be sent to the originator or to the recipient.<br><b>O</b> = Originator<br><b>R</b> = Recipient                                                                                                                                                                                                                                                                                                                                                                                                                                |
| <b>Account Number</b><br>Positions: 26-41<br>Length: 16<br>Format: unpacked numeric               | <b>Description:</b> This field will contain a number identifying the customer account or relationship.<br><br><b>Note:</b> If the original transaction was submitted with a token, the advice will be populated as follows: <ul style="list-style-type: none"> <li>Dispute response financial status advices and dispute response financial reversal status advices sent to acquirers will contain the token.</li> <li>Dispute financial status advices and dispute financial reversal status advices sent to issuers will contain the cardholder primary account number (PAN).</li> </ul> |
| <b>Account Number Extension</b><br>Positions: 42-44<br>Length: 3<br>Format: unpacked numeric      | <b>Description:</b> This field will contain the account number extension.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
| <b>Acquirer Institution ID Code</b><br>Positions: 45-55<br>Length: 11<br>Format: unpacked numeric | <b>Description:</b> This field will contain a code that identifies the financial institution acting as the acquirer of the transaction.                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
| <b>Retrieval Reference Number</b><br>Positions: 56-67<br>Length: 12<br>Format: alphanumeric       | <b>Description:</b> This field will contain the retrieval reference number of the financial dispute transaction processed thru the VROL process.                                                                                                                                                                                                                                                                                                                                                                                                                                           |
| <b>Purchase Date (MMDD)</b><br>Positions: 68-71<br>Length: 4<br>Format: unpacked numeric          | <b>Description:</b> This field will contain the date the original transaction was made.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |

### V.I.P. Full Service Dispute Financial Status Advice Edit Criteria

|                                                                                                |                                                                                                                                                                                                                                                                                          |
|------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Source Amount</b><br>Positions: 72-83<br>Length: 12<br>Format: unpacked numeric             | <b>Description:</b> This field will contain the dispute value in transaction currency. Two decimal places are implied. The entry must be a numeric greater than zero.                                                                                                                    |
| <b>Source Currency Code</b><br>Positions: 84-86<br>Length: 3<br>Format: unpacked numeric       | <b>Description:</b> This field will contain the currency code used in this transaction.                                                                                                                                                                                                  |
| <b>Merchant Name</b><br>Positions: 87-111<br>Length: 25<br>Format: alphanumeric                | <b>Description:</b> This field will contain the name of the merchant.                                                                                                                                                                                                                    |
| <b>Merchant City</b><br>Positions: 112-124<br>Length: 13<br>Format: alphanumeric               | <b>Description:</b> This field will contain the merchant city, telephone number, email address, or URL.                                                                                                                                                                                  |
| <b>Merchant Country Code</b><br>Positions: 125-127<br>Length: 3<br>Format: alphanumeric        | <b>Description:</b> This field will contain the code indicating the country where the Visa transaction occurred.<br><br><b>Note:</b> For valid country codes, see <i>BASE II Clearing Data Codes</i> .                                                                                   |
| <b>Merchant Category Code</b><br>Positions: 128-131<br>Length: 4<br>Format: unpacked numeric   | <b>Description:</b> This field will contain the merchant category code.<br><br><b>Note:</b> For valid codes, see: <ul style="list-style-type: none"><li>• <i>Visa Core Rules</i></li><li>• <i>Visa Product and Service Rules</i></li><li>• <i>Visa Merchant Data Standards</i></li></ul> |
| <b>Merchant State/Province Code</b><br>Positions: 132-134<br>Length: 3<br>Format: alphanumeric | <b>Description:</b> If the code in Merchant Country, positions 125-127 is <b>US</b> or <b>CA</b> , this field will contain the U.S. state code or Canadian province code, respectively. Otherwise, it will contain spaces.                                                               |
| <b>Merchant ZIP Code</b><br>Positions: 135-139<br>Length: 5<br>Format: alphanumeric            | <b>Description:</b> This field will contain the postal code of the merchant where the transaction took place.                                                                                                                                                                            |

### V.I.P. Full Service Dispute Financial Status Advice Edit Criteria

|                                                                                                      |                                                                                                                                                                                                                                                                                                                                                                                                                                     |
|------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Requested Payment Service</b><br>Positions: 140<br>Length: 1<br>Format: alphanumeric              | <b>Description:</b> This field will contain a code indicating the acquirer's choice of custom payment service.<br><br><b>Note:</b> For valid values, see <i>BASE II Clearing Data Codes</i> .                                                                                                                                                                                                                                       |
| <b>Authorization Code</b><br>Positions: 141-146<br>Length: 6<br>Format: alphanumeric                 | <b>Description:</b> This field will contain a code provided by the issuer when the original transaction was approved.                                                                                                                                                                                                                                                                                                               |
| <b>POS Entry Mode</b><br>Positions: 147-148<br>Length: 2<br>Format: alphanumeric                     | <b>Description:</b> This field will contain a value indicating the method by which a point-of-transaction terminal obtains and transmits the cardholder information necessary to complete a transaction.                                                                                                                                                                                                                            |
| <b>Central Processing Date (YDDD)</b><br>Positions: 149-152<br>Length: 4<br>Format: unpacked numeric | <b>Description:</b> This field will contain the date that BASE II processes the dispute financial transaction.<br><br>The date will be in yddd format where:<br><b>yddd</b> = Julian date<br><br><b>Dispute Financial Reversal</b><br><br><b>VIC Edit:</b> The entry must be numeric. The entry cannot be a future date. The field must contain the Central Processing Date (in the YDDD format) of the transaction being reversed. |
| <b>Card Acceptor ID</b><br>Positions: 153-167<br>Length: 15<br>Format: alphanumeric                  | <b>Description:</b> This field will contain a code that identifies the card acceptor from the original transaction.                                                                                                                                                                                                                                                                                                                 |
| <b>Reimbursement Attribute</b><br>Positions: 168<br>Length: 1<br>Format: alphanumeric                | <b>Description:</b> This field will contain the reimbursement attribute.<br><br><b>Note:</b> For valid values, see <i>BASE II Clearing Data Codes</i> .                                                                                                                                                                                                                                                                             |

## TC 33 - TCR 1 V.I.P. Full Service Dispute Financial Status Advice (Cont'd)

These tables contain the Multipurpose Message (TC 33) record layout and edit criteria for TCR 1 - V.I.P. FULL SERVICE DISPUTE FINANCIAL STATUS ADVICE (CONT'D).

### CTF - Incoming Interchange

**V.I.P. Full Service Dispute Financial Status Advice Record Layout**

| Position | Field Length | Format | Contents                               |
|----------|--------------|--------|----------------------------------------|
| 1-2      | 2            | UN     | Transaction Code                       |
| 3        | 1            | UN     | Transaction Code Qualifier             |
| 4        | 1            | UN     | Transaction Component Sequence Number  |
| 5-8      | 4            | UN     | Network Identification Code            |
| 9-11     | 3            | AN     | Dispute Condition                      |
| 12-22    | 11           | AN     | VROL Financial ID                      |
| 23-32    | 10           | UN     | VROL Case Number                       |
| 33-42    | 10           | UN     | VROL Bundle Case Number                |
| 43-62    | 20           | AN     | Client Case Number                     |
| 63-66    | 4            | AN     | Reserved                               |
| 67-68    | 2            | UN     | Multiple Clearing Sequence Number      |
| 69-70    | 2            | UN     | Multiple Clearing Sequence Count       |
| 71-72    | 2            | AN     | Product ID                             |
| 73       | 1            | AN     | Spend Qualified Indicator              |
| 74-75    | 2            | UN     | Processing Code                        |
| 76       | 1            | UN     | Settlement Flag                        |
| 77       | 1            | UN     | Usage Code                             |
| 78-92    | 15           | UN     | Transaction Identifier                 |
| 93-100   | 8            | UN     | Acquirer's Business ID                 |
| 101-112  | 12           | UN     | Original Transaction Amount            |
| 113-115  | 3            | UN     | Original Transaction Currency Code     |
| 116      | 1            | AN     | Special Chargeback Indicator           |
| 117-120  | 4            | N      | Message Reason Code                    |
| 121-132  | 12           | UN     | Destination/Source Settlement Amount   |
| 133-135  | 3            | AN     | Destination/Source Settlement Currency |
| 136      | 1            | AN     | Source Settlement Amount Sign          |
| 137-141  | 5            | AN     | Rate Table ID                          |



### V.I.P. Full Service Dispute Financial Status Advice Record Layout

| Position | Field Length | Format | Contents |
|----------|--------------|--------|----------|
| 142-168  | 27           | AN     | Reserved |

Format: AN = Alphanumeric, ANS = Alphanumeric Special, DX = Display Hexadecimal, N = Numeric, UN = Unpacked Numeric

### V.I.P. Full Service Dispute Financial Status Advice Edit Criteria

|                                                                                                       |                                                                                                                                                                                                                                                                                                                         |
|-------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Transaction Code</b><br>Positions: 1-2<br>Length: 2<br>Format: unpacked numeric                    | <b>Description:</b> This field will contain the value of <b>33</b> (Dispute financial status advice).                                                                                                                                                                                                                   |
| <b>Transaction Code Qualifier</b><br>Positions: 3<br>Length: 1<br>Format: unpacked numeric            | <b>Description:</b> This field will contain the value of <b>1</b> (V.I.P. VROL dispute financial).                                                                                                                                                                                                                      |
| <b>Transaction Component Sequence Number</b><br>Positions: 4<br>Length: 1<br>Format: unpacked numeric | <b>Description:</b> This field will contain the value of <b>1</b> .                                                                                                                                                                                                                                                     |
| <b>Network Identification Code</b><br>Positions: 5-8<br>Length: 4<br>Format: unpacked numeric         | <b>Description:</b> This field will contain the network identification code.<br>Values: <ul style="list-style-type: none"> <li>• <b>0002</b> (Visa)</li> <li>• <b>0003</b> (Interlink)</li> <li>• <b>0004</b> (Plus)</li> </ul> <b>Note:</b> The network identification code field populated with all zeros is allowed. |
| <b>Dispute Condition</b><br>Positions: 9-11<br>Length: 3<br>Format: alphanumeric                      | <b>Description:</b> This field will contain the dispute condition assigned through the VROL process.                                                                                                                                                                                                                    |
| <b>VROL Financial ID</b><br>Positions: 12-22<br>Length: 11<br>Format: alphanumeric                    | <b>Description:</b> This field will contain the VROL financial ID assigned through the VROL process.                                                                                                                                                                                                                    |

### V.I.P. Full Service Dispute Financial Status Advice Edit Criteria

|                                                                                                       |                                                                                                                                                                                           |
|-------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>VROL Case Number</b><br>Positions: 23-32<br>Length: 10<br>Format: unpacked numeric                 | <b>Description:</b> This field will contain the VROL case number assigned through the VROL process.                                                                                       |
| <b>VROL Bundle Case Number</b><br>Positions: 33-42<br>Length: 10<br>Format: unpacked numeric          | <b>Description:</b> This field will contain the VROL bundle case number when the dispute is part of a bundle.                                                                             |
| <b>Client Case Number</b><br>Positions: 43-62<br>Length: 20<br>Format: alphanumeric                   | <b>Description:</b> This field will contain a case tracking number assigned by the endpoint in VROL when a VROL dispute is created.                                                       |
| <b>Reserved</b><br>Positions: 63-66<br>Length: 4<br>Format: alphanumeric                              | <b>Description:</b> This field is reserved for future use.                                                                                                                                |
| <b>Multiple Clearing Sequence Number</b><br>Positions: 67-68<br>Length: 2<br>Format: unpacked numeric | <b>Description:</b> This field will contain a sequence number that distinguishes a specific clearing message among multiple clearing messages being submitted for a single authorization. |
| <b>Multiple Clearing Sequence Count</b><br>Positions: 69-70<br>Length: 2<br>Format: unpacked numeric  | <b>Description:</b> This field will contain the count of multiple clearing sequence.                                                                                                      |
| <b>Product ID</b><br>Positions: 71-72<br>Length: 2<br>Format: alphanumeric                            | <b>Description:</b> This field will contain the product identifier code.                                                                                                                  |

## V.I.P. Full Service Dispute Financial Status Advice Edit Criteria

|                                                                                                    |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
|----------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Spend Qualified Indicator</b><br>Positions: 73<br>Length: 1<br>Format: alphanumeric             | <b>Description:</b> This field will contain a code that identifies whether the account is spend qualified or not.<br>Values:<br><ul style="list-style-type: none"> <li>• <b>Space</b> (Spend processing does not apply (not applicable))</li> <li>• <b>B</b> (Base spend assessment threshold defined by Visa has been met)</li> <li>• <b>N</b> (Spend assessment threshold defined by Visa has not been met)</li> <li>• <b>Q</b> (Spend assessment threshold defined by Visa has been met)</li> </ul>                            |
| <b>Processing Code</b><br>Positions: 74-75<br>Length: 2<br>Format: unpacked numeric                | <b>Description:</b> This field will contain a code identifying the customer transaction type or the center function being processed.                                                                                                                                                                                                                                                                                                                                                                                              |
| <b>Settlement Flag</b><br>Positions: 76<br>Length: 1<br>Format: unpacked numeric                   | <b>Description:</b> This field will contain a value that indicates the service used for settlement.<br>Values:<br><ul style="list-style-type: none"> <li>• <b>0</b> (International settlement service)</li> <li>• <b>3</b> (Clearing-only (valid only for countries with defined service))</li> <li>• <b>8</b> (National net settlement service (valid only for countries with defined service))</li> <li>• <b>9</b> (BASE II selects the appropriate settlement service based on routing and country-defined default)</li> </ul> |
| <b>Usage Code</b><br>Positions: 77<br>Length: 1<br>Format: unpacked numeric                        | <b>Description:</b> This field will contain the new usage code value of <b>9</b> (Dispute financial).                                                                                                                                                                                                                                                                                                                                                                                                                             |
| <b>Transaction Identifier</b><br>Positions: 78-92<br>Length: 15<br>Format: unpacked numeric        | <b>Description:</b> This field will contain the transaction identifier, a unique value that Visa assigns to each transaction and returns to the acquirer in the authorization response. Visa uses this value to maintain an audit trail throughout the life cycle of the transaction and all related transactions, such as reversals, adjustments, confirmations, and dispute financials.                                                                                                                                         |
| <b>Acquirer's Business ID</b><br>Positions: 93-100<br>Length: 8<br>Format: unpacked numeric        | <b>Description:</b> This field will contain the Visa-assigned business ID of the acquirer.                                                                                                                                                                                                                                                                                                                                                                                                                                        |
| <b>Original Transaction Amount</b><br>Positions: 101-112<br>Length: 12<br>Format: unpacked numeric | <b>Description:</b> This field indicates the transaction amount of the original transaction being disputed.                                                                                                                                                                                                                                                                                                                                                                                                                       |

## V.I.P. Full Service Dispute Financial Status Advice Edit Criteria

|                                                                                                             |                                                                                                                                                                                                                                                                                                                                                                                                        |
|-------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Original Transaction Currency Code</b><br>Positions: 113-115<br>Length: 3<br>Format: unpacked numeric    | <b>Description:</b> This field indicates the currency code of original transaction amount in position 101.                                                                                                                                                                                                                                                                                             |
| <b>Special Chargeback Indicator</b><br>Positions: 116<br>Length: 1<br>Format: alphanumeric                  | <b>Description:</b> This field supplies extra information regarding disputes (validation requests and advices).<br><br><b>Note:</b> Values:<br><b>Space</b> = Field not applicable<br><b>P</b> = Partial amount                                                                                                                                                                                        |
| <b>Message Reason Code</b><br>Positions: 117-120<br>Length: 4<br>Format: numeric                            | <b>Description:</b> This field will contain one of the reason codes used to identify the dispute category for disputes processed through VROL.<br>Values:<br><ul style="list-style-type: none"> <li>• <b>0010</b> (Fraud)</li> <li>• <b>0011</b> (Authorization)</li> <li>• <b>0012</b> (Processing error)</li> <li>• <b>0013</b> (Consumer dispute)</li> </ul>                                        |
| <b>Destination/Source Settlement Amount</b><br>Positions: 121-132<br>Length: 12<br>Format: unpacked numeric | <b>Description:</b> This field contains the following value depending on subscription option:<br><ul style="list-style-type: none"> <li>• <b>N</b> - none</li> <li>• <b>S</b> - source settlement amount</li> <li>• <b>D</b> - destination amount</li> <li>• <b>B</b> - 1) source settlement amount if TC 33 goes to Originator or 2) destination amount if TC 33 goes to Receiver.</li> </ul>         |
| <b>Destination/Source Settlement Currency</b><br>Positions: 133-135<br>Length: 3<br>Format: alphanumeric    | <b>Description:</b> This field contains the following value depending on subscription option:<br><ul style="list-style-type: none"> <li>• <b>N</b> - none</li> <li>• <b>S</b> - source settlement currency</li> <li>• <b>D</b> - destination currency</li> <li>• <b>B</b> - 1) source settlement currency if TC 33 goes to Originator or 2) destination currency if TC 33 goes to Receiver.</li> </ul> |

### V.I.P. Full Service Dispute Financial Status Advice Edit Criteria

|                                                                                             |                                                                                                                                                                                                                                                                                                                                                                                                              |
|---------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Source Settlement Amount Sign</b><br>Positions: 136<br>Length: 1<br>Format: alphanumeric | <b>Description:</b> This field will indicate if the source settlement amount is a credit or debit for the recipient of the advice. Values are: <ul style="list-style-type: none"><li>• <b>C</b> (Credit)</li><li>• <b>D</b> (Debit)</li></ul> This field will only be populated for VROL status advices containing the value of <b>O</b> (Originator) in TCR 0, position 25, Originator/Recipient Indicator. |
| <b>Rate Table ID</b><br>Positions: 137-141<br>Length: 5<br>Format: alphanumeric             | <b>Description:</b> This field will contain the rate table ID of the foreign exchange rate table used for currency conversion. The rate table ID contains alpha and numeric values for a total of five characters.                                                                                                                                                                                           |
| <b>Reserved</b><br>Positions: 142-168<br>Length: 27<br>Format: alphanumeric                 | <b>Description:</b> This field is reserved for future use.                                                                                                                                                                                                                                                                                                                                                   |

## BASE II Clearing and Settlement Advice

The clearing and settlement advice provides transaction-level settlement data and is optionally available to acquirers and issuers that choose to subscribe.

TCR 0, 1

CTF - Incoming Interchange

## TC 33 - TCR 0 BASE II Clearing and Settlement Advice

These tables contain the Multipurpose Message (TC 33) record layout and edit criteria for TCR 0 - BASE II CLEARING AND SETTLEMENT ADVICE.

**CTF - Incoming Interchange**

### BASE II Clearing and Settlement Advice Record Layout

| Position | Field Length | Format | Contents                                  |
|----------|--------------|--------|-------------------------------------------|
| 1-2      | 2            | UN     | Transaction Code                          |
| 3        | 1            | UN     | Transaction Code Qualifier                |
| 4        | 1            | UN     | Transaction Component Sequence Number     |
| 5-10     | 6            | AN     | Destination Identifier                    |
| 11-16    | 6            | AN     | Source Identifier                         |
| 17-19    | 3            | AN     | CAS Advice Record ID                      |
| 20       | 1            | AN     | Originator/Recipient Indicator            |
| 21-22    | 2            | AN     | Transaction Code of Financial Transaction |
| 23       | 1            | AN     | TCQ of Financial Transaction              |
| 24-27    | 4            | UN     | Central Processing Date                   |
| 28-42    | 15           | UN     | Transaction ID                            |
| 43-58    | 16           | UN     | Account Number                            |
| 59-61    | 3            | UN     | Account Number Extension                  |
| 62-84    | 23           | AN     | Acquirer Reference Number                 |
| 85-99    | 15           | AN     | Card Acceptor ID                          |
| 100-107  | 8            | AN     | Terminal ID                               |
| 108-119  | 12           | UN     | Source Amount                             |
| 120-122  | 3            | UN     | Source Currency Code                      |
| 123      | 1            | UN     | Settlement Flag                           |
| 124-126  | 3            | UN     | Settlement Service ID                     |
| 127-129  | 3            | UN     | Settlement Currency                       |
| 130-139  | 10           | UN     | Leaf Level SRE-ID                         |
| 140-149  | 10           | UN     | Funds Transfer SRE-ID                     |
| 150-161  | 12           | UN     | Settlement Amount - Interchange           |
| 162      | 1            | AN     | Settlement Amount - Sign                  |
| 163      | 1            | UN     | Usage Code                                |
| 164      | 1            | AN     | Reclassification Indicator                |
| 165      | 1            | AN     | Requested Payment Service                 |
| 166-167  | 2            | AN     | Product ID                                |

### BASE II Clearing and Settlement Advice Record Layout

| Position | Field Length | Format | Contents               |
|----------|--------------|--------|------------------------|
| 168      | 1            | AN     | Account Funding Source |

Format: AN = Alphanumeric, ANS = Alphanumeric Special, DX = Display Hexadecimal, N = Numeric, UN = Unpacked Numeric

### BASE II Clearing and Settlement Advice Edit Criteria

|                                                                                                       |                                                                                                                                                                       |
|-------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Transaction Code</b><br>Positions: 1-2<br>Length: 2<br>Format: unpacked numeric                    | <b>Description:</b> This field will contain the value of <b>33</b> (Clearing and settlement advice).                                                                  |
| <b>Transaction Code Qualifier</b><br>Positions: 3<br>Length: 1<br>Format: unpacked numeric            | <b>Description:</b> This field will contain the value of <b>0</b> (Default).                                                                                          |
| <b>Transaction Component Sequence Number</b><br>Positions: 4<br>Length: 1<br>Format: unpacked numeric | <b>Description:</b> This field will contain the value of <b>0</b> .                                                                                                   |
| <b>Destination Identifier</b><br>Positions: 5-10<br>Length: 6<br>Format: alphanumeric                 | <b>Description:</b> This field will contain a valid acquiring or issuing identifier or Clearing and Settlement Advice Split Route destination identifier, if present. |
| <b>Source Identifier</b><br>Positions: 11-16<br>Length: 6<br>Format: alphanumeric                     | <b>Description:</b> This field will contain a valid acquiring or issuing identifier.                                                                                  |
| <b>CAS Advice Record ID</b><br>Positions: 17-19<br>Length: 3<br>Format: alphanumeric                  | <b>Description:</b> This field will contain the value of CAS (Clearing and Settlement).                                                                               |

## BASE II Clearing and Settlement Advice Edit Criteria

|                                                                                                           |                                                                                                                                                                                                                                                                                                                   |
|-----------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Originator/Recipient Indicator</b><br>Positions: 20<br>Length: 1<br>Format: alphanumeric               | <b>Description:</b> This field will indicate whether the transaction data is for the originator or recipient and will contain one of these values: <ul style="list-style-type: none"><li>• <b>O</b> (Originator)</li><li>• <b>R</b> (Recipient)</li></ul>                                                         |
| <b>Transaction Code of Financial Transaction</b><br>Positions: 21-22<br>Length: 2<br>Format: alphanumeric | <b>Description:</b> This field will contain the transaction code of the transaction.                                                                                                                                                                                                                              |
| <b>TCQ of Financial Transaction</b><br>Positions: 23<br>Length: 1<br>Format: alphanumeric                 | <b>Description:</b> This field contains Transaction Code Qualifier of the transaction.                                                                                                                                                                                                                            |
| <b>Central Processing Date</b><br>Positions: 24-27<br>Length: 4<br>Format: unpacked numeric               | <b>Description:</b> This field will contain the central processing date (CPD) of the transaction and will be in the format of <b>YDDD</b> , where: <ul style="list-style-type: none"><li>• <b>Y</b> = year (1-9)</li><li>• <b>DDD</b> = day (01-366)</li></ul>                                                    |
| <b>Transaction ID</b><br>Positions: 28-42<br>Length: 15<br>Format: unpacked numeric                       | <b>Description:</b> This field will contain the transaction identifier, a unique value that Visa assigns to each transaction and returns to the acquirer in the authorization response. Visa uses this value to maintain an audit trail throughout the lifecycle of the transaction and all related transactions. |
| <b>Account Number</b><br>Positions: 43-58<br>Length: 16<br>Format: unpacked numeric                       | <b>Description:</b> This field will contain the primary account number (PAN) of the transaction.                                                                                                                                                                                                                  |
| <b>Account Number Extension</b><br>Positions: 59-61<br>Length: 3<br>Format: unpacked numeric              | <b>Description:</b> This field will contain the PAN extension.                                                                                                                                                                                                                                                    |
| <b>Acquirer Reference Number</b><br>Positions: 62-84<br>Length: 23<br>Format: alphanumeric                | <b>Description:</b> This field will contain the 23-digit identification number assigned by the acquirer.                                                                                                                                                                                                          |



## BASE II Clearing and Settlement Advice Edit Criteria

|                                                                                             |                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
|---------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Card Acceptor ID</b><br>Positions: 85-99<br>Length: 15<br>Format: alphanumeric           | <b>Description:</b> This field will contain an acquirer-assigned alphanumeric code that identifies the Card Acceptor.                                                                                                                                                                                                                                                                                                                                    |
| <b>Terminal ID</b><br>Positions: 100-107<br>Length: 8<br>Format: alphanumeric               | <b>Description:</b> Code that identifies the card acceptor terminal or ATM. For electronic point-of-sale or point-of-service (POS) terminals, when the ID is not unique to a specific terminal, Card Acceptor Identification Code can be used along with this field. ATM terminal IDs must be unique within the acquirer's network. An identification code of fewer than 8 positions must be left-justified and the remainder of the field space-filled. |
| <b>Source Amount</b><br>Positions: 108-119<br>Length: 12<br>Format: unpacked numeric        | <b>Description:</b> This field will contain the amount of the transaction.                                                                                                                                                                                                                                                                                                                                                                               |
| <b>Source Currency Code</b><br>Positions: 120-122<br>Length: 3<br>Format: unpacked numeric  | <b>Description:</b> This field will contain the 3-digit ISO currency code for the value in the Source Amount field.                                                                                                                                                                                                                                                                                                                                      |
| <b>Settlement Flag</b><br>Positions: 123<br>Length: 1<br>Format: unpacked numeric           | <b>Description:</b> This field will contain a value that indicates the service used for settlement. Values: <ul style="list-style-type: none"><li>• <b>0</b> (International settlement service)</li><li>• <b>8</b> (National net settlement service (valid only for countries with defined service))</li><li>• <b>9</b> (BASE II selects the appropriate settlement service based on routing and country-defined default)</li></ul>                      |
| <b>Settlement Service ID</b><br>Positions: 124-126<br>Length: 3<br>Format: unpacked numeric | <b>Description:</b> This field will contain the name of the settlement service that the transaction settled.                                                                                                                                                                                                                                                                                                                                             |
| <b>Settlement Currency</b><br>Positions: 127-129<br>Length: 3<br>Format: unpacked numeric   | <b>Description:</b> If destined to Originator, use Source Settlement Currency. If destined to Recipient, use Destination Settlement Currency. The settlement currency should be 3-byte numeric valid currency value.                                                                                                                                                                                                                                     |

## BASE II Clearing and Settlement Advice Edit Criteria

|                                                                                                        |                                                                                                                                                                                                                                                                                                       |
|--------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Leaf Level SRE-ID</b><br>Positions: 130-139<br>Length: 10<br>Format: unpacked numeric               | <b>Description:</b> This field contains value based on below criteria. If destined to Originator's, use Originator's SRE. If destined to Recipient's, use Recipient's SRE - Settlement Reporting entities.                                                                                            |
| <b>Funds Transfer SRE-ID</b><br>Positions: 140-149<br>Length: 10<br>Format: unpacked numeric           | <b>Description:</b> This field contains value based on below criteria. If destined to Originator's, use Originator's Funds Transfer SRE-ID. If destined to Recipient's, use Recipient's Funds Transfer SRE-ID. SRE - Settlement Reporting entities.                                                   |
| <b>Settlement Amount - Interchange</b><br>Positions: 150-161<br>Length: 12<br>Format: unpacked numeric | <b>Description:</b> If destined to Originator, use Source Settlement Amount - Interchange. If destined to Recipient, use Destination Settlement Amount - Interchange.                                                                                                                                 |
| <b>Settlement Amount - Sign</b><br>Positions: 162<br>Length: 1<br>Format: alphanumeric                 | <b>Description:</b> This field will contain one of the following values that indicates the sign of the amount in the Settlement Amount - Interchange Field: <ul style="list-style-type: none"> <li>• <b>C</b> (Credit)</li> <li>• <b>D</b> (Debit)</li> </ul>                                         |
| <b>Usage Code</b><br>Positions: 163<br>Length: 1<br>Format: unpacked numeric                           | <b>Description:</b> This field will indicate whether this is the first or second presentment and will contain one of the following: <ul style="list-style-type: none"> <li>• <b>1</b> (First presentment)</li> <li>• <b>2</b> (Second presentment)</li> <li>• <b>9</b> (Dispute Financial)</li> </ul> |
| <b>Reclassification Indicator</b><br>Positions: 164<br>Length: 1<br>Format: alphanumeric               | <b>Description:</b> This field will indicate whether the transaction was reclassified and will contain one of these: <ul style="list-style-type: none"> <li>• <b>Y</b> (Transaction was reclassified)</li> <li>• <b>N</b> (Transaction was not reclassified)</li> </ul>                               |
| <b>Requested Payment Service</b><br>Positions: 165<br>Length: 1<br>Format: alphanumeric                | <b>Description:</b> Codes for dual-message acquirers that define their choice of a specific custom payment service in the deferred clearing transaction. The requested payment service indicates that the acquirer complied with the selected CPS authorization and clearing rules.                   |

## BASE II Clearing and Settlement Advice Edit Criteria

|                                                                                      |                                                                                                                                                                                                                                                                                                               |
|--------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Product ID</b><br>Positions: 166-167<br>Length: 2<br>Format: alphanumeric         | <b>Description:</b> This field will contain the value from TC 05 - TCR 5 Payment Service Data at positions 136-137, Product ID. If the transaction is settled with a different Product ID than what was submitted, this field will contain the settled Product ID value.                                      |
| <b>Account Funding Source</b><br>Positions: 168<br>Length: 1<br>Format: alphanumeric | <b>Description:</b> This field will contain the value from TC 05 - TCR 5 Payment Service Data at positions 167 Account Funding Source field. If the transaction is settled with a different Account Funding Source than what was submitted, this field will contain the settled Account Funding Source value. |

## TC 33 - TCR 1 BASE II Clearing and Settlement Advice

This table contains the Multipurpose Message (TC 33) record layout and edit criteria for TCR 1 - BASE II Clearing and Settlement Advice.

### CTF - Incoming Interchange

#### BASE II Clearing and Settlement Advice Record Layout

| Position | Field Length | Format | Contents                              |
|----------|--------------|--------|---------------------------------------|
| 1-2      | 2            | UN     | Transaction Code                      |
| 3        | 1            | UN     | Transaction Code Qualifier            |
| 4        | 1            | UN     | Transaction Component Sequence Number |
| 5-19     | 15           | UN     | Interchange Fee Amount                |
| 20       | 1            | AN     | Interchange Fee Sign                  |
| 21-30    | 10           | AN     | Merchant Verification Value           |
| 31-33    | 3            | AN     | Fee Program Indicator                 |
| 34-49    | 16           | AN     | Fee Descriptor                        |
| 50-53    | 4            | UN     | Conversion Date                       |
| 54-57    | 4            | UN     | Settlement Date                       |
| 58-87    | 30           | AN     | BASE II Unique File ID                |
| 88-89    | 2            | AN     | Reserved                              |
| 90       | 1            | AN     | Persistent FX Applied Indicator       |

### BASE II Clearing and Settlement Advice Record Layout

| Position | Field Length | Format | Contents                              |
|----------|--------------|--------|---------------------------------------|
| 91-95    | 5            | AN     | Rate Table ID                         |
| 96       | 1            | AN     | Additional Token Response Information |
| 97-100   | 4            | AN     | Selected Program ID                   |
| 101-105  | 5            | AN     | Enabler Verification Value            |
| 106-113  | 8            | AN     | Visa Merchant Identifier              |
| 114-138  | 25           | AN     | Merchant Name                         |
| 139      | 1            | AN     | Issuer Charge                         |
| 140-143  | 4            | UN     | Merchant Category Code                |
| 144-148  | 5            | AN     | Reserved                              |
| 149-152  | 4            | UN     | Purchase Date (MMDD)                  |
| 153      | 1            | AN     | Reimbursement Attribute               |
| 154      | 1            | AN     | IAF Charge Indicator Type             |
| 155      | 1            | AN     | Applied Special Service               |
| 156-159  | 4            | AN     | Reserved                              |
| 160      | 1            | AN     | IMP Qualified                         |
| 161-168  | 8            | AN     | Reserved                              |

Format: AN = Alphanumeric, ANS = Alphanumeric Special, DX = Display Hexadecimal, N = Numeric, UN = Unpacked Numeric

### BASE II Clearing and Settlement Advice Edit Criteria

|                                                                                            |                                                                                                      |
|--------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------|
| <b>Transaction Code</b><br>Positions: 1-2<br>Length: 2<br>Format: unpacked numeric         | <b>Description:</b> This field will contain the value of <b>33</b> (Clearing and Settlement advice). |
| <b>Transaction Code Qualifier</b><br>Positions: 3<br>Length: 1<br>Format: unpacked numeric | <b>Description:</b> This field will contain the value of <b>0</b> (Default).                         |

## BASE II Clearing and Settlement Advice Edit Criteria

|                                                                                                       |                                                                                                                                                                                                                                                                                                                                                                                           |
|-------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Transaction Component Sequence Number</b><br>Positions: 4<br>Length: 1<br>Format: unpacked numeric | <b>Description:</b> This field will contain the value of <b>1</b> .                                                                                                                                                                                                                                                                                                                       |
| <b>Interchange Fee Amount</b><br>Positions: 5-19<br>Length: 15<br>Format: unpacked numeric            | <b>Description:</b> This field will contain the interchange or client-to-client fee amount in the settlement currency that was assessed on the transaction.<br><br>The field is right-justified, with six decimals implied.                                                                                                                                                               |
| <b>Interchange Fee Sign</b><br>Positions: 20<br>Length: 1<br>Format: alphanumeric                     | <b>Description:</b> This field will indicate whether the interchange or client-to-client fee amount is a credit or debit for the transaction and will contain one of these values: <ul style="list-style-type: none"> <li>• <b>C</b> (Credit)</li> <li>• <b>D</b> (Debit)</li> </ul>                                                                                                      |
| <b>Merchant Verification Value</b><br>Positions: 21-30<br>Length: 10<br>Format: alphanumeric          | <b>Description:</b> This field will contain the merchant verification value (MVV) that was assigned to the merchant. <ul style="list-style-type: none"> <li>• Values: <b>A-F, 0-9</b></li> <li>• Default value: <b>spaces</b></li> </ul>                                                                                                                                                  |
| <b>Fee Program Indicator</b><br>Positions: 31-33<br>Length: 3<br>Format: alphanumeric                 | <b>Description:</b> This field contains an interchange reimbursement fee program indicator (FPI).<br><br>This field is left-justified and space-filled.<br><br>If destined to originator, originator's FPI is logged. If destined to recipient, recipient's FPI is logged.<br><br><b>Note:</b> Please see <i>BASE II Clearing Data Codes</i> for a listing of the fee program indicators. |
| <b>Fee Descriptor</b><br>Positions: 34-49<br>Length: 16<br>Format: alphanumeric                       | <b>Description:</b> If destined to Originator/Source, use Source Fee descriptor. If destined to Recipient/Destination, use Destination Fee descriptor.                                                                                                                                                                                                                                    |
| <b>Conversion Date</b><br>Positions: 50-53<br>Length: 4<br>Format: unpacked numeric                   | <b>Description:</b> This field will contain the date of the currency file that was used to convert the currency and will be in the format of YDDD, where: <ul style="list-style-type: none"> <li>• <b>Y</b> = year (1-9)</li> <li>• <b>DDD</b> = day (01-366)</li> </ul>                                                                                                                  |

## BASE II Clearing and Settlement Advice Edit Criteria

|                                                                                                    |                                                                                                                                                                                                                                                                                                                                                                                          |
|----------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Settlement Date</b><br>Positions: 54-57<br>Length: 4<br>Format: unpacked numeric                | <b>Description:</b> This field will contain the settlement date of the transaction and will be in the format of YDDD, where: <ul style="list-style-type: none"> <li>• <b>Y</b> = year (1-9)</li> <li>• <b>DDD</b> = day (01-366)</li> </ul>                                                                                                                                              |
| <b>BASE II Unique File ID</b><br>Positions: 58-87<br>Length: 30<br>Format: alphanumeric            | <b>Description:</b> A unique file number (such as an identification) used by the Edit Package for history checking.                                                                                                                                                                                                                                                                      |
| <b>Reserved</b><br>Positions: 88-89<br>Length: 2<br>Format: alphanumeric                           | <b>Description:</b> This field is reserved for future use.                                                                                                                                                                                                                                                                                                                               |
| <b>Persistent FX Applied Indicator</b><br>Positions: 90<br>Length: 1<br>Format: alphanumeric       | <b>Description:</b> This field contains a code that identifies if the transaction underwent Persistent Foreign Exchange service processing.<br>Valid values are: <ul style="list-style-type: none"> <li>• <b>Y</b> (Transaction eligible, service applied)</li> <li>• <b>N</b> (Transaction eligible, service not applied)</li> <li>• <b>Space</b> (Transaction not eligible)</li> </ul> |
| <b>Rate Table ID</b><br>Positions: 91-95<br>Length: 5<br>Format: alphanumeric                      | <b>Description:</b> This field will contain the rate table ID of the foreign exchange rate table used for currency conversion. The rate table ID contains alpha and numeric values for a total of five characters.                                                                                                                                                                       |
| <b>Additional Token Response Information</b><br>Positions: 96<br>Length: 1<br>Format: alphanumeric | <b>Description:</b> This field contains a code that identifies if the transaction is eligible for token services.<br>Valid values are: <ul style="list-style-type: none"> <li>• <b>1</b> (Token program)</li> <li>• <b>Space</b> (Not applicable)</li> </ul>                                                                                                                             |
| <b>Selected Program ID</b><br>Positions: 97-100<br>Length: 4<br>Format: alphanumeric               | <b>Description:</b> This field will contain the selected program ID associated with the agreed fee rate. This field must contain a <b>D</b> .                                                                                                                                                                                                                                            |
| <b>Enabler Verification Value</b><br>Positions: 101-105<br>Length: 5<br>Format: alphanumeric       | <b>Description:</b> This field will contain A-Z, 0-9, or all characters as spaces. Non-alphanumeric values are not allowed.                                                                                                                                                                                                                                                              |

## BASE II Clearing and Settlement Advice Edit Criteria

|                                                                                              |                                                                                                                                                                                                                                                                                         |
|----------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Visa Merchant Identifier</b><br>Positions: 106-113<br>Length: 8<br>Format: alphanumeric   | <b>Description:</b> This field will contain a unique identifier value assigned by Visa for each merchant included in the identification program.                                                                                                                                        |
| <b>Merchant Name</b><br>Positions: 114-138<br>Length: 25<br>Format: alphanumeric             | <b>Description:</b> This field will contain the value from TC 05 - TCR 0 position 92-116 Merchant Name field.                                                                                                                                                                           |
| <b>Issuer Charge</b><br>Positions: 139<br>Length: 1<br>Format: alphanumeric                  | <b>Description:</b> This field will contain the value from TC 05 - TCR 1 position 79 Issuer Charge field. If the transaction is settled with a different Issuer Charge than what was submitted, this field will contain the settled Issuer Charge value.                                |
| <b>Merchant Category Code</b><br>Positions: 140-143<br>Length: 4<br>Format: unpacked numeric | <b>Description:</b> This field will contain the value from TC 05 - TCR 0 position 133-136 Merchant Category Code field.                                                                                                                                                                 |
| <b>Reserved</b><br>Positions: 144-148<br>Length: 5<br>Format: alphanumeric                   | <b>Description:</b> This field is reserved for future use. EP will always space-fill.                                                                                                                                                                                                   |
| <b>Purchase Date (MMDD)</b><br>Positions: 149-152<br>Length: 4<br>Format: unpacked numeric   | <b>Description:</b> This field will contain the value from TC 05 - TCR 0 position 58-61 Purchase Date (MMDD) field.                                                                                                                                                                     |
| <b>Reimbursement Attribute</b><br>Positions: 153<br>Length: 1<br>Format: alphanumeric        | <b>Description:</b> This field will contain the value from TC 05 - TCR 0 position 168 Reimbursement Attribute field. If the transaction is settled with a different Reimbursement Attribute than what was submitted, this field will contain the settled Reimbursement Attribute value. |

## BASE II Clearing and Settlement Advice Edit Criteria

|                                                                                         |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
|-----------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>IAF Charge Indicator Type</b><br>Positions: 154<br>Length: 1<br>Format: alphanumeric | <b>Description:</b> This field will populate the value of UMF tag 4295 from original financial transaction. Possible valid values.<br><b>B</b> - IAF Base Purchase<br><b>E</b> - IAF Enhanced Purchase<br><b>S</b> - IAF Multi Curr Cash<br><b>C</b> - IAF Single Curr Cash<br><b>T</b> - IAF Multi Curr Purchase<br><b>D</b> - IAF Single Curr Purchase<br><b>G</b> - IAF Base Cash<br><b>K</b> - IAF CNP Enhance Purchase<br><b>H</b> - IAF Enhanced Cash<br><b>I</b> - IAF Purchase Enhanced CP<br><b>J</b> - IAF Purchase Enhanced CNP<br>This field will be space-filled when TC 33 is sent to the issuer. |
| <b>Applied Special Service</b><br>Positions: 155<br>Length: 1<br>Format: alphanumeric   | <b>Description:</b> This field will contain a value of <b>1</b> (VDCAP).<br><b>1</b> = VDCAP<br><b>Space</b> = Default                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
| <b>Reserved</b><br>Positions: 156-159<br>Length: 4<br>Format: alphanumeric              | <b>Description:</b> This field is reserved for future use.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
| <b>IMP Qualified</b><br>Positions: 160<br>Length: 1<br>Format: alphanumeric             | <b>Description:</b> Reserved for future Enhancement.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
| <b>Reserved</b><br>Positions: 161-168<br>Length: 8<br>Format: alphanumeric              | <b>Description:</b> This field is reserved for future use.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |



# Chapter 11

## TC 33.A Capture Transactions (Acquirer)

---

### TC 33.A - Capture File

TC 33 Capture transaction records support capture processing. Each Capture file is comprised of 3 or more transaction component record (TCR) groups - TCR Group. These TCR groups have a file header HEDR, a file trailer TRLR, and a TCR group CPxx.

TCR 0, 1, 2, 3, 4, 5, 6, 7, 8, 9, A

Each Capture file contains one or more logical transactions, each of which is defined by a transaction code TC 33, and comprised of one or more TCR groups identified by a CPxx code. Each TCR group contains one or more transaction component records (TCRs). Each TCR is 168 bytes long.

The TCR group code identifies a group of related TCRs (TCR 0 through TCR E). All TCR groups (CPxx) for a given transaction are linked by the same message identifier (position 21-35) located only in TCR 0. TCR groups are identified by Application Code located in position 17-20 only in TCR 0. All TCRs in a transaction have the same two-character transaction code (positions 1 and 2). The Transaction Component Sequence Number (position 4) gives the TCR number. Each TCR group must start with TCR 0. TCR groups and TCR numbers are not necessarily consecutive, that

is, the TCR group or TCR sequence may skip a number. For example, a Capture file which has an EMV sales transaction may contain Header HEDR, Trailer TRLR, CP01, TCR 0, TCR 1, TCR 4 and CP02 TCR 1, TCR 2. However, the TCRs must be in ascending order within the transaction.

## TC 33.A - TCR 0 Capture - File Header

These tables contain the Multipurpose Message (TC 33.A) record layout and edit criteria for TCR 0 - CAPTURE - FILE HEADER.

### CTF - Incoming Interchange

#### Record Layout

| Position | Field Length | Format | Contents                              |
|----------|--------------|--------|---------------------------------------|
| 1-2      | 2            | UN     | Transaction Code                      |
| 3        | 1            | UN     | Transaction Code Qualifier            |
| 4        | 1            | AN     | Transaction Component Sequence Number |
| 5-10     | 6            | UN     | Destination Identifier                |
| 11-16    | 6            | UN     | Source Identifier                     |
| 17-20    | 4            | AN     | TC 33 Application Code - Header       |
| 21-24    | 4            | UN     | Capture File Number                   |
| 25-32    | 8            | UN     | Capture Creation Date                 |
| 33-168   | 136          | AN     | Reserved                              |

Format: AN = Alphanumeric, ANS = Alphanumeric Special, DX = Display Hexadecimal, N = Numeric, UN = Unpacked Numeric

#### Capture - File Header Edit Criteria

|                                                                                            |                                                               |
|--------------------------------------------------------------------------------------------|---------------------------------------------------------------|
| <b>Transaction Code</b><br>Positions: 1-2<br>Length: 2<br>Format: unpacked numeric         | <b>Description:</b> This field contains the value <b>33</b> . |
| <b>Transaction Code Qualifier</b><br>Positions: 3<br>Length: 1<br>Format: unpacked numeric | <b>Description:</b> This field contains the value <b>0</b> .  |

### Capture - File Header Edit Criteria

|                                                                                                   |                                                                                                                                                                                                                    |
|---------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Transaction Component Sequence Number</b><br>Positions: 4<br>Length: 1<br>Format: alphanumeric | <b>Description:</b> This field contains the value <b>0</b> .                                                                                                                                                       |
| <b>Destination Identifier</b><br>Positions: 5-10<br>Length: 6<br>Format: unpacked numeric         | <b>Description:</b> The entity to which the BASE II transaction message is sent. This field will contain a valid acquiring or issuing identifier.                                                                  |
| <b>Source Identifier</b><br>Positions: 11-16<br>Length: 6<br>Format: unpacked numeric             | <b>Description:</b> This field contains the Visa internal identifier of the VIC.<br>Valid values:<br><b>481222 (VPC)</b><br><br><b>Note:</b> Visa recommends that client implement both of the above valid values. |
| <b>TC 33 Application Code - Header</b><br>Positions: 17-20<br>Length: 4<br>Format: alphanumeric   | <b>Description:</b> Static value set to <b>HEDR</b> .                                                                                                                                                              |
| <b>Capture File Number</b><br>Positions: 21-24<br>Length: 4<br>Format: unpacked numeric           | <b>Description:</b> The file number assigned by the VIC.                                                                                                                                                           |
| <b>Capture Creation Date</b><br>Positions: 25-32<br>Length: 8<br>Format: unpacked numeric         | <b>Description:</b> The date when the file was created by the VIC.                                                                                                                                                 |
| <b>Reserved</b><br>Positions: 33-168<br>Length: 136<br>Format: alphanumeric                       | <b>Description:</b> This field is reserved; space-filled.                                                                                                                                                          |

# TC 33.A - TCR 0 Capture - File Trailer

These tables contain the Multipurpose Message (TC 33.A) record layout and edit criteria for TCR 0 - CAPTURE - FILE TRAILER.

## CTF - Incoming Interchange

### Capture - File Trailer Record Layout

| Position | Field Length | Format | Contents                              |
|----------|--------------|--------|---------------------------------------|
| 1-2      | 2            | UN     | Transaction Code                      |
| 3        | 1            | UN     | Transaction Code Qualifier            |
| 4        | 1            | AN     | Transaction Component Sequence Number |
| 5-10     | 6            | UN     | Destination Identifier                |
| 11-16    | 6            | UN     | Source Identifier                     |
| 17-20    | 4            | AN     | TC 33 Application Code - Trailer      |
| 21-24    | 4            | UN     | Capture File Number                   |
| 25-32    | 8            | UN     | Capture Creation Date                 |
| 33-41    | 9            | UN     | Total Transaction Count               |
| 42-61    | 20           | UN     | Total Transaction Amount              |
| 62-168   | 107          | AN     | Reserved                              |

Format: AN = Alphanumeric, ANS = Alphanumeric Special, DX = Display Hexadecimal, N = Numeric, UN = Unpacked Numeric

### Capture - File Trailer Edit Criteria

|                                                                                            |                                                               |
|--------------------------------------------------------------------------------------------|---------------------------------------------------------------|
| <b>Transaction Code</b><br>Positions: 1-2<br>Length: 2<br>Format: unpacked numeric         | <b>Description:</b> This field contains the value <b>33</b> . |
| <b>Transaction Code Qualifier</b><br>Positions: 3<br>Length: 1<br>Format: unpacked numeric | <b>Description:</b> This field contains the value <b>0</b> .  |

### Capture - File Trailer Edit Criteria

|                                                                                                   |                                                                                                                                                                                                                       |
|---------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Transaction Component Sequence Number</b><br>Positions: 4<br>Length: 1<br>Format: alphanumeric | <b>Description:</b> This field contains the value <b>0</b> .                                                                                                                                                          |
| <b>Destination Identifier</b><br>Positions: 5-10<br>Length: 6<br>Format: unpacked numeric         | <b>Description:</b> The entity to which the BASE II transaction message is sent. This field will contain a valid acquiring or issuing identifier.                                                                     |
| <b>Source Identifier</b><br>Positions: 11-16<br>Length: 6<br>Format: unpacked numeric             | <b>Description:</b> This field contains the Visa internal identifier of the VIC.                                                                                                                                      |
| <b>TC 33 Application Code - Trailer</b><br>Positions: 17-20<br>Length: 4<br>Format: alphanumeric  | <b>Description:</b> Static value set to <b>TRLR</b> .                                                                                                                                                                 |
| <b>Capture File Number</b><br>Positions: 21-24<br>Length: 4<br>Format: unpacked numeric           | <b>Description:</b> The file number assigned by the VIC.                                                                                                                                                              |
| <b>Capture Creation Date</b><br>Positions: 25-32<br>Length: 8<br>Format: unpacked numeric         | <b>Description:</b> The date when the file was created by the VIC.                                                                                                                                                    |
| <b>Total Transaction Count</b><br>Positions: 33-41<br>Length: 9<br>Format: unpacked numeric       | <b>Description:</b> The count includes all capture transaction records for the entire capture file. (TC 90 Header record, TC 91 Batch Trailer records, and TC 92 File Trailer record are not included in this count.) |

## Capture - File Trailer Edit Criteria

|                                                                                               |                                                                                         |
|-----------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------|
| <b>Total Transaction Amount</b><br>Positions: 42-61<br>Length: 20<br>Format: unpacked numeric | <b>Description:</b> Contains the hash total of all transaction amounts within the file. |
| <b>Reserved</b><br>Positions: 62-168<br>Length: 107<br>Format: alphanumeric                   | <b>Description:</b> This field is reserved; space-filled.                               |

# TC 33.A - CP 01 TCR 0 Transaction Data

These tables contain the Multipurpose Message (TC 33.A) record layout and edit criteria for CP 01 TCR 0 - TRANSACTION DATA.

## CTF - Incoming Interchange

### Transaction Data Record Layout

| Position | Field Length | Format | Contents                              |
|----------|--------------|--------|---------------------------------------|
| 1-2      | 2            | UN     | Transaction Code                      |
| 3        | 1            | UN     | Transaction Code Qualifier            |
| 4        | 1            | AN     | Transaction Component Sequence Number |
| 5-10     | 6            | UN     | Destination Identifier                |
| 11-16    | 6            | UN     | Source Identifier                     |
| 17-20    | 4            | AN     | TC 33 Application Code                |
| 21-35    | 15           | AN     | Message Identifier                    |
| 36-50    | 15           | AN     | Transaction Identifier                |
| 51-62    | 12           | AN     | Retrieval Reference Number            |
| 63-78    | 16           | AN     | Account Number                        |
| 79-81    | 3            | AN     | Account Number Extension              |
| 82-85    | 4            | AN     | Expiration Date                       |
| 86-89    | 4            | UN     | Purchase Date                         |

### Transaction Data Record Layout

| Position | Field Length | Format | Contents                           |
|----------|--------------|--------|------------------------------------|
| 90-93    | 4            | AN     | Authorization Date (MMDD)          |
| 94-95    | 2            | AN     | Decimal Positions Indicator        |
| 96-107   | 12           | AN     | Authorized Amount                  |
| 108-110  | 3            | AN     | Authorization Currency Code        |
| 111-122  | 12           | AN     | Total Authorized Amount            |
| 123-134  | 12           | UN     | Source Amount                      |
| 135-137  | 3            | AN     | Source Currency Code               |
| 138-149  | 12           | AN     | Tip Amount                         |
| 150-151  | 2            | AN     | Action Code                        |
| 152-153  | 2            | AN     | Service Identifier                 |
| 154-159  | 6            | UN     | Acquiring Identifier               |
| 160-163  | 4            | AN     | Message Reason Code                |
| 164      | 1            | N      | Additional Authorization Indicator |
| 165-168  | 4            | AN     | Domestic Switch ID                 |

Format: AN = Alphanumeric, ANS = Alphanumeric Special, DX = Display Hexadecimal, N = Numeric, UN = Unpacked Numeric

### Transaction Data Edit Criteria

|                                                                                                   |                                                               |
|---------------------------------------------------------------------------------------------------|---------------------------------------------------------------|
| <b>Transaction Code</b><br>Positions: 1-2<br>Length: 2<br>Format: unpacked numeric                | <b>Description:</b> This field contains the value <b>33</b> . |
| <b>Transaction Code Qualifier</b><br>Positions: 3<br>Length: 1<br>Format: unpacked numeric        | <b>Description:</b> This field contains the value <b>0</b> .  |
| <b>Transaction Component Sequence Number</b><br>Positions: 4<br>Length: 1<br>Format: alphanumeric | <b>Description:</b> This field contains the value <b>0</b> .  |

## Transaction Data Edit Criteria

|                                                                                             |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
|---------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Destination Identifier</b><br>Positions: 5-10<br>Length: 6<br>Format: unpacked numeric   | <b>Description:</b> The entity to which the BASE II transaction message is sent. This field will contain a valid acquiring or issuing identifier.                                                                                                                                                                                                                                                                                                                               |
| <b>Source Identifier</b><br>Positions: 11-16<br>Length: 6<br>Format: unpacked numeric       | <b>Description:</b> This field contains the Visa internal identifier of the VIC.                                                                                                                                                                                                                                                                                                                                                                                                |
| <b>TC 33 Application Code</b><br>Positions: 17-20<br>Length: 4<br>Format: alphanumeric      | <b>Description:</b> This TCR group code identifies a group of related Transaction Component Records (TCR0 through TCRE). This field has a static value of <b>CP01</b> .                                                                                                                                                                                                                                                                                                         |
| <b>Message Identifier</b><br>Positions: 21-35<br>Length: 15<br>Format: alphanumeric         | <b>Description:</b> A unique message identifier that links a specific capture record among multiple capture records being submitted for a single transaction. All capture records within the same file linked to a single authorization request contain the same message identifier. The same message identifier can be assigned to other related capture records located in additional TCR groups identified by TC 33 Application codes ( <b>CP 01</b> through <b>CP 50</b> ). |
| <b>Transaction Identifier</b><br>Positions: 36-50<br>Length: 15<br>Format: alphanumeric     | <b>Description:</b> A unique value that Visa assigns to each transaction and returns to the acquirer in the authorization response.<br><br><b>Note:</b> Populated based on Credit Authorization.                                                                                                                                                                                                                                                                                |
| <b>Retrieval Reference Number</b><br>Positions: 51-62<br>Length: 12<br>Format: alphanumeric | <b>Description:</b> An identification number assigned by the processing entity that is used with other data elements to identify and track messages related to a given cardholder transaction, that is, to a given transaction set.<br><br><b>Note:</b> Populated based on Credit Authorization.                                                                                                                                                                                |
| <b>Account Number</b><br>Positions: 63-78<br>Length: 16<br>Format: alphanumeric             | <b>Description:</b> This field contains an issuer-assigned number or a payment token that identifies a cardholder's account. The field is left-justified and blank-filled to the right of an account number less than 16 digits in length.                                                                                                                                                                                                                                      |
| <b>Account Number Extension</b><br>Positions: 79-81<br>Length: 3<br>Format: alphanumeric    | <b>Description:</b> This field is used for account numbers or tokens greater than 16 digits. It contains a 3-digit extension of the account number or token that allows account numbers or tokens up to 19 digits. The field is left-justified and blank-filled.                                                                                                                                                                                                                |



## Transaction Data Edit Criteria

|                                                                                               |                                                                                                                                                                                                                                                  |
|-----------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Expiration Date</b><br>Positions: 82-85<br>Length: 4<br>Format: alphanumeric               | <b>Description:</b> This field contains an account number or token expiration date in the following format: <b>YYMM</b> (year, month)                                                                                                            |
| <b>Purchase Date</b><br>Positions: 86-89<br>Length: 4<br>Format: unpacked numeric             | <b>Description:</b> Date the purchase transaction was made ( <b>MMDD</b> ) based on Greenwich mean time (GMT).                                                                                                                                   |
| <b>Authorization Date</b><br>Positions: 90-93<br>Length: 4<br>Format: alphanumeric            | <b>Description:</b> The actual date that the request for the authorization was made based on GMT. This field contains the Authorization Date in the following format: <b>MMDD</b> .<br><br><b>Note:</b> Populated based on Credit Authorization. |
| <b>Decimal Positions Indicator</b><br>Positions: 94-95<br>Length: 2<br>Format: alphanumeric   | <b>Description:</b> Indicates decimal positions of all amount fields.                                                                                                                                                                            |
| <b>Authorized Amount</b><br>Positions: 96-107<br>Length: 12<br>Format: alphanumeric           | <b>Description:</b> Amount the issuer originally authorized. This field is formatted based on currency exponents.<br><br><b>Note:</b> Populated based on Credit Authorization.                                                                   |
| <b>Authorization Currency Code</b><br>Positions: 108-110<br>Length: 3<br>Format: alphanumeric | <b>Description:</b> Currency code of the authorized source amount. The entry contains spaces or a valid ISO numeric currency code.<br><br><b>Note:</b> Populated based on Credit Authorization.                                                  |
| <b>Total Authorization Amount</b><br>Positions: 111-122<br>Length: 12<br>Format: alphanumeric | <b>Description:</b> Total authorized amount of the transaction including taxes and miscellaneous fees less reversals.<br><br><b>Note:</b> Space-filled for credits.                                                                              |
| <b>Source Amount</b><br>Positions: 123-134<br>Length: 12<br>Format: unpacked numeric          | <b>Description:</b> This field contains the purchase value in transaction currency.                                                                                                                                                              |

### Transaction Data Edit Criteria

|                                                                                            |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
|--------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Source Currency Code</b><br>Positions: 135-137<br>Length: 3<br>Format: alphanumeric     | <b>Description:</b> Currency code used in the transaction. The field contains a valid currency ISO numeric code.<br><br><b>Note:</b> Please see <i>BASE II Clearing Data Codes</i> for a list of valid codes.                                                                                                                                                                                                                                                                   |
| <b>Tip Amount</b><br>Positions: 138-149<br>Length: 12<br>Format: alphanumeric              | <b>Description:</b> This field contains the tip amount.                                                                                                                                                                                                                                                                                                                                                                                                                         |
| <b>Action Code</b><br>Positions: 150-151<br>Length: 2<br>Format: alphanumeric              | <b>Description:</b> This field contains the action code of the capture transaction. Action Code value is augmented from the request ID:<br><b>01</b> = Sales Capture<br><b>02</b> = Merchandise Credit Capture<br><b>03</b> = PIN Debit Purchase Advice<br><b>04</b> = PIN Debit Merchandise Return Advice<br><b>05</b> = Offline Capture<br><b>06</b> = Original Credit Transaction Advice<br><b>07</b> = Account Funding Transaction<br><b>08</b> = Declined MTT Transactions |
| <b>Service Identifier</b><br>Positions: 152-153<br>Length: 2<br>Format: alphanumeric       | <b>Description:</b> This field contains the code used to identify the type of service.<br>(Contact the Visa representative for the valid values for participation in the service.)<br>Values:<br><b>01</b> = ACP<br><b>02</b> = CTV<br><b>03</b> = MDEX API<br><b>04</b> = Reserved<br><b>05-50</b> = Reserved for future use<br><b>51</b> = Merchant Capture<br><b>52-99</b> = Reserved for future use                                                                         |
| <b>Acquiring Identifier</b><br>Positions: 154-159<br>Length: 6<br>Format: unpacked numeric | <b>Description:</b> The field contains the Acquiring Identifier used in the authorization.                                                                                                                                                                                                                                                                                                                                                                                      |

## Transaction Data Edit Criteria

|                                                                                             |                                                                                                                                                                                     |
|---------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Message Reason Code</b><br>Positions: 160-163<br>Length: 4<br>Format: alphanumeric       | <b>Description:</b> This field contains the Message Reason Code.<br><br><b>Note:</b> Please refer to <i>Full Service POS Online Messages Technical Specifications</i> .             |
| <b>Additional Authorization Indicator</b><br>Positions: 164<br>Length: 1<br>Format: numeric | <b>Description:</b> This field will contain one of these values:<br><b>1</b> (Partial authorization)<br><b>2</b> (Estimated authorization)<br><b>3</b> (Both partial and estimated) |
| <b>Domestic Switch ID</b><br>Positions: 165-168<br>Length: 4<br>Format: alphanumeric        | <b>Description:</b> This field will contain a CyberSource generated ID for domestic switches when complying with country routing mandates.                                          |

# TC 33.A - CP 01 TCR 1 Additional Data

These tables contain the Multipurpose Message (TC 33.A) record layout and edit criteria for CP 01 TCR 1 - ADDITIONAL DATA.

## CTF - Incoming Interchange

### Additional Data Record Layout

| Position | Field Length | Format | Contents                                             |
|----------|--------------|--------|------------------------------------------------------|
| 1-2      | 2            | UN     | Transaction Code                                     |
| 3        | 1            | UN     | Transaction Code Qualifier                           |
| 4        | 1            | AN     | Transaction Component Sequence Number                |
| 5-8      | 4            | AN     | Capture Date                                         |
| 9-14     | 6            | AN     | Authorization Code                                   |
| 15-16    | 2            | AN     | POS Entry Mode                                       |
| 17-31    | 15           | ANS    | Card Acceptor ID                                     |
| 32-39    | 8            | ANS    | Terminal ID                                          |
| 40       | 1            | AN     | Mail/Phone/Electronic Commerce and Payment Indicator |

### Additional Data Record Layout

| Position | Field Length | Format | Contents                                     |
|----------|--------------|--------|----------------------------------------------|
| 41       | 1            | AN     | Unattended Acceptance Terminal Indicator     |
| 42       | 1            | AN     | AVS Response Code                            |
| 43       | 1            | AN     | Authorization Source Code                    |
| 44       | 1            | AN     | Purchase Identifier Format                   |
| 45-69    | 25           | AN     | Purchase Identifier                          |
| 70-71    | 2            | AN     | Card ID                                      |
| 72-73    | 2            | AN     | Point-of-Service Condition Code              |
| 74-79    | 6            | AN     | Processing Code                              |
| 80-83    | 4            | AN     | Network ID                                   |
| 84-85    | 2            | AN     | Authorization Response Code                  |
| 86-89    | 4            | AN     | Validation Code                              |
| 90       | 1            | AN     | Market-Specific Authorization Data Indicator |
| 91-92    | 2            | AN     | Product ID                                   |
| 93-98    | 6            | AN     | Program ID                                   |
| 99       | 1            | AN     | CVV2 Result Code                             |
| 100      | 1            | AN     | Authorization Characteristics Indicator      |
| 101      | 1            | AN     | POS Terminal Capability                      |
| 102      | 1            | AN     | Cardholder ID Method                         |
| 103-128  | 26           | AN     | Request ID                                   |
| 129-130  | 2            | AN     | Electronic Commerce Goods Indicator          |
| 131-133  | 3            | AN     | Fee Program Indicator                        |
| 134      | 1            | AN     | Service Development Field                    |
| 135      | 1            | AN     | Account Selection                            |
| 136      | 1            | AN     | POS Environment                              |
| 137-140  | 4            | AN     | Time of Purchase                             |
| 141-166  | 26           | AN     | Batch Request ID                             |
| 167      | 1            | AN     | Spend Qualified Indicator                    |

### Additional Data Record Layout

| Position | Field Length | Format | Contents          |
|----------|--------------|--------|-------------------|
| 168      | 1            | AN     | CAVV Results Code |

Format: AN = Alphanumeric, ANS = Alphanumeric Special, DX = Display Hexadecimal, N = Numeric, UN = Unpacked Numeric

### Additional Data Edit Criteria

|                                                                                                   |                                                                                                                                                                                                                                                                                                                                                                                                                      |
|---------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Transaction Code</b><br>Positions: 1-2<br>Length: 2<br>Format: unpacked numeric                | <b>Description:</b> This field contains the value <b>33</b> .                                                                                                                                                                                                                                                                                                                                                        |
| <b>Transaction Code Qualifier</b><br>Positions: 3<br>Length: 1<br>Format: unpacked numeric        | <b>Description:</b> This field contains the value <b>0</b> .                                                                                                                                                                                                                                                                                                                                                         |
| <b>Transaction Component Sequence Number</b><br>Positions: 4<br>Length: 1<br>Format: alphanumeric | <b>Description:</b> This field contains the value <b>1</b> .                                                                                                                                                                                                                                                                                                                                                         |
| <b>Capture Date</b><br>Positions: 5-8<br>Length: 4<br>Format: alphanumeric                        | <b>Description:</b> The date when the merchant intends to process the capture file ( <b>MMDD</b> ) in the merchant local time.<br><br><b>Note:</b> Space-filled for credits.                                                                                                                                                                                                                                         |
| <b>Authorization Code</b><br>Positions: 9-14<br>Length: 6<br>Format: alphanumeric                 | <b>Description:</b> A code that an issuer, its authorizing processor, or Stand-In Processing (STIP) provides to indicate approval of a transaction. The code is returned in the Authorization Response and is usually recorded on the Transaction Receipt.<br><br><b>Note:</b> Please see <i>BASE II Clearing Data Codes</i> for a list of valid codes.<br><br><b>Note:</b> Populated based on Credit Authorization. |
| <b>POS Entry Mode</b><br>Positions: 15-16<br>Length: 2<br>Format: alphanumeric                    | <b>Description:</b> A V.I.P. System field indicating the method by which a point-of-transaction terminal obtains and transmits the cardholder information necessary to complete a Transaction.<br><br><b>Note:</b> Please see <i>Full Service POS Online Messages Technical Specifications</i> for a list of values.<br><br><b>Note:</b> Populated based on Credit Authorization.                                    |

### Additional Data Edit Criteria

|                                                                                                                   |                                                                                                                                                                                                                                                                                                             |
|-------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Card Acceptor ID</b><br>Positions: 17-31<br>Length: 15<br>Format: alphanumeric special character               | <b>Description:</b> Code that identifies the card acceptor operating the POS terminal.                                                                                                                                                                                                                      |
| <b>Terminal ID</b><br>Positions: 32-39<br>Length: 8<br>Format: alphanumeric special character                     | <b>Description:</b> Code that identifies the card acceptor terminal.                                                                                                                                                                                                                                        |
| <b>Mail/Phone/Electronic Commerce and Payment Indicator</b><br>Positions: 40<br>Length: 1<br>Format: alphanumeric | <b>Description:</b> Indicates transaction performed by mail order, telephone, or electronic commerce.<br><br><b>Note:</b> Please see <i>BASE II Clearing Data Codes</i> for a list of valid codes.<br><br><b>Note:</b> Populated based on Credit Authorization.                                             |
| <b>Unattended Acceptance Terminal Indicator</b><br>Positions: 41<br>Length: 1<br>Format: alphanumeric             | <b>Description:</b> Indicates type of unattended terminal.<br><br><b>Note:</b> Please see <i>BASE II Clearing Data Codes</i> for a list of valid codes.                                                                                                                                                     |
| <b>AVS Response Code</b><br>Positions: 42<br>Length: 1<br>Format: alphanumeric                                    | <b>Description:</b> Contains the response to an Address Verification Service (AVS) request, indicating matches or discrepancies between addresses and ZIP codes.<br><br><b>Note:</b> Please see <i>BASE II Clearing Data Codes</i> for a list of valid codes.<br><br><b>Note:</b> Space-filled for credits. |
| <b>Authorization Source Code</b><br>Positions: 43<br>Length: 1<br>Format: alphanumeric                            | <b>Description:</b> This field identifies who provided the authorization response.<br><br><b>Note:</b> Please see <i>BASE II Clearing Data Codes</i> for a list of valid codes.                                                                                                                             |
| <b>Purchase Identifier Format</b><br>Positions: 44<br>Length: 1<br>Format: alphanumeric                           | <b>Description:</b> Indicates the format of additional identifying information for purchases, such as order number or invoice number. Format can include free text or type of number.<br><br><b>Note:</b> Please see <i>BASE II Clearing Data Codes</i> for a list of values.                               |

## Additional Data Edit Criteria

|                                                                                                 |                                                                                                                                                                                                                                                                                                                                              |
|-------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Purchase Identifier</b><br>Positions: 45-69<br>Length: 25<br>Format: alphanumeric            | <b>Description:</b> Identifies the purchase to the issuer and cardholder.                                                                                                                                                                                                                                                                    |
| <b>Card ID</b><br>Positions: 70-71<br>Length: 2<br>Format: alphanumeric                         | <b>Description:</b> Code used to identify the card brand used for payment.<br>Codes:<br><b>VI</b> = Visa<br><b>MC</b> = Mastercard<br><b>JC</b> = JCB<br><b>DC</b> = Diners Club<br><b>AX</b> = American Express<br><b>DI</b> = Discover                                                                                                     |
| <b>Point-of-Service Condition Code</b><br>Positions: 72-73<br>Length: 2<br>Format: alphanumeric | <b>Description:</b> Code identifying transaction conditions at the point of sale or point of service. Can be used to identify a type of original, or subsequent, transaction.<br><br><b>Note:</b> Please see <i>Full Service POS Online Messages Technical Specifications</i> .<br><br><b>Note:</b> Populated based on Credit Authorization. |
| <b>Processing Code</b><br>Positions: 74-79<br>Length: 6<br>Format: alphanumeric                 | <b>Description:</b> Code used to identify the type of transaction (positions 1 and 2).<br><br><b>Note:</b> Please see <i>Full Service POS Online Messages Technical Specifications</i> for a list of values.<br><br><b>Note:</b> Populated based on Credit Authorization.                                                                    |
| <b>Network ID</b><br>Positions: 80-83<br>Length: 4<br>Format: alphanumeric                      | <b>Description:</b> Contains a code that specifies the network used for transmission of the transaction.<br><br><b>Note:</b> Please see <i>Full Service POS Online Messages Technical Specifications</i> .                                                                                                                                   |
| <b>Authorization Response Code</b><br>Positions: 84-85<br>Length: 2<br>Format: alphanumeric     | <b>Description:</b> The authorization code provided by the issuer when a transaction is approved or a no reason to decline code is provided.<br><br><b>Note:</b> Please see <i>Full Service POS Online Messages Technical Specifications</i> .<br><br><b>Note:</b> Populated based on Credit Authorization.                                  |
| <b>Validation Code</b><br>Positions: 86-89<br>Length: 4<br>Format: alphanumeric                 | <b>Description:</b> A unique value that Visa includes as part of authorization response to ensure that key authorization fields are preserved in the clearing record.<br><br><b>Note:</b> Space-filled for credits.                                                                                                                          |

## Additional Data Edit Criteria

|                                                                                                           |                                                                                                                                                                                                                                                                                                                                                            |
|-----------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Market-Specific Authorization Data Indicator</b><br>Positions: 90<br>Length: 1<br>Format: alphanumeric | <b>Description:</b> Code indicating the industry for which market-specific authorization data was included in the transaction.<br><br><b>B</b> = Valid Bill Payment Market-Specific Authorization Data received.<br><b>J</b> = Business to Business Invoice Payment.                                                                                       |
| <b>Product ID</b><br>Positions: 91-92<br>Length: 2<br>Format: alphanumeric                                | <b>Description:</b> This field will contain Product ID.<br><br><b>Note:</b> Space-filled for credits.                                                                                                                                                                                                                                                      |
| <b>Program ID</b><br>Positions: 93-98<br>Length: 6<br>Format: alphanumeric                                | <b>Description:</b> Program identifier. Available for US domestic transactions when provided by issuer.<br><br><b>Note:</b> Space-filled for credits.                                                                                                                                                                                                      |
| <b>CVV2 Result Code</b><br>Positions: 99<br>Length: 1<br>Format: alphanumeric                             | <b>Description:</b> Card Verification Value 2 (CVV2) is the verification result for card-not-present transactions and also for card-present CVV2 verification-only requests.<br><br><b>Note:</b> Space-filled for credits and cash disbursement transactions.<br><br><b>Note:</b> Please see <i>BASE II Clearing Data Codes</i> for a list of valid codes. |
| <b>Authorization Characteristics Indicator</b><br>Positions: 100<br>Length: 1<br>Format: alphanumeric     | <b>Description:</b> Code used by the acquirer to request CPS qualification as returned in the original authorization response.<br><br><b>Note:</b> Please see <i>BASE II Clearing Data Codes</i> for a list of valid codes.<br><br><b>Note:</b> Populated based on Credit Authorization.                                                                   |
| <b>POS Terminal Capability</b><br>Positions: 101<br>Length: 1<br>Format: alphanumeric                     | <b>Description:</b> Indicates the capability of the point-of-sale (POS) terminal to obtain an authorization and process transaction data.<br><br><b>Note:</b> Please see <i>BASE II Clearing Data Codes</i> for a list of valid codes.<br><br><b>Note:</b> Populated based on Credit Authorization.                                                        |
| <b>Cardholder ID Method</b><br>Positions: 102<br>Length: 1<br>Format: alphanumeric                        | <b>Description:</b> Indicates method used to identify cardholder (e.g., signature or Personal Identification Number [PIN]).<br><br><b>Note:</b> Please see <i>BASE II Clearing Data Codes</i> for a list of valid codes.<br><br><b>Note:</b> Space-filled for credits.                                                                                     |



### Additional Data Edit Criteria

|                                                                                                       |                                                                                                                                                                                                                                                                                                                                                                       |
|-------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Request ID</b><br>Positions: 103-128<br>Length: 26<br>Format: alphanumeric                         | <b>Description:</b> Unique Request Record ID assigned by Visa for each transaction.                                                                                                                                                                                                                                                                                   |
| <b>Electronic Commerce Goods Indicator</b><br>Positions: 129-130<br>Length: 2<br>Format: alphanumeric | <b>Description:</b> This field indicates the type of goods that were purchased on the Internet.<br>This field is left-justified and space-filled.<br><b>Note:</b> Please see <i>Full Service POS Online Messages Technical Specifications</i> for a list of valid values.                                                                                             |
| <b>Fee Program Indicator</b><br>Positions: 131-133<br>Length: 3<br>Format: alphanumeric               | <b>Description:</b> This field contains an interchange reimbursement fee program indicator (FPI).<br>This field is left-justified and space-filled.<br><b>Note:</b> Please see <i>BASE II Clearing Data Codes</i> for a list of valid codes.                                                                                                                          |
| <b>Service Development Field</b><br>Positions: 134<br>Length: 1<br>Format: alphanumeric               | <b>Description:</b> Indicates type of commerce.<br><b>Note:</b> Please see <i>BASE II Clearing Interchange Formats</i> for a list of valid codes.                                                                                                                                                                                                                     |
| <b>Account Selection</b><br>Positions: 135<br>Length: 1<br>Format: alphanumeric                       | <b>Description:</b> Indicates type of account (savings, checking, etc.).<br><b>Note:</b> Please see <i>Full Service POS Online Messages Technical Specifications</i> for a list of valid values.                                                                                                                                                                      |
| <b>POS Environment</b><br>Positions: 136<br>Length: 1<br>Format: alphanumeric                         | <b>Description:</b> A recurring transaction indicator, indicating that the cardholder and merchant have agreed to periodic billing for goods and services, such as utility bills, Internet connection, and magazine subscriptions.<br><b>Note:</b> Please see <i>BASE II Clearing Data Codes</i> for a list of valid codes.<br><b>Note:</b> Space-filled for credits. |
| <b>Time of Purchase</b><br>Positions: 137-140<br>Length: 4<br>Format: alphanumeric                    | <b>Description:</b> Indicates time the purchase was made.<br>The format is <b>HHMM</b> based on Greenwich mean time (GMT).<br><b>HH</b> = Time in hours (00 to 23)<br><b>MM</b> = Time in minutes (00 to 59)                                                                                                                                                          |
| <b>Batch Request ID</b><br>Positions: 141-166<br>Length: 26<br>Format: alphanumeric                   | <b>Description:</b> This field contains batch request ID.                                                                                                                                                                                                                                                                                                             |

## Additional Data Edit Criteria

|                                                                                         |                                                                                                                                                                                                |
|-----------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Spend Qualified Indicator</b><br>Positions: 167<br>Length: 1<br>Format: alphanumeric | <b>Description:</b> This field indicates whether the account is Spend Qualified.<br><br><b>Note:</b> Please see <i>BASE II Clearing Data Codes</i> for a list of valid codes.                  |
| <b>CAVV Results Code</b><br>Positions: 168<br>Length: 1<br>Format: alphanumeric         | <b>Description:</b> This field will contain the CAVV results code from the response message.<br><br><b>Note:</b> Please see <i>Full Service POS Online Messages Technical Specifications</i> . |

# TC 33.A - CP 01 TCR 2 Billing and Shipping

These tables contain the Multipurpose Message (TC 33.A) record layout and edit criteria for CP 01 TCR 2 - BILLING AND SHIPPING.

## CTF - Incoming Interchange

### Billing and Shipping Record Layout

| Position | Field Length | Format | Contents                              |
|----------|--------------|--------|---------------------------------------|
| 1-2      | 2            | UN     | Transaction Code                      |
| 3        | 1            | UN     | Transaction Code Qualifier            |
| 4        | 1            | AN     | Transaction Component Sequence Number |
| 5-64     | 60           | ANS    | Bill to Last Name                     |
| 65-124   | 60           | ANS    | Bill to First Name                    |
| 125-135  | 11           | ANS    | Bill to Postal Code                   |
| 136-155  | 20           | ANS    | Ship to Postal Code                   |
| 156-158  | 3            | ANS    | Ship to State/Province Code           |
| 159-168  | 10           | ANS    | Ship from Postal Code                 |

Format: AN = Alphanumeric, ANS = Alphanumeric Special, DX = Display Hexadecimal, N = Numeric, UN = Unpacked Numeric

### Billing and Shipping Edit Criteria

|                                                                                                          |                                                                                                   |
|----------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------|
| <b>Transaction Code</b><br>Positions: 1-2<br>Length: 2<br>Format: unpacked numeric                       | <b>Description:</b> This field contains the value <b>33</b> .                                     |
| <b>Transaction Code Qualifier</b><br>Positions: 3<br>Length: 1<br>Format: unpacked numeric               | <b>Description:</b> This field contains the value <b>0</b> .                                      |
| <b>Transaction Component Sequence Number</b><br>Positions: 4<br>Length: 1<br>Format: alphanumeric        | <b>Description:</b> This field contains the value <b>2</b> .                                      |
| <b>Bill to Last Name</b><br>Positions: 5-64<br>Length: 60<br>Format: alphanumeric special character      | <b>Description:</b> This field contains billing last name.                                        |
| <b>Bill to First Name</b><br>Positions: 65-124<br>Length: 60<br>Format: alphanumeric special character   | <b>Description:</b> This field contains billing first name.                                       |
| <b>Bill to Postal Code</b><br>Positions: 125-135<br>Length: 11<br>Format: alphanumeric special character | <b>Description:</b> This field contains billing postal code.                                      |
| <b>Ship to Postal Code</b><br>Positions: 136-155<br>Length: 20<br>Format: alphanumeric special character | <b>Description:</b> This field contains postal code of the location the item is being shipped to. |

### Billing and Shipping Edit Criteria

|                                                                                                                 |                                                                                                        |
|-----------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------|
| <b>Ship to State/Province Code</b><br>Positions: 156-158<br>Length: 3<br>Format: alphanumeric special character | <b>Description:</b> This field contains shipping state/province code of the location being shipped to. |
| <b>Ship from Postal Code</b><br>Positions: 159-168<br>Length: 10<br>Format: alphanumeric special character      | <b>Description:</b> This field contains shipping from postal code of the location being shipped from.  |

## TC 33.A - CP 01 TCR 3 Billing and Shipping (Cont'd)

These tables contain the Multipurpose Message (TC 33.A) record layout and edit criteria for CP 01 TCR 3 - BILLING AND SHIPPING (CONT'D).

### CTF - Incoming Interchange

#### Billing and Shipping (Cont'd) Record Layout

| Position | Field Length | Format | Contents                              |
|----------|--------------|--------|---------------------------------------|
| 1-2      | 2            | UN     | Transaction Code                      |
| 3        | 1            | UN     | Transaction Code Qualifier            |
| 4        | 1            | AN     | Transaction Component Sequence Number |
| 5-7      | 3            | AN     | Ship to Country Code                  |
| 8-47     | 40           | ANS    | Address Line 1                        |
| 48-87    | 40           | ANS    | Address Line 2                        |
| 88-137   | 50           | ANS    | City                                  |
| 138-157  | 20           | ANS    | State                                 |
| 158-160  | 3            | AN     | Country Code                          |
| 161-168  | 8            | AN     | Reserved                              |

Format: AN = Alphanumeric, ANS = Alphanumeric Special, DX = Display Hexadecimal, N = Numeric, UN = Unpacked Numeric

## Billing and Shipping (Cont'd) Edit Criteria

|                                                                                                   |                                                                    |
|---------------------------------------------------------------------------------------------------|--------------------------------------------------------------------|
| <b>Transaction Code</b><br>Positions: 1-2<br>Length: 2<br>Format: unpacked numeric                | <b>Description:</b> This field contains the value <b>33</b> .      |
| <b>Transaction Code Qualifier</b><br>Positions: 3<br>Length: 1<br>Format: unpacked numeric        | <b>Description:</b> This field contains the value <b>0</b> .       |
| <b>Transaction Component Sequence Number</b><br>Positions: 4<br>Length: 1<br>Format: alphanumeric | <b>Description:</b> This field contains the value <b>3</b> .       |
| <b>Ship to Country Code</b><br>Positions: 5-7<br>Length: 3<br>Format: alphanumeric                | <b>Description:</b> This field contains the shipping country code. |
| <b>Address Line 1</b><br>Positions: 8-47<br>Length: 40<br>Format: alphanumeric special character  | <b>Description:</b> This field contains billing address line 1.    |
| <b>Address Line 2</b><br>Positions: 48-87<br>Length: 40<br>Format: alphanumeric special character | <b>Description:</b> This field contains billing address line 2.    |
| <b>City</b><br>Positions: 88-137<br>Length: 50<br>Format: alphanumeric special character          | <b>Description:</b> This field contains billing city.              |

### Billing and Shipping (Cont'd) Edit Criteria

|                                                                                            |                                                                       |
|--------------------------------------------------------------------------------------------|-----------------------------------------------------------------------|
| <b>State</b><br>Positions: 138-157<br>Length: 20<br>Format: alphanumeric special character | <b>Description:</b> This field contains billing state.                |
| <b>Billing Country Code</b><br>Positions: 158-160<br>Length: 3<br>Format: alphanumeric     | <b>Description:</b> This field will contain the billing country code. |
| <b>Reserved</b><br>Positions: 161-168<br>Length: 8<br>Format: alphanumeric                 | <b>Description:</b> This field is reserved; space-filled.             |

## TC 33.A - CP 01 TCR 4 Merchant Data

These tables contain the Multipurpose Message (TC 33.A) record layout and edit criteria for CP 01 TCR 4 - MERCHANT DATA.

### CTF - Incoming Interchange

#### Merchant Data Record Layout

| Position | Field Length | Format | Contents                              |
|----------|--------------|--------|---------------------------------------|
| 1-2      | 2            | UN     | Transaction Code                      |
| 3        | 1            | UN     | Transaction Code Qualifier            |
| 4        | 1            | AN     | Transaction Component Sequence Number |
| 5-29     | 25           | ANS    | Merchant Name                         |
| 30-89    | 60           | ANS    | Merchant Street Address               |
| 90-102   | 13           | ANS    | Merchant City                         |
| 103-105  | 3            | AN     | Merchant State/Province Code          |
| 106-119  | 14           | ANS    | Merchant Postal Code                  |
| 120-122  | 3            | AN     | Merchant Country Code                 |
| 123-136  | 14           | ANS    | Merchant Telephone Number             |

## Merchant Data Record Layout

| Position | Field Length | Format | Contents                    |
|----------|--------------|--------|-----------------------------|
| 137-149  | 13           | ANS    | Merchant URL/email          |
| 150-153  | 4            | UN     | Merchant Category Code      |
| 154-163  | 10           | AN     | Merchant Verification Value |
| 164-166  | 3            | AN     | Region Code                 |
| 167-168  | 2            | AN     | Reserved                    |

Format: AN = Alphanumeric, ANS = Alphanumeric Special, DX = Display Hexadecimal, N = Numeric, UN = Unpacked Numeric

## Merchant Data Edit Criteria

|                                                                                                            |                                                                                                                                                                                                                                                           |
|------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Transaction Code</b><br>Positions: 1-2<br>Length: 2<br>Format: unpacked numeric                         | <b>Description:</b> This field contains the value <b>33</b> .                                                                                                                                                                                             |
| <b>Transaction Code Qualifier</b><br>Positions: 3<br>Length: 1<br>Format: unpacked numeric                 | <b>Description:</b> This field contains the value <b>0</b> .                                                                                                                                                                                              |
| <b>Transaction Component Sequence Number</b><br>Positions: 4<br>Length: 1<br>Format: alphanumeric          | <b>Description:</b> This field contains the value <b>4</b> .                                                                                                                                                                                              |
| <b>Merchant Name</b><br>Positions: 5-29<br>Length: 25<br>Format: alphanumeric special character            | <b>Description:</b> The merchant or client name imprinted on the transaction receipt by the merchant's or client's imprinter plate. It should be the doing business as (DBA) name of the merchant or client and the one most recognizable to cardholders. |
| <b>Merchant Street Address</b><br>Positions: 30-89<br>Length: 60<br>Format: alphanumeric special character | <b>Description:</b> This field contains merchant street address.                                                                                                                                                                                          |

## Merchant Data Edit Criteria

|                                                                                                                |                                                                                                                                                                                                                                                                                                                                          |
|----------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Merchant City</b><br>Positions: 90-102<br>Length: 13<br>Format: alphanumeric special character              | <b>Description:</b> The name of the city where the transaction took place.                                                                                                                                                                                                                                                               |
| <b>Merchant State/Province Code</b><br>Positions: 103-105<br>Length: 3<br>Format: alphanumeric                 | <b>Description:</b> Code designating merchant's state or province code.<br><br>If the Merchant Country Code is <b>US</b> or <b>CA</b> , this field contains a valid U.S. State Code or Canadian Province Code, respectively. Otherwise, it will contain spaces.                                                                          |
| <b>Merchant Postal Code</b><br>Positions: 106-119<br>Length: 14<br>Format: alphanumeric special character      | <b>Description:</b> Contains the postal code to identify the merchant location. The entry is alphanumeric and may contain spaces or special characters.                                                                                                                                                                                  |
| <b>Merchant Country Code</b><br>Positions: 120-122<br>Length: 3<br>Format: alphanumeric                        | <b>Description:</b> This field will contain the country code of the merchant location where the transaction took place.                                                                                                                                                                                                                  |
| <b>Merchant Telephone Number</b><br>Positions: 123-136<br>Length: 14<br>Format: alphanumeric special character | <b>Description:</b> This field contains the merchant or customers service telephone number.                                                                                                                                                                                                                                              |
| <b>Merchant URL/email</b><br>Positions: 137-149<br>Length: 13<br>Format: alphanumeric special character        | <b>Description:</b> This field contains merchant URL/email.                                                                                                                                                                                                                                                                              |
| <b>Merchant Category Code</b><br>Positions: 150-153<br>Length: 4<br>Format: unpacked numeric                   | <b>Description:</b> Indicates merchant's type of business product or service. The field contains a valid four-digit numeric Merchant Category Code (MCC).<br><br><b>Note:</b> Please see <i>Visa Core Rules</i> and <i>Visa Product and Service Rules</i> or the <i>Visa Merchant Data Standards</i> manuals for a list of valid values. |



## Merchant Data Edit Criteria

|                                                                                                |                                                                                                                                                                                                                                 |
|------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Merchant Verification Value</b><br>Positions: 154-163<br>Length: 10<br>Format: alphanumeric | <b>Description:</b> The value is assigned by Visa to determine a merchant's eligibility to participate in any special programs.                                                                                                 |
| <b>Region Code</b><br>Positions: 164-166<br>Length: 3<br>Format: alphanumeric                  | <b>Description:</b> This field will contain the region code for the American Express card acceptor name and location data from Tag 12 in TLV Field 104, Usage 2-Transaction-Specific Data, Dataset ID 66-American Express Data. |
| <b>Reserved</b><br>Positions: 167-168<br>Length: 2<br>Format: alphanumeric                     | <b>Description:</b> This field is reserved; space-filled.                                                                                                                                                                       |

# TC 33.A - CP 01 TCR 5 Installment Payment

These tables contain the Multipurpose Message (TC 33.A) record layout and edit criteria for CP 01 TCR 5 - INSTALLMENT PAYMENT.

## CTF - Incoming Interchange

### Installment Payment Record Layout

| Position | Field Length | Format | Contents                              |
|----------|--------------|--------|---------------------------------------|
| 1-2      | 2            | UN     | Transaction Code                      |
| 3        | 1            | UN     | Transaction Code Qualifier            |
| 4        | 1            | AN     | Transaction Component Sequence Number |
| 5-16     | 12           | AN     | Installment Payment Total Amount      |
| 17-19    | 3            | AN     | Installment Payment Currency Code     |
| 20-22    | 3            | AN     | Number of Installments                |
| 23-34    | 12           | AN     | Amount of Each Installment            |
| 35-37    | 3            | AN     | Installment Payment Number            |
| 38       | 1            | AN     | Frequency of Installments             |

## Installment Payment Record Layout

| Position | Field Length | Format | Contents                                                |
|----------|--------------|--------|---------------------------------------------------------|
| 39-40    | 2            | AN     | Installment Plan Type                                   |
| 41-45    | 5            | AN     | Mastercard Interest Rate                                |
| 46-57    | 12           | AN     | Mastercard Installment Fee                              |
| 58-62    | 5            | AN     | Mastercard Annual Percentage Rate                       |
| 63-74    | 12           | AN     | Mastercard Subsequent Installment Amount                |
| 75-76    | 2            | AN     | Mastercard Minimum Number of Installments               |
| 77-78    | 2            | AN     | Mastercard Maximum Number of Installments               |
| 79-98    | 20           | ANS    | Mastercard Croatia Domestic Card Acceptor Tax ID        |
| 99-101   | 3            | AN     | Mastercard Grace Period Details                         |
| 102-107  | 6            | AN     | Mastercard First Installment Due Date                   |
| 108-110  | 3            | AN     | Mastercard Financing Currency                           |
| 111-120  | 10           | AN     | VAT for Installment Payment Interest                    |
| 121-155  | 35           | AN     | Plan Registration System Identifier - Visa Installments |
| 156-159  | 4            | AN     | AMEX Deferred Payment Plan                              |
| 160      | 1            | AN     | AMEX Indirect Model Type Indicator                      |
| 161-168  | 8            | AN     | Reserved                                                |

Format: AN = Alphanumeric, ANS = Alphanumeric Special, DX = Display Hexadecimal, N = Numeric, UN = Unpacked Numeric

## Installment Payment Edit Criteria

|                                                                                            |                                                               |
|--------------------------------------------------------------------------------------------|---------------------------------------------------------------|
| <b>Transaction Code</b><br>Positions: 1-2<br>Length: 2<br>Format: unpacked numeric         | <b>Description:</b> This field contains the value <b>33</b> . |
| <b>Transaction Code Qualifier</b><br>Positions: 3<br>Length: 1<br>Format: unpacked numeric | <b>Description:</b> This field contains the value <b>0</b> .  |

## Installment Payment Edit Criteria

|                                                                                                   |                                                                                                                                                                                                                                    |
|---------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Transaction Component Sequence Number</b><br>Positions: 4<br>Length: 1<br>Format: alphanumeric | <b>Description:</b> This field contains the value 5.                                                                                                                                                                               |
| <b>Installment Payment Total Amount</b><br>Positions: 5-16<br>Length: 12<br>Format: alphanumeric  | <b>Description:</b> The field will contain the total amount of the installment payments.                                                                                                                                           |
| <b>Installment Payment Currency Code</b><br>Positions: 17-19<br>Length: 3<br>Format: alphanumeric | <b>Description:</b> Indicates an installment payment currency code (ISO numeric value).<br><br><b>Note:</b> Please see <i>BASE II Clearing Data Codes</i> for a list of valid codes.<br><br><b>Note:</b> Space-filled for credits. |
| <b>Number of Installments</b><br>Positions: 20-22<br>Length: 3<br>Format: alphanumeric            | <b>Description:</b> This field will contain the number of installment payments.                                                                                                                                                    |
| <b>Amount of Each Installments</b><br>Positions: 23-34<br>Length: 12<br>Format: alphanumeric      | <b>Description:</b> This field will contain the amount of each installment payment.                                                                                                                                                |
| <b>Installment Payment Number</b><br>Positions: 35-37<br>Length: 3<br>Format: alphanumeric        | <b>Description:</b> This field will contain the Installment Payment Number.                                                                                                                                                        |
| <b>Frequency of Installments</b><br>Positions: 38<br>Length: 1<br>Format: alphanumeric            | <b>Description:</b> This field will contain the frequency of installment payments.<br><br><b>Note:</b> Space-filled for credits.                                                                                                   |
| <b>Installment Plan Type</b><br>Positions: 39-40<br>Length: 2<br>Format: alphanumeric             | <b>Description:</b> This field will contain American Express installment plan type values.                                                                                                                                         |

## Installment Payment Edit Criteria

|                                                                                                           |                                                                                                                                                                                                                                                                                                   |
|-----------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Mastercard Interest Rate</b><br>Positions: 41-45<br>Length: 5<br>Format: alphanumeric                  | <b>Description:</b> This field will contain the Mastercard Global Installments - Issuer-calculated Interest Rate.<br>Mapping:<br>Destination depends on country-specific.<br>F104 U2 DSID 65 T06<br>=> MC DE112 SE 22 pos 3-7<br>=> MC DE112 SE 23 pos 5-9<br>=> MC DE112 SE 09 pos 5-9 (Georgia) |
| <b>Mastercard Installment Fee</b><br>Positions: 46-57<br>Length: 12<br>Format: alphanumeric               | <b>Description:</b> This field will contain the Mastercard Global Installments - Installment Fee.<br>Mapping:<br>Destination depends on country-specific.<br>F104 U2 DSID 65 T06<br>=> MC DE112 SE 22 pos 8-19<br>=> MC DE112 SE 23 pos 10-21                                                     |
| <b>Mastercard Annual Percentage Rate</b><br>Positions: 58-62<br>Length: 5<br>Format: alphanumeric         | <b>Description:</b> This field will contain the Mastercard Global Installments - Annual Percentage Rate.<br>Mapping:<br>Destination depends on country-specific.<br>F104 U2 DSID 65 T06<br>=> MC DE112 SE 22 pos 20-24<br>=> MC DE112 SE 23 pos 22-26                                             |
| <b>Mastercard Subsequent Installment Amount</b><br>Positions: 63-74<br>Length: 12<br>Format: alphanumeric | <b>Description:</b> This field will contain the Mastercard Global Installments - Subsequent Installment Amount.<br>Mapping:<br>Destination depends on country-specific.<br>F104 U2 DSID 65 T06<br>=> MC DE112 SE 22 pos 37-48<br>=> MC DE112 SE 09 pos 22-33 (Georgia)                            |
| <b>Mastercard Minimum Number of Installments</b><br>Positions: 75-76<br>Length: 2<br>Format: alphanumeric | <b>Description:</b> This field will contain the Mastercard Global Installments - Minimum Number of Installments.<br>Mapping:<br>F104 U2 DSID 65 T06 => MC DE112 SE 23 pos 1-2                                                                                                                     |

## Installment Payment Edit Criteria

|                                                                                                                                     |                                                                                                                                                                                              |
|-------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Mastercard Maximum Number of Installments</b><br>Positions: 77-78<br>Length: 2<br>Format: alphanumeric                           | <b>Description:</b> This field will contain the Mastercard Global Installments - Maximum Number of Installments.<br><b>Mapping:</b><br>F104 U2 DSID 65 T06 => MC DE112 SE 23 pos 3-4         |
| <b>Mastercard Croatia Domestic Card Acceptor Tax ID</b><br>Positions: 79-98<br>Length: 20<br>Format: alphanumeric special character | <b>Description:</b> This field will contain the Mastercard Global Installments Croatia - Domestic Card Acceptor Tax ID.<br><b>Mapping:</b><br>F104 U2 DSID 65 T06 => MC DE112 SE 20 pos 1-20 |
| <b>Mastercard Grace Period Details</b><br>Positions: 99-101<br>Length: 3<br>Format: alphanumeric                                    | <b>Description:</b> This field will contain the Mastercard Global Installments for Grace Period.                                                                                             |
| <b>Mastercard First Installment Due Date</b><br>Positions: 102-107<br>Length: 6<br>Format: alphanumeric                             | <b>Description:</b> This field will contain the Mastercard Global Installments for First Installment Due Date.                                                                               |
| <b>Mastercard Financing Currency</b><br>Positions: 108-110<br>Length: 3<br>Format: alphanumeric                                     | <b>Description:</b> This field will contain the Mastercard Global Installments Financing Currency. This is the currency in which the issuer will finance the transaction.                    |
| <b>VAT for Installment Payment Interest</b><br>Positions: 111-120<br>Length: 10<br>Format: alphanumeric                             | <b>Description:</b> This field will contain the VAT for Installment Payment Interest for countries using this value in installment payments.                                                 |
| <b>Plan Registration System Identifier - Visa Installments</b><br>Positions: 121-155<br>Length: 35<br>Format: alphanumeric          | <b>Description:</b> This field contains the Visa assigned Plan Registration System Identifier.<br><b>Mapping:</b><br>F104 DSID 5D T82 (Visa Installments Solution Service)                   |

### Installment Payment Edit Criteria

|                                                                                                  |                                                                                                                                                                        |
|--------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>AMEX Deferred Payment Plan</b><br>Positions: 156-159<br>Length: 4<br>Format: alphanumeric     | <b>Description:</b> This field contains the AMEX Deferred Payment Plan.<br><b>Mapping:</b><br>F104 U2 DSID 66 TAG1 positions 4-7 => AMEX DF48 DPP (Domestic for Chile) |
| <b>AMEX Indirect Model Type Indicator</b><br>Positions: 160<br>Length: 1<br>Format: alphanumeric | <b>Description:</b> This field will contain the AMEX Indirect Model Type Indicator.<br><b>Source:</b> Field104 DSID66 Tag17                                            |
| <b>Reserved</b><br>Positions: 161-168<br>Length: 8<br>Format: alphanumeric                       | <b>Description:</b> This field will contain spaces.                                                                                                                    |

## TC 33.A - CP 01 TCR 6 Gateway Data

These tables contain the Multipurpose Message (TC 33.A) record layout and edit criteria for CP 01 TCR 6 - GATEWAY DATA.

### CTF - Incoming Interchange

#### Gateway Data Record Layout

| Position | Field Length | Format | Contents                              |
|----------|--------------|--------|---------------------------------------|
| 1-2      | 2            | UN     | Transaction Code                      |
| 3        | 1            | UN     | Transaction Code Qualifier            |
| 4        | 1            | AN     | Transaction Component Sequence Number |
| 5-14     | 10           | AN     | Time Stamp                            |
| 15-18    | 4            | AN     | Merchant SIC Code                     |
| 19-21    | 3            | AN     | Mastercard POS Entry Mode             |
| 22-23    | 2            | AN     | Mastercard POS PIN Capture Code       |
| 24-49    | 26           | AN     | Mastercard/American Express POS Data  |
| 50-59    | 10           | AN     | Mastercard Date and Time              |
| 60-65    | 6            | AN     | Mastercard ICA                        |

### Gateway Data Record Layout

| Position | Field Length | Format | Contents                                                              |
|----------|--------------|--------|-----------------------------------------------------------------------|
| 66-71    | 6            | AN     | Mastercard Assigned ID (MAID)                                         |
| 72-73    | 2            | AN     | Mastercard Payment Initiation Channel                                 |
| 74-80    | 7            | AN     | Mastercard Electronic Commerce Indicators                             |
| 81-83    | 3            | AN     | Mastercard Service Code                                               |
| 84       | 1            | AN     | Mastercard Account Number Indicator                                   |
| 85-87    | 3            | AN     | Mastercard Product Code                                               |
| 88-90    | 3            | AN     | Mastercard Wallet Indicator                                           |
| 91       | 1            | AN     | Mastercard Electronic Commerce Indicators - Cardholder Authentication |
| 92-93    | 2            | AN     | Mastercard Terminal Compliance Indicator                              |
| 94       | 1            | AN     | Mastercard Mobile Remote Payment Program Indicator                    |
| 95-105   | 11           | AN     | Payment Facilitator ID                                                |
| 106-116  | 11           | AN     | Independent Sales Organization ID                                     |
| 117-131  | 15           | AN     | Sub-Merchant ID                                                       |
| 132      | 1            | AN     | Mastercard Member-defined Data                                        |
| 133-134  | 2            | AN     | Mastercard Merchant on-behalf service                                 |
| 135      | 1            | AN     | Mastercard Merchant on-behalf results                                 |
| 136-137  | 2            | AN     | Mastercard Interchange Structure Indicator                            |
| 138      | 1            | AN     | Mastercard Reason for UCAF Collection Indicator Downgrade             |
| 139-140  | 2            | AN     | Mastercard E-ID Request Value                                         |
| 141      | 1            | AN     | Mastercard MC mPOS Transaction - Scenario                             |
| 142-144  | 3            | AN     | Mastercard Meal Voucher Direct Settlement Indicator                   |
| 145-146  | 2            | AN     | Mastercard Low-Risk Merchant Indicator                                |
| 147-149  | 3            | AN     | Mastercard Merchant Country of Origin Identifier                      |
| 150-153  | 4            | AN     | Mastercard CIT and MIT Indicators                                     |
| 154-156  | 3            | AN     | Transaction Type Identifier                                           |
| 157-158  | 2            | AN     | Mastercard Account Number Indicator                                   |
| 159      | 1            | AN     | Token VDCU Update First Use Indicator                                 |
| 160-161  | 2            | AN     | Visa Account Attack Intelligence Score                                |

## Gateway Data Record Layout

| Position | Field Length | Format | Contents                               |
|----------|--------------|--------|----------------------------------------|
| 162-168  | 7            | AN     | Mastercard Transaction Type Identifier |

Format: AN = Alphanumeric, ANS = Alphanumeric Special, DX = Display Hexadecimal, N = Numeric, UN = Unpacked Numeric

## Gateway Data Edit Criteria

|                                                                                                   |                                                                                                                                                                                                                                                                                                                                                                                                                                      |
|---------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Transaction Code</b><br>Positions: 1-2<br>Length: 2<br>Format: unpacked numeric                | <b>Description:</b> This field contains the value <b>33</b> .                                                                                                                                                                                                                                                                                                                                                                        |
| <b>Transaction Code Qualifier</b><br>Positions: 3<br>Length: 1<br>Format: unpacked numeric        | <b>Description:</b> This field contains the value <b>0</b> .                                                                                                                                                                                                                                                                                                                                                                         |
| <b>Transaction Component Sequence Number</b><br>Positions: 4<br>Length: 1<br>Format: alphanumeric | <b>Description:</b> This field contains the value <b>6</b> .                                                                                                                                                                                                                                                                                                                                                                         |
| <b>Time Stamp</b><br>Positions: 5-14<br>Length: 10<br>Format: alphanumeric                        | <b>Description:</b> The actual date and time that the request for the authorization was made based on GMT. This field contains the time stamp in the following format: <b>MMDDhhmmss</b> .                                                                                                                                                                                                                                           |
| <b>Merchant SIC Code</b><br>Positions: 15-18<br>Length: 4<br>Format: alphanumeric                 | <b>Description:</b> This field contains the Merchant Category Code assigned by non-Visa network.                                                                                                                                                                                                                                                                                                                                     |
| <b>Mastercard POS Entry Mode</b><br>Positions: 19-21<br>Length: 3<br>Format: alphanumeric         | <b>Description:</b> This field is part of the data contained in ISO Field 116-Card Issuer Reference Data of the authorization response.<br><br>This value is returned in Data Element (DE) 22 of the Mastercard response message and should be used in the Mastercard Clearing record.<br><br><b>Note:</b> Space-filled for credits.<br><br><b>Note:</b> Mapping: Field 116-Card Issuer Reference Data, DSID 67, T01 => MC CIS DE 22 |



## Gateway Data Edit Criteria

|                                                                                                       |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
|-------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Mastercard POS PIN Capture Code</b><br>Positions: 22-23<br>Length: 2<br>Format: alphanumeric       | <b>Description:</b> This field is part of the data contained in ISO Field 116-Card Issuer Reference Data of the authorization response.<br>This value is returned in Data Element (DE) 26 of the Mastercard response message and should be used in the Mastercard Clearing record.<br><br><b>Note:</b> Space-filled for credits.<br><br><b>Note:</b> Mapping: Field 116-Card Issuer Reference Data, DSID 67, T02 => MC CIS DE 26                                                                                                                                                                                                                                                                                                                                                                                             |
| <b>Mastercard/American Express POS Data</b><br>Positions: 24-49<br>Length: 26<br>Format: alphanumeric | <b>Description:</b> This field is part of the data contained in ISO Field 116-Card Issuer Reference Data of the authorization response.<br><u>For Mastercard transactions</u><br>This value is returned in Data Element (DE) 61 of the Mastercard response message and should be used in the Mastercard Clearing record. (Mastercard length = variable, up to 26 bytes.)<br>or<br><u>For American Express transactions</u><br>This value is returned in (Data Field) DF 22 of the American Express response message and should be used in the American Express Clearing record. (American Express maximum length =12 bytes).<br><br><b>Note:</b> Space-filled for credits.<br>Mapping: Field 116-Card Issuer Reference Data, DSID 67, T03 => MC CIS DE61<br>Field 116-Card Issuer Reference Data, DSID 66, T01 => AMEX DF 22 |
| <b>Mastercard Date and Time</b><br>Positions: 50-59<br>Length: 10<br>Format: alphanumeric             | <b>Description:</b> This field is part of the data contained in ISO Field 116-Card Issuer Reference Data of the authorization response.<br>This field contains data from Mastercard DE 48.15.<br>Format: <b>MMDDhhmmss</b><br>This field should be used in the Mastercard Clearing record.<br><br><b>Note:</b> Space-filled for credits and non-Automated Fuel Dispenser (AFD) transactions.<br>Mapping: Field 116-Card Issuer Reference Data, DSID 67, T04 => MC DE 48.15.                                                                                                                                                                                                                                                                                                                                                  |
| <b>Mastercard ICA</b><br>Positions: 60-65<br>Length: 6<br>Format: alphanumeric                        | <b>Description:</b> This field contains the Mastercard ICA value provided by the acquirer.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |

## Gateway Data Edit Criteria

|                                                                                                           |                                                                                                                                                                                              |
|-----------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Mastercard Assigned ID (MAID)</b><br>Positions: 66-71<br>Length: 6<br>Format: alphanumeric             | <b>Description:</b> This field contains the Mastercard Assigned ID (MAID).                                                                                                                   |
| <b>Mastercard Payment Initiation Channel</b><br>Positions: 72-73<br>Length: 2<br>Format: alphanumeric     | <b>Description:</b> This field contains Mastercard Payment Initiation Channel values.<br><br><b>Note:</b> Mapping: Field 104 DS65 T04 => MC DE48 SE23                                        |
| <b>Mastercard Electronic Commerce Indicators</b><br>Positions: 74-80<br>Length: 7<br>Format: alphanumeric | <b>Description:</b> This field contains Mastercard Electronic Commerce Indicator values.<br><br><b>Note:</b> Mapping: Field 116-Card Issuer Reference Data, DS67 T05 SF1 => MC DE48 SE42 SF1 |
| <b>Mastercard Service Code</b><br>Positions: 81-83<br>Length: 3<br>Format: alphanumeric                   | <b>Description:</b> This field contains Mastercard Service Code values from the track in the magnetic stripe.                                                                                |
| <b>Mastercard Account Number Indicator</b><br>Positions: 84<br>Length: 1<br>Format: alphanumeric          | <b>Description:</b> This field will contain a Mastercard Account Number Indicator value.<br><br><b>Note:</b> Mapping: Field 104 DS65 TOF => MC DE48 SE33 SF1                                 |
| <b>Mastercard Product Code</b><br>Positions: 85-87<br>Length: 3<br>Format: alphanumeric                   | <b>Description:</b> This field will contain a Mastercard Product Code value.<br><br><b>Note:</b> Mapping: Field 62.17 POS (5-7) => Mastercard DE63.1                                         |
| <b>Mastercard Wallet Indicator</b><br>Positions: 88-90<br>Length: 3<br>Format: alphanumeric               | <b>Description:</b> This field will contain a Mastercard Wallet Indicator value.                                                                                                             |

### Gateway Data Edit Criteria

|                                                                                                                                    |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
|------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Mastercard Electronic Commerce Indicators - Cardholder Authentication</b><br>Positions: 91<br>Length: 1<br>Format: alphanumeric | <b>Description:</b> This field contains the Cardholder Authentication Indicator.<br>Value:<br><b>4</b> = Tokenized PAN in F2.<br><br><b>Note:</b> Should be used only when a Digital Secure Remote Payment Transaction occurred.<br>Mapping: Field 104 DS65 T15 => MC DE48.42.1 (Electronic Commerce Security Level Indicator and UCAF Collection Indicator) position 3. (UCAF Collection Indicator)                                                                                                                                                                                                                                                                            |
| <b>Mastercard Terminal Compliance Indicator</b><br>Positions: 92-93<br>Length: 2<br>Format: alphanumeric                           | <b>Description:</b> This field contains terminal compliance indicator for India.<br>Values:<br><b>1</b> = Not Certified<br><b>2</b> = Certified<br><br><b>Note:</b> Mapping: Field 104 DS65 T19 => MC DE48 SE65 SF1&2                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
| <b>Mastercard Mobile Remote Payment Program Indicator</b><br>Positions: 94<br>Length: 1<br>Format: alphanumeric                    | <b>Description:</b> This field contains the Mobile Remote Payment Transaction Type.<br>Values:<br><b>1</b> = Remote Purchase (Consumer Initiated) - Face-to-Face<br><b>2</b> = Remote Purchase (Consumer Initiated) - E-Commerce<br><b>3</b> = Remote Purchase (Consumer Initiated) - MOTO<br><b>4</b> = Bill Pay (Consumer Initiated)<br><b>5</b> = Top-Up (Consumer Initiated)<br><b>6</b> = Cash-Out (Consumer Initiated)<br><b>7</b> = Cash-Out (ATM/Agent Triggered)<br><b>8</b> = Remote Purchase (Merchant Triggered) - Face-to-Face<br><b>9</b> = Remote Purchase (Merchant Triggered) - E-Commerce<br><br><b>Note:</b> Mapping: Field 104 DS65 T20 => MC DE48 SE48 SF2 |
| <b>Payment Facilitator ID</b><br>Positions: 95-105<br>Length: 11<br>Format: alphanumeric                                           | <b>Description:</b> This field will contain Payment Facilitator ID.<br><br><b>Note:</b> Mapping: Field 104 DS65 T21 SF1 => MC DE48 SE37 SF1                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
| <b>Independent Sales Organization ID</b><br>Positions: 106-116<br>Length: 11<br>Format: alphanumeric                               | <b>Description:</b> This field contains Independent Sales Organization ID.<br><br><b>Note:</b> Mapping: Field 104 DS65 T21 SF2 => MC DE48 SE37 SF2                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |

## Gateway Data Edit Criteria

|                                                                                                         |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
|---------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Sub-Merchant ID</b><br>Positions: 117-131<br>Length: 15<br>Format: alphanumeric                      | <b>Description:</b> This field contains the Sub-Merchant ID.<br><br><b>Note:</b> Mapping: Field 104 DS65 T21 SF3 => MC DE48 SE37 SF3                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
| <b>Mastercard Member-defined Data</b><br>Positions: 132<br>Length: 1<br>Format: alphanumeric            | <b>Description:</b> This field will contain one of these values to indicate the transaction qualifies for a government program. Which Map to Mastercard Data Element DE 48, Sub element 17:<br><br><ul style="list-style-type: none"> <li>• <b>1</b> (Transaction qualified for Authentication Service Type 1)</li> <li>• <b>2</b> (Transaction qualified for Authentication Service Type 2)</li> </ul> <b>Note:</b> Mapping: Field 104 DS65 T22 => MC DE48 SE17                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
| <b>Mastercard Merchant on-behalf service</b><br>Positions: 133-134<br>Length: 2<br>Format: alphanumeric | <b>Description:</b> This field will contain a fixed value of <b>53</b> .<br><br><b>Note:</b> Mapping: Field 104 DS65 T23 pos 1-2 => MC DE48 SE51 SF 1                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| <b>Mastercard Merchant on-behalf results</b><br>Positions: 135<br>Length: 1<br>Format: alphanumeric     | <b>Description:</b> This field will contain the Merchant on-behalf results.<br>Values.<br><ul style="list-style-type: none"> <li>• <b>C</b> (Service completed successfully)</li> <li>• <b>F</b> (Incorrect POS entry mode code (not equal to 81) for an authorization or reversal message)</li> <li>• <b>F</b> (Incorrect POS entry mode (not equal to 01), for authorization request of token request and token requestor card on file transactions)</li> <li>• <b>F</b> (Token Requestor ID required based on the token requestor ID validation bypass parameter, not present or not formatted incorrectly)</li> <li>• <b>I</b> (Token requestor ID invalid)</li> <li>• <b>I</b> (Token suspended or deactivated)</li> <li>• <b>I</b> (Token invalid, not found on mapping table)</li> <li>• <b>T</b> (Token requestor ID/Token combination invalid)</li> <li>• <b>U</b> (Unable to process - token expired)</li> <li>• <b>W</b> (PAN listed in the electronic warning bulletin)</li> </ul> <b>Note:</b> Mapping: Field 104 DS65 T23 pos 3 => MC DE48 SE51 SF 2 |

## Gateway Data Edit Criteria

|                                                                                                                                            |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
|--------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <p><b>Mastercard Interchange Structure Indicator</b></p> <p>Positions: 136-137</p> <p>Length: 2</p> <p>Format: alphanumeric</p>            | <p><b>Description:</b> This field will contain Mastercard Interchange Structure Indicator.</p> <p>This field will contain one of these values for card and cardholder present transactions:</p> <ul style="list-style-type: none"> <li>• <b>A1</b> (EMV/Token in a secure, trusted environment)</li> <li>• <b>B1</b> (EVM/Chip equivalent)</li> <li>• <b>C1</b> (Mag stripe)</li> <li>• <b>E1</b> (Key entered)</li> <li>• <b>U0</b> (Unclassified)</li> </ul> <p>This field will contain one of these values for card and/or cardholder not present transactions:</p> <ul style="list-style-type: none"> <li>• <b>A2</b> (Digital transactions)</li> <li>• <b>B2</b> (Authenticated checkout)</li> <li>• <b>C2</b> (Transaction validation)</li> <li>• <b>D2</b> (Enhanced data)</li> <li>• <b>E2</b> (Generic messaging)</li> <li>• <b>U0</b> (Unclassified)</li> </ul> <p><b>Note:</b> The value in this field comes from the 0110 response from Mastercard.</p> <p>Mapping: Field 104 DS65 T28 =&gt; MC DE48 SE52</p> |
| <p><b>Mastercard Reason for UCAF Collection Indicator Downgrade</b></p> <p>Positions: 138</p> <p>Length: 1</p> <p>Format: alphanumeric</p> | <p><b>Description:</b> This field will contain an indicator for Mastercard SecureCode e-commerce transactions when the transaction was downgraded because of a missing or invalid universal cardholder authentication field (UCAF).</p> <p>Values:</p> <ul style="list-style-type: none"> <li>• <b>0</b> (Missing UCAF)</li> <li>• <b>1</b> (Invalid UCAF)</li> <li>• <b>Space</b> (Not applicable)</li> </ul> <p><b>Note:</b> Mapping: F116 DS67 T05 SF3=&gt;MC DE48 SE42 SF3</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
| <p><b>Mastercard E-ID Request Value</b></p> <p>Positions: 139-140</p> <p>Length: 2</p> <p>Format: alphanumeric</p>                         | <p><b>Description:</b> This field will contain the E-ID provided by the issuer for card-not-present transactions in Poland.</p> <p>Mapping:</p> <p>F104 DSID 65 T35 =&gt; MC DE48 SE53 SF1</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |

## Gateway Data Edit Criteria

|                                                                                                                       |                                                                                                                                                                                                                                                                                           |
|-----------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Mastercard MC mPOS Transaction - Scenario</b><br>Positions: 141<br>Length: 1<br>Format: alphanumeric               | <b>Description:</b> This field contains the Mastercard MC mPOS Transaction - Scenario.<br>Mapping:<br>F104 DSID 65 T36 => MC DE48 SE21                                                                                                                                                    |
| <b>Mastercard Meal Voucher Direct Settlement Indicator</b><br>Positions: 142-144<br>Length: 3<br>Format: alphanumeric | <b>Description:</b> This field will contain the value of B00 (Merchant direct settlement indicator). Issuer settles directly with the merchant.                                                                                                                                           |
| <b>Mastercard Low-Risk Merchant Indicator</b><br>Positions: 145-146<br>Length: 2<br>Format: alphanumeric              | <b>Description:</b> This field will contain the Mastercard Low-Risk Merchant Indicator.<br>Mapping:<br>F104 DSID 65 T38 => MC DE48 SE22 SF1                                                                                                                                               |
| <b>Mastercard Merchant Country of Origin Identifier</b><br>Positions: 147-149<br>Length: 3<br>Format: alphanumeric    | <b>Description:</b> This field will contain the Mastercard Merchant Country of Origin Identifier from government-controlled merchants.<br>Mapping:<br>F104 DSID 65 T46 => MC DE48 SE03 SF04                                                                                               |
| <b>Mastercard CIT and MIT Indicators</b><br>Positions: 150-153<br>Length: 4<br>Format: alphanumeric                   | <b>Description:</b> This field will contain the indicators for CIT and MIT as they were present in VIP F104 DSID 65 Tag 49.                                                                                                                                                               |
| <b>Transaction Type Identifier</b><br>Positions: 154-156<br>Length: 3<br>Format: alphanumeric                         | <b>Description:</b> This field will contain an identifier submitted in the authorization request message (VIP F104 DSID 65 Tag 32) by an installment provider that is not the merchant selling a good or service to the cardholder.<br>Valid value:<br>P10 = Installment-based repayment. |
| <b>Mastercard Account Number Indicator</b><br>Positions: 157-158<br>Length: 2<br>Format: alphanumeric                 | <b>Description:</b> This field will contain the Mastercard Account Number Indicator.                                                                                                                                                                                                      |

## Gateway Data Edit Criteria

|                                                                                                          |                                                                                                                              |
|----------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------|
| <b>Token VDCU Update First Use Indicator</b><br>Positions: 159<br>Length: 1<br>Format: alphanumeric      | <b>Description:</b> This field will contain the Token VDCU Update First Use Indicator.                                       |
| <b>Visa Account Attack Intelligence Score</b><br>Positions: 160-161<br>Length: 2<br>Format: alphanumeric | <b>Description:</b> This field will contain Visa Account Attack Intelligence Score.<br><b>Score:</b> Field 104 DSID5B Tag85. |
| <b>Mastercard Transaction Type Identifier</b><br>Positions: 162-168<br>Length: 7<br>Format: alphanumeric | <b>Description:</b> This field will contain Mastercard Transaction Type Identifier.<br><b>Score:</b> Field 116 DSID67 Tag06. |

# TC 33.A - CP 01 TCR 7 Gateway Data (Cont'd)

These tables contain the Multipurpose Message (TC 33.A) record layout and edit criteria for CP 01 TCR 7 - GATEWAY DATA (CONT'D).

## CTF - Incoming Interchange

### Gateway Data (Cont'd) Record Layout

| Position | Field Length | Format | Contents                                |
|----------|--------------|--------|-----------------------------------------|
| 1-2      | 2            | UN     | Transaction Code                        |
| 3        | 1            | UN     | Transaction Code Qualifier              |
| 4        | 1            | AN     | Transaction Component Sequence Number   |
| 5        | 1            | AN     | UCAF Status - UCAF Collection Indicator |
| 6-34     | 29           | AN     | Diners/Discover Network Information     |
| 35-80    | 46           | AN     | Diners/Discover Transaction Qualifier   |
| 81-95    | 15           | AN     | Gateway Transaction Identifier          |
| 96-99    | 4            | AN     | Response Data - Merchant Advice Code    |

### Gateway Data (Cont'd) Record Layout

| Position | Field Length | Format | Contents                                                    |
|----------|--------------|--------|-------------------------------------------------------------|
| 100-112  | 13           | AN     | MC/AMEX/Discover Data Codes                                 |
| 113      | 1            | AN     | MC AVV Verification - Program Protocol                      |
| 114-149  | 36           | ANS    | Mastercard AVV Verification Directory Server Transaction ID |
| 150-151  | 2            | AN     | Transit Transaction Type Indicator                          |
| 152-153  | 2            | AN     | Transportation Mode Indicator                               |
| 154-157  | 4            | AN     | CAVV Value (Position 4)                                     |
| 158-168  | 11           | AN     | Merchant Payment Gateway ID                                 |

Format: AN = Alphanumeric, ANS = Alphanumeric Special, DX = Display Hexadecimal, N = Numeric, UN = Unpacked Numeric

### Gateway Data (Cont'd) Edit Criteria

|                                                                                                   |                                                                                                                                                                                                                                                                                     |
|---------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Transaction Code</b><br>Positions: 1-2<br>Length: 2<br>Format: unpacked numeric                | <b>Description:</b> This field contains the value <b>33</b> .                                                                                                                                                                                                                       |
| <b>Transaction Code Qualifier</b><br>Positions: 3<br>Length: 1<br>Format: unpacked numeric        | <b>Description:</b> This field contains the value <b>0</b> .                                                                                                                                                                                                                        |
| <b>Transaction Component Sequence Number</b><br>Positions: 4<br>Length: 1<br>Format: alphanumeric | <b>Description:</b> This field contains the value <b>7</b> .                                                                                                                                                                                                                        |
| <b>UCAF Status-UCAF Collection Indicator</b><br>Positions: 5<br>Length: 1<br>Format: alphanumeric | <b>Description:</b> This field contains an e-commerce indicator that Mastercard Universal Cardholder Authentication Field (UCAF) data is included in the message.<br><br><b>Note:</b> Space-filled for credits.<br><br><b>Note:</b> Mapping: Field 126.15 => MC DE48 SE42 SF1 Pos 3 |



## Gateway Data (Cont'd) Edit Criteria

|                                                                                                        |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
|--------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Diners/Discover Network Information</b><br>Positions: 6-34<br>Length: 29<br>Format: alphanumeric    | <b>Description:</b> This field is part of the data contained in ISO Field 116-Card Issuer Reference Data, DSID 68 Tag 01, of the authorization response.<br>This value is returned in field 48 of the response message and is to be used in the Diners/Discover clearing record.<br>Diners/Discover length = variable, up to 29 bytes.<br><b>Note:</b> Space-filled for credits.                                                                                                                                                     |
| <b>Diners/Discover Transaction Qualifier</b><br>Positions: 35-80<br>Length: 46<br>Format: alphanumeric | <b>Description:</b> This field is part of the data contained in ISO Field 116-Card Issuer Reference Data, DSID 68 Tag 02, of the authorization response.<br>This value is returned in field 124 of the response message and is to be used in the Diners/Discover clearing record.<br>Diners/Discover length = variable, up to 46 bytes.<br><b>Note:</b> Space-filled for credits.                                                                                                                                                    |
| <b>Gateway Transaction Identifier</b><br>Positions: 81-95<br>Length: 15<br>Format: alphanumeric        | <b>Description:</b> Transaction identifier assigned by Gateway Network (Field 62.17).<br>American Express: Field 31 data.<br>Mastercard: Value in this field is defined by the network.<br><b>Note:</b> Space-filled for credits.<br>Mapping: Field 62.17 => MC DE63.1 Financial Network Code<br>Field 62.17 => AMEX Field 31                                                                                                                                                                                                        |
| <b>Response Data-Merchant Advice Code</b><br>Positions: 96-99<br>Length: 4<br>Format: alphanumeric     | <b>Description:</b> Merchant Advice Code received from Mastercard.<br>This field contains the merchant advice code value received from Mastercard authorization response message.<br><b>Note:</b> Space-filled for credits.<br>Mapping: Field 44.14 => MC DE48 SE84                                                                                                                                                                                                                                                                  |
| <b>MC/AMEX/Discover Data Codes</b><br>Positions: 100-112<br>Length: 13<br>Format: alphanumeric         | <b>Description:</b> This field contains a value that describes the system from which the credit or refund was constructed.<br><ul style="list-style-type: none"> <li>For Mastercard, it is used to populate the Mastercard clearing record for DE-22-(POS-Entry-Mode).</li> <li>For Discover, it is used to populate the Discover clearing record for Field-22-Point-of-Service-Entry-Mode-Code.</li> <li>For AMEX, it is used to populate the AMEX clearing record TAB-(Transaction Advice Basic) DF 22 (POS Data Code).</li> </ul> |
| <b>MC AVV Verification - Program Protocol</b><br>Positions: 113<br>Length: 1<br>Format: alphanumeric   | <b>Description:</b> This field contains the MC AVV Verification - Program Protocol.<br>Mapping:<br>F104 U2 DS65 T37 POS 1 => MC DE 48 SE 21 (pos 1)                                                                                                                                                                                                                                                                                                                                                                                  |

### Gateway Data (Cont'd) Edit Criteria

|                                                                                                                                                    |                                                                                                                                                                          |
|----------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Mastercard AVV Verification - Directory Server Transaction ID</b><br>Positions: 114-149<br>Length: 36<br>Format: alphanumeric special character | <b>Description:</b> This field contains the MC AVV Verification - Directory Server Transaction ID.<br>Mapping:<br>F104 U2 DS65 T37 POS 2-37 => MC DE 48 SE 21 (pos 2-37) |
| <b>Transit Transaction Type Indicator</b><br>Positions: 150-151<br>Length: 2<br>Format: alphanumeric                                               | <b>Description:</b> This field will contain the transit transaction type indicator.                                                                                      |
| <b>Transportation Mode Indicator</b><br>Positions: 152-153<br>Length: 2<br>Format: alphanumeric                                                    | <b>Description:</b> This field will contain the transportation mode indicator.                                                                                           |
| <b>CAVV Value (Position 4)</b><br>Positions: 154-157<br>Length: 4<br>Format: alphanumeric                                                          | <b>Description:</b> This field contains the CAVV Value (V.I.P. Field 126.9 Position 4).                                                                                  |
| <b>Merchant Payment Gateway ID</b><br>Positions: 158-168<br>Length: 11<br>Format: alphanumeric                                                     | <b>Description:</b> This field will contain the Merchant Payment Gateway ID assigned by MC.                                                                              |

## TC 33.A - CP 01 TCR 8 Supplemental Data

These tables contain the Multipurpose Message (TC 33.A) record layout and edit criteria for CP 01 TCR 8 - SUPPLEMENTAL DATA.

### CTF - Incoming Interchange

### Supplemental Data Record Layout

| Position | Field Length | Format | Contents                                    |
|----------|--------------|--------|---------------------------------------------|
| 1-2      | 2            | UN     | Transaction Code                            |
| 3        | 1            | UN     | Transaction Code Qualifier                  |
| 4        | 1            | AN     | Transaction Component Sequence Number       |
| 5-12     | 8            | AN     | Surcharge Amount                            |
| 13       | 1            | AN     | Surcharge Credit/Debit Indicator            |
| 14       | 1            | AN     | Dynamic Currency Conversion (CCC) Indicator |
| 15-23    | 9            | AN     | Cashback Amount                             |
| 24-38    | 15           | AN     | Acquirer Merchant ID                        |
| 39-40    | 2            | AN     | Token Assurance Method                      |
| 41-51    | 11           | AN     | Token Requestor ID                          |
| 52-70    | 19           | AN     | PAN Account Range                           |
| 71       | 1            | AN     | Regulated/Non-Regulated Status              |
| 72-76    | 5            | AN     | Reserved                                    |
| 77-78    | 2            | AN     | CAVV Version and Authentication Action      |
| 79-107   | 29           | AN     | Payment Account Reference Number (PAR)      |
| 108-109  | 2            | AN     | Business Application Identifier (BAI)       |
| 110-124  | 15           | AN     | Merchant Tax ID                             |
| 125      | 1            | AN     | Special Condition Indicator                 |
| 126-157  | 32           | ANS    | Mastercard UCAF Data                        |
| 158-159  | 2            | AN     | Multiple Clearing Sequence Number           |
| 160-161  | 2            | AN     | Multiple Clearing Sequence Count            |
| 162      | 1            | AN     | Additional Token Response Information       |
| 163      | 1            | AN     | Merchant to Acquirer Routing                |
| 164-165  | 2            | AN     | Merchant Volume Indicator                   |
| 166-168  | 3            | AN     | Foreign Retailer Indicator                  |

Format: AN = Alphanumeric, ANS = Alphanumeric Special, DX = Display Hexadecimal, N = Numeric, UN = Unpacked Numeric

## Edit Criteria

|                                                                                                          |                                                                                                                                                                                                                                                                                                      |
|----------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Transaction Code</b><br>Positions: 1-2<br>Length: 2<br>Format: unpacked numeric                       | <b>Description:</b> This field contains the value of <b>33</b> .                                                                                                                                                                                                                                     |
| <b>Transaction Code Qualifier</b><br>Positions: 3<br>Length: 1<br>Format: unpacked numeric               | <b>Description:</b> This field contains the value of <b>0</b> .                                                                                                                                                                                                                                      |
| <b>Transaction Component Sequence Number</b><br>Positions: 4<br>Length: 1<br>Format: alphanumeric        | <b>Description:</b> This field contains the value of <b>8</b> .                                                                                                                                                                                                                                      |
| <b>Surcharge Amount</b><br>Positions: 5-12<br>Length: 8<br>Format: alphanumeric                          | <b>Description:</b> This field will contain an acquirer-assessed transaction surcharge for informational purposes only.                                                                                                                                                                              |
| <b>Surcharge Credit/Debit Indicator</b><br>Positions: 13<br>Length: 1<br>Format: alphanumeric            | <b>Description:</b> When the Surcharge Amount field is used, this field indicates whether the charge is a debit or a credit.<br>Values: <ul style="list-style-type: none"> <li>• <b>C</b> (Credit)</li> <li>• <b>D</b> (Debit)</li> <li>• <b>Space</b> (Not used)</li> </ul>                         |
| <b>Dynamic Currency Conversion (CCC) Indicator</b><br>Positions: 14<br>Length: 1<br>Format: alphanumeric | <b>Description:</b> This field will contain a value that indicates whether currency conversion has been applied.<br>Values: <ul style="list-style-type: none"> <li>• <b>1</b> (Dynamic Currency Conversion performed)</li> <li>• <b>Space</b> (Dynamic Currency Conversion not performed)</li> </ul> |
| <b>Cashback Amount</b><br>Positions: 15-23<br>Length: 9<br>Format: alphanumeric                          | <b>Description:</b> This field will contain the cashback amount submitted in the authorization request.                                                                                                                                                                                              |

## Edit Criteria

|                                                                                                          |                                                                                                                                                                                |
|----------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Acquirer Merchant ID</b><br>Positions: 24-38<br>Length: 15<br>Format: alphanumeric                    | <b>Description:</b> This field contains the Merchant ID assigned by the acquirer.                                                                                              |
| <b>Token Assurance Method</b><br>Positions: 39-40<br>Length: 2<br>Format: alphanumeric                   | <b>Description:</b> This field contains the Token Assurance Method values.                                                                                                     |
| <b>Token Requestor ID</b><br>Positions: 41-51<br>Length: 11<br>Format: alphanumeric                      | <b>Description:</b> This field contains the Token Requestor ID values.                                                                                                         |
| <b>PAN Account Range</b><br>Positions: 52-70<br>Length: 19<br>Format: alphanumeric                       | <b>Description:</b> This field contains the PAN Account Range values.                                                                                                          |
| <b>Regulated/Non-Regulated Status</b><br>Positions: 71<br>Length: 1<br>Format: alphanumeric              | <b>Description:</b> This field contains the Regulated/Non-Regulated Status values.                                                                                             |
| <b>Reserved</b><br>Positions: 72-76<br>Length: 5<br>Format: alphanumeric                                 | <b>Description:</b> This field is reserved for future use.                                                                                                                     |
| <b>CAVV Version and Authentication Action</b><br>Positions: 77-78<br>Length: 2<br>Format: alphanumeric   | <b>Description:</b> This field will contain the CAVV Version and Authentication Action, as indicated in V.I.P. Field 126.9, Usage 3-#D Secure CAVV revised format, position 7. |
| <b>Payment Account Reference Number (PAR)</b><br>Positions: 79-107<br>Length: 29<br>Format: alphanumeric | <b>Description:</b> This field will contain the payment account reference value, generated by VisaNet.                                                                         |

## Edit Criteria

|                                                                                                           |                                                                                                               |
|-----------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------|
| <b>Business Application Identifier (BAI)</b><br>Positions: 108-109<br>Length: 2<br>Format: alphanumeric   | <b>Description:</b> This field must contain a value Business Application Identifier (BAI) or spaces.          |
| <b>Merchant Tax ID</b><br>Positions: 110-124<br>Length: 15<br>Format: alphanumeric                        | <b>Description:</b> This field contains the Merchant Tax ID for countries which mandate it in clearing.       |
| <b>Special Condition Indicator</b><br>Positions: 125<br>Length: 1<br>Format: alphanumeric                 | <b>Description:</b> This field will contain a value of <b>9</b> indicating "Payment on a Debt".               |
| <b>Mastercard UCAF Data</b><br>Positions: 126-157<br>Length: 32<br>Format: alphanumeric special character | <b>Description:</b> This field will contain the UCAF.                                                         |
| <b>Multiple Clearing Sequence Number</b><br>Positions: 158-159<br>Length: 2<br>Format: alphanumeric       | <b>Description:</b> This field will contain the Multiple Clearing Sequence Number.                            |
| <b>Multiple Clearing Sequence Count</b><br>Positions: 160-161<br>Length: 2<br>Format: alphanumeric        | <b>Description:</b> This field will contain the Multiple Clearing Sequence Count.                             |
| <b>Additional Token Response Information</b><br>Positions: 162<br>Length: 1<br>Format: alphanumeric       | <b>Description:</b> This field will contain the Additional Token Response Information from V.I.P. Field 44.3. |

## Edit Criteria

|                                                                                              |                                                                                                                                                                                                                                                                                                                                                                                                                                             |
|----------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Merchant to Acquirer Routing</b><br>Positions: 163<br>Length: 1<br>Format: alphanumeric   | <b>Description:</b> This field will contain the Merchant to Acquirer Routing Indicator.<br>Values:<br><ul style="list-style-type: none"> <li>• <b>Y</b> (V.I.P. routed the transaction to the domestic processor)</li> <li>• <b>Space</b> (V.I.P. regular routing to Issuer)</li> </ul>                                                                                                                                                     |
| <b>Merchant Volume Indicator</b><br>Positions: 164-165<br>Length: 2<br>Format: alphanumeric  | <b>Description:</b> This field will contain the Merchant Volume Indicator, submitted by US merchants.<br>Values:<br><b>01</b> (requested)                                                                                                                                                                                                                                                                                                   |
| <b>Foreign Retailer Indicator</b><br>Positions: 166-168<br>Length: 3<br>Format: alphanumeric | <b>Description:</b> This field will contain the Foreign Retailer Indicator. This indicator comes from the V.I.P. Field 104 Usage 2 Dataset ID 56 Tag 04, and allows merchants to identify themselves as foreign retailer under a marketplace.<br>Values:<br><ul style="list-style-type: none"> <li>• <b>F</b> = Retailer is in a different country</li> <li>• <b>All spaces</b> = Retailer is not located in a different country</li> </ul> |

# TC 33.A - CP 01 TCR 9 Argentina Domestic Processing

These tables contain the Multipurpose Message (TC 33.A) record layout and edit criteria for CP 01-TCR 9 - Argentina Domestic Processing.

## Argentina Domestic Processing-Record Layout

| Position | Field Length | Format | Contents                              |
|----------|--------------|--------|---------------------------------------|
| 1-2      | 2            | UN     | Transaction Code                      |
| 3        | 1            | UN     | Transaction Code Qualifier            |
| 4        | 1            | AN     | Transaction Component Sequence Number |
| 5-7      | 3            | AN     | Country Code                          |
| 8-15     | 8            | AN     | Purchase Receipt Number               |
| 16-21    | 6            | AN     | Local Date                            |
| 22-23    | 2            | AN     | Installment Type                      |
| 24-25    | 2            | N      | Number of Installments                |

### Argentina Domestic Processing-Record Layout

| Position | Field Length | Format | Contents               |
|----------|--------------|--------|------------------------|
| 26-37    | 12           | N      | Installment Amount     |
| 38-43    | 6            | AN     | Consumer Deferred Sale |
| 44-55    | 12           | N      | Interest Rate Amount   |
| 56-168   | 113          | AN     | Reserved               |

Format: AN = Alphanumeric, ANS = Alphanumeric Special, DX = Display Hexadecimal, N = Numeric, UN = Unpacked Numeric

### Argentina Domestic Processing-Edit Criteria

|                                                                                                   |                                                                                                                                                          |
|---------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Transaction Code</b><br>Positions: 1-2<br>Length: 2<br>Format: unpacked numeric                | <b>Description:</b> This field contains the value of <b>33</b> .                                                                                         |
| <b>Transaction Code Qualifier</b><br>Positions: 3<br>Length: 1<br>Format: unpacked numeric        | <b>Description:</b> This field contains the value of <b>0</b> .                                                                                          |
| <b>Transaction Component Sequence Number</b><br>Positions: 4<br>Length: 1<br>Format: alphanumeric | <b>Description:</b> This field contains the value of <b>9</b> .                                                                                          |
| <b>Country Code</b><br>Positions: 5-7<br>Length: 3<br>Format: alphanumeric                        | <b>Description:</b> This field will contain a value of <b>032</b> (Argentina's Country Code).                                                            |
| <b>Purchase Receipt Number</b><br>Positions: 8-15<br>Length: 8<br>Format: alphanumeric            | <b>Description:</b> This field will contain the receipt number. For Merchandise Credit, this field contains the receipt number of the original purchase. |
| <b>Local Date</b><br>Positions: 16-21<br>Length: 6<br>Format: alphanumeric                        | <b>Description:</b> This field will contain the local date in format <b>DDMMYY</b> .                                                                     |



## Argentina Domestic Processing-Edit Criteria

|                                                                                        |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
|----------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Installment Type</b><br>Positions: 22-23<br>Length: 2<br>Format: alphanumeric       | <b>Description:</b> This field will contain the installment type.<br>The following values are valid for Visa installments: <ul style="list-style-type: none"><li>• <b>0</b> (Merchant Funding Installment)</li><li>• <b>1</b> (Issuer Installment)</li><li>• <b>7</b> (Merchant Installment with Cardholder Interest–Government Plan)</li></ul> The following values are valid for Mastercard installments: <ul style="list-style-type: none"><li>• <b>20</b> (Issuer Financed)</li><li>• <b>21</b> (Merchant Financed)</li></ul> |
| <b>Number of Installments</b><br>Positions: 24-25<br>Length: 2<br>Format: numeric      | <b>Description:</b> This field will contain the number of installments.                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
| <b>Installment Amount</b><br>Positions: 26-37<br>Length: 12<br>Format: numeric         | <b>Description:</b> This field will contain the installment amount.<br>Only available in Visa transactions.                                                                                                                                                                                                                                                                                                                                                                                                                       |
| <b>Consumer Deferred Sale</b><br>Positions: 38-43<br>Length: 6<br>Format: alphanumeric | <b>Description:</b> This field will contain the consumer deferred billing sale date, in <b>ddmmyy</b> format.<br>Only available in Visa transactions.                                                                                                                                                                                                                                                                                                                                                                             |
| <b>Interest Rate Amount</b><br>Positions: 44-55<br>Length: 12<br>Format: numeric       | <b>Description:</b> This field will contain the interest rate amount.<br>Only available in Visa transactions.<br>Interest Rate, contains interest rate amount, right-justified with leading zeros.                                                                                                                                                                                                                                                                                                                                |
| <b>Reserved</b><br>Positions: 56-168<br>Length: 113<br>Format: alphanumeric            | <b>Description:</b> This field is reserved for future use.                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |

# TC 33.A - CP 01 TCR 9 Intra-Country Data - Brazil National Data

These tables contain the Multipurpose Message (TC 33.A) record layout and edit criteria for CP 01 TCR 9 - INTRA-COUNTRY DATA - BRAZIL NATIONAL DATA.

## CTF - Incoming Interchange

### Intra-Country Data - Brazil National Data Record Layout

| Position | Field Length | Format | Contents                              |
|----------|--------------|--------|---------------------------------------|
| 1-2      | 2            | UN     | Transaction Code                      |
| 3        | 1            | UN     | Transaction Code Qualifier            |
| 4        | 1            | AN     | Transaction Component Sequence Number |
| 5-7      | 3            | AN     | Country Code                          |
| 8-19     | 12           | N      | Total Amount                          |
| 20-22    | 3            | AN     | Currency Code                         |
| 23-25    | 3            | AN     | Number of Installments                |
| 26-37    | 12           | N      | Amount of Each Installment            |
| 38-40    | 3            | N      | Installment Payment Number            |
| 41       | 1            | AN     | Frequency of Installments             |
| 42-47    | 6            | AN     | Date of First Installment             |
| 48-59    | 12           | N      | Total Amount Funded                   |
| 60-63    | 4            | N      | Percent of Amount Requested           |
| 64-75    | 12           | N      | Total Expenses                        |
| 76-79    | 4            | N      | Percent of Total Expense              |
| 80-91    | 12           | N      | Total Fees                            |
| 92-95    | 4            | N      | Percent of Total Fees                 |
| 96-107   | 12           | N      | Total Taxes                           |
| 108-111  | 4            | N      | Percent of Total Taxes                |
| 112-123  | 12           | N      | Total Insurance                       |
| 124-127  | 4            | N      | Percent of Total Insurance            |
| 128-139  | 12           | N      | Total Other Costs                     |

### Intra-Country Data - Brazil National Data Record Layout

| Position | Field Length | Format | Contents                       |
|----------|--------------|--------|--------------------------------|
| 140-143  | 4            | N      | Percent of Total Other Costs   |
| 144-150  | 7            | N      | Monthly Interest Rate          |
| 151-157  | 7            | N      | Annual Interest Rate           |
| 158-164  | 7            | N      | Annual Total Cost of Financing |
| 165      | 1            | AN     | Installment Payment Type       |
| 166-168  | 3            | AN     | Reserved                       |

Format: AN = Alphanumeric, ANS = Alphanumeric Special, DX = Display Hexadecimal, N = Numeric, UN = Unpacked Numeric

### Intra-Country Data-Brazil National Data Edit Criteria

|                                                                                                   |                                                                           |
|---------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------|
| <b>Transaction Code</b><br>Positions: 1-2<br>Length: 2<br>Format: unpacked numeric                | <b>Description:</b> This field will contain the value of <b>33</b> .      |
| <b>Transaction Code Qualifier</b><br>Positions: 3<br>Length: 1<br>Format: unpacked numeric        | <b>Description:</b> This field will contain the value of <b>0</b> .       |
| <b>Transaction Component Sequence Number</b><br>Positions: 4<br>Length: 1<br>Format: alphanumeric | <b>Description:</b> This field will contain the value of <b>9</b> .       |
| <b>Country Code</b><br>Positions: 5-7<br>Length: 3<br>Format: alphanumeric                        | <b>Description:</b> This field will contain the country code <b>986</b> . |
| <b>Total Amount</b><br>Positions: 8-19<br>Length: 12<br>Format: numeric                           | <b>Description:</b> This field will contain the total amount.             |

## Intra-Country Data-Brazil National Data Edit Criteria

|                                                                                           |                                                                                                                                                                                                                                                                               |
|-------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Currency Code</b><br>Positions: 20-22<br>Length: 3<br>Format: alphanumeric             | <b>Description:</b> This field will contain the currency code.                                                                                                                                                                                                                |
| <b>Number of Installments</b><br>Positions: 23-25<br>Length: 3<br>Format: alphanumeric    | <b>Description:</b> This field will contain the number of installments.                                                                                                                                                                                                       |
| <b>Amount of each Installment</b><br>Positions: 26-37<br>Length: 12<br>Format: numeric    | <b>Description:</b> This field will contain the amount of each installment.<br><br><b>Note:</b> Two decimals are implied.                                                                                                                                                     |
| <b>Installment Payment Number</b><br>Positions: 38-40<br>Length: 3<br>Format: numeric     | <b>Description:</b> This field will contain the installment payment number.                                                                                                                                                                                                   |
| <b>Frequency of Installments</b><br>Positions: 41<br>Length: 1<br>Format: alphanumeric    | <b>Description:</b> This field will contain the frequency of installments.<br>Values:<br><b>B</b> = Bi-weekly<br><b>M</b> = Monthly<br><b>W</b> = Weekly<br><b>Space</b> = Not Applicable<br><br><b>Note:</b> For Crediarío Installment Payment, the value must be <b>M</b> . |
| <b>Date of First Installment</b><br>Positions: 42-47<br>Length: 6<br>Format: alphanumeric | <b>Description:</b> This field will contain the date of the first installment.<br><br><b>Note:</b> Format <b>YYMMDD</b> .                                                                                                                                                     |
| <b>Total Amount Funded</b><br>Positions: 48-59<br>Length: 12<br>Format: numeric           | <b>Description:</b> This field will contain the total amount funded.<br><br><b>Note:</b> Two decimals are implied.                                                                                                                                                            |
| <b>Percent of Amount Requested</b><br>Positions: 60-63<br>Length: 4<br>Format: numeric    | <b>Description:</b> This field will contain the percent of amount requested.<br><br><b>Note:</b> One decimal is implied.                                                                                                                                                      |

### Intra-Country Data-Brazil National Data Edit Criteria

|                                                                                         |                                                                                                                         |
|-----------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------|
| <b>Total Expenses</b><br>Positions: 64-75<br>Length: 12<br>Format: numeric              | <b>Description:</b> This field will contain the total expenses.<br><br><b>Note:</b> Two decimals are implied.           |
| <b>Percent of Total Expenses</b><br>Positions: 76-79<br>Length: 4<br>Format: numeric    | <b>Description:</b> This field will contain the percent of total expenses.<br><br><b>Note:</b> One decimal is implied.  |
| <b>Total Fees</b><br>Positions: 80-91<br>Length: 12<br>Format: numeric                  | <b>Description:</b> This field will contain the total fees.<br><br><b>Note:</b> Two decimals are implied.               |
| <b>Percent of Total Fees</b><br>Positions: 92-95<br>Length: 4<br>Format: numeric        | <b>Description:</b> This field will contain the percent of total fees.<br><br><b>Note:</b> One decimal is implied.      |
| <b>Total Taxes</b><br>Positions: 96-107<br>Length: 12<br>Format: numeric                | <b>Description:</b> This field will contain the total taxes.<br><br><b>Note:</b> Two decimals are implied.              |
| <b>Percent of Total Taxes</b><br>Positions: 108-111<br>Length: 4<br>Format: numeric     | <b>Description:</b> This field will contain the percent of total taxes.<br><br><b>Note:</b> One decimal is implied.     |
| <b>Total Insurance</b><br>Positions: 112-123<br>Length: 12<br>Format: numeric           | <b>Description:</b> This field will contain the total insurance.<br><br><b>Note:</b> Two decimals are implied.          |
| <b>Percent of Total Insurance</b><br>Positions: 124-127<br>Length: 4<br>Format: numeric | <b>Description:</b> This field will contain the percent of total insurance.<br><br><b>Note:</b> One decimal is implied. |

### Intra-Country Data-Brazil National Data Edit Criteria

|                                                                                             |                                                                                                                               |
|---------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------|
| <b>Total Other Costs</b><br>Positions: 128-139<br>Length: 12<br>Format: numeric             | <b>Description:</b> This field will contain the total other costs.<br><br><b>Note:</b> Two decimals are implied.              |
| <b>Percent of Total Other Costs</b><br>Positions: 140-143<br>Length: 4<br>Format: numeric   | <b>Description:</b> This field will contain the percent of total other costs.<br><br><b>Note:</b> One decimal is implied.     |
| <b>Monthly Interest Rate</b><br>Positions: 144-150<br>Length: 7<br>Format: numeric          | <b>Description:</b> This field will contain the monthly interest rate.<br><br><b>Note:</b> Two decimals are implied.          |
| <b>Annual Interest Rate</b><br>Positions: 151-157<br>Length: 7<br>Format: numeric           | <b>Description:</b> This field will contain the annual interest rate.<br><br><b>Note:</b> Two decimals are implied.           |
| <b>Annual Total Cost of Financing</b><br>Positions: 158-164<br>Length: 7<br>Format: numeric | <b>Description:</b> This field will contain the annual total cost of financing.<br><br><b>Note:</b> Two decimals are implied. |
| <b>Installment Payment Type</b><br>Positions: 165<br>Length: 1<br>Format: alphanumeric      | <b>Description:</b> This field will contain the installment payment type.<br>Value:<br><b>5</b> = Crediarario                 |
| <b>Reserved</b><br>Positions: 166-168<br>Length: 3<br>Format: alphanumeric                  | <b>Description:</b> This field is reserved; space-filled.                                                                     |

# TC 33.A - CP 01 TCR 9 Domestic Processing - Chile National Data

These tables contain the Multipurpose Message (TC 33.A) record layout and edit criteria for CP 01 TCR 9 - INTRA-COUNTRY DATA - CHILE NATIONAL DATA.

## Intra-Country Data-Chile National Data Record Layout

| Position | Field Length | Format | Contents                                         |
|----------|--------------|--------|--------------------------------------------------|
| 1-2      | 2            | UN     | Transaction Code                                 |
| 3        | 1            | UN     | Transaction Code Qualifier                       |
| 4        | 1            | AN     | Transaction Component Sequence Number            |
| 5-7      | 3            | AN     | Country Code                                     |
| 8-19     | 12           | AN     | Total Purchase Amount                            |
| 20-22    | 3            | N      | Number of Installments                           |
| 23       | 1            | N      | Installment Type                                 |
| 24-35    | 12           | N      | Installment Amount                               |
| 36-39    | 4            | N      | Transaction Interest Rate                        |
| 40       | 1            | N      | Deferred Period                                  |
| 41       | 1            | AN     | Simulation Flag                                  |
| 42       | 1            | AN     | Issuer Grace Period Flag                         |
| 43       | 1            | N      | Merchant Grace Period                            |
| 44       | 1            | N      | Deferred Period Simulation Flag                  |
| 45-49    | 5            | AN     | Reserved for Annual Equivalent Charge Rate (CAE) |
| 50       | 1            | AN     | Domestic E-commerce Tool                         |
| 51-120   | 70           | AN     | Domestic E-commerce Tool Data                    |
| 121-168  | 48           | AN     | Reserved                                         |

Format: AN = Alphanumeric, ANS = Alphanumeric Special, DX = Display Hexadecimal, N = Numeric, UN = Unpacked Numeric

## Intra-Country Data-Chile National Data Edit Criteria

|                                                                                                   |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
|---------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Transaction Code</b><br>Positions: 1-2<br>Length: 2<br>Format: unpacked numeric                | <b>Description:</b> This field contains the value of <b>33</b> .                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
| <b>Transaction Code Qualifier</b><br>Positions: 3<br>Length: 1<br>Format: unpacked numeric        | <b>Description:</b> This field contains the value of <b>0</b> .                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
| <b>Transaction Component Sequence Number</b><br>Positions: 4<br>Length: 1<br>Format: alphanumeric | <b>Description:</b> This field contains the value of <b>9</b> .                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
| <b>Country Code</b><br>Positions: 5-7<br>Length: 3<br>Format: alphanumeric                        | <b>Description:</b> This field will contain <b>152</b> .                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
| <b>Total Purchase Amount</b><br>Positions: 8-19<br>Length: 12<br>Format: alphanumeric             | <b>Description:</b> This field will contain the total amount.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
| <b>Number of Installments</b><br>Positions: 20-22<br>Length: 3<br>Format: numeric                 | <b>Description:</b> This field will contain the number of installments.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
| <b>Installment Type</b><br>Positions: 23<br>Length: 1<br>Format: numeric                          | <b>Description:</b> This field will contain the installment type.<br>The following values are valid for Visa installments: <ul style="list-style-type: none"> <li>• <b>1</b> (Issuer Installment)</li> <li>• <b>3</b> (Merchant Installments - (Cash Price 2 or 3 Installments))</li> <li>• <b>4</b> (Merchant Installments - 4 and up installments))</li> </ul> The following values are valid for Mastercard installments: <ul style="list-style-type: none"> <li>• <b>1</b> (Issuer Financed)</li> <li>• <b>2</b> (Merchant Financed - (Cash Price 2 or 3 Installments))</li> <li>• <b>3</b> (Merchant Financed - 4 and up installments))</li> </ul> |



## Intra-Country Data-Chile National Data Edit Criteria

|                                                                                                                  |                                                                                                                                    |
|------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------|
| <b>Installment Amount</b><br>Positions: 24-35<br>Length: 12<br>Format: numeric                                   | <b>Description:</b> This field will contain the installment amount.                                                                |
| <b>Transaction Interest Rate</b><br>Positions: 36-39<br>Length: 4<br>Format: numeric                             | <b>Description:</b> This field will contain the transaction interest rate.                                                         |
| <b>Deferred Period</b><br>Positions: 40<br>Length: 1<br>Format: numeric                                          | <b>Description:</b> This field will contain the deferred period.                                                                   |
| <b>Simulation Flag</b><br>Positions: 41<br>Length: 1<br>Format: alphanumeric                                     | <b>Description:</b> This field will contain the simulation flag.                                                                   |
| <b>Issuer Grace Period Flag</b><br>Positions: 42<br>Length: 1<br>Format: alphanumeric                            | <b>Description:</b> This field will contain the issuer grace period flag.<br>Only available in Mastercard transactions.            |
| <b>Merchant Grace Period</b><br>Positions: 43<br>Length: 1<br>Format: numeric                                    | <b>Description:</b> This field will contain the Merchant Grace Period.                                                             |
| <b>Deferred Period Simulation Flag</b><br>Positions: 44<br>Length: 1<br>Format: numeric                          | <b>Description:</b> This field will contain the deferred period simulation flag.                                                   |
| <b>Reserved for Annual Equivalent Charge Rate (CAE)</b><br>Positions: 45-49<br>Length: 5<br>Format: alphanumeric | <b>Description:</b> This field will contain the Annual Equivalent Charge Rate (CAE).<br>Only available in Mastercard transactions. |

### Intra-Country Data-Chile National Data Edit Criteria

|                                                                                                 |                                                                                                                        |
|-------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------|
| <b>Domestic E-commerce Tool</b><br>Positions: 50<br>Length: 1<br>Format: alphanumeric           | <b>Description:</b> This field will contain the domestic E-commerce tool.<br>Only available in Visa transactions.      |
| <b>Domestic E-commerce Tool Data</b><br>Positions: 51-120<br>Length: 70<br>Format: alphanumeric | <b>Description:</b> This field will contain the domestic E-commerce tool data.<br>Only available in Visa transactions. |
| <b>Reserved</b><br>Positions: 121-168<br>Length: 48<br>Format: alphanumeric                     | <b>Description:</b> This field will contain spaces.                                                                    |

## TC 33.A - CP 01 TCR 9 Processing - Uruguay National Data

These tables contain the Multipurpose Message (TC 33.A) record layout and edit criteria for CP 01 TCR 9 - DOMESTIC PROCESSING - URUGUAY NATIONAL DATA.

### Domestic Processing -Uruguay National Data Record Layout

| Position | Field Length | Format | Contents                                             |
|----------|--------------|--------|------------------------------------------------------|
| 1-2      | 2            | UN     | Transaction Code                                     |
| 3        | 1            | UN     | Transaction Code Qualifier                           |
| 4        | 1            | AN     | Transaction Component Sequence Number                |
| 5        | 1            | N      | Months Deferred                                      |
| 6        | 1            | AN     | Reserved                                             |
| 7-18     | 12           | N      | Invoice Amount                                       |
| 19-30    | 12           | N      | Tax Benefit Total Amount                             |
| 31-42    | 12           | N      | Amount before Discount (Transaction Original Amount) |
| 43-54    | 12           | N      | Base Amount for Tax Benefits Calculation             |
| 55-58    | 4            | N      | Basis Points Applied by the Law                      |

## Domestic Processing -Uruguay National Data Record Layout

| Position | Field Length | Format | Contents                                    |
|----------|--------------|--------|---------------------------------------------|
| 59-67    | 9            | AN     | Merchant's Invoice Serial Number            |
| 68       | 1            | AN     | Fiscal Benefits Retention Agent             |
| 69-93    | 25           | AN     | Order Number                                |
| 94-105   | 12           | AN     | Promotion Code                              |
| 106-118  | 13           | AN     | Cardholder ID for Recurring Payments        |
| 119-125  | 7            | N      | Annual Total Cost of Financing              |
| 126-137  | 12           | N      | Installment Payment Interest                |
| 138-139  | 2            | AN     | Law Identification                          |
| 140-144  | 5            | AN     | Billing Period - MC Recurring Transaction   |
| 145-156  | 12           | AN     | Reference Number - MC Recurring Transaction |
| 157-160  | 4            | N      | VAT Rate                                    |
| 161      | 1            | AN     | Floor Limit Applied by Tax Benefit Law      |
| 162-168  | 7            | AN     | Reserved                                    |

Format: AN = Alphanumeric, ANS = Alphanumeric Special, DX = Display Hexadecimal, N = Numeric, UN = Unpacked Numeric

## Domestic Processing -Uruguay National Data Edit Criteria

|                                                                                                   |                                                                      |
|---------------------------------------------------------------------------------------------------|----------------------------------------------------------------------|
| <b>Transaction Code</b><br>Positions: 1-2<br>Length: 2<br>Format: unpacked numeric                | <b>Description:</b> This field will contain the value of <b>33</b> . |
| <b>Transaction Code Qualifier</b><br>Positions: 3<br>Length: 1<br>Format: unpacked numeric        | <b>Description:</b> This field will contain the value of <b>0</b> .  |
| <b>Transaction Component Sequence Number</b><br>Positions: 4<br>Length: 1<br>Format: alphanumeric | <b>Description:</b> This field will contain the value of <b>9</b> .  |

## Domestic Processing -Uruguay National Data Edit Criteria

|                                                                                                                      |                                                                                                                                                          |
|----------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Months Deferred</b><br>Positions: 5<br>Length: 1<br>Format: numeric                                               | <b>Description:</b> This field will contain the number of months deferred.                                                                               |
| <b>Reserved</b><br>Positions: 6<br>Length: 1<br>Format: alphanumeric                                                 | <b>Description:</b> This field will contain spaces.                                                                                                      |
| <b>Invoice Amount</b><br>Positions: 7-18<br>Length: 12<br>Format: numeric                                            | <b>Description:</b> This field will contain the invoice amount.                                                                                          |
| <b>Tax Benefit Total Amount</b><br>Positions: 19-30<br>Length: 12<br>Format: numeric                                 | <b>Description:</b> This field will contain the Tax Benefit Total Amount.                                                                                |
| <b>Amount before Discount<br/>(Transaction Original Amount)</b><br>Positions: 31-42<br>Length: 12<br>Format: numeric | <b>Description:</b> This field will contain the Transaction Amount before the discount.                                                                  |
| <b>Base Amount for Tax Benefits<br/>Calculation</b><br>Positions: 43-54<br>Length: 12<br>Format: numeric             | <b>Description:</b> This field will contain the Base Amount for Tax Benefits Calculation.                                                                |
| <b>Basis Points Applied by the Law</b><br>Positions: 55-58<br>Length: 4<br>Format: numeric                           | <b>Description:</b> This field will contain the Basis Points Applied by the Law.                                                                         |
| <b>Merchant's Invoice Serial<br/>Number</b><br>Positions: 59-67<br>Length: 9<br>Format: alphanumeric                 | <b>Description:</b> This field will contain the Merchant's Invoice Serial Number.<br><br>Mapping:<br>F114 DSID 6C TC7(2AN)+TC8(7AN) Captured only for MC |

### Domestic Processing -Uruguay National Data Edit Criteria

|                                                                                                             |                                                                                                                   |
|-------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------|
| <b>Fiscal Benefits Retention Agent</b><br>Positions: 68<br>Length: 1<br>Format: alphanumeric                | <b>Description:</b> This field will contain the Fiscal Benefits Retention Agent.                                  |
| <b>Order Number</b><br>Positions: 69-93<br>Length: 25<br>Format: alphanumeric                               | <b>Description:</b> This field will contain the order number.                                                     |
| <b>Promotion Code</b><br>Positions: 94-105<br>Length: 12<br>Format: alphanumeric                            | <b>Description:</b> This field will contain the promotion code.                                                   |
| <b>Cardholder ID for Recurring Payments</b><br>Positions: 106-118<br>Length: 13<br>Format: alphanumeric     | <b>Description:</b> This field will contain the Cardholder ID for Recurring Payments for Visa Recurring Payments. |
| <b>Annual Total Cost of Financing</b><br>Positions: 119-125<br>Length: 7<br>Format: numeric                 | <b>Description:</b> This field will contain the Annual Total Cost of Financing for Visa Installment Payments.     |
| <b>Installment Payment Interest</b><br>Positions: 126-137<br>Length: 12<br>Format: numeric                  | <b>Description:</b> This field will contain the Installment Payment Interest for Visa Installment Payments.       |
| <b>Law Identification - Mastercard</b><br>Positions: 138-139<br>Length: 2<br>Format: alphanumeric           | <b>Description:</b> This field will contain the Law Identification - Mastercard.                                  |
| <b>Billing Period - MC Recurring Transaction</b><br>Positions: 140-144<br>Length: 5<br>Format: alphanumeric | <b>Description:</b> This field will contain the Billing Period - MC Recurring Transaction.                        |

### Domestic Processing -Uruguay National Data Edit Criteria

|                                                                                                                        |                                                                                                 |
|------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------|
| <b>Reference Number - MC<br/>Recurring Transaction</b><br><br>Positions: 145-156<br>Length: 12<br>Format: alphanumeric | <b>Description:</b> This field will contain the Reference Number - MC<br>Recurring Transaction. |
| <b>VAT Rate</b><br><br>Positions: 157-160<br>Length: 4<br>Format: numeric                                              | <b>Description:</b> This field will contain the VAT rate.                                       |
| <b>Floor Limit Applied by Tax<br/>Benefit Law</b><br><br>Positions: 161<br>Length: 1<br>Format: alphanumeric           | <b>Description:</b> This field will contain the Floor Limit Applied by Tax Benefit<br>Law.      |
| <b>Reserved</b><br><br>Positions: 162-168<br>Length: 7<br>Format: alphanumeric                                         | <b>Description:</b> This field will contain spaces.                                             |

## TC 33.A - CP 01 TCR 9 Intra-Country Data - Colombia National Data

These tables contain the Multipurpose Message (TC 33.A) record layout and edit criteria for CP 01 TCR 9 - INTRA-COUNTRY DATA - COLOMBIA NATIONAL DATA.

### CTF - Incoming Interchange

#### Intra-Country Data-Columbia National Data Record Layout

| Position | Field<br>Length | Format | Contents                              |
|----------|-----------------|--------|---------------------------------------|
| 1-2      | 2               | UN     | Transaction Code                      |
| 3        | 1               | UN     | Transaction Code Qualifier            |
| 4        | 1               | AN     | Transaction Component Sequence Number |
| 5-7      | 3               | AN     | Country Code                          |
| 8-130    | 123             | AN     | National Net Domestic Token Data      |

### Intra-Country Data-Columbia National Data Record Layout

| Position | Field Length | Format | Contents                                                |
|----------|--------------|--------|---------------------------------------------------------|
| 131-141  | 11           | AN     | Mastercard Installment Customer ID                      |
| 142-160  | 19           | AN     | Mastercard Purchase - Card Issuer Data                  |
| 161-162  | 2            | AN     | Mastercard Purchase - Amount Gratuity                   |
| 163-168  | 6            | N      | Mastercard Purchase - Acquirer Original Processing Code |

Format: AN = Alphanumeric, ANS = Alphanumeric Special, DX = Display Hexadecimal, N = Numeric, UN = Unpacked Numeric

### Intra-Country Data-Columbia National Data Edit Criteria

|                                                                                                    |                                                                                                                               |
|----------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------|
| <b>Transaction Code</b><br>Positions: 1-2<br>Length: 2<br>Format: unpacked numeric                 | <b>Description:</b> This field contains the value of <b>33</b> .                                                              |
| <b>Transaction Code Qualifier</b><br>Positions: 3<br>Length: 1<br>Format: unpacked numeric         | <b>Description:</b> This field contains the value of <b>0</b> .                                                               |
| <b>Transaction Component Sequence Number</b><br>Positions: 4<br>Length: 1<br>Format: alphanumeric  | <b>Description:</b> This field contains the value of <b>9</b> .                                                               |
| <b>Country Code</b><br>Positions: 5-7<br>Length: 3<br>Format: alphanumeric                         | <b>Description:</b> This field contains the country code <b>170</b> for Colombia.                                             |
| <b>National Net Domestic Token Data</b><br>Positions: 8-130<br>Length: 123<br>Format: alphanumeric | <b>Description:</b> This field contains the National Net Domestic Private Data ("Token" in Colombian processing terminology). |

### Intra-Country Data-Columbia National Data Edit Criteria

|                                                                                                                      |                                                                                                                                                                                                   |
|----------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Mastercard Installment Customer ID</b><br>Positions: 131-141<br>Length: 11<br>Format: alphanumeric                | <b>Description:</b> This field will contain the Merchant Installment Customer ID assigned by MC.<br><b>Mapping:</b><br>Value comes from Field 104 DSID 65 Tag 06 => DE112 SE011.                  |
| <b>Mastercard Purchase - Card Issuer Data</b><br>Positions: 142-160<br>Length: 19<br>Format: alphanumeric            | <b>Description:</b> This field will contain the Card Issuer Data for MC transactions.<br><b>Mapping:</b><br>Value comes from Field 104 DSID 65 Tag 02 position 1-19 => DE124 SF1.                 |
| <b>Mastercard Purchase - Amount Gratuity</b><br>Positions: 161-162<br>Length: 2<br>Format: alphanumeric              | <b>Description:</b> This field will contain the Gratuity Amount for MC transactions.<br><b>Mapping:</b><br>Value comes from Field 104 DSID 65 Tag 02 position 186-187 => DE54 SF2.                |
| <b>Mastercard Purchase - Acquirer Original Processing Code</b><br>Positions: 163-168<br>Length: 6<br>Format: numeric | <b>Description:</b> This field will contain the Acquirer Original Processing code in MC transactions.<br><b>Mapping:</b><br>Value comes from Field 104 DSID 65 Tag 02 position 87-92 => DE54 SF6. |

## TC 33.A - CP 01 TCR 9 Intra- Country Data - India National Data

These tables contain the Multipurpose Message (TC 33.A) record layout and edit criteria for CP 01 TCR 9 - INTRA-COUNTRY DATA - INDIA NATIONAL DATA.

### Intra-Country Data-India National Data Record Layout

| Position | Field Length | Format | Contents                              |
|----------|--------------|--------|---------------------------------------|
| 1-2      | 2            | UN     | Transaction Code                      |
| 3        | 1            | UN     | Transaction Code Qualifier            |
| 4        | 1            | AN     | Transaction Component Sequence Number |
| 5        | 1            | AN     | SI Type                               |
| 6        | 1            | AN     | Transaction Type                      |



### Intra-Country Data-India National Data Record Layout

| Position | Field Length | Format | Contents            |
|----------|--------------|--------|---------------------|
| 7        | 1            | AN     | Validation Flag     |
| 8-17     | 10           | AN     | SI Hub ID           |
| 18-19    | 2            | AN     | Number of SI Debits |
| 20       | 1            | AN     | Frequency of SI     |
| 21-168   | 148          | AN     | Reserved            |

Format: AN = Alphanumeric, ANS = Alphanumeric Special, DX = Display Hexadecimal, N = Numeric, UN = Unpacked Numeric

### Intra-Country Data-India National Data Edit Criteria

|                                                                                                   |                                                                                                                                                                                                                                   |
|---------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Transaction Code</b><br>Positions: 1-2<br>Length: 2<br>Format: unpacked numeric                | <b>Description:</b> This field will contain the value of <b>33</b> .                                                                                                                                                              |
| <b>Transaction Code Qualifier</b><br>Positions: 3<br>Length: 1<br>Format: unpacked numeric        | <b>Description:</b> This field will contain the number <b>0</b> .                                                                                                                                                                 |
| <b>Transaction Component Sequence Number</b><br>Positions: 4<br>Length: 1<br>Format: alphanumeric | <b>Description:</b> This field will contain the number <b>9</b> .                                                                                                                                                                 |
| <b>SI Type</b><br>Positions: 5<br>Length: 1<br>Format: alphanumeric                               | <b>Description:</b> This field will contain Standing Instruction (SI) type.<br>Values:<br><b>1</b> = Fixed Amount SI<br><b>2</b> = Maximum Amount SI<br><b>3</b> = Installments<br>Mapping:<br>F104 U2 DSID 65 T45 => DE48 SE 041 |

### Intra-Country Data-India National Data Edit Criteria

|                                                                                     |                                                                                                                                                                                                                  |
|-------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Transaction Type</b><br>Positions: 6<br>Length: 1<br>Format: alphanumeric        | <b>Description:</b> This field will contain the Transaction Type.<br>Values:<br><b>1</b> = Registration/First transaction<br><b>2</b> = Subsequent transaction<br>Mapping:<br>F104 U2 DSID 65 T45 => DE48 SE 041 |
| <b>Validation Flag</b><br>Positions: 7<br>Length: 1<br>Format: alphanumeric         | <b>Description:</b> This field will contain the Validation Flag.<br>Values:<br><b>1</b> = Pre-validated transactions<br><b>2</b> = Not validated transaction<br>Mapping:<br>F104 U2 DSID 65 T45 => DE48 SE 041   |
| <b>SI Hub ID</b><br>Positions: 8-17<br>Length: 10<br>Format: alphanumeric           | <b>Description:</b> This field will contain the SI Hub ID.<br>Mapping:<br>F104 U2 DSID 65 T45 => DE48 SE 041                                                                                                     |
| <b>Number of SI Debits</b><br>Positions: 18-19<br>Length: 2<br>Format: alphanumeric | <b>Description:</b> This field will contain the Number of SI Debits.<br>Values:<br>Range 01...98<br><b>99</b> = Cancel or Undefined SI Debits<br>Mapping:<br>F104 U2 DSID 65 T45 => DE48 SE 041                  |

### Intra-Country Data-India National Data Edit Criteria

|                                                                              |                                                                                                                                                                                                                                                                                                                      |
|------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Frequency of SI</b><br>Positions: 20<br>Length: 1<br>Format: alphanumeric | <b>Description:</b> This field will contain the Frequency of SI.<br>Values:<br><b>1</b> = Daily<br><b>2</b> = Weekly<br><b>3</b> = Fortnightly<br><b>4</b> = Monthly<br><b>5</b> = Quarterly<br><b>6</b> = Half-yearly<br><b>7</b> = Annually<br><b>8</b> = Ad-hoc<br>Mapping:<br>F104 U2 DSID 65 T45 => DE48 SE 041 |
| <b>Reserved</b><br>Positions: 21-168<br>Length: 148<br>Format: alphanumeric  | <b>Description:</b> This field will contain spaces.                                                                                                                                                                                                                                                                  |

## TC 33.A - CP 01 TCR 9 Intra-Country Data - Japan National Data

These tables contain the Multipurpose Message (TC 33.A) record layout and edit criteria for CP 01 TCR 9 - INTRA-COUNTRY DATA - JAPAN NATIONAL DATA.

### Intra-Country Data-Japan National Data Record Layout

| Position | Field Length | Format | Contents                              |
|----------|--------------|--------|---------------------------------------|
| 1-2      | 2            | UN     | Transaction Code                      |
| 3        | 1            | UN     | Transaction Code Qualifier            |
| 4        | 1            | AN     | Transaction Component Sequence Number |
| 5-7      | 3            | AN     | Country Code                          |
| 8        | 1            | AN     | Number of Bonus Payments              |
| 9        | 1            | AN     | Bonus Month Sign                      |
| 10-13    | 4            | AN     | Bonus Amount                          |

## Intra-Country Data-Japan National Data Record Layout

| Position | Field Length | Format | Contents                       |
|----------|--------------|--------|--------------------------------|
| 14-16    | 3            | AN     | Number of Installment Payments |
| 17-18    | 2            | AN     | Payment Mode                   |
| 19-26    | 8            | AN     | Net Sales Amount               |
| 27-34    | 8            | AN     | Tax and Mailing Charge         |
| 35-51    | 17           | AN     | Sales Draft Reference Number   |
| 52-66    | 15           | AN     | Acquiring Bank/Merchant Number |
| 67-89    | 23           | AN     | Merchant Name-Katakana         |
| 90-129   | 40           | AN     | Merchant Name-Kanji            |
| 130-142  | 13           | AN     | Terminal Identification Number |
| 143-147  | 5            | AN     | Sales Slip Number              |
| 154-168  | 15           | AN     | Reserved                       |

Format: AN = Alphanumeric, ANS = Alphanumeric Special, DX = Display Hexadecimal, N = Numeric, UN = Unpacked Numeric

## Intra-Country Data-Japan National Data Edit Criteria

|                                                                                                   |                                                                                               |
|---------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------|
| <b>Transaction Code</b><br>Positions: 1-2<br>Length: 2<br>Format: unpacked numeric                | <b>Description:</b> This field contains the value of <b>33</b> .                              |
| <b>Transaction Code Qualifier</b><br>Positions: 3<br>Length: 1<br>Format: unpacked numeric        | <b>Description:</b> This field contains the value of <b>0</b> .                               |
| <b>Transaction Component Sequence Number</b><br>Positions: 4<br>Length: 1<br>Format: alphanumeric | <b>Description:</b> This field contains the value of <b>9</b> .                               |
| <b>Country Code</b><br>Positions: 5-7<br>Length: 3<br>Format: alphanumeric                        | <b>Description:</b> This field will contain the ISO country code value of <b>392</b> (Japan). |

## Intra-Country Data-Japan National Data Edit Criteria

|                                                                                                |                                                                                                                                                                                                 |
|------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Number of Bonus Payments</b><br>Positions: 8<br>Length: 1<br>Format: alphanumeric           | <b>Description:</b> This field will contain the number of lump sum bonus payments that the cardholder will make.<br><br><b>Note:</b> For valid values, see <i>BASE II Clearing Data Codes</i> . |
| <b>Bonus Month Sign</b><br>Positions: 9<br>Length: 1<br>Format: alphanumeric                   | <b>Description:</b> This field will contain the number of lump sum bonus payments that the cardholder will make.<br><br><b>Note:</b> For valid values, see <i>BASE II Clearing Data Codes</i> . |
| <b>Bonus Amount</b><br>Positions: 10-13<br>Length: 4<br>Format: alphanumeric                   | <b>Description:</b> This field will contain the add-on amount the cardholder will pay as a bonus payment in Yen 1000.                                                                           |
| <b>Number of Installment Payments</b><br>Positions: 14-16<br>Length: 3<br>Format: alphanumeric | <b>Description:</b> This field will contain the number of installment payments.                                                                                                                 |
| <b>Payment Mode</b><br>Positions: 17-18<br>Length: 2<br>Format: alphanumeric                   | <b>Description:</b> This field will contain a code indicating the type of installment payments.<br><br><b>Note:</b> For valid values, see <i>BASE II Clearing Data Codes</i> .                  |
| <b>Net Sales Amount</b><br>Positions: 19-26<br>Length: 8<br>Format: alphanumeric               | <b>Description:</b> This field will contain the sales amount of the goods and services before tax and mailing charges.                                                                          |
| <b>Tax and Mailing Charge</b><br>Positions: 27-34<br>Length: 8<br>Format: alphanumeric         | <b>Description:</b> This field will contain the amount of tax and mailing charges for the transaction.                                                                                          |
| <b>Sales Draft Reference Number</b><br>Positions: 35-51<br>Length: 17<br>Format: alphanumeric  | <b>Description:</b> This field will contain a reference number for the sales draft.                                                                                                             |

### Intra-Country Data-Japan National Data Edit Criteria

|                                                                                                   |                                                                                                                                                                 |
|---------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Acquiring Bank/Merchant Number</b><br>Positions: 52-66<br>Length: 15<br>Format: alphanumeric   | <b>Description:</b> This field will contain an identifying number for the acquiring bank/merchant.                                                              |
| <b>Merchant Name-Katakana</b><br>Positions: 67-89<br>Length: 23<br>Format: alphanumeric           | <b>Description:</b> This field will contain the merchant's name in single-byte characters. This field is EBCDIC-K encoded (Codepage: IBM290 (60290)).           |
| <b>Merchant Name-Kanji</b><br>Positions: 90-129<br>Length: 40<br>Format: alphanumeric             | <b>Description:</b> This field will contain the merchant's name in double-byte characters. This field is double-byte DBCS-Host encoded (Codepage: IBM939 DBCS). |
| <b>Terminal Identification Number</b><br>Positions: 130-142<br>Length: 13<br>Format: alphanumeric | <b>Description:</b> This field will contain the Terminal Identification Number                                                                                  |
| <b>Sales Slip Number</b><br>Positions: 143-147<br>Length: 5<br>Format: alphanumeric               | <b>Description:</b> This field will contain the sales slip number.                                                                                              |
| <b>Reserved</b><br>Positions: 154-168<br>Length: 15<br>Format: alphanumeric                       | <b>Description:</b> This field is reserved; space-filled.                                                                                                       |

# TC 33.A - CP 01 TCR 9 Intra- Country Data - Mexico National Data

These tables contain the Multipurpose Message (TC 33.A) record layout and edit criteria for CP 01 TCR 9 - INTRA-COUNTRY DATA - MEXICO NATIONAL DATA.

## Intra-Country Data-Mexico National Data Record Layout

| Position | Field Length | Format | Contents                              |
|----------|--------------|--------|---------------------------------------|
| 1-2      | 2            | UN     | Transaction Code                      |
| 3        | 1            | UN     | Transaction Code Qualifier            |
| 4        | 1            | AN     | Transaction Component Sequence Number |
| 5-7      | 3            | AN     | Country Code                          |
| 8-13     | 6            | AN     | Original Authorization Code           |
| 14-168   | 155          | AN     | Reserved                              |

Format: AN = Alphanumeric, ANS = Alphanumeric Special, DX = Display Hexadecimal, N = Numeric, UN = Unpacked Numeric

## Intra-Country Data-Mexico National Data Edit Criteria

|                                                                                                   |                                                                                              |
|---------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------|
| <b>Transaction Code</b><br>Positions: 1-2<br>Length: 2<br>Format: unpacked numeric                | <b>Description:</b> This field will contain a <b>33</b> .                                    |
| <b>Transaction Code Qualifier</b><br>Positions: 3<br>Length: 1<br>Format: unpacked numeric        | <b>Description:</b> This field contains the Transaction Qualifier <b>0</b> .                 |
| <b>Transaction Component Sequence Number</b><br>Positions: 4<br>Length: 1<br>Format: alphanumeric | <b>Description:</b> This field contains the Transaction Component Sequence Number <b>9</b> . |

### Intra-Country Data-Mexico National Data Edit Criteria

|                                                                                            |                                                                                                                                         |
|--------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------|
| <b>Country Code</b><br>Positions: 5-7<br>Length: 3<br>Format: alphanumeric                 | <b>Description:</b> This field contains the ISO Country Code <b>484</b> .                                                               |
| <b>Original Authorization Code</b><br>Positions: 8-13<br>Length: 6<br>Format: alphanumeric | <b>Description:</b> This field contains the authorization code of Original Purchase (Field 38), when processing credits and or refunds. |
| <b>Reserved</b><br>Positions: 14-168<br>Length: 155<br>Format: alphanumeric                | <b>Description:</b> This field is reserved; space-filled.                                                                               |

## TC 33.A - CP 01 TCR 9 Intra-Country Data - South Africa National Data

These tables contain the Multipurpose Message (TC 33.A) record layout and edit criteria for CP 01 TCR 9 - INTRA-COUNTRY DATA - SOUTH AFRICA NATIONAL DATA.

### CTF - Incoming Interchange

#### Intra-Country Data - South Africa National Data Record Layout

| Position | Field Length | Format | Contents                              |
|----------|--------------|--------|---------------------------------------|
| 1-2      | 2            | UN     | Transaction Code                      |
| 3        | 1            | UN     | Transaction Code Qualifier            |
| 4        | 1            | AN     | Transaction Component Sequence Number |
| 5-7      | 3            | AN     | Country Code                          |
| 8-9      | 2            | AN     | Budget                                |
| 10-168   | 159          | AN     | Reserved                              |

Format: AN = Alphanumeric, ANS = Alphanumeric Special, DX = Display Hexadecimal, N = Numeric, UN = Unpacked Numeric



### Intra-Country Data-South Africa National Data Edit Criteria

|                                                                                                   |                                                                                                      |
|---------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------|
| <b>Transaction Code</b><br>Positions: 1-2<br>Length: 2<br>Format: unpacked numeric                | <b>Description:</b> This field contains the value of <b>33</b> .                                     |
| <b>Transaction Code Qualifier</b><br>Positions: 3<br>Length: 1<br>Format: unpacked numeric        | <b>Description:</b> This field contains the value of <b>0</b> .                                      |
| <b>Transaction Component Sequence Number</b><br>Positions: 4<br>Length: 1<br>Format: alphanumeric | <b>Description:</b> This field contains the value of <b>9</b> .                                      |
| <b>Country Code</b><br>Positions: 5-7<br>Length: 3<br>Format: alphanumeric                        | <b>Description:</b> This field will contain the ISO country code value of <b>710</b> (South Africa). |
| <b>Budget</b><br>Positions: 8-9<br>Length: 2<br>Format: alphanumeric                              | <b>Description:</b> This field will contain the number of monthly installment payments.              |
| <b>Reserved</b><br>Positions: 10-168<br>Length: 159<br>Format: alphanumeric                       | <b>Description:</b> This field is reserved; space-filled.                                            |

# TC 33.A - CP 01 TCR A Currency Conversion

These tables contain the Multipurpose Message (TC 33.A) record layout and edit criteria for CP 01 TCR A - CURRENCY CONVERSION (CC).

## Currency Conversion Record Layout

| Position | Field Length | Format | Contents                                                   |
|----------|--------------|--------|------------------------------------------------------------|
| 1-2      | 2            | UN     | Transaction Code                                           |
| 3        | 1            | UN     | Transaction Code Qualifier                                 |
| 4        | 1            | AN     | Transaction Component Sequence Number                      |
| 5-64     | 60           | AN     | Currency Conversion - Reference Identifier Number          |
| 65-82    | 18           | AN     | Currency Conversion - Original Price Amount                |
| 83-84    | 2            | AN     | Currency Conversion - Original Decimal Positions Indicator |
| 85-87    | 3            | AN     | Currency Conversion - Original Price Currency Code         |
| 88-103   | 16           | AN     | Currency Conversion - FX Rate: Currency Conversion Rate    |
| 104-113  | 10           | AN     | Currency Conversion - Currency Conversion Timestamp        |
| 114-168  | 55           | AN     | Reserved                                                   |

Format: AN = Alphanumeric, ANS = Alphanumeric Special, DX = Display Hexadecimal, N = Numeric, UN = Unpacked Numeric

## Currency Conversion Edit Criteria

|                                                                                            |                                                                  |
|--------------------------------------------------------------------------------------------|------------------------------------------------------------------|
| <b>Transaction Code</b><br>Positions: 1-2<br>Length: 2<br>Format: unpacked numeric         | <b>Description:</b> This field contains the value of <b>33</b> . |
| <b>Transaction Code Qualifier</b><br>Positions: 3<br>Length: 1<br>Format: unpacked numeric | <b>Description:</b> This field contains the value of <b>0</b> .  |

## Currency Conversion Edit Criteria

|                                                                                                                            |                                                                                                                                                                                                        |
|----------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Transaction Component Sequence Number</b><br>Positions: 4<br>Length: 1<br>Format: alphanumeric                          | <b>Description:</b> This field contains the value of <b>A</b> .                                                                                                                                        |
| <b>Currency Conversion - Reference Identifier Number</b><br>Positions: 5-64<br>Length: 60<br>Format: alphanumeric          | <b>Description:</b> This field is a unique alphanumeric identifier generated by the provider of the currency conversion services and may be used for reconciliation purposes.                          |
| <b>Currency Conversion - Original Price Amount</b><br>Positions: 65-82<br>Length: 18<br>Format: alphanumeric               | <b>Description:</b> This field will contain the amount of this transaction in the merchant's original pricing currency, as provided by the merchant.                                                   |
| <b>Currency Conversion - Original Decimal Positions Indicator</b><br>Positions: 83-84<br>Length: 2<br>Format: alphanumeric | <b>Description:</b> This field will contain the number of decimal places for the amount of this transaction represented in the merchant's original pricing currency, as provided by the merchant.      |
| <b>Currency Conversion - Original Price Currency Code</b><br>Positions: 85-87<br>Length: 3<br>Format: alphanumeric         | <b>Description:</b> This field will contain the 3-digit numeric currency code for the amount of this transaction represented in the merchant's original pricing currency, as provided by the merchant. |
| <b>Currency Conversion - FX Rate: Currency Conversion Rate</b><br>Positions: 88-103<br>Length: 16<br>Format: alphanumeric  | <b>Description:</b> This field will contain the currency exchange rate applied during currency conversion prior to the authorization. This value is always 7 decimals implied format (9+7=16AN).       |

## Currency Conversion Edit Criteria

|                                                                                                                        |                                                                                                                                                                                                               |
|------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Currency Conversion - Currency Conversion Timestamp</b><br>Positions: 104-113<br>Length: 10<br>Format: alphanumeric | <b>Description:</b> This field will contain the timestamp of the currency exchange rate offered and applied during currency conversion prior to the authorization. This value is in <b>MMDDHHmmss</b> format. |
| <b>Reserved</b><br>Positions: 114-168<br>Length: 55<br>Format: alphanumeric                                            | <b>Description:</b> This field is reserved; space-filled.                                                                                                                                                     |

# TC 33.A - CP 01 TCR B Gateway Data (Cont'd)

These tables contain the Multipurpose Message (TC 33.A) record layout and edit criteria for CP 01 TCR B - GATEWAY DATA (CONT'D).

## Gateway Data (Cont'd) Record Layout

| Position | Field Length | Format | Contents                                     |
|----------|--------------|--------|----------------------------------------------|
| 1-2      | 2            | UN     | Transaction Code                             |
| 3        | 1            | UN     | Transaction Code Qualifier                   |
| 4        | 1            | AN     | Transaction Component Sequence Number        |
| 5-24     | 20           | AN     | American Express Seller Telephone Number     |
| 25-64    | 40           | ANS    | American Express Seller Email Address        |
| 65-84    | 20           | AN     | American Express Seller ID                   |
| 85       | 1            | AN     | American Express Last 4 PAN Return Indicator |
| 86-108   | 23           | AN     | American Express PAN, Extended               |
| 109-146  | 38           | ANS    | American Express Seller Name                 |
| 147      | 1            | AN     | Merchant-Consumer Transaction Indicator      |
| 148-149  | 2            | AN     | American Express Mobile Device Type          |
| 150      | 1            | AN     | AMEX Express PAN Extended - Response Code    |
| 151-153  | 3            | AN     | American Express Function Code               |

### Gateway Data (Cont'd) Record Layout

| Position | Field Length | Format | Contents |
|----------|--------------|--------|----------|
| 154-168  | 15           | AN     | Reserved |

Format: AN = Alphanumeric, ANS = Alphanumeric Special, DX = Display Hexadecimal, N = Numeric, UN = Unpacked Numeric

### Gateway Data (Cont'd) Edit Criteria

|                                                                                                                          |                                                                                                                                                                    |
|--------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Transaction Code</b><br>Positions: 1-2<br>Length: 2<br>Format: unpacked numeric                                       | <b>Description:</b> This field contains the value of <b>33</b> .                                                                                                   |
| <b>Transaction Code Qualifier</b><br>Positions: 3<br>Length: 1<br>Format: unpacked numeric                               | <b>Description:</b> This field contains the value of <b>0</b> .                                                                                                    |
| <b>Transaction Component Sequence Number</b><br>Positions: 4<br>Length: 1<br>Format: alphanumeric                        | <b>Description:</b> This field contains the value of <b>B</b> .                                                                                                    |
| <b>American Express Seller Telephone Number</b><br>Positions: 5-24<br>Length: 20<br>Format: alphanumeric                 | <b>Description:</b> This field will contain the seller telephone number.<br><br><b>Note:</b> Mapping: Field 104 DS66 T06 => AMEX DF43 — Telephone Number           |
| <b>American Express Seller Email Address</b><br>Positions: 25-64<br>Length: 40<br>Format: alphanumeric special character | <b>Description:</b> This field will contain the seller email address.<br><br><b>Note:</b> Mapping: Field 104 DS66 T07 => AMEX DF43 — E-Mail Address                |
| <b>American Express Seller ID</b><br>Positions: 65-84<br>Length: 20<br>Format: alphanumeric                              | <b>Description:</b> This field will contain the seller ID.<br><br><b>Note:</b> Mapping: Field 104 DS66 T0C => AMEX DF60 (National Use Data) Subfield 2 (Seller ID) |

## Gateway Data (Cont'd) Edit Criteria

|                                                                                                                   |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
|-------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>American Express Last 4 PAN Return Indicator</b><br>Positions: 85<br>Length: 1<br>Format: alphanumeric         | <b>Description:</b> This field will contain an indicator to announce the presence in the transaction record of the last 4 digits of the AMEX account number.<br><br><b>Note:</b> Mapping: Field 104 DS66 T0D => AMEX DF60 SF6                                                                                                                                                                                                                                                                                                                                                               |
| <b>American Express PAN, Extended</b><br>Positions: 86-108<br>Length: 23<br>Format: alphanumeric                  | <b>Description:</b> This field will contain the expiration date and PAN in the 0110 authorization response message that will be formatted as follows:<br>Positions 1-2, will contain the <b>mm</b> (Month)<br>Positions 3-4, will contain the <b>yy</b> (Year)<br>Positions 5-23, will contain the actual PAN<br><br><b>Note:</b> Mapping: Field 104 DS66 T11 => AMEX DF34                                                                                                                                                                                                                  |
| <b>American Express Seller Name</b><br>Positions: 109-146<br>Length: 38<br>Format: alphanumeric special character | <b>Description:</b> This field will contain the seller name for the American Express card acceptor name and location data from Tag 12 in TLV Field 104, Usage 2—Transaction-Specific Data, Dataset ID 66—American Express Data.<br><br><b>Note:</b> Mapping: F104 DS66 T12 SF1 => AMEX DF43                                                                                                                                                                                                                                                                                                 |
| <b>Merchant-Consumer Transaction Indicator</b><br>Positions: 147<br>Length: 1<br>Format: alphanumeric             | <b>Description:</b> This field will contain the Merchant-Consumer Transaction Indicator.<br><br>Values: <b>0</b> =Customer Initiated; <b>1</b> =Merchant Initiated                                                                                                                                                                                                                                                                                                                                                                                                                          |
| <b>American Express Mobile Device Type</b><br>Positions: 148-149<br>Length: 2<br>Format: alphanumeric             | <b>Description:</b> This field contains the American Express mobile device type.<br>Valid values:<br><b>AC</b> (mPOS accessory/dongle with contact and contactless interfaces, with or without PIN pad)<br><b>AS</b> (mPOS accessory/dongle with contact and contactless interfaces and PIN on glass support (SCRIP, Software-based PIN on COTS))<br><b>CC</b> (Contactless payment on COTS (CPoC) - mobile device based contactless only mPOS without PIN support)<br><b>CS</b> (Contactless payment on COTS (CPoC) - mobile device based contactless only mPOS with PIN on glass support) |

## Gateway Data (Cont'd) Edit Criteria

|                                                                                                         |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
|---------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>AMEX Express PAN Extended - Response Code</b><br>Positions: 150<br>Length: 1<br>Format: alphanumeric | <b>Description:</b> This field contains the data in position 1 of the Response Code field, coming in the response message in F104 DSID 66 Tag 11.<br>Valid values:<br><b>E</b> (PAN and expiration date returned). This value will be followed by the expiration date in yy mm format and the PAN.<br><b>F</b> (Last 4 of PAN). The last four digits of the PAN will continue to be provided in Field 44.15-Primary Account Number, Last Four Digits for Receipt.<br><b>N</b> (PAN not found/does not exist).<br><b>R</b> (Reattempt PAN request).<br><b>Y</b> (PAN returned). This value will be followed by the PAN. |
| <b>American Express Function Code</b><br>Positions: 151-153<br>Length: 3<br>Format: alphanumeric        | <b>Description:</b> This field will contain the American Express Function Code, used in Transit transactions.<br><b>Source:</b> F104 DS66 T10. Maps to AMEX DF 24 Function Code.                                                                                                                                                                                                                                                                                                                                                                                                                                       |
| <b>Reserved</b><br>Positions: 154-168<br>Length: 15<br>Format: alphanumeric                             | <b>Description:</b> This field is reserved for future use.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |

# TC 33.A - CP 02 TCR 0 EMV Data

These tables contain the Multipurpose Message (TC 33.A) record layout and edit criteria for CP 02 TCR 0 - EMV DATA.

## CTF - Incoming Interchange

### EMV Data Record Layout

| Position | Field Length | Format | Contents                              |
|----------|--------------|--------|---------------------------------------|
| 1-2      | 2            | UN     | Transaction Code                      |
| 3        | 1            | UN     | Transaction Code Qualifier            |
| 4        | 1            | AN     | Transaction Component Sequence Number |
| 5-10     | 6            | UN     | Destination Identifier                |
| 11-16    | 6            | UN     | Source Identifier                     |
| 17-20    | 4            | AN     | TC 33 Application Code                |

### EMV Data Record Layout

| Position | Field Length | Format | Contents                                   |
|----------|--------------|--------|--------------------------------------------|
| 21-35    | 15           | AN     | Message Identifier                         |
| 36-37    | 2            | AN     | Transaction Type                           |
| 38-40    | 3            | AN     | Card Sequence Number                       |
| 41-46    | 6            | AN     | Terminal Transaction Date                  |
| 47-52    | 6            | AN     | Terminal Capability Profile                |
| 53-55    | 3            | AN     | Terminal Country Code                      |
| 56-63    | 8            | AN     | Unpredictable Number                       |
| 64-67    | 4            | AN     | Application Transaction Counter            |
| 68-71    | 4            | AN     | Application Interchange Profile            |
| 72-87    | 16           | AN     | Application Cryptogram                     |
| 88-97    | 10           | AN     | Terminal Verification Results              |
| 98-109   | 12           | AN     | Amount, Authorized                         |
| 110-117  | 8            | AN     | Form Factor Indicator                      |
| 118-149  | 32           | AN     | Dedicated File Name - Application ID (AID) |
| 150      | 1            | AN     | Tap-to-Phone Indicator                     |
| 151-168  | 18           | AN     | Reserved                                   |

Format: AN = Alphanumeric, ANS = Alphanumeric Special, DX = Display Hexadecimal, N = Numeric, UN = Unpacked Numeric

### EMV Data Edit Criteria

|                                                                                            |                                                               |
|--------------------------------------------------------------------------------------------|---------------------------------------------------------------|
| <b>Transaction Code</b><br>Positions: 1-2<br>Length: 2<br>Format: unpacked numeric         | <b>Description:</b> This field contains the value <b>33</b> . |
| <b>Transaction Code Qualifier</b><br>Positions: 3<br>Length: 1<br>Format: unpacked numeric | <b>Description:</b> This field contains the value <b>0</b> .  |



## EMV Data Edit Criteria

|                                                                                                   |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
|---------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Transaction Component Sequence Number</b><br>Positions: 4<br>Length: 1<br>Format: alphanumeric | <b>Description:</b> This field contains the value <b>0</b> .                                                                                                                                                                                                                                                                                                                                                                                                                   |
| <b>Destination Identifier</b><br>Positions: 5-10<br>Length: 6<br>Format: unpacked numeric         | <b>Description:</b> The entity to which the BASE II transaction message is sent. This field will contain a valid acquiring or issuing identifier.                                                                                                                                                                                                                                                                                                                              |
| <b>Source Identifier</b><br>Positions: 11-16<br>Length: 6<br>Format: unpacked numeric             | <b>Description:</b> This field contains the Visa internal identifier of the VIC.                                                                                                                                                                                                                                                                                                                                                                                               |
| <b>TC 33 Application Code</b><br>Positions: 17-20<br>Length: 4<br>Format: alphanumeric            | <b>Description:</b> This TCR group code identifies a group of related Transaction Component Records (TCR 0 through TCR E). This field has a static value of <b>CP02</b> .                                                                                                                                                                                                                                                                                                      |
| <b>Message Identifier</b><br>Positions: 21-35<br>Length: 15<br>Format: alphanumeric               | <b>Description:</b> A unique message identifier that links a specific capture record among multiple capture records being submitted for a single transaction. All capture records within the same file linked to a single authorization request contain the same message identifier. The same message identifier can be assigned to other related capture records located in additional TCR groups identified by TC 33 Application codes ( <b>CP01</b> through <b>CP 50</b> ). |
| <b>Transaction Type</b><br>Positions: 36-37<br>Length: 2<br>Format: alphanumeric                  | <b>Description:</b> This field contains an EMV Transaction Type tag <b>9C</b> .                                                                                                                                                                                                                                                                                                                                                                                                |
| <b>Card Sequence Number</b><br>Positions: 38-40<br>Length: 3<br>Format: alphanumeric              | <b>Description:</b> This field contains an EMV Card Sequence Number tag <b>5F34</b> .                                                                                                                                                                                                                                                                                                                                                                                          |
| <b>Terminal Transaction Date</b><br>Positions: 41-46<br>Length: 6<br>Format: alphanumeric         | <b>Description:</b> This field contains an EMV Terminal Transaction Date tag <b>9A</b> .                                                                                                                                                                                                                                                                                                                                                                                       |

## EMV Data Edit Criteria

|                                                                                                 |                                                                                                  |
|-------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------|
| <b>Terminal Capability Profile</b><br>Positions: 47-52<br>Length: 6<br>Format: alphanumeric     | <b>Description:</b> This field contains an EMV Terminal Capability Profile tag <b>9F33</b> .     |
| <b>Terminal Country Code</b><br>Positions: 53-55<br>Length: 3<br>Format: alphanumeric           | <b>Description:</b> This field contains an EMV Terminal Country Code tag <b>9F1A</b> .           |
| <b>Unpredictable Number</b><br>Positions: 56-63<br>Length: 8<br>Format: alphanumeric            | <b>Description:</b> This field contains an EMV Unpredictable Number tag <b>9F37</b> .            |
| <b>Application Transaction Counter</b><br>Positions: 64-67<br>Length: 4<br>Format: alphanumeric | <b>Description:</b> This field contains an EMV Application Transaction Counter tag <b>9F36</b> . |
| <b>Application Interchange Profile</b><br>Positions: 68-71<br>Length: 4<br>Format: alphanumeric | <b>Description:</b> This field contains an EMV Application Interchange Profile tag <b>82</b> .   |
| <b>Application Cryptogram</b><br>Positions: 72-87<br>Length: 16<br>Format: alphanumeric         | <b>Description:</b> This field contains an EMV Application Cryptogram tag <b>9F26</b> .          |
| <b>Terminal Verification Results</b><br>Positions: 88-97<br>Length: 10<br>Format: alphanumeric  | <b>Description:</b> This field contains an EMV Terminal Verification Results tag <b>95</b> .     |
| <b>Amount Authorized</b><br>Positions: 98-109<br>Length: 12<br>Format: alphanumeric             | <b>Description:</b> This field contains an EMV Amount Authorized tag <b>9F02</b> .               |

## EMV Data Edit Criteria

|                                                                                                               |                                                                                                                                                                                                                                                                                                                                                                                                          |
|---------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Form Factor Indicator</b><br>Positions: 110-117<br>Length: 8<br>Format: alphanumeric                       | <b>Description:</b> This field contains an EMV Form Factor Indicator tag <b>9F6E</b> .                                                                                                                                                                                                                                                                                                                   |
| <b>Dedicated File Name - Application ID (AID)</b><br>Positions: 118-149<br>Length: 32<br>Format: alphanumeric | <b>Description:</b> This field will contain the Dedicated File Name - Application ID (AID).                                                                                                                                                                                                                                                                                                              |
| <b>Tap-to-Phone Indicator</b><br>Positions: 150<br>Length: 1<br>Format: alphanumeric                          | <b>Description:</b> This field will contain the Tap-to-Phone Indicator. This indicator comes from the V.I.P. Field 55, Usage 1-VSDC Chip Data in TLV format, Dataset ID 01, Tag 9F6E-Form Factor Indicator, byte 4, bit 8.<br>Valid Values:<br><b>0</b> (Transaction did not originate from a tap-to-phone acceptance device)<br><b>1</b> (Transaction originated from a tap-to-phone acceptance device) |
| <b>Reserved</b><br>Positions: 151-168<br>Length: 18<br>Format: alphanumeric                                   | <b>Description:</b> This field is reserved; space-filled.                                                                                                                                                                                                                                                                                                                                                |

# TC 33.A - CP 02 TCR 1 EMV Data (Cont'd)

These tables contain the Multipurpose Message (TC 33.A) record layout and edit criteria for CP 02 EMV TCR 1 - EMV DATA (CONT'D).

## CTF - Incoming Interchange

### EMV Data (Cont'd) Record Layout

| Position | Field Length | Format | Contents                              |
|----------|--------------|--------|---------------------------------------|
| 1-2      | 2            | UN     | Transaction Code                      |
| 3        | 1            | UN     | Transaction Code Qualifier            |
| 4        | 1            | AN     | Transaction Component Sequence Number |
| 5-68     | 64           | AN     | Issuer Application Data, Byte 1-32    |

### EMV Data (Cont'd) Record Layout

| Position | Field Length | Format | Contents                                     |
|----------|--------------|--------|----------------------------------------------|
| 69-78    | 10           | AN     | Issuer Script 1 Results                      |
| 79-80    | 2            | AN     | Cryptogram Information Data (CID)            |
| 81-86    | 6            | AN     | Cardholder Verification Method (CVM) Results |
| 87-90    | 4            | AN     | Terminal Application Version Number          |
| 91-98    | 8            | AN     | Transaction Sequence Counter                 |
| 99-102   | 4            | AN     | Application Usage Control                    |
| 103-134  | 32           | AN     | Application Identifier (AID) - terminal      |
| 135-166  | 32           | AN     | Issuer Authentication Data                   |
| 167-168  | 2            | AN     | Reserved                                     |

Format: AN = Alphanumeric, ANS = Alphanumeric Special, DX = Display Hexadecimal, N = Numeric, UN = Unpacked Numeric

### EMV Data (Cont'd) Edit Criteria

|                                                                                                    |                                                                                                                                       |
|----------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------|
| <b>Transaction Code</b><br>Positions: 1-2<br>Length: 2<br>Format: unpacked numeric                 | <b>Description:</b> This field contains the value <b>33</b> .                                                                         |
| <b>Transaction Code Qualifier</b><br>Positions: 3<br>Length: 1<br>Format: unpacked numeric         | <b>Description:</b> This field contains the value <b>0</b> .                                                                          |
| <b>Transaction Component Sequence Number</b><br>Positions: 4<br>Length: 1<br>Format: alphanumeric  | <b>Description:</b> This field contains the value <b>1</b> .                                                                          |
| <b>Issuer Application Data, Byte 1-32</b><br>Positions: 5-68<br>Length: 64<br>Format: alphanumeric | <b>Description:</b> This field contains an EMV Issuer Application Data tag <b>9F10</b> .<br><b>Note:</b> Leading length byte removed. |

### EMV Data (Cont'd) Edit Criteria

|                                                                                                              |                                                                                                                                                   |
|--------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Issuer Script 1 Results</b><br>Positions: 69-78<br>Length: 10<br>Format: alphanumeric                     | <b>Description:</b> This field contains an EMV Issuer Script 1 Results tag <b>9F5B</b> .<br><br><b>Note:</b> Leading length byte removed.         |
| <b>Cryptogram Information Data (CID)</b><br>Positions: 79-80<br>Length: 2<br>Format: alphanumeric            | <b>Description:</b> This field contains an EMV Cryptogram Information Data tag <b>9F27</b> .                                                      |
| <b>Cardholder Verification Method (CVM) Results</b><br>Positions: 81-86<br>Length: 6<br>Format: alphanumeric | <b>Description:</b> This field contains an EMV Cardholder Verification Method (CVM) Results tag <b>9F34</b> .                                     |
| <b>Terminal Application Version Number</b><br>Positions: 87-90<br>Length: 4<br>Format: alphanumeric          | <b>Description:</b> This field contains an EMV Terminal Application Version Number tag <b>9F09</b> .                                              |
| <b>Transaction Sequence Counter</b><br>Positions: 91-98<br>Length: 8<br>Format: alphanumeric                 | <b>Description:</b> This field contains an EMV Transaction Sequence Counter tag <b>9F41</b> .                                                     |
| <b>Application Usage Control</b><br>Positions: 99-102<br>Length: 4<br>Format: alphanumeric                   | <b>Description:</b> This field contains tag <b>9F07</b> .                                                                                         |
| <b>Application Identifier (AID) - Terminal</b><br>Positions: 103-134<br>Length: 32<br>Format: alphanumeric   | <b>Description:</b> This field contains an EMV Application Identifier Terminal tag <b>9F06</b> .<br><br><b>Note:</b> Leading length byte removed. |

### EMV Data (Cont'd) Edit Criteria

|                                                                                               |                                                                                                                                    |
|-----------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------|
| <b>Issuer Authentication Data</b><br>Positions: 135-166<br>Length: 32<br>Format: alphanumeric | <b>Description:</b> This field contains an EMV Issuer Authentication Data tag 91.<br><br><b>Note:</b> Leading length byte removed. |
| <b>Reserved</b><br>Positions: 167-168<br>Length: 2<br>Format: alphanumeric                    | <b>Description:</b> This field is reserved; space-filled.                                                                          |

## TC 33.A - CP 02 TCR 2 EMV Data (Cont'd)

These tables contain the Multipurpose Message (TC 33.A) record layout and edit criteria for CP 02 EMV TCR 2 - EMV DATA (CONT'D).

### CTF - Incoming Interchange

#### EMV Data (Cont'd) Record Layout

| Position | Field Length | Format | Contents                                  |
|----------|--------------|--------|-------------------------------------------|
| 1-2      | 2            | UN     | Transaction Code                          |
| 3        | 1            | UN     | Transaction Code Qualifier                |
| 4        | 1            | AN     | Transaction Component Sequence Number     |
| 5-131    | 127          | AN     | Mastercard Authenticated Application Data |
| 132-139  | 8            | AN     | Mastercard Kernel Identifier Terminal     |
| 140-168  | 29           | AN     | Reserved                                  |

Format: AN = Alphanumeric, ANS = Alphanumeric Special, DX = Display Hexadecimal, N = Numeric, UN = Unpacked Numeric

### EMV Data (Cont'd) Edit Criteria

|                                                                                                             |                                                                                 |
|-------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------|
| <b>Transaction Code</b><br>Positions: 1-2<br>Length: 2<br>Format: unpacked numeric                          | <b>Description:</b> This field will contain the value of <b>33</b> .            |
| <b>Transaction Code Qualifier</b><br>Positions: 3<br>Length: 1<br>Format: unpacked numeric                  | <b>Description:</b> This field will contain the number <b>0</b> .               |
| <b>Transaction Component Sequence Number</b><br>Positions: 4<br>Length: 1<br>Format: alphanumeric           | <b>Description:</b> This field will contain the number <b>2</b> .               |
| <b>Mastercard Authenticated Application Data</b><br>Positions: 5-131<br>Length: 127<br>Format: alphanumeric | <b>Description:</b> This field will contain the VIP Field 55, tag <b>9F60</b> . |
| <b>Mastercard Kernel Identifier Terminal</b><br>Positions: 132-139<br>Length: 8<br>Format: alphanumeric     | <b>Description:</b> This field will contain the VIP Field 55, tag <b>96</b> .   |
| <b>Reserved</b><br>Positions: 140-168<br>Length: 29<br>Format: alphanumeric                                 | <b>Description:</b> This field will contain spaces.                             |

## TC 33.A - CP 03 TCR 0 Lodging Summary

These tables contain the Multipurpose Message (TC 33.A) record layout and edit criteria for CP 03 TCR 0 - LODGING SUMMARY.

### CTF - Incoming Interchange

### Lodging Summary Record Layout

| Position | Field Length | Format | Contents                              |
|----------|--------------|--------|---------------------------------------|
| 1-2      | 2            | UN     | Transaction Code                      |
| 3        | 1            | UN     | Transaction Code Qualifier            |
| 4        | 1            | AN     | Transaction Component Sequence Number |
| 5-10     | 6            | UN     | Destination Identifier                |
| 11-16    | 6            | UN     | Source Identifier                     |
| 17-20    | 4            | AN     | TC 33 Application Code                |
| 21-35    | 15           | AN     | Message Identifier                    |
| 36-41    | 6            | AN     | Event Date                            |
| 42-47    | 6            | AN     | Check-Out-Date                        |
| 48-55    | 8            | AN     | Daily Room Rate 1                     |
| 56-59    | 4            | AN     | Daily Room Nights 1                   |
| 60-76    | 17           | AN     | Customer Service Toll Free Number     |
| 77       | 1            | AN     | Special Program Code                  |
| 78-85    | 8            | AN     | Travel Agency Code                    |
| 86-110   | 25           | AN     | Travel Agency Name                    |
| 111-122  | 12           | AN     | Room Service Charges                  |
| 123-134  | 12           | AN     | Mini Bar Charges                      |
| 135-146  | 12           | AN     | Internet Access Charges               |
| 147      | 1            | AN     | Fire Safety Indicator                 |
| 148-168  | 21           | AN     | Reserved                              |

Format: AN = Alphanumeric, ANS = Alphanumeric Special, DX = Display Hexadecimal, N = Numeric, UN = Unpacked Numeric



### Lodging Summary Edit Criteria

|                                                                                                   |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
|---------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Transaction Code</b><br>Positions: 1-2<br>Length: 2<br>Format: unpacked numeric                | <b>Description:</b> This field contains the value of <b>33</b> .                                                                                                                                                                                                                                                                                                                                                                                                                |
| <b>Transaction Code Qualifier</b><br>Positions: 3<br>Length: 1<br>Format: unpacked numeric        | <b>Description:</b> This field contains the value of <b>0</b> .                                                                                                                                                                                                                                                                                                                                                                                                                 |
| <b>Transaction Component Sequence Number</b><br>Positions: 4<br>Length: 1<br>Format: alphanumeric | <b>Description:</b> This field contains the value of <b>0</b> .                                                                                                                                                                                                                                                                                                                                                                                                                 |
| <b>Destination Identifier</b><br>Positions: 5-10<br>Length: 6<br>Format: unpacked numeric         | <b>Description:</b> The entity to which the BASE II transaction message is sent. This field contains a valid acquiring or issuing identifier.                                                                                                                                                                                                                                                                                                                                   |
| <b>Source Identifier</b><br>Positions: 11-16<br>Length: 6<br>Format: unpacked numeric             | <b>Description:</b> This field contains the Visa internal identifier of the VIC.                                                                                                                                                                                                                                                                                                                                                                                                |
| <b>TC 33 Application Code</b><br>Positions: 17-20<br>Length: 4<br>Format: alphanumeric            | <b>Description:</b> This TCR group code identifies a group of related Transaction Component Records (TCR0 through TCRE). This field has a static value of <b>CP03</b> .                                                                                                                                                                                                                                                                                                         |
| <b>Message Identifier</b><br>Positions: 21-35<br>Length: 15<br>Format: alphanumeric               | <b>Description:</b> A unique message identifier that links a specific capture record among multiple capture records being submitted for a single transaction. All capture records within the same file linked to a single authorization request contain the same message identifier. The same message identifier can be assigned to other related capture records located in additional TCR groups identified by TC 33 Application codes ( <b>CP 01</b> through <b>CP 50</b> ). |
| <b>Event Date</b><br>Positions: 36-41<br>Length: 6<br>Format: alphanumeric                        | <b>Description:</b> The date must indicate the field contains the check-in date.                                                                                                                                                                                                                                                                                                                                                                                                |

### Lodging Summary Edit Criteria

|                                                                                                    |                                                                                                                                              |
|----------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Check-Out-Date</b><br>Positions: 42-47<br>Length: 6<br>Format: alphanumeric                     | <b>Description:</b> This field contains a date of check-out. <b>MMDDYY</b> .                                                                 |
| <b>Daily Room Rate 1</b><br>Positions: 48-55<br>Length: 8<br>Format: alphanumeric                  | <b>Description:</b> This field contains a Daily Room Rate for rate 1.                                                                        |
| <b>Daily Room Nights 1</b><br>Positions: 56-59<br>Length: 4<br>Format: alphanumeric                | <b>Description:</b> This field contains a number of nights at rate 1.                                                                        |
| <b>Customer Service Toll Free Number</b><br>Positions: 60-76<br>Length: 17<br>Format: alphanumeric | <b>Description:</b> This field contains a phone number of help desk/ reservations.                                                           |
| <b>Special Program Code</b><br>Positions: 77<br>Length: 1<br>Format: alphanumeric                  | <b>Description:</b> This field contains a Special Program Code values ( <b>1</b> - lodging, <b>2</b> - no show, <b>3</b> - advance deposit). |
| <b>Travel Agency Code</b><br>Positions: 78-85<br>Length: 8<br>Format: alphanumeric                 | <b>Description:</b> This field contains a code of the travel agency.                                                                         |
| <b>Travel Agency Name</b><br>Positions: 86-110<br>Length: 25<br>Format: alphanumeric               | <b>Description:</b> This field contains a name of agency.                                                                                    |
| <b>Room Service Charges</b><br>Positions: 111-122<br>Length: 12<br>Format: alphanumeric            | <b>Description:</b> This field contains the room service charges.                                                                            |

### Lodging Summary Edit Criteria

|                                                                                            |                                                                                        |
|--------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------|
| <b>Mini Bar Charges</b><br>Positions: 123-134<br>Length: 12<br>Format: alphanumeric        | <b>Description:</b> This field contains the mini-bar charges.                          |
| <b>Internet Access Charges</b><br>Positions: 135-146<br>Length: 12<br>Format: alphanumeric | <b>Description:</b> This field contains the Internet access charges.                   |
| <b>Fire Safety Indicator</b><br>Positions: 147<br>Length: 1<br>Format: alphanumeric        | <b>Description:</b> This field contains a value that indicates the fire safety status. |
| <b>Reserved</b><br>Positions: 148-168<br>Length: 21<br>Format: alphanumeric                | <b>Description:</b> This field is reserved; space-filled.                              |

## TC 33.A - CP 03 TCR 1 Lodging Summary (Cont'd)

These tables contain the Multipurpose Message (TC 33.A) record layout and edit criteria for CP 03 TCR 1 - LODGING SUMMARY (CONT'D).

### CTF - Incoming Interchange

#### Lodging Summary (Cont'd) Record Layout

| Position | Field Length | Format | Contents                              |
|----------|--------------|--------|---------------------------------------|
| 1-2      | 2            | UN     | Transaction Code                      |
| 3        | 1            | UN     | Transaction Code Qualifier            |
| 4        | 1            | AN     | Transaction Component Sequence Number |
| 5-12     | 8            | AN     | Daily Room Rate 2                     |
| 13-16    | 4            | AN     | Daily Room Nights 2                   |
| 17-24    | 8            | AN     | Daily Room Rate 3                     |

### Lodging Summary (Cont'd) Record Layout

| Position | Field Length | Format | Contents            |
|----------|--------------|--------|---------------------|
| 25-28    | 4            | AN     | Daily Room Nights 3 |
| 29-68    | 40           | AN     | Guest Name          |
| 69-168   | 100          | AN     | Reserved            |

Format: AN = Alphanumeric, ANS = Alphanumeric Special, DX = Display Hexadecimal, N = Numeric, UN = Unpacked Numeric

### Lodging Summary (Cont'd) Edit Criteria

|                                                                                                   |                                                                       |
|---------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------|
| <b>Transaction Code</b><br>Positions: 1-2<br>Length: 2<br>Format: unpacked numeric                | <b>Description:</b> This field contains the value of <b>33</b> .      |
| <b>Transaction Code Qualifier</b><br>Positions: 3<br>Length: 1<br>Format: unpacked numeric        | <b>Description:</b> This field contains the value of <b>0</b> .       |
| <b>Transaction Component Sequence Number</b><br>Positions: 4<br>Length: 1<br>Format: alphanumeric | <b>Description:</b> This field contains the value of <b>1</b> .       |
| <b>Daily Room Rate 2</b><br>Positions: 5-12<br>Length: 8<br>Format: alphanumeric                  | <b>Description:</b> This field contains a Daily Room Rate for rate 2. |
| <b>Daily Room Nights 2</b><br>Positions: 13-16<br>Length: 4<br>Format: alphanumeric               | <b>Description:</b> This field contains a number of nights at rate 2. |
| <b>Daily Room Rate 3</b><br>Positions: 17-24<br>Length: 8<br>Format: alphanumeric                 | <b>Description:</b> This field contains a Daily Room Rate for rate 3. |

### Lodging Summary (Cont'd) Edit Criteria

|                                                                                     |                                                                                         |
|-------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------|
| <b>Daily Room Nights 3</b><br>Positions: 25-28<br>Length: 4<br>Format: alphanumeric | <b>Description:</b> This field contains a number of nights at rate 3.                   |
| <b>Guest Name</b><br>Positions: 29-68<br>Length: 40<br>Format: alphanumeric         | <b>Description:</b> This field contains a name of guest who is registered for the room. |
| <b>Reserved</b><br>Positions: 69-168<br>Length: 100<br>Format: alphanumeric         | <b>Description:</b> This field is reserved; space-filled.                               |

## TC 33.A - CP 03 TCR 2 Lodging Summary (Cont'd)

These tables contain the Multipurpose Message (TC 33.A) record layout and edit criteria for CP 03 TCR 2 - LODGING SUMMARY (CONT'D).

### CTF - Incoming Interchange

#### Lodging Summary (Cont'd) Record Layout

| Position | Field Length | Format | Contents                              |
|----------|--------------|--------|---------------------------------------|
| 1-2      | 2            | UN     | Transaction Code                      |
| 3        | 1            | UN     | Transaction Code Qualifier            |
| 4        | 1            | AN     | Transaction Component Sequence Number |
| 5        | 1            | AN     | Smoking Preference                    |
| 6-7      | 2            | AN     | Number of Rooms Booked                |
| 8-9      | 2            | AN     | Number of Adults                      |
| 10-21    | 12           | AN     | Bed Type                              |
| 22-31    | 10           | AN     | Tax Elements                          |
| 32-43    | 12           | AN     | Rate Type                             |

### Lodging Summary (Cont'd) Record Layout

| Position | Field Length | Format | Contents              |
|----------|--------------|--------|-----------------------|
| 44-60    | 17           | AN     | Corporate Client Code |
| 61-72    | 12           | AN     | Promotional Code      |
| 73-84    | 12           | AN     | Additional Coupon     |
| 85-94    | 10           | AN     | Room Location         |
| 95-168   | 74           | AN     | Reserved              |

Format: AN = Alphanumeric, ANS = Alphanumeric Special, DX = Display Hexadecimal, N = Numeric, UN = Unpacked Numeric

### Lodging Summary (Cont'd) Edit Criteria

|                                                                                                   |                                                                                                                   |
|---------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------|
| <b>Transaction Code</b><br>Positions: 1-2<br>Length: 2<br>Format: unpacked numeric                | <b>Description:</b> This field contains the value of <b>33</b> .                                                  |
| <b>Transaction Code Qualifier</b><br>Positions: 3<br>Length: 1<br>Format: unpacked numeric        | <b>Description:</b> This field contains the value of <b>0</b> .                                                   |
| <b>Transaction Component Sequence Number</b><br>Positions: 4<br>Length: 1<br>Format: alphanumeric | <b>Description:</b> This field contains the value of <b>2</b> .                                                   |
| <b>Smoking Preference</b><br>Positions: 5<br>Length: 1<br>Format: alphanumeric                    | <b>Description:</b> This field contains a Smoking Preference value ( <b>Y</b> = smoking, <b>N</b> = Non smoking). |
| <b>Number of Rooms Booked</b><br>Positions: 6-7<br>Length: 2<br>Format: alphanumeric              | <b>Description:</b> This field contains a total number of rooms booked by cardholder.                             |

### Lodging Summary (Cont'd) Edit Criteria

|                                                                                        |                                                                                                       |
|----------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------|
| <b>Number of Adults</b><br>Positions: 8-9<br>Length: 2<br>Format: alphanumeric         | <b>Description:</b> This field contains a number of adult guests in room.                             |
| <b>Bed Type</b><br>Positions: 10-21<br>Length: 12<br>Format: alphanumeric              | <b>Description:</b> This field contains a Bed Type value (King, queen, doubles, etc.)                 |
| <b>Tax Elements</b><br>Positions: 22-31<br>Length: 10<br>Format: alphanumeric          | <b>Description:</b> This field contains summary of all tax types (e.g., tourist, hotel, etc.)         |
| <b>Rate Type</b><br>Positions: 32-43<br>Length: 12<br>Format: alphanumeric             | <b>Description:</b> This field contains a Rate Type (AAA, AARP, Corporate, etc.)                      |
| <b>Corporate Client Code</b><br>Positions: 44-60<br>Length: 17<br>Format: alphanumeric | <b>Description:</b> This field contains a Corporate Client Code assigned to the renter's corporation. |
| <b>Promotional Code</b><br>Positions: 61-72<br>Length: 12<br>Format: alphanumeric      | <b>Description:</b> This field contains a Promotional Code that describes discount program.           |
| <b>Additional Coupon</b><br>Positions: 73-84<br>Length: 12<br>Format: alphanumeric     | <b>Description:</b> This field contains an Additional Coupon value if needed.                         |

## Lodging Summary (Cont'd) Edit Criteria

|                                                                                |                                                                                                  |
|--------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------|
| <b>Room Location</b><br>Positions: 85-94<br>Length: 10<br>Format: alphanumeric | <b>Description:</b> This field contains a Room Location information: Ocean view, lake view, etc. |
| <b>Reserved</b><br>Positions: 95-168<br>Length: 74<br>Format: alphanumeric     | <b>Description:</b> This field is reserved; space-filled.                                        |

# TC 33.A - CP 03 TCR 3 Lodging Additional Amounts

These tables contain the Multipurpose Message (TC 33.A) record layout and edit criteria for CP 03 TCR 3 - LODGING ADDITIONAL AMOUNTS.

## CTF - Incoming Interchange

### Lodging Additional Amounts Record Layout

| Position | Field Length | Format | Contents                              |
|----------|--------------|--------|---------------------------------------|
| 1-2      | 2            | UN     | Transaction Code                      |
| 3        | 1            | UN     | Transaction Code Qualifier            |
| 4        | 1            | AN     | Transaction Component Sequence Number |
| 5-16     | 12           | AN     | Total Tax                             |
| 17-28    | 12           | AN     | Food and Beverage Charges             |
| 29-40    | 12           | AN     | Total Room Tax                        |
| 41-52    | 12           | AN     | Adjustment Amount                     |
| 53-64    | 12           | AN     | Phone Charges                         |
| 65-76    | 12           | AN     | Restaurant Charges                    |
| 77-88    | 12           | AN     | Laundry Charges                       |
| 89-100   | 12           | AN     | Movie Charges                         |
| 101-112  | 12           | AN     | Lounge/Bar Charges                    |
| 113-124  | 12           | AN     | Early Departure Charges               |



### Lodging Additional Amounts Record Layout

| Position | Field Length | Format | Contents          |
|----------|--------------|--------|-------------------|
| 125-136  | 12           | AN     | Prepaid expenses  |
| 137-148  | 12           | AN     | Other Charges     |
| 149-160  | 12           | AN     | Gift Shop Charges |
| 161-168  | 8            | AN     | Reserved          |

Format: AN = Alphanumeric, ANS = Alphanumeric Special, DX = Display Hexadecimal, N = Numeric, UN = Unpacked Numeric

### Lodging Additional Amounts Edit Criteria

|                                                                                                   |                                                                            |
|---------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------|
| <b>Transaction Code</b><br>Positions: 1-2<br>Length: 2<br>Format: unpacked numeric                | <b>Description:</b> This field contains the value of <b>33</b> .           |
| <b>Transaction Code Qualifier</b><br>Positions: 3<br>Length: 1<br>Format: unpacked numeric        | <b>Description:</b> This field contains the value of <b>0</b> .            |
| <b>Transaction Component Sequence Number</b><br>Positions: 4<br>Length: 1<br>Format: alphanumeric | <b>Description:</b> This field contains the value of <b>3</b> .            |
| <b>Total Tax</b><br>Positions: 5-16<br>Length: 12<br>Format: alphanumeric                         | <b>Description:</b> This field contains the total amount of tax.           |
| <b>Food and Beverage Charges</b><br>Positions: 17-28<br>Length: 12<br>Format: alphanumeric        | <b>Description:</b> This field contains the food and beverage charges.     |
| <b>Total Room Tax</b><br>Positions: 29-40<br>Length: 12<br>Format: alphanumeric                   | <b>Description:</b> This field contains the total amount for the room tax. |

### Lodging Additional Amounts Edit Criteria

|                                                                                            |                                                                        |
|--------------------------------------------------------------------------------------------|------------------------------------------------------------------------|
| <b>Adjustment Amount</b><br>Positions: 41-52<br>Length: 12<br>Format: alphanumeric         | <b>Description:</b> This field contains the amount of an adjustment.   |
| <b>Phone Charges</b><br>Positions: 53-64<br>Length: 12<br>Format: alphanumeric             | <b>Description:</b> This field contains the charges for telephone use. |
| <b>Restaurant Charges</b><br>Positions: 65-76<br>Length: 12<br>Format: alphanumeric        | <b>Description:</b> This field contains the restaurant charges.        |
| <b>Laundry Charges</b><br>Positions: 77-88<br>Length: 12<br>Format: alphanumeric           | <b>Description:</b> This field contains the laundry charges.           |
| <b>Movie Charges</b><br>Positions: 89-100<br>Length: 12<br>Format: alphanumeric            | <b>Description:</b> This field contains the movie charges.             |
| <b>Lounge/Bar Charges</b><br>Positions: 101-112<br>Length: 12<br>Format: alphanumeric      | <b>Description:</b> This field contains the lounge and bar charges.    |
| <b>Early Departure Charges</b><br>Positions: 113-124<br>Length: 12<br>Format: alphanumeric | <b>Description:</b> This field contains the early departure charges.   |
| <b>Prepaid expenses</b><br>Positions: 125-136<br>Length: 12<br>Format: alphanumeric        | <b>Description:</b> This field contains the prepaid expenses.          |

### Lodging Additional Amounts Edit Criteria

|                                                                                      |                                                                      |
|--------------------------------------------------------------------------------------|----------------------------------------------------------------------|
| <b>Other Charges</b><br>Positions: 137-148<br>Length: 12<br>Format: alphanumeric     | <b>Description:</b> This field contains other miscellaneous charges. |
| <b>Gift Shop Charges</b><br>Positions: 149-160<br>Length: 12<br>Format: alphanumeric | <b>Description:</b> This field contains the gift shop charges.       |
| <b>Reserved</b><br>Positions: 161-168<br>Length: 8<br>Format: alphanumeric           | <b>Description:</b> This field is reserved; space-filled.            |

## TC 33.A - CP 03 TCR 4 Lodging Additional Amounts (Cont'd)

These tables contain the Multipurpose Message (TC 33.A) record layout and edit criteria for CP 03 TCR 4 - LODGING ADDITIONAL AMOUNTS (CONT'D).

### CTF - Incoming Interchange

#### Lodging Additional Amounts (Cont'd) Record Layout

| Position | Field Length | Format | Contents                              |
|----------|--------------|--------|---------------------------------------|
| 1-2      | 2            | UN     | Transaction Code                      |
| 3        | 1            | UN     | Transaction Code Qualifier            |
| 4        | 1            | AN     | Transaction Component Sequence Number |
| 5-16     | 12           | AN     | Health Club Charges                   |
| 17-28    | 12           | AN     | Valet Parking Charges                 |
| 29-40    | 12           | AN     | Cash Disbursement Charges             |
| 41-52    | 12           | AN     | Non-Room Charges                      |
| 53-64    | 12           | AN     | Business Center Charges               |
| 65-76    | 12           | AN     | Transportation Charges                |

### **Lodging Additional Amounts (Cont'd) Record Layout**

| <b>Position</b> | <b>Field Length</b> | <b>Format</b> | <b>Contents</b>           |
|-----------------|---------------------|---------------|---------------------------|
| 77-88           | 12                  | AN            | Gratuity Charges          |
| 89-100          | 12                  | AN            | Conference Room Charges   |
| 101-112         | 12                  | AN            | Audio Visual Charges      |
| 113-124         | 12                  | AN            | Banquet Charges           |
| 125-136         | 12                  | AN            | Total Non-Room Tax Amount |
| 137-168         | 32                  | AN            | Reserved                  |

Format: AN = Alphanumeric, ANS = Alphanumeric Special, DX = Display Hexadecimal, N = Numeric, UN = Unpacked Numeric

### **Lodging Additional Amounts (Cont'd) Edit Criteria**

|                                                                                                   |                                                                    |
|---------------------------------------------------------------------------------------------------|--------------------------------------------------------------------|
| <b>Transaction Code</b><br>Positions: 1-2<br>Length: 2<br>Format: unpacked numeric                | <b>Description:</b> This field contains the value of <b>33</b> .   |
| <b>Transaction Code Qualifier</b><br>Positions: 3<br>Length: 1<br>Format: unpacked numeric        | <b>Description:</b> This field contains the value of <b>0</b> .    |
| <b>Transaction Component Sequence Number</b><br>Positions: 4<br>Length: 1<br>Format: alphanumeric | <b>Description:</b> This field contains the value of <b>4</b> .    |
| <b>Health Club Charges</b><br>Positions: 5-16<br>Length: 12<br>Format: alphanumeric               | <b>Description:</b> This field contains the health club charges.   |
| <b>Valet Parking Charges</b><br>Positions: 17-28<br>Length: 12<br>Format: alphanumeric            | <b>Description:</b> This field contains the valet parking charges. |

### Lodging Additional Amounts (Cont'd) Edit Criteria

|                                                                                            |                                                                        |
|--------------------------------------------------------------------------------------------|------------------------------------------------------------------------|
| <b>Cash Disbursement Charges</b><br>Positions: 29-40<br>Length: 12<br>Format: alphanumeric | <b>Description:</b> This field contains the cash disbursement charges. |
| <b>Non-Room Charges</b><br>Positions: 41-52<br>Length: 12<br>Format: alphanumeric          | <b>Description:</b> This field contains the non-room charges.          |
| <b>Business Center Charges</b><br>Positions: 53-64<br>Length: 12<br>Format: alphanumeric   | <b>Description:</b> This field contains the business center charges.   |
| <b>Transportation Charges</b><br>Positions: 65-76<br>Length: 12<br>Format: alphanumeric    | <b>Description:</b> This field contains the transportation charges.    |
| <b>Gratuity Charges</b><br>Positions: 77-88<br>Length: 12<br>Format: alphanumeric          | <b>Description:</b> This field contains the gratuity charges.          |
| <b>Conference Room Charges</b><br>Positions: 89-100<br>Length: 12<br>Format: alphanumeric  | <b>Description:</b> This field contains the conference room charges.   |
| <b>Audio Visual Charges</b><br>Positions: 101-112<br>Length: 12<br>Format: alphanumeric    | <b>Description:</b> This field contains the audio visual charges.      |
| <b>Banquet Charges</b><br>Positions: 113-124<br>Length: 12<br>Format: alphanumeric         | <b>Description:</b> This field contains the banquet charges.           |

### Lodging Additional Amounts (Cont'd) Edit Criteria

|                                                                                              |                                                                                    |
|----------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------|
| <b>Total Non-Room Tax Amount</b><br>Positions: 125-136<br>Length: 12<br>Format: alphanumeric | <b>Description:</b> This field contains the total tax amount for non-room charges. |
| <b>Reserved</b><br>Positions: 137-168<br>Length: 32<br>Format: alphanumeric                  | <b>Description:</b> This field is reserved; space-filled.                          |

## TC 33.A - CP 04 TCR 0 Level II Data

These tables contain the Multipurpose Message (TC 33.A) record layout and edit criteria for CP 04 Level 2 and 3 TCR 0 - LEVEL II DATA.

### CTF - Incoming Interchange

#### Level II Data Record Layout

| Position | Field Length | Format | Contents                                                   |
|----------|--------------|--------|------------------------------------------------------------|
| 1-2      | 2            | UN     | Transaction Code                                           |
| 3        | 1            | UN     | Transaction Code Qualifier                                 |
| 4        | 1            | AN     | Transaction Component Sequence Number                      |
| 5-10     | 6            | UN     | Destination Identifier                                     |
| 11-16    | 6            | UN     | Source Identifier                                          |
| 17-20    | 4            | AN     | TC 33 Application Code                                     |
| 21-35    | 15           | AN     | Message Identifier                                         |
| 36-47    | 12           | AN     | Local Tax                                                  |
| 48       | 1            | AN     | Local Tax Included                                         |
| 49-60    | 12           | AN     | National Tax                                               |
| 61       | 1            | AN     | National Tax Included                                      |
| 62-78    | 17           | AN     | Customer Code/Customer Reference Identifier (CRI)          |
| 79-98    | 20           | AN     | Merchant VAT Registration/Single Business Reference Number |

### Level II Data Record Layout

| Position | Field Length | Format | Contents |
|----------|--------------|--------|----------|
| 99-168   | 70           | AN     | Reserved |

Format: AN = Alphanumeric, ANS = Alphanumeric Special, DX = Display Hexadecimal, N = Numeric, UN = Unpacked Numeric

### Level II Data Edit Criteria

|                                                                                                   |                                                                                                                                                                      |
|---------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Transaction Code</b><br>Positions: 1-2<br>Length: 2<br>Format: unpacked numeric                | <b>Description:</b> This field contains the value <b>33</b> .                                                                                                        |
| <b>Transaction Code Qualifier</b><br>Positions: 3<br>Length: 1<br>Format: unpacked numeric        | <b>Description:</b> This field contains the value <b>0</b> .                                                                                                         |
| <b>Transaction Component Sequence Number</b><br>Positions: 4<br>Length: 1<br>Format: alphanumeric | <b>Description:</b> This field contains the value <b>0</b> .                                                                                                         |
| <b>Destination Identifier</b><br>Positions: 5-10<br>Length: 6<br>Format: unpacked numeric         | <b>Description:</b> The entity to which the BASE II transaction message is sent. This field will contain a valid acquiring or issuing identifier.                    |
| <b>Source Identifier</b><br>Positions: 11-16<br>Length: 6<br>Format: unpacked numeric             | <b>Description:</b> This field contains the Visa internal identifier of the VIC.                                                                                     |
| <b>TC 33 Application Code</b><br>Positions: 17-20<br>Length: 4<br>Format: alphanumeric            | <b>Description:</b> This TCR group code identifies a group of related Transaction Component Records (TCR 0 to TCR E). This field has a static value of <b>CP04</b> . |

### Level II Data Edit Criteria

|                                                                                                                    |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
|--------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Message Identifier</b><br>Positions: 21-35<br>Length: 15<br>Format: alphanumeric                                | <b>Description:</b> A unique message identifier that links a specific capture record among multiple capture records being submitted for a single transaction. All capture records within the same file linked to a single authorization request contain the same message identifier. The same message identifier can be assigned to other related capture records located in additional TCR groups identified by TC 33 Application codes ( <b>CP 01</b> through <b>CP 50</b> ). |
| <b>Local Tax</b><br>Positions: 36-47<br>Length: 12<br>Format: alphanumeric                                         | <b>Description:</b> This field contains the amount of state or provincial tax included in the transaction amount.<br><br>This amount is expressed in the same currency as the source amount.                                                                                                                                                                                                                                                                                    |
| <b>Local Tax Included</b><br>Positions: 48<br>Length: 1<br>Format: alphanumeric                                    | <b>Description:</b> Indicates whether local tax is included.<br><br><b>Note:</b> Please see <i>BASE II Clearing Data Codes</i> for a list of valid codes.                                                                                                                                                                                                                                                                                                                       |
| <b>National Tax</b><br>Positions: 49-60<br>Length: 12<br>Format: alphanumeric                                      | <b>Description:</b> (For Australia) This field will contain the goods and services tax (GST) amount.                                                                                                                                                                                                                                                                                                                                                                            |
| <b>National Tax Included</b><br>Positions: 61<br>Length: 1<br>Format: alphanumeric                                 | <b>Description:</b> Indicates if national tax is included or not.<br><br><b>Note:</b> Please see <i>BASE II Clearing Data Codes</i> for a list of valid codes.                                                                                                                                                                                                                                                                                                                  |
| <b>Customer Code/Customer Reference Identifier (CRI)</b><br>Positions: 62-78<br>Length: 17<br>Format: alphanumeric | <b>Description:</b> This field contains a reference number or code that identifies the customer or consumer.                                                                                                                                                                                                                                                                                                                                                                    |



## Level II Data Edit Criteria

|                                                                                                                                          |                                                                                      |
|------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|
| <b>Merchant VAT Registration/<br/>Single Business Reference<br/>Number</b><br><br>Positions: 79-98<br>Length: 20<br>Format: alphanumeric | <b>Description:</b> This field will contain the merchant Australian business number. |
| <b>Reserved</b><br><br>Positions: 99-168<br>Length: 70<br>Format: alphanumeric                                                           | <b>Description:</b> This field is reserved; space-filled.                            |

# TC 33.A - CP 04 TCR 1 Level II Data - American Express

These tables contain the Multipurpose Message (TC 33.A) record layout and edit criteria for CP 04 TCR 1 - LEVEL II DATA - AMERICAN EXPRESS.

## Level II Data - American Express Record Layout

| Position | Field Length | Format | Contents                               |
|----------|--------------|--------|----------------------------------------|
| 1-2      | 2            | UN     | Transaction Code                       |
| 3        | 1            | UN     | Transaction Code Qualifier             |
| 4        | 1            | AN     | Transaction Component Sequence Number  |
| 5-44     | 40           | ANS    | American Express - Charge Descriptor 1 |
| 45-84    | 40           | ANS    | American Express - Charge Descriptor 2 |
| 85-124   | 40           | ANS    | American Express - Charge Descriptor 3 |
| 125-164  | 40           | ANS    | American Express - Charge Descriptor 4 |
| 165-167  | 3            | AN     | American Express - Tax Type Code       |
| 168      | 1            | AN     | Reserved                               |

Format: AN = Alphanumeric, ANS = Alphanumeric Special, DX = Display Hexadecimal, N = Numeric, UN = Unpacked Numeric

## Level II Data - American Express Edit Criteria

|                                                                                                                             |                                                                                   |
|-----------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|
| <b>Transaction Code</b><br>Positions: 1-2<br>Length: 2<br>Format: unpacked numeric                                          | <b>Description:</b> This field contains the value of <b>33</b> .                  |
| <b>Transaction Code Qualifier</b><br>Positions: 3<br>Length: 1<br>Format: unpacked numeric                                  | <b>Description:</b> This field contains the value of <b>0</b> .                   |
| <b>Transaction Component Sequence Number</b><br>Positions: 4<br>Length: 1<br>Format: alphanumeric                           | <b>Description:</b> This field contains the value of <b>1</b> .                   |
| <b>American Express - Charge Descriptor 1</b><br>Positions: 5-44<br>Length: 40<br>Format: alphanumeric special character    | <b>Description:</b> This field contains the American Express charge descriptor 1. |
| <b>American Express - Charge Descriptor 2</b><br>Positions: 45-84<br>Length: 40<br>Format: alphanumeric special character   | <b>Description:</b> This field contains the American Express charge descriptor 2. |
| <b>American Express - Charge Descriptor 3</b><br>Positions: 85-124<br>Length: 40<br>Format: alphanumeric special character  | <b>Description:</b> This field contains the American Express charge descriptor 3. |
| <b>American Express - Charge Descriptor 4</b><br>Positions: 125-164<br>Length: 40<br>Format: alphanumeric special character | <b>Description:</b> This field contains the American Express charge descriptor 4. |

### Level II Data - American Express Edit Criteria

|                                                                                                    |                                                                             |
|----------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------|
| <b>American Express - Tax Type Code</b><br>Positions: 165-167<br>Length: 3<br>Format: alphanumeric | <b>Description:</b> This field contains the American Express tax type code. |
| <b>Reserved</b><br>Positions: 168<br>Length: 1<br>Format: alphanumeric                             | <b>Description:</b> This field is reserved; space-filled.                   |

## TC 33.A - CP 04 TCR 2 Level III Data - Purchasing Transaction Summary

These tables contain the Multipurpose Message (TC 33.A) record layout and edit criteria for CP 04 TCR 2 - LEVEL III DATA - PURCHASING TRANSACTION SUMMARY.

### Level III Data-Purchasing Transaction Summary Record Layout

| Position | Field Length | Format | Contents                              |
|----------|--------------|--------|---------------------------------------|
| 1-2      | 2            | UN     | Transaction Code                      |
| 3        | 1            | UN     | Transaction Code Qualifier            |
| 4        | 1            | AN     | Transaction Component Sequence Number |
| 5-16     | 12           | AN     | Discount Amount                       |
| 17       | 1            | AN     | Discount Amount Signage               |
| 18-29    | 12           | AN     | Freight/Shipping Amount               |
| 30       | 1            | AN     | Freight/Shipping Amount Signage       |
| 31-42    | 12           | AN     | Duty Amount                           |
| 43       | 1            | AN     | Duty Amount Signage                   |
| 44-55    | 12           | AN     | VAT/Tax Amount                        |
| 56       | 1            | AN     | VAT/Tax Amount Signage                |
| 57-71    | 15           | AN     | Unique VAT Invoice Ref. Number        |
| 72-77    | 6            | AN     | Order Date                            |

### Level III Data-Purchasing Transaction Summary Record Layout

| Position | Field Length | Format | Contents                                    |
|----------|--------------|--------|---------------------------------------------|
| 78-81    | 4            | AN     | VAT/Tax Rate (Freight/Shipping)             |
| 82-85    | 4            | AN     | Summary Commodity Code                      |
| 86       | 1            | AN     | Invoice Level Discount Treatment            |
| 87       | 1            | AN     | Tax Treatment                               |
| 88-112   | 25           | ANS    | Mastercard - Card Acceptor Reference Number |
| 113-132  | 20           | ANS    | Mastercard - Card Acceptor VAT Number       |
| 133-152  | 20           | ANS    | Mastercard - Customer VAT Number            |
| 153-168  | 16           | AN     | Reserved                                    |

Format: AN = Alphanumeric, ANS = Alphanumeric Special, DX = Display Hexadecimal, N = Numeric, UN = Unpacked Numeric

### Level III Data-Purchasing Transaction Summary Edit Criteria

|                                                                                                   |                                                                  |
|---------------------------------------------------------------------------------------------------|------------------------------------------------------------------|
| <b>Transaction Code</b><br>Positions: 1-2<br>Length: 2<br>Format: unpacked numeric                | <b>Description:</b> This field contains the value of <b>33</b> . |
| <b>Transaction Code Qualifier</b><br>Positions: 3<br>Length: 1<br>Format: unpacked numeric        | <b>Description:</b> This field contains the value of <b>0</b> .  |
| <b>Transaction Component Sequence Number</b><br>Positions: 4<br>Length: 1<br>Format: alphanumeric | <b>Description:</b> This field contains the value of <b>2</b> .  |
| <b>Discount Amount</b><br>Positions: 5-16<br>Length: 12<br>Format: alphanumeric                   | <b>Description:</b> This field contains the discount amount.     |

### Level III Data-Purchasing Transaction Summary Edit Criteria

|                                                                                                 |                                                                                                                                                                                                |
|-------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Discount Amount Signage</b><br>Positions: 17<br>Length: 1<br>Format: alphanumeric            | <b>Description:</b> This field specifies if the discount amount is a credit or a debit. Values:<br><ul style="list-style-type: none"> <li>• C = Credit</li> <li>• D = Debit</li> </ul>         |
| <b>Freight/Shipping Amount</b><br>Positions: 18-29<br>Length: 12<br>Format: alphanumeric        | <b>Description:</b> This field contains the freight and shipping amount.                                                                                                                       |
| <b>Freight/Shipping Amount Signage</b><br>Positions: 30<br>Length: 1<br>Format: alphanumeric    | <b>Description:</b> This field specifies if the freight/shipping amount is a credit or a debit. Values:<br><ul style="list-style-type: none"> <li>• C = Credit</li> <li>• D = Debit</li> </ul> |
| <b>Duty Amount</b><br>Positions: 31-42<br>Length: 12<br>Format: alphanumeric                    | <b>Description:</b> This field contains the duty amount.                                                                                                                                       |
| <b>Duty Amount Signage</b><br>Positions: 43<br>Length: 1<br>Format: alphanumeric                | <b>Description:</b> This field specifies if the duty amount is a credit or a debit. Values:<br><ul style="list-style-type: none"> <li>• C = Credit</li> <li>• D = Debit</li> </ul>             |
| <b>VAT/Tax Amount</b><br>Positions: 44-55<br>Length: 12<br>Format: alphanumeric                 | <b>Description:</b> This field contains the value added tax (VAT) amount.                                                                                                                      |
| <b>VAT/Tax Amount Signage</b><br>Positions: 56<br>Length: 1<br>Format: alphanumeric             | <b>Description:</b> This field specifies if the VAT/tax amount is a credit or a debit. Values:<br><ul style="list-style-type: none"> <li>• C = Credit</li> <li>• D = Debit</li> </ul>          |
| <b>Unique VAT Invoice Ref. Number</b><br>Positions: 57-71<br>Length: 15<br>Format: alphanumeric | <b>Description:</b> This field contains the VAT invoice reference number.                                                                                                                      |

### Level III Data-Purchasing Transaction Summary Edit Criteria

|                                                                                                                                 |                                                                                         |
|---------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------|
| <b>Order Date</b><br>Positions: 72-77<br>Length: 6<br>Format: alphanumeric                                                      | <b>Description:</b> This field contains the order date in the following format: YYMMDD. |
| <b>VAT/Tax Rate (Freight/Shipping)</b><br>Positions: 78-81<br>Length: 4<br>Format: alphanumeric                                 | <b>Description:</b> This field contains the VAT rate for freight and shipping.          |
| <b>Summary Commodity Code</b><br>Positions: 82-85<br>Length: 4<br>Format: alphanumeric                                          | <b>Description:</b> This field contains the summary commodity code.                     |
| <b>Invoice Level Discount Treatment</b><br>Positions: 86<br>Length: 1<br>Format: alphanumeric                                   | <b>Description:</b> This field contains the invoice level discount treatment.           |
| <b>Tax Treatment</b><br>Positions: 87<br>Length: 1<br>Format: alphanumeric                                                      | <b>Description:</b> This field contains the tax treatment.                              |
| <b>Mastercard - Card Acceptor Reference Number</b><br>Positions: 88-112<br>Length: 25<br>Format: alphanumeric special character | <b>Description:</b> This field contains the Mastercard card acceptor reference number.  |
| <b>Mastercard - Card Acceptor VAT Number</b><br>Positions: 113-132<br>Length: 20<br>Format: alphanumeric special character      | <b>Description:</b> This field contains the Mastercard card acceptor VAT number.        |

### Level III Data-Purchasing Transaction Summary Edit Criteria

|                                                                                                                       |                                                                             |
|-----------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------|
| <b>Mastercard - Customer VAT Number</b><br>Positions: 133-152<br>Length: 20<br>Format: alphanumeric special character | <b>Description:</b> This field contains the Mastercard customer VAT number. |
| <b>Reserved</b><br>Positions: 153-168<br>Length: 16<br>Format: alphanumeric                                           | <b>Description:</b> This field is reserved; space-filled.                   |

## TC 33.A - CP 04 TCR 3 Level III Data - Purchasing Transaction Summary

These tables contain the Multipurpose Message (TC 33.A) record layout and edit criteria for CP 04 TCR 3 - LEVEL III DATA - PURCHASING TRANSACTION SUMMARY.

### Level III Data-Purchasing Transaction Summary Record Layout

| Position | Field Length | Format | Contents                              |
|----------|--------------|--------|---------------------------------------|
| 1-2      | 2            | UN     | Transaction Code                      |
| 3        | 1            | UN     | Transaction Code Qualifier            |
| 4        | 1            | AN     | Transaction Component Sequence Number |
| 5-40     | 36           | ANS    | Mastercard - Authorized Contact Name  |
| 41-80    | 40           | ANS    | MC - Contact Name                     |
| 81-168   | 88           | AN     | Reserved                              |

Format: AN = Alphanumeric, ANS = Alphanumeric Special, DX = Display Hexadecimal, N = Numeric, UN = Unpacked Numeric

### Level III Data-Purchasing Transaction Summary Edit Criteria

|                                                                                                                        |                                                                                 |
|------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------|
| <b>Transaction Code</b><br>Positions: 1-2<br>Length: 2<br>Format: unpacked numeric                                     | <b>Description:</b> This field contains the value of <b>33</b> .                |
| <b>Transaction Code Qualifier</b><br>Positions: 3<br>Length: 1<br>Format: unpacked numeric                             | <b>Description:</b> This field contains the value of <b>0</b> .                 |
| <b>Transaction Component Sequence Number</b><br>Positions: 4<br>Length: 1<br>Format: alphanumeric                      | <b>Description:</b> This field contains the value of <b>3</b> .                 |
| <b>Mastercard - Authorized Contact Name</b><br>Positions: 5-40<br>Length: 36<br>Format: alphanumeric special character | <b>Description:</b> This field contains the Mastercard authorized contact name. |
| <b>MC - Contact Name</b><br>Positions: 41-80<br>Length: 40<br>Format: alphanumeric special character                   | <b>Description:</b> This field contains the Mastercard contact name.            |
| <b>Reserved</b><br>Positions: 81-168<br>Length: 88<br>Format: alphanumeric                                             | <b>Description:</b> This field is reserved; space-filled.                       |

## TC 33.A - CP 05 TCR 0 Passenger Itinerary Data

These tables contain the Multipurpose Message (TC 33.A) record layout and edit criteria for CP 05 TCR 0 - PASSENGER ITINERARY DATA.

### CTF - Incoming Interchange



### Passenger Itinerary Data Record Layout

| Position | Field Length | Format | Contents                              |
|----------|--------------|--------|---------------------------------------|
| 1-2      | 2            | UN     | Transaction Code                      |
| 3        | 1            | UN     | Transaction Code Qualifier            |
| 4        | 1            | AN     | Transaction Component Sequence Number |
| 5-10     | 6            | UN     | Destination Identifier                |
| 11-16    | 6            | UN     | Source Identifier                     |
| 17-20    | 4            | AN     | TC 33 Application Code                |
| 21-35    | 15           | AN     | Message Identifier                    |
| 36-55    | 20           | ANS    | Passenger Name                        |
| 56-61    | 6            | AN     | Departure Date                        |
| 62-64    | 3            | AN     | Origination City/Airport Code         |
| 65-72    | 8            | AN     | Travel Agency Code                    |
| 73-97    | 25           | ANS    | Travel Agency Name                    |
| 98       | 1            | AN     | Restricted Ticket Indicator           |
| 99-102   | 4            | AN     | Computerized Reservation System       |
| 103-117  | 15           | AN     | Ticket Number                         |
| 118-137  | 20           | AN     | Total Clearing Amount                 |
| 138-162  | 25           | AN     | Customer Code                         |
| 163-164  | 2            | AN     | Multiple Clearing Sequence Number     |
| 165-166  | 2            | AN     | Multiple Clearing Sequence Count      |
| 167-168  | 2            | AN     | Reserved                              |

Format: AN = Alphanumeric, ANS = Alphanumeric Special, DX = Display Hexadecimal, N = Numeric, UN = Unpacked Numeric

---

## Passenger Itinerary Data Edit Criteria

|                                                                                                   |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
|---------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Transaction Code</b><br>Positions: 1-2<br>Length: 2<br>Format: unpacked numeric                | <b>Description:</b> This field contains the value <b>33</b> .                                                                                                                                                                                                                                                                                                                                                                                                                   |
| <b>Transaction Code Qualifier</b><br>Positions: 3<br>Length: 1<br>Format: unpacked numeric        | <b>Description:</b> This field contains the value <b>0</b> .                                                                                                                                                                                                                                                                                                                                                                                                                    |
| <b>Transaction Component Sequence Number</b><br>Positions: 4<br>Length: 1<br>Format: alphanumeric | <b>Description:</b> This field contains the value <b>0</b> .                                                                                                                                                                                                                                                                                                                                                                                                                    |
| <b>Destination Identifier</b><br>Positions: 5-10<br>Length: 6<br>Format: unpacked numeric         | <b>Description:</b> The entity to which the BASE II transaction message is sent. This field will contain a valid acquiring or issuing identifier.                                                                                                                                                                                                                                                                                                                               |
| <b>Source Identifier</b><br>Positions: 11-16<br>Length: 6<br>Format: unpacked numeric             | <b>Description:</b> This field contains the Visa internal identifier of the VIC.                                                                                                                                                                                                                                                                                                                                                                                                |
| <b>TC 33 Application Code</b><br>Positions: 17-20<br>Length: 4<br>Format: alphanumeric            | <b>Description:</b> This TCR group code identifies a group of related Transaction Component Records (TCR 0 through TCR E). This field has a static value of <b>CP05</b> .                                                                                                                                                                                                                                                                                                       |
| <b>Message Identifier</b><br>Positions: 21-35<br>Length: 15<br>Format: alphanumeric               | <b>Description:</b> A unique message identifier that links a specific capture record among multiple capture records being submitted for a single transaction. All capture records within the same file linked to a single authorization request contain the same message identifier. The same message identifier can be assigned to other related capture records located in additional TCR groups identified by TC 33 Application codes ( <b>CP 01</b> through <b>CP 50</b> ). |
| <b>Passenger Name</b><br>Positions: 36-55<br>Length: 20<br>Format: alphanumeric special character | <b>Description:</b> This field contains the name of passenger.                                                                                                                                                                                                                                                                                                                                                                                                                  |

### Passenger Itinerary Data Edit Criteria

|                                                                                                       |                                                                                                                                                                                                                                                                                                        |
|-------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Departure Date</b><br>Positions: 56-61<br>Length: 6<br>Format: alphanumeric                        | <b>Description:</b> Date of passenger's departure in the format <b>MMDDYY</b> (Month, Day, Year).                                                                                                                                                                                                      |
| <b>Origination City/Airport Code</b><br>Positions: 62-64<br>Length: 3<br>Format: alphanumeric         | <b>Description:</b> Code indicating the city and/or airport where the trip originates.                                                                                                                                                                                                                 |
| <b>Travel Agency Code</b><br>Positions: 65-72<br>Length: 8<br>Format: alphanumeric                    | <b>Description:</b> Code identifying travel agency if the ticket was issued by a travel agency.                                                                                                                                                                                                        |
| <b>Travel Agency Name</b><br>Positions: 73-97<br>Length: 25<br>Format: alphanumeric special character | <b>Description:</b> Name of travel agency if the ticket was issued by a travel agency.                                                                                                                                                                                                                 |
| <b>Restricted Ticket Indicator</b><br>Positions: 98<br>Length: 1<br>Format: alphanumeric              | <b>Description:</b> Indicates whether this ticket is non-refundable. This entry should be supplied on CPS/Passenger Transport 1 or 2 transactions if the ticket was purchased as a non-refundable ticket.<br><br><b>Note:</b> Please see <i>BASE II Clearing Data Codes</i> for a list of valid codes. |
| <b>Computerized Reservation System</b><br>Positions: 99-102<br>Length: 4<br>Format: alphanumeric      | <b>Description:</b> Indicates the computerized reservation system used to make the reservation and purchase the ticket.                                                                                                                                                                                |
| <b>Ticket Number</b><br>Positions: 103-117<br>Length: 15<br>Format: alphanumeric                      | <b>Description:</b> This field contains ticket number.                                                                                                                                                                                                                                                 |
| <b>Total Clearing Amount</b><br>Positions: 118-137<br>Length: 20<br>Format: alphanumeric              | <b>Description:</b> This field contains total clearing amount.                                                                                                                                                                                                                                         |

## Passenger Itinerary Data Edit Criteria

|                                                                                                     |                                                                                                                                                                       |
|-----------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Customer Code</b><br>Positions: 138-162<br>Length: 25<br>Format: alphanumeric                    | <b>Description:</b> A reference number or code that identifies the customer or consumer.                                                                              |
| <b>Multiple Clearing Sequence Number</b><br>Positions: 163-164<br>Length: 2<br>Format: alphanumeric | <b>Description:</b> A sequence number that distinguishes a specific clearing message among multiple clearing messages being submitted for a single CPS authorization. |
| <b>Multiple Clearing Sequence Count</b><br>Positions: 165-166<br>Length: 2<br>Format: alphanumeric  | <b>Description:</b> Count of multiple clearing sequence.                                                                                                              |
| <b>Reserved</b><br>Positions: 167-168<br>Length: 2<br>Format: alphanumeric                          | <b>Description:</b> This field is reserved; space-filled.                                                                                                             |

# TC 33.A - CP 05 TCR 1 Passenger Itinerary Data (Cont'd)

These tables contain the Multipurpose Message (TC 33.A) record layout and edit criteria for CP 05 Air TCR 1 - PASSENGER ITINERARY DATA (CONT'D).

## CTF - Incoming Interchange

### Passenger Itinerary Data (Cont'd) Record Layout

| Position | Field Length | Format | Contents                              |
|----------|--------------|--------|---------------------------------------|
| 1-2      | 2            | UN     | Transaction Code                      |
| 3        | 1            | UN     | Transaction Code Qualifier            |
| 4        | 1            | AN     | Transaction Component Sequence Number |
| 5-23     | 19           | AN     | Total Fare Amount                     |
| 24-42    | 19           | AN     | Total Taxes Amount                    |

### Passenger Itinerary Data (Cont'd) Record Layout

| Position | Field Length | Format | Contents                |
|----------|--------------|--------|-------------------------|
| 43-62    | 20           | AN     | Total Fee Amount        |
| 63       | 1            | ANS    | Credit Reason Indicator |
| 64       | 1            | ANS    | Ticket Change Indicator |
| 65-168   | 104          | AN     | Reserved                |

Format: AN = Alphanumeric, ANS = Alphanumeric Special, DX = Display Hexadecimal, N = Numeric, UN = Unpacked Numeric

### Passenger Itinerary Data (Cont'd) Edit Criteria

|                                                                                                   |                                                               |
|---------------------------------------------------------------------------------------------------|---------------------------------------------------------------|
| <b>Transaction Code</b><br>Positions: 1-2<br>Length: 2<br>Format: unpacked numeric                | <b>Description:</b> This field contains the value <b>33</b> . |
| <b>Transaction Code Qualifier</b><br>Positions: 3<br>Length: 1<br>Format: unpacked numeric        | <b>Description:</b> This field contains the value <b>0</b> .  |
| <b>Transaction Component Sequence Number</b><br>Positions: 4<br>Length: 1<br>Format: alphanumeric | <b>Description:</b> This field contains the value <b>1</b> .  |
| <b>Total Fare Amount</b><br>Positions: 5-23<br>Length: 19<br>Format: alphanumeric                 | <b>Description:</b> This field contains total fare amount.    |
| <b>Total Taxes Amount</b><br>Positions: 24-42<br>Length: 19<br>Format: alphanumeric               | <b>Description:</b> This field contains total taxes amount.   |
| <b>Total Fee Amount</b><br>Positions: 43-62<br>Length: 20<br>Format: alphanumeric                 | <b>Description:</b> This field contains total fee amount.     |

### Passenger Itinerary Data (Cont'd) Edit Criteria

|                                                                                                        |                                                                                                                                                                        |
|--------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Credit Reason Indicator</b><br>Positions: 63<br>Length: 1<br>Format: alphanumeric special character | <b>Description:</b> This field contains the Credit Reason Indicator.<br><br><b>Note:</b> Please see <i>Full Service POS Online Messages Technical Specifications</i> . |
| <b>Ticket Change Indicator</b><br>Positions: 64<br>Length: 1<br>Format: alphanumeric special character | <b>Description:</b> This field contains the Ticket Change Indicator.<br><br><b>Note:</b> Please see <i>Full Service POS Online Messages Technical Specifications</i> . |
| <b>Reserved</b><br>Positions: 65-168<br>Length: 104<br>Format: alphanumeric                            | <b>Description:</b> This field is reserved; space-filled.                                                                                                              |

## TC 33.A - CP 05 TCR 2 Passenger Itinerary Data (Cont'd)

These tables contain the Multipurpose Message (TC 33.A) record layout and edit criteria for CP 05 Air TCR 2 - PASSENGER ITINERARY DATA (CONT'D).

### CTF - Incoming Interchange

#### Passenger Itinerary Data (Cont'd) Record Layout

| Position | Field Length | Format | Contents                              |
|----------|--------------|--------|---------------------------------------|
| 1-2      | 2            | UN     | Transaction Code                      |
| 3        | 1            | UN     | Transaction Code Qualifier            |
| 4        | 1            | AN     | Transaction Component Sequence Number |
| 5-11     | 7            | Group  | Trip Leg 1 Information                |
| 5-6      | 2            | AN     | Carrier Code                          |
| 7        | 1            | AN     | Service Class                         |
| 8        | 1            | AN     | Stop-Over Code                        |
| 9-11     | 3            | AN     | Destination City/Airport              |

### Passenger Itinerary Data (Cont'd) Record Layout

| Position | Field Length | Format | Contents                       |
|----------|--------------|--------|--------------------------------|
| 12-17    | 6            | AN     | Fare Basis Code_Leg 1          |
| 18-22    | 5            | AN     | Flight Number_Leg 1            |
| 23-28    | 6            | AN     | Departure Date_Leg 1           |
| 29-32    | 4            | AN     | Departure Time_Leg 1           |
| 33       | 1            | AN     | Departure Time Segment_Leg 1   |
| 34-37    | 4            | AN     | Arrival Time_Leg 1             |
| 38       | 1            | AN     | Arrival Time Segment_Leg 1     |
| 39-58    | 20           | ANS    | Endorsement/Restrictions_Leg 1 |
| 59-83    | 25           | AN     | Conjunction Ticket_Leg 1       |
| 84-108   | 25           | AN     | Exchange Ticket_Leg 1          |
| 109      | 1            | AN     | Coupon Number_Leg 1            |
| 110-121  | 12           | AN     | Fare Amount Leg 1              |
| 122-133  | 12           | AN     | Tax Amount Leg 1               |
| 134-145  | 12           | AN     | Fee Amount Leg 1               |
| 146-168  | 23           | AN     | Reserved                       |

Format: AN = Alphanumeric, ANS = Alphanumeric Special, DX = Display Hexadecimal, N = Numeric, UN = Unpacked Numeric

### Passenger Itinerary Data (Cont'd) Edit Criteria

|                                                                                            |                                                               |
|--------------------------------------------------------------------------------------------|---------------------------------------------------------------|
| <b>Transaction Code</b><br>Positions: 1-2<br>Length: 2<br>Format: unpacked numeric         | <b>Description:</b> This field contains the value <b>33</b> . |
| <b>Transaction Code Qualifier</b><br>Positions: 3<br>Length: 1<br>Format: unpacked numeric | <b>Description:</b> This field contains the value <b>0</b> .  |

### Passenger Itinerary Data (Cont'd) Edit Criteria

|                                                                                                   |                                                                                        |
|---------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------|
| <b>Transaction Component Sequence Number</b><br>Positions: 4<br>Length: 1<br>Format: alphanumeric | <b>Description:</b> This field contains the value <b>2</b> .                           |
| <b>Trip Leg 1 Information</b><br>Positions: 5-11<br>Length: 7<br>Format: Group                    | <b>Description:</b> Description of the first leg of trip.                              |
| <b>Carrier Code</b><br>Positions: 5-6<br>Length: 2<br>Format: alphanumeric                        | <b>Description:</b> Code indicating name of carrier (United Airlines, Jet Blue, etc.). |
| <b>Service Class</b><br>Positions: 7<br>Length: 1<br>Format: alphanumeric                         | <b>Description:</b> Indicates service class (first class, business class, etc.)        |
| <b>Stop-Over Code</b><br>Positions: 8<br>Length: 1<br>Format: alphanumeric                        | <b>Description:</b> Indicates whether a stopover is allowed on this ticket.            |
| <b>Destination City/Airport</b><br>Positions: 9-11<br>Length: 3<br>Format: alphanumeric           | <b>Description:</b> Indicates destination city's airport code.                         |
| <b>Fare Basis Code_Leg 1</b><br>Positions: 12-17<br>Length: 6<br>Format: alphanumeric             | <b>Description:</b> Fare basis code used for Leg 1 of the trip.                        |
| <b>Flight Number_Leg 1</b><br>Positions: 18-22<br>Length: 5<br>Format: alphanumeric               | <b>Description:</b> Number of the airline flight to be taken on Leg 1 of the trip.     |



### Passenger Itinerary Data (Cont'd) Edit Criteria

|                                                                                                                   |                                                                                                                                                                              |
|-------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Departure Date_Leg 1</b><br>Positions: 23-28<br>Length: 6<br>Format: alphanumeric                              | <b>Description:</b> Date of passenger's departure ( <b>MMDDYY</b> ) on Leg 1 of the trip.                                                                                    |
| <b>Departure Time_Leg 1</b><br>Positions: 29-32<br>Length: 4<br>Format: alphanumeric                              | <b>Description:</b> Time of passenger's departure on Leg 1 of the trip ( <b>HHMM</b> ).<br><b>HH</b> = Time in hours (00 to 23)<br><b>MM</b> = Time in minutes (00 to 59)    |
| <b>Departure Time Segment_Leg 1</b><br>Positions: 33<br>Length: 1<br>Format: alphanumeric                         | <b>Description:</b> Time of passenger's departure on Segment Leg 1 of the trip.<br><br><b>Note:</b> Please see <i>BASE II Clearing Data Codes</i> for a list of valid codes. |
| <b>Arrival Time_Leg 1</b><br>Positions: 34-37<br>Length: 4<br>Format: alphanumeric                                | <b>Description:</b> Time of passenger's arrival on Leg 1 of the trip ( <b>HHMM</b> ).<br><b>HH</b> = Time in hours (00 to 23)<br><b>MM</b> = Time in minutes (00 to 59)      |
| <b>Arrival Time Segment_Leg 1</b><br>Positions: 38<br>Length: 1<br>Format: alphanumeric                           | <b>Description:</b> Time of passenger's arrival on Segment Leg 1 of the trip.<br><br><b>Note:</b> Please see <i>BASE II Clearing Data Codes</i> for a list of valid codes.   |
| <b>Endorsement/Restrictions_Leg 1</b><br>Positions: 39-58<br>Length: 20<br>Format: alphanumeric special character | <b>Description:</b> Indicates endorsement/restrictions for the first leg of trip.                                                                                            |
| <b>Conjunctions Ticket_Leg 1</b><br>Positions: 59-83<br>Length: 25<br>Format: alphanumeric                        | <b>Description:</b> Conjunction ticket information for the first leg of trip.                                                                                                |
| <b>Exchange Ticket_Leg 1</b><br>Positions: 84-108<br>Length: 25<br>Format: alphanumeric                           | <b>Description:</b> Exchange ticket information for the first leg of trip.                                                                                                   |

### Passenger Itinerary Data (Cont'd) Edit Criteria

|                                                                                      |                                                                    |
|--------------------------------------------------------------------------------------|--------------------------------------------------------------------|
| <b>Coupon Number_Leg 1</b><br>Positions: 109<br>Length: 1<br>Format: alphanumeric    | <b>Description:</b> Coupon number for the first leg of trip.       |
| <b>Fare Amount Leg 1</b><br>Positions: 110-121<br>Length: 12<br>Format: alphanumeric | <b>Description:</b> This field contains the Fare Amount for Leg 1. |
| <b>Tax Amount Leg 1</b><br>Positions: 122-133<br>Length: 12<br>Format: alphanumeric  | <b>Description:</b> This field contains the Tax Amount for Leg 1.  |
| <b>Fee Amount Leg 1</b><br>Positions: 134-145<br>Length: 12<br>Format: alphanumeric  | <b>Description:</b> This field contains the Fee Amount for Leg 1.  |
| <b>Reserved</b><br>Positions: 146-168<br>Length: 23<br>Format: alphanumeric          | <b>Description:</b> This field is reserved; space-filled.          |

## TC 33.A - CP 05 TCR 3 Passenger Itinerary Data (Cont'd)

These tables contain the Multipurpose Message (TC 33.A) record layout and edit criteria for CP 05 Air TCR 3 - PASSENGER ITINERARY DATA (CONT'D).

### CTF - Incoming Interchange

#### Passenger Itinerary Data (Cont'd) Record Layout

| Position | Field Length | Format | Contents                   |
|----------|--------------|--------|----------------------------|
| 1-2      | 2            | UN     | Transaction Code           |
| 3        | 1            | UN     | Transaction Code Qualifier |

**Passenger Itinerary Data (Cont'd) Record Layout**

| Position | Field Length | Format | Contents                              |
|----------|--------------|--------|---------------------------------------|
| 4        | 1            | AN     | Transaction Component Sequence Number |
| 5-11     | 7            | Group  | Trip Leg 2 Information                |
| 5-6      | 2            | AN     | Carrier Code                          |
| 7        | 1            | AN     | Service Class                         |
| 8        | 1            | AN     | Stop-Over Code                        |
| 9-11     | 3            | AN     | Destination City/Airport              |
| 12-17    | 6            | AN     | Fare Basis Code_Leg 2                 |
| 18-22    | 5            | AN     | Flight Number_Leg 2                   |
| 23-28    | 6            | AN     | Departure Date_Leg 2                  |
| 29-32    | 4            | AN     | Departure Time_Leg 2                  |
| 33       | 1            | AN     | Departure Time Segment_Leg 2          |
| 34-37    | 4            | AN     | Arrival Time_Leg 2                    |
| 38       | 1            | AN     | Arrival Time Segment_Leg 2            |
| 39-58    | 20           | ANS    | Endorsement/Restrictions_Leg 2        |
| 59-83    | 25           | AN     | Conjunction Ticket_Leg 2              |
| 84-108   | 25           | AN     | Exchange Ticket_Leg 2                 |
| 109      | 1            | AN     | Coupon Number_Leg 2                   |
| 110-121  | 12           | AN     | Fare Amount Leg 2                     |
| 122-133  | 12           | AN     | Tax Amount Leg 2                      |
| 134-145  | 12           | AN     | Fee Amount Leg 2                      |
| 146-168  | 23           | AN     | Reserved                              |

Format: AN = Alphanumeric, ANS = Alphanumeric Special, DX = Display Hexadecimal, N = Numeric, UN = Unpacked Numeric

### Passenger Itinerary Data (Cont'd) Edit Criteria

|                                                                                                   |                                                                                                                                                                          |
|---------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Transaction Code</b><br>Positions: 1-2<br>Length: 2<br>Format: unpacked numeric                | <b>Description:</b> This field contains the value <b>33</b> .                                                                                                            |
| <b>Transaction Code Qualifier</b><br>Positions: 3<br>Length: 1<br>Format: unpacked numeric        | <b>Description:</b> This field contains the value <b>0</b> .                                                                                                             |
| <b>Transaction Component Sequence Number</b><br>Positions: 4<br>Length: 1<br>Format: alphanumeric | <b>Description:</b> This field contains the value <b>3</b> .                                                                                                             |
| <b>Trip Leg 2 Information</b><br>Positions: 5-11<br>Length: 7<br>Format: Group                    | <b>Description:</b> Description of the second leg of trip.                                                                                                               |
| <b>Carrier Code</b><br>Positions: 5-6<br>Length: 2<br>Format: alphanumeric                        | <b>Description:</b> Code indicating name of carrier (United Airlines, Jet Blue, etc.).<br>Edited only on Leg 2.                                                          |
| <b>Service Class</b><br>Positions: 7<br>Length: 1<br>Format: alphanumeric                         | <b>Description:</b> Indicates service class (first class, business class, etc.)<br>Edited only on Leg 2.                                                                 |
| <b>Stop-Over Code</b><br>Positions: 8<br>Length: 1<br>Format: alphanumeric                        | <b>Description:</b> Indicates whether a stopover is allowed on this ticket.<br><br><b>Note:</b> Please see <i>BASE II Clearing Data Codes</i> for a list of valid codes. |
| <b>Destination City/Airport</b><br>Positions: 9-11<br>Length: 3<br>Format: alphanumeric           | <b>Description:</b> Indicates destination city's airport code.<br>Edited only on Leg 2.                                                                                  |

**Passenger Itinerary Data (Cont'd) Edit Criteria**

|                                                                                                                   |                                                                                                                                                                              |
|-------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Fare Basis Code_Leg 2</b><br>Positions: 12-17<br>Length: 6<br>Format: alphanumeric                             | <b>Description:</b> Fare basis code used for Leg 2 of the trip.                                                                                                              |
| <b>Flight Number_Leg 2</b><br>Positions: 18-22<br>Length: 5<br>Format: alphanumeric                               | <b>Description:</b> Number of the airline flight to be taken on Leg 2 of the trip.                                                                                           |
| <b>Departure Date_Leg 2</b><br>Positions: 23-28<br>Length: 6<br>Format: alphanumeric                              | <b>Description:</b> Date of passenger's departure ( <b>MMDDYY</b> ) on Leg 2 of the trip.                                                                                    |
| <b>Departure Time_Leg 2</b><br>Positions: 29-32<br>Length: 4<br>Format: alphanumeric                              | <b>Description:</b> Time of passenger's departure on Leg 2 of the trip ( <b>HHMM</b> ).<br><b>HH</b> = Time in hours (00 to 23)<br><b>MM</b> = Time in minutes (00 to 59).   |
| <b>Departure Time Segment_Leg 2</b><br>Positions: 33<br>Length: 1<br>Format: alphanumeric                         | <b>Description:</b> Time of passenger's departure on Segment Leg 2 of the trip.<br><br><b>Note:</b> Please see <i>BASE II Clearing Data Codes</i> for a list of valid codes. |
| <b>Arrival Time_Leg 2</b><br>Positions: 34-37<br>Length: 4<br>Format: alphanumeric                                | <b>Description:</b> Time of passenger's arrival on Leg 2 of the trip ( <b>HHMM</b> ).<br><b>HH</b> = Time in hours (00 to 23)<br><b>MM</b> = Time in minutes (00 to 59)      |
| <b>Arrival Time Segment_Leg 2</b><br>Positions: 38<br>Length: 1<br>Format: alphanumeric                           | <b>Description:</b> Time of passenger's arrival on Segment Leg 2 of the trip.<br><br><b>Note:</b> Please see <i>BASE II Clearing Data Codes</i> for a list of valid codes.   |
| <b>Endorsement/Restrictions_Leg 2</b><br>Positions: 39-58<br>Length: 20<br>Format: alphanumeric special character | <b>Description:</b> Indicates endorsement/restrictions for the second leg of trip.                                                                                           |

### Passenger Itinerary Data (Cont'd) Edit Criteria

|                                                                                            |                                                                                |
|--------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------|
| <b>Conjunctions Ticket_Leg 2</b><br>Positions: 59-83<br>Length: 25<br>Format: alphanumeric | <b>Description:</b> Conjunction ticket information for the second leg of trip. |
| <b>Exchange Ticket_Leg 2</b><br>Positions: 84-108<br>Length: 25<br>Format: alphanumeric    | <b>Description:</b> Exchange ticket information for the second leg of trip.    |
| <b>Coupon Number_Leg 2</b><br>Positions: 109<br>Length: 1<br>Format: alphanumeric          | <b>Description:</b> Coupon number for the second leg of trip.                  |
| <b>Fare Amount Leg 2</b><br>Positions: 110-121<br>Length: 12<br>Format: alphanumeric       | <b>Description:</b> This field contains the Fare Amount for Leg 2.             |
| <b>Tax Amount Leg 2</b><br>Positions: 122-133<br>Length: 12<br>Format: alphanumeric        | <b>Description:</b> This field contains the Tax Amount for Leg 2.              |
| <b>Fee Amount Leg 2</b><br>Positions: 134-145<br>Length: 12<br>Format: alphanumeric        | <b>Description:</b> This field contains the Fee Amount for Leg 2.              |
| <b>Reserved</b><br>Positions: 146-168<br>Length: 23<br>Format: alphanumeric                | <b>Description:</b> This field is reserved; space-filled.                      |

# TC 33.A - CP 05 TCR 4 Passenger Itinerary Data (Cont'd)

These tables contain the Multipurpose Message (TC 33.A) record layout and edit criteria for CP 05 Air TCR 4 - PASSENGER ITINERARY DATA (CONT'D).

## CTF - Incoming Interchange

### Passenger Itinerary Data (Cont'd) Record Layout

| Position | Field Length | Format | Contents                              |
|----------|--------------|--------|---------------------------------------|
| 1-2      | 2            | UN     | Transaction Code                      |
| 3        | 1            | UN     | Transaction Code Qualifier            |
| 4        | 1            | AN     | Transaction Component Sequence Number |
| 5-11     | 7            | Group  | Trip Leg 3 Information                |
| 5-6      | 2            | AN     | Carrier Code                          |
| 7        | 1            | AN     | Service Class                         |
| 8        | 1            | AN     | Stop-Over Code                        |
| 9-11     | 3            | AN     | Destination City/Airport              |
| 12-17    | 6            | AN     | Fare Basis Code_Leg 3                 |
| 18-22    | 5            | AN     | Flight Number_Leg 3                   |
| 23-28    | 6            | AN     | Departure Date_Leg 3                  |
| 29-32    | 4            | AN     | Departure Time_Leg 3                  |
| 33       | 1            | AN     | Departure Time Segment_Leg 3          |
| 34-37    | 4            | AN     | Arrival Time_Leg 3                    |
| 38       | 1            | AN     | Arrival Time Segment_Leg 3            |
| 39-58    | 20           | ANS    | Endorsement/Restrictions_Leg 3        |
| 59-83    | 25           | AN     | Conjunction Ticket_Leg 3              |
| 84-108   | 25           | AN     | Exchange Ticket_Leg 3                 |
| 109      | 1            | AN     | Coupon Number_Leg 3                   |
| 110-121  | 12           | AN     | Fare Amount Leg 3                     |
| 122-133  | 12           | AN     | Tax Amount Leg 3                      |
| 134-145  | 12           | AN     | Fee Amount Leg 3                      |

### Passenger Itinerary Data (Cont'd) Record Layout

| Position | Field Length | Format | Contents |
|----------|--------------|--------|----------|
| 146-168  | 23           | AN     | Reserved |

Format: AN = Alphanumeric, ANS = Alphanumeric Special, DX = Display Hexadecimal, N = Numeric, UN = Unpacked Numeric

### Passenger Itinerary Data (Cont'd) Edit Criteria

|                                                                                                   |                                                                                                                 |
|---------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------|
| <b>Transaction Code</b><br>Positions: 1-2<br>Length: 2<br>Format: unpacked numeric                | <b>Description:</b> This field contains the value <b>33</b> .                                                   |
| <b>Transaction Code Qualifier</b><br>Positions: 3<br>Length: 1<br>Format: unpacked numeric        | <b>Description:</b> This field contains the value <b>0</b> .                                                    |
| <b>Transaction Component Sequence Number</b><br>Positions: 4<br>Length: 1<br>Format: alphanumeric | <b>Description:</b> This field contains the value <b>4</b> .                                                    |
| <b>Trip Leg 3 Information</b><br>Positions: 5-11<br>Length: 7<br>Format: Group                    | <b>Description:</b> Description of the third leg of trip.                                                       |
| <b>Carrier Code</b><br>Positions: 5-6<br>Length: 2<br>Format: alphanumeric                        | <b>Description:</b> Code indicating name of carrier (United Airlines, Jet Blue, etc.).<br>Edited only on Leg 3. |
| <b>Service Class</b><br>Positions: 7<br>Length: 1<br>Format: alphanumeric                         | <b>Description:</b> Indicates service class (first class, business class, etc.)<br>Edited only on Leg 3.        |



### Passenger Itinerary Data (Cont'd) Edit Criteria

|                                                                                           |                                                                                                                                                                              |
|-------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Stop-Over Code</b><br>Positions: 8<br>Length: 1<br>Format: alphanumeric                | <b>Description:</b> Indicates whether a stopover is allowed on this ticket.<br><br><b>Note:</b> Please see <i>BASE II Clearing Data Codes</i> for a list of valid codes.     |
| <b>Destination City/Airport</b><br>Positions: 9-11<br>Length: 3<br>Format: alphanumeric   | <b>Description:</b> Indicates destination city's airport code.<br>Edited only on Leg 3.                                                                                      |
| <b>Fare Basis Code_Leg 3</b><br>Positions: 12-17<br>Length: 6<br>Format: alphanumeric     | <b>Description:</b> Fare basis code used for Leg 3 of the trip.                                                                                                              |
| <b>Flight Number_Leg 3</b><br>Positions: 18-22<br>Length: 5<br>Format: alphanumeric       | <b>Description:</b> Number of the airline flight to be taken on Leg 3 of the trip.                                                                                           |
| <b>Departure Date_Leg 3</b><br>Positions: 23-28<br>Length: 6<br>Format: alphanumeric      | <b>Description:</b> Date of passenger's departure ( <b>MMDDYY</b> ) on Leg 3 of the trip.                                                                                    |
| <b>Departure Time_Leg 3</b><br>Positions: 29-32<br>Length: 4<br>Format: alphanumeric      | <b>Description:</b> Time of passenger's departure on Leg 3 of the trip ( <b>HHMM</b> ).<br><b>HH</b> = Time in hours (00 to 23)<br><b>MM</b> = Time in minutes (00 to 59).   |
| <b>Departure Time Segment_Leg 3</b><br>Positions: 33<br>Length: 1<br>Format: alphanumeric | <b>Description:</b> Time of passenger's departure on Segment Leg 3 of the trip.<br><br><b>Note:</b> Please see <i>BASE II Clearing Data Codes</i> for a list of valid codes. |
| <b>Arrival Time_Leg 3</b><br>Positions: 34-37<br>Length: 4<br>Format: alphanumeric        | <b>Description:</b> Time of passenger's arrival on Leg 3 of the trip ( <b>HHMM</b> ).<br><b>HH</b> = Time in hours (00 to 23)<br><b>MM</b> = Time in minutes (00 to 59)      |

### Passenger Itinerary Data (Cont'd) Edit Criteria

|                                                                                                                   |                                                                                                                                                                            |
|-------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Arrival Time Segment_Leg 3</b><br>Positions: 38<br>Length: 1<br>Format: alphanumeric                           | <b>Description:</b> Time of passenger's arrival on Segment Leg 3 of the trip.<br><br><b>Note:</b> Please see <i>BASE II Clearing Data Codes</i> for a list of valid codes. |
| <b>Endorsement/Restrictions_Leg 3</b><br>Positions: 39-58<br>Length: 20<br>Format: alphanumeric special character | <b>Description:</b> Indicates endorsement/restrictions for Leg 3 of the trip.                                                                                              |
| <b>Conjunctions Ticket_Leg 3</b><br>Positions: 59-83<br>Length: 25<br>Format: alphanumeric                        | <b>Description:</b> Conjunction ticket information for Leg 3 of the trip.                                                                                                  |
| <b>Exchange Ticket_Leg 3</b><br>Positions: 84-108<br>Length: 25<br>Format: alphanumeric                           | <b>Description:</b> Exchange ticket information for Leg 3 of the trip.                                                                                                     |
| <b>Coupon Number_Leg 3</b><br>Positions: 109<br>Length: 1<br>Format: alphanumeric                                 | <b>Description:</b> Coupon number for Leg 3 of the trip.                                                                                                                   |
| <b>Fare Amount Leg 3</b><br>Positions: 110-121<br>Length: 12<br>Format: alphanumeric                              | <b>Description:</b> This field contains the Fare Amount for Leg 3.                                                                                                         |
| <b>Tax Amount Leg 3</b><br>Positions: 122-133<br>Length: 12<br>Format: alphanumeric                               | <b>Description:</b> This field contains the Tax Amount for Leg 3.                                                                                                          |

### Passenger Itinerary Data (Cont'd) Edit Criteria

|                                                                                     |                                                                   |
|-------------------------------------------------------------------------------------|-------------------------------------------------------------------|
| <b>Fee Amount Leg 3</b><br>Positions: 134-145<br>Length: 12<br>Format: alphanumeric | <b>Description:</b> This field contains the Fee Amount for Leg 3. |
| <b>Reserved</b><br>Positions: 146-168<br>Length: 23<br>Format: alphanumeric         | <b>Description:</b> This field is reserved; space-filled.         |

## TC 33.A - CP 05 TCR 5 Passenger Itinerary Data (Cont'd)

These tables contain the Multipurpose Message (TC 33.A) record layout and edit criteria for CP 05 Air TCR 5 - PASSENGER ITINERARY DATA (CONT'D).

### CTF - Incoming Interchange

#### Passenger Itinerary Data (Cont'd) Record Layout

| Position | Field Length | Format | Contents                              |
|----------|--------------|--------|---------------------------------------|
| 1-2      | 2            | UN     | Transaction Code                      |
| 3        | 1            | UN     | Transaction Code Qualifier            |
| 4        | 1            | AN     | Transaction Component Sequence Number |
| 5-11     | 7            | Group  | Trip Leg 4 Information                |
| 5-6      | 2            | AN     | Carrier Code                          |
| 7        | 1            | AN     | Service Code                          |
| 8        | 1            | AN     | Stop-Over Code                        |
| 9-11     | 3            | AN     | Destination City/Airport              |
| 12-17    | 6            | AN     | Fare Basis Code_Leg 4                 |
| 18-22    | 5            | AN     | Flight Number_Leg 4                   |
| 23-28    | 6            | AN     | Departure Date_Leg 4                  |
| 29-32    | 4            | AN     | Departure Time_Leg 4                  |
| 33       | 1            | AN     | Departure Time Segment_Leg 4          |

### Passenger Itinerary Data (Cont'd) Record Layout

| Position | Field Length | Format | Contents                       |
|----------|--------------|--------|--------------------------------|
| 34-37    | 4            | AN     | Arrival Time_Leg 4             |
| 38       | 1            | AN     | Arrival Time Segment_Leg 4     |
| 39-58    | 20           | ANS    | Endorsement/Restrictions_Leg 4 |
| 59-83    | 25           | AN     | Conjunction Ticket_Leg 4       |
| 84-108   | 25           | AN     | Exchange Ticket_Leg 4          |
| 109      | 1            | AN     | Coupon Number_Leg 4            |
| 110-121  | 12           | AN     | Fare Amount Leg 4              |
| 122-133  | 12           | AN     | Tax Amount Leg 4               |
| 134-145  | 12           | AN     | Fee Amount Leg 4               |
| 146-168  | 23           | AN     | Reserved                       |

Format: AN = Alphanumeric, ANS = Alphanumeric Special, DX = Display Hexadecimal, N = Numeric, UN = Unpacked Numeric

### Passenger Itinerary Data (Cont'd) Edit Criteria

|                                                                                                   |                                                               |
|---------------------------------------------------------------------------------------------------|---------------------------------------------------------------|
| <b>Transaction Code</b><br>Positions: 1-2<br>Length: 2<br>Format: unpacked numeric                | <b>Description:</b> This field contains the value <b>33</b> . |
| <b>Transaction Code Qualifier</b><br>Positions: 3<br>Length: 1<br>Format: unpacked numeric        | <b>Description:</b> This field contains the value <b>0</b> .  |
| <b>Transaction Component Sequence Number</b><br>Positions: 4<br>Length: 1<br>Format: alphanumeric | <b>Description:</b> This field contains the value <b>5</b> .  |
| <b>Trip Leg 4 Information</b><br>Positions: 5-11<br>Length: 7<br>Format: Group                    | <b>Description:</b> Description of the 4th leg of trip.       |

### Passenger Itinerary Data (Cont'd) Edit Criteria

|                                                                                         |                                                                                                                                                                            |
|-----------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Carrier Code</b><br>Positions: 5-6<br>Length: 2<br>Format: alphanumeric              | <b>Description:</b> Code indicating name of carrier (United Airlines, Jet Blue, etc.).<br>Edited only on Leg 4.                                                            |
| <b>Service Class</b><br>Positions: 7<br>Length: 1<br>Format: alphanumeric               | <b>Description:</b> Indicates service class (first class, business class, etc.)<br>Edited only on Leg 4.                                                                   |
| <b>Stop-Over Code</b><br>Positions: 8<br>Length: 1<br>Format: alphanumeric              | <b>Description:</b> Indicates whether a stopover is allowed on this ticket.<br><br><b>Note:</b> Please see <i>BASE II Clearing Data Codes</i> for a list of valid codes.   |
| <b>Destination City/Airport</b><br>Positions: 9-11<br>Length: 3<br>Format: alphanumeric | <b>Description:</b> Indicates destination city's airport code.<br>Edited only on Leg 4.                                                                                    |
| <b>Fare Basis Code_Leg 4</b><br>Positions: 12-17<br>Length: 6<br>Format: alphanumeric   | <b>Description:</b> Fare basis code used for Leg 4 of the trip.                                                                                                            |
| <b>Flight Number_Leg 4</b><br>Positions: 18-22<br>Length: 5<br>Format: alphanumeric     | <b>Description:</b> Number of the airline flight to be taken on Leg 4 of the trip.                                                                                         |
| <b>Departure Date_Leg 4</b><br>Positions: 23-28<br>Length: 6<br>Format: alphanumeric    | <b>Description:</b> Date of passenger's departure ( <b>MMDDYY</b> ) on Leg 4 of the trip.                                                                                  |
| <b>Departure Time_Leg 4</b><br>Positions: 29-32<br>Length: 4<br>Format: alphanumeric    | <b>Description:</b> Time of passenger's departure on Leg 4 of the trip ( <b>HHMM</b> ).<br><b>HH</b> = Time in hours (00 to 23)<br><b>MM</b> = Time in minutes (00 to 59). |

**Passenger Itinerary Data (Cont'd) Edit Criteria**

|                                                                                                                   |                                                                                                                                                                              |
|-------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Departure Time Segment_Leg 4</b><br>Positions: 33<br>Length: 1<br>Format: alphanumeric                         | <b>Description:</b> Time of passenger's departure on Segment Leg 4 of the trip.<br><br><b>Note:</b> Please see <i>BASE II Clearing Data Codes</i> for a list of valid codes. |
| <b>Arrival Time_Leg 4</b><br>Positions: 34-37<br>Length: 4<br>Format: alphanumeric                                | <b>Description:</b> Time of passenger's arrival on Leg 4 of the trip ( <b>HHMM</b> ).<br><b>HH</b> = Time in hours (00 to 23)<br><b>MM</b> = Time in minutes (00 to 59)      |
| <b>Arrival Time Segment_Leg 4</b><br>Positions: 38<br>Length: 1<br>Format: alphanumeric                           | <b>Description:</b> Time of passenger's arrival on Segment Leg 4 of the trip.<br><br><b>Note:</b> Please see <i>BASE II Clearing Data Codes</i> for a list of valid codes.   |
| <b>Endorsement/Restrictions_Leg 4</b><br>Positions: 39-58<br>Length: 20<br>Format: alphanumeric special character | <b>Description:</b> Indicates endorsement/restrictions for Leg 4 of the trip.                                                                                                |
| <b>Conjunctions Ticket_Leg 4</b><br>Positions: 59-83<br>Length: 25<br>Format: alphanumeric                        | <b>Description:</b> Conjunction ticket information for Leg 4 of the trip.                                                                                                    |
| <b>Exchange Ticket_Leg 4</b><br>Positions: 84-108<br>Length: 25<br>Format: alphanumeric                           | <b>Description:</b> Exchange ticket information for Leg 4 of the trip.                                                                                                       |
| <b>Coupon Number_Leg 4</b><br>Positions: 109<br>Length: 1<br>Format: alphanumeric                                 | <b>Description:</b> Coupon number for Leg 4 of the trip.                                                                                                                     |
| <b>Fare Amount Leg 4</b><br>Positions: 110-121<br>Length: 12<br>Format: alphanumeric                              | <b>Description:</b> This field contains the Fare Amount for Leg 4.                                                                                                           |

### Passenger Itinerary Data (Cont'd) Edit Criteria

|                                                                                     |                                                                   |
|-------------------------------------------------------------------------------------|-------------------------------------------------------------------|
| <b>Tax Amount Leg 4</b><br>Positions: 122-133<br>Length: 12<br>Format: alphanumeric | <b>Description:</b> This field contains the Tax Amount for Leg 4. |
| <b>Fee Amount Leg 4</b><br>Positions: 134-145<br>Length: 12<br>Format: alphanumeric | <b>Description:</b> This field contains the Fee Amount for Leg 4. |
| <b>Reserved</b><br>Positions: 146-168<br>Length: 23<br>Format: alphanumeric         | <b>Description:</b> This field is reserved; space-filled.         |

## TC 33.A - CP 05 TCR 6 Passenger Transport

These tables contain the Multipurpose Message (TC 33.A) record layout and edit criteria for CP 05 TCR 6 - PASSENGER ITINERARY DATA - INDUSTRY-SPECIFIC DATA - PASSENGER TRANSPORT.

### CTF - Incoming Interchange

#### Passenger Itinerary Data - Industry-Specific Data - Passenger Transport Record Layout

| Position | Field Length | Format | Contents                              |
|----------|--------------|--------|---------------------------------------|
| 1-2      | 2            | UN     | Transaction Code                      |
| 3        | 1            | UN     | Transaction Code Qualifier            |
| 4        | 1            | AN     | Transaction Component Sequence Number |
| 5-19     | 15           | AN     | Ancillary Ticket Document Number      |
| 20       | 1            | AN     | Ancillary Credit Reason Indicator     |
| 21-24    | 4            | AN     | Ancillary Service Category 1          |
| 25-28    | 4            | AN     | Ancillary Service Sub-Category 1      |
| 29-32    | 4            | AN     | Ancillary Service Category 2          |
| 33-36    | 4            | AN     | Ancillary Service Sub-Category 2      |

## Passenger Itinerary Data - Industry-Specific Data - Passenger Transport Record Layout

| Position | Field Length | Format | Contents                                |
|----------|--------------|--------|-----------------------------------------|
| 37-40    | 4            | AN     | Ancillary Service Category 3            |
| 41-44    | 4            | AN     | Ancillary Service Sub-Category 3        |
| 45-48    | 4            | AN     | Ancillary Service Category 4            |
| 49-52    | 4            | AN     | Ancillary Service Sub-Category 4        |
| 53-72    | 20           | ANS    | Ancillary Passenger Name                |
| 73-87    | 15           | AN     | Issued in Connection With Ticket Number |
| 88-168   | 81           | AN     | Reserved                                |

Format: AN = Alphanumeric, ANS = Alphanumeric Special, DX = Display Hexadecimal, N = Numeric, UN = Unpacked Numeric

## Passenger Itinerary Data - Industry-Specific Data - Passenger Transport Edit Criteria

|                                                                                                   |                                                                                                                                                                                                                                                                                                                                                                                                                                  |
|---------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Transaction Code</b><br>Positions: 1-2<br>Length: 2<br>Format: unpacked numeric                | <b>Description:</b> This field contains the value of <b>33</b> .                                                                                                                                                                                                                                                                                                                                                                 |
| <b>Transaction Code Qualifier</b><br>Positions: 3<br>Length: 1<br>Format: unpacked numeric        | <b>Description:</b> This field contains the value of <b>0</b> .                                                                                                                                                                                                                                                                                                                                                                  |
| <b>Transaction Component Sequence Number</b><br>Positions: 4<br>Length: 1<br>Format: alphanumeric | <b>Description:</b> This field contains the value of <b>6</b> .                                                                                                                                                                                                                                                                                                                                                                  |
| <b>Ancillary Ticket Document Number</b><br>Positions: 5-19<br>Length: 15<br>Format: alphanumeric  | <b>Description:</b> This field will contain the form number assigned by the carrier for the transaction.<br><br>The value of this field is comprised of the carrier code, form, and serial number, without the check digit.<br><br>This field is required in U.S. domestic originals and reversals in order to qualify for either a custom payment service (CPS) or electronic interchange reimbursement fee (EIRF) fee program. |



## Passenger Itinerary Data - Industry-Specific Data - Passenger Transport Edit Criteria

|                                                                                                  |                                                                                                                                                                                                                                                                                  |
|--------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Ancillary Credit Reason Indicator</b><br>Positions: 20<br>Length: 1<br>Format: alphanumeric   | <b>Description:</b> This field contains the Ancillary Credit Reason Indicator.<br><br><b>Note:</b> Please see <i>Full Service POS Online Messages Technical Specifications</i> .                                                                                                 |
| <b>Ancillary Service Category 1</b><br>Positions: 21-24<br>Length: 4<br>Format: alphanumeric     | <b>Description:</b> This field will contain the ancillary service category code for the sole or primary type of service that is being provided.<br><br>This field is required in U.S. domestic originals and reversals in order to qualify for either a CPS or EIRF fee program. |
| <b>Ancillary Service Sub-Category 1</b><br>Positions: 25-28<br>Length: 4<br>Format: alphanumeric | <b>Description:</b> This field will contain a valid ancillary service sub-category code for the Ancillary Service Category 1 field.                                                                                                                                              |
| <b>Ancillary Service Category 2</b><br>Positions: 29-32<br>Length: 4<br>Format: alphanumeric     | <b>Description:</b> This field will contain an ancillary service category code for an additional second type of service that is being provided.                                                                                                                                  |
| <b>Ancillary Service Sub-Category 2</b><br>Positions: 33-36<br>Length: 4<br>Format: alphanumeric | <b>Description:</b> This field will contain a valid ancillary service sub-category code for the Ancillary Service Category 2 field.                                                                                                                                              |
| <b>Ancillary Service Category 3</b><br>Positions: 37-40<br>Length: 4<br>Format: alphanumeric     | <b>Description:</b> This field will contain an ancillary service category code for an additional third type of service that is being provided.                                                                                                                                   |
| <b>Ancillary Service Sub-Category 3</b><br>Positions: 41-44<br>Length: 4<br>Format: alphanumeric | <b>Description:</b> This field will contain a valid ancillary service sub-category code for the Ancillary Service Category 3 field.                                                                                                                                              |
| <b>Ancillary Service Category 4</b><br>Positions: 45-48<br>Length: 4<br>Format: alphanumeric     | <b>Description:</b> This field will contain an ancillary service category code for an additional fourth type of service that is being provided.                                                                                                                                  |

## Passenger Itinerary Data - Industry-Specific Data - Passenger Transport Edit Criteria

|                                                                                                             |                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
|-------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Ancillary Service Sub-Category 4</b><br>Positions: 49-52<br>Length: 4<br>Format: alphanumeric            | <b>Description:</b> This field will contain a valid ancillary service sub-category code for the Ancillary Service Category 4 field.                                                                                                                                                                                                                                                                                                                                          |
| <b>Ancillary Passenger Name</b><br>Positions: 53-72<br>Length: 20<br>Format: alphanumeric special character | <b>Description:</b> This field will contain either the passenger's name or the cardholder's name if the passenger's name is unavailable.<br><br>If the name is not available, a description of the ancillary purchase should be used.<br><br>This field is required in U.S. domestic originals and reversals in order to qualify for either a CPS or EIRF fee program.                                                                                                       |
| <b>Issued in Connection With Ticket Number</b><br>Positions: 73-87<br>Length: 15<br>Format: alphanumeric    | <b>Description:</b> If this purchase has a connection or relationship to another purchase, such as a baggage fee for a passenger transport ticket, this field will contain the ticket document number for the other purchase.<br><br>For a standalone purchase, this field must contain the same value as the Merchant Name field in TCR 0.<br><br>This field is required in U.S. domestic originals and reversals in order to qualify for either a CPS or EIRF fee program. |
| <b>Reserved</b><br>Positions: 88-168<br>Length: 81<br>Format: alphanumeric                                  | <b>Description:</b> This field is reserved; space-filled.                                                                                                                                                                                                                                                                                                                                                                                                                    |

# TC 33.A - CP 05 TCR 7 Passenger Itinerary Data (Cont'd)

These tables contain the Multipurpose Message (TC 33.A) record layout and edit criteria for CP 05 TCR 7 - PASSENGER ITINERARY DATA (CONT'D).

## CTF - Incoming Interchange

### Passenger Itinerary Data (Cont'd) Record Layout

| Position | Field Length | Format | Contents                              |
|----------|--------------|--------|---------------------------------------|
| 1-2      | 2            | UN     | Transaction Code                      |
| 3        | 1            | UN     | Transaction Code Qualifier            |
| 4        | 1            | AN     | Transaction Component Sequence Number |

### Passenger Itinerary Data (Cont'd) Record Layout

| Position | Field Length | Format | Contents                    |
|----------|--------------|--------|-----------------------------|
| 5-8      | 4            | AN     | Issuing Carrier             |
| 9-11     | 3            | AN     | Ticket Type                 |
| 12-13    | 1            | AN     | Document Type               |
| 14-38    | 25           | AN     | Ticketing Carrier Name      |
| 39-56    | 18           | AN     | Ticket Issue City           |
| 57-64    | 8            | AN     | Ticket Issue Date           |
| 65-67    | 3            | AN     | Number in Party             |
| 68       | 1            | AN     | Electronic Ticket Indicator |
| 69-70    | 2            | AN     | Plan Number                 |
| 71-78    | 8            | AN     | Arrival Date (Overall)      |
| 79-98    | 20           | AN     | Restriction Indicator Text  |
| 99-110   | 12           | AN     | Exchange Amount, Summary    |
| 111-122  | 12           | AN     | Exchange Fee, Summary       |
| 123-168  | 46           | AN     | Reserved                    |

Format: AN = Alphanumeric, ANS = Alphanumeric Special, DX = Display Hexadecimal, N = Numeric, UN = Unpacked Numeric

### Passenger Itinerary Data (Cont'd) Edit Criteria

|                                                                                                   |                                                                  |
|---------------------------------------------------------------------------------------------------|------------------------------------------------------------------|
| <b>Transaction Code</b><br>Positions: 1-2<br>Length: 2<br>Format: unpacked numeric                | <b>Description:</b> This field contains the value of <b>33</b> . |
| <b>Transaction Code Qualifier</b><br>Positions: 3<br>Length: 1<br>Format: unpacked numeric        | <b>Description:</b> This field contains the value of <b>0</b> .  |
| <b>Transaction Component Sequence Number</b><br>Positions: 4<br>Length: 1<br>Format: alphanumeric | <b>Description:</b> This field contains the value of <b>7</b> .  |

### Passenger Itinerary Data (Cont'd) Edit Criteria

|                                                                                          |                                                                                                        |
|------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------|
| <b>Issuing Carrier</b><br>Positions: 5-8<br>Length: 4<br>Format: alphanumeric            | <b>Description:</b> This field contains the Issuing Carrier.                                           |
| <b>Ticket Type</b><br>Positions: 9-11<br>Length: 3<br>Format: alphanumeric               | <b>Description:</b> This field contains The Ticket Type.                                               |
| <b>Document Type</b><br>Positions: 12-13<br>Length: 2<br>Format: alphanumeric            | <b>Description:</b> This field contains the Document Type used for identification.                     |
| <b>Ticketing Carrier Name</b><br>Positions: 14-38<br>Length: 25<br>Format: alphanumeric  | <b>Description:</b> This field contains the Ticketing Carrier Name.                                    |
| <b>Ticket Issue City</b><br>Positions: 39-56<br>Length: 18<br>Format: alphanumeric       | <b>Description:</b> This field contains the name of the city in which the Ticket was Issued.           |
| <b>Ticket Issue Date</b><br>Positions: 57-64<br>Length: 8<br>Format: alphanumeric        | <b>Description:</b> This field contains the date in which the Ticket was Issued.<br>Format (MMDDYYYY). |
| <b>Number in Party</b><br>Positions: 65-67<br>Length: 3<br>Format: alphanumeric          | <b>Description:</b> This field contains the number of people in the group, traveling together.         |
| <b>Electronic Ticket Indicator</b><br>Positions: 68<br>Length: 1<br>Format: alphanumeric | <b>Description:</b> This field contains the Electronic Ticket Indicator.                               |

### Passenger Itinerary Data (Cont'd) Edit Criteria

|                                                                                             |                                                                                        |
|---------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------|
| <b>Plan Number</b><br>Positions: 69-70<br>Length: 2<br>Format: alphanumeric                 | <b>Description:</b> This field contains the Plan Number.                               |
| <b>Arrival Date (Overall)</b><br>Positions: 71-78<br>Length: 8<br>Format: alphanumeric      | <b>Description:</b> This field contains the Arrival Date (Overall). Format (MMDDYYYY). |
| <b>Restriction Indicator Text</b><br>Positions: 79-98<br>Length: 20<br>Format: alphanumeric | <b>Description:</b> This field contains the Restriction Indicator Text.                |
| <b>Exchange Amount, Summary</b><br>Positions: 99-110<br>Length: 12<br>Format: alphanumeric  | <b>Description:</b> This field contains the Exchange Amount, Summary.                  |
| <b>Exchange Fee, Summary</b><br>Positions: 111-122<br>Length: 12<br>Format: alphanumeric    | <b>Description:</b> This field contains the Exchange Fee, Summary.                     |
| <b>Reserved</b><br>Positions: 123-168<br>Length: 46<br>Format: alphanumeric                 | <b>Description:</b> This field is reserved; space-filled.                              |

## TC 33.A - CP 06 TCR 0 Enhanced Data - Purchasing Transaction Line Item Detail

These tables contain the Multipurpose Message (TC 33.A) record layout and edit criteria for CP 06 TCR 0 - ENHANCED DATA - PURCHASING TRANSACTION LINE ITEM DETAIL.

### CTF - Incoming Interchange

**Enhanced Data-Purchasing Transaction Line Item Detail Record Layout**

| <b>Position</b> | <b>Field Length</b> | <b>Format</b> | <b>Contents</b>                       |
|-----------------|---------------------|---------------|---------------------------------------|
| 1-2             | 2                   | UN            | Transaction Code                      |
| 3               | 1                   | UN            | Transaction Code Qualifier            |
| 4               | 1                   | AN            | Transaction Component Sequence Number |
| 5-10            | 6                   | UN            | Destination Identifier                |
| 11-16           | 6                   | UN            | Source Identifier                     |
| 17-20           | 4                   | AN            | TC 33 Application Code                |
| 21-35           | 15                  | AN            | Message Identifier                    |
| 36-38           | 3                   | AN            | Item Sequence Number                  |
| 39-50           | 12                  | ANS           | Item Commodity Code                   |
| 51-85           | 35                  | ANS           | Item Descriptor                       |
| 86-100          | 15                  | ANS           | Product Code                          |
| 101-112         | 12                  | AN            | Quantity                              |
| 113-124         | 12                  | AN            | Unit of Measure/Code                  |
| 125-136         | 12                  | AN            | Unit Cost                             |
| 137-148         | 12                  | AN            | Line Item Total                       |
| 149-160         | 12                  | AN            | Discount per Line                     |
| 161             | 1                   | AN            | Tax Exempt Indicator                  |
| 162-166         | 5                   | AN            | Item Discount - Discount Rate         |
| 167             | 1                   | AN            | Item Level Discount Treatment Code    |
| 168             | 1                   | AN            | Line item Signage                     |

Format: AN = Alphanumeric, ANS = Alphanumeric Special, DX = Display Hexadecimal, N = Numeric, UN = Unpacked Numeric

### Enhanced Data-Purchasing Transaction Line Item Detail Edit Criteria

|                                                                                                   |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
|---------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Transaction Code</b><br>Positions: 1-2<br>Length: 2<br>Format: unpacked numeric                | <b>Description:</b> This field contains the value of <b>33</b> .                                                                                                                                                                                                                                                                                                                                                                                                                |
| <b>Transaction Code Qualifier</b><br>Positions: 3<br>Length: 1<br>Format: unpacked numeric        | <b>Description:</b> This field contains the value of <b>0</b> .                                                                                                                                                                                                                                                                                                                                                                                                                 |
| <b>Transaction Component Sequence Number</b><br>Positions: 4<br>Length: 1<br>Format: alphanumeric | <b>Description:</b> This field contains the value of <b>0</b> .                                                                                                                                                                                                                                                                                                                                                                                                                 |
| <b>Destination Identifier</b><br>Positions: 5-10<br>Length: 6<br>Format: unpacked numeric         | <b>Description:</b> The entity to which the BASE II transaction message is sent. This field contains a valid acquiring or issuing identifier.                                                                                                                                                                                                                                                                                                                                   |
| <b>Source Identifier</b><br>Positions: 11-16<br>Length: 6<br>Format: unpacked numeric             | <b>Description:</b> This field contains the Visa internal identifier of the VIC.                                                                                                                                                                                                                                                                                                                                                                                                |
| <b>TC 33 Application Code</b><br>Positions: 17-20<br>Length: 4<br>Format: alphanumeric            | <b>Description:</b> This TCR group code identifies a group of related Transaction Component Records (TCR0 through TCRE). This field has a static value of <b>CP06</b> .                                                                                                                                                                                                                                                                                                         |
| <b>Message Identifier</b><br>Positions: 21-35<br>Length: 15<br>Format: alphanumeric               | <b>Description:</b> A unique message identifier that links a specific capture record among multiple capture records being submitted for a single transaction. All capture records within the same file linked to a single authorization request contain the same message identifier. The same message identifier can be assigned to other related capture records located in additional TCR groups identified by TC 33 Application codes ( <b>CP 01</b> through <b>CP 50</b> ). |
| <b>Item Sequence Number</b><br>Positions: 36-38<br>Length: 3<br>Format: alphanumeric              | <b>Description:</b> This field contains a sequence number of the item.                                                                                                                                                                                                                                                                                                                                                                                                          |

### Enhanced Data-Purchasing Transaction Line Item Detail Edit Criteria

|                                                                                                        |                                                                                    |
|--------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------|
| <b>Item Commodity Code</b><br>Positions: 39-50<br>Length: 12<br>Format: alphanumeric special character | <b>Description:</b> This field contains the item commodity code.                   |
| <b>Item Descriptor</b><br>Positions: 51-85<br>Length: 35<br>Format: alphanumeric special character     | <b>Description:</b> This field contains the item descriptor.                       |
| <b>Product Code</b><br>Positions: 86-100<br>Length: 15<br>Format: alphanumeric special character       | <b>Description:</b> This field contains the product code.                          |
| <b>Quantity</b><br>Positions: 101-112<br>Length: 12<br>Format: alphanumeric                            | <b>Description:</b> This field contains the quantity.                              |
| <b>Unit of Measure/Code</b><br>Positions: 113-124<br>Length: 12<br>Format: alphanumeric                | <b>Description:</b> This field contains a code that indicates the unit of measure. |
| <b>Unit Cost</b><br>Positions: 125-136<br>Length: 12<br>Format: alphanumeric                           | <b>Description:</b> This field contains the unit cost.                             |
| <b>Line Item Total</b><br>Positions: 137-148<br>Length: 12<br>Format: alphanumeric                     | <b>Description:</b> This field contains the line item total.                       |
| <b>Discount per Line</b><br>Positions: 149-160<br>Length: 12<br>Format: alphanumeric                   | <b>Description:</b> This field contains the discount per line.                     |



### Enhanced Data-Purchasing Transaction Line Item Detail Edit Criteria

|                                                                                                  |                                                                                                                                              |
|--------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Tax Exempt Indicator</b><br>Positions: 161<br>Length: 1<br>Format: alphanumeric               | <b>Description:</b> This field contains a value that indicates whether the transaction is tax-exempt.                                        |
| <b>Item Discount - Discount Rate</b><br>Positions: 162-166<br>Length: 5<br>Format: alphanumeric  | <b>Description:</b> This field contains the discount rate for the item.                                                                      |
| <b>Item Level Discount Treatment Code</b><br>Positions: 167<br>Length: 1<br>Format: alphanumeric | <b>Description:</b> This field contains the discount treatment code for the item.                                                            |
| <b>Line item Signage</b><br>Positions: 168<br>Length: 1<br>Format: alphanumeric                  | <b>Description:</b> This field contains a line item signage value ( <b>D</b> : Positive (Purchase/Payment) or <b>C</b> : Negative (Credit)). |

## TC 33.A - CP 06 TCR 1 Purchasing Transaction Line Item Detail (Cont'd)

These tables contain the Multipurpose Message (TC 33.A) record layout and edit criteria for CP 06 TCR 1 - ENHANCED DATA - PURCHASING TRANSACTION LINE ITEM DETAIL (CONT'D).

### CTF - Incoming Interchange

#### Enhanced Data-Purchasing Transaction Line Item Detail (Cont'd) Record Layout

| Position | Field Length | Format | Contents                              |
|----------|--------------|--------|---------------------------------------|
| 1-2      | 2            | UN     | Transaction Code                      |
| 3        | 1            | UN     | Transaction Code Qualifier            |
| 4        | 1            | AN     | Transaction Component Sequence Number |
| 5-16     | 12           | AN     | VAT/Tax Amount                        |

### Enhanced Data-Purchasing Transaction Line Item Detail (Cont'd) Record Layout

| Position | Field Length | Format | Contents                            |
|----------|--------------|--------|-------------------------------------|
| 17-20    | 4            | AN     | VAT/Tax Rate                        |
| 21-22    | 2            | AN     | Type of Supply                      |
| 23-37    | 15           | ANS    | Unique VAT Invoice Reference Number |
| 38-168   | 131          | AN     | Reserved                            |

Format: AN = Alphanumeric, ANS = Alphanumeric Special, DX = Display Hexadecimal, N = Numeric, UN = Unpacked Numeric

### Enhanced Data-Purchasing Transaction Line Item Detail (Cont'd) Edit Criteria

|                                                                                                   |                                                                                |
|---------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------|
| <b>Transaction Code</b><br>Positions: 1-2<br>Length: 2<br>Format: unpacked numeric                | <b>Description:</b> This field contains the value of <b>33</b> .               |
| <b>Transaction Code Qualifier</b><br>Positions: 3<br>Length: 1<br>Format: unpacked numeric        | <b>Description:</b> This field contains the value of <b>0</b> .                |
| <b>Transaction Component Sequence Number</b><br>Positions: 4<br>Length: 1<br>Format: alphanumeric | <b>Description:</b> This field contains the value of <b>1</b> .                |
| <b>VAT/Tax Amount</b><br>Positions: 5-16<br>Length: 12<br>Format: alphanumeric                    | <b>Description:</b> This field contains the value added tax (VAT) amount.      |
| <b>VAT/Tax Rate</b><br>Positions: 17-20<br>Length: 4<br>Format: alphanumeric                      | <b>Description:</b> This field contains the VAT rate.                          |
| <b>Type of Supply</b><br>Positions: 21-22<br>Length: 2<br>Format: alphanumeric                    | <b>Description:</b> This field contains a code that indicates the supply type. |

### Enhanced Data-Purchasing Transaction Line Item Detail (Cont'd) Edit Criteria

|                                                                                                                        |                                                                           |
|------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------|
| <b>Unique VAT Invoice Reference Number</b><br>Positions: 23-37<br>Length: 15<br>Format: alphanumeric special character | <b>Description:</b> This field contains the VAT invoice reference number. |
| <b>Reserved</b><br>Positions: 38-168<br>Length: 131<br>Format: alphanumeric                                            | <b>Description:</b> This field is reserved; space-filled.                 |

## TC 33.A - CP 07 TCR 0 Country Data

These tables contain the Multipurpose Message (TC 33.A) record layout and edit criteria for CP 07 TCR 0 - COUNTRY DATA.

### Country Data Record Layout

| Position | Field Length | Format | Contents                                            |
|----------|--------------|--------|-----------------------------------------------------|
| 1-2      | 2            | UN     | Transaction Code                                    |
| 3        | 1            | UN     | Transaction Code Qualifier                          |
| 4        | 1            | AN     | Transaction Component Sequence Number               |
| 5-10     | 6            | UN     | Destination Identifier                              |
| 11-16    | 6            | UN     | Source Identifier                                   |
| 17-20    | 4            | AN     | TC 33 Application Code                              |
| 21-35    | 15           | AN     | Message Identifier                                  |
| 36-40    | 5            | AN     | Special Merchant Identifier                         |
| 41       | 1            | AN     | Special Purchase Identifier                         |
| 42-43    | 2            | AN     | Account Selection                                   |
| 44-47    | 4            | ANS    | Account Accessed                                    |
| 48-50    | 3            | AN     | Mastercard Bill Payment Transaction Type Identifier |
| 51       | 1            | AN     | Mastercard Combination Card Transaction Identifier  |
| 52-90    | 39           | AN     | Mastercard Post-Dated Transaction Details           |

## Country Data Record Layout

| Position | Field Length | Format | Contents                               |
|----------|--------------|--------|----------------------------------------|
| 91-96    | 6            | AN     | Mastercard Promotion Code              |
| 97-98    | 2            | AN     | Mastercard - Brazilian Benefit Program |
| 99-168   | 70           | AN     | Reserved                               |

Format: AN = Alphanumeric, ANS = Alphanumeric Special, DX = Display Hexadecimal, N = Numeric, UN = Unpacked Numeric

## Country Data Edit Criteria

|                                                                                                   |                                                                                            |
|---------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------|
| <b>Transaction Code</b><br>Positions: 1-2<br>Length: 2<br>Format: unpacked numeric                | <b>Description:</b> This field will contain the value of <b>33</b> .                       |
| <b>Transaction Code Qualifier</b><br>Positions: 3<br>Length: 1<br>Format: unpacked numeric        | <b>Description:</b> This field will contain the value of <b>0</b> .                        |
| <b>Transaction Component Sequence Number</b><br>Positions: 4<br>Length: 1<br>Format: alphanumeric | <b>Description:</b> This field will contain the value of <b>0</b> .                        |
| <b>Destination Identifier</b><br>Positions: 5-10<br>Length: 6<br>Format: alphanumeric             | <b>Description:</b> This field will be spaced-filled.                                      |
| <b>Source Identifier</b><br>Positions: 11-16<br>Length: 6<br>Format: alphanumeric                 | <b>Description:</b> This field will contain the value static value of <b>481222</b> (VPC). |
| <b>TC 33 Application Code</b><br>Positions: 17-20<br>Length: 14<br>Format: alphanumeric           | <b>Description:</b> This field will contain the static value set to <b>CP07</b> .          |

## Country Data Edit Criteria

|                                                                                             |                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
|---------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Message Identifier</b><br>Positions: 21-35<br>Length: 15<br>Format: alphanumeric         | <b>Description:</b> A unique message identifier that links a specific capture record among multiple capture records being submitted for a single transaction. All capture records within the same file linked to a single authorization request contain the same message identifier. The same message identifier can be assigned to other related capture records located in additional TCR groups identified by TC 33 application codes ( <b>CP01</b> through <b>CP50</b> ). |
| <b>Special Merchant Identifier</b><br>Positions: 36-40<br>Length: 5<br>Format: alphanumeric | <b>Description:</b> This field will contain the special merchant identifier.                                                                                                                                                                                                                                                                                                                                                                                                  |
| <b>Special Purchase Identifier</b><br>Positions: 41<br>Length: 1<br>Format: alphanumeric    | <b>Description:</b> This field will contain the special purchase identifier.<br>Values:<br><b>1</b> = Commissioned Purchase<br><b>2</b> = COBAN<br><b>3</b> = Carne<br><b>4</b> = Commissioned Purchase 2<br><b>5</b> = Crediario<br><b>Note:</b> For Crediario Installment Payment, the value must be <b>5</b> .                                                                                                                                                             |
| <b>Account Selection</b><br>Positions: 42-43<br>Length: 2<br>Format: alphanumeric           | <b>Description:</b> A 2-digit code identifying the account type from which an account transfer is made.<br><b>00</b> = Not Applicable<br><b>10</b> = Savings Account<br><b>20</b> = Checking Account<br><b>30</b> = Credit Card Account<br><b>31</b> = Credit Facility - Line of Credit (Agro/BNDES)<br><b>40</b> = Universal Account<br><b>60</b> = Visa Vale Prepaid Products                                                                                               |
| <b>Account Accessed</b><br>Positions: 44-47<br>Length: 4<br>Format: alphanumeric            | <b>Description:</b> This field will contain the total amount funded.<br>Values:<br><b>AGRO</b> = Visa Agro<br><b>AGRE</b> = Visa Agro Electron<br><b>AGRC</b> = Visa Agro Custeio<br><b>AGRI</b> = Visa Agro Investimento<br><b>VVA</b> = Visa Vale Alimentacao<br><b>VVR</b> = Visa Vale Refeicao<br><b>VVF</b> = Visa Vale Flex                                                                                                                                             |

## Country Data Edit Criteria

|                                                                                                                     |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
|---------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Mastercard Bill Payment Transaction Type Identifier</b><br>Positions: 48-50<br>Length: 3<br>Format: alphanumeric | <b>Description:</b> This field must contain one of these Mastercard Bill Payment Transaction Type Identifier values:<br><b>C91</b> (Utility payments-Brazil domestic transactions)<br><b>C92</b> (Government services-Brazil domestic transactions)<br><b>C93</b> (Mobile phone top-ups-Brazil domestic transactions)<br><b>C94</b> (Coupon booklet payments (CARNE)-Brazil domestic transactions)<br><b>Note:</b> Mapping: F104 U2 DSID 65 T32 => DE 48, SE 77 (AN-3)                                                                                                                                                                                                                                                                                                                                                                           |
| <b>Mastercard Combination Card Transaction Identifier</b><br>Positions: 51<br>Length: 1<br>Format: alphanumeric     | <b>Description:</b> This field will contain one of these values for Mastercard Brazil-issued combination card transactions:<br><b>C</b> = Credit Transaction<br><b>D</b> = Debit Transaction<br><b>Note:</b> Mapping: F104 U2 DSID 65 T33 => DE 48, SE 14 (AN-1)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
| <b>Mastercard Post-Dated Transaction Details</b><br>Positions: 52-90<br>Length: 39<br>Format: alphanumeric          | <b>Description:</b> This field will contain Mastercard post-dated transaction details for Brazil only.<br>The Layout of this field is as follows: <ul style="list-style-type: none"> <li>• Position 1-2, values <b>30</b> (post-dated with guarantee); value of <b>31</b> (post-dated without guarantee)</li> <li>• Position 3, value of <b>1</b> (number of installments)</li> <li>• Position 4, value (<b>Y</b> = with guarantee; <b>N</b> = no guarantee)</li> <li>• Position 5-12, guarantee amount</li> <li>• Position 13-18, <b>mmddyy</b> (post settlement date)</li> <li>• Position 19-24, <b>mmddyy</b> (original Mastercard settlement date)</li> <li>• Position 25-33, Banknet Reference Number</li> <li>• Position 34-39, Online Authorization Code by issuer.</li> </ul> <b>Note:</b> Mapping: F104 U2 DSID 65 T06 => DE 112, SE 18 |
| <b>Mastercard Promotion Code</b><br>Positions: 91-96<br>Length: 6<br>Format: alphanumeric                           | <b>Description:</b> This field will contain the Mastercard Promotion Code.<br>Mapping:<br>F104 U2 DSID 65 T05 => DE48, SE 95 (AN-6)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |

### Country Data Edit Criteria

|                                                                                                        |                                                                                                                                                                      |
|--------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Mastercard - Brazilian Benefit Program</b><br>Positions: 97-98<br>Length: 2<br>Format: alphanumeric | <b>Description:</b> This field will contain Mastercard - Brazilian Benefit Program.<br>Source: F104 U2 DSID 65 T06 => DE 112, SE 055 SF2 (Available for Brazil only) |
| <b>Reserved</b><br>Positions: 99-168<br>Length: 70<br>Format: alphanumeric                             | <b>Description:</b> This field is reserved for future use.                                                                                                           |

## TC 33.A - CP 07 TCR 1 Brazil Country Data - PARC

These tables contain the Multipurpose Message (TC 33.A) record layout and edit criteria for CP 07 TCR 1 - BRAZIL COUNTRY DATA - PARC.

### Brazil Country Data - PARC Record Layout

| Position | Field Length | Format | Contents                                    |
|----------|--------------|--------|---------------------------------------------|
| 1-2      | 2            | UN     | Transaction Code                            |
| 3        | 1            | UN     | Transaction Code Qualifier                  |
| 4        | 1            | AN     | Transaction Component Sequence Number       |
| 5-6      | 2            | AN     | Installment Type                            |
| 7-8      | 2            | AN     | Number of Installments                      |
| 9        | 1            | AN     | Merchant Installment Supporting Information |
| 10-168   | 159          | AN     | Reserved                                    |

Format: AN = Alphanumeric, ANS = Alphanumeric Special, DX = Display Hexadecimal, N = Numeric, UN = Unpacked Numeric

### Brazil Country Data - PARC Edit Criteria

|                                                                                                         |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
|---------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Transaction Code</b><br>Positions: 1-2<br>Length: 2<br>Format: unpacked numeric                      | <b>Description:</b> This field will contain the value of <b>33</b> .                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
| <b>Transaction Code Qualifier</b><br>Positions: 3<br>Length: 1<br>Format: unpacked numeric              | <b>Description:</b> This field will contain the value of <b>0</b> .                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
| <b>Transaction Component Sequence Number</b><br>Positions: 4<br>Length: 1<br>Format: alphanumeric       | <b>Description:</b> This field will contain the value of <b>1</b> .                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
| <b>Installment Type</b><br>Positions: 5-6<br>Length: 2<br>Format: alphanumeric                          | <b>Description:</b> This field will be space-filled.<br>Values:<br><b>88</b> - Merchant Installment<br><b>99</b> - Issuer Installments                                                                                                                                                                                                                                                                                                                                                                               |
| <b>Number of Installments</b><br>Positions: 7-8<br>Length: 2<br>Format: alphanumeric                    | <b>Description:</b> This field will contain the number of installments.                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| <b>Merchant Installment Supporting Information</b><br>Positions: 9<br>Length: 1<br>Format: alphanumeric | <b>Description:</b> This field will contain the merchant installment supporting information.<br>Values:<br><b>0</b> = Regular Installment (Not Allowed for Airlines)<br><b>1</b> = Installment Payment with Down Payment<br><b>2</b> = Installment Payment without Down Payment (Airlines only)<br><b>3</b> = Installment Payment where Down Payment and Boarding Fee will follow (Airlines only)<br><b>4</b> = Down Payment only. Regular Installment will follow.<br><b>5</b> = Boarding Fee only (Airlines only). |
| <b>Reserved</b><br>Positions: 10-168<br>Length: 159<br>Format: alphanumeric                             | <b>Description:</b> This field is reserved; space-filled.                                                                                                                                                                                                                                                                                                                                                                                                                                                            |



# TC 33.A - CP 07 TCR 2 Brazil Country Data - BNDES

These tables contain the Multipurpose Message (TC 33.A) record layout and edit criteria for CP 07 TCR 2 - BRAZIL COUNTRY DATA - BNDES.

## Brazil Country Data - BNDES Record Layout

| Position | Field Length | Format | Contents                              |
|----------|--------------|--------|---------------------------------------|
| 1-2      | 2            | UN     | Transaction Code                      |
| 3        | 1            | UN     | Transaction Code Qualifier            |
| 4        | 1            | AN     | Transaction Component Sequence Number |
| 5-6      | 2            | AN     | Business Format Code                  |
| 7-21     | 15           | AN     | Cardholder Tax ID                     |
| 22-25    | 4            | AN     | Cardholder Tax ID Type                |
| 26       | 1            | AN     | Asset Indicator                       |
| 27-46    | 20           | AN     | Loan Type                             |
| 47-168   | 122          | AN     | Reserved                              |

Format: AN = Alphanumeric, ANS = Alphanumeric Special, DX = Display Hexadecimal, N = Numeric, UN = Unpacked Numeric

## Brazil Country Data - BNDES Edit Criteria

|                                                                                                   |                                                                      |
|---------------------------------------------------------------------------------------------------|----------------------------------------------------------------------|
| <b>Transaction Code</b><br>Positions: 1-2<br>Length: 2<br>Format: unpacked numeric                | <b>Description:</b> This field will contain the value of <b>33</b> . |
| <b>Transaction Code Qualifier</b><br>Positions: 3<br>Length: 1<br>Format: unpacked numeric        | <b>Description:</b> This field will contain the value of <b>0</b> .  |
| <b>Transaction Component Sequence Number</b><br>Positions: 4<br>Length: 1<br>Format: alphanumeric | <b>Description:</b> This field will contain the value of <b>2</b> .  |

### Brazil Country Data - BNDES Edit Criteria

|                                                                                        |                                                                                                                                                                         |
|----------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Business Format Code</b><br>Positions: 5-6<br>Length: 2<br>Format: alphanumeric     | <b>Description:</b> This is a fixed value of <b>LD</b> .                                                                                                                |
| <b>Cardholder Tax ID</b><br>Positions: 7-21<br>Length: 15<br>Format: alphanumeric      | <b>Description:</b> This field will contain the number of installments.                                                                                                 |
| <b>Cardholder Tax ID Type</b><br>Positions: 22-25<br>Length: 4<br>Format: alphanumeric | <b>Description:</b> This field will contain the merchant installment supporting information.<br>Values:<br><b>CNPJ</b> = Company Tax ID<br><b>CPF</b> = Consumer Tax ID |
| <b>Asset Indicator</b><br>Positions: 26<br>Length: 1<br>Format: alphanumeric           | <b>Description:</b> This field will contain the asset indicator.<br>Values:<br><b>Y</b> or <b>N</b>                                                                     |
| <b>Loan Type</b><br>Positions: 27-46<br>Length: 20<br>Format: alphanumeric             | <b>Description:</b> This field will contain the loan type name.                                                                                                         |
| <b>Reserved</b><br>Positions: 47-168<br>Length: 122<br>Format: alphanumeric            | <b>Description:</b> This field is reserved; space-filled.                                                                                                               |

# TC 33.A - CP 07 TCR 3 Brazil Country Data - American Express

These tables contain the Multipurpose Message (TC 33.A) record layout and edit criteria for CP 07 TCR 3 - BRAZIL COUNTRY DATA - AMERICAN EXPRESS INSTALLMENT PAYMENT.

## Brazil Country Data - American Express Installment Payment Record Layout

| Position | Field Length | Format | Contents                              |
|----------|--------------|--------|---------------------------------------|
| 1-2      | 2            | UN     | Transaction Code                      |
| 3        | 1            | UN     | Transaction Code Qualifier            |
| 4        | 1            | AN     | Transaction Component Sequence Number |
| 5-6      | 2            | AN     | Plan Type                             |
| 7-8      | 2            | AN     | Number of Installments                |
| 9-168    | 160          | AN     | Reserved                              |

Format: AN = Alphanumeric, ANS = Alphanumeric Special, DX = Display Hexadecimal, N = Numeric, UN = Unpacked Numeric

## Brazil Country Data - American Express Installment Payment Edit Criteria

|                                                                                                   |                                                                      |
|---------------------------------------------------------------------------------------------------|----------------------------------------------------------------------|
| <b>Transaction Code</b><br>Positions: 1-2<br>Length: 2<br>Format: unpacked numeric                | <b>Description:</b> This field will contain the value of <b>33</b> . |
| <b>Transaction Code Qualifier</b><br>Positions: 3<br>Length: 1<br>Format: unpacked numeric        | <b>Description:</b> This field will contain the value of <b>0</b> .  |
| <b>Transaction Component Sequence Number</b><br>Positions: 4<br>Length: 1<br>Format: alphanumeric | <b>Description:</b> This field will contain the value of <b>3</b> .  |

### Brazil Country Data - American Express Installment Payment Edit Criteria

|                                                                                      |                                                                         |
|--------------------------------------------------------------------------------------|-------------------------------------------------------------------------|
| <b>Plan Type</b><br>Positions: 5-6<br>Length: 2<br>Format: alphanumeric              | <b>Description:</b> This field will contain the AMEX plan type.         |
| <b>Number of Installments</b><br>Positions: 7-8<br>Length: 2<br>Format: alphanumeric | <b>Description:</b> This field will contain the number of installments. |
| <b>Reserved</b><br>Positions: 9-168<br>Length: 160<br>Format: alphanumeric           | <b>Description:</b> This field is reserved; space-filled.               |

## TC 33.A - CP 07 TCR 4 Commercial Mastercard Installment Payments

These tables contain the Multipurpose Message (TC 33.A) record layout and edit criteria for CP 07 TCR 4 - COMMERCIAL MASTERCARD INSTALLMENT PAYMENTS.

### Commercial Mastercard Installment Payments Record Layout

| Position | Field Length | Format | Contents                              |
|----------|--------------|--------|---------------------------------------|
| 1-2      | 2            | UN     | Transaction Code                      |
| 3        | 1            | UN     | Transaction Code Qualifier            |
| 4        | 1            | AN     | Transaction Component Sequence Number |
| 5-24     | 20           | ANS    | Financing Type                        |
| 25       | 1            | AN     | Buyer Type ID                         |
| 26-39    | 14           | ANS    | Buyer ID                              |
| 40-50    | 11           | ANS    | Buyer Phone Number                    |
| 51-70    | 20           | ANS    | Purchase Identification               |
| 71-72    | 2            | AN     | Installment Cycles                    |
| 73-90    | 18           | AN     | Interest Rate                         |

### Commercial Mastercard Installment Payments Record Layout

| Position | Field Length | Format | Contents                   |
|----------|--------------|--------|----------------------------|
| 91-93    | 3            | AN     | Grace Period               |
| 94-96    | 3            | AN     | Grace Period Cycle         |
| 97-114   | 18           | AN     | Grace Period Interest Rate |
| 115-134  | 20           | AN     | Reference Field 1          |
| 135-154  | 20           | AN     | Reference Field 2          |
| 155-168  | 14           | AN     | Reserved                   |

Format: AN = Alphanumeric, ANS = Alphanumeric Special, DX = Display Hexadecimal, N = Numeric, UN = Unpacked Numeric

### Commercial Mastercard Installment Payments Edit Criteria

|                                                                                                   |                                                                      |
|---------------------------------------------------------------------------------------------------|----------------------------------------------------------------------|
| <b>Transaction Code</b><br>Positions: 1-2<br>Length: 2<br>Format: unpacked numeric                | <b>Description:</b> This field will contain the value of <b>33</b> . |
| <b>Transaction Code Qualifier</b><br>Positions: 3<br>Length: 1<br>Format: unpacked numeric        | <b>Description:</b> This field will contain the value of <b>0</b> .  |
| <b>Transaction Component Sequence Number</b><br>Positions: 4<br>Length: 1<br>Format: alphanumeric | <b>Description:</b> This field will contain the value of <b>4</b> .  |
| <b>Financing Type</b><br>Positions: 5-24<br>Length: 20<br>Format: alphanumeric special character  | <b>Description:</b> This field will contain the financing type.      |
| <b>Buyer ID Type</b><br>Positions: 25<br>Length: 1<br>Format: alphanumeric                        | <b>Description:</b> This field will contain the buyer ID type.       |

### Commercial Mastercard Installment Payments Edit Criteria

|                                                                                                       |                                                                                 |
|-------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------|
| <b>Buyer ID</b><br>Positions: 26-39<br>Length: 14<br>Format: alphanumeric special character           | <b>Description:</b> This field will contain the buyer ID.                       |
| <b>Buyer Phone Number</b><br>Positions: 40-50<br>Length: 11<br>Format: alphanumeric special character | <b>Description:</b> This field will contain the buyer phone number.             |
| <b>Purchase Identification</b><br>Positions: 51-70<br>Length: 20<br>Format: alphanumeric              | <b>Description:</b> This field will contain the purchase identification.        |
| <b>Installment Cycles</b><br>Positions: 71-72<br>Length: 2<br>Format: alphanumeric                    | <b>Description:</b> This field will contain the installment cycles information. |
| <b>Interest Rate</b><br>Positions: 73-90<br>Length: 18<br>Format: alphanumeric                        | <b>Description:</b> This field will contain the interest rate.                  |
| <b>Grace Period</b><br>Positions: 91-93<br>Length: 3<br>Format: alphanumeric                          | <b>Description:</b> This field will contain the grace period information.       |
| <b>Grace Period Cycle</b><br>Positions: 94-96<br>Length: 3<br>Format: alphanumeric                    | <b>Description:</b> This field will contain the grace period cycle.             |
| <b>Grace Period Interest Rate</b><br>Positions: 97-114<br>Length: 18<br>Format: alphanumeric          | <b>Description:</b> This field will contain the grace period interest rate.     |

### Commercial Mastercard Installment Payments Edit Criteria

|                                                                                      |                                                                                                                                       |
|--------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------|
| <b>Reference Field 1</b><br>Positions: 115-134<br>Length: 20<br>Format: alphanumeric | <b>Description:</b> This field will contain the Mastercard Reference Field 1.<br>Mapping: F104 U2 DSID 65 T06 => DE 112 (pos 111-130) |
| <b>Reference Field 2</b><br>Positions: 135-154<br>Length: 20<br>Format: alphanumeric | <b>Description:</b> This field will contain the Mastercard Reference Field 2.<br>Mapping: F104 U2 DSID 65 T06 => DE 112 (pos 131-150) |
| <b>Reserved</b><br>Positions: 155-168<br>Length: 14<br>Format: alphanumeric          | <b>Description:</b> This field will contain spaces.                                                                                   |

## TC 33.A - CP 07 TCR 5 Consumer Mastercard Installment Payments

These tables contain the Multipurpose Message (TC 33.A) record layout and edit criteria for CP 07 TCR 5 - CONSUMER MASTERCARD INSTALLMENT PAYMENTS.

### Consumer Mastercard Installment Payments Record Layout

| Position | Field Length | Format | Contents                                   |
|----------|--------------|--------|--------------------------------------------|
| 1-2      | 2            | UN     | Transaction Code                           |
| 3        | 1            | UN     | Transaction Code Qualifier                 |
| 4        | 1            | AN     | Transaction Component Sequence Number      |
| 5-11     | 7            | AN     | Insurance Amount                           |
| 12-15    | 4            | AN     | Percent Insurance of Total Amount          |
| 16-20    | 5            | AN     | Percent Amount to Merchant of Total Amount |
| 21-24    | 4            | AN     | Monthly Interest Rate                      |
| 25-31    | 7            | AN     | Fee Amount                                 |
| 32-38    | 7            | AN     | Total Amount to Merchant                   |
| 39-45    | 7            | AN     | Tax Amount                                 |

### Consumer Mastercard Installment Payments Record Layout

| Position | Field Length | Format | Contents                      |
|----------|--------------|--------|-------------------------------|
| 46-49    | 4            | AN     | Percent Fee of Total Amount   |
| 50-53    | 4            | AN     | Percent Taxes of Total Amount |
| 54-60    | 7            | AN     | Other Amount                  |
| 61-64    | 4            | AN     | Percent Other of Total Amount |
| 65-71    | 7            | AN     | Percent Total Effective Cost  |
| 72-83    | 12           | AN     | Total Effective Cost          |
| 84-168   | 85           | AN     | Reserved                      |

Format: AN = Alphanumeric, ANS = Alphanumeric Special, DX = Display Hexadecimal, N = Numeric, UN = Unpacked Numeric

### Consumer Mastercard Installment Payments Edit Criteria

|                                                                                                   |                                                                                                                                           |
|---------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Transaction Code</b><br>Positions: 1-2<br>Length: 2<br>Format: unpacked numeric                | <b>Description:</b> This field will contain the value of <b>33</b> .                                                                      |
| <b>Transaction Code Qualifier</b><br>Positions: 3<br>Length: 1<br>Format: unpacked numeric        | <b>Description:</b> This field will contain the value of <b>0</b> .                                                                       |
| <b>Transaction Component Sequence Number</b><br>Positions: 4<br>Length: 1<br>Format: alphanumeric | <b>Description:</b> This field will contain the value of <b>5</b> .                                                                       |
| <b>Insurance Amount</b><br>Positions: 5-11<br>Length: 7<br>Format: alphanumeric                   | <b>Description:</b> This field contains the insurance amount.<br>Mapping: F104 U2 DSID 65 T06=> DE 112 SE 16 (pos 35-41)                  |
| <b>Percent Insurance of Total Amount</b><br>Positions: 12-15<br>Length: 4<br>Format: alphanumeric | <b>Description:</b> This field contains the Percent Insurance of Total Amount.<br>Mapping: F104 U2 DSID 65 T06=> DE 112 SE 16 (pos 42-45) |



## Consumer Mastercard Installment Payments Edit Criteria

|                                                                                                            |                                                                                                                                                    |
|------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Percent Amount to Merchant of Total Amount</b><br>Positions: 16-20<br>Length: 5<br>Format: alphanumeric | <b>Description:</b> This field contains the Percent Amount to Merchant of Total Amount.<br>Mapping: F104 U2 DSID 65 T06=> DE 112 SE 16 (pos 64-67) |
| <b>Monthly Interest Rate</b><br>Positions: 21-24<br>Length: 4<br>Format: alphanumeric                      | <b>Description:</b> This field contains the Monthly Interest Rate.<br>Mapping: F104 U2 DSID 65 T06=> DE 112 SE 2 (pos 29-32)                       |
| <b>Fee Amount</b><br>Positions: 25-31<br>Length: 7<br>Format: alphanumeric                                 | <b>Description:</b> This field contains the Fee Amount.<br>Mapping: F104 U2 DSID 65 T06=> DE 112 SE 16 (pos 24-30)                                 |
| <b>Total Amount to Merchant</b><br>Positions: 32-38<br>Length: 7<br>Format: alphanumeric                   | <b>Description:</b> This field contains the Total Amount to Merchant.<br>Mapping: F104 U2 DSID 65 T06=> DE 112 SE 16 (pos 57-63)                   |
| <b>Tax Amount</b><br>Positions: 39-45<br>Length: 7<br>Format: alphanumeric                                 | <b>Description:</b> This field contains the Total Tax Amount.<br>Mapping: F104 U2 DSID 65 T06=> DE 112 SE 16 (pos 13-19)                           |
| <b>Percent Fee of Total Amount</b><br>Positions: 46-49<br>Length: 4<br>Format: alphanumeric                | <b>Description:</b> This field contains the Percent Fee of Total Amount.<br>Mapping: F104 U2 DSID 65 T06=> DE 112 SE 16 (pos 31-34)                |
| <b>Percent Taxes of Total Amount</b><br>Positions: 50-53<br>Length: 4<br>Format: alphanumeric              | <b>Description:</b> This field contains the Percent Taxes of Total Amount.<br>Mapping: F104 U2 DSID 65 T06=> DE 112 SE 16 (pos 20-23)              |
| <b>Other Amount</b><br>Positions: 54-60<br>Length: 7<br>Format: alphanumeric                               | <b>Description:</b> This field contains the "Other" Amount.<br>Mapping: F104 U2 DSID 65 T06=> DE 112 SE 16 (pos 46-52)                             |

### Consumer Mastercard Installment Payments Edit Criteria

|                                                                                               |                                                                                                                                             |
|-----------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Percent Other Of Total Amount</b><br>Positions: 61-64<br>Length: 4<br>Format: alphanumeric | <b>Description:</b> This field contains the Percent Other of Total Amount.<br>Mapping: F104 U2 DSID 65 T06=> DE 112 SE 16 (pos 53-56)       |
| <b>Percent Total Effective Cost</b><br>Positions: 65-71<br>Length: 7<br>Format: alphanumeric  | <b>Description:</b> This field contains the Percent Total Effective Cost Amount.<br>Mapping: F104 U2 DSID 65 T06=> DE 112 SE 16 (pos 68-74) |
| <b>Total Effective Cost</b><br>Positions: 72-83<br>Length: 12<br>Format: alphanumeric         | <b>Description:</b> This field contains the Total Effective Cost Amount.<br>Mapping: F104 U2 DSID 65 T06=> DE 112 SE 16 (pos 1-12)          |
| <b>Reserved</b><br>Positions: 84-168<br>Length: 85<br>Format: alphanumeric                    | <b>Description:</b> This field contains spaces.                                                                                             |

## TC 33.A - CP 07 TCR 6 Brazil Country Data - Mastercard BNDES1

These tables contain the Multipurpose Message (TC 33.A) record layout and edit criteria for CP 07 TCR 6 - BRAZIL COUNTRY DATA - MASTERCARD BNDES1.

### Brazil Country Data-Mastercard BNDES 1 Record Layout

| Position | Field Length | Format | Contents                              |
|----------|--------------|--------|---------------------------------------|
| 1-2      | 2            | UN     | Transaction Code                      |
| 3        | 1            | UN     | Transaction Code Qualifier            |
| 4        | 1            | AN     | Transaction Component Sequence Number |
| 5-24     | 20           | AN     | Financing Type                        |
| 25       | 1            | AN     | Buyer ID Type                         |
| 26-39    | 14           | AN     | Buyer ID                              |
| 40-59    | 20           | AN     | BNDES Reference Field 1               |

### Brazil Country Data-Mastercard BNDES 1 Record Layout

| Position | Field Length | Format | Contents |
|----------|--------------|--------|----------|
| 60-168   | 109          | AN     | Reserved |

Format: AN = Alphanumeric, ANS = Alphanumeric Special, DX = Display Hexadecimal, N = Numeric, UN = Unpacked Numeric

### Brazil Country Data-Mastercard BNDES 1 Edit Criteria

|                                                                                                   |                                                                                                       |
|---------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------|
| <b>Transaction Code</b><br>Positions: 1-2<br>Length: 2<br>Format: unpacked numeric                | <b>Description:</b> This field will contain the value of <b>33</b> .                                  |
| <b>Transaction Code Qualifier</b><br>Positions: 3<br>Length: 1<br>Format: unpacked numeric        | <b>Description:</b> This field will contain the value of <b>0</b> .                                   |
| <b>Transaction Component Sequence Number</b><br>Positions: 4<br>Length: 1<br>Format: alphanumeric | <b>Description:</b> This field will contain the value of <b>6</b> .                                   |
| <b>Financing Type</b><br>Positions: 5-24<br>Length: 20<br>Format: alphanumeric                    | <b>Description:</b> This field will contain the Financing Type.                                       |
| <b>Buyer ID Type</b><br>Positions: 25<br>Length: 1<br>Format: alphanumeric                        | <b>Description:</b> This field will contain the Buyer ID Type.                                        |
| <b>Buyer ID</b><br>Positions: 26-39<br>Length: 14<br>Format: alphanumeric                         | <b>Description:</b> This field will contain the Buyer ID with the CNPJ number (Buyer company tax ID). |

### Brazil Country Data-Mastercard BNDES 1 Edit Criteria

|                                                                                          |                                                                                          |
|------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------|
| <b>BNDES Reference Field 1</b><br>Positions: 40-59<br>Length: 20<br>Format: alphanumeric | <b>Description:</b> This field will contain the CNPJ number (Merchant Brazilian tax ID). |
| <b>Reserved</b><br>Positions: 60-168<br>Length: 109<br>Format: alphanumeric              | <b>Description:</b> This field is reserved; space-filled.                                |

## TC 33.A - CP 07 TCR 7 Debt Repayment Information

These tables contain the Multipurpose Message (TC 33.A) record layout and edit criteria for CP 07 TCR 7 - DEBT REPAYMENT INFORMATION.

### Debt Repayment Information Record Layout

| Position | Field Length | Format | Contents                                |
|----------|--------------|--------|-----------------------------------------|
| 1-2      | 2            | UN     | Transaction Code                        |
| 3        | 1            | UN     | Transaction Code Qualifier              |
| 4        | 1            | AN     | Transaction Component Sequence Number   |
| 5-39     | 35           | ANS    | Debt Repayment Recipient Last Name      |
| 40-49    | 10           | ANS    | Debt Repayment Recipient Postal Code    |
| 50-57    | 8            | AN     | Debt Repayment Recipient Date of Birth  |
| 58-77    | 20           | AN     | Debt Repayment Recipient Account Number |
| 78-168   | 91           | AN     | Reserved                                |

Format: AN = Alphanumeric, ANS = Alphanumeric Special, DX = Display Hexadecimal, N = Numeric, UN = Unpacked Numeric

## Debt Repayment Information Edit Criteria

|                                                                                                                         |                                                                                                                                |
|-------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------|
| <b>Transaction Code</b><br>Positions: 1-2<br>Length: 2<br>Format: unpacked numeric                                      | <b>Description:</b> This field will contain a <b>33</b> .                                                                      |
| <b>Transaction Code Qualifier</b><br>Positions: 3<br>Length: 1<br>Format: unpacked numeric                              | <b>Description:</b> This field will contain a <b>0</b> (zero).                                                                 |
| <b>Transaction Component Sequence Number</b><br>Positions: 4<br>Length: 1<br>Format: alphanumeric                       | <b>Description:</b> This field will contain a <b>7</b> .                                                                       |
| <b>Debt Repayment Recipient Last Name</b><br>Positions: 5-39<br>Length: 35<br>Format: alphanumeric special character    | <b>Description:</b> This field will contain the Recipient Last Name.<br>Mapping: F104 U2 DSID 65 T06=> MC DE 112 SE 33 SF1     |
| <b>Debt Repayment Recipient Postal Code</b><br>Positions: 40-49<br>Length: 10<br>Format: alphanumeric special character | <b>Description:</b> This field will contain the Recipient Postal Code.<br>Mapping: F104 U2 DSID 65 T06=> MC DE 112 SE 33 SF2   |
| <b>Debt Repayment Recipient Date of Birth</b><br>Positions: 50-57<br>Length: 8<br>Format: alphanumeric                  | <b>Description:</b> This field will contain the Recipient Date of Birth.<br>Mapping: F104 U2 DSID 65 T06=> MC DE 112 SE 33 SF3 |

### Debt Repayment Information Edit Criteria

|                                                                                                          |                                                                                                                                 |
|----------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------|
| <b>Debt Repayment Recipient Account Number</b><br>Positions: 58-77<br>Length: 20<br>Format: alphanumeric | <b>Description:</b> This field will contain the Recipient Account Number.<br>Mapping: F104 U2 DSID 65 T06=> MC DE 112 SE 33 SF4 |
| <b>Reserved</b><br>Positions: 97-168<br>Length: 91<br>Format: alphanumeric                               | <b>Description:</b> This field will contain spaces.                                                                             |

## TC 33.A - CP07 TCR 8 Japan's MC Additional Data

These tables contain the Multipurpose Message (TC 33.A) record layout and edit criteria for CP 07 TCR 8 - JAPAN'S MC ADDITIONAL DATA.

### Japan's MC Additional Data Record Layout

| Position | Field Length | Format | Contents                                         |
|----------|--------------|--------|--------------------------------------------------|
| 1-2      | 2            | UN     | Transaction Code                                 |
| 3        | 1            | UN     | Transaction Code Qualifier                       |
| 4        | 1            | AN     | Transaction Component Sequence Number            |
| 5-94     | 90           | ANS    | Japan Domestic POS Data                          |
| 95-101   | 7            | ANS    | Acquirer Company Code                            |
| 102-108  | 7            | ANS    | Issuer Company Code                              |
| 109      | 1            | AN     | Authorization Transmission Mode                  |
| 110      | 1            | AN     | Entry Indicator                                  |
| 111-116  | 6            | ANS    | Approval Number For Post-Approval Authorizations |
| 117-123  | 7            | AN     | Tax Amount                                       |
| 124-128  | 5            | AN     | Local Transaction Date                           |
| 129-168  | 40           | AN     | Reserved                                         |

Format: AN = Alphanumeric, ANS = Alphanumeric Special, DX = Display Hexadecimal, N = Numeric, UN = Unpacked Numeric

### Japan's MC Additional Data Edit Criteria

|                                                                                                           |                                                                                                                                       |
|-----------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------|
| <b>Transaction Code</b><br>Positions: 1-2<br>Length: 2<br>Format: unpacked numeric                        | <b>Description:</b> This field will contain the value of <b>33</b> .                                                                  |
| <b>Transaction Code Qualifier</b><br>Positions: 3<br>Length: 1<br>Format: unpacked numeric                | <b>Description:</b> This field will contain the value of <b>0</b> .                                                                   |
| <b>Transaction Component Sequence Number</b><br>Positions: 4<br>Length: 1<br>Format: alphanumeric         | <b>Description:</b> This field will contain the value of <b>8</b> .                                                                   |
| <b>Japan Domestic POS Data</b><br>Positions: 5-94<br>Length: 90<br>Format: alphanumeric special character | <b>Description:</b> This field will contain the Japan Domestic POS Data.                                                              |
| <b>Acquirer Company Code</b><br>Positions: 95-101<br>Length: 7<br>Format: alphanumeric special character  | <b>Description:</b> This field will contain the Acquirer Company Code.                                                                |
| <b>Issuer Company Code</b><br>Positions: 102-108<br>Length: 7<br>Format: alphanumeric special character   | <b>Description:</b> This field will contain the Issuer Company Code.                                                                  |
| <b>Authorization Transmission Mode</b><br>Positions: 109<br>Length: 1<br>Format: alphanumeric             | <b>Description:</b> This field will contain the Authorization Transmission Mode.<br>Values:<br><b>0</b> = Online<br><b>1</b> = Memory |

### Japan's MC Additional Data Edit Criteria

|                                                                                                                                      |                                                                                                                                                                                                                                                                            |
|--------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Entry Indicator</b><br>Positions: 110<br>Length: 1<br>Format: alphanumeric                                                        | <b>Description:</b> This field will contain the Entry Indicator.<br>Values:<br><b>1</b> = Back stripe ISO<br><b>2</b> = Front stripe JIS II<br><b>3</b> = Manual<br><b>4</b> = N/A Domestic private label<br><b>5</b> = IC chip data ISO<br><b>6</b> = IC chip data JIS II |
| <b>Approval Number For Post-Approval Authorizations</b><br>Positions: 111-116<br>Length: 6<br>Format: alphanumeric special character | <b>Description:</b> This field will contain the Approval Number For Post-Approval Authorizations.                                                                                                                                                                          |
| <b>Tax Amount</b><br>Positions: 117-123<br>Length: 7<br>Format: alphanumeric                                                         | <b>Description:</b> This field will contain the Tax Amount.                                                                                                                                                                                                                |
| <b>Local Transaction Date</b><br>Positions: 124-128<br>Length: 5<br>Format: alphanumeric                                             | <b>Description:</b> This field will contain the Local Transmission Date in <b>yymmdd</b> format.                                                                                                                                                                           |
| <b>Reserved</b><br>Positions: 129-168<br>Length: 40<br>Format: alphanumeric                                                          | <b>Description:</b> This field will contain spaces.                                                                                                                                                                                                                        |



# TC 33.A - CP07 TCR 9 EU and CEMEA Specific Processing

These tables contain the Multipurpose Message (TC 33.A) record layout and edit criteria for CP 07 TCR 9 - EU AND CEMEA SPECIFIC PROCESSING.

## EU and CEMEA Specific Processing Record Layout

| Position | Field Length | Format | Contents                                      |
|----------|--------------|--------|-----------------------------------------------|
| 1-2      | 2            | UN     | Transaction Code                              |
| 3        | 1            | UN     | Transaction Code Qualifier                    |
| 4        | 1            | AN     | Transaction Component Sequence Number         |
| 5        | 1            | AN     | Delegated Authentication Indicator            |
| 6        | 1            | AN     | Low Value Exemption Indicator                 |
| 7        | 1            | AN     | Transaction Risk Analysis Exemption Indicator |
| 8        | 1            | AN     | Trusted Merchant Exemption Indicator          |
| 9        | 1            | AN     | Secure Corporate Payment Indicator            |
| 10-13    | 4            | AN     | Spain - Local MCC                             |
| 14-28    | 15           | AN     | Spain - Local Merchant ID                     |
| 29-60    | 32           | AN     | Session ID                                    |
| 61-140   | 80           | AN     | Reasons For Not Honoring SCA Exemptions       |
| 141-142  | 2            | AN     | Benefit Program Product                       |
| 143-151  | 9            | AN     | Benefit Administrator ID                      |
| 152-168  | 28           | AN     | Reserved                                      |

Format: AN = Alphanumeric, ANS = Alphanumeric Special, DX = Display Hexadecimal, N = Numeric, UN = Unpacked Numeric

## EU and CEMEA Specific Processing Edit Criteria

|                                                                                                           |                                                                                                                                                                                                                                                   |
|-----------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Transaction Code</b><br>Positions: 1-2<br>Length: 2<br>Format: unpacked numeric                        | <b>Description:</b> This field will contain the value of <b>33</b> .                                                                                                                                                                              |
| <b>Transaction Code Qualifier</b><br>Positions: 3<br>Length: 1<br>Format: unpacked numeric                | <b>Description:</b> This field will contain the value of <b>0</b> (zero).                                                                                                                                                                         |
| <b>Transaction Component Sequence Number</b><br>Positions: 4<br>Length: 1<br>Format: alphanumeric         | <b>Description:</b> This field will contain the value of <b>9</b> .                                                                                                                                                                               |
| <b>Delegated Authentication Indicator</b><br>Positions: 5<br>Length: 1<br>Format: alphanumeric            | <b>Description:</b> This field will contain one of the following values: <ul style="list-style-type: none"> <li>• <b>0</b> (Delegated authentication does not apply to the transaction)</li> <li>• <b>1</b> (Issuer has delegated SCA)</li> </ul> |
| <b>Low Value Exemption Indicator</b><br>Positions: 6<br>Length: 1<br>Format: alphanumeric                 | <b>Description:</b> This field contains the Low Value Exemption Indicator.<br>Mapping:<br>F34 DSID 4A T87                                                                                                                                         |
| <b>Transaction Risk Analysis Exemption Indicator</b><br>Positions: 7<br>Length: 1<br>Format: alphanumeric | <b>Description:</b> This field contains the Transaction Risk Analysis Exemption Indicator.<br>Mapping:<br>F34 DSID 4A T89                                                                                                                         |
| <b>Trusted Merchant Exemption Indicator</b><br>Positions: 8<br>Length: 1<br>Format: alphanumeric          | <b>Description:</b> This field contains the Trusted Merchant Exemption Indicator.<br>Mapping:<br>F34 DSID 4A T84                                                                                                                                  |

## EU and CEMEA Specific Processing Edit Criteria

|                                                                                                           |                                                                                                                                                                                |
|-----------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Secure Corporate Payment Indicator</b><br>Positions: 9<br>Length: 1<br>Format: alphanumeric            | <b>Description:</b> This field contains the Secure Corporate Payment Indicator.<br>Mapping:<br>F34 DSID 4A T88                                                                 |
| <b>Spain - Local MCC</b><br>Positions: 10-13<br>Length: 4<br>Format: alphanumeric                         | <b>Description:</b> This field will contain the domestic MCC when it is different from the international MCC.                                                                  |
| <b>Spain - Local Merchant ID</b><br>Positions: 14-28<br>Length: 15<br>Format: alphanumeric                | <b>Description:</b> This field will contain the Spanish Merchant ID.                                                                                                           |
| <b>Session ID</b><br>Positions: 29-60<br>Length: 32<br>Format: alphanumeric                               | <b>Description:</b> This field will contain the Session ID value. This is a payment service provider-generated universally unique identifier used to identify the transaction. |
| <b>Reasons For Not Honoring SCA Exemptions</b><br>Positions: 61-140<br>Length: 80<br>Format: alphanumeric | <b>Description:</b> This field contains Reasons For Not Honoring SCA Exemptions.                                                                                               |
| <b>Benefit Program Product</b><br>Positions: 141-142<br>Length: 2<br>Format: alphanumeric                 | <b>Description:</b> This field will contain EU Benefit Program Product details.                                                                                                |
| <b>Benefit Administrator ID</b><br>Positions: 143-151<br>Length: 9<br>Format: alphanumeric                | <b>Description:</b> This field will contain EU Benefit Administrator ID.<br><b>Source:</b> F104 U2 DSID 58 - Benefit Supporting Data, Tag 01 - Benefit Administrator ID        |
| <b>Reserved</b><br>Positions: 152-168<br>Length: 28<br>Format: alphanumeric                               | <b>Description:</b> This field is reserved for future use.                                                                                                                     |

# TC 33.A - CP 07 TCR A Poland - MC Specific - Commercial Cards

These tables contain the Multipurpose Message (TC 33.A) record layout and edit criteria for CP 07 TCR A POLAND - MC SPECIFIC - COMMERCIAL CARDS.

## Poland - MC Specific - Commercial Cards Record Layout

| Position | Field Length | Format | Contents                              |
|----------|--------------|--------|---------------------------------------|
| 1-2      | 2            | UN     | Transaction Code                      |
| 3        | 1            | UN     | Transaction Code Qualifier            |
| 4        | 1            | AN     | Transaction Component Sequence Number |
| 5-16     | 12           | AN     | VAT Amount                            |
| 17-28    | 12           | AN     | Net Amount                            |
| 29-48    | 20           | AN     | Merchant Tax ID                       |
| 49-88    | 40           | AN     | Invoice Number                        |
| 55-168   | 114          | AN     | Reserved                              |

Format: AN = Alphanumeric, ANS = Alphanumeric Special, DX = Display Hexadecimal, N = Numeric, UN = Unpacked Numeric

## Poland - MC Specific - Commercial Cards Edit Criteria

|                                                                                                   |                                                                         |
|---------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|
| <b>Transaction Code</b><br>Positions: 1-2<br>Length: 2<br>Format: unpacked numeric                | <b>Description:</b> This field will contain the value of <b>33</b> .    |
| <b>Transaction Code Qualifier</b><br>Positions: 3<br>Length: 1<br>Format: unpacked numeric        | <b>Description:</b> This field will contain the number <b>0</b> (zero). |
| <b>Transaction Component Sequence Number</b><br>Positions: 4<br>Length: 1<br>Format: alphanumeric | <b>Description:</b> This field will contain <b>A</b> .                  |

## Poland - MC Specific - Commercial Cards Edit Criteria

|                                                                                  |                                                                                                               |
|----------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------|
| <b>VAT Amount</b><br>Positions: 5-16<br>Length: 12<br>Format: alphanumeric       | <b>Description:</b> This field contains the VAT Amount.<br><b>Source:</b> F104 DSID 65 T6 position 7-18       |
| <b>Net Amount</b><br>Positions: 17-28<br>Length: 12<br>Format: alphanumeric      | <b>Description:</b> This field contains the Net Amount.<br><b>Source:</b> F104 DSID 65 T6 position 19-30      |
| <b>Merchant Tax ID</b><br>Positions: 29-48<br>Length: 20<br>Format: alphanumeric | <b>Description:</b> This field contains the Merchant Tax ID.<br><b>Source:</b> F104 DSID 65 T6 position 31-50 |
| <b>Invoice Number</b><br>Positions: 49-88<br>Length: 40<br>Format: alphanumeric  | <b>Description:</b> This field contains the Invoice Number.<br><b>Source:</b> F104 DSID 65 T6 position 51-90  |
| <b>Reserved</b><br>Positions: 89-168<br>Length: 80<br>Format: alphanumeric       | <b>Description:</b> This field is reserved for future use.                                                    |

# TC 33.A - CP 07 TCR B Colombia Mastercard Domestic Processing

These tables contain the Multipurpose Message (TC 33.A) record layout and edit criteria for CP 07 TCR B COLOMBIA MASTERCARD DOMESTIC PROCESSING.

## Colombia Mastercard Domestic Processing Record Layout

| Position | Field Length | Format | Contents                              |
|----------|--------------|--------|---------------------------------------|
| 1-2      | 2            | UN     | Transaction Code                      |
| 3        | 1            | UN     | Transaction Code Qualifier            |
| 4        | 1            | AN     | Transaction Component Sequence Number |

### Colombia Mastercard Domestic Processing Record Layout

| Position | Field Length | Format | Contents                                        |
|----------|--------------|--------|-------------------------------------------------|
| 5-16     | 12           | N      | Mastercard Purchase - Tax (IVA)                 |
| 17-28    | 12           | ANS    | Mastercard Purchase - Tax Amount Base           |
| 29-55    | 27           | ANS    | Mastercard Purchase - Retailer Data             |
| 56-71    | 16           | ANS    | Mastercard Purchase - Terminal Acquirer Data    |
| 72-107   | 36           | ANS    | Mastercard Purchase - Bill Payment/Top up Data  |
| 108      | 1            | N      | Mastercard Purchase - Local POS Data            |
| 109-110  | 2            | ANS    | Mastercard Purchase - Local Response Codes      |
| 111-152  | 42           | ANS    | Mastercard Purchase - Original Transaction Data |
| 153-164  | 12           | N      | Mastercard Purchase - IAC Tax Amount            |
| 165-168  | 4            | AN     | Reserved                                        |

Format: AN = Alphanumeric, ANS = Alphanumeric Special, DX = Display Hexadecimal, N = Numeric, UN = Unpacked Numeric

### Colombia Mastercard Domestic Processing Edit Criteria

|                                                                                                   |                                                                                                                                                              |
|---------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Transaction Code</b><br>Positions: 1-2<br>Length: 2<br>Format: unpacked numeric                | <b>Description:</b> This field will contain the value of <b>33</b> .                                                                                         |
| <b>Transaction Code Qualifier</b><br>Positions: 3<br>Length: 1<br>Format: unpacked numeric        | <b>Description:</b> This field will contain the number <b>0</b> (zero).                                                                                      |
| <b>Transaction Component Sequence Number</b><br>Positions: 4<br>Length: 1<br>Format: alphanumeric | <b>Description:</b> This field will contain <b>B</b> .                                                                                                       |
| <b>Mastercard Purchase - Tax (IVA)</b><br>Positions: 5-16<br>Length: 12<br>Format: numeric        | <b>Description:</b> This field will contain the Mastercard Purchase - Tax (IVA).<br>Value comes from Field 104 DSID 65 Tag 02 position 20-31 => DE124 - SF2. |

### Colombia Mastercard Domestic Processing Edit Criteria

|                                                                                                                            |                                                                                                                                                                                 |
|----------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Mastercard Purchase - Tax Amount Base</b><br>Positions: 17-28<br>Length: 12<br>Format: alphanumeric special             | <b>Description:</b> This field will contain the Mastercard Purchase - Tax Amount Base.<br>Value comes from Field 104 DSID 65 Tag 02 position 32-43 => DE124 - SF3.              |
| <b>Mastercard Purchase - Retailer Data</b><br>Positions: 29-55<br>Length: 27<br>Format: alphanumeric special               | <b>Description:</b> This field will contain the Mastercard Purchase - Retailer Data.<br>Value comes from Field 104 DSID 65 Tag 02 position 44-70 => DE124 - SF4.                |
| <b>Mastercard Purchase - Terminal Acquirer Data</b><br>Positions: 56-71<br>Length: 16<br>Format: alphanumeric special      | <b>Description:</b> This field will contain the Mastercard Purchase - Terminal Acquirer Data.<br>Value comes from Field 104 DSID 65 Tag 02 position 71-86 => DE124 - SF5.       |
| <b>Mastercard Purchase - Bill Payment/Top up Data</b><br>Positions: 72-107<br>Length: 36<br>Format: alphanumeric special   | <b>Description:</b> This field will contain the Mastercard Purchase - Bill Payment/Top up Data.<br>Value comes from Field 104 DSID 65 Tag 02 position 93-128 => DE124 - SF7.    |
| <b>Mastercard Purchase - Local POS Data</b><br>Positions: 108<br>Length: 1<br>Format: numeric                              | <b>Description:</b> This field will contain the Mastercard Purchase - Local POS Data.<br>Value comes from Field 104 DSID 65 Tag 02 position 129 => DE124 - SF8.                 |
| <b>Mastercard Purchase - Local Response Codes</b><br>Positions: 109-110<br>Length: 2<br>Format: alphanumeric special       | <b>Description:</b> This field will contain the Mastercard Purchase - Local Response Codes.<br>Value comes from Field 104 DSID 65 Tag 02 position 130-131 => DE124 - SF9.       |
| <b>Mastercard Purchase - Original Transaction Data</b><br>Positions: 111-152<br>Length: 42<br>Format: alphanumeric special | <b>Description:</b> This field will contain the Mastercard Purchase - Original Transaction Data.<br>Value comes from Field 104 DSID 65 Tag 02 position 132-173 => DE124 - SF10. |

### Colombia Mastercard Domestic Processing Edit Criteria

|                                                                                                    |                                                                                                                                                                      |
|----------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Mastercard Purchase - IAC Tax Amount</b><br>Positions: 153-164<br>Length: 12<br>Format: numeric | <b>Description:</b> This field will contain the Mastercard Purchase - IAC Tax Amount.<br>Value comes from Field 104 DSID 65 Tag 02 position 174-185 => DE124 - SF11. |
| <b>Reserved</b><br>Positions: 165-168<br>Length: 4<br>Format: alphanumeric                         | <b>Description:</b> This field will contain spaces.                                                                                                                  |

## TC 33.A - CP 08 TCR 0 Discretionary Data - Default TCR

These tables contain the Multipurpose Message (TC 33.A) record layout and edit criteria for CP 08 TCR 0 - DISCRETIONARY DATA - DEFAULT TCR.

### Discretionary Data-Default TCR Record Layout

| Position | Field Length | Format | Contents                              |
|----------|--------------|--------|---------------------------------------|
| 1-2      | 2            | UN     | Transaction Code                      |
| 3        | 1            | UN     | Transaction Code Qualifier            |
| 4        | 1            | AN     | Transaction Component Sequence Number |
| 5-10     | 6            | UN     | Destination Identifier                |
| 11-16    | 6            | UN     | Source Identifier                     |
| 17-20    | 4            | AN     | TC33 Application Code                 |
| 21-35    | 15           | AN     | Message Identifier                    |
| 36-168   | 133          | AN     | Reserved                              |

Format: AN = Alphanumeric, ANS = Alphanumeric Special, DX = Display Hexadecimal, N = Numeric, UN = Unpacked Numeric



## Discretionary Data-Default TCR Edit Criteria

|                                                                                                   |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
|---------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Transaction Code</b><br>Positions: 1-2<br>Length: 2<br>Format: unpacked numeric                | <b>Description:</b> This field will contain the value of <b>33</b> (TC 33.A capture transactions (acquirer)).                                                                                                                                                                                                                                                                                                                                                                                         |
| <b>Transaction Code Qualifier</b><br>Positions: 3<br>Length: 1<br>Format: unpacked numeric        | <b>Description:</b> This field will contain the value of <b>0</b> (zero).                                                                                                                                                                                                                                                                                                                                                                                                                             |
| <b>Transaction Component Sequence Number</b><br>Positions: 4<br>Length: 1<br>Format: alphanumeric | <b>Description:</b> This field will contain the value of <b>0</b> (zero).                                                                                                                                                                                                                                                                                                                                                                                                                             |
| <b>Destination Identifier</b><br>Positions: 5-10<br>Length: 6<br>Format: unpacked numeric         | <b>Description:</b> The entity to which this transaction message is sent.<br>This field will contain a valid acquiring or issuing identifier or zeros.                                                                                                                                                                                                                                                                                                                                                |
| <b>Source Identifier</b><br>Positions: 11-16<br>Length: 6<br>Format: unpacked numeric             | <b>Description:</b> The entity from which this BASE II transaction message is sent.<br>This field will contain a valid Visa internal identifier or zeros.                                                                                                                                                                                                                                                                                                                                             |
| <b>TC 33 Application Code</b><br>Positions: 17-20<br>Length: 4<br>Format: alphanumeric            | <b>Description:</b> This field will contain the static value set to <b>CP08</b> (Discretionary data).                                                                                                                                                                                                                                                                                                                                                                                                 |
| <b>Message Identifier</b><br>Positions: 21-35<br>Length: 15<br>Format: alphanumeric               | <b>Description:</b> This field will contain a unique message identifier that links a specific capture record among multiple capture records being submitted for a single transaction. All capture records within the same file linked to a single authorization request contain the same message identifier. The same message identifier can be assigned to other related capture records located in additional TCR groups identified by TC 33 application codes ( <b>CP01</b> through <b>CP50</b> ). |
| <b>Reserved</b><br>Positions: 36-168<br>Length: 133<br>Format: alphanumeric                       | <b>Description:</b> This field is reserved; space-filled.                                                                                                                                                                                                                                                                                                                                                                                                                                             |

# TC 33.A - CP 08 TCR 1 Free Form Text

These tables contain the Multipurpose Message (TC 33.A) record layout and edit criteria for CP 08 TCR 1 - FREE FORM TEXT.

## Free Form Text Record Layout

| Position | Field Length | Format | Contents                              |
|----------|--------------|--------|---------------------------------------|
| 1-2      | 2            | UN     | Transaction Code                      |
| 3        | 1            | UN     | Transaction Code Qualifier            |
| 4        | 1            | AN     | Transaction Component Sequence Number |
| 5-7      | 3            | AN     | Acquirer Country Code                 |
| 8-168    | 161          | ANS    | Free Form Text                        |

Format: AN = Alphanumeric, ANS = Alphanumeric Special, DX = Display Hexadecimal, N = Numeric, UN = Unpacked Numeric

## Free Form Text Edit Criteria

|                                                                                                   |                                                                                                               |
|---------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------|
| <b>Transaction Code</b><br>Positions: 1-2<br>Length: 2<br>Format: unpacked numeric                | <b>Description:</b> This field will contain the value of <b>33</b> (TC 33.A capture transactions (acquirer)). |
| <b>Transaction Code Qualifier</b><br>Positions: 3<br>Length: 1<br>Format: unpacked numeric        | <b>Description:</b> This field will contain the value of <b>0</b> (zero).                                     |
| <b>Transaction Component Sequence Number</b><br>Positions: 4<br>Length: 1<br>Format: alphanumeric | <b>Description:</b> This field will contain the value of <b>1</b> (one).                                      |

### Free Form Text Edit Criteria

|                                                                                                    |                                                                    |
|----------------------------------------------------------------------------------------------------|--------------------------------------------------------------------|
| <b>Acquirer Country Code</b><br>Positions: 5-7<br>Length: 3<br>Format: alphanumeric                | <b>Description:</b> This field will contain Acquirer Country Code. |
| <b>Free Form Text</b><br>Positions: 8-168<br>Length: 161<br>Format: alphanumeric special character | <b>Description:</b> This field will contain the Free Form Text.    |

## TC 33.A - CP 09 TCR 0 Push Payment - Default

These tables contain the Multipurpose Message (TC 33.A) record layout and edit criteria for CP 09 TCR 0 - PUSH PAYMENT - DEFAULT.

### Push Payment-Default Record Layout

| Position | Field Length | Format | Contents                              |
|----------|--------------|--------|---------------------------------------|
| 1-2      | 2            | UN     | Transaction Code                      |
| 3        | 1            | UN     | Transaction Code Qualifier            |
| 4        | 1            | AN     | Transaction Component Sequence Number |
| 5-10     | 6            | UN     | Destination Identifier                |
| 11-16    | 6            | UN     | Source Identifier                     |
| 17-20    | 4            | AN     | TC 33 Application Code                |
| 21-35    | 15           | AN     | Message Identifier                    |
| 36-47    | 12           | AN     | AFT Foreign Exchange Fee              |
| 48-49    | 2            | AN     | OCT Account Type                      |
| 50-51    | 2            | AN     | OCT Amount Type                       |
| 52       | 1            | AN     | OCT Amount Sign                       |
| 53-64    | 12           | AN     | Purpose of Payment Code               |
| 65-89    | 25           | ANS    | OCT Acceptor Legal Business Name      |

### Push Payment-Default Record Layout

| Position | Field Length | Format | Contents                     |
|----------|--------------|--------|------------------------------|
| 90-114   | 25           | ANS    | OCT Payment Facilitator Name |
| 115-168  | 54           | AN     | Reserved                     |

Format: AN = Alphanumeric, ANS = Alphanumeric Special, DX = Display Hexadecimal, N = Numeric, UN = Unpacked Numeric

### Push Payment-Default Edit Criteria

|                                                                                                   |                                                                                                                                                                            |
|---------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Transaction Code</b><br>Positions: 1-2<br>Length: 2<br>Format: unpacked numeric                | <b>Description:</b> This field contains the value <b>33</b> .                                                                                                              |
| <b>Transaction Code Qualifier</b><br>Positions: 3<br>Length: 1<br>Format: unpacked numeric        | <b>Description:</b> This field contains the value <b>0</b> .                                                                                                               |
| <b>Transaction Component Sequence Number</b><br>Positions: 4<br>Length: 1<br>Format: alphanumeric | <b>Description:</b> This field contains the value <b>0</b> .                                                                                                               |
| <b>Destination Identifier</b><br>Positions: 5-10<br>Length: 6<br>Format: unpacked numeric         | <b>Description:</b> The entity to which the BASE II transaction message is sent. This field will contain a valid acquiring or issuing identifier.                          |
| <b>Source Identifier</b><br>Positions: 11-16<br>Length: 6<br>Format: unpacked numeric             | <b>Description:</b> This field contains the Visa internal identifier of the VIC.                                                                                           |
| <b>TC 33 Application Code</b><br>Positions: 17-20<br>Length: 4<br>Format: alphanumeric            | <b>Description:</b> This TCR group code identifies a group of related Transaction Component Records (TCR 0 through TCR E). This field has a static value of <b>CP 09</b> . |

## Push Payment-Default Edit Criteria

|                                                                                                           |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
|-----------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Message Identifier</b><br>Positions: 21-35<br>Length: 15<br>Format: alphanumeric                       | <b>Description:</b> A unique message identifier that links a specific capture record among multiple capture records being submitted for a single transaction. All capture records within the same file linked to a single authorization request contain the same message identifier. The same message identifier can be assigned to other related capture records located in additional TCR groups identified by TC 33 Application codes ( <b>CP 01</b> through <b>CP 50</b> ). |
| <b>AFT Foreign Exchange Fee</b><br>Positions: 36-47<br>Length: 12<br>Format: alphanumeric                 | <b>Description:</b> This field contains the AFT Foreign Exchange Fee.<br>Mapping:<br>F54 positions 9-20                                                                                                                                                                                                                                                                                                                                                                         |
| <b>OCT Account Type</b><br>Positions: 48-49<br>Length: 2<br>Format: alphanumeric                          | <b>Description:</b> This field will contain the OCT Account Type.                                                                                                                                                                                                                                                                                                                                                                                                               |
| <b>OCT Amount Type</b><br>Positions: 50-51<br>Length: 2<br>Format: alphanumeric                           | <b>Description:</b> This field will contain the OCT Amount Type.                                                                                                                                                                                                                                                                                                                                                                                                                |
| <b>OCT Amount Sign</b><br>Positions: 52<br>Length: 1<br>Format: alphanumeric                              | <b>Description:</b> This field will contain the OCT Amount Sign.                                                                                                                                                                                                                                                                                                                                                                                                                |
| <b>Purpose of Payment Code</b><br>Positions: 53-64<br>Length: 12<br>Format: alphanumeric                  | <b>Description:</b> This field will contain the Purpose of Payment Code.                                                                                                                                                                                                                                                                                                                                                                                                        |
| <b>OCT Acceptor Legal Business Name</b><br>Positions: 65-89<br>Length: 25<br>Format: alphanumeric special | <b>Description:</b> This field will contain the OCT Acceptor Legal Business Name.                                                                                                                                                                                                                                                                                                                                                                                               |

### Push Payment-Default Edit Criteria

|                                                                                                        |                                                                               |
|--------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------|
| <b>OCT Payment Facilitator Name</b><br>Positions: 90-114<br>Length: 25<br>Format: alphanumeric special | <b>Description:</b> This field will contain the OCT Payment Facilitator Name. |
| <b>Reserved</b><br>Positions: 115-168<br>Length: 54<br>Format: alphanumeric                            | <b>Description:</b> This field is reserved; space-filled.                     |

## TC 33.A - CP 09 TCR 1 Push Payment - Original Credit Transactions

These tables contain the Multipurpose Message (TC 33.A) record layout and edit criteria for CP 09 TCR 1 - PUSH PAYMENT - ORIGINAL CREDIT TRANSACTION.

### Push Payment-Original Credit Transaction Record Layout

| Position | Field Length | Format | Contents                                       |
|----------|--------------|--------|------------------------------------------------|
| 1-2      | 2            | UN     | Transaction Code                               |
| 3        | 1            | UN     | Transaction Code Qualifier                     |
| 4        | 1            | AN     | Transaction Component Sequence Number          |
| 5-6      | 2            | AN     | Business Format Code                           |
| 7-36     | 30           | ANS    | Money Transfer Recipient Name                  |
| 37-38    | 2            | AN     | Source of Funds                                |
| 39-58    | 20           | AN     | Claims Code                                    |
| 59-78    | 20           | AN     | Tax Document Type                              |
| 79-80    | 2            | N      | Customer Reference Number                      |
| 81-84    | 4            | AN     | Identification Type Code                       |
| 85-86    | 2            | AN     | Identification Sub-type                        |
| 87-121   | 35           | ANS    | Identification Value                           |
| 122-124  | 3            | N      | Identification Issuing Country                 |
| 125-126  | 2            | ANS    | Contact Information - Account Reference Number |

### Push Payment-Original Credit Transaction Record Layout

| Position | Field Length | Format | Contents                          |
|----------|--------------|--------|-----------------------------------|
| 127-128  | 2            | ANS    | Contact Information - Entity Type |
| 129-168  | 40           | AN     | Reserved                          |

Format: AN = Alphanumeric, ANS = Alphanumeric Special, DX = Display Hexadecimal, N = Numeric, UN = Unpacked Numeric

### Push Payment-Original Credit Transaction Edit Criteria

|                                                                                                                 |                                                                                                                                                           |
|-----------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Transaction Code</b><br>Positions: 1-2<br>Length: 2<br>Format: unpacked numeric                              | <b>Description:</b> This field contains the value <b>33</b> .                                                                                             |
| <b>Transaction Code Qualifier</b><br>Positions: 3<br>Length: 1<br>Format: unpacked numeric                      | <b>Description:</b> This field contains the value <b>0</b> .                                                                                              |
| <b>Transaction Component Sequence Number</b><br>Positions: 4<br>Length: 1<br>Format: alphanumeric               | <b>Description:</b> This field contains the value <b>1</b> .                                                                                              |
| <b>Business Format Code</b><br>Positions: 5-6<br>Length: 2<br>Format: alphanumeric                              | <b>Description:</b> This field will contain <b>OC</b> (Original Credit).                                                                                  |
| <b>Money Transfer Recipient Name</b><br>Positions: 7-36<br>Length: 30<br>Format: alphanumeric special character | <b>Description:</b> This field contains the money transfer recipient name.                                                                                |
| <b>Source of Funds</b><br>Positions: 37-38<br>Length: 2<br>Format: alphanumeric                                 | <b>Description:</b> This field should contain one of these values:<br><b>1</b> = Cash<br><b>2</b> = Check<br><b>3</b> = Card<br><b>4</b> = Cash and Check |

## Push Payment-Original Credit Transaction Edit Criteria

|                                                                                    |                                                                                                                 |                       |                                             |                                                                     |                               |
|------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------|-----------------------|---------------------------------------------|---------------------------------------------------------------------|-------------------------------|
| <b>Claims Code</b><br>Positions: 39-58<br>Length: 20<br>Format: alphanumeric       | <b>Description:</b> This field contains the claims code.                                                        |                       |                                             |                                                                     |                               |
| <b>Tax Document Type</b><br>Positions: 59-78<br>Length: 20<br>Format: alphanumeric | <b>Description:</b> This field will contain the Tax Document Type in OCT transactions in Latin America. Values: |                       |                                             |                                                                     |                               |
|                                                                                    | <b>Country</b>                                                                                                  | <b>Tax Identifier</b> | <b>Description</b>                          | <b>Field</b>                                                        | <b>Comments</b>               |
|                                                                                    | Argentina                                                                                                       | CUIT                  | Codigo Unico de Identifi- cacion Tributaria | Tag 05- Merchant VAT Registration/ Single Business Reference Number | Business tax identification   |
|                                                                                    |                                                                                                                 | CUIT                  | Codigo Unico de Identifi- cacion Tributaria | Tag 06- Customer VAT Registration Number                            | Individual tax identification |
|                                                                                    | Brazil                                                                                                          | CNPJ                  | Cadastro Nacional de Pessoas Juridicas      | Tag 05- Merchant VAT Registration/ Single Business Reference Number | Business tax identification   |
|                                                                                    |                                                                                                                 | CPF                   | Cadastro de Pessoas Fisicas                 | Tag 06- Customer VAT Registration Number                            | Individual tax identification |
|                                                                                    | Chile                                                                                                           | RUT                   | Rol Unico Tributario                        | Tag 05- Merchant VAT Registration/ Single Business Reference Number | Business tax identification   |
|                                                                                    |                                                                                                                 | RUT                   | Rol Unico Tributario                        | Tag 06- Customer VAT Registration Number                            | Individual tax identification |
|                                                                                    | Colombia                                                                                                        | NIT                   | Numero de Identifi- cacion Tributaria       | Tag 05- Merchant VAT Registration/ Single Business Reference Number | Business tax identification   |
|                                                                                    |                                                                                                                 | CC, CE, or PASS       | Cedula de Ciudadania                        | Tag 06- Customer VAT Registration Number                            | Individual tax identification |

18 October 2025

544



## Push Payment-Original Credit Transaction Edit Criteria

| <b>Tax Document Type (continued)</b><br>Positions: 59-78<br>Length: 20<br>Format: alphanumeric | <b>Description:</b> This field will contain the Tax Document Type in OCT transactions in Latin America. Values: <table><tr><th>Country</th><th>Tax Identifier</th><th>Description</th><th>Field</th><th>Comments</th></tr><tr><td rowspan="2">Peru</td><td>RUC</td><td>Registro Unico de Contribuyentes</td><td>Tag 05-Merchant VAT Registration/Single Business Reference Number</td><td>Business tax identification</td></tr><tr><td>DNI</td><td>Documento Nacional de Identidad</td><td>Tag 06-Customer VAT Registration Number</td><td>Individual tax identification</td></tr></table>                                                                                                                                              | Country                          | Tax Identifier                                                    | Description                   | Field | Comments | Peru | RUC | Registro Unico de Contribuyentes | Tag 05-Merchant VAT Registration/Single Business Reference Number | Business tax identification | DNI | Documento Nacional de Identidad | Tag 06-Customer VAT Registration Number | Individual tax identification |
|------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------|-------------------------------------------------------------------|-------------------------------|-------|----------|------|-----|----------------------------------|-------------------------------------------------------------------|-----------------------------|-----|---------------------------------|-----------------------------------------|-------------------------------|
| Country                                                                                        | Tax Identifier                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          | Description                      | Field                                                             | Comments                      |       |          |      |     |                                  |                                                                   |                             |     |                                 |                                         |                               |
| Peru                                                                                           | RUC                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     | Registro Unico de Contribuyentes | Tag 05-Merchant VAT Registration/Single Business Reference Number | Business tax identification   |       |          |      |     |                                  |                                                                   |                             |     |                                 |                                         |                               |
|                                                                                                | DNI                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     | Documento Nacional de Identidad  | Tag 06-Customer VAT Registration Number                           | Individual tax identification |       |          |      |     |                                  |                                                                   |                             |     |                                 |                                         |                               |
| <b>Customer Reference Number</b><br>Positions: 79-80<br>Length: 2<br>Format: numeric           | <b>Description:</b> This field contains a code that denotes whether the customer identification data belongs to the sender or the recipient.<br>Valid values:<br><b>05</b> = (Payer (sender))<br><b>06</b> = (Payee (recipient))                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |                                  |                                                                   |                               |       |          |      |     |                                  |                                                                   |                             |     |                                 |                                         |                               |
| <b>Identification Type Code</b><br>Positions: 81-84<br>Length: 4<br>Format: alphanumeric       | <b>Description:</b> This field contains the type of sender identification.<br>Valid values:<br><b>BTHD</b> = (Date of birth)<br><b>CUID</b> = (Customer identification (unspecified))<br><b>NTID</b> = (National identification)<br><b>PASN</b> = (Passport number)<br><b>DRLN</b> = (Driver license)<br><b>TXIN</b> = (Tax identification)<br><b>CPNY</b> = (Company registration number)<br><b>PRXY</b> = (Proxy identification)<br><b>SSNB</b> = (Social security number)<br><b>ARNB</b> = (Alien registration number)<br><b>LAWF</b> = (Law enforcement identification)<br><b>MILI</b> = (Military identification)<br><b>TRVL</b> = (Travel identification (non-passport))<br><b>EMAL</b> = (Email)<br><b>PHON</b> = (Phone number) |                                  |                                                                   |                               |       |          |      |     |                                  |                                                                   |                             |     |                                 |                                         |                               |

## Push Payment-Original Credit Transaction Edit Criteria

|                                                                                                                          |                                                                                                                                                                                                                                                                                                                            |
|--------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Identification Sub-type</b><br>Positions: 85-86<br>Length: 2<br>Format: alphanumeric                                  | <b>Description:</b> This field contains the identification sub-type.<br>Valid values:<br><b>0B</b> = (Business)<br><b>0I</b> = (Individual)                                                                                                                                                                                |
| <b>Identification Value</b><br>Positions: 87-121<br>Length: 35<br>Format: alphanumeric special                           | <b>Description:</b> This field contains an acquirer-populated value associated with the Identification Type Code.<br>When the Identification Type Code field contains the value of <b>BTHD</b> , this field must contain a date of birth in ccyyymmdd format where:<br>cc = Century<br>yy = Year<br>mm = Month<br>dd = Day |
| <b>Identification Issuing Country</b><br>Positions: 122-124<br>Length: 3<br>Format: numeric                              | <b>Description:</b> This field contains the 3-digit ISO country code of the issuing country when the Identification Type Code field contains an applicable value.                                                                                                                                                          |
| <b>Contact Information - Account Reference Number</b><br>Positions: 125-126<br>Length: 2<br>Format: alphanumeric special | <b>Description:</b> This field will contain the Contact Information - Account Reference Number.<br>Value comes from Field 56 U2 DSID 02 T87 (05=Sender; 06=Recipient)                                                                                                                                                      |
| <b>Contact Information - Entity Type</b><br>Positions: 127-128<br>Length: 2<br>Format: alphanumeric special              | <b>Description:</b> This field will contain the Contact Information - Entity Type.                                                                                                                                                                                                                                         |
| <b>Reserved</b><br>Positions: 129-168<br>Length: 40<br>Format: alphanumeric                                              | <b>Description:</b> This field is space-filled.                                                                                                                                                                                                                                                                            |

# TC 33.A - CP 09 TCR 2 Original Credit Transaction and Account Funding Transaction, Additional Details

These tables contain the Multipurpose Message (TC 33.A) record layout and edit criteria for CP 09 TCR 2 - ORIGINAL CREDIT TRANSACTION AND ACCOUNT FUNDING TRANSACTION, ADDITIONAL DETAILS

## Original Credit Transaction and Account Funding Transaction, Additional Details Record Layout

| Position | Field Length | Format | Contents                              |
|----------|--------------|--------|---------------------------------------|
| 1-2      | 2            | UN     | Transaction Code                      |
| 3        | 1            | UN     | Transaction Code Qualifier            |
| 4        | 1            | AN     | Transaction Component Sequence Number |
| 5-20     | 16           | AN     | Sender Reference Number               |
| 21-54    | 34           | AN     | Sender Account Number                 |
| 55-84    | 30           | AN     | Sender Name                           |
| 85-119   | 35           | AN     | Sender Address                        |
| 120-144  | 25           | AN     | Sender City                           |
| 145-146  | 2            | AN     | Sender State/Province                 |
| 147-149  | 3            | AN     | Sender Country                        |
| 150-168  | 19           | AN     | Reserved                              |

Format: AN = Alphanumeric, ANS = Alphanumeric Special, DX = Display Hexadecimal, N = Numeric, UN = Unpacked Numeric

**Original Credit Transaction and Account Funding Transaction, Additional Details Edit Criteria**

|                                                                                                          |                                                                        |
|----------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------|
| <b>Transaction Code</b><br>Positions: 1-2<br>Length: 2<br>Format: unpacked numeric                       | <b>Description:</b> This field contains the value <b>33</b> .          |
| <b>Transaction Code Qualifier</b><br>Positions: 3<br>Length: 1<br>Format: unpacked numeric               | <b>Description:</b> This field contains the value <b>0</b> .           |
| <b>Transaction Component Sequence Number</b><br>Positions: 4<br>Length: 1<br>Format: alphanumeric        | <b>Description:</b> This field contains the value <b>2</b> .           |
| <b>Sender Reference Number</b><br>Positions: 5-20<br>Length: 16<br>Format: alphanumeric                  | <b>Description:</b> This field contains the sender's reference number. |
| <b>Sender Account Number</b><br>Positions: 21-54<br>Length: 34<br>Format: alphanumeric special character | <b>Description:</b> This field contains the sender's account number.   |
| <b>Sender Name</b><br>Positions: 55-84<br>Length: 30<br>Format: alphanumeric                             | <b>Description:</b> This field contains the sender's name.             |
| <b>Sender Address</b><br>Positions: 85-119<br>Length: 35<br>Format: alphanumeric                         | <b>Description:</b> This field contains the sender's address.          |
| <b>Sender City</b><br>Positions: 120-144<br>Length: 25<br>Format: alphanumeric                           | <b>Description:</b> This field contains the sender's city name.        |

## Original Credit Transaction and Account Funding Transaction, Additional Details Edit Criteria

|                                                                                         |                                                                           |
|-----------------------------------------------------------------------------------------|---------------------------------------------------------------------------|
| <b>Sender State/Province</b><br>Positions: 145-146<br>Length: 2<br>Format: alphanumeric | <b>Description:</b> This field contains the sender's state/province code. |
| <b>Sender Country</b><br>Positions: 147-149<br>Length: 3<br>Format: alphanumeric        | <b>Description:</b> This field contains the sender's country code.        |
| <b>Reserved</b><br>Positions: 150-168<br>Length: 19<br>Format: alphanumeric             | <b>Description:</b> This field is reserved; space-filled.                 |

# TC 33.A - CP 09 TCR 3 - Sender Name (Split)

These tables contain the Multipurpose Message (TC 33.A) record layout and edit criteria for CP 09 TCR 3 - SENDER NAME (SPLIT).

## Sender Name (Split) - Record Layout

| Position | Field Length | Format | Contents                              |
|----------|--------------|--------|---------------------------------------|
| 1-2      | 2            | UN     | Transaction Code                      |
| 3        | 1            | UN     | Transaction Code Qualifier            |
| 4        | 1            | AN     | Transaction Component Sequence Number |
| 5-39     | 35           | AN     | Account Owner Name - Given            |
| 40-74    | 35           | AN     | Account Owner Middle Name             |
| 75-109   | 35           | AN     | Account Owner Last Name               |
| 110-111  | 2            | ANS    | Sender - Entity Type                  |
| 112-168  | 57           | AN     | Reserved                              |

Format: AN = Alphanumeric, ANS = Alphanumeric Special, DX = Display Hexadecimal, N = Numeric, UN = Unpacked Numeric

### Sender Name (Split) - Edit Criteria

|                                                                                                   |                                                                                                                                         |
|---------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------|
| <b>Transaction Code</b><br>Positions: 1-2<br>Length: 2<br>Format: unpacked numeric                | <b>Description:</b> This field will contain the value of <b>33</b> .                                                                    |
| <b>Transaction Code Qualifier</b><br>Positions: 3<br>Length: 1<br>Format: unpacked numeric        | <b>Description:</b> This field will contain the value of <b>0</b> .                                                                     |
| <b>Transaction Component Sequence Number</b><br>Positions: 4<br>Length: 1<br>Format: alphanumeric | <b>Description:</b> This field will contain the value of <b>3</b> .                                                                     |
| <b>Account Owner Name - Given</b><br>Positions: 5-39<br>Length: 35<br>Format: alphanumeric        | <b>Description:</b> This field will contain the account owner's given name.                                                             |
| <b>Account Owner Middle Name</b><br>Positions: 40-74<br>Length: 35<br>Format: alphanumeric        | <b>Description:</b> This field will contain the account owner's middle name.                                                            |
| <b>Account Owner Last Name</b><br>Positions: 75-109<br>Length: 35<br>Format: alphanumeric         | <b>Description:</b> This field will contain the account owner's last name.                                                              |
| <b>Sender - Entity Type</b><br>Positions: 110-111<br>Length: 2<br>Format: alphanumeric special    | <b>Description:</b> This field will contain the Sender - Entity Type.<br>Value comes from F56 DSID 05 TC0 (0B=Business; 0I=Individual). |
| <b>Reserved</b><br>Positions: 112-168<br>Length: 57<br>Format: alphanumeric                       | <b>Description:</b> This field will contain spaces.                                                                                     |

# TC 33.A - CP 09 TCR 4 - Recipient Name (Split)

These tables contain the Multipurpose Message (TC 33.A) record layout and edit criteria for CP 09 TCR 4 - RECIPIENT NAME (SPLIT).

## Recipient Name (Split) - Record Layout

| Position | Field Length | Format | Contents                              |
|----------|--------------|--------|---------------------------------------|
| 1-2      | 2            | UN     | Transaction Code                      |
| 3        | 1            | UN     | Transaction Code Qualifier            |
| 4        | 1            | AN     | Transaction Component Sequence Number |
| 5-39     | 35           | AN     | Account Owner Name - Given            |
| 40-74    | 35           | AN     | Account Owner Middle Name             |
| 75-109   | 35           | AN     | Account Owner Last Name               |
| 110-168  | 59           | AN     | Reserved                              |

Format: AN = Alphanumeric, ANS = Alphanumeric Special, DX = Display Hexadecimal, N = Numeric, UN = Unpacked Numeric

## Recipient Name (Split) - Edit Criteria

|                                                                                                   |                                                                      |
|---------------------------------------------------------------------------------------------------|----------------------------------------------------------------------|
| <b>Transaction Code</b><br>Positions: 1-2<br>Length: 2<br>Format: unpacked numeric                | <b>Description:</b> This field will contain the value of <b>33</b> . |
| <b>Transaction Code Qualifier</b><br>Positions: 3<br>Length: 1<br>Format: unpacked numeric        | <b>Description:</b> This field will contain the value of <b>0</b> .  |
| <b>Transaction Component Sequence Number</b><br>Positions: 4<br>Length: 1<br>Format: alphanumeric | <b>Description:</b> This field will contain the value of <b>4</b> .  |

### Recipient Name (Split) - Edit Criteria

|                                                                                            |                                                                              |
|--------------------------------------------------------------------------------------------|------------------------------------------------------------------------------|
| <b>Account Owner Name - Given</b><br>Positions: 5-39<br>Length: 35<br>Format: alphanumeric | <b>Description:</b> This field will contain the account owner's given name.  |
| <b>Account Owner Middle Name</b><br>Positions: 40-74<br>Length: 35<br>Format: alphanumeric | <b>Description:</b> This field will contain the account owner's middle name. |
| <b>Account Owner Last Name</b><br>Positions: 75-109<br>Length: 35<br>Format: alphanumeric  | <b>Description:</b> This field will contain the account owner's last name.   |
| <b>Reserved</b><br>Positions: 110-168<br>Length: 59<br>Format: alphanumeric                | <b>Description:</b> This field will contain spaces.                          |

## TC 33.A - CP 09 TCR 5 - Recipient Additional Data - Canada OCT and AFT in General

These tables contain the Multipurpose Message (TC 33.A) record layout and edit criteria for CP 09 TCR 5 - RECIPIENT ADDITIONAL DATA - CANADA OCT and AFT in General.

### Recipient Additional Data - Canada OCT and AFT in General - Record Layout

| Position | Field Length | Format | Contents                              |
|----------|--------------|--------|---------------------------------------|
| 1-2      | 2            | UN     | Transaction Code                      |
| 3        | 1            | UN     | Transaction Code Qualifier            |
| 4        | 1            | AN     | Transaction Component Sequence Number |
| 5-103    | 99           | ANS    | Account Owner Address Line 1          |
| 104-128  | 25           | ANS    | Account Owner Sender City             |
| 129-131  | 3            | ANS    | Account Owner Subdivision Code Major  |



### Recipient Additional Data - Canada OCT and AFT in General - Record Layout

| Position | Field Length | Format | Contents                     |
|----------|--------------|--------|------------------------------|
| 132-134  | 3            | ANS    | Account Owner Sender Country |
| 135-168  | 34           | AN     | Reserved                     |

Format: AN = Alphanumeric, ANS = Alphanumeric Special, DX = Display Hexadecimal, N = Numeric, UN = Unpacked Numeric

### Recipient Additional Data - Canada OCT and AFT in General - Edit Criteria

|                                                                                                                |                                                                                       |
|----------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
| <b>Transaction Code</b><br>Positions: 1-2<br>Length: 2<br>Format: unpacked numeric                             | <b>Description:</b> This field will contain the value of <b>33</b> .                  |
| <b>Transaction Code Qualifier</b><br>Positions: 3<br>Length: 1<br>Format: unpacked numeric                     | <b>Description:</b> This field will contain the value of <b>0</b> .                   |
| <b>Transaction Component Sequence Number</b><br>Positions: 4<br>Length: 1<br>Format: alphanumeric              | <b>Description:</b> This field will contain the value of <b>5</b> .                   |
| <b>Account Owner Address Line 1</b><br>Positions: 5-103<br>Length: 99<br>Format: alphanumeric special          | <b>Description:</b> This field will contain the Account Owner Address Line 1.         |
| <b>Account Owner Sender City</b><br>Positions: 104-128<br>Length: 25<br>Format: alphanumeric special           | <b>Description:</b> This field will contain the Account Owner Sender City.            |
| <b>Account Owner Subdivision Code Major</b><br>Positions: 129-131<br>Length: 3<br>Format: alphanumeric special | <b>Description:</b> This field will contain the Account Owner Subdivision Code Major. |

## Recipient Additional Data - Canada OCT and AFT in General - Edit Criteria

|                                                                                                        |                                                                               |
|--------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------|
| <b>Account Owner Sender Country</b><br>Positions: 132-134<br>Length: 3<br>Format: alphanumeric special | <b>Description:</b> This field will contain the Account Owner Sender Country. |
| <b>Reserved</b><br>Positions: 135-168<br>Length: 34<br>Format: alphanumeric                            | <b>Description:</b> This field will contain spaces.                           |

# TC 33.A - CP 09 TCR 6 Account Funding Transaction Details

These tables contain the Multipurpose Message (TC 33.A) record layout and edit criteria for CP 09 TCR 6 - ACCOUNT FUNDING TRANSACTION DETAILS.

## CTF - Incoming Interchange

### Account Funding Transaction Details Record Layout

| Position | Field Length | Format | Contents                              |
|----------|--------------|--------|---------------------------------------|
| 1-2      | 2            | UN     | Transaction Code                      |
| 3        | 1            | UN     | Transaction Code Qualifier            |
| 4        | 1            | AN     | Transaction Component Sequence Number |
| 5-6      | 2            | AN     | Account Identifier Reference          |
| 7-40     | 34           | ANS    | Account Identifier Value              |
| 41-42    | 2            | AN     | Account Identifier Type Code          |
| 43-54    | 12           | AN     | National Reimbursement Fee            |
| 55-168   | 114          | AN     | Reserved                              |

Format: AN = Alphanumeric, ANS = Alphanumeric Special, DX = Display Hexadecimal, N = Numeric, UN = Unpacked Numeric

### Account Funding Transaction Details Edit Criteria

|                                                                                                   |                                                                                                                                        |
|---------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------|
| <b>Transaction Code</b><br>Positions: 1-2<br>Length: 2<br>Format: unpacked numeric                | <b>Description:</b> This field will contain the value of <b>33</b> .                                                                   |
| <b>Transaction Code Qualifier</b><br>Positions: 3<br>Length: 1<br>Format: unpacked numeric        | <b>Description:</b> This field will contain the number <b>0</b> .                                                                      |
| <b>Transaction Component Sequence Number</b><br>Positions: 4<br>Length: 1<br>Format: alphanumeric | <b>Description:</b> This field will contain the number <b>6</b> .                                                                      |
| <b>Account Identifier Reference</b><br>Positions: 5-6<br>Length: 2<br>Format: alphanumeric        | <b>Description:</b> This field contains the AFT Account Identifier Reference.<br>Source: VIP F56, DSID 01 T82.                         |
| <b>Account Identifier Value</b><br>Positions: 7-40<br>Length: 34<br>Format: alphanumeric special  | <b>Description:</b> This field contains the AFT Account Identifier Value.<br>Source: VIP F56, DSID 01 T83.                             |
| <b>Account Identifier Type Code</b><br>Positions: 41-42<br>Length: 2<br>Format: alphanumeric      | <b>Description:</b> This field contains the AFT Account Identifier Type Code.<br>Source: VIP F56, DSID 01 T84.                         |
| <b>National Reimbursement Fee</b><br>Positions: 43-54<br>Length: 12<br>Format: alphanumeric       | <b>Description:</b> This field contains the National Reimbursement Fee when provided by the merchant, in the original AFT transaction. |
| <b>Reserved</b><br>Positions: 55-168<br>Length: 114<br>Format: alphanumeric                       | <b>Description:</b> This field is reserved for future use.                                                                             |

# TC 33.A - CP 10 TCR 0 Car Rental Default

These tables contain the Multipurpose Message (TC 33.A) record layout and edit criteria for CP 10 TCR 0 - CAR RENTAL DEFAULT.

## Car Rental Default Record Layout

| Position | Field Length | Format | Contents                              |
|----------|--------------|--------|---------------------------------------|
| 1-2      | 2            | UN     | Transaction Code                      |
| 3        | 1            | UN     | Transaction Code Qualifier            |
| 4        | 1            | AN     | Transaction Component Sequence Number |
| 5-10     | 6            | AN     | Destination Identifier                |
| 11-16    | 6            | AN     | Source Identifier                     |
| 17-20    | 4            | AN     | TC 33 Application Code                |
| 21-35    | 15           | AN     | Message Identifier                    |
| 36-75    | 40           | ANS    | Renter Name                           |
| 76-83    | 8            | AN     | Event Date                            |
| 84-95    | 12           | ANS    | Insurance Charges                     |
| 96-99    | 4            | ANS    | Care Class Code                       |
| 100-111  | 12           | AN     | One-Way Drop-Off Charges              |
| 112      | 1            | ANS    | Car Rental No-Show Indicator          |
| 113-114  | 2            | AN     | Days Rented                           |
| 115      | 1            | AN     | Adjustment Amount Indicator Code      |
| 116-127  | 12           | AN     | Adjusted Amount                       |
| 128-139  | 12           | AN     | Fuel Charges                          |
| 140      | 1            | AN     | Time Period                           |
| 141-152  | 12           | AN     | Weekly Rental Rate                    |
| 153      | 1            | ANS    | Miles/Kilometer Indicator             |
| 154-168  | 15           | AN     | Reserved                              |

Format: AN = Alphanumeric, ANS = Alphanumeric Special, DX = Display Hexadecimal, N = Numeric, UN = Unpacked Numeric

### Car Rental Default Edit Criteria

|                                                                                                   |                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
|---------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Transaction Code</b><br>Positions: 1-2<br>Length: 2<br>Format: unpacked numeric                | <b>Description:</b> This field will contain the value of <b>33</b> .                                                                                                                                                                                                                                                                                                                                                                                            |
| <b>Transaction Code Qualifier</b><br>Positions: 3<br>Length: 1<br>Format: unpacked numeric        | <b>Description:</b> This field will contain the value of <b>0</b> .                                                                                                                                                                                                                                                                                                                                                                                             |
| <b>Transaction Component Sequence Number</b><br>Positions: 4<br>Length: 1<br>Format: alphanumeric | <b>Description:</b> This field will contain the value of <b>0</b> .                                                                                                                                                                                                                                                                                                                                                                                             |
| <b>Destination Identifier</b><br>Positions: 5-10<br>Length: 6<br>Format: alphanumeric             | <b>Description:</b> The entity to which the BASE II transaction message is sent. This field will contain a valid acquiring or issuing identifier.                                                                                                                                                                                                                                                                                                               |
| <b>Source Identifier</b><br>Positions: 11-16<br>Length: 6<br>Format: alphanumeric                 | <b>Description:</b> This field contains the Visa internal identifier of the VIC.                                                                                                                                                                                                                                                                                                                                                                                |
| <b>TC 33 Application Code</b><br>Positions: 17-20<br>Length: 4<br>Format: alphanumeric            | <b>Description:</b> This TCR group code identifies a group of related Transaction Component Records (TCR 0 through TCR E). This field has a static value of <b>CP10</b> .                                                                                                                                                                                                                                                                                       |
| <b>Message Identifier</b><br>Positions: 21-35<br>Length: 15<br>Format: alphanumeric               | <b>Description:</b> A unique message identifier that links a specific capture record among multiple capture records being submitted for a single transaction. All capture records within the same file linked to a single authorization request contain the same message identifier. The same message identifier can be assigned to other related capture records located in additional TCR groups identified by TC 33 Application codes (CP 01 through CP 50). |
| <b>Renter Name</b><br>Positions: 36-75<br>Length: 40<br>Format: alphanumeric special              | <b>Description:</b> This field contains the Renter Name.                                                                                                                                                                                                                                                                                                                                                                                                        |

### Car Rental Default Edit Criteria

|                                                                                                |                                                                                   |
|------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|
| <b>Event Date</b><br>Positions: 76-83<br>Length: 8<br>Format: alphanumeric                     | <b>Description:</b> The date must indicate the field contains the check-out date. |
| <b>Insurance Charges</b><br>Positions: 84-95<br>Length: 12<br>Format: alphanumeric             | <b>Description:</b> This field contains the Insurance Charges.                    |
| <b>Car Class Code</b><br>Positions: 96-99<br>Length: 4<br>Format: alphanumeric special         | <b>Description:</b> This field contains the Car Class Code.                       |
| <b>One-Way Drop-Off Charges</b><br>Positions: 100-111<br>Length: 12<br>Format: alphanumeric    | <b>Description:</b> This field contains the One-Way Drop-Off Charges.             |
| <b>Car Rental No-Show Indicator</b><br>Positions: 112<br>Length: 1<br>Format: alphanumeric     | <b>Description:</b> This field contains the Car Rental No-Show Indicator.         |
| <b>Days Rented</b><br>Positions: 113-114<br>Length: 2<br>Format: alphanumeric                  | <b>Description:</b> This field contains the number of Days Rented.                |
| <b>Adjustment Amount Indicator Code</b><br>Positions: 115<br>Length: 1<br>Format: alphanumeric | <b>Description:</b> This field contains the Adjustment Amount Indicator Code.     |
| <b>Adjusted Amount</b><br>Positions: 116-127<br>Length: 12<br>Format: alphanumeric             | <b>Description:</b> This field contains the Adjusted Amount.                      |

### Car Rental Default Edit Criteria

|                                                                                         |                                                                        |
|-----------------------------------------------------------------------------------------|------------------------------------------------------------------------|
| <b>Fuel Charges</b><br>Positions: 128-139<br>Length: 12<br>Format: alphanumeric         | <b>Description:</b> This field contains the Fuel Charges.              |
| <b>Time Period</b><br>Positions: 140<br>Length: 1<br>Format: alphanumeric               | <b>Description:</b> This field contains the Time Period.               |
| <b>Weekly Rental Rate</b><br>Positions: 141-152<br>Length: 12<br>Format: alphanumeric   | <b>Description:</b> This field contains the Weekly Rental Rate.        |
| <b>Miles/Kilometer Indicator</b><br>Positions: 153<br>Length: 1<br>Format: alphanumeric | <b>Description:</b> This field contains the Miles/Kilometer Indicator. |
| <b>Reserved</b><br>Positions: 154-168<br>Length: 15<br>Format: alphanumeric             | <b>Description:</b> This field is reserved for future use.             |

## TC 33.A - CP 10 TCR 1 Car Rental (Cont'd)

These tables contain the Multipurpose Message (TC 33.A) record layout and edit criteria for CP 10 TCR 1 - CAR RENTAL (CONT'D).

### Car Rental (Cont'd) Record Layout

| Position | Field Length | Format | Contents                              |
|----------|--------------|--------|---------------------------------------|
| 1-2      | 2            | UN     | Transaction Code                      |
| 3        | 1            | UN     | Transaction Code Qualifier            |
| 4        | 1            | AN     | Transaction Component Sequence Number |

### Car Rental (Cont'd) Record Layout

| Position | Field Length | Format | Contents                       |
|----------|--------------|--------|--------------------------------|
| 5-7      | 3            | ANS    | Rental Return State/Province   |
| 8-10     | 3            | ANS    | Rental Return Country          |
| 11-18    | 8            | AN     | Rental Return Date             |
| 19-43    | 25           | ANS    | Rental Agreement               |
| 44-68    | 25           | ANS    | Renter Return City             |
| 69-93    | 25           | ANS    | Rental Location City           |
| 94-96    | 3            | AN     | Rental Location State/Province |
| 97-99    | 3            | ANS    | Rental Location Country        |
| 100-104  | 5            | AN     | Total Miles (or Kilometers)    |
| 105-114  | 10           | ANS    | Rental Location ID             |
| 115-124  | 10           | ANS    | Rental Return Location ID      |
| 125-162  | 38           | ANS    | Return Drop-off Location       |
| 163-168  | 6            | AN     | Reserved                       |

Format: AN = Alphanumeric, ANS = Alphanumeric Special, DX = Display Hexadecimal, N = Numeric, UN = Unpacked Numeric

### Car Rental (Cont'd) Edit Criteria

|                                                                                                   |                                                                      |
|---------------------------------------------------------------------------------------------------|----------------------------------------------------------------------|
| <b>Transaction Code</b><br>Positions: 1-2<br>Length: 2<br>Format: unpacked numeric                | <b>Description:</b> This field will contain the value of <b>33</b> . |
| <b>Transaction Code Qualifier</b><br>Positions: 3<br>Length: 1<br>Format: unpacked numeric        | <b>Description:</b> This field will contain the value of <b>0</b> .  |
| <b>Transaction Component Sequence Number</b><br>Positions: 4<br>Length: 1<br>Format: alphanumeric | <b>Description:</b> This field will contain the value of <b>1</b> .  |



### Car Rental (Cont'd) Edit Criteria

|                                                                                                    |                                                                             |
|----------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------|
| <b>Rental Return State/Province</b><br>Positions: 5-7<br>Length: 3<br>Format: alphanumeric special | <b>Description:</b> This field contains the Rental Return State/Province.   |
| <b>Rental Return Country</b><br>Positions: 8-10<br>Length: 3<br>Format: alphanumeric special       | <b>Description:</b> This field contains the Rental Return Country.          |
| <b>Rental Return Date</b><br>Positions: 11-18<br>Length: 8<br>Format: alphanumeric                 | <b>Description:</b> This field contains the Rental Return Date.             |
| <b>Rental Agreement</b><br>Positions: 19-43<br>Length: 25<br>Format: alphanumeric special          | <b>Description:</b> This field contains the Rental Agreement reference.     |
| <b>Renter Return City</b><br>Positions: 44-68<br>Length: 25<br>Format: alphanumeric special        | <b>Description:</b> This field contains the Rental Return City.             |
| <b>Rental Location City</b><br>Positions: 69-93<br>Length: 25<br>Format: alphanumeric special      | <b>Description:</b> This field contains the Rental Location City.           |
| <b>Rental Location State/Province</b><br>Positions: 94-96<br>Length: 3<br>Format: alphanumeric     | <b>Description:</b> This field contains the Rental Location State/Province. |
| <b>Rental Location Country</b><br>Positions: 97-99<br>Length: 3<br>Format: alphanumeric special    | <b>Description:</b> This field contains the Rental Location Country.        |

### Car Rental (Cont'd) Edit Criteria

|                                                                                                      |                                                                         |
|------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|
| <b>Total Miles (or Kilometers)</b><br>Positions: 100-104<br>Length: 5<br>Format: alphanumeric        | <b>Description:</b> This field contains the Total Miles (or Kilometers) |
| <b>Rental Location ID</b><br>Positions: 105-114<br>Length: 10<br>Format: alphanumeric special        | <b>Description:</b> This field contains the Rental Location ID.         |
| <b>Rental Return Location ID</b><br>Positions: 115-124<br>Length: 10<br>Format: alphanumeric special | <b>Description:</b> This field contains the Rental Return Location ID.  |
| <b>Return Drop-off Location</b><br>Positions: 125-162<br>Length: 38<br>Format: alphanumeric special  | <b>Description:</b> This field contains the Return Drop-off Location.   |
| <b>Reserved</b><br>Positions: 163-168<br>Length: 6<br>Format: alphanumeric                           | <b>Description:</b> This field is reserved for future use.              |

## TC 33.A - CP 10 TCR 2 Car Rental (Cont'd)

These tables contain the Multipurpose Message (TC 33.A) record layout and edit criteria for CP 10 TCR 2 - CAR RENTAL (CONT'D).

### Car Rental (Cont'd) Record Layout

| Position | Field Length | Format | Contents                              |
|----------|--------------|--------|---------------------------------------|
| 1-2      | 2            | UN     | Transaction Code                      |
| 3        | 1            | UN     | Transaction Code Qualifier            |
| 4        | 1            | AN     | Transaction Component Sequence Number |

**Car Rental (Cont'd) Record Layout**

| <b>Position</b> | <b>Field Length</b> | <b>Format</b> | <b>Contents</b>                    |
|-----------------|---------------------|---------------|------------------------------------|
| 5-16            | 12                  | AN            | Total Tax Amount                   |
| 17              | 1                   | AN            | Tax Amount Sign                    |
| 18-25           | 8                   | AN            | Odometer                           |
| 26-45           | 20                  | ANS           | Vehicle Identification Number      |
| 46-60           | 15                  | ANS           | Commodity Code                     |
| 61              | 1                   | AN            | Tax Exempt Indicator               |
| 62-73           | 12                  | AN            | Corporate Identifier               |
| 74-85           | 12                  | AN            | Regular Mileage Charge             |
| 86-97           | 12                  | AN            | Extra Mileage Charge               |
| 98-109          | 12                  | AN            | Late Charge                        |
| 110             | 1                   | ANS           | Total Tax Collected Indicator      |
| 111-122         | 12                  | AN            | Rate per Mile (or Per Kilometer)   |
| 123-126         | 4                   | AN            | Maximum Free Miles (or Kilometers) |
| 127             | 1                   | ANS           | Vehicle Insurance Indicator        |
| 128-129         | 2                   | ANS           | Program Code                       |
| 130-141         | 12                  | AN            | Other Charges                      |
| 142-147         | 6                   | AN            | Auto Rental Pick-up Time           |
| 148-153         | 6                   | AN            | Auto Rental Return Time            |
| 154-165         | 12                  | AN            | Daily Rental Rate                  |
| 166-168         | 3                   | AN            | Reserved                           |

Format: AN = Alphanumeric, ANS = Alphanumeric Special, DX = Display Hexadecimal, N = Numeric, UN = Unpacked Numeric

### Car Rental (Cont'd) Edit Criteria

|                                                                                                        |                                                                            |
|--------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------|
| <b>Transaction Code</b><br>Positions: 1-2<br>Length: 2<br>Format: unpacked numeric                     | <b>Description:</b> This field will contain the value of <b>33</b> .       |
| <b>Transaction Code Qualifier</b><br>Positions: 3<br>Length: 1<br>Format: unpacked numeric             | <b>Description:</b> This field will contain the value of <b>0</b> .        |
| <b>Transaction Component Sequence Number</b><br>Positions: 4<br>Length: 1<br>Format: alphanumeric      | <b>Description:</b> This field will contain the value of <b>2</b> .        |
| <b>Total Tax Amount</b><br>Positions: 5-16<br>Length: 12<br>Format: alphanumeric                       | <b>Description:</b> This field contains the Total Tax Amount.              |
| <b>Tax Amount Sign</b><br>Positions: 17<br>Length: 1<br>Format: alphanumeric                           | <b>Description:</b> This field contains the Tax Amount Sign.               |
| <b>Odometer</b><br>Positions: 18-25<br>Length: 8<br>Format: alphanumeric                               | <b>Description:</b> This field contains the Odometer.                      |
| <b>Vehicle Identification Number</b><br>Positions: 26-45<br>Length: 20<br>Format: alphanumeric special | <b>Description:</b> This field contains the Vehicle Identification Number. |
| <b>Commodity Code</b><br>Positions: 46-60<br>Length: 15<br>Format: alphanumeric special                | <b>Description:</b> This field contains the Commodity Code.                |

## Car Rental (Cont'd) Edit Criteria

|                                                                                                      |                                                                                 |
|------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------|
| <b>Tax Exempt Indicator</b><br>Positions: 61<br>Length: 1<br>Format: alphanumeric                    | <b>Description:</b> This field contains the Tax Exempt Indicator.               |
| <b>Corporate Identifier</b><br>Positions: 62-73<br>Length: 12<br>Format: alphanumeric                | <b>Description:</b> This field contains the Corporate Identifier.               |
| <b>Regular Mileage Charge</b><br>Positions: 74-85<br>Length: 12<br>Format: alphanumeric special      | <b>Description:</b> This field contains the Regular Mileage Charge.             |
| <b>Extra Mileage Charge</b><br>Positions: 86-97<br>Length: 12<br>Format: alphanumeric                | <b>Description:</b> This field contains the Extra Mileage Charge.               |
| <b>Late Charge</b><br>Positions: 98-109<br>Length: 12<br>Format: alphanumeric                        | <b>Description:</b> This field contains the Late Charge.                        |
| <b>Total Tax Collected Indicator</b><br>Positions: 110<br>Length: 1<br>Format: alphanumeric special  | <b>Description:</b> This field contains the Total Tax Collected Indicator.      |
| <b>Rate per Mile (or Per Kilometer)</b><br>Positions: 111-122<br>Length: 12<br>Format: alphanumeric  | <b>Description:</b> This field contains the Rate per Mile (or Per Kilometer).   |
| <b>Maximum Free Miles (or Kilometers)</b><br>Positions: 123-126<br>Length: 4<br>Format: alphanumeric | <b>Description:</b> This field contains the Maximum Free Miles (or Kilometers). |

### Car Rental (Cont'd) Edit Criteria

|                                                                                            |                                                                          |
|--------------------------------------------------------------------------------------------|--------------------------------------------------------------------------|
| <b>Vehicle Insurance Indicator</b><br>Positions: 127<br>Length: 1<br>Format: alphanumeric  | <b>Description:</b> This field contains the Vehicle Insurance Indicator. |
| <b>Program Code</b><br>Positions: 128-129<br>Length: 2<br>Format: alphanumeric special     | <b>Description:</b> This field contains the Program Code.                |
| <b>Other Charges</b><br>Positions: 130-141<br>Length: 12<br>Format: alphanumeric           | <b>Description:</b> This field contains the Other Charges.               |
| <b>Auto Rental Pick-up Time</b><br>Positions: 142-147<br>Length: 6<br>Format: alphanumeric | <b>Description:</b> This field contains the Auto Rental Pick-up Time.    |
| <b>Auto Rental Return Time</b><br>Positions: 148-153<br>Length: 6<br>Format: alphanumeric  | <b>Description:</b> This field contains the Auto Rental Return Time.     |
| <b>Daily Rental Rate</b><br>Positions: 154-165<br>Length: 12<br>Format: alphanumeric       | <b>Description:</b> This field contains the Daily Rental Rate.           |
| <b>Reserved</b><br>Positions: 166-168<br>Length: 3<br>Format: alphanumeric                 | <b>Description:</b> This field is reserved for future use.               |

## TC 33.A - CP 10 TCR 3 Car Rental (Cont'd)

These tables contain the Multipurpose Message (TC 33.A) record layout and edit criteria for CP 10 TCR 3 - CAR RENTAL (CONT'D).

### Car Rental (Cont'd) Record Layout

| Position | Field Length | Format | Contents                              |
|----------|--------------|--------|---------------------------------------|
| 1-2      | 2            | UN     | Transaction Code                      |
| 3        | 1            | UN     | Transaction Code Qualifier            |
| 4        | 1            | AN     | Transaction Component Sequence Number |
| 5-16     | 12           | AN     | Towing Charges                        |
| 17-28    | 12           | AN     | Extra Charges                         |
| 29-40    | 12           | AN     | Parking Violation Charges             |
| 41       | 1            | AN     | Additional Drivers                    |
| 42-67    | 26           | ANS    | Rental Address                        |
| 68-70    | 3            | AN     | Age                                   |
| 71-72    | 2            | ANS    | Special Program Code                  |
| 73-82    | 10           | ANS    | Vehicle Make                          |
| 83-92    | 10           | ANS    | Vehicle Model                         |
| 93-100   | 8            | ANS    | Travel Agency Code                    |
| 101-125  | 25           | ANS    | Travel Agency Name                    |
| 126-135  | 10           | ANS    | Tax Type                              |
| 136-137  | 2            | AN     | Tax Rate                              |
| 138-149  | 12           | ANS    | Tax Elements                          |
| 150-168  | 19           | AN     | Reserved                              |

Format: AN = Alphanumeric, ANS = Alphanumeric Special, DX = Display Hexadecimal, N = Numeric, UN = Unpacked Numeric

### Car Rental (Cont'd) Edit Criteria

|                                                                                                   |                                                                              |
|---------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------|
| <b>Transaction Code</b><br>Positions: 1-2<br>Length: 2<br>Format: unpacked numeric                | <b>Description:</b> This field will contain the value of <b>33</b> .         |
| <b>Transaction Code Qualifier</b><br>Positions: 3<br>Length: 1<br>Format: unpacked numeric        | <b>Description:</b> This field will contain the value of <b>0</b> .          |
| <b>Transaction Component Sequence Number</b><br>Positions: 4<br>Length: 1<br>Format: alphanumeric | <b>Description:</b> This field will contain the value of <b>3</b> .          |
| <b>Towing Charges</b><br>Positions: 5-16<br>Length: 12<br>Format: alphanumeric                    | <b>Description:</b> This field contains the Towing Charges.                  |
| <b>Extra Charges</b><br>Positions: 17-28<br>Length: 12<br>Format: alphanumeric                    | <b>Description:</b> This field contains the Extra Charges.                   |
| <b>Parking Violation Charges</b><br>Positions: 29-40<br>Length: 12<br>Format: alphanumeric        | <b>Description:</b> This field contains the Parking Violation Charges.       |
| <b>Additional Drivers</b><br>Positions: 41<br>Length: 1<br>Format: alphanumeric                   | <b>Description:</b> This field contains an indication of Additional Drivers. |
| <b>Rental Address</b><br>Positions: 42-67<br>Length: 26<br>Format: alphanumeric special           | <b>Description:</b> This field contains the Rental Address.                  |



### Car Rental (Cont'd) Edit Criteria

|                                                                                               |                                                                   |
|-----------------------------------------------------------------------------------------------|-------------------------------------------------------------------|
| <b>Age</b><br>Positions: 68-70<br>Length: 3<br>Format: alphanumeric                           | <b>Description:</b> This field contains the Age of the driver.    |
| <b>Special Program Code</b><br>Positions: 71-72<br>Length: 2<br>Format: alphanumeric special  | <b>Description:</b> This field contains the Special Program Code. |
| <b>Vehicle Make</b><br>Positions: 73-82<br>Length: 10<br>Format: alphanumeric special         | <b>Description:</b> This field contains the Vehicle Make.         |
| <b>Vehicle Model</b><br>Positions: 83-92<br>Length: 10<br>Format: alphanumeric special        | <b>Description:</b> This field contains the Vehicle Model.        |
| <b>Travel Agency Code</b><br>Positions: 93-100<br>Length: 8<br>Format: alphanumeric special   | <b>Description:</b> This field contains the Travel Agency Code.   |
| <b>Travel Agency Name</b><br>Positions: 101-125<br>Length: 25<br>Format: alphanumeric special | <b>Description:</b> This field contains the Travel Agency Name.   |
| <b>Tax Type</b><br>Positions: 126-135<br>Length: 10<br>Format: alphanumeric special           | <b>Description:</b> This field contains the Tax Type.             |
| <b>Tax Rate</b><br>Positions: 136-137<br>Length: 2<br>Format: alphanumeric                    | <b>Description:</b> This field contains the Tax Rate.             |

### Car Rental (Cont'd) Edit Criteria

|                                                                                         |                                                            |
|-----------------------------------------------------------------------------------------|------------------------------------------------------------|
| <b>Tax Elements</b><br>Positions: 138-149<br>Length: 12<br>Format: alphanumeric special | <b>Description:</b> This field contains the Tax Elements.  |
| <b>Reserved</b><br>Positions: 150-168<br>Length: 19<br>Format: alphanumeric             | <b>Description:</b> This field is reserved for future use. |

## TC 33.A - CP 10 TCR 4 Car Rental (Cont'd)

These tables contain the Multipurpose Message (TC 33.A) record layout and edit criteria for CP 10 TCR 4 - CAR RENTAL (CONT'D).

### Car Rental (Cont'd) Record Layout

| Position | Field Length | Format | Contents                                |
|----------|--------------|--------|-----------------------------------------|
| 1-2      | 2            | UN     | Transaction Code                        |
| 3        | 1            | UN     | Transaction Code Qualifier              |
| 4        | 1            | AN     | Transaction Component Sequence Number   |
| 5-16     | 12           | ANS    | Coupon                                  |
| 17-28    | 12           | ANS    | Additional Coupon                       |
| 29-40    | 12           | AN     | Total Amount                            |
| 41-52    | 12           | AN     | Phone Charge                            |
| 53-64    | 12           | AN     | GPS Charge                              |
| 65-102   | 38           | AN     | Pickup Location                         |
| 103-122  | 20           | AN     | Driver Identification Number            |
| 123-142  | 20           | AN     | Driver Tax Number                       |
| 143-150  | 8            | ANS    | Corporate Client Code                   |
| 151-167  | 17           | ANS    | Customer Service Toll-Free (800) Number |

### Car Rental (Cont'd) Record Layout

| Position | Field Length | Format | Contents |
|----------|--------------|--------|----------|
| 168      | 1            | AN     | Reserved |

Format: AN = Alphanumeric, ANS = Alphanumeric Special, DX = Display Hexadecimal, N = Numeric, UN = Unpacked Numeric

### Car Rental (Cont'd) Edit Criteria

|                                                                                                   |                                                                       |
|---------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------|
| <b>Transaction Code</b><br>Positions: 1-2<br>Length: 2<br>Format: unpacked numeric                | <b>Description:</b> This field will contain the value of <b>33</b> .  |
| <b>Transaction Code Qualifier</b><br>Positions: 3<br>Length: 1<br>Format: unpacked numeric        | <b>Description:</b> This field will contain the value of <b>0</b> .   |
| <b>Transaction Component Sequence Number</b><br>Positions: 4<br>Length: 1<br>Format: alphanumeric | <b>Description:</b> This field will contain the value of <b>4</b> .   |
| <b>Coupon</b><br>Positions: 5-16<br>Length: 12<br>Format: alphanumeric special                    | <b>Description:</b> This field contains the Coupon amount.            |
| <b>Additional Coupon</b><br>Positions: 17-28<br>Length: 12<br>Format: alphanumeric                | <b>Description:</b> This field contains the Additional Coupon amount. |
| <b>Total Amount</b><br>Positions: 29-40<br>Length: 12<br>Format: alphanumeric                     | <b>Description:</b> This field contains the Total Amount.             |

### Car Rental (Cont'd) Edit Criteria

|                                                                                                                    |                                                                                      |
|--------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|
| <b>Phone Charge</b><br>Positions: 41-52<br>Length: 12<br>Format: alphanumeric                                      | <b>Description:</b> This field contains the Phone Charge.                            |
| <b>GPS Charge</b><br>Positions: 53-64<br>Length: 12<br>Format: alphanumeric                                        | <b>Description:</b> This field contains the GPS Charge.                              |
| <b>Pickup Location</b><br>Positions: 65-102<br>Length: 38<br>Format: alphanumeric                                  | <b>Description:</b> This field contains the Pickup Location.                         |
| <b>Driver Identification Number</b><br>Positions: 103-122<br>Length: 20<br>Format: alphanumeric special            | <b>Description:</b> This field contains the Driver Identification Number.            |
| <b>Driver Tax Number</b><br>Positions: 123-142<br>Length: 20<br>Format: alphanumeric                               | <b>Description:</b> This field contains the Driver Tax Number.                       |
| <b>Corporate Client Code</b><br>Positions: 143-150<br>Length: 8<br>Format: alphanumeric special                    | <b>Description:</b> This field contains the Corporate Client Code.                   |
| <b>Customer Service Toll-Free (800) Number</b><br>Positions: 151-167<br>Length: 17<br>Format: alphanumeric special | <b>Description:</b> This field contains the Customer Service Toll-Free (800) Number. |
| <b>Reserved</b><br>Positions: 168<br>Length: 1<br>Format: alphanumeric                                             | <b>Description:</b> This field is reserved for future use.                           |

# TC 33.A - CP 12 TCR 0 Transaction Data

These tables contain the Multipurpose Message (TC 33.A) record layout and edit criteria for CP 12 TCR 0 - TRANSACTION DATA.

## Transaction Data Record Layout

| Position | Field Length | Format | Contents                              |
|----------|--------------|--------|---------------------------------------|
| 1-2      | 2            | UN     | Transaction Code                      |
| 3        | 1            | UN     | Transaction Code Qualifier            |
| 4        | 1            | AN     | Transaction Component Sequence Number |
| 5-10     | 6            | AN     | Destination Identifier                |
| 11-16    | 6            | AN     | Source Identifier                     |
| 17-20    | 4            | AN     | TC 33 Application Code                |
| 21-35    | 15           | AN     | Message Identifier                    |
| 36-105   | 70           | ANS    | Persistent FX - Exchange Provider     |
| 106-113  | 8            | AN     | Persistent FX - Exchange Rate         |
| 114-123  | 10           | AN     | Transaction Local Date and Time       |
| 124-127  | 4            | AN     | Maximum Processing Date               |
| 128-139  | 12           | AN     | Original Requested Amount             |
| 140-168  | 29           | AN     | Reserved                              |

Format: AN = Alphanumeric, ANS = Alphanumeric Special, DX = Display Hexadecimal, N = Numeric, UN = Unpacked Numeric

## Transaction Data Edit Criteria

|                                                                                            |                                                                      |
|--------------------------------------------------------------------------------------------|----------------------------------------------------------------------|
| <b>Transaction Code</b><br>Positions: 1-2<br>Length: 2<br>Format: Unpacked Numeric         | <b>Description:</b> This field will contain the value of <b>33</b> . |
| <b>Transaction Code Qualifier</b><br>Positions: 3<br>Length: 1<br>Format: unpacked numeric | <b>Description:</b> This field will contain the value of <b>0</b> .  |

## Transaction Data Edit Criteria

|                                                                                                                       |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
|-----------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Transaction Component Sequence Number</b><br>Positions: 4<br>Length: 1<br>Format: alphanumeric                     | <b>Description:</b> This field will contain the value of <b>0</b> .                                                                                                                                                                                                                                                                                                                                                                                                                 |
| <b>Destination Identifier</b><br>Positions: 5-10<br>Length: 6<br>Format: alphanumeric                                 | <b>Description:</b> The entity to which the BASE II transaction message is sent. This field will contain a valid acquiring or issuing identifier.                                                                                                                                                                                                                                                                                                                                   |
| <b>Source Identifier</b><br>Positions: 11-16<br>Length: 6<br>Format: alphanumeric                                     | <b>Description:</b> This field contains the Visa internal identifier of the VIC.                                                                                                                                                                                                                                                                                                                                                                                                    |
| <b>TC 33 Application Code</b><br>Positions: 17-20<br>Length: 4<br>Format: alphanumeric                                | <b>Description:</b> This TCR group code identifies a group of related Transaction Component Records (TCR 0 through TCR E). This field has a static value of <b>CP12</b> .                                                                                                                                                                                                                                                                                                           |
| <b>Messenger Identifier</b><br>Positions: 21-35<br>Length: 15<br>Format: alphanumeric                                 | <b>Description:</b> This field contains a unique message identifier that links a specific capture record among multiple capture records being submitted for a single transaction. All capture records within the same file linked to a single authorization request contain the same message identifier. The same message identifier can be assigned to other related capture records located in additional TCR groups identified by TC 33 Application codes (CP 01 through CP 50). |
| <b>Persistent FX - Exchange Provider</b><br>Positions: 36-105<br>Length: 70<br>Format: alphanumeric special character | <b>Description:</b> This field will contain the Persistent FX - Exchange Provider.<br><b>Source:</b> F111 DSID 01 T80                                                                                                                                                                                                                                                                                                                                                               |
| <b>Persistent FX - Exchange Rate</b><br>Positions: 106-113<br>Length: 8<br>Format: alphanumeric                       | <b>Description:</b> This field will contain the Persistent FX - Exchange Rate.<br><b>Source:</b> F111 DSID 01 T82                                                                                                                                                                                                                                                                                                                                                                   |

### Transaction Data Edit Criteria

|                                                                                                    |                                                                                                                   |
|----------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------|
| <b>Transaction Local Date and Time</b><br>Positions: 114-123<br>Length: 10<br>Format: alphanumeric | <b>Description:</b> This field contains the Transaction Local Date and Time, in format <b>MMDDhhmmss</b> .        |
| <b>Maximum Processing Date</b><br>Positions: 124-127<br>Length: 4<br>Format: alphanumeric          | <b>Description:</b> This field contains the Maximum Processing Date.<br><b>Source:</b> F104 U2 DSID 57 T83 (YDDD) |
| <b>Original Requested Amount</b><br>Positions: 128-139<br>Length: 12<br>Format: alphanumeric       | <b>Description:</b> This field will contain the Original Requested Amount.<br><b>Source:</b> N/A                  |
| <b>Reserved</b><br>Positions: 140-168<br>Length: 29<br>Format: alphanumeric                        | <b>Description:</b> This field is reserved for future use.                                                        |

## TC 33.A - CP 12 TCR 1 Merchant Data

These tables contain the Multipurpose Message (TC 33.A) record layout and edit criteria for CP 12 TCR 1 - MERCHANT DATA.

### Merchant Data Record Layout

| Position | Field Length | Format | Contents                              |
|----------|--------------|--------|---------------------------------------|
| 1-2      | 2            | UN     | Transaction Code                      |
| 3        | 1            | UN     | Transaction Code Qualifier            |
| 4        | 1            | AN     | Transaction Component Sequence Number |
| 5-12     | 8            | AN     | Visa Merchant ID                      |
| 13-18    | 6            | AN     | System Trace Audit Name               |
| 19-23    | 5            | ANS    | Exchange Rate Table ID                |
| 24       | 1            | AN     | Persistent FX Eligible Indicator      |
| 25       | 1            | AN     | Persistent FX Applied Indicator       |

### Merchant Data Record Layout

| Position | Field Length | Format | Contents                                                     |
|----------|--------------|--------|--------------------------------------------------------------|
| 26-37    | 12           | AN     | Local Tax                                                    |
| 38       | 1            | AN     | Local Tax Included                                           |
| 39-50    | 12           | AN     | National Tax                                                 |
| 51       | 1            | AN     | National Tax Included                                        |
| 52-70    | 19           | AN     | Total Taxes Amount                                           |
| 71       | 1            | AN     | Indian Issued Card - Recurrent Payment Type                  |
| 72       | 1            | AN     | Indian Issued Card - Recurrent Payment Amount Indicator      |
| 73-74    | 2            | AN     | Indian Issued Card - Recurrent Payment Number                |
| 75-76    | 2            | AN     | Indian Issued Card - Recurrent Payment Frequency             |
| 77-111   | 35           | AN     | Indian Issued Card - Recurrent Registration Reference Number |
| 112-123  | 12           | AN     | Indian Issued Card - Maximum Recurrent Payment Amount        |
| 124      | 1            | AN     | Indian Issued Card - Recurrent Validation Indicator          |
| 125-128  | 4            | ANS    | Selected Program ID                                          |
| 129-131  | 3            | AN     | Electric Vehicle - Connector Type                            |
| 132-134  | 3            | AN     | Electric Vehicle - Charging Reason Code                      |
| 135-136  | 2            | AN     | Program Downgrade Reason Code                                |
| 137      | 1            | AN     | Account Funding Source                                       |
| 138-148  | 11           | AN     | Agent Unique ID and Enabler Verification Value               |
| 149-168  | 20           | AN     | Reserved                                                     |

Format: AN = Alphanumeric, ANS = Alphanumeric Special, DX = Display Hexadecimal, N = Numeric, UN = Unpacked Numeric



## Merchant Data Edit Criteria

|                                                                                                          |                                                                                                                                                  |
|----------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Transaction Code</b><br>Positions: 1-2<br>Length: 2<br>Format: Unpacked Numeric                       | <b>Description:</b> This field will contain the value of <b>33</b> .                                                                             |
| <b>Transaction Code Qualifier</b><br>Positions: 3<br>Length: 1<br>Format: unpacked numeric               | <b>Description:</b> This field will contain the value of <b>0</b> .                                                                              |
| <b>Transaction Component Sequence Number</b><br>Positions: 4<br>Length: 1<br>Format: alphanumeric        | <b>Description:</b> This field will contain the value of <b>1</b> .                                                                              |
| <b>Visa Merchant ID</b><br>Positions: 5-12<br>Length: 8<br>Format: alphanumeric                          | <b>Description:</b> This field will contain a unique identifier value assigned by Visa for each merchant included in the identification program. |
| <b>System Trace Audit Name</b><br>Positions: 13-18<br>Length: 6<br>Format: alphanumeric                  | <b>Description:</b> This field will contain a number assigned by the message initiator that uniquely identifies a cardholder transaction.        |
| <b>Exchange Rate Table ID</b><br>Positions: 19-23<br>Length: 5<br>Format: alphanumeric special character | <b>Description:</b> This field will contain the Exchange Rate Table ID used during authorization processing.                                     |
| <b>Persistent FX Eligible Indicator</b><br>Positions: 24<br>Length: 1<br>Format: alphanumeric            | <b>Description:</b> This field will indicate if the transaction was eligible for the Persistent FX service.                                      |
| <b>Persistent FX Applied Indicator</b><br>Positions: 25<br>Length: 1<br>Format: alphanumeric             | <b>Description:</b> This field will indicate if Persistent FX was applied to the transactions.                                                   |

## Merchant Data Edit Criteria

|                                                                                                                      |                                                                                                                                                                                                                                                                                                                                  |
|----------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Local Tax</b><br>Positions: 26-37<br>Length: 12<br>Format: alphanumeric                                           | <b>Description:</b> This field contains the local tax.<br>For American Express, this field will contain the total tax amount.                                                                                                                                                                                                    |
| <b>Local Tax Included</b><br>Positions: 38<br>Length: 1<br>Format: alphanumeric                                      | <b>Description:</b> This field contains the local tax included indicator.                                                                                                                                                                                                                                                        |
| <b>National Tax</b><br>Positions: 39-50<br>Length: 12<br>Format: alphanumeric                                        | <b>Description:</b> This field contains the national tax.                                                                                                                                                                                                                                                                        |
| <b>National Tax Included</b><br>Positions: 51<br>Length: 1<br>Format: alphanumeric                                   | <b>Description:</b> This field contains the national tax included indicator. This field is not used for American Express.                                                                                                                                                                                                        |
| <b>Total Taxes Amount</b><br>Positions: 52-70<br>Length: 19<br>Format: alphanumeric                                  | <b>Description:</b> This field contains the Total Taxes Amount.                                                                                                                                                                                                                                                                  |
| <b>Indian Issued Card - Recurrent Payment Type</b><br>Positions: 71<br>Length: 1<br>Format: alphanumeric             | <b>Description:</b> This field will contain the recurring payment type.<br><b>Source:</b> VIP Field 104 DSID 18 T80<br><b>Valid Values:</b> <ul style="list-style-type: none"> <li>• 1 (Registration/first transaction)</li> <li>• 2 (Subsequent transaction)</li> <li>• 3 (Modification)</li> <li>• 4 (Cancellation)</li> </ul> |
| <b>Indian Issued Card - Recurrent Payment Amount Indicator</b><br>Positions: 72<br>Length: 1<br>Format: alphanumeric | <b>Description:</b> This field will contain the payment amount per recurring payment transaction.<br><b>Source:</b> VIP Field 104 DSID 18 T81<br><b>Valid Values:</b> <ul style="list-style-type: none"> <li>• 1 (Fixed amount recurring payment)</li> <li>• 2 (Recurring payment with maximum amount)</li> </ul>                |

## Merchant Data Edit Criteria

|                                                                                                                                |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
|--------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Indian Issued Card - Recurrent Payment Number</b><br>Positions: 73-74<br>Length: 2<br>Format: alphanumeric                  | <b>Description:</b> This field will contain a value ranging from <b>01-99</b> that helps the issuer to identify total number of recurring debits for that cardholder as agreed with merchant.<br><b>Source:</b> VIP Field 104 DSID 18 T82                                                                                                                                                                                                                                                                                                                                                                                               |
| <b>Indian Issued Card - Recurrent Payment Frequency</b><br>Positions: 75-76<br>Length: 2<br>Format: alphanumeric               | <b>Description:</b> This field will contain a value that indicates how often a recurring payment occurs.<br><b>Source:</b> VIP Field 104 DSID 18 T83<br><b>Valid Values:</b> <ul style="list-style-type: none"> <li>• <b>01</b> (Daily)</li> <li>• <b>02</b> (Twice weekly)</li> <li>• <b>03</b> (Weekly)</li> <li>• <b>04</b> (Ten days)</li> <li>• <b>05</b> (Fortnightly)</li> <li>• <b>06</b> (Monthly)</li> <li>• <b>07</b> (Every two months)</li> <li>• <b>08</b> (Trimester)</li> <li>• <b>09</b> (Quarterly)</li> <li>• <b>10</b> (Twice yearly)</li> <li>• <b>11</b> (Annually)</li> <li>• <b>12</b> (Unscheduled)</li> </ul> |
| <b>Indian Issued Card - Recurrent Registration Reference Number</b><br>Positions: 77-111<br>Length: 35<br>Format: alphanumeric | <b>Description:</b> This field will contain a unique reference number for the recurring payment transaction.<br><b>Source:</b> VIP Field 104 DSID 18 T84                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
| <b>Indian Issued Card - Maximum Recurrent Payment Amount</b><br>Positions: 112-123<br>Length: 12<br>Format: alphanumeric       | <b>Description:</b> This field will contain the maximum recurrent payment amount.<br><b>Source:</b> VIP Field 104 DSID 18 T85                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
| <b>Indian Issued Card - Recurrent Validation Indicator</b><br>Positions: 124<br>Length: 1<br>Format: alphanumeric              | <b>Description:</b> This field will contain the maximum amount agreed to by the cardholder. The currency of this amount will be specified in Field 49- Currency Code, transaction.<br><b>Source:</b> VIP Field 104 DSID 18 T86                                                                                                                                                                                                                                                                                                                                                                                                          |

## Merchant Data Edit Criteria

|                                                                                                                                     |                                                                                                                                                                                                         |
|-------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Selected Program ID</b><br>Positions: 125-128<br>Length: 4<br>Format: alphanumeric special character                             | <b>Description:</b> This field will contain Selected Program ID.<br><b>Source:</b> F111 DSID 02 TC0                                                                                                     |
| <b>Electric Vehicle - Connector Type</b><br>Positions: 129-131<br>Length: 3<br>Format: alphanumeric                                 | <b>Description:</b> This field will contain the Electric Vehicle - Connector Type.                                                                                                                      |
| <b>Electric Vehicle - Charging Reason Code</b><br>Positions: 132-134<br>Length: 3<br>Format: alphanumeric                           | <b>Description:</b> This field will contain the Electric Vehicle - Charging Reason Code.                                                                                                                |
| <b>Program Downgrade Reason Code</b><br>Positions: 135-136<br>Length: 2<br>Format: alphanumeric                                     | <b>Description:</b> This field will contain the Program Downgrade Reason Code.<br><b>Mapping:</b> Value comes from Field 111 DSID 56 T88                                                                |
| <b>Account Funding Source</b><br>Positions: 137<br>Length: 1<br>Format: alphanumeric                                                | <b>Description:</b> This field will contain the Account Funding Source returned in Visa Multiple-Account Access Service (VMAAS) transactions.<br><b>Mapping:</b> Value comes from Field 111 DSID 56 T80 |
| <b>Agent Unique ID and Enabler Verification Value</b><br>Positions: 138-148<br>Length: 11<br>Format: alphanumeric special character | <b>Description:</b> This field will contain Agent Unique ID and Enabler Verification Value.<br>Layout:<br>Position 1-5 - Agent Unique ID<br>Position 6-10 - EVV<br>Position 11 - Open                   |
| <b>Reserved</b><br>Positions: 149-168<br>Length: 20<br>Format: alphanumeric                                                         | <b>Description:</b> This field is reserved for future use.                                                                                                                                              |

# TC 33.A - CP 12 TCR 2 Merchant Data

These tables contain the Multipurpose Message (TC 33.A) record layout and edit criteria for CP 12 TCR 2 - MERCHANT DATA.

## Merchant Data Record Layout

| Position | Field Length | Format | Contents                                            |
|----------|--------------|--------|-----------------------------------------------------|
| 1-2      | 2            | UN     | Transaction Code                                    |
| 3        | 1            | UN     | Transaction Code Qualifier                          |
| 4        | 1            | AN     | Transaction Component Sequence Number               |
| 5-34     | 30           | AN     | Mastercard - Account Level Management Service Data  |
| 35-82    | 48           | ANS    | Mastercard - Acceptor Street Address                |
| 83-91    | 9            | ANS    | Mastercard - Acceptor Country Subdivision Code      |
| 92-107   | 16           | ANS    | Mastercard - Acceptor Customer Service Phone Number |
| 108-157  | 50           | ANS    | Mastercard - Service Location City Name             |
| 158-160  | 3            | AN     | Mastercard - Service Location State/Province Code   |
| 161-163  | 3            | AN     | Mastercard - Service Location Country Code          |
| 164-168  | 5            | AN     | Reserved                                            |

Format: AN = Alphanumeric, ANS = Alphanumeric Special, DX = Display Hexadecimal, N = Numeric, UN = Unpacked Numeric

## Merchant Data Edit Criteria

|                                                                                            |                                                                      |
|--------------------------------------------------------------------------------------------|----------------------------------------------------------------------|
| <b>Transaction Code</b><br>Positions: 1-2<br>Length: 2<br>Format: unpacked numeric         | <b>Description:</b> This field will contain the value of <b>33</b> . |
| <b>Transaction Code Qualifier</b><br>Positions: 3<br>Length: 1<br>Format: unpacked numeric | <b>Description:</b> This field will contain the value of <b>0</b> .  |

## Merchant Data Edit Criteria

|                                                                                                                                             |                                                                                     |
|---------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
| <b>Transaction Component Sequence Number</b><br><br>Positions: 4<br>Length: 1<br>Format: alphanumeric                                       | <b>Description:</b> This field will contain the value of <b>2</b> .                 |
| <b>Mastercard - Account Level Management Service Data</b><br><br>Positions: 5-34<br>Length: 30<br>Format: alphanumeric                      | <b>Description:</b> This field contains the Account Level Management Service Data.  |
| <b>Mastercard - Acceptor Street Address</b><br><br>Positions: 35-82<br>Length: 48<br>Format: alphanumeric special character                 | <b>Description:</b> This field contains the Acceptor Street Address.                |
| <b>Mastercard - Acceptor Country Subdivision Code</b><br><br>Positions: 83-91<br>Length: 9<br>Format: alphanumeric special character        | <b>Description:</b> This field contains the Acceptor Country Subdivision Code.      |
| <b>Mastercard - Acceptor Customer Service Phone Number</b><br><br>Positions: 92-107<br>Length: 16<br>Format: alphanumeric special character | <b>Description:</b> This field contains the Acceptor Customer Service Phone Number. |
| <b>Mastercard - Service Location City Name</b><br><br>Positions: 108-157<br>Length: 50<br>Format: alphanumeric special character            | <b>Description:</b> This field contains the Service Location City Name.             |

### Merchant Data Edit Criteria

|                                                                                                                     |                                                                                   |
|---------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|
| <b>Mastercard - Service Location State/Province Code</b><br>Positions: 158-160<br>Length: 3<br>Format: alphanumeric | <b>Description:</b> This field contains the Service Location State/Province Code. |
| <b>Mastercard - Service Location Country Code</b><br>Positions: 161-163<br>Length: 3<br>Format: alphanumeric        | <b>Description:</b> This field contains the Service Location Country Code.        |
| <b>Reserved</b><br>Positions: 164-168<br>Length: 5<br>Format: alphanumeric                                          | <b>Description:</b> This field is reserved for future use.                        |

## TC 33.A - CP 12 TCR 3 Gateway Data, continuation

These tables contain the Multipurpose Message (TC 33.A) record layout and edit criteria for CP 12 TCR 3 - GATEWAY DATA, CONTINUATION.

### Gateway Data Record Layout

| Position | Field Length | Format | Contents                              |
|----------|--------------|--------|---------------------------------------|
| 1-2      | 2            | UN     | Transaction Code                      |
| 3        | 1            | UN     | Transaction Code Qualifier            |
| 4        | 1            | AN     | Transaction Component Sequence Number |
| 5-168    | 164          | ANS    | Mastercard - Acceptor URL Address     |

Format: AN = Alphanumeric, ANS = Alphanumeric Special, DX = Display Hexadecimal, N = Numeric, UN = Unpacked Numeric

### Gateway Data Edit Criteria

|                                                                                                                       |                                                                      |
|-----------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------|
| <b>Transaction Code</b><br>Positions: 1-2<br>Length: 2<br>Format: unpacked numeric                                    | <b>Description:</b> This field will contain the value of <b>33</b> . |
| <b>Transaction Code Qualifier</b><br>Positions: 3<br>Length: 1<br>Format: unpacked numeric                            | <b>Description:</b> This field will contain the number <b>0</b> .    |
| <b>Transaction Component Sequence Number</b><br>Positions: 4<br>Length: 1<br>Format: alphanumeric                     | <b>Description:</b> This field will contain the number <b>3</b> .    |
| <b>Mastercard - Acceptor URL Address</b><br>Positions: 5-168<br>Length: 164<br>Format: alphanumeric special character | <b>Description:</b> This field contains the Acceptor URL Address.    |

## TC 33.A - CP 12 TCR 4 Gateway Data, continuation

These tables contain the Multipurpose Message (TC 33.A) record layout and edit criteria for CP 12 TCR 4 - GATEWAY DATA, CONTINUATION.

### Gateway Data Record Layout

| Position | Field Length | Format | Contents                              |
|----------|--------------|--------|---------------------------------------|
| 1-2      | 2            | UN     | Transaction Code                      |
| 3        | 1            | UN     | Transaction Code Qualifier            |
| 4        | 1            | AN     | Transaction Component Sequence Number |
| 5-20     | 16           | ANS    | Mastercard - Acceptor Phone Number    |
| 21-55    | 35           | AN     | Acceptor Business Registration ID     |



### Gateway Data Record Layout

| Position | Field Length | Format | Contents                                                                   |
|----------|--------------|--------|----------------------------------------------------------------------------|
| 56-63    | 8            | ANS    | Mastercard - Acceptor Partner ID Code                                      |
| 64-73    | 10           | AN     | Mastercard - Service Location Postal Code                                  |
| 74-109   | 36           | AN     | Mastercard Transaction Link Identifier/Gateway Life Cycle Trace Identifier |
| 110-111  | 2            | AN     | Acceptor Business Registration ID Type                                     |
| 112-113  | 2            | AN     | Authentication Program                                                     |
| 114      | 1            | AN     | Applied Special Service                                                    |
| 115-136  | 22           | AN     | Mastercard - Economically Related Transaction Link Identifier              |
| 137-159  | 23           | AN     | Mastercard - Lifecycle Transaction Link Identifier                         |
| 160-161  | 2            | AN     | Risk Score                                                                 |
| 162-168  | 7            | AN     | Reserved                                                                   |

Format: AN = Alphanumeric, ANS = Alphanumeric Special, DX = Display Hexadecimal, N = Numeric, UN = Unpacked Numeric

### Gateway Data Edit Criteria

|                                                                                                   |                                                                      |
|---------------------------------------------------------------------------------------------------|----------------------------------------------------------------------|
| <b>Transaction Code</b><br>Positions: 1-2<br>Length: 2<br>Format: unpacked numeric                | <b>Description:</b> This field will contain the value of <b>33</b> . |
| <b>Transaction Code Qualifier</b><br>Positions: 3<br>Length: 1<br>Format: unpacked numeric        | <b>Description:</b> This field will contain the number <b>0</b> .    |
| <b>Transaction Component Sequence Number</b><br>Positions: 4<br>Length: 1<br>Format: alphanumeric | <b>Description:</b> This field will contain the number <b>4</b> .    |

### Gateway Data Edit Criteria

|                                                                                                                                                  |                                                                                                                                                                        |
|--------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Mastercard - Acceptor Phone Number</b><br><br>Positions: 5-20<br>Length: 16<br>Format: alphanumeric special character                         | <b>Description:</b> This field contains the Acceptor Phone Number.                                                                                                     |
| <b>Acceptor Business Registration ID</b><br><br>Positions: 21-55<br>Length: 35<br>Format: alphanumeric                                           | <b>Description:</b> This field will contain Acceptor Business Registration ID.                                                                                         |
| <b>Mastercard - Acceptor Partner ID Code</b><br><br>Positions: 56-63<br>Length: 8<br>Format: alphanumeric special character                      | <b>Description:</b> This field contains the Acceptor Partner ID Code.                                                                                                  |
| <b>Mastercard Service Location Postal Code</b><br><br>Positions: 64-73<br>Length: 10<br>Format: alphanumeric                                     | <b>Description:</b> This field will contain the service location postal code.                                                                                          |
| <b>Mastercard Transaction Link Identifier/Gateway Life Cycle Trace Identifier</b><br><br>Positions: 74-109<br>Length: 36<br>Format: alphanumeric | <b>Description:</b> This field will contain the Mastercard Transaction Link Identifier and for PIN Debit Gateways it contains the Gateway Life Cycle Trace Identifier. |
| <b>Acceptor Business Registration ID Type</b><br><br>Positions: 110-111<br>Length: 2<br>Format: alphanumeric                                     | <b>Description:</b> This field will contain the Acceptor Business Registration ID Type.<br><br><b>Source:</b> Field 34 DSID02 TagD6                                    |
| <b>Authentication Program</b><br><br>Positions: 112-113<br>Length: 2<br>Format: alphanumeric                                                     | <b>Description:</b> This field will contain Authentication Program.<br><br><b>Source:</b> Field 34 DSID01 TagC0                                                        |

## Gateway Data Edit Criteria

|                                                                                                                                  |                                                                                                                                                                              |
|----------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Applied Special Service</b><br>Positions: 114<br>Length: 1<br>Format: alphanumeric                                            | <b>Description:</b> This field will contain Applied Special Service.<br><b>Source:</b> Field 111 DSID56 Tag89                                                                |
| <b>Mastercard - Economically Related Transaction Link Identifier</b><br>Positions: 115-136<br>Length: 22<br>Format: alphanumeric | <b>Description:</b> This field will contain Mastercard - Economically Related Transaction Link Identifier.<br><b>Source:</b> Field 111 DSID07 TagC1 - Mastercard DE105 SE002 |
| <b>Mastercard - Lifecycle Transaction Link Identifier</b><br>Positions: 137-159<br>Length: 23<br>Format: alphanumeric            | <b>Description:</b> This field will contain Mastercard - Lifecycle Transaction Link Identifier.<br><b>Source:</b> Field 111 DSID07 TagC2 - Mastercard DE105 SE003 SF01, SF02 |
| <b>Risk Score</b><br>Positions: 160-161<br>Length: 2<br>Format: alphanumeric                                                     | <b>Description:</b> This field will contain Risk Score.<br><b>Source:</b> F104 DSID5B T01                                                                                    |
| <b>Reserved</b><br>Positions: 162-168<br>Length: 7<br>Format: alphanumeric                                                       | <b>Description:</b> This field is reserved for future use.                                                                                                                   |

# TC 33.A - CP 12 TCR 5 Transaction Data

These tables contain the Multipurpose Message (TC 33.A) record layout and edit criteria for CP 12 TCR 5 - TRANSACTION DATA.

## Transaction Data Record Layout

| Position | Field Length | Format | Contents                   |
|----------|--------------|--------|----------------------------|
| 1-2      | 2            | UN     | Transaction Code           |
| 3        | 1            | UN     | Transaction Code Qualifier |

## Transaction Data Record Layout

| Position | Field Length | Format | Contents                                 |
|----------|--------------|--------|------------------------------------------|
| 4        | 1            | AN     | Transaction Component Sequence Number    |
| 5-103    | 99           | AN     | Acceptor Service Location Street Address |
| 104-114  | 11           | AN     | Marketplace ID                           |
| 115-125  | 11           | AN     | Gateway ID                               |
| 126-136  | 11           | AN     | Staged Digital Wallet ID                 |
| 137-147  | 11           | AN     | Ramp Provider ID                         |
| 148-168  | 21           | AN     | Reserved                                 |

Format: AN = Alphanumeric, ANS = Alphanumeric Special, DX = Display Hexadecimal, N = Numeric, UN = Unpacked Numeric

## Transaction Data Edit Criteria

|                                                                                                           |                                                                                                                              |
|-----------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------|
| <b>Transaction Code</b><br>Positions: 1-2<br>Length: 2<br>Format: unpacked numeric                        | <b>Description:</b> This field will contain the value of <b>33</b> .                                                         |
| <b>Transaction Code Qualifier</b><br>Positions: 3<br>Length: 1<br>Format: unpacked numeric                | <b>Description:</b> This field will contain the number <b>0</b> .                                                            |
| <b>Transaction Component Sequence Number</b><br>Positions: 4<br>Length: 1<br>Format: alphanumeric         | <b>Description:</b> This field will contain the number <b>5</b> .                                                            |
| <b>Acceptor Service Location Street Address</b><br>Positions: 5-103<br>Length: 99<br>Format: alphanumeric | <b>Description:</b> This field will contain Acceptor Service Location Street Address.<br><b>Source:</b> Field34 DSID02 TagD7 |
| <b>Marketplace ID</b><br>Positions: 104-114<br>Length: 11<br>Format: alphanumeric                         | <b>Description:</b> This field will contain Marketplace ID.<br><b>Source:</b> Field104 DSID56 Tag83                          |

### Transaction Data Edit Criteria

|                                                                                             |                                                                                                               |
|---------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------|
| <b>Gateway ID</b><br>Positions: 115-125<br>Length: 11<br>Format: alphanumeric               | <b>Description:</b> This field will contain Gateway ID.<br><b>Source:</b> Field104 DSID56 Tag84               |
| <b>Staged Digital Wallet ID</b><br>Positions: 126-136<br>Length: 11<br>Format: alphanumeric | <b>Description:</b> This field will contain Staged Digital Wallet ID.<br><b>Source:</b> Field104 DSID56 Tag85 |
| <b>Ramp Provider ID</b><br>Positions: 137-147<br>Length: 11<br>Format: alphanumeric         | <b>Description:</b> This field will contain Ramp Provider ID.<br><b>Source:</b> Field104 DSID56 Tag86         |
| <b>Reserved</b><br>Positions: 148-168<br>Length: 21<br>Format: alphanumeric                 | <b>Description:</b> This field is reserved for future use.                                                    |

# Chapter 12

## TC 33.B Capture Transactions (Merchant)

---

### TC 33.B - Capture File

**Note: TC 33.B Capture Transactions (Merchant) is no longer being supported.**

TCR 0, 1, 2, 3, 4, 5, 6, 7, 8, 9, A are supported for capture processing in the TC 33.B Capture Transactions

#### **BASE II File Format and Structure**

The TC 33 Merchant Capture File and the TC 33 Merchant Acknowledgment File conform to the BASE II file format and structure. Both files are sequential, fixed-block files.

#### **ITF File Format**

The TC 33 Merchant Capture File and the TC 33 Merchant Acknowledgment File are processed in the Interchange Transaction File (ITF) format. The ITF format is always used for files sent to or received from Visa.

#### **Data Encoding — EBCDIC**

The TC 33 Merchant Capture File and the TC 33 Merchant Acknowledgment File data are delivered in the Extended Binary Coded Decimal Interchange Code (EBCDIC). MDEX identifiers participating in the MDEX Clearing Flow Option Program must be able to create outgoing files in EBCDIC before sending them to Visa. MDEX identifiers must also be able to convert the incoming EBCDIC files to the appropriate format before processing them in their Host system.

### BASE II File Structure

Each BASE II file contains one or more logical transactions, each of which is defined by a transaction code (TC) that is comprised of one or more transaction component records (TCRs).

All of the TCRs for a TC have the same two-character transaction code in positions 1-2. The Transaction Component Sequence Number field, position 6, contains the TCR number. Each TC has a set number of TCRs, that are specific to that TC. Each TCR serves a different purpose in the TC. Depending on the specific transaction requirements, the endpoint may use from one to all of the TCRs. In other words, the TCR numbers in a TC are not necessarily consecutive and may skip one or more numbers. However, all of the TCRs in a TC must be in numerical sequence from lowest to highest. The first record in every BASE II file is a TC 90-Header Record. It contains information such as the CIB, security code, and BASE II processing date. TC 90s have only one TCR, though there are separate TCR layouts for outgoing files, incoming files, and the ITF format:

- TC 90—Header Record, TCR 0-Outgoing ITF
- TC 90—Header Record, TCR 0-Incoming ITF

Immediately following the TC 90—Header Record is the transaction data. Each file may contain one to any number of transaction data records, each identified by a TC. The TCs and TCRs within a file can be widely varied, and their order and structure are dictated by the TCs and TCRs within them.

Every BASE II file must have at least one TC 91—Batch Trailer record that is the penultimate record in the file. Files with multiple batches must also have an additional separate TC 91 record, that is the last record in each batch. TC 91 records are used for batch control totals, and as a batch boundary indicator at the end of each batch.

### TC 33 Merchant Capture File Structure

Each Merchant Capture file is comprised of multiple TC 33 Multipurpose records. These records include a TC 33 file header that is identified by value of **HDRM** in the File Identifier - Merchant Capture File Header field, a TC 33 file trailer identified by the value of **TLRM** in the File Identifier - Merchant Capture File Trailer field, a TC 33 acquirer file header that is identified by value of **HDRA** in the File Identifier - Merchant Capture File Acquirer Header field, a TC 33 acquirer file trailer that is identified by the value of **TRLA** in the File Identifier Merchant Capture File - Acquirer Trailer field, and multiple TC 33 capture data records that are identified by a value of **CPnn**. Each TC 33 CPnn capture data record contains one or more logical transactions, each of which is defined by the transaction code TC 33, and may contain one or more transaction component records (TCRs). Each TCR is 170 bytes long.

All related transaction TCRs for a given transaction are linked by the same value in the Message Identifier field, positions 23-37, in the TCR 0 record. All TCRs in a transaction have the same two-character transaction code **33** in positions 1-2. The Transaction Component Sequence

Number field, position 6, gives the TCR number (**0** thru **E**) within the TCR group. Each TCR group must start with TCR 0 record. All TCRs must be in ascending order within the TCR group.

## TC 33.B - TCR 0 Capture - File Header - Merchant

These tables contain the Multipurpose Message (TC 33.B) record layout and edit criteria for TCR 0 - CAPTURE - FILE HEADER -MERCHANT.

### ITF - Incoming Interchange

#### Capture-File Header-Merchant Record Layout

| Position | Field Length | Format | Contents                                       |
|----------|--------------|--------|------------------------------------------------|
| 1-2      | 2            | UN     | Transaction Code                               |
| 3-4      | 2            | BINARY | Record Hash Total                              |
| 5        | 1            | UN     | Transaction Code Qualifier                     |
| 6        | 1            | AN     | Transaction Component Sequence Number          |
| 7-12     | 6            | UN     | Destination Identifier                         |
| 13-18    | 6            | UN     | Source Identifier                              |
| 19-22    | 4            | AN     | File Identifier - Merchant Capture File Header |
| 23-26    | 4            | UN     | Capture File Number                            |
| 27-34    | 8            | UN     | Capture Creation Date                          |
| 35-170   | 136          | AN     | Reserved                                       |

Format: AN = Alphanumeric, ANS = Alphanumeric Special, DX = Display Hexadecimal, N = Numeric, UN = Unpacked Numeric



### Capture-File Header-Merchant Edit Criteria

|                                                                                                                |                                                                                                                                                                                                                |
|----------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Transaction Code</b><br>Positions: 1-2<br>Length: 2<br>Format: unpacked numeric                             | <b>Description:</b> This field will contain the value of <b>33</b> .                                                                                                                                           |
| <b>Record Hash Total</b><br>Positions: 3-4<br>Length: 2<br>Format: binary                                      | <b>Description:</b> Used in BASE II to ensure that the collection and delivery file data have been correctly transmitted.<br><br>The field must contain spaces for computers that do not generate hash totals. |
| <b>Transaction Code Qualifier</b><br>Positions: 5<br>Length: 1<br>Format: unpacked numeric                     | <b>Description:</b> This field will contain the value of <b>0</b> (zero).                                                                                                                                      |
| <b>Transaction Component Sequence Number</b><br>Positions: 6<br>Length: 1<br>Format: alphanumeric              | <b>Description:</b> This field will contain the value of <b>0</b> (zero).                                                                                                                                      |
| <b>Destination Identifier</b><br>Positions: 7-12<br>Length: 6<br>Format: unpacked numeric                      | <b>Description:</b> This field will contain the destination identifier of the VIC.                                                                                                                             |
| <b>Source Identifier</b><br>Positions: 13-18<br>Length: 6<br>Format: unpacked numeric                          | <b>Description:</b> This field will contain the MDEX identifier.                                                                                                                                               |
| <b>File Identifier - Merchant Capture File Header</b><br>Positions: 19-22<br>Length: 4<br>Format: alphanumeric | <b>Description:</b> This field will contain the value of <b>HDRM</b> .                                                                                                                                         |
| <b>Capture File Number</b><br>Positions: 23-26<br>Length: 4<br>Format: unpacked numeric                        | <b>Description:</b> This field will contain a file number submitted by the MDEX merchant. This number may be used to match a capture file with a corresponding acknowledgment file.                            |

### Capture-File Header-Merchant Edit Criteria

|                                                                                           |                                                                                                                                                                                                                                             |
|-------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Capture Creation Date</b><br>Positions: 27-34<br>Length: 8<br>Format: unpacked numeric | <b>Description:</b> This field will contain the date that the capture file was sent to Visa in the following format: <b>mmddyyyy</b> .<br><br>This field may also be used to match a capture file with a corresponding acknowledgment file. |
| <b>Reserved</b><br>Positions: 35-170<br>Length: 136<br>Format: alphanumeric               | <b>Description:</b> This field will contain all <b>spaces</b> .                                                                                                                                                                             |

## TC 33.B - TCR 0 Capture- File Header - Acquirer

These tables contain the Multipurpose Message (TC 33.B) record layout and edit criteria for TCR 0 - CAPTURE - FILE HEADER -ACQUIRER.

### ITF - Incoming Interchange

#### Capture-File Header-Acquirer Record Layout

| Position | Field Length | Format | Contents                                                |
|----------|--------------|--------|---------------------------------------------------------|
| 1-2      | 2            | UN     | Transaction Code                                        |
| 3-4      | 2            | BINARY | Record Hash Total                                       |
| 5        | 1            | UN     | Transaction Code Qualifier                              |
| 6        | 1            | AN     | Transaction Component Sequence Number                   |
| 7-12     | 6            | UN     | Destination Identifier                                  |
| 13-18    | 6            | UN     | Source Identifier                                       |
| 19-22    | 4            | AN     | File Identifier Merchant Capture File - Acquirer Header |
| 23-26    | 4            | UN     | Merchant PCR                                            |
| 27-170   | 144          | AN     | Reserved                                                |

Format: AN = Alphanumeric, ANS = Alphanumeric Special, DX = Display Hexadecimal, N = Numeric, UN = Unpacked Numeric

### Capture-File Header-Acquirer Edit Criteria

|                                                                                                                         |                                                                                                                                                                                                                |
|-------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Transaction Code</b><br>Positions: 1-2<br>Length: 2<br>Format: unpacked numeric                                      | <b>Description:</b> This field will contain the value of <b>33</b> .                                                                                                                                           |
| <b>Record Hash Total</b><br>Positions: 3-4<br>Length: 2<br>Format: binary                                               | <b>Description:</b> Used in BASE II to ensure that the collection and delivery file data have been correctly transmitted.<br><br>The field must contain spaces for computers that do not generate hash totals. |
| <b>Transaction Code Qualifier</b><br>Positions: 5<br>Length: 1<br>Format: unpacked numeric                              | <b>Description:</b> This field contains the value of <b>0</b> (zero).                                                                                                                                          |
| <b>Transaction Component Sequence Number</b><br>Positions: 6<br>Length: 1<br>Format: alphanumeric                       | <b>Description:</b> This field contains the value <b>0</b> (zero).                                                                                                                                             |
| <b>Destination Identifier</b><br>Positions: 7-12<br>Length: 6<br>Format: unpacked numeric                               | <b>Description:</b> This field will contain the destination identifier of the VIC.                                                                                                                             |
| <b>Source Identifier</b><br>Positions: 13-18<br>Length: 6<br>Format: unpacked numeric                                   | <b>Description:</b> This field will contain the MDEX identifier.                                                                                                                                               |
| <b>File Identifier Merchant Capture File - Acquirer Header</b><br>Positions: 19-22<br>Length: 4<br>Format: alphanumeric | <b>Description:</b> This field will contain the value of <b>HDRA</b> .                                                                                                                                         |

### Capture-File Header-Acquirer Edit Criteria

|                                                                              |                                                                                                |
|------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------|
| <b>Merchant PCR</b><br>Positions: 23-26<br>Length: 4<br>Format: alphanumeric | <b>Description:</b> This field will contain the MDEX endpoint's Processor Center Record (PCR). |
| <b>Reserved</b><br>Positions: 27-170<br>Length: 144<br>Format: alphanumeric  | <b>Description:</b> This field will contain all <b>spaces</b> .                                |

## TC 33.B - TCR 0 Capture - File Trailer - Merchant

These tables contain the Multipurpose Message (TC 33.B) record layout and edit criteria for TCR 0 - CAPTURE - FILE TRAILER - MERCHANT.

### ITF - Incoming Interchange

#### Capture-File Trailer-Merchant Record Layout

| Position | Field Length | Format | Contents                                        |
|----------|--------------|--------|-------------------------------------------------|
| 1-2      | 2            | UN     | Transaction Code                                |
| 3-4      | 2            | BINARY | Record Hash Total                               |
| 5        | 1            | UN     | Transaction Code Qualifier                      |
| 6        | 1            | AN     | Transaction Component Sequence Number           |
| 7-12     | 6            | UN     | Destination Identifier                          |
| 13-18    | 6            | UN     | Source Identifier                               |
| 19-22    | 4            | AN     | File Identifier - Merchant Capture File Trailer |
| 23-26    | 4            | UN     | Capture File Number                             |
| 27-34    | 8            | UN     | Capture Creation Date                           |
| 35-43    | 9            | UN     | Total Transaction Count                         |
| 44-63    | 20           | UN     | Total Transaction Hash Amount                   |

### Capture-File Trailer-Merchant Record Layout

| Position | Field Length | Format | Contents |
|----------|--------------|--------|----------|
| 64-170   | 107          | AN     | Reserved |

Format: AN = Alphanumeric, ANS = Alphanumeric Special, DX = Display Hexadecimal, N = Numeric, UN = Unpacked Numeric

### Capture-File Trailer-Merchant Edit Criteria

|                                                                                                   |                                                                                                                                                                                                                |
|---------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Transaction Code</b><br>Positions: 1-2<br>Length: 2<br>Format: unpacked numeric                | <b>Description:</b> This field will contain the value of <b>33</b> .                                                                                                                                           |
| <b>Record Hash Total</b><br>Positions: 3-4<br>Length: 2<br>Format: binary                         | <b>Description:</b> Used in BASE II to ensure that the collection and delivery file data have been correctly transmitted.<br><br>The field must contain spaces for computers that do not generate hash totals. |
| <b>Transaction Code Qualifier</b><br>Positions: 5<br>Length: 1<br>Format: unpacked numeric        | <b>Description:</b> This field contains the value of <b>0</b> (zero).                                                                                                                                          |
| <b>Transaction Component Sequence Number</b><br>Positions: 6<br>Length: 1<br>Format: alphanumeric | <b>Description:</b> This field contains the value of <b>0</b> (zero).                                                                                                                                          |
| <b>Destination Identifier</b><br>Positions: 7-12<br>Length: 6<br>Format: unpacked numeric         | <b>Description:</b> This field will contain the destination identifier of the VIC.                                                                                                                             |
| <b>Source Identifier</b><br>Positions: 13-18<br>Length: 6<br>Format: unpacked numeric             | <b>Description:</b> This field will contain the MDEX identifier.                                                                                                                                               |

### Capture-File Trailer-Merchant Edit Criteria

|                                                                                                                 |                                                                                                                                        |
|-----------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------|
| <b>File Identifier - Merchant Capture File Trailer</b><br>Positions: 19-22<br>Length: 4<br>Format: alphanumeric | <b>Description:</b> This field will contain the value of <b>TRLM</b> .                                                                 |
| <b>Capture File Number</b><br>Positions: 23-26<br>Length: 4<br>Format: unpacked numeric                         | <b>Description:</b> This field will contain a file number submitted by the MDEX merchant.                                              |
| <b>Capture Creation Date</b><br>Positions: 27-34<br>Length: 8<br>Format: unpacked numeric                       | <b>Description:</b> This field will contain the date that the capture file was sent to Visa in the following format: <b>mmddyyyy</b> . |
| <b>Total Transaction Count</b><br>Positions: 35-43<br>Length: 9<br>Format: unpacked numeric                     | <b>Description:</b> This field will contain the total number of transactions in this file.                                             |
| <b>Total Transaction Hash Amount</b><br>Positions: 44-63<br>Length: 20<br>Format: unpacked numeric              | <b>Description:</b> This field will contain the total transaction hash amount for all transactions in this file.                       |
| <b>Reserved</b><br>Positions: 64-170<br>Length: 107<br>Format: alphanumeric                                     | <b>Description:</b> This field will contain all <b>spaces</b> .                                                                        |

## TC 33.B - TCR 0 Capture - File Trailer - Acquirer

These tables contain the Multipurpose Message (TC 33.B) record layout and edit criteria for TCR 0 - CAPTURE - FILE TRAILER - ACQUIRER.

### ITF - Incoming Interchange

### Capture-File Trailer-Acquirer Record Layout

| Position | Field Length | Format | Contents                                                 |
|----------|--------------|--------|----------------------------------------------------------|
| 1-2      | 2            | UN     | Transaction Code                                         |
| 3-4      | 2            | BINARY | Record Hash Total                                        |
| 5        | 1            | UN     | Transaction Code Qualifier                               |
| 6        | 1            | AN     | Transaction Component Sequence Number                    |
| 7-12     | 6            | UN     | Destination Identifier                                   |
| 13-18    | 6            | UN     | Source Identifier                                        |
| 19-22    | 4            | AN     | File Identifier Merchant Capture File - Acquirer Trailer |
| 23-26    | 4            | UN     | Capture File Number                                      |
| 27-34    | 8            | UN     | Capture Creation Date                                    |
| 35-43    | 9            | UN     | Total Transaction Count                                  |
| 44-63    | 20           | UN     | Total Transaction Hash Amount                            |
| 64-170   | 107          | AN     | Reserved                                                 |

Format: AN = Alphanumeric, ANS = Alphanumeric Special, DX = Display Hexadecimal, N = Numeric, UN = Unpacked Numeric

### Capture-File Trailer-Acquirer Edit Criteria

|                                                                                            |                                                                                                                                                                                                                |
|--------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Transaction Code</b><br>Positions: 1-2<br>Length: 2<br>Format: unpacked numeric         | <b>Description:</b> This field will contain the value of <b>33</b> .                                                                                                                                           |
| <b>Record Hash Total</b><br>Positions: 3-4<br>Length: 2<br>Format: binary                  | <b>Description:</b> Used in BASE II to ensure that the collection and delivery file data have been correctly transmitted.<br><br>The field must contain spaces for computers that do not generate hash totals. |
| <b>Transaction Code Qualifier</b><br>Positions: 5<br>Length: 1<br>Format: unpacked numeric | <b>Description:</b> This field will contain the value of <b>0</b> (zero).                                                                                                                                      |

### Capture-File Trailer-Acquirer Edit Criteria

|                                                                                                                          |                                                                                                                                                                   |
|--------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Transaction Component Sequence Number</b><br>Positions: 6<br>Length: 1<br>Format: alphanumeric                        | <b>Description:</b> This field contains the value of <b>0</b> (zero).                                                                                             |
| <b>Destination Identifier</b><br>Positions: 7-12<br>Length: 6<br>Format: unpacked numeric                                | <b>Description:</b> This field will contain the destination identifier of the VIC.                                                                                |
| <b>Source Identifier</b><br>Positions: 13-18<br>Length: 6<br>Format: unpacked numeric                                    | <b>Description:</b> This field will contain the MDEX identifier.                                                                                                  |
| <b>File Identifier Merchant Capture File - Acquirer Trailer</b><br>Positions: 19-22<br>Length: 4<br>Format: alphanumeric | <b>Description:</b> This field will contain the value of <b>TRLR</b> .                                                                                            |
| <b>Capture File Number</b><br>Positions: 23-26<br>Length: 4<br>Format: unpacked numeric                                  | <b>Description:</b> This field will contain a number supplied by the MDEX endpoint that is used to match a capture file with a corresponding acknowledgment file. |
| <b>Capture Creation Date</b><br>Positions: 27-34<br>Length: 8<br>Format: unpacked numeric                                | <b>Description:</b> This field will contain the date that the capture file was sent to Visa in the following format: <b>mmddyyyy</b> .                            |
| <b>Total Transaction Count</b><br>Positions: 35-43<br>Length: 9<br>Format: unpacked numeric                              | <b>Description:</b> This field will contain the total number of transactions for a specific acquirer.                                                             |



### Capture-File Trailer-Acquirer Edit Criteria

|                                                                                                    |                                                                                                                             |
|----------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------|
| <b>Total Transaction Hash Amount</b><br>Positions: 44-63<br>Length: 20<br>Format: unpacked numeric | <b>Description:</b> This field will contain the total transaction hash amount for all transactions for a specific acquirer. |
| <b>Reserved</b><br>Positions: 64-170<br>Length: 107<br>Format: alphanumeric                        | <b>Description:</b> This field will contain all <b>spaces</b> .                                                             |

## TC 33.B - CP 51 TCR 0 Transaction Data

These tables contain the Multipurpose Message (TC 33.B) record layout and edit criteria for CP 51 TCR 0 - TRANSACTION DATA.

### ITF - Incoming Interchange

#### Transaction Data Record Layout

| Position | Field Length | Format | Contents                                |
|----------|--------------|--------|-----------------------------------------|
| 1-2      | 2            | UN     | Transaction Code                        |
| 3-4      | 2            | BINARY | Record Hash Total                       |
| 5        | 1            | UN     | Transaction Code Qualifier              |
| 6        | 1            | AN     | Transaction Component Sequence Number   |
| 7-12     | 6            | UN     | Destination Identifier                  |
| 13-18    | 6            | UN     | Source Identifier                       |
| 19-22    | 4            | AN     | File Identifier - Merchant Capture Data |
| 23-37    | 15           | AN     | Message Identifier                      |
| 38-52    | 15           | AN     | Transaction Identifier                  |
| 53-64    | 12           | AN     | Retrieval Reference Number              |
| 65-80    | 16           | AN     | Account Number                          |
| 81-83    | 3            | AN     | Account Number Extension                |
| 84-87    | 4            | AN     | Expiration Date                         |

### Transaction Data Record Layout

| Position | Field Length | Format | Contents                           |
|----------|--------------|--------|------------------------------------|
| 88-91    | 4            | UN     | Purchase Date                      |
| 92-95    | 4            | AN     | Authorization Date (MMDD)          |
| 96-97    | 2            | AN     | Decimal Positions Indicator        |
| 98-109   | 12           | AN     | Authorized Amount                  |
| 110-112  | 3            | AN     | Authorization Currency Code        |
| 113-124  | 12           | AN     | Total Authorized Amount            |
| 125-136  | 12           | UN     | Source Amount                      |
| 137-139  | 3            | AN     | Source Currency Code               |
| 140-151  | 12           | AN     | Tip Amount                         |
| 152-153  | 2            | AN     | Action Code                        |
| 154-155  | 2            | AN     | Service Identifier                 |
| 156-161  | 6            | UN     | Acquiring Identifier               |
| 162-165  | 4            | AN     | Message Reason Code                |
| 166      | 1            | N      | Additional Authorization Indicator |
| 167-170  | 4            | AN     | Reserved                           |

Format: AN = Alphanumeric, ANS = Alphanumeric Special, DX = Display Hexadecimal, N = Numeric, UN = Unpacked Numeric

### Transaction Data Edit Criteria

|                                                                                            |                                                                                                                                                                                                                |
|--------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Transaction Code</b><br>Positions: 1-2<br>Length: 2<br>Format: unpacked numeric         | <b>Description:</b> This field will contain the value of <b>33</b> .                                                                                                                                           |
| <b>Record Hash Total</b><br>Positions: 3-4<br>Length: 2<br>Format: binary                  | <b>Description:</b> Used in BASE II to ensure that the collection and delivery file data have been correctly transmitted.<br><br>The field must contain spaces for computers that do not generate hash totals. |
| <b>Transaction Code Qualifier</b><br>Positions: 5<br>Length: 1<br>Format: unpacked numeric | <b>Description:</b> This field will contain the value of <b>0</b> (zero).                                                                                                                                      |

## Transaction Data Edit Criteria

|                                                                                                         |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
|---------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Transaction Component Sequence Number</b><br>Positions: 6<br>Length: 1<br>Format: alphanumeric       | <b>Description:</b> This field will contain the value of <b>0</b> (zero).                                                                                                                                                                                                                                                                                                                                                                                                                                   |
| <b>Destination Identifier</b><br>Positions: 7-12<br>Length: 6<br>Format: unpacked numeric               | <b>Description:</b> This field will contain the destination identifier of the VIC.                                                                                                                                                                                                                                                                                                                                                                                                                          |
| <b>Source Identifier</b><br>Positions: 13-18<br>Length: 6<br>Format: unpacked numeric                   | <b>Description:</b> This field will contain the MDEX identifier.                                                                                                                                                                                                                                                                                                                                                                                                                                            |
| <b>File Identifier - Merchant Capture Data</b><br>Positions: 19-22<br>Length: 4<br>Format: alphanumeric | <b>Description:</b> This field will contain the value of <b>CP51</b> .                                                                                                                                                                                                                                                                                                                                                                                                                                      |
| <b>Message Identifier</b><br>Positions: 23-27<br>Length: 15<br>Format: alphanumeric                     | <b>Description:</b> This field will contain a unique message identifier that links a specific capture record among multiple capture records being submitted for a single transaction. All capture records within the same file linked to a single authorization request contain the same message identifier.<br><br>The same message identifier can be assigned to other related capture records located in additional TCR groups identified by a value of <b>CPnn</b> in the TC 33 File Identifier fields. |
| <b>Transaction Identifier</b><br>Positions: 38-52<br>Length: 15<br>Format: alphanumeric                 | <b>Description:</b> This field will contain a unique value that Visa assigns to each transaction, and returns in the authorization response.                                                                                                                                                                                                                                                                                                                                                                |
| <b>Retrieval Reference Number</b><br>Positions: 53-64<br>Length: 12<br>Format: alphanumeric             | <b>Description:</b> This field will contain all an identification number assigned by the processing entity that is used with other data elements to identify and track messages related to a given cardholder transaction, that is, to a given transaction set.                                                                                                                                                                                                                                             |

## Transaction Data Edit Criteria

|                                                                                               |                                                                                                                                                                                                                                                                                                                                                          |
|-----------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Account Number</b><br>Positions: 65-80<br>Length: 16<br>Format: alphanumeric               | <b>Description:</b> This field will contain either an issuer-assigned number that identifies a cardholder's primary account number (PAN) or a token for the PAN. This field may also contain an encrypted account number or token.<br><br>The field is left-justified, and blank-filled to the right, for account numbers less than 16 digits in length. |
| <b>Account Number Extension</b><br>Positions: 81-83<br>Length: 3<br>Format: alphanumeric      | <b>Description:</b> This field is used for a PAN, or a token for the PAN greater than 16 digits.<br><br>When present, this field is left-justified and contains a 3-digit extension of the PAN, or the token for the PAN.<br><br>When not present, the field contains all <b>spaces</b> .                                                                |
| <b>Expiration Date</b><br>Positions: 84-87<br>Length: 4<br>Format: alphanumeric               | <b>Description:</b> This field will contain the expiration date for either the cardholder's PAN, or the token for the PAN, in the following format: yymm.                                                                                                                                                                                                |
| <b>Purchase Date</b><br>Positions: 88-91<br>Length: 4<br>Format: unpacked numeric             | <b>Description:</b> This field will contain the date that the purchase transaction was made based on Greenwich Mean Time (GMT), in the following format: mmdd.                                                                                                                                                                                           |
| <b>Authorization Date (MMDD)</b><br>Positions: 92-95<br>Length: 4<br>Format: alphanumeric     | <b>Description:</b> This field will contain the actual date that the request for the authorization was made based on GMT, in the following format: mmdd.                                                                                                                                                                                                 |
| <b>Decimal Positions Indicator</b><br>Positions: 96-97<br>Length: 2<br>Format: alphanumeric   | <b>Description:</b> This field will contain a value that indicates the decimal position of all amount fields.                                                                                                                                                                                                                                            |
| <b>Authorized Amount</b><br>Positions: 98-109<br>Length: 12<br>Format: alphanumeric           | <b>Description:</b> This field will contain the amount the issuer originally authorized.<br><br>This field is formatted based on currency exponents.                                                                                                                                                                                                     |
| <b>Authorization Currency Code</b><br>Positions: 110-112<br>Length: 3<br>Format: alphanumeric | <b>Description:</b> This field will contain the currency code of the authorized source amount. This field must contain either a valid ISO numeric currency code or all <b>spaces</b> .                                                                                                                                                                   |

### Transaction Data Edit Criteria

|                                                                                               |                                                                                                                                                                                                                                                                                                                                                                                                                                     |
|-----------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Total Authorization Amount</b><br>Positions: 113-124<br>Length: 12<br>Format: alphanumeric | <b>Description:</b> This field will contain the total authorized amount of the transaction including taxes and miscellaneous fees, less reversals.                                                                                                                                                                                                                                                                                  |
| <b>Source Amount</b><br>Positions: 125-136<br>Length: 12<br>Format: unpacked numeric          | <b>Description:</b> This field will contain the purchase value in transaction currency.                                                                                                                                                                                                                                                                                                                                             |
| <b>Source Currency Code</b><br>Positions: 137-139<br>Length: 3<br>Format: alphanumeric        | <b>Description:</b> This field will contain the currency code for all amount fields in the transaction.<br><br>For valid values, see <i>BASE II Clearing Data Codes</i> .                                                                                                                                                                                                                                                           |
| <b>Tip Amount</b><br>Positions: 140-151<br>Length: 12<br>Format: alphanumeric                 | <b>Description:</b> This field will contain the tip amount.                                                                                                                                                                                                                                                                                                                                                                         |
| <b>Action Code</b><br>Positions: 152-153<br>Length: 2<br>Format: alphanumeric                 | <b>Description:</b> This field will contain the action code of the capture transaction.<br>Values: <ul style="list-style-type: none"> <li>• <b>01</b> Sales Capture</li> <li>• <b>02</b> Merchandise Credit Capture</li> <li>• <b>03</b> PIN Debit Purchase Advice</li> <li>• <b>04</b> PIN Debit Merchandise Return Advice</li> <li>• <b>05</b> Offline Capture</li> <li>• <b>06</b> Original Credit Transaction Advice</li> </ul> |
| <b>Service Identifier</b><br>Positions: 154-155<br>Length: 2<br>Format: alphanumeric          | <b>Description:</b> This field will contain the value of <b>51</b> (MDEX Clearing Flow Option Service).                                                                                                                                                                                                                                                                                                                             |
| <b>Acquiring Identifier</b><br>Positions: 156-161<br>Length: 6<br>Format: unpacked numeric    | <b>Description:</b> This field will contain the acquiring identifier used in the authorization.                                                                                                                                                                                                                                                                                                                                     |

## Transaction Data Edit Criteria

|                                                                                             |                                                                                                                                                                                                                                                                                                                                                                                                                 |
|---------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Message Reason Code</b><br>Positions: 162-165<br>Length: 4<br>Format: alphanumeric       | <b>Description:</b> This field will contain one of these values (apply to merchant initiated transactions only): <ul style="list-style-type: none"> <li>• <b>3900</b> (Incremental authorization)</li> <li>• <b>3901</b> (Resubmission)</li> <li>• <b>3902</b> (Ancillary charges)</li> <li>• <b>3903</b> (Reauthorization)</li> <li>• <b>3904</b> (No show)</li> <li>• <b>3905</b> (Account top up)</li> </ul> |
| <b>Additional Authorization Indicator</b><br>Positions: 166<br>Length: 1<br>Format: numeric | <b>Description:</b> This field will contain one of these values: <ul style="list-style-type: none"> <li>• <b>1</b> (Partial authorization)</li> <li>• <b>2</b> (Estimated authorization)</li> <li>• <b>3</b> (Both partial and estimated)</li> </ul>                                                                                                                                                            |
| <b>Reserved</b><br>Positions: 167-170<br>Length: 4<br>Format: alphanumeric                  | <b>Description:</b> This field is reserved; space-filled.                                                                                                                                                                                                                                                                                                                                                       |

# TC 33.B - CP 51 TCR 1 Additional Data

These tables contain the Multipurpose Message (TC 33.B) record layout and edit criteria for CP 51 TCR 1 - ADDITIONAL DATA.

## ITF - Incoming Interchange

### Additional Data Record Layout

| Position | Field Length | Format | Contents                              |
|----------|--------------|--------|---------------------------------------|
| 1-2      | 2            | UN     | Transaction Code                      |
| 3-4      | 2            | BINARY | Record Hash Total                     |
| 5        | 1            | UN     | Transaction Code Qualifier            |
| 6        | 1            | AN     | Transaction Component Sequence Number |
| 7-10     | 4            | AN     | Capture Date                          |
| 11-16    | 6            | AN     | Authorization Code                    |

### Additional Data Record Layout

| Position | Field Length | Format | Contents                                             |
|----------|--------------|--------|------------------------------------------------------|
| 17-18    | 2            | AN     | POS Entry Mode                                       |
| 19-33    | 15           | ANS    | Card Acceptor ID                                     |
| 34-41    | 8            | ANS    | Terminal ID                                          |
| 42       | 1            | AN     | Mail/Phone/Electronic Commerce and Payment Indicator |
| 43       | 1            | AN     | Unattended Acceptance Terminal Indicator             |
| 44       | 1            | AN     | AVS Response Code                                    |
| 45       | 1            | AN     | Authorization Source Code                            |
| 46       | 1            | AN     | Purchase Identifier Format                           |
| 47-71    | 25           | AN     | Purchase Identifier                                  |
| 72-73    | 2            | AN     | Card ID/Method of Payment                            |
| 74-75    | 2            | AN     | Point-of-Service Condition Code                      |
| 76-81    | 6            | AN     | Processing Code                                      |
| 82-85    | 4            | AN     | Network ID                                           |
| 86-87    | 2            | AN     | Authorization Response Code                          |
| 88-91    | 4            | AN     | Validation Code                                      |
| 92       | 1            | AN     | Market-Specific Authorization Data Indicator         |
| 93-94    | 2            | AN     | Product ID                                           |
| 95-100   | 6            | AN     | Program ID                                           |
| 101      | 1            | AN     | CVV2 Result Code                                     |
| 102      | 1            | AN     | Authorization Characteristics Indicator              |
| 103      | 1            | AN     | POS Terminal Capability                              |
| 104      | 1            | AN     | Cardholder ID Method                                 |
| 105-106  | 2            | AN     | Electronic Commerce Goods Indicator                  |
| 107-109  | 3            | AN     | Fee Program Indicator                                |
| 110      | 1            | AN     | Service Development Field                            |
| 111      | 1            | AN     | Account Selection                                    |
| 112      | 1            | AN     | POS Environment                                      |
| 113-116  | 4            | AN     | Time of Purchase                                     |
| 117      | 1            | AN     | Spend Qualified Indicator                            |

### Additional Data Record Layout

| Position | Field Length | Format | Contents          |
|----------|--------------|--------|-------------------|
| 118      | 1            | AN     | CAVV Results Code |
| 119-170  | 52           | AN     | Reserved          |

Format: AN = Alphanumeric, ANS = Alphanumeric Special, DX = Display Hexadecimal, N = Numeric, UN = Unpacked Numeric

### Additional Data Edit Criteria

|                                                                                                   |                                                                                                                                                                                                                                                                                                                                                       |
|---------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Transaction Code</b><br>Positions: 1-2<br>Length: 2<br>Format: unpacked numeric                | <b>Description:</b> This field will contain the value of <b>33</b> .                                                                                                                                                                                                                                                                                  |
| <b>Record Hash Total</b><br>Positions: 3-4<br>Length: 2<br>Format: binary                         | <b>Description:</b> Used in BASE II to ensure that the collection and delivery file data have been correctly transmitted.<br><br>The field must contain spaces for computers that do not generate hash totals.                                                                                                                                        |
| <b>Transaction Code Qualifier</b><br>Positions: 5<br>Length: 1<br>Format: unpacked numeric        | <b>Description:</b> This field will contain the value of <b>0</b> (zero).                                                                                                                                                                                                                                                                             |
| <b>Transaction Component Sequence Number</b><br>Positions: 6<br>Length: 1<br>Format: alphanumeric | <b>Description:</b> This field will contain the value of <b>1</b> .                                                                                                                                                                                                                                                                                   |
| <b>Capture Date</b><br>Positions: 7-10<br>Length: 4<br>Format: alphanumeric                       | <b>Description:</b> This field will contain the date when the MDEX identifier intends to process the capture file in the following format: mmdd.                                                                                                                                                                                                      |
| <b>Authorization Code</b><br>Positions: 11-16<br>Length: 6<br>Format: alphanumeric                | <b>Description:</b> This field will contain a code that an issuer, its authorizing processor, or Stand-In Processing (STIP) provides to indicate approval of a transaction. The code is returned in the authorization response, and is usually included on the transaction receipt.<br><br>For valid values, see <i>BASE II Clearing Data Codes</i> . |



## Additional Data Edit Criteria

|                                                                                                                   |                                                                                                                                                                                                                                                                                                                    |
|-------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>POS Entry Mode</b><br>Positions: 17-18<br>Length: 2<br>Format: alphanumeric                                    | <b>Description:</b> This field will contain a code that indicates the V.I.P. method by which a point-of-transaction terminal obtains and transmits the cardholder information necessary to complete a transaction.<br><br>For valid values, see <i>Full Service POS Online Messages Technical Specifications</i> . |
| <b>Card Acceptor ID</b><br>Positions: 19-33<br>Length: 15<br>Format: alphanumeric special character               | <b>Description:</b> This field will contain a code that identifies the card acceptor operating the POS terminal.                                                                                                                                                                                                   |
| <b>Terminal ID</b><br>Positions: 34-41<br>Length: 8<br>Format: alphanumeric special character                     | <b>Description:</b> This field will contain a code that identifies the card acceptor terminal.                                                                                                                                                                                                                     |
| <b>Mail/Phone/Electronic Commerce and Payment Indicator</b><br>Positions: 42<br>Length: 1<br>Format: alphanumeric | <b>Description:</b> This field will contain a code that indicates whether the transaction was performed by mail order, telephone, or electronic commerce.<br><br>For valid values, see <i>BASE II Clearing Data Codes</i> .                                                                                        |
| <b>Unattended Acceptance Terminal Indicator</b><br>Positions: 43<br>Length: 1<br>Format: alphanumeric             | <b>Description:</b> This field will contain a code that indicates type of an unattended terminal.<br><br>For valid values, see <i>BASE II Clearing Data Codes</i> .                                                                                                                                                |
| <b>AVS Response Code</b><br>Positions: 44<br>Length: 1<br>Format: alphanumeric                                    | <b>Description:</b> This field will contain a code that is the response to an Address Verification Service (AVS) request, indicating matches or discrepancies between addresses and ZIP codes.<br><br>For valid values, see <i>BASE II Clearing Data Codes</i> .                                                   |
| <b>Authorization Source Code</b><br>Positions: 45<br>Length: 1<br>Format: alphanumeric                            | <b>Description:</b> This field will contain a code that indicates whether or not card present at authorization and type of commerce or service requested.<br><br>For valid values, see <i>BASE II Clearing Data Codes</i> .                                                                                        |

### Additional Data Edit Criteria

|                                                                                                 |                                                                                                                                                                                                                                                                                                                                                             |
|-------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Purchase Identifier Format</b><br>Positions: 46<br>Length: 1<br>Format: alphanumeric         | <b>Description:</b> This field will contain a code that indicates the format of additional identifying information for purchases, such as order number or invoice number. Format can include free text or the type of number.<br>For valid values, see <i>BASE II Clearing Data Codes</i> .                                                                 |
| <b>Purchase Identifier</b><br>Positions: 47-71<br>Length: 25<br>Format: alphanumeric            | <b>Description:</b> This field will identify the purchase to the issuer and cardholder.                                                                                                                                                                                                                                                                     |
| <b>Card ID/Method of Payment</b><br>Positions: 72-73<br>Length: 2<br>Format: alphanumeric       | <b>Description:</b> This field will contain a code that identifies the card brand used for payment.<br>Values: <ul style="list-style-type: none"> <li>• <b>VI</b> (Visa)</li> <li>• <b>MC</b> (Mastercard)</li> <li>• <b>JC</b> (JCB)</li> <li>• <b>DC</b> (Diners Club)</li> <li>• <b>AX</b> (American Express)</li> <li>• <b>DI</b> (Discover)</li> </ul> |
| <b>Point-of-Service Condition Code</b><br>Positions: 74-75<br>Length: 2<br>Format: alphanumeric | <b>Description:</b> This field will contain a code that identifies transaction conditions at the point of sale or point of service. The value can be used to identify a type of original, or a subsequent transactions.<br>For valid values, see <i>Full Service POS Online Messages Technical Specifications</i> .                                         |
| <b>Processing Code</b><br>Positions: 76-81<br>Length: 6<br>Format: alphanumeric                 | <b>Description:</b> This field will contain a code in positions 1 and 2 that is used to identify the type of transaction.<br>For valid values, see <i>Full Service POS Online Messages Technical Specifications</i> .                                                                                                                                       |
| <b>Network ID</b><br>Positions: 82-85<br>Length: 4<br>Format: alphanumeric                      | <b>Description:</b> This field will contain a code that specifies the network used for transmission of the transaction.<br>For valid values, see <i>Full Service POS Online Messages Technical Specifications</i> .                                                                                                                                         |
| <b>Authorization Response Code</b><br>Positions: 86-87<br>Length: 2<br>Format: alphanumeric     | <b>Description:</b> This field will contain the authorization code provided by the issuer when a transaction is approved, or a no reason to decline code.<br>For valid values, see <i>Full Service POS Online Messages Technical Specifications</i> .                                                                                                       |

## Additional Data Edit Criteria

|                                                                                                           |                                                                                                                                                                                                                                                                                  |
|-----------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Validation Code</b><br>Positions: 88-91<br>Length: 4<br>Format: alphanumeric                           | <b>Description:</b> This field will contain a unique value that Visa includes as part of authorization response to ensure that key authorization fields are preserved in the clearing record.                                                                                    |
| <b>Market-Specific Authorization Data Indicator</b><br>Positions: 92<br>Length: 1<br>Format: alphanumeric | <b>Description:</b> This field will contain a code that indicates the industry for which market-specific authorization data was included in the transaction.<br><br>Example: <b>B</b> (Valid bill payment market-specific authorization data received)                           |
| <b>Product ID</b><br>Positions: 93-94<br>Length: 2<br>Format: alphanumeric                                | <b>Description:</b> This field will contain a code that identifies the card product.                                                                                                                                                                                             |
| <b>Program ID</b><br>Positions: 95-100<br>Length: 6<br>Format: alphanumeric                               | <b>Description:</b> This field will apply to U.S. domestic transactions. When present, this field will contain a program identifier provided by the card issuer.                                                                                                                 |
| <b>CVV2 Result Code</b><br>Positions: 101<br>Length: 1<br>Format: alphanumeric                            | <b>Description:</b> This field will contain the Card Verification Value 2 (CVV2), that is the verification result for card-not-present transactions and also for card-present CVV2 verification-only requests.<br><br>For valid values, see <i>BASE II Clearing Data Codes</i> . |
| <b>Authorization Characteristics Indicator</b><br>Positions: 102<br>Length: 1<br>Format: alphanumeric     | <b>Description:</b> This field will contain a code used by the acquirer to request CPS qualification, and is returned in the original authorization response.<br><br>For valid values, see <i>BASE II Clearing Data Codes</i> .                                                  |
| <b>POS Terminal Capability</b><br>Positions: 103<br>Length: 1<br>Format: alphanumeric                     | <b>Description:</b> This field will contain a code that indicates the capability of the point-of-sale (POS) terminal to obtain an authorization and process transaction data.<br><br>For valid values, see <i>BASE II Clearing Data Codes</i> .                                  |
| <b>Cardholder ID Method</b><br>Positions: 104<br>Length: 1<br>Format: alphanumeric                        | <b>Description:</b> This field will contain a code that indicates the method used to identify the cardholder (e.g., signature or Personal Identification Number (PIN)).<br><br>For valid values, see <i>BASE II Clearing Data Codes</i> .                                        |

### Additional Data Edit Criteria

|                                                                                                       |                                                                                                                                                                                                                                                                                                                                         |
|-------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Electronic Commerce Goods Indicator</b><br>Positions: 105-106<br>Length: 2<br>Format: alphanumeric | <b>Description:</b> This field will contain a code that indicates the type of goods that were purchased on the Internet. This field is left-justified and space-filled.<br><br>For valid values, see <i>Full Service POS Online Messages Technical Specifications</i> .                                                                 |
| <b>Fee Program Indicator</b><br>Positions: 107-109<br>Length: 3<br>Format: alphanumeric               | <b>Description:</b> This field will contain an interchange reimbursement fee program indicator (FPI).<br><br>This field is left-justified and space-filled.<br>For valid values, see <i>BASE II Clearing Data Codes</i> .                                                                                                               |
| <b>Service Development Field</b><br>Positions: 110<br>Length: 1<br>Format: alphanumeric               | <b>Description:</b> This field will contain a code that indicates the type of commerce.<br><br><b>REFERENCE</b><br>For valid values, see <i>BASE II Clearing Data Codes</i> .                                                                                                                                                           |
| <b>Account Selection</b><br>Positions: 111<br>Length: 1<br>Format: alphanumeric                       | <b>Description:</b> This field will contain a code that indicates the type of an account, such as savings or checking.<br><br>For valid values, see <i>Full Service POS Online Messages Technical Specifications</i> .                                                                                                                  |
| <b>POS Environment</b><br>Positions: 112<br>Length: 1<br>Format: alphanumeric                         | <b>Description:</b> This field will contain a recurring transaction indicator code, that indicates whether the cardholder and merchant have agreed to periodic billing for goods and services, such as utility bills, Internet connection, or magazine subscriptions.<br><br>For valid values, see <i>BASE II Clearing Data Codes</i> . |
| <b>Time of Purchase</b><br>Positions: 113-116<br>Length: 4<br>Format: alphanumeric                    | <b>Description:</b> This field will contain the time of day that the purchase was made in Greenwich mean time (GMT), in the following format: hhmm.                                                                                                                                                                                     |
| <b>Spend Qualified Indicator</b><br>Positions: 117<br>Length: 1<br>Format: alphanumeric               | <b>Description:</b> This field will indicate whether the account is spend qualified or not.                                                                                                                                                                                                                                             |

### Additional Data Edit Criteria

|                                                                                 |                                                                                              |
|---------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------|
| <b>CAVV Results Code</b><br>Positions: 118<br>Length: 1<br>Format: alphanumeric | <b>Description:</b> This field will contain the CAVV results code from the response message. |
| <b>Reserved</b><br>Positions: 119-170<br>Length: 52<br>Format: alphanumeric     | <b>Description:</b> This field will contain all <b>spaces</b> .                              |

## TC 33.B - CP 51 TCR 2 Billing and Shipping

These tables contain the Multipurpose Message (TC 33.B) record layout and edit criteria for CP 51 TCR 2 - BILLING AND SHIPPING.

### ITF - Incoming Interchange

#### Billing and Shipping Record Layout

| Position | Field Length | Format | Contents                              |
|----------|--------------|--------|---------------------------------------|
| 1-2      | 2            | UN     | Transaction Code                      |
| 3-4      | 2            | BINARY | Record Hash Total                     |
| 5        | 1            | UN     | Transaction Code Qualifier            |
| 6        | 1            | AN     | Transaction Component Sequence Number |
| 7-66     | 60           | ANS    | Bill to Last Name                     |
| 67-126   | 60           | ANS    | Bill to First Name                    |
| 127-137  | 11           | ANS    | Bill to Postal Code                   |
| 138-157  | 20           | ANS    | Ship to Postal Code                   |
| 158-160  | 3            | AN     | Ship to State/Province Code           |
| 161-170  | 10           | AN     | Ship from Postal Code                 |

Format: AN = Alphanumeric, ANS = Alphanumeric Special, DX = Display Hexadecimal, N = Numeric, UN = Unpacked Numeric

### Billing and Shipping Edit Criteria

|                                                                                                          |                                                                                                                                                                                                                |
|----------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Transaction Code</b><br>Positions: 1-2<br>Length: 2<br>Format: unpacked numeric                       | <b>Description:</b> This field will contain the value of <b>33</b> .                                                                                                                                           |
| <b>Record Hash Total</b><br>Positions: 3-4<br>Length: 2<br>Format: binary                                | <b>Description:</b> Used in BASE II to ensure that the collection and delivery file data have been correctly transmitted.<br><br>The field must contain spaces for computers that do not generate hash totals. |
| <b>Transaction Code Qualifier</b><br>Positions: 5<br>Length: 1<br>Format: unpacked numeric               | <b>Description:</b> This field will contain the value of <b>0</b> (zero).                                                                                                                                      |
| <b>Transaction Component Sequence Number</b><br>Positions: 6<br>Length: 1<br>Format: alphanumeric        | <b>Description:</b> This field will contain the value of <b>2</b> .                                                                                                                                            |
| <b>Bill to Last Name</b><br>Positions: 7-66<br>Length: 60<br>Format: alphanumeric special character      | <b>Description:</b> This field will contain the last name of the billing party.                                                                                                                                |
| <b>Bill to First Name</b><br>Positions: 67-126<br>Length: 60<br>Format: alphanumeric special character   | <b>Description:</b> This field will contain the first name of the billing party.                                                                                                                               |
| <b>Bill to Postal Code</b><br>Positions: 127-137<br>Length: 11<br>Format: alphanumeric special character | <b>Description:</b> This field will contain the postal code of the billing party.                                                                                                                              |

## Billing and Shipping Edit Criteria

|                                                                                                          |                                                                                              |
|----------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------|
| <b>Ship to Postal Code</b><br>Positions: 138-157<br>Length: 20<br>Format: alphanumeric special character | <b>Description:</b> This field will contain the ship to postal code of the ship to location. |
| <b>Ship to State/Province Code</b><br>Positions: 158-160<br>Length: 3<br>Format: alphanumeric            | <b>Description:</b> This field will contain the ship to state/province code.                 |
| <b>Ship from Postal Code</b><br>Positions: 161-170<br>Length: 10<br>Format: alphanumeric                 | <b>Description:</b> This field will contain the ship from postal code.                       |

# TC 33.B - CP 51 TCR 3 Billing and Shipping (Cont'd)

These tables contain the Multipurpose Message (TC 33.B) record layout and edit criteria for CP 51 TCR 3 - BILLING AND SHIPPING (CONT'D).

## ITF - Incoming Interchange

### Billing and Shipping (Cont'd) Record Layout

| Position | Field Length | Format | Contents                              |
|----------|--------------|--------|---------------------------------------|
| 1-2      | 2            | UN     | Transaction Code                      |
| 3-4      | 2            | BINARY | Record Hash Total                     |
| 5        | 1            | UN     | Transaction Code Qualifier            |
| 6        | 1            | AN     | Transaction Component Sequence Number |
| 7-9      | 3            | AN     | Ship to Country Code                  |
| 10-49    | 40           | ANS    | Address Line 1                        |
| 50-89    | 40           | ANS    | Address Line 2                        |
| 90-139   | 50           | ANS    | City                                  |
| 140-159  | 20           | ANS    | State                                 |

### Billing and Shipping (Cont'd) Record Layout

| Position | Field Length | Format | Contents             |
|----------|--------------|--------|----------------------|
| 160-162  | 3            | AN     | Billing Country Code |
| 163-170  | 8            | AN     | Reserved             |

Format: AN = Alphanumeric, ANS = Alphanumeric Special, DX = Display Hexadecimal, N = Numeric, UN = Unpacked Numeric

### Billing and Shipping (Cont'd) Edit Criteria

|                                                                                                   |                                                                                                                                                                                                                |
|---------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Transaction Code</b><br>Positions: 1-2<br>Length: 2<br>Format: unpacked numeric                | <b>Description:</b> This field will contain the value of <b>33</b> .                                                                                                                                           |
| <b>Record Hash Total</b><br>Positions: 3-4<br>Length: 2<br>Format: binary                         | <b>Description:</b> Used in BASE II to ensure that the collection and delivery file data have been correctly transmitted.<br><br>The field must contain spaces for computers that do not generate hash totals. |
| <b>Transaction Code Qualifier</b><br>Positions: 5<br>Length: 1<br>Format: unpacked numeric        | <b>Description:</b> This field will contain the value of <b>0</b> (zero).                                                                                                                                      |
| <b>Transaction Component Sequence Number</b><br>Positions: 6<br>Length: 1<br>Format: alphanumeric | <b>Description:</b> This field will contain the value of <b>3</b> .                                                                                                                                            |
| <b>Ship to Country Code</b><br>Positions: 7-9<br>Length: 3<br>Format: alphanumeric                | <b>Description:</b> This field will contain the country code of the ship to location.                                                                                                                          |
| <b>Address Line 1</b><br>Positions: 10-49<br>Length: 40<br>Format: alphanumeric special character | <b>Description:</b> This field will contain the address line 1 of the billing location.                                                                                                                        |



### Billing and Shipping (Cont'd) Edit Criteria

|                                                                                                   |                                                                                                                                                                                               |
|---------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Address Line 2</b><br>Positions: 50-89<br>Length: 40<br>Format: alphanumeric special character | <b>Description:</b> This field will contain the address line 2 of the billing location.                                                                                                       |
| <b>City</b><br>Positions: 90-139<br>Length: 50<br>Format: alphanumeric special character          | <b>Description:</b> This field will contain the city of the billing location.                                                                                                                 |
| <b>State</b><br>Positions: 140-159<br>Length: 20<br>Format: alphanumeric special character        | <b>Description:</b> This field will contain the state of the billing location.                                                                                                                |
| <b>Billing Country Code</b><br>Positions: 160-162<br>Length: 3<br>Format: alphanumeric            | <b>Description:</b> This field will contain the ISO numeric three-digit country code of the billing location.<br><br><b>REFERENCE</b><br>For valid values, see <i>BASE II Clearing Data</i> . |
| <b>Reserved</b><br>Positions: 163-170<br>Length: 8<br>Format: alphanumeric                        | <b>Description:</b> This field will contain all <b>spaces</b> .                                                                                                                               |

## TC 33.B - CP 51 TCR 4 Merchant Data

These tables contain the Multipurpose Message (TC 33.B) record layout and edit criteria for CP 51 TCR 4 - MERCHANT DATA.

### ITF - Incoming Interchange

#### Merchant Data Record Layout

| Position | Field Length | Format | Contents          |
|----------|--------------|--------|-------------------|
| 1-2      | 2            | UN     | Transaction Code  |
| 3-4      | 2            | BINARY | Record Hash Total |

### Merchant Data Record Layout

| Position | Field Length | Format | Contents                              |
|----------|--------------|--------|---------------------------------------|
| 5        | 1            | UN     | Transaction Code Qualifier            |
| 6        | 1            | AN     | Transaction Component Sequence Number |
| 7-31     | 25           | ANS    | Merchant Name                         |
| 32-91    | 60           | ANS    | Merchant Street Address               |
| 92-104   | 13           | ANS    | Merchant City                         |
| 105-107  | 3            | AN     | Merchant State/Province Code          |
| 108-121  | 14           | ANS    | Merchant Postal Code                  |
| 122-124  | 3            | AN     | Merchant Country Code                 |
| 125-138  | 14           | ANS    | Merchant Telephone Number             |
| 139-151  | 13           | ANS    | Merchant URL/email                    |
| 152-155  | 4            | UN     | Merchant Category Code                |
| 156-165  | 10           | AN     | Merchant Verification Value           |
| 166-168  | 3            | AN     | Region Code                           |
| 169-170  | 2            | AN     | Reserved                              |

Format: AN = Alphanumeric, ANS = Alphanumeric Special, DX = Display Hexadecimal, N = Numeric, UN = Unpacked Numeric

### Merchant Data Edit Criteria

|                                                                                            |                                                                                                                                                                                                                |
|--------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Transaction Code</b><br>Positions: 1-2<br>Length: 2<br>Format: unpacked numeric         | <b>Description:</b> This field will contain the value of <b>33</b> .                                                                                                                                           |
| <b>Record Hash Total</b><br>Positions: 3-4<br>Length: 2<br>Format: binary                  | <b>Description:</b> Used in BASE II to ensure that the collection and delivery file data have been correctly transmitted.<br><br>The field must contain spaces for computers that do not generate hash totals. |
| <b>Transaction Code Qualifier</b><br>Positions: 5<br>Length: 1<br>Format: unpacked numeric | <b>Description:</b> This field will contain the value of <b>0</b> (zero).                                                                                                                                      |

### Merchant Data Edit Criteria

|                                                                                                            |                                                                                                                                                                    |
|------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Transaction Component Sequence Number</b><br>Positions: 6<br>Length: 1<br>Format: alphanumeric          | <b>Description:</b> This field will contain the value of <b>4</b> .                                                                                                |
| <b>Merchant Name</b><br>Positions: 7-31<br>Length: 25<br>Format: alphanumeric special character            | <b>Description:</b> This field will contain the merchant's name.                                                                                                   |
| <b>Merchant Street Address</b><br>Positions: 32-91<br>Length: 60<br>Format: alphanumeric special character | <b>Description:</b> This field will contain the merchant's street address.                                                                                         |
| <b>Merchant City</b><br>Positions: 92-104<br>Length: 13<br>Format: alphanumeric special character          | <b>Description:</b> This field will contain the merchant's city.                                                                                                   |
| <b>Merchant State/Province Code</b><br>Positions: 105-107<br>Length: 3<br>Format: alphanumeric             | <b>Description:</b> This field will contain the merchant's state or province code.                                                                                 |
| <b>Merchant Postal Code</b><br>Positions: 108-121<br>Length: 14<br>Format: alphanumeric special character  | <b>Description:</b> This field will contain the merchant's postal code.                                                                                            |
| <b>Merchant Country Code</b><br>Positions: 122-124<br>Length: 3<br>Format: alphanumeric                    | <b>Description:</b> This field will contain the merchant's ISO numeric three-digit country code.<br><br>For valid values, see <i>BASE II Clearing Data Codes</i> . |

## Merchant Data Edit Criteria

|                                                                                                                |                                                                                                                                                                                                                                 |
|----------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Merchant Telephone Number</b><br>Positions: 125-138<br>Length: 14<br>Format: alphanumeric special character | <b>Description:</b> This field will contain the merchant's telephone number.                                                                                                                                                    |
| <b>Merchant URL/email</b><br>Positions: 139-151<br>Length: 13<br>Format: alphanumeric special character        | <b>Description:</b> This field will contain the merchant's URL or e-mail address.                                                                                                                                               |
| <b>Merchant Category Code</b><br>Positions: 152-155<br>Length: 4<br>Format: unpacked numeric                   | <b>Description:</b> This field will contain the merchant's MCC.<br><br>For more information, see <i>Visa Core Rules</i> and <i>Visa Product and Service Rules</i> .                                                             |
| <b>Merchant Verification Value</b><br>Positions: 156-165<br>Length: 10<br>Format: alphanumeric                 | <b>Description:</b> This field will contain the merchant's MVV.<br><br>For more information, see <i>Visa Core Rules</i> and <i>Visa Product and Service Rules</i> .                                                             |
| <b>Region Code</b><br>Positions: 166-168<br>Length: 3<br>Format: alphanumeric                                  | <b>Description:</b> This field will contain the region code for the American Express card acceptor name and location data from Tag 12 in TLV Field 104, Usage 2-Transaction-Specific Data, Dataset ID 66-American Express Data. |
| <b>Reserved</b><br>Positions: 169-170<br>Length: 2<br>Format: alphanumeric                                     | <b>Description:</b> This field is reserved; space-filled.                                                                                                                                                                       |

# TC 33.B - CP 51 TCR 5 Installment Payment

These tables contain the Multipurpose Message (TC 33.B) record layout and edit criteria for CP 51 TCR 5 - INSTALLMENT PAYMENT.

## ITF - Incoming Interchange

### Installment Payment Record Layout

| Position | Field Length | Format | Contents                                         |
|----------|--------------|--------|--------------------------------------------------|
| 1-2      | 2            | UN     | Transaction Code                                 |
| 3-4      | 2            | BINARY | Record Hash Total                                |
| 5        | 1            | UN     | Transaction Code Qualifier                       |
| 6        | 1            | AN     | Transaction Component Sequence Number            |
| 7-18     | 12           | AN     | Installment Payment Total Amount                 |
| 19-21    | 3            | AN     | Installment Payment Currency Code                |
| 22-24    | 3            | AN     | Number of Installments                           |
| 25-36    | 3            | AN     | Amount of Each Installment                       |
| 37-39    | 3            | AN     | Installment Payment Number                       |
| 40       | 1            | AN     | Frequency of Installments                        |
| 41-42    | 2            | AN     | American Express Installment Plan Type           |
| 43-47    | 5            | AN     | Mastercard Interest Rate                         |
| 48-59    | 12           | AN     | Mastercard Installment Fee                       |
| 60-64    | 5            | AN     | Mastercard Annual Percentage Rate                |
| 65-76    | 12           | AN     | Mastercard Subsequent Installment Amount         |
| 77-78    | 2            | AN     | Mastercard Minimum Number of Installments        |
| 79-80    | 2            | AN     | Mastercard Maximum Number of Installments        |
| 81-100   | 20           | ANS    | Mastercard Croatia Domestic Card Acceptor Tax ID |
| 101-103  | 3            | AN     | Mastercard Greece Grace Period Details           |
| 104-109  | 6            | AN     | Mastercard Greece First Installment Due Date     |
| 110-112  | 3            | AN     | Mastercard Greece Financing Currency             |
| 113-170  | 58           | AN     | Reserved                                         |

Format: AN = Alphanumeric, ANS = Alphanumeric Special, DX = Display Hexadecimal, N = Numeric, UN = Unpacked Numeric

## Installment Payment Edit Criteria

|                                                                                                   |                                                                                                                                                                                                                |
|---------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Transaction Code</b><br>Positions: 1-2<br>Length: 2<br>Format: unpacked numeric                | <b>Description:</b> This field will contain the value of <b>33</b> .                                                                                                                                           |
| <b>Record Hash Total</b><br>Positions: 3-4<br>Length: 2<br>Format: binary                         | <b>Description:</b> Used in BASE II to ensure that the collection and delivery file data have been correctly transmitted.<br><br>The field must contain spaces for computers that do not generate hash totals. |
| <b>Transaction Code Qualifier</b><br>Positions: 5<br>Length: 1<br>Format: unpacked numeric        | <b>Description:</b> This field will contain the value of <b>0</b> (zero).                                                                                                                                      |
| <b>Transaction Component Sequence Number</b><br>Positions: 6<br>Length: 1<br>Format: alphanumeric | <b>Description:</b> This field will contain the value of <b>5</b> .                                                                                                                                            |
| <b>Installment Payment Total Amount</b><br>Positions: 7-18<br>Length: 12<br>Format: alphanumeric  | <b>Description:</b> This field will contain the total amount of all installment payments.                                                                                                                      |
| <b>Installment Payment Currency Code</b><br>Positions: 19-21<br>Length: 3<br>Format: alphanumeric | <b>Description:</b> This field will contain three-digit ISO numeric currency code for the installment payments.<br><br>For valid values, see <i>BASE II Clearing Data Codes</i> .                              |
| <b>Number of Installments</b><br>Positions: 22-24<br>Length: 3<br>Format: alphanumeric            | <b>Description:</b> This field will contain the number of installment payments.                                                                                                                                |
| <b>Amount of Each Installments</b><br>Positions: 25-36<br>Length: 3<br>Format: alphanumeric       | <b>Description:</b> This field will contain the amount of each installment payment.                                                                                                                            |

## Installment Payment Edit Criteria

|                                                                                                        |                                                                                                                                                                                                                                                                                                   |
|--------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Installment Payment Number</b><br>Positions: 37-39<br>Length: 3<br>Format: alphanumeric             | <b>Description:</b> This field will contain the number of the current installment payment.                                                                                                                                                                                                        |
| <b>Frequency of Installments</b><br>Positions: 40<br>Length: 1<br>Format: alphanumeric                 | <b>Description:</b> This field will contain the frequency of installment payments.                                                                                                                                                                                                                |
| <b>American Express Installment Plan Type</b><br>Positions: 41-42<br>Length: 2<br>Format: alphanumeric | <b>Description:</b> This field will contain the American Express installment plan type.                                                                                                                                                                                                           |
| <b>Mastercard Interest Rate</b><br>Positions: 43-47<br>Length: 5<br>Format: alphanumeric               | <b>Description:</b> This field will contain the Mastercard Global Installments - Issuer-calculated Interest Rate.<br>Mapping:<br>Destination depends on country-specific.<br>F104 U2 DSID 65 T06<br>=> MC DE112 SE 22 pos 3-7<br>=> MC DE112 SE 23 pos 5-9<br>=> MC DE112 SE 09 pos 5-9 (Georgia) |
| <b>Mastercard Installment Fee</b><br>Positions: 48-59<br>Length: 12<br>Format: alphanumeric            | <b>Description:</b> This field will contain the Mastercard Global Installments - Installment Fee.<br>Mapping:<br>Destination depends on country-specific.<br>F104 U2 DSID 65 T06<br>=> MC DE112 SE 22 pos 8-19<br>=> MC DE112 SE 23 pos 10-21                                                     |
| <b>Mastercard Annual Percentage Rate</b><br>Positions: 60-64<br>Length: 5<br>Format: alphanumeric      | <b>Description:</b> This field will contain the Mastercard Global Installments - Annual Percentage Rate.<br>Mapping:<br>Destination depends on country-specific.<br>F104 U2 DSID 65 T06<br>=> MC DE112 SE 22 pos 20-24<br>=> MC DE112 SE 23 pos 22-26                                             |

## Installment Payment Edit Criteria

|                                                                                                                                      |                                                                                                                                                                                                                                                                        |
|--------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Mastercard Subsequent Installment Amount</b><br>Positions: 65-76<br>Length: 12<br>Format: alphanumeric                            | <b>Description:</b> This field will contain the Mastercard Global Installments - Subsequent Installment Amount.<br>Mapping:<br>Destination depends on country-specific.<br>F104 U2 DSID 65 T06<br>=> MC DE112 SE 22 pos 37-48<br>=> MC DE112 SE 09 pos 22-33 (Georgia) |
| <b>Mastercard Minimum Number of Installments</b><br>Positions: 77-78<br>Length: 2<br>Format: alphanumeric                            | <b>Description:</b> This field will contain the Mastercard Global Installments - Minimum Number of Installments.<br>Mapping:<br>F104 U2 DSID 65 T06 => MC DE112 SE 23 pos 1-2                                                                                          |
| <b>Mastercard Maximum Number of Installments</b><br>Positions: 79-80<br>Length: 2<br>Format: alphanumeric                            | <b>Description:</b> This field will contain the Mastercard Global Installments - Maximum Number of Installments.<br>Mapping:<br>F104 U2 DSID 65 T06 => MC DE112 SE 23 pos 3-4                                                                                          |
| <b>Mastercard Croatia Domestic Card Acceptor Tax ID</b><br>Positions: 81-100<br>Length: 20<br>Format: alphanumeric special character | <b>Description:</b> This field will contain the Mastercard Global Installments Croatia - Domestic Card Acceptor Tax ID.<br>Mapping:<br>F104 U2 DSID 65 T06 => MC DE112 SE 20 pos 1-20                                                                                  |
| <b>Mastercard Greece Grace Period Details</b><br>Positions: 101-103<br>Length: 3<br>Format: alphanumeric                             | <b>Description:</b> This field will contain the Mastercard Global Installments for Greece - Grace Period.<br>Mapping:<br>F104 U2 DSID 65 T06 => MC DE112 SE 06 pos 5-7                                                                                                 |
| <b>Mastercard Greece First Installment Due Date</b><br>Positions: 104-109<br>Length: 6<br>Format: alphanumeric                       | <b>Description:</b> This field will contain the Mastercard Global Installments for Greece - First Installment Due Date.<br>Mapping:<br>F104 U2 DSID 65 T06 => MC DE112 SE 08 pos 13-18                                                                                 |



### Installment Payment Edit Criteria

|                                                                                                        |                                                                                                                                                                                                                                      |
|--------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Mastercard Greece Financing Currency</b><br>Positions: 110-112<br>Length: 3<br>Format: alphanumeric | <b>Description:</b> This field will contain the Mastercard Global Installments for Greece. This is the currency in which the issuer will finance the transaction.<br><br>Mapping:<br>F104 U2 DSID 65 T06 => MC DE112 SE 08 pos 19-21 |
| <b>Reserved</b><br>Positions: 113-170<br>Length: 58<br>Format: alphanumeric                            | <b>Description:</b> This field will contain <b>spaces</b> .                                                                                                                                                                          |

## TC 33.B - CP 51 TCR 6 Gateway Data

These tables contain the Multipurpose Message (TC 33.B) record layout and edit criteria for CP 51 TCR 6 - GATEWAY DATA.

### ITF - Incoming Interchange

#### Gateway Data Record Layout

| Position | Field Length | Format | Contents                                  |
|----------|--------------|--------|-------------------------------------------|
| 1-2      | 2            | UN     | Transaction Code                          |
| 3-4      | 2            | BINARY | Record Hash Total                         |
| 5        | 1            | UN     | Transaction Code Qualifier                |
| 6        | 1            | AN     | Transaction Component Sequence Number     |
| 7-16     | 10           | AN     | Time Stamp                                |
| 17-20    | 4            | AN     | Merchant Type Code                        |
| 21-23    | 3            | AN     | Mastercard POS Entry Mode                 |
| 24-25    | 2            | AN     | Mastercard POS PIN Capture Code           |
| 26-51    | 26           | AN     | Mastercard/American Express POS Data      |
| 52-61    | 10           | AN     | Mastercard Date and Time                  |
| 62-67    | 6            | AN     | Mastercard ICA                            |
| 68-73    | 6            | AN     | Mastercard Assigned ID (MAID)             |
| 74-75    | 2            | AN     | Mastercard Payment Initiation Channel     |
| 76-82    | 7            | AN     | Mastercard Electronic Commerce Indicators |

### Gateway Data Record Layout

| Position | Field Length | Format | Contents                                                              |
|----------|--------------|--------|-----------------------------------------------------------------------|
| 83-85    | 3            | AN     | Mastercard Service Code                                               |
| 86       | 1            | AN     | Mastercard Account Number Indicator                                   |
| 87-89    | 3            | AN     | Mastercard Product Code                                               |
| 90-92    | 3            | AN     | Mastercard Wallet Identifier                                          |
| 93       | 1            | AN     | Mastercard Electronic Commerce Indicators - Cardholder Authentication |
| 94-104   | 11           | AN     | Mastercard Payment Facilitator ID                                     |
| 105-115  | 11           | AN     | Mastercard Independent Sales Organization ID                          |
| 116-130  | 15           | AN     | Mastercard Sub-Merchant ID                                            |
| 131      | 1            | AN     | Mastercard Member-defined Data                                        |
| 132-133  | 2            | AN     | Mastercard Merchant on-behalf Service                                 |
| 134      | 1            | AN     | Mastercard Merchant on-behalf Results                                 |
| 135-136  | 2            | AN     | Mastercard Terminal Compliance Indicator                              |
| 137      | 1            | AN     | Mastercard Mobile Remote Payment Program Indicator                    |
| 138-139  | 2            | AN     | Mastercard Transaction Integrity Classification                       |
| 140      | 1            | AN     | Mastercard Reason for UCAF Collection Indicator Downgrade             |
| 141-142  | 2            | AN     | Mastercard E-ID Request Value                                         |
| 143-170  | 28           | AN     | Reserved                                                              |

Format: AN = Alphanumeric, ANS = Alphanumeric Special, DX = Display Hexadecimal, N = Numeric, UN = Unpacked Numeric

### Gateway Data Edit Criteria

|                                                                                    |                                                                                                                                                                                                                |
|------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Transaction Code</b><br>Positions: 1-2<br>Length: 2<br>Format: unpacked numeric | <b>Description:</b> This field will contain the value of <b>33</b> .                                                                                                                                           |
| <b>Record Hash Total</b><br>Positions: 3-4<br>Length: 2<br>Format: binary          | <b>Description:</b> Used in BASE II to ensure that the collection and delivery file data have been correctly transmitted.<br><br>The field must contain spaces for computers that do not generate hash totals. |

### Gateway Data Edit Criteria

|                                                                                                   |                                                                                                                                                                                                                                                                                                   |
|---------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Transaction Code Qualifier</b><br>Positions: 5<br>Length: 1<br>Format: unpacked numeric        | <b>Description:</b> This field will contain the value of <b>0</b> (zero).                                                                                                                                                                                                                         |
| <b>Transaction Component Sequence Number</b><br>Positions: 6<br>Length: 1<br>Format: alphanumeric | <b>Description:</b> This field will contain the value of <b>6</b> .                                                                                                                                                                                                                               |
| <b>Time Stamp</b><br>Positions: 7-16<br>Length: 10<br>Format: alphanumeric                        | <b>Description:</b> This field will contain the actual date and time that the request for the authorization was made based on GMT, in the following format: <b>mmddhhmmss</b> (month, day, hour, minute, second)                                                                                  |
| <b>Merchant Type Code</b><br>Positions: 17-20<br>Length: 4<br>Format: alphanumeric                | <b>Description:</b> This field will contain the merchant category code assigned by a non-Visa network.                                                                                                                                                                                            |
| <b>Mastercard POS Entry Mode</b><br>Positions: 21-23<br>Length: 3<br>Format: alphanumeric         | <b>Description:</b> This field will contain part of the data in ISO Field 116-Card Issuer Reference Data in the authorization response message.<br><br>This value is returned in Data Element (DE) 22 of the Mastercard response message and should be present in the Mastercard clearing record. |
| <b>Mastercard POS PIN Capture Code</b><br>Positions: 24-25<br>Length: 2<br>Format: alphanumeric   | <b>Description:</b> This field will contain part of the data in ISO Field 116 of the authorization response message.<br><br>This value is returned in DE 26 of the Mastercard response message and should be present in the Mastercard clearing record.                                           |

## Gateway Data Edit Criteria

|                                                                                                           |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
|-----------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Mastercard/American Express POS Data</b><br>Positions: 26-51<br>Length: 26<br>Format: alphanumeric     | <b>Description:</b> This field will contain part of the data in ISO Field 116 of the authorization response message.<br><br><b>For Mastercard transactions</b><br>This value is returned in DE 61 of the Mastercard response message and should be present in the Mastercard Clearing record. For Mastercard, the length of this field is variable, up to 29 bytes.<br><br>or<br><b>For American Express transactions</b><br>This value is returned in (Data Field) DF 22 of the American Express response message and should be present in the American Express Clearing record. For American Express, the length of this field is variable, up to 12 bytes. |
| <b>Mastercard Date and Time</b><br>Positions: 52-61<br>Length: 10<br>Format: alphanumeric                 | <b>Description:</b> This field will contain part of the data in ISO Field 116 - Card Issuer Reference Data of the authorization response message, in the following format: <b>mmddhhmmss</b> (month, day, hour, minute, second)<br><br>This field will contain data from Mastercard DE 48.15.<br><br>This field should be present in the Mastercard Clearing record.                                                                                                                                                                                                                                                                                          |
| <b>Mastercard ICA</b><br>Positions: 62-67<br>Length: 6<br>Format: alphanumeric                            | <b>Description:</b> This field will contain the Mastercard interbank card association (ICA) value as assigned by the acquirer.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
| <b>Mastercard Assigned ID (MAID)</b><br>Positions: 68-73<br>Length: 6<br>Format: alphanumeric             | <b>Description:</b> This field will contain the Mastercard-assigned ID (MAID) value.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
| <b>Mastercard Payment Initiation Channel</b><br>Positions: 74-75<br>Length: 2<br>Format: alphanumeric     | <b>Description:</b> This field will contain the Mastercard payment initiation channel value.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
| <b>Mastercard Electronic Commerce Indicators</b><br>Positions: 76-82<br>Length: 7<br>Format: alphanumeric | <b>Description:</b> This field will contain the Mastercard electronic commerce indicator value.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |

## Gateway Data Edit Criteria

|                                                                                                                                    |                                                                                                                                                                                                                               |
|------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Mastercard Service Code</b><br>Positions: 83-85<br>Length: 3<br>Format: alphanumeric                                            | <b>Description:</b> This field will contain the Mastercard service code value.                                                                                                                                                |
| <b>Mastercard Account Number Indicator</b><br>Positions: 86<br>Length: 1<br>Format: alphanumeric                                   | <b>Description:</b> This field will contain the Mastercard account number indicator value. Value from F104, Dataset ID. 65, Tag 0F. Mastercard Data element (DE) 48, Sub-element 33, Subfield 1.                              |
| <b>Mastercard Product Code</b><br>Positions: 87-89<br>Length: 3<br>Format: alphanumeric                                            | <b>Description:</b> This field will contain the Mastercard Product Code value, from F62.17 (POS 5-7).                                                                                                                         |
| <b>Mastercard Wallet Identifier</b><br>Positions: 90-92<br>Length: 3<br>Format: alphanumeric                                       | <b>Description:</b> This field will contain the Mastercard Wallet Identifier value. Value from F104, Dataset ID. 65, Tag 0C. Mastercard Data Element (DE) 48, Sub-element 26-PPOL Program Data, Subfield 1 (PPOL Identifier). |
| <b>Mastercard Electronic Commerce Indicators - Cardholder Authentication</b><br>Positions: 93<br>Length: 1<br>Format: alphanumeric | <b>Description:</b> This field contains the Mastercard Electronic Commerce Indicators - Cardholder Authentication.<br><br>Value:<br><b>4</b> = Digital secure remote payment with UCAF data                                   |
| <b>Mastercard Payment Facilitator ID</b><br>Positions: 94-104<br>Length: 11<br>Format: alphanumeric                                | <b>Description:</b> This field contains the Mastercard Payment Facilitator ID.                                                                                                                                                |
| <b>Mastercard Independent Sales Organization ID</b><br>Positions: 105-115<br>Length: 11<br>Format: alphanumeric                    | <b>Description:</b> This field contains Mastercard Independent Sales Organization ID.                                                                                                                                         |

### Gateway Data Edit Criteria

|                                                                                                            |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
|------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Mastercard sub-Merchant ID</b><br>Positions: 116-130<br>Length: 15<br>Format: alphanumeric              | <b>Description:</b> This field contains the Mastercard Sub-Merchant ID.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
| <b>Mastercard Member defined Data</b><br>Positions: 131<br>Length: 1<br>Format: alphanumeric               | <b>Description:</b> This field will contain one of the following values to indicate the transaction qualifies for a government program, which map to Mastercard Data Element DE 48, Sub-element 17:<br><b>1</b> (Transaction qualified for Authentication Service Type 1)<br><b>2</b> (Transaction qualified for Authentication Service Type 2)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
| <b>Mastercard Merchant on-behalf Service</b><br>Positions: 132-133<br>Length: 2<br>Format: alphanumeric    | <b>Description:</b> This field will contain a fix value of <b>53</b> .                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
| <b>Mastercard Merchant on-behalf Results</b><br>Positions: 134<br>Length: 1<br>Format: alphanumeric        | <b>Description:</b> This field will contain the Merchant on-behalf Results.<br>Values:<br><b>C</b> (Service completed successfully)<br><b>F</b> (Incorrect POS entry mode code (not equal to 81) for an authorization or reversal message)<br><b>F</b> (Incorrect POS entry mode (not equal to 01), for authorization request of token request and token requestor card on file transactions)<br><b>F</b> (Token Requestor ID required based on the token requestor ID validation bypass parameter, not present or not formatted incorrectly)<br><b>I</b> (Token requestor ID invalid)<br><b>I</b> (Token suspended or deactivated)<br><b>I</b> (Token invalid, not found on mapping table)<br><b>T</b> (Token requestor ID/Token combination invalid)<br><b>U</b> (Unable to process - token expired)<br><b>W</b> (PAN listed in the electronic warning bulletin) |
| <b>Mastercard Terminal Compliance Indicator</b><br>Positions: 135-136<br>Length: 2<br>Format: alphanumeric | <b>Description:</b> This field will contain a MC terminal compliance indicator, for India.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |

## Gateway Data Edit Criteria

|                                                                                                                             |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
|-----------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Mastercard Mobile Remote Payment Program Indicator</b><br><br>Positions: 137<br>Length: 1<br>Format: alphanumeric        | <b>Description:</b> This field will contain the mobile remote program indicator.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
| <b>Mastercard Transaction Integrity Classification</b><br><br>Positions: 138-139<br>Length: 2<br>Format: alphanumeric       | <b>Description:</b> This field will contain one of these values for card and cardholder present transactions: <ul style="list-style-type: none"> <li>• <b>A1</b> (EMV/Token in a secure trusted environment)</li> <li>• <b>B1</b> (EMV/Chip equivalent)</li> <li>• <b>C1</b> (Mag stripe)</li> <li>• <b>E1</b> (Key entered)</li> <li>• <b>U0</b> (Unclassified)</li> </ul> This field will contain one of these values for card and/or cardholder not present transactions: <ul style="list-style-type: none"> <li>• <b>A2</b> (Digital transactions)</li> <li>• <b>B2</b> (Authenticated checkout)</li> <li>• <b>C2</b> (Transaction validation)</li> <li>• <b>D2</b> (Enhanced data)</li> <li>• <b>E2</b> (Generic messaging)</li> <li>• <b>U0</b> (Unclassified)</li> </ul> <p><b>Note:</b> The value in this field comes from the 0100 Mastercard authorization response.</p> |
| <b>Mastercard Reason for UCAF Collection Indicator Downgrade</b><br><br>Positions: 140<br>Length: 1<br>Format: alphanumeric | <b>Description:</b> This field will contain an indicator for Mastercard SecureCode e-commerce transactions when the transaction was downgraded because of a missing or invalid universal cardholder authentication field (UCAF).<br>Values: <ul style="list-style-type: none"> <li>• <b>0</b> (Missing UCAF)</li> <li>• <b>1</b> (Invalid UCAF)</li> <li>• <b>Space</b> (Not applicable)</li> </ul> <p><b>Note:</b> Source: F116 DS67 T05 SF3</p>                                                                                                                                                                                                                                                                                                                                                                                                                                  |

### Gateway Data Edit Criteria

|                                                                                                 |                                                                                                                                                                                    |
|-------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Mastercard E-ID Request Value</b><br>Positions: 141-142<br>Length: 2<br>Format: alphanumeric | <b>Description:</b> This field will contain the E-ID provided by the issuer for card-not-present transactions in Poland.<br><br>Mapping:<br>F104 DSID 65 T35 => MC DE 48 SE 53 SF1 |
| <b>Reserved</b><br>Positions: 143-170<br>Length: 28<br>Format: alphanumeric                     | <b>Description:</b> This field is reserved; space-filled.                                                                                                                          |

## TC 33.B - CP 51 TCR 7 Gateway Data (Cont'd)

These tables contain the Multipurpose Message (TC 33.B) record layout and edit criteria for CP 51 TCR 7 - GATEWAY DATA (CONT'D).

### ITF - Incoming Interchange

#### Gateway Data (Cont'd) Record Layout

| Position | Field Length | Format | Contents                                                              |
|----------|--------------|--------|-----------------------------------------------------------------------|
| 1-2      | 2            | UN     | Transaction Code                                                      |
| 3-4      | 2            | BINARY | Record Hash Total                                                     |
| 5        | 1            | UN     | Transaction Code Qualifier                                            |
| 6        | 1            | AN     | Transaction Component Sequence Number                                 |
| 7        | 1            | AN     | Mastercard Electronic Commerce Indicators - UCAF Collection Indicator |
| 8-36     | 29           | AN     | Diners/Discover Network Information                                   |
| 37-82    | 46           | AN     | Diners/Discover Transaction Qualifier                                 |
| 83-97    | 15           | AN     | Gateway Transaction Identifier                                        |
| 98-101   | 4            | AN     | Response Data - Merchant Advice Code                                  |
| 102-170  | 69           | AN     | Reserved                                                              |

Format: AN = Alphanumeric, ANS = Alphanumeric Special, DX = Display Hexadecimal, N = Numeric, UN = Unpacked Numeric



### Gateway Data (Cont'd) Edit Criteria

|                                                                                                                                   |                                                                                                                                                                                                                                                                                                                                                     |
|-----------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Transaction Code</b><br>Positions: 1-2<br>Length: 2<br>Format: unpacked numeric                                                | <b>Description:</b> This field will contain the value of <b>33</b> .                                                                                                                                                                                                                                                                                |
| <b>Record Hash Total</b><br>Positions: 3-4<br>Length: 2<br>Format: binary                                                         | <b>Description:</b> Used in BASE II to ensure that the collection and delivery file data have been correctly transmitted.<br><br>The field must contain spaces for computers that do not generate hash totals.                                                                                                                                      |
| <b>Transaction Code Qualifier</b><br>Positions: 5<br>Length: 1<br>Format: unpacked numeric                                        | <b>Description:</b> This field will contain the value of <b>0</b> (zero).                                                                                                                                                                                                                                                                           |
| <b>Transaction Component Sequence Number</b><br>Positions: 6<br>Length: 1<br>Format: alphanumeric                                 | <b>Description:</b> This field will contain the value of <b>7</b> .                                                                                                                                                                                                                                                                                 |
| <b>Mastercard Electronic Commerce Indicators - UCAF Collection Indicator</b><br>Positions: 7<br>Length: 1<br>Format: alphanumeric | <b>Description:</b> Mastercard Electronic Commerce Indicators - UCAF Collection Indicator<br><br>Value: The new value of <b>7</b> .<br><b>7</b> = (Partial shipment or recurring payment) for digital secure remote payment authorization.)                                                                                                         |
| <b>Diners/Discover Network Information</b><br>Positions: 8-36<br>Length: 29<br>Format: alphanumeric                               | <b>Description:</b> This field will contain part of the data contained in ISO Field 116-Card Issuer Reference Data of the authorization response message.<br><br>This value is returned in Field 48 of the response message and is used in the Diners/Discover clearing record.<br><br>The length of this field is variable, up to 29 bytes.        |
| <b>Diners/Discover Transaction Qualifier</b><br>Positions: 37-82<br>Length: 46<br>Format: alphanumeric                            | <b>Description:</b> This field will contain part of the data contained in ISO Field 116-Card Issuer Reference Data of the authorization response message.<br><br>This value is returned in Field 124 of the response message and is to be used in the Diners/Discover clearing record.<br><br>The length of this field is variable, up to 46 bytes. |

### Gateway Data (Cont'd) Edit Criteria

|                                                                                                     |                                                                                                                                                                                                                                                                                                         |
|-----------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Gateway Transaction Identifier</b><br>Positions: 83-97<br>Length: 15<br>Format: alphanumeric     | <b>Description:</b> This field will contain the transaction identifier assigned by the gateway network in Field 62.17.<br><br>For American Express transactions, the value of this field is carried in Field 31.<br><br>For Mastercard transactions, the value in this field is defined by the network. |
| <b>Response Data-Merchant Advice Code</b><br>Positions: 98-101<br>Length: 4<br>Format: alphanumeric | <b>Description:</b> This field will contain the merchant advice code received from Mastercard in the authorization response message.<br><br>The valid values correspond to Mastercard's definition of DE 48.84.                                                                                         |
| <b>Reserved</b><br>Positions: 102-170<br>Length: 69<br>Format: alphanumeric                         | <b>Description:</b> This field will contain all <b>spaces</b> .                                                                                                                                                                                                                                         |

## TC 33.B - CP 51 TCR 8 Supplemental Data (Cont'd)

These tables contain the Multipurpose Message (TC 33.B) record layout and edit criteria for CP 51 TCR 8 - SUPPLEMENTAL DATA (CONT'D).

### ITF - Incoming Interchange

#### Supplemental Data Record Layout

| Position | Field Length | Format | Contents                                                 |
|----------|--------------|--------|----------------------------------------------------------|
| 1-2      | 2            | UN     | Transaction Code                                         |
| 3-4      | 2            | BINARY | Record Hash Total                                        |
| 5        | 1            | UN     | Transaction Code Qualifier                               |
| 6        | 1            | AN     | Transaction Component Sequence Number                    |
| 7-14     | 8            | AN     | Surcharge Amount                                         |
| 15       | 1            | AN     | Surcharge Credit/Debit Indicator                         |
| 16       | 1            | AN     | DCC (Dynamic Currency Conversion) - Conversion Indicator |
| 17-25    | 9            | AN     | Cashback Amount                                          |

### Supplemental Data Record Layout

| Position | Field Length | Format | Contents                               |
|----------|--------------|--------|----------------------------------------|
| 26-40    | 15           | AN     | Acquirer Merchant ID                   |
| 41-42    | 2            | AN     | Token Assurance Method                 |
| 43-53    | 11           | AN     | Token Requestor ID                     |
| 54-72    | 19           | AN     | PAN Account Range                      |
| 73       | 1            | AN     | Regulated/Non-Regulated Status         |
| 74-78    | 5            | AN     | Agent Unique ID                        |
| 79-80    | 2            | AN     | CAVV Version and Authentication Action |
| 81-109   | 29           | AN     | Payment Account Reference Number (PAR) |
| 110-111  | 2            | AN     | Business Application Identifier (BAI)  |
| 112-126  | 15           | AN     | Merchant Tax ID                        |
| 127      | 1            | AN     | Special Condition Indicator            |
| 128-170  | 43           | AN     | Reserved                               |

Format: AN = Alphanumeric, ANS = Alphanumeric Special, DX = Display Hexadecimal, N = Numeric, UN = Unpacked Numeric

### Supplemental Data Edit Criteria

|                                                                                            |                                                                                                                                                                                                                |
|--------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Transaction Code</b><br>Positions: 1-2<br>Length: 2<br>Format: unpacked numeric         | <b>Description:</b> This field will contain the value of <b>33</b> .                                                                                                                                           |
| <b>Record Hash Total</b><br>Positions: 3-4<br>Length: 2<br>Format: binary                  | <b>Description:</b> Used in BASE II to ensure that the collection and delivery file data have been correctly transmitted.<br><br>The field must contain spaces for computers that do not generate hash totals. |
| <b>Transaction Code Qualifier</b><br>Positions: 5<br>Length: 1<br>Format: unpacked numeric | <b>Description:</b> This field will contain the value of <b>0</b> (zero).                                                                                                                                      |

## Supplemental Data Edit Criteria

|                                                                                                                       |                                                                                                                                                                                                                                                                                                            |
|-----------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Transaction Component Sequence Number</b><br>Positions: 6<br>Length: 1<br>Format: alphanumeric                     | <b>Description:</b> This field will contain the value of <b>8</b> .                                                                                                                                                                                                                                        |
| <b>Surcharge Amount</b><br>Positions: 7-14<br>Length: 8<br>Format: alphanumeric                                       | <b>Description:</b> This field will contain an assessed transaction surcharge for informational purposes only.<br><br><b>Note:</b> Two decimal positions are implied.                                                                                                                                      |
| <b>Surcharge Credit/Debit Indicator</b><br>Positions: 15<br>Length: 1<br>Format: alphanumeric                         | <b>Description:</b> When the Surcharge Amount field is used, this field will indicate whether the charge is a debit or a credit.<br>Values:<br><ul style="list-style-type: none"> <li>• <b>C</b> (Credit)</li> <li>• <b>D</b> (Debit)</li> <li>• <b>Space</b> (Not used)</li> </ul>                        |
| <b>DCC (Dynamic Currency Conversion) - Conversion Indicator</b><br>Positions: 16<br>Length: 1<br>Format: alphanumeric | <b>Description:</b> This field will contain a value that indicates whether dynamic currency conversion (DCC) has been applied.<br>Values:<br><ul style="list-style-type: none"> <li>• <b>1</b> (DCC performed)</li> <li>• <b>Space</b> (DCC not performed)</li> </ul>                                      |
| <b>Cashback Amount</b><br>Positions: 17-25<br>Length: 9<br>Format: alphanumeric                                       | <b>Description:</b> This field will contain the cashback amount submitted in the authorization request.                                                                                                                                                                                                    |
| <b>Acquirer Merchant ID</b><br>Positions: 26-40<br>Length: 15<br>Format: alphanumeric                                 | <b>Description:</b> This field will contain the MDEX identifier ID value assigned by the acquirer.                                                                                                                                                                                                         |
| <b>Token Assurance Method</b><br>Positions: 41-42<br>Length: 2<br>Format: alphanumeric                                | <b>Description:</b> For transactions that contain token-specific data, this field will contain the token assurance value that indicates the confidence level of the token to PAN mapping.<br><br>For all transactions that do not contain token-specific data, this field will contain all <b>spaces</b> . |

## Supplemental Data Edit Criteria

|                                                                                                          |                                                                                                                                                                                                                                                                                                                                                                      |
|----------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Token Requestor ID</b><br>Positions: 43-53<br>Length: 11<br>Format: alphanumeric                      | <b>Description:</b> This field will contain the token requestor ID.                                                                                                                                                                                                                                                                                                  |
| <b>PAN Account Range</b><br>Positions: 54-72<br>Length: 19<br>Format: alphanumeric                       | <b>Description:</b> For transactions that contain token-specific data, this field will contain a variable length value of 9 to 19 digits. The value can be either the first nine digits of the PAN account range, or up to the full cardholder PAN.<br><br>For all transactions that do not contain token-specific data, this field will contain all <b>spaces</b> . |
| <b>Regulated/Non-Regulated Status</b><br>Positions: 73<br>Length: 1<br>Format: alphanumeric              | <b>Description:</b> This field will contain one of these values to indicate the status of the account range: <ul style="list-style-type: none"> <li>• <b>R</b> (Regulated)</li> <li>• <b>N</b> (Non-regulated)</li> </ul>                                                                                                                                            |
| <b>Agent Unique ID</b><br>Positions: 74-78<br>Length: 5<br>Format: alphanumeric                          | <b>Description:</b> This field will contain a fix value of <b>VCIND</b> , for Visa Click to Pay transactions.                                                                                                                                                                                                                                                        |
| <b>CAVV Version and Authentication Action</b><br>Positions: 79-80<br>Length: 2<br>Format: alphanumeric   | <b>Description:</b> This field will contain the CAVV Version and Authentication Action, as indicated in V.I.P. Field 126.9, Usage 3-#D Secure CAVV revised format, position 7.                                                                                                                                                                                       |
| <b>Payment Account Reference Number (PAR)</b><br>Positions: 81-109<br>Length: 29<br>Format: alphanumeric | <b>Description:</b> This field will contain the payment account reference value, generated by VisaNet.                                                                                                                                                                                                                                                               |
| <b>Business Application Identifier (BAI)</b><br>Positions: 110-111<br>Length: 2<br>Format: alphanumeric  | <b>Description:</b> This field must contain a value Business Application Identifier (BAI) or spaces.                                                                                                                                                                                                                                                                 |
| <b>Merchant Tax ID</b><br>Positions: 112-126<br>Length: 15<br>Format: alphanumeric                       | <b>Description:</b> This field contains the Merchant Tax ID for countries which mandate it in clearing.                                                                                                                                                                                                                                                              |

### Supplemental Data Edit Criteria

|                                                                                           |                                                                                                 |
|-------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------|
| <b>Special Condition Indicator</b><br>Positions: 127<br>Length: 1<br>Format: alphanumeric | <b>Description:</b> This field will contain a value of <b>9</b> indicating "Payment on a Dept". |
| <b>Reserved</b><br>Positions: 128-170<br>Length: 43<br>Format: alphanumeric               | <b>Description:</b> This field is reserved; space-filled.                                       |

## TC 33.B - CP 51 TCR 9 Intra-Country Data - Colombia National Data

These tables contain the Multipurpose Message (TC 33.B) record layout and edit criteria for CP 51 TCR 9 - INTRA-COUNTRY DATA - COLUMBIA NATIONAL DATA.

### Intra-Country Data-Columbia National Data Record Layout

| Position | Field Length | Format | Contents                              |
|----------|--------------|--------|---------------------------------------|
| 1-2      | 2            | UN     | Transaction Code                      |
| 3-4      | 2            | BINARY | Record Hash Total                     |
| 5        | 1            | UN     | Transaction Code Qualifier            |
| 6        | 1            | AN     | Transaction Component Sequence Number |
| 7-9      | 3            | AN     | Country Code                          |
| 10-132   | 123          | AN     | National Net Domestic Token Data      |
| 133-170  | 38           | AN     | Reserved                              |

Format: AN = Alphanumeric, ANS = Alphanumeric Special, DX = Display Hexadecimal, N = Numeric, UN = Unpacked Numeric

### Intra-Country Data-Columbia National Data Edit Criteria

|                                                                                                     |                                                                                                                                                                                                                 |
|-----------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Transaction Code</b><br>Positions: 1-2<br>Length: 2<br>Format: unpacked numeric                  | <b>Description:</b> This field will contain the value of <b>33</b> (TC 33.B capture transactions (Merchant)).                                                                                                   |
| <b>Record Hash Total</b><br>Positions: 3-4<br>Length: 2<br>Format: binary                           | <b>Description:</b> This field must contain spaces for computers that do not generate hash totals.<br><br>Used in BASE II to ensure that the collection and delivery file data have been correctly transmitted. |
| <b>Transaction Code Qualifier</b><br>Positions: 5<br>Length: 1<br>Format: unpacked numeric          | <b>Description:</b> This field will contain the value of <b>0</b> (zero).                                                                                                                                       |
| <b>Transaction Component Sequence Number</b><br>Positions: 6<br>Length: 1<br>Format: alphanumeric   | <b>Description:</b> This field will contain the value of <b>0</b> (zero).                                                                                                                                       |
| <b>Country Code</b><br>Positions: 7-9<br>Length: 3<br>Format: alphanumeric                          | <b>Description:</b> This field will contain the 3-digit International Organization of Standardization (ISO) country code value of <b>170</b> (Colombia).                                                        |
| <b>National Net Domestic Token Data</b><br>Positions: 10-132<br>Length: 123<br>Format: alphanumeric | <b>Description:</b> This field will contain the National Net Domestic Private Data ("Token" in Colombian processing terminology).                                                                               |
| <b>Reserved</b><br>Positions: 133-170<br>Length: 38<br>Format: alphanumeric                         | <b>Description:</b> This field is reserved; space-filled.                                                                                                                                                       |

# TC 33.B - CP 51 TCR 9 Intra-Country Data - Japan National Data

These tables contain the Multipurpose Message (TC 33.B) record layout and edit criteria for CP 51 TCR 9 - INTRA-COUNTRY DATA - JAPAN NATIONAL DATA.

## Intra-Country Data-Japan National Data Record Layout

| Position | Field Length | Format | Contents                              |
|----------|--------------|--------|---------------------------------------|
| 1-2      | 2            | UN     | Transaction Code                      |
| 3-4      | 2            | BINARY | Record Hash Total                     |
| 5        | 1            | UN     | Transaction Code Qualifier            |
| 6        | 1            | AN     | Transaction Component Sequence Number |
| 7-9      | 3            | AN     | Country Code                          |
| 10       | 1            | AN     | Number of Bonus Payments              |
| 11       | 1            | AN     | Bonus Month Sign                      |
| 12-15    | 4            | AN     | Bonus Amount                          |
| 16-18    | 3            | AN     | Number of Installment Payments        |
| 19-20    | 2            | AN     | Payment Mode                          |
| 21-28    | 8            | AN     | Net Sales Amount                      |
| 29-36    | 8            | AN     | Tax and Mailing Charge                |
| 37-53    | 17           | AN     | Sales Draft Reference Number          |
| 54-68    | 15           | AN     | Acquiring Bank/Merchant Number        |
| 69-91    | 23           | AN     | Merchant Name-Katakana                |
| 92-131   | 40           | AN     | Merchant Name-Kanji                   |
| 132-170  | 39           | AN     | Reserved                              |

Format: AN = Alphanumeric, ANS = Alphanumeric Special, DX = Display Hexadecimal, N = Numeric, UN = Unpacked Numeric



## Intra-Country Data-Japan National Data Edit Criteria

|                                                                                                   |                                                                                                                                                                                                                                                                        |
|---------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Transaction Code</b><br>Positions: 1-2<br>Length: 2<br>Format: unpacked numeric                | <b>Description:</b> This field will contain the value of <b>33</b> .                                                                                                                                                                                                   |
| <b>Record Hash Total</b><br>Positions: 3-4<br>Length: 2<br>Format: binary                         | <b>Description:</b> Used in BASE II to ensure that the collection and delivery file data have been correctly transmitted.<br><br>The field must contain spaces for computers that do not generate hash totals.                                                         |
| <b>Transaction Code Qualifier</b><br>Positions: 5<br>Length: 1<br>Format: unpacked numeric        | <b>Description:</b> This field will contain the value of <b>0</b> (zero).                                                                                                                                                                                              |
| <b>Transaction Component Sequence Number</b><br>Positions: 6<br>Length: 1<br>Format: alphanumeric | <b>Description:</b> This field will contain the value of <b>9</b> .                                                                                                                                                                                                    |
| <b>Country Code</b><br>Positions: 7-9<br>Length: 3<br>Format: alphanumeric                        | <b>Description:</b> This field will contain the 3-digit ISO country code value of <b>392</b> (Japan).                                                                                                                                                                  |
| <b>Number of Bonus Payments</b><br>Positions: 10<br>Length: 1<br>Format: alphanumeric             | <b>Description:</b> This field will contain the number of lump sum bonus payments that the cardholder will make.<br><br><b>REFERENCE</b><br>For valid values, see <i>BASE II Clearing Data Codes</i> .                                                                 |
| <b>Bonus Month Sign</b><br>Positions: 11<br>Length: 1<br>Format: alphanumeric                     | <b>Description:</b> This field will contain a code that represents the month(s) that the cardholder will make a bonus payment. The code is preset between acquirers and issuers.<br><br><b>REFERENCE</b><br>For valid values, see <i>BASE II Clearing Data Codes</i> . |
| <b>Bonus Amount</b><br>Positions: 12-15<br>Length: 4<br>Format: alphanumeric                      | <b>Description:</b> This field will contain the add-on amount the cardholder will pay as a bonus payment in Yen 1000.                                                                                                                                                  |

## Intra-Country Data-Japan National Data Edit Criteria

|                                                                                                 |                                                                                                                                                                                                    |
|-------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Number of Installment Payments</b><br>Positions: 16-18<br>Length: 3<br>Format: alphanumeric  | <b>Description:</b> This field will contain the number of installment payments.                                                                                                                    |
| <b>Payment Mode</b><br>Positions: 19-20<br>Length: 2<br>Format: alphanumeric                    | <b>Description:</b> This field will contain a code that indicates the type of bonus or installment payments.<br><br><b>REFERENCE</b><br>For valid values, see <i>BASE II Clearing Data Codes</i> . |
| <b>Net Sales Amount</b><br>Positions: 21-28<br>Length: 8<br>Format: alphanumeric                | <b>Description:</b> This field will contain the sales amount of the goods and services before tax and mailing charges.                                                                             |
| <b>Tax and Mailing Charge</b><br>Positions: 29-36<br>Length: 8<br>Format: alphanumeric          | <b>Description:</b> This field will contain the tax and mailing charge portion of transaction.                                                                                                     |
| <b>Sales Draft Reference Number</b><br>Positions: 37-53<br>Length: 17<br>Format: alphanumeric   | <b>Description:</b> This field will contain the reference number for the sales draft.                                                                                                              |
| <b>Acquiring Bank/Merchant Number</b><br>Positions: 54-68<br>Length: 15<br>Format: alphanumeric | <b>Description:</b> This field will contain an identifying number for the acquiring bank or MDEX identifier.                                                                                       |
| <b>Merchant Name-Katakana</b><br>Positions: 69-91<br>Length: 23<br>Format: alphanumeric         | <b>Description:</b> This field will contain the merchant name in single-byte characters. This field is EBCDIC-K encoded (Codepage: IBM290 (60290)).                                                |

### Intra-Country Data-Japan National Data Edit Criteria

|                                                                                       |                                                                                                                                                                 |
|---------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Merchant Name-Kanji</b><br>Positions: 92-131<br>Length: 40<br>Format: alphanumeric | <b>Description:</b> This field will contain the merchant's name in double-byte characters. This field is double-byte DBCS-Host encoded (Codepage: IBM939 DBCS). |
| <b>Reserved</b><br>Positions: 132-170<br>Length: 39<br>Format: alphanumeric           | <b>Description:</b> This field will contain all <b>spaces</b> .                                                                                                 |

## TC 33.B - CP 51 TCR 9 Intra-Country Data - South Africa National Data

These tables contain the Multipurpose Message (TC 33.B) record layout and edit criteria for CP 51 TCR 9 - INTRA-COUNTRY DATA - SOUTH AFRICA NATIONAL DATA.

### Intra-Country Data-South Africa National Data Record Layout

| Position | Field Length | Format | Contents                              |
|----------|--------------|--------|---------------------------------------|
| 1-2      | 2            | UN     | Transaction Code                      |
| 3-4      | 2            | BINARY | Record Hash Total                     |
| 5        | 1            | UN     | Transaction Code Qualifier            |
| 6        | 1            | AN     | Transaction Component Sequence Number |
| 7-9      | 3            | AN     | Country Code                          |
| 10-11    | 2            | AN     | Budget                                |
| 12-170   | 159          | AN     | Reserved                              |

Format: AN = Alphanumeric, ANS = Alphanumeric Special, DX = Display Hexadecimal, N = Numeric, UN = Unpacked Numeric

### Intra-Country Data-South Africa National Data Edit Criteria

|                                                                                                   |                                                                                                                                                                                                                |
|---------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Transaction Code</b><br>Positions: 1-2<br>Length: 2<br>Format: unpacked numeric                | <b>Description:</b> This field will contain the value of <b>33</b> .                                                                                                                                           |
| <b>Record Hash Total</b><br>Positions: 3-4<br>Length: 2<br>Format: binary                         | <b>Description:</b> Used in BASE II to ensure that the collection and delivery file data have been correctly transmitted.<br><br>The field must contain spaces for computers that do not generate hash totals. |
| <b>Transaction Code Qualifier</b><br>Positions: 5<br>Length: 1<br>Format: unpacked numeric        | <b>Description:</b> This field will contain the value of <b>0</b> (zero).                                                                                                                                      |
| <b>Transaction Component Sequence Number</b><br>Positions: 6<br>Length: 1<br>Format: alphanumeric | <b>Description:</b> This field will contain the value of <b>9</b> .                                                                                                                                            |
| <b>Country Code</b><br>Positions: 7-9<br>Length: 3<br>Format: alphanumeric                        | <b>Description:</b> This field will contain the ISO three-digit country code value of <b>710</b> (South Africa).                                                                                               |
| <b>Budget</b><br>Positions: 10-11<br>Length: 2<br>Format: alphanumeric                            | <b>Description:</b> This contains the number of monthly installment payments.                                                                                                                                  |
| <b>Reserved</b><br>Positions: 12-170<br>Length: 159<br>Format: alphanumeric                       | <b>Description:</b> This field will contain all <b>spaces</b> .                                                                                                                                                |

# TC 33.B - CP 51 TCR 9 Intra-Country Data - Brazil National Data

These tables contain the Multipurpose Message (TC 33.B) record layout and edit criteria for CP 51 TCR 9 - INTRA-COUNTRY DATA - BRAZIL NATIONAL DATA.

## ITF - Incoming Interchange

### Intra-Country Data-Brazil National Data Record Layout

| Position | Field Length | Format | Contents                              |
|----------|--------------|--------|---------------------------------------|
| 1-2      | 2            | UN     | Transaction Code                      |
| 3-4      | 2            | BINARY | Record Hash Total                     |
| 5        | 1            | UN     | Transaction Code Qualifier            |
| 6        | 1            | AN     | Transaction Component Sequence Number |
| 7-9      | 3            | AN     | Country Code                          |
| 10-21    | 12           | N      | Total Amount                          |
| 22-24    | 3            | AN     | Currency Code                         |
| 25-27    | 3            | AN     | Number of Installments                |
| 28-39    | 12           | N      | Amount of Each Installment            |
| 40-42    | 3            | N      | Installment Payment Number            |
| 43       | 1            | AN     | Frequency of Installments             |
| 44-49    | 6            | AN     | Date of First Installment             |
| 50-61    | 12           | N      | Total Amount Funded                   |
| 62-65    | 4            | N      | Percent of Amount Requested           |
| 66-77    | 12           | N      | Total Expenses                        |
| 78-81    | 4            | N      | Percent of Total Expense              |
| 82-93    | 12           | N      | Total Fees                            |
| 94-97    | 4            | N      | Percent of Total Fees                 |
| 98-109   | 12           | N      | Total Taxes                           |
| 110-113  | 4            | N      | Percent of Total Taxes                |
| 114-125  | 12           | N      | Total Insurance                       |
| 126-129  | 4            | N      | Percent of Total Insurance            |

### Intra-Country Data-Brazil National Data Record Layout

| Position | Field Length | Format | Contents                       |
|----------|--------------|--------|--------------------------------|
| 130-141  | 12           | N      | Total Other Costs              |
| 142-145  | 4            | N      | Percent of Total Other Costs   |
| 146-152  | 7            | N      | Monthly Interest Rate          |
| 153-159  | 7            | N      | Annual Interest Rate           |
| 160-166  | 7            | N      | Annual Total Cost of Financing |
| 167      | 1            | AN     | Installment Payment Type       |
| 168-170  | 3            | AN     | Reserved                       |

Format: AN = Alphanumeric, ANS = Alphanumeric Special, DX = Display Hexadecimal, N = Numeric, UN = Unpacked Numeric

### Intra-Country Data-Brazil National Data Edit Criteria

|                                                                                                   |                                                                              |
|---------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------|
| <b>Transaction Code</b><br>Positions: 1-2<br>Length: 2<br>Format: unpacked numeric                | <b>Description:</b> This field will contain the value of <b>33</b> .         |
| <b>Record Hash Total</b><br>Positions: 3-4<br>Length: 2<br>Format: binary                         | <b>Description:</b> This field will contain the record hash total or spaces. |
| <b>Transaction Code Qualifier</b><br>Positions: 5<br>Length: 1<br>Format: unpacked numeric        | <b>Description:</b> This field will contain the value of <b>0</b> .          |
| <b>Transaction Component Sequence Number</b><br>Positions: 6<br>Length: 1<br>Format: alphanumeric | <b>Description:</b> This field will contain the value of <b>9</b> .          |
| <b>Country Code</b><br>Positions: 7-9<br>Length: 3<br>Format: alphanumeric                        | <b>Description:</b> This field will contain the country code <b>986</b> .    |

### Intra-Country Data-Brazil National Data Edit Criteria

|                                                                                           |                                                                                                                                                                                                                                                                               |
|-------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Total Amount</b><br>Positions: 10-21<br>Length: 12<br>Format: numeric                  | <b>Description:</b> This field will contain the total amount.                                                                                                                                                                                                                 |
| <b>Currency Code</b><br>Positions: 22-24<br>Length: 3<br>Format: alphanumeric             | <b>Description:</b> This field will contain the currency code.                                                                                                                                                                                                                |
| <b>Number of Installments</b><br>Positions: 25-27<br>Length: 3<br>Format: alphanumeric    | <b>Description:</b> This field will contain the number of installments.                                                                                                                                                                                                       |
| <b>Amount of each Installment</b><br>Positions: 28-39<br>Length: 12<br>Format: numeric    | <b>Description:</b> This field will contain the amount of each installment.<br><br><b>Note:</b> Two decimals are implied.                                                                                                                                                     |
| <b>Installment Payment Number</b><br>Positions: 40-42<br>Length: 3<br>Format: numeric     | <b>Description:</b> This field will contain the installment payment number.                                                                                                                                                                                                   |
| <b>Frequency of Installments</b><br>Positions: 43<br>Length: 1<br>Format: alphanumeric    | <b>Description:</b> This field will contain the frequency of installments.<br>Values:<br><b>B</b> = Bi-weekly<br><b>M</b> = Monthly<br><b>W</b> = Weekly<br><b>Space</b> = Not Applicable<br><br><b>Note:</b> For Crediarío Installment Payment, the value must be <b>M</b> . |
| <b>Date of First Installment</b><br>Positions: 44-49<br>Length: 6<br>Format: alphanumeric | <b>Description:</b> This field will contain the date of the first installment.<br><br><b>Note:</b> Format YYMMDD.                                                                                                                                                             |
| <b>Total Amount Funded</b><br>Positions: 50-61<br>Length: 12<br>Format: numeric           | <b>Description:</b> This field will contain the total amount funded.<br><br><b>Note:</b> Two decimals are implied.                                                                                                                                                            |

### Intra-Country Data-Brazil National Data Edit Criteria

|                                                                                        |                                                                                                                          |
|----------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------|
| <b>Percent of Amount Requested</b><br>Positions: 62-65<br>Length: 4<br>Format: numeric | <b>Description:</b> This field will contain the percent of amount requested.<br><br><b>Note:</b> One decimal is implied. |
| <b>Total Expenses</b><br>Positions: 66-77<br>Length: 12<br>Format: numeric             | <b>Description:</b> This field will contain the total expenses.<br><br><b>Note:</b> Two decimals are implied.            |
| <b>Percent of Total Expenses</b><br>Positions: 78-81<br>Length: 4<br>Format: numeric   | <b>Description:</b> This field will contain the percent of total expenses.<br><br><b>Note:</b> One decimal is implied.   |
| <b>Total Fees</b><br>Positions: 82-93<br>Length: 12<br>Format: numeric                 | <b>Description:</b> This field will contain the total fees.<br><br><b>Note:</b> Two decimals are implied.                |
| <b>Percent of Total Fees</b><br>Positions: 94-97<br>Length: 4<br>Format: numeric       | <b>Description:</b> This field will contain the percent of total fees.<br><br><b>Note:</b> One decimal is implied.       |
| <b>Total Taxes</b><br>Positions: 98-109<br>Length: 12<br>Format: numeric               | <b>Description:</b> This field will contain the total taxes.<br><br><b>Note:</b> Two decimals are implied.               |
| <b>Percent of Total Taxes</b><br>Positions: 110-113<br>Length: 4<br>Format: numeric    | <b>Description:</b> This field will contain the percent of total taxes.<br><br><b>Note:</b> One decimal is implied.      |
| <b>Total Insurance</b><br>Positions: 114-125<br>Length: 12<br>Format: numeric          | <b>Description:</b> This field will contain the total insurance.<br><br><b>Note:</b> Two decimals are implied.           |



### Intra-Country Data-Brazil National Data Edit Criteria

|                                                                                             |                                                                                                                               |
|---------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------|
| <b>Percent of Total Insurance</b><br>Positions: 126-129<br>Length: 4<br>Format: numeric     | <b>Description:</b> This field will contain the percent of total insurance.<br><br><b>Note:</b> One decimal is implied.       |
| <b>Total Other Costs</b><br>Positions: 130-141<br>Length: 12<br>Format: numeric             | <b>Description:</b> This field will contain the total other costs.<br><br><b>Note:</b> Two decimals are implied.              |
| <b>Percent of Total Other Costs</b><br>Positions: 142-145<br>Length: 4<br>Format: numeric   | <b>Description:</b> This field will contain the percent of total other costs.<br><br><b>Note:</b> One decimal is implied.     |
| <b>Monthly Interest Rate</b><br>Positions: 146-152<br>Length: 7<br>Format: numeric          | <b>Description:</b> This field will contain the monthly interest rate.<br><br><b>Note:</b> Two decimals are implied.          |
| <b>Annual Interest Rate</b><br>Positions: 153-159<br>Length: 7<br>Format: numeric           | <b>Description:</b> This field will contain the annual interest rate.<br><br><b>Note:</b> Two decimals are implied.           |
| <b>Annual Total Cost of Financing</b><br>Positions: 160-166<br>Length: 7<br>Format: numeric | <b>Description:</b> This field will contain the annual total cost of financing.<br><br><b>Note:</b> Two decimals are implied. |
| <b>Installment Payment Type</b><br>Positions: 167<br>Length: 1<br>Format: alphanumeric      | <b>Description:</b> This field will contain the installment payment type.<br>Value:<br><b>5</b> = Creditorio                  |
| <b>Reserved</b><br>Positions: 168-170<br>Length: 3<br>Format: alphanumeric                  | <b>Description:</b> This field is reserved; space-filled.                                                                     |

# TC 33.B - CP 51 TCR 9 Intra-Country Data - Mexico National Data

These tables contain the Multipurpose Message (TC 33.B) record layout and edit criteria for CP 51 TCR 9 - INTRA-COUNTRY DATA - MEXICO NATIONAL DATA.

## Intra-Country Data-Mexico National Data Record Layout

| Position | Field Length | Format | Contents                              |
|----------|--------------|--------|---------------------------------------|
| 1-2      | 2            | UN     | Transaction Code                      |
| 3-4      | 2            | BINARY | Record Hash Total                     |
| 5        | 1            | UN     | Transaction Code Qualifier            |
| 6        | 1            | AN     | Transaction Component Sequence Number |
| 7-9      | 3            | AN     | Country Code                          |
| 10-15    | 6            | AN     | Original Authorization Code           |
| 16-170   | 155          | AN     | Reserved                              |

Format: AN = Alphanumeric, ANS = Alphanumeric Special, DX = Display Hexadecimal, N = Numeric, UN = Unpacked Numeric

## Intra-Country Data-Mexico National Data Edit Criteria

|                                                                                            |                                                                              |
|--------------------------------------------------------------------------------------------|------------------------------------------------------------------------------|
| <b>Transaction Code</b><br>Positions: 1-2<br>Length: 2<br>Format: unpacked numeric         | <b>Description:</b> This field will contain a <b>33</b>                      |
| <b>Record Hash Total</b><br>Positions: 3-4<br>Length: 2<br>Format: binary                  | <b>Description:</b> This field will contain the record hash total.           |
| <b>Transaction Code Qualifier</b><br>Positions: 5<br>Length: 1<br>Format: unpacked numeric | <b>Description:</b> This field contains the Transaction Qualifier <b>0</b> . |

### Intra-Country Data-Mexico National Data Edit Criteria

|                                                                                                   |                                                                                                                                         |
|---------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------|
| <b>Transaction Component Sequence Number</b><br>Positions: 6<br>Length: 1<br>Format: alphanumeric | <b>Description:</b> This field contains the Transaction Component Sequence Number <b>9</b> .                                            |
| <b>Country Code</b><br>Positions: 7-9<br>Length: 3<br>Format: alphanumeric                        | <b>Description:</b> This field contains the ISO Country Code <b>484</b> .                                                               |
| <b>Original Authorization Code</b><br>Positions: 10-15<br>Length: 6<br>Format: alphanumeric       | <b>Description:</b> This field contains the authorization code of Original Purchase (Field 38), when processing credits and or refunds. |
| <b>Reserved</b><br>Positions: 16-170<br>Length: 155<br>Format: alphanumeric                       | <b>Description:</b> This field is reserved; space-filled.                                                                               |

## TC 33.B - CP 51 TCR A Encrypted Pan Data

These tables contain the Multipurpose Message (TC 33.B) record layout and edit criteria for CP 51 TCR A - ENCRYPTED PAN DATA.

### Encrypted PAN Data Record Layout

| Position | Field Length | Format | Contents                              |
|----------|--------------|--------|---------------------------------------|
| 1-2      | 2            | UN     | Transaction Code                      |
| 3-4      | 2            | BINARY | Record Hash Total                     |
| 5        | 1            | UN     | Transaction Code Qualifier            |
| 6        | 1            | AN     | Transaction Component Sequence Number |
| 7-38     | 32           | AN     | Account Number Block                  |
| 39-40    | 2            | AN     | Key Management                        |

### Encrypted PAN Data Record Layout

| Position | Field Length | Format | Contents                 |
|----------|--------------|--------|--------------------------|
| 41-52    | 12           | AN     | Key-Set Identifier       |
| 53-62    | 10           | AN     | Device ID & Tran Counter |
| 63-64    | 2            | AN     | Encryption Algorithm     |
| 65-66    | 2            | AN     | Zone Key Index           |
| 67-170   | 104          | AN     | Reserved                 |

Format: AN = Alphanumeric, ANS = Alphanumeric Special, DX = Display Hexadecimal, N = Numeric, UN = Unpacked Numeric

### Encrypted PAN Data Edit Criteria

|                                                                                                   |                                                                                                                                                                                                                |
|---------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Transaction Code</b><br>Positions: 1-2<br>Length: 2<br>Format: unpacked numeric                | <b>Description:</b> This field will contain the value of <b>33</b> .                                                                                                                                           |
| <b>Record Hash Total</b><br>Positions: 3-4<br>Length: 2<br>Format: binary                         | <b>Description:</b> Used in BASE II to ensure that the collection and delivery file data have been correctly transmitted.<br><br>The field must contain spaces for computers that do not generate hash totals. |
| <b>Transaction Code Qualifier</b><br>Positions: 5<br>Length: 1<br>Format: unpacked numeric        | <b>Description:</b> This field will contain the value of <b>0</b> (zero).                                                                                                                                      |
| <b>Transaction Component Sequence Number</b><br>Positions: 6<br>Length: 1<br>Format: alphanumeric | <b>Description:</b> This field will contain the value of <b>A</b> .                                                                                                                                            |
| <b>Account Number Block</b><br>Positions: 7-38<br>Length: 32<br>Format: alphanumeric              | <b>Description:</b> This field will contain an encrypted account number block.                                                                                                                                 |

### Encrypted PAN Data Edit Criteria

|                                                                                               |                                                                                                                                                           |
|-----------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Key Management</b><br>Positions: 39-40<br>Length: 2<br>Format: alphanumeric                | <b>Description:</b> This field will contain the identifier of the key management scheme used for encryption.                                              |
| <b>Key-Set Identifier</b><br>Positions: 41-52<br>Length: 12<br>Format: alphanumeric           | <b>Description:</b> This field will contain the identifier for the base derivation key from which the current PIN transaction encryption key was derived. |
| <b>Device ID &amp; Tran Counter</b><br>Positions: 53-62<br>Length: 10<br>Format: alphanumeric | <b>Description:</b> This field will contain the device ID and transaction counter.                                                                        |
| <b>Encryption Algorithm</b><br>Positions: 63-64<br>Length: 2<br>Format: alphanumeric          | <b>Description:</b> This field will contain a value that identifies the encryption algorithm used to encipher the data elements.                          |
| <b>Zone Key Index</b><br>Positions: 65-66<br>Length: 2<br>Format: alphanumeric                | <b>Description:</b> This field will contain the specific key for the key-set Identifier that was used for encryption.                                     |
| <b>Reserved</b><br>Positions: 67-170<br>Length: 104<br>Format: alphanumeric                   | <b>Description:</b> This field will contain all <b>spaces</b> .                                                                                           |

# TC 33.B - CP 51 TCR B Gateway Data (Cont'd)

These tables contain the Multipurpose Message (TC 33.B) record layout and edit criteria for CP 51 TCR B - GATEWAY DATA (CONT'D).

## Gateway Data (Cont'd) Record Layout

| Position | Field Length | Format | Contents                                     |
|----------|--------------|--------|----------------------------------------------|
| 1-2      | 2            | UN     | Transaction Code                             |
| 3-4      | 2            | BINARY | Record Hash Total                            |
| 5        | 1            | UN     | Transaction Code Qualifier                   |
| 6        | 1            | AN     | Transaction Component Sequence Number        |
| 7-26     | 20           | AN     | American Express Seller Telephone Number     |
| 27-66    | 40           | AN     | American Express Seller Email Address        |
| 67-86    | 20           | AN     | American Express Seller ID                   |
| 87       | 1            | AN     | American Express Last 4 PAN Return Indicator |
| 88-110   | 23           | AN     | American Express PAN, Extended               |
| 111-148  | 38           | ANS    | American Express Seller Name                 |
| 149-170  | 22           | AN     | Reserved                                     |

Format: AN = Alphanumeric, ANS = Alphanumeric Special, DX = Display Hexadecimal, N = Numeric, UN = Unpacked Numeric

## Gateway Data (Cont'd) Edit Criteria

|                                                                                    |                                                                              |
|------------------------------------------------------------------------------------|------------------------------------------------------------------------------|
| <b>Transaction Code</b><br>Positions: 1-2<br>Length: 2<br>Format: unpacked numeric | <b>Description:</b> This field will contain the value of <b>33</b> .         |
| <b>Record Hash Total</b><br>Positions: 3-4<br>Length: 2<br>Format: binary          | <b>Description:</b> This field will contain the record hash total or spaces. |

## Gateway Data (Cont'd) Edit Criteria

|                                                                                                            |                                                                                                                                                                                                                                                                                                                                                                                |
|------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Transaction Code Qualifier</b><br>Positions: 5<br>Length: 1<br>Format: unpacked numeric                 | <b>Description:</b> This field will contain the value of <b>0</b> .                                                                                                                                                                                                                                                                                                            |
| <b>Transaction Component Sequence Number</b><br>Positions: 6<br>Length: 1<br>Format: alphanumeric          | <b>Description:</b> This field will contain the value of <b>B</b> .                                                                                                                                                                                                                                                                                                            |
| <b>American Express Seller Telephone Number</b><br>Positions: 7-26<br>Length: 20<br>Format: alphanumeric   | <b>Description:</b> This field will contain the seller telephone number.                                                                                                                                                                                                                                                                                                       |
| <b>American Express Seller Email Address</b><br>Positions: 27-66<br>Length: 40<br>Format: alphanumeric     | <b>Description:</b> This field will contain the seller email ID.                                                                                                                                                                                                                                                                                                               |
| <b>American Express Seller ID</b><br>Positions: 67-86<br>Length: 20<br>Format: alphanumeric                | <b>Description:</b> This field will contain the seller ID.                                                                                                                                                                                                                                                                                                                     |
| <b>American Express Last 4 PAN Return Indicator</b><br>Positions: 87<br>Length: 20<br>Format: alphanumeric | <b>Description:</b> This field will contain an indicator that means that the last 4 digits of the PAN, were available in the transaction.                                                                                                                                                                                                                                      |
| <b>American Express PAN, Extended</b><br>Positions: 88-110<br>Length: 23<br>Format: alphanumeric           | <b>Description:</b> This field will contain the expiration date and PAN in the 0110 authorization response message that will be formatted as follows: <ul style="list-style-type: none"> <li>• Positions 1-2, will contain the <b>mm</b> (Month)</li> <li>• Positions 3-4, will contain the <b>yy</b> (Year)</li> <li>• Positions 5-23, will contain the actual PAN</li> </ul> |

### Gateway Data (Cont'd) Edit Criteria

|                                                                                                                   |                                                                                                                                                                                                                                                                               |
|-------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>American Express Seller Name</b><br>Positions: 111-148<br>Length: 38<br>Format: alphanumeric special character | <b>Description:</b> This field will contain the seller name for the American Express card acceptor name and location data from Tag 12 in TLV Field 104, Usage 2-Transaction-Specific Data, Dataset ID 66-American Express Data.<br><br><b>Note:</b> Source: F104 DS66 T12 SF1 |
| <b>Reserved</b><br>Positions: 149-170<br>Length: 22<br>Format: alphanumeric                                       | <b>Description:</b> This field is reserved; space-filled.                                                                                                                                                                                                                     |

## TC 33.B - CP 52 TCR 0 EMV Data

These tables contain the Multipurpose Message (TC 33.B) record layout and edit criteria for CP 52 TCR 0 - EMV DATA.

### ITF - Incoming Interchange

#### EMV Data Record Layout

| Position | Field Length | Format | Contents                                |
|----------|--------------|--------|-----------------------------------------|
| 1-2      | 2            | UN     | Transaction Code                        |
| 3-4      | 2            | BINARY | Record Hash Total                       |
| 5        | 1            | UN     | Transaction Code Qualifier              |
| 6        | 1            | AN     | Transaction Component Sequence Number   |
| 7-12     | 6            | UN     | Destination Identifier                  |
| 13-18    | 6            | UN     | Source Identifier                       |
| 19-22    | 4            | AN     | File Identifier - Merchant Capture Data |
| 23-37    | 15           | AN     | Message Identifier                      |
| 38-39    | 2            | AN     | Transaction Type                        |
| 40-42    | 3            | AN     | Card Sequence Number                    |
| 43-48    | 6            | AN     | Terminal Transaction Date               |
| 49-54    | 6            | AN     | Terminal Capability Profile             |
| 55-57    | 3            | AN     | Terminal Country Code                   |
| 58-65    | 8            | AN     | Unpredictable Number                    |



### EMV Data Record Layout

| Position | Field Length | Format | Contents                        |
|----------|--------------|--------|---------------------------------|
| 66-69    | 4            | AN     | Application Transaction Counter |
| 70-73    | 4            | AN     | Application Interchange Profile |
| 74-89    | 16           | AN     | Application Cryptogram          |
| 90-99    | 10           | AN     | Terminal Verification Results   |
| 100-111  | 12           | AN     | Amount, Authorized              |
| 112-119  | 8            | AN     | Form Factor Indicator           |
| 120-170  | 51           | AN     | Reserved                        |

Format: AN = Alphanumeric, ANS = Alphanumeric Special, DX = Display Hexadecimal, N = Numeric, UN = Unpacked Numeric

### EMV Data Edit Criteria

|                                                                                                   |                                                                                                                                                                                                                |
|---------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Transaction Code</b><br>Positions: 1-2<br>Length: 2<br>Format: unpacked numeric                | <b>Description:</b> This field will contain the value of <b>33</b> .                                                                                                                                           |
| <b>Record Hash Total</b><br>Positions: 3-4<br>Length: 2<br>Format: binary                         | <b>Description:</b> Used in BASE II to ensure that the collection and delivery file data have been correctly transmitted.<br><br>The field must contain spaces for computers that do not generate hash totals. |
| <b>Transaction Code Qualifier</b><br>Positions: 5<br>Length: 1<br>Format: unpacked numeric        | <b>Description:</b> This field will contain the value of <b>0</b> (zero).                                                                                                                                      |
| <b>Transaction Component Sequence Number</b><br>Positions: 6<br>Length: 1<br>Format: alphanumeric | <b>Description:</b> This field will contain the value of <b>0</b> (zero).                                                                                                                                      |
| <b>Destination Identifier</b><br>Positions: 7-12<br>Length: 6<br>Format: unpacked numeric         | <b>Description:</b> This field will contain the destination identifier of the VIC.                                                                                                                             |

## EMV Data Edit Criteria

|                                                                                                         |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
|---------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Source Identifier</b><br>Positions: 13-18<br>Length: 6<br>Format: unpacked numeric                   | <b>Description:</b> This field will contain the MDEX identifier.                                                                                                                                                                                                                                                                                                                                                                                                                                             |
| <b>File Identifier - Merchant Capture Data</b><br>Positions: 19-22<br>Length: 4<br>Format: alphanumeric | <b>Description:</b> This field will contain the value of <b>CP52</b> .                                                                                                                                                                                                                                                                                                                                                                                                                                       |
| <b>Message Identifier</b><br>Positions: 23-37<br>Length: 15<br>Format: alphanumeric                     | <b>Description:</b> This field will contain a unique message identifier that links a specific capture record among multiple capture records being submitted for a single transaction. All capture records within the same file linked to a single authorization request contain the same message identifier.<br><br>The same message identifier can be assigned to other related capture records located in additional TCR groups identified by a value of <b>CPnn</b> in the TC 33 Application Code fields. |
| <b>Transaction Type</b><br>Positions: 38-39<br>Length: 2<br>Format: alphanumeric                        | <b>Description:</b> This field will contain the transaction type from EMV data Tag 9C-EMV Transaction Type.                                                                                                                                                                                                                                                                                                                                                                                                  |
| <b>Card Sequence Number</b><br>Positions: 40-42<br>Length: 3<br>Format: alphanumeric                    | <b>Description:</b> This field will contain the card sequence number from EMV data Tag 5F34-EMV Card Sequence Number.                                                                                                                                                                                                                                                                                                                                                                                        |
| <b>Terminal Transaction Date</b><br>Positions: 43-48<br>Length: 6<br>Format: alphanumeric               | <b>Description:</b> This field will contain the terminal transaction date from EMV data Tag 9A-EMV Terminal Transaction Date.                                                                                                                                                                                                                                                                                                                                                                                |
| <b>Terminal Capability Profile</b><br>Positions: 49-54<br>Length: 6<br>Format: alphanumeric             | <b>Description:</b> This field will contain the terminal capability from EMV data Tag 9F33-EMV Terminal Capability Profile.                                                                                                                                                                                                                                                                                                                                                                                  |
| <b>Terminal Country Code</b><br>Positions: 55-57<br>Length: 3<br>Format: alphanumeric                   | <b>Description:</b> This field will contain the terminal country code from EMV data Tag 9F1A-EMV Terminal Country Code.                                                                                                                                                                                                                                                                                                                                                                                      |

## EMV Data Edit Criteria

|                                                                                                 |                                                                                                                                             |
|-------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Unpredictable Number</b><br>Positions: 58-65<br>Length: 8<br>Format: alphanumeric            | <b>Description:</b> This field will contain the unpredictable number from EMV data Tag 9F37-EMV Unpredictable Number.                       |
| <b>Application Transaction Counter</b><br>Positions: 66-69<br>Length: 4<br>Format: alphanumeric | <b>Description:</b> This field will contain the application transaction counter from EMV data Tag 9F36-EMV Application Transaction Counter. |
| <b>Application Interchange Profile</b><br>Positions: 70-73<br>Length: 4<br>Format: alphanumeric | <b>Description:</b> This field will contain the application interchange profile from EMV data Tag 82-EMV Application Interchange Profile.   |
| <b>Application Cryptogram</b><br>Positions: 74-89<br>Length: 16<br>Format: alphanumeric         | <b>Description:</b> This field will contain the application cryptogram from EMV data Tag 9F26-EMV Application Cryptogram.                   |
| <b>Terminal Verification Results</b><br>Positions: 90-99<br>Length: 10<br>Format: alphanumeric  | <b>Description:</b> This field will contain the terminal verification results from EMV data Tag 95-EMV Terminal Verification Results.       |
| <b>Amount Authorized</b><br>Positions: 100-111<br>Length: 12<br>Format: alphanumeric            | <b>Description:</b> This field will contain the authorized amount from EMV data Tag 9F02-EMV Amount Authorized.                             |
| <b>Form Factor Indicator</b><br>Positions: 112-119<br>Length: 8<br>Format: alphanumeric         | <b>Description:</b> This field will contain the form factor indicator from EMV data Tag 9F6E-EMV Form Factor Indicator.                     |
| <b>Reserved</b><br>Positions: 120-170<br>Length: 51<br>Format: alphanumeric                     | <b>Description:</b> This field will contain all <b>spaces</b> .                                                                             |

# TC 33.B - CP 52 TCR 1 EMV Data (Cont'd)

These tables contain the Multipurpose Message (TC 33.B) record layout and edit criteria for CP 52 TCR 1 - EMV DATA (CONT'D).

## ITF - Incoming Interchange

### EMV Data (Cont'd) Record Layout

| Position | Field Length | Format | Contents                                     |
|----------|--------------|--------|----------------------------------------------|
| 1-2      | 2            | UN     | Transaction Code                             |
| 3-4      | 2            | BINARY | Record Hash Total                            |
| 5        | 1            | UN     | Transaction Code Qualifier                   |
| 6        | 1            | AN     | Transaction Component Sequence Number        |
| 7-70     | 64           | AN     | Issuer Application Data, Byte 1-32           |
| 71-80    | 10           | AN     | Issuer Script 1 Results                      |
| 81-82    | 2            | AN     | Cryptogram Information Data (CID)            |
| 83-88    | 6            | AN     | Cardholder Verification Method (CVM) Results |
| 89-92    | 4            | AN     | Terminal Application Version Number          |
| 93-100   | 8            | AN     | Transaction Sequence Counter                 |
| 101-104  | 4            | AN     | Application Usage Control                    |
| 105-136  | 32           | AN     | Application Identifier (AID) - terminal      |
| 137-168  | 32           | AN     | Issuer Authentication Data                   |
| 169-170  | 2            | AN     | Reserved                                     |

Format: AN = Alphanumeric, ANS = Alphanumeric Special, DX = Display Hexadecimal, N = Numeric, UN = Unpacked Numeric

## EMV Data (Cont'd) Edit Criteria

|                                                                                                              |                                                                                                                                                                                                                |
|--------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Transaction Code</b><br>Positions: 1-2<br>Length: 2<br>Format: unpacked numeric                           | <b>Description:</b> This field will contain the value of <b>33</b> .                                                                                                                                           |
| <b>Record Hash Total</b><br>Positions: 3-4<br>Length: 2<br>Format: binary                                    | <b>Description:</b> Used in BASE II to ensure that the collection and delivery file data have been correctly transmitted.<br><br>The field must contain spaces for computers that do not generate hash totals. |
| <b>Transaction Code Qualifier</b><br>Positions: 5<br>Length: 1<br>Format: unpacked numeric                   | <b>Description:</b> This field will contain the value of <b>0</b> (zero).                                                                                                                                      |
| <b>Transaction Component Sequence Number</b><br>Positions: 6<br>Length: 1<br>Format: alphanumeric            | <b>Description:</b> This field will contain the value of <b>1</b> .                                                                                                                                            |
| <b>Issuer Application Data, Byte 1-32</b><br>Positions: 7-70<br>Length: 64<br>Format: alphanumeric           | <b>Description:</b> This field will contain the issuer application data from EMV data Tag 9F10-EMV Issuer Application Data.<br><br><b>Note:</b> Leading length byte removed.                                   |
| <b>Issuer Script 1 Results</b><br>Positions: 71-80<br>Length: 10<br>Format: alphanumeric                     | <b>Description:</b> This field will contain the issuer script 1 results from EMV data Tag 9F5B-EMV Issuer Script 1 Results.<br><br><b>Note:</b> Leading length byte removed.                                   |
| <b>Cryptogram Information Data (CID)</b><br>Positions: 81-82<br>Length: 2<br>Format: alphanumeric            | <b>Description:</b> This field will contain the cryptogram information data from EMV data Tag 9F27-EMV Cryptogram Information Data.                                                                            |
| <b>Cardholder Verification Method (CVM) Results</b><br>Positions: 83-88<br>Length: 6<br>Format: alphanumeric | <b>Description:</b> This field will contain the cardholder verification method results from EMV data Tag 9F34-EMV Cardholder Verification Method (CVM) Results.                                                |

## EMV Data (Cont'd) Edit Criteria

|                                                                                                            |                                                                                                                                                                                              |
|------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Terminal Application Version Number</b><br>Positions: 89-92<br>Length: 4<br>Format: alphanumeric        | <b>Description:</b> This field will contain the terminal application version number from EMV data Tag 9F09-EMV Terminal Application Version Number.                                          |
| <b>Transaction Sequence Counter</b><br>Positions: 93-100<br>Length: 8<br>Format: alphanumeric              | <b>Description:</b> This field will contain the transaction sequence counter from EMV data Tag 9F41-EMV Transaction Sequence Counter.                                                        |
| <b>Application Usage Control</b><br>Positions: 101-104<br>Length: 4<br>Format: alphanumeric                | <b>Description:</b> This field will contain the application usage control from EMV data Tag 9F07-Application Usage Control (AUC).                                                            |
| <b>Application Identifier (AID) - Terminal</b><br>Positions: 105-136<br>Length: 32<br>Format: alphanumeric | <b>Description:</b> This field will contain the application identifier terminal from EMV data Tag 9F06-EMV Application Identifier Terminal.<br><br><b>Note:</b> Leading length byte removed. |
| <b>Issuer Authentication Data</b><br>Positions: 137-168<br>Length: 32<br>Format: alphanumeric              | <b>Description:</b> This field will contain the issuer authentication data from EMV data Tag 91-EMV Issuer Authentication Data.<br><br><b>Note:</b> Leading length byte removed.             |
| <b>Reserved</b><br>Positions: 169-170<br>Length: 2<br>Format: alphanumeric                                 | <b>Description:</b> This field will contain all <b>spaces</b> .                                                                                                                              |

# TC 33.B - CP 53 TCR 0 Lodging Summary Record

These tables contain the Multipurpose Message (TC 33.B) record layout and edit criteria for CP 53 TCR 0 - LODGING SUMMARY RECORD.

## Lodging Summary Record Record Layout

| Position | Field Length | Format | Contents                                |
|----------|--------------|--------|-----------------------------------------|
| 1-2      | 2            | UN     | Transaction Code                        |
| 3-4      | 2            | BINARY | Record Hash Total                       |
| 5        | 1            | UN     | Transaction Code Qualifier              |
| 6        | 1            | AN     | Transaction Component Sequence Number   |
| 7-12     | 6            | UN     | Destination Identifier                  |
| 13-18    | 6            | UN     | Source Identifier                       |
| 19-22    | 4            | AN     | File Identifier - Merchant Capture Data |
| 23-37    | 15           | AN     | Message Identifier                      |
| 38-43    | 6            | AN     | Check-In Date                           |
| 44-49    | 6            | AN     | Check-Out Date                          |
| 50-57    | 8            | AN     | Daily Room Rate 1                       |
| 58-61    | 4            | AN     | Daily Room Nights 1                     |
| 62-78    | 17           | AN     | Customer Service Toll Free Number       |
| 79       | 1            | AN     | Special Program Code                    |
| 80-87    | 8            | AN     | Travel Agency Code                      |
| 88-112   | 25           | ANS    | Travel Agency Name                      |
| 113-124  | 12           | AN     | Room Service Charges                    |
| 125-136  | 12           | AN     | Mini Bar Charges                        |
| 137-148  | 12           | AN     | Internet Access Charges                 |
| 149      | 1            | AN     | Fire Safety Indicator                   |
| 150-170  | 21           | AN     | Reserved                                |

Format: AN = Alphanumeric, ANS = Alphanumeric Special, DX = Display Hexadecimal, N = Numeric, UN = Unpacked Numeric

### Lodging Summary Record Edit Criteria

|                                                                                                         |                                                                                                                                                                                                                 |
|---------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Transaction Code</b><br>Positions: 1-2<br>Length: 2<br>Format: unpacked numeric                      | <b>Description:</b> This field will contain the value of <b>33</b> (TC 33.B capture transactions (merchant)).                                                                                                   |
| <b>Record Hash Total</b><br>Positions: 3-4<br>Length: 2<br>Format: binary                               | <b>Description:</b> This field must contain spaces for computers that do not generate hash totals.<br><br>Used in BASE II to ensure that the collection and delivery file data have been correctly transmitted. |
| <b>Transaction Code Qualifier</b><br>Positions: 5<br>Length: 1<br>Format: unpacked numeric              | <b>Description:</b> This field will contain the value of <b>0</b> (zero).                                                                                                                                       |
| <b>Transaction Component Sequence Number</b><br>Positions: 6<br>Length: 1<br>Format: alphanumeric       | <b>Description:</b> This field will contain the value of <b>(0)</b> (zero).                                                                                                                                     |
| <b>Destination Identifier</b><br>Positions: 7-12<br>Length: 6<br>Format: unpacked numeric               | <b>Description:</b> This field will contain the destination identifier of the VIC.                                                                                                                              |
| <b>Source Identifier</b><br>Positions: 13-18<br>Length: 6<br>Format: unpacked numeric                   | <b>Description:</b> This field will contain the MDEX identifier.                                                                                                                                                |
| <b>File Identifier - Merchant Capture Data</b><br>Positions: 19-22<br>Length: 4<br>Format: alphanumeric | <b>Description:</b> This field will contain the static value set to <b>CP53</b> (Lodging data).                                                                                                                 |



## Lodging Summary Record Edit Criteria

|                                                                                                    |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
|----------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Message Identifier</b><br>Positions: 23-37<br>Length: 15<br>Format: alphanumeric                | <b>Description:</b> This field will contain a unique message identifier that links a specific capture record among multiple capture records being submitted for a single transaction.<br><br>All capture records within the same file linked to a single authorization request contain the same message identifier.<br><br>The same message identifier can be assigned to other related capture records located in additional TCR groups identified by a value of <b>CPnn</b> in the TC 33 application code fields. |
| <b>Check-in Date</b><br>Positions: 38-43<br>Length: 6<br>Format: alphanumeric                      | <b>Description:</b> This field will contain the date of check-in.<br>The date will be in <b>mmddyy</b> format, where: <ul style="list-style-type: none"> <li>• <b>mm</b> = Month (01-12)</li> <li>• <b>dd</b> = Day (01-31)</li> <li>• <b>yy</b> = Year (00-99)</li> </ul>                                                                                                                                                                                                                                          |
| <b>Check-out Date</b><br>Positions: 44-49<br>Length: 6<br>Format: alphanumeric                     | <b>Description:</b> This field will contain the date of check-out.<br>The date will be in <b>mmddyy</b> format, where: <ul style="list-style-type: none"> <li>• <b>mm</b> = Month (01-12)</li> <li>• <b>dd</b> = Day (01-31)</li> <li>• <b>yy</b> = Year (00-99)</li> </ul>                                                                                                                                                                                                                                         |
| <b>Daily Room Rate 1</b><br>Positions: 50-57<br>Length: 8<br>Format: alphanumeric                  | <b>Description:</b> This field will contain a daily room rate for rate one.                                                                                                                                                                                                                                                                                                                                                                                                                                         |
| <b>Daily Room Nights 1</b><br>Positions: 58-61<br>Length: 4<br>Format: alphanumeric                | <b>Description:</b> This field will contain the number of nights at rate one.                                                                                                                                                                                                                                                                                                                                                                                                                                       |
| <b>Customer Service Toll Free Number</b><br>Positions: 62-78<br>Length: 17<br>Format: alphanumeric | <b>Description:</b> This field will contain the phone number of the help desk/reservations.                                                                                                                                                                                                                                                                                                                                                                                                                         |
| <b>Special Program Code</b><br>Positions: 79<br>Length: 1<br>Format: alphanumeric                  | <b>Description:</b> This field will contain a special program code value.<br>Values: <ul style="list-style-type: none"> <li>• <b>1</b> (Lodging)</li> <li>• <b>2</b> (No Show)</li> <li>• <b>3</b> (Advance deposit)</li> </ul>                                                                                                                                                                                                                                                                                     |

### Lodging Summary Record Edit Criteria

|                                                                                                        |                                                                                            |
|--------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------|
| <b>Travel Agency Code</b><br>Positions: 80-87<br>Length: 8<br>Format: alphanumeric                     | <b>Description:</b> This field will contain the code of the travel agency.                 |
| <b>Travel Agency Name</b><br>Positions: 88-112<br>Length: 25<br>Format: alphanumeric special character | <b>Description:</b> This field will contain the name of the travel agency.                 |
| <b>Room Service Charges</b><br>Positions: 113-124<br>Length: 12<br>Format: alphanumeric                | <b>Description:</b> This field will contain the room service charges.                      |
| <b>Mini Bar Charges</b><br>Positions: 125-136<br>Length: 12<br>Format: alphanumeric                    | <b>Description:</b> This field will contain the mini-bar charges.                          |
| <b>Internet Access Charges</b><br>Positions: 137-148<br>Length: 12<br>Format: alphanumeric             | <b>Description:</b> This field will contain the internet access charges.                   |
| <b>Fire Safety Indicator</b><br>Positions: 149<br>Length: 1<br>Format: alphanumeric                    | <b>Description:</b> This field will contain a value that indicates the fire safety status. |
| <b>Reserved</b><br>Positions: 150-170<br>Length: 21<br>Format: alphanumeric                            | <b>Description:</b> This field is reserved; space-filled.                                  |

# TC 33.B - CP 53 TCR 1 Lodging Summary (Cont'd) Record

These tables contain the Multipurpose Message (TC 33.B) record layout and edit criteria for CP 53 TCR 1 - LODGING SUMMARY (CONT'D) RECORD.

## Lodging Summary (Cont'd) Record Record Layout

| Position | Field Length | Format | Contents                              |
|----------|--------------|--------|---------------------------------------|
| 1-2      | 2            | UN     | Transaction Code                      |
| 3-4      | 2            | BINARY | Record Hash Total                     |
| 5        | 1            | UN     | Transaction Code Qualifier            |
| 6        | 1            | AN     | Transaction Component Sequence Number |
| 7-14     | 8            | AN     | Daily Room Rate 2                     |
| 15-18    | 4            | AN     | Daily Room Nights 2                   |
| 19-26    | 8            | AN     | Daily Room Rate 3                     |
| 27-30    | 4            | AN     | Daily Room Nights 3                   |
| 31-70    | 40           | ANS    | Guest Name                            |
| 71-170   | 100          | AN     | Reserved                              |

Format: AN = Alphanumeric, ANS = Alphanumeric Special, DX = Display Hexadecimal, N = Numeric, UN = Unpacked Numeric

## Lodging Summary (Cont'd) Record Edit Criteria

|                                                                                            |                                                                                                                                                                                                                 |
|--------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Transaction Code</b><br>Positions: 1-2<br>Length: 2<br>Format: unpacked numeric         | <b>Description:</b> This field will contain the value of <b>33</b> (TC 33.B capture transactions (merchant)).                                                                                                   |
| <b>Record Hash Total</b><br>Positions: 3-4<br>Length: 2<br>Format: binary                  | <b>Description:</b> This field must contain spaces for computers that do not generate hash totals.<br><br>Used in BASE II to ensure that the collection and delivery file data have been correctly transmitted. |
| <b>Transaction Code Qualifier</b><br>Positions: 5<br>Length: 1<br>Format: unpacked numeric | <b>Description:</b> This field will contain the value of <b>0</b> (zero).                                                                                                                                       |

### Lodging Summary (Cont'd) Record Edit Criteria

|                                                                                                   |                                                                                                   |
|---------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------|
| <b>Transaction Component Sequence Number</b><br>Positions: 6<br>Length: 1<br>Format: alphanumeric | <b>Description:</b> This field will contain the value of <b>1</b> (one).                          |
| <b>Daily Room Rate 2</b><br>Positions: 7-14<br>Length: 8<br>Format: alphanumeric                  | <b>Description:</b> This field will contain a daily room rate for rate two.                       |
| <b>Daily Room Nights 2</b><br>Positions: 15-18<br>Length: 4<br>Format: alphanumeric               | <b>Description:</b> This field will contain the number of nights at rate two.                     |
| <b>Daily Room Rate 3</b><br>Positions: 19-26<br>Length: 8<br>Format: alphanumeric                 | <b>Description:</b> This field will contain a daily room rate for rate three.                     |
| <b>Daily Room Nights 3</b><br>Positions: 27-30<br>Length: 4<br>Format: alphanumeric               | <b>Description:</b> This field will contain the number of nights at rate three.                   |
| <b>Guest Name</b><br>Positions: 31-70<br>Length: 40<br>Format: alphanumeric special character     | <b>Description:</b> This field will contain the name of the guest who is registered for the room. |
| <b>Reserved</b><br>Positions: 71-170<br>Length: 100<br>Format: alphanumeric                       | <b>Description:</b> This field is reserved; space-filled.                                         |

# TC 33.B - CP 53 TCR 2 Lodging Summary (Cont'd) Record

These tables contain the Multipurpose Message (TC 33.B) record layout and edit criteria for CP 53 TCR 2 - LODGING SUMMARY (CONT'D) RECORD.

## Lodging Summary (Cont'd) Record Record Layout

| Position | Field Length | Format | Contents                              |
|----------|--------------|--------|---------------------------------------|
| 1-2      | 2            | UN     | Transaction Code                      |
| 3-4      | 2            | BINARY | Record Hash Total                     |
| 5        | 1            | UN     | Transaction Code Qualifier            |
| 6        | 1            | AN     | Transaction Component Sequence Number |
| 7        | 1            | AN     | Smoking Preference                    |
| 8-9      | 2            | AN     | Number of Rooms Booked                |
| 10-11    | 2            | AN     | Number of Adults                      |
| 12-23    | 12           | AN     | Bed Type                              |
| 24-33    | 10           | AN     | Tax Elements                          |
| 34-45    | 12           | AN     | Rate Type                             |
| 46-62    | 17           | AN     | Corporate Client Code                 |
| 63-74    | 12           | AN     | Promotional Code                      |
| 75-86    | 12           | AN     | Additional Coupon                     |
| 87-96    | 10           | AN     | Room Location                         |
| 97-170   | 74           | AN     | Reserved                              |

Format: AN = Alphanumeric, ANS = Alphanumeric Special, DX = Display Hexadecimal, N = Numeric, UN = Unpacked Numeric

## Lodging Summary (Cont'd) Record Edit Criteria

|                                                                                                   |                                                                                                                                                                                                                 |
|---------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Transaction Code</b><br>Positions: 1-2<br>Length: 2<br>Format: unpacked numeric                | <b>Description:</b> This field will contain the value of <b>33</b> (TC 33.B capture transactions (merchant)).                                                                                                   |
| <b>Record Hash Total</b><br>Positions: 3-4<br>Length: 2<br>Format: binary                         | <b>Description:</b> This field must contain spaces for computers that do not generate hash totals.<br><br>Used in BASE II to ensure that the collection and delivery file data have been correctly transmitted. |
| <b>Transaction Code Qualifier</b><br>Positions: 5<br>Length: 1<br>Format: unpacked numeric        | <b>Description:</b> This field will contain the value of <b>0</b> (zero).                                                                                                                                       |
| <b>Transaction Component Sequence Number</b><br>Positions: 6<br>Length: 1<br>Format: alphanumeric | <b>Description:</b> This field will contain the value of <b>2</b> (two).                                                                                                                                        |
| <b>Smoking Preference</b><br>Positions: 7<br>Length: 1<br>Format: alphanumeric                    | <b>Description:</b> This field will contain a smoking preference value.<br>Values: <ul style="list-style-type: none"> <li>• <b>Y</b> (Smoking)</li> <li>• <b>N</b> (Non-smoking)</li> </ul>                     |
| <b>Number of Rooms Booked</b><br>Positions: 8-9<br>Length: 2<br>Format: alphanumeric              | <b>Description:</b> This field will contain the total number of rooms booked by the cardholder.                                                                                                                 |
| <b>Number of Adults</b><br>Positions: 10-11<br>Length: 2<br>Format: alphanumeric                  | <b>Description:</b> This field will contain the number of adult guests in the room.                                                                                                                             |
| <b>Bed Type</b><br>Positions: 12-23<br>Length: 12<br>Format: alphanumeric                         | <b>Description:</b> This field will contain the type of bed in the room.                                                                                                                                        |

### Lodging Summary (Cont'd) Record Edit Criteria

|                                                                                        |                                                                                                                 |
|----------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------|
| <b>Tax Elements</b><br>Positions: 24-33<br>Length: 10<br>Format: alphanumeric          | <b>Description:</b> This field will contain the summary of all tax types. For example, tourist, hotel, etc.     |
| <b>Rate Type</b><br>Positions: 34-45<br>Length: 12<br>Format: alphanumeric             | <b>Description:</b> This field will contain a rate type. For example, AAA, AARP, corporate, etc.                |
| <b>Corporate Client Code</b><br>Positions: 46-62<br>Length: 17<br>Format: alphanumeric | <b>Description:</b> This field will contain the corporate client code assigned to the renter's corporation.     |
| <b>Promotional Code</b><br>Positions: 63-74<br>Length: 12<br>Format: alphanumeric      | <b>Description:</b> This field will contain the promotional code that describes the discount program.           |
| <b>Additional Coupon</b><br>Positions: 75-86<br>Length: 12<br>Format: alphanumeric     | <b>Description:</b> This field will contain an additional coupon value if needed.                               |
| <b>Room Location</b><br>Positions: 87-96<br>Length: 10<br>Format: alphanumeric         | <b>Description:</b> This field will contain room location information. For example, ocean view, lake view, etc. |
| <b>Reserved</b><br>Positions: 97-170<br>Length: 74<br>Format: alphanumeric             | <b>Description:</b> This field is reserved; space-filled.                                                       |

# TC 33.B - CP 53 TCR 3 Lodging Additional Amounts Record

These tables contain the Multipurpose Message (TC 33.B) record layout and edit criteria for CP 53 TCR 3 - LODGING ADDITIONAL AMOUNTS RECORD.

## Lodging Additional Amounts Record Record Layout

| Position | Field Length | Format | Contents                              |
|----------|--------------|--------|---------------------------------------|
| 1-2      | 2            | UN     | Transaction Code                      |
| 3-4      | 2            | BINARY | Record Hash Total                     |
| 5        | 1            | UN     | Transaction Code Qualifier            |
| 6        | 1            | AN     | Transaction Component Sequence Number |
| 7-18     | 12           | AN     | Total Tax                             |
| 19-30    | 12           | AN     | Food and Beverage Charges             |
| 31-42    | 12           | AN     | Total Room Tax                        |
| 43-54    | 12           | AN     | Adjustment Amount                     |
| 55-66    | 12           | AN     | Phone Charges                         |
| 67-78    | 12           | AN     | Restaurant Charges                    |
| 79-90    | 12           | AN     | Laundry Charges                       |
| 91-102   | 12           | AN     | Movie Charges                         |
| 103-114  | 12           | AN     | Lounge/Bar Charges                    |
| 115-126  | 12           | AN     | Early Departure Charges               |
| 127-138  | 12           | AN     | Prepaid Expenses                      |
| 139-150  | 12           | AN     | Other Charges                         |
| 151-162  | 12           | AN     | Gift Shop Charges                     |
| 163-170  | 8            | AN     | Reserved                              |

Format: AN = Alphanumeric, ANS = Alphanumeric Special, DX = Display Hexadecimal, N = Numeric, UN = Unpacked Numeric



### Lodging Additional Amounts Record Edit Criteria

|                                                                                                   |                                                                                                                                                                                                                 |
|---------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Transaction Code</b><br>Positions: 1-2<br>Length: 2<br>Format: unpacked numeric                | <b>Description:</b> This field will contain the value of <b>33</b> (TC 33.B capture transactions (merchant)).                                                                                                   |
| <b>Record Hash Total</b><br>Positions: 3-4<br>Length: 2<br>Format: binary                         | <b>Description:</b> This field must contain spaces for computers that do not generate hash totals.<br><br>Used in BASE II to ensure that the collection and delivery file data have been correctly transmitted. |
| <b>Transaction Code Qualifier</b><br>Positions: 5<br>Length: 1<br>Format: unpacked numeric        | <b>Description:</b> This field will contain the value of <b>0</b> (zero).                                                                                                                                       |
| <b>Transaction Component Sequence Number</b><br>Positions: 6<br>Length: 1<br>Format: alphanumeric | <b>Description:</b> This field will contain the value of <b>3</b> (three).                                                                                                                                      |
| <b>Total Tax</b><br>Positions: 7-18<br>Length: 12<br>Format: alphanumeric                         | <b>Description:</b> This field will contain the total amount of tax.                                                                                                                                            |
| <b>Food and Beverage Charges</b><br>Positions: 19-30<br>Length: 12<br>Format: alphanumeric        | <b>Description:</b> This field will contain the food and beverage charges.                                                                                                                                      |
| <b>Total Room Tax</b><br>Positions: 31-42<br>Length: 12<br>Format: alphanumeric                   | <b>Description:</b> This field will contain the total amount for the room tax.                                                                                                                                  |
| <b>Adjustment Amount</b><br>Positions: 43-54<br>Length: 12<br>Format: alphanumeric                | <b>Description:</b> This field will contain the amount of an adjustment.                                                                                                                                        |

### Lodging Additional Amounts Record Edit Criteria

|                                                                                            |                                                                            |
|--------------------------------------------------------------------------------------------|----------------------------------------------------------------------------|
| <b>Phone Charges</b><br>Positions: 55-66<br>Length: 12<br>Format: alphanumeric             | <b>Description:</b> This field will contain the charges for telephone use. |
| <b>Restaurant Charges</b><br>Positions: 67-78<br>Length: 12<br>Format: alphanumeric        | <b>Description:</b> This field will contain the restaurant charges.        |
| <b>Laundry Charges</b><br>Positions: 79-90<br>Length: 12<br>Format: alphanumeric           | <b>Description:</b> This field will contain the laundry charges.           |
| <b>Movie Charges</b><br>Positions: 91-102<br>Length: 12<br>Format: alphanumeric            | <b>Description:</b> This field will contain the movie charges.             |
| <b>Lounge/Bar Charges</b><br>Positions: 103-114<br>Length: 12<br>Format: alphanumeric      | <b>Description:</b> This field will contain the lounge and bar charges.    |
| <b>Early Departure Charges</b><br>Positions: 115-126<br>Length: 12<br>Format: alphanumeric | <b>Description:</b> This field will contain the early departure charges.   |
| <b>Prepaid Expenses</b><br>Positions: 127-138<br>Length: 12<br>Format: alphanumeric        | <b>Description:</b> This field will contain prepaid expenses.              |
| <b>Other Charges</b><br>Positions: 139-150<br>Length: 12<br>Format: alphanumeric           | <b>Description:</b> This field will contain other miscellaneous charges.   |

### Lodging Additional Amounts Record Edit Criteria

|                                                                                      |                                                                    |
|--------------------------------------------------------------------------------------|--------------------------------------------------------------------|
| <b>Gift Shop Charges</b><br>Positions: 151-162<br>Length: 12<br>Format: alphanumeric | <b>Description:</b> This field will contain the gift shop charges. |
| <b>Reserved</b><br>Positions: 163-170<br>Length: 8<br>Format: alphanumeric           | <b>Description:</b> This field is reserved; space-filled.          |

## TC 33.B - CP 53 TCR 4 Lodging Additional Amounts Record (Cont'd)

These tables contain the Multipurpose Message (TC 33.B) record layout and edit criteria for CP 53 TCR 4 - LODGING ADDITIONAL AMOUNTS RECORD (CONT'D).

### Lodging Additional Amounts Record (Cont'd) Record Layout

| Position | Field Length | Format | Contents                              |
|----------|--------------|--------|---------------------------------------|
| 1-2      | 2            | UN     | Transaction Code                      |
| 3-4      | 2            | BINARY | Record Hash Total                     |
| 5        | 1            | UN     | Transaction Code Qualifier            |
| 6        | 1            | AN     | Transaction Component Sequence Number |
| 7-18     | 12           | AN     | Health Club Charges                   |
| 19-30    | 12           | AN     | Valet Parking Charges                 |
| 31-42    | 12           | AN     | Cash Disbursement Charges             |
| 43-54    | 12           | AN     | Non-Room Charges                      |
| 55-66    | 12           | AN     | Business Center Charges               |
| 67-78    | 12           | AN     | Transportation Charges                |
| 79-90    | 12           | AN     | Gratuities Charges                    |
| 91-102   | 12           | AN     | Conference Room Charges               |
| 103-114  | 12           | AN     | Audio Visual Charges                  |
| 115-126  | 12           | AN     | Banquet Charges                       |

### Lodging Additional Amounts Record (Cont'd) Record Layout

| Position | Field Length | Format | Contents                  |
|----------|--------------|--------|---------------------------|
| 127-138  | 12           | AN     | Total Non-Room Tax Amount |
| 139-170  | 32           | AN     | Reserved                  |

Format: AN = Alphanumeric, ANS = Alphanumeric Special, DX = Display Hexadecimal, N = Numeric, UN = Unpacked Numeric

### Lodging Additional Amounts Record (Cont'd) Edit Criteria

|                                                                                                   |                                                                                                                                                                                                                 |
|---------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Transaction Code</b><br>Positions: 1-2<br>Length: 2<br>Format: unpacked numeric                | <b>Description:</b> This field will contain the value of <b>33</b> (TC 33.B capture transactions (merchant)).                                                                                                   |
| <b>Record Hash Total</b><br>Positions: 3-4<br>Length: 2<br>Format: binary                         | <b>Description:</b> This field must contain spaces for computers that do not generate hash totals.<br><br>Used in BASE II to ensure that the collection and delivery file data have been correctly transmitted. |
| <b>Transaction Code Qualifier</b><br>Positions: 5<br>Length: 1<br>Format: unpacked numeric        | <b>Description:</b> This field will contain the value of <b>0</b> (zero).                                                                                                                                       |
| <b>Transaction Component Sequence Number</b><br>Positions: 6<br>Length: 1<br>Format: alphanumeric | <b>Description:</b> This field will contain the value of <b>4</b> (four).                                                                                                                                       |
| <b>Health Club Charges</b><br>Positions: 7-18<br>Length: 12<br>Format: alphanumeric               | <b>Description:</b> This field will contain the health club charges.                                                                                                                                            |
| <b>Valet Parking Charges</b><br>Positions: 19-30<br>Length: 12<br>Format: alphanumeric            | <b>Description:</b> This field will contain the valet parking charges.                                                                                                                                          |

### Lodging Additional Amounts Record (Cont'd) Edit Criteria

|                                                                                            |                                                                            |
|--------------------------------------------------------------------------------------------|----------------------------------------------------------------------------|
| <b>Cash Disbursement Charges</b><br>Positions: 31-42<br>Length: 12<br>Format: alphanumeric | <b>Description:</b> This field will contain the cash disbursement charges. |
| <b>Non-Room Charges</b><br>Positions: 43-54<br>Length: 12<br>Format: alphanumeric          | <b>Description:</b> This field will contain the non-room charges.          |
| <b>Business Center Charges</b><br>Positions: 55-66<br>Length: 12<br>Format: alphanumeric   | <b>Description:</b> This field will contain the business center charges.   |
| <b>Transportation Charges</b><br>Positions: 67-78<br>Length: 12<br>Format: alphanumeric    | <b>Description:</b> This field will contain the transportation charges.    |
| <b>Gratuity Charges</b><br>Positions: 79-90<br>Length: 12<br>Format: alphanumeric          | <b>Description:</b> This field will contain the gratuity charges.          |
| <b>Conference Room Charges</b><br>Positions: 91-102<br>Length: 12<br>Format: alphanumeric  | <b>Description:</b> This field will contain the conference room charges.   |
| <b>Audio Visual Charges</b><br>Positions: 103-114<br>Length: 12<br>Format: alphanumeric    | <b>Description:</b> This field will contain the audio visual charges.      |
| <b>Banquet Charges</b><br>Positions: 115-126<br>Length: 12<br>Format: alphanumeric         | <b>Description:</b> This field will contain the banquet charges.           |

### Lodging Additional Amounts Record (Cont'd) Edit Criteria

|                                                                                              |                                                                                        |
|----------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------|
| <b>Total Non-Room Tax Amount</b><br>Positions: 127-138<br>Length: 12<br>Format: alphanumeric | <b>Description:</b> This field will contain the total tax amount for non-room charges. |
| <b>Reserved</b><br>Positions: 139-170<br>Length: 32<br>Format: alphanumeric                  | <b>Description:</b> This field is reserved; space-filled.                              |

## TC 33.B - CP 54 TCR 0 Level II Data

These tables contain the Multipurpose Message (TC 33.B) record layout and edit criteria for CP 54 TCR 0 - LEVEL II DATA.

### ITF - Incoming Interchange

#### Level II Data Record Layout

| Position | Field Length | Format | Contents                                                   |
|----------|--------------|--------|------------------------------------------------------------|
| 1-2      | 2            | UN     | Transaction Code                                           |
| 3-4      | 2            | BINARY | Record Hash Total                                          |
| 5        | 1            | UN     | Transaction Code Qualifier                                 |
| 6        | 1            | AN     | Transaction Component Sequence Number                      |
| 7-12     | 6            | UN     | Destination Identifier                                     |
| 13-18    | 6            | UN     | Source Identifier                                          |
| 19-22    | 4            | AN     | File Identifier - Merchant Capture Data                    |
| 23-37    | 15           | AN     | Message Identifier                                         |
| 38-49    | 12           | AN     | Local Tax                                                  |
| 50       | 1            | AN     | Local Tax Included                                         |
| 51-62    | 12           | AN     | National Tax                                               |
| 63       | 1            | AN     | National Tax Included                                      |
| 64-80    | 17           | AN     | Customer Code/Customer Reference Identifier (CRI)          |
| 81-100   | 20           | AN     | Merchant VAT Registration/Single Business Reference Number |

### Level II Data Record Layout

| Position | Field Length | Format | Contents |
|----------|--------------|--------|----------|
| 101-170  | 70           | AN     | Reserved |

Format: AN = Alphanumeric, ANS = Alphanumeric Special, DX = Display Hexadecimal, N = Numeric, UN = Unpacked Numeric

### Level II Data Edit Criteria

|                                                                                                   |                                                                                                                                                                                                                |
|---------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Transaction Code</b><br>Positions: 1-2<br>Length: 2<br>Format: unpacked numeric                | <b>Description:</b> This field will contain the value of <b>33</b> .                                                                                                                                           |
| <b>Record Hash Total</b><br>Positions: 3-4<br>Length: 2<br>Format: binary                         | <b>Description:</b> Used in BASE II to ensure that the collection and delivery file data have been correctly transmitted.<br><br>The field must contain spaces for computers that do not generate hash totals. |
| <b>Transaction Code Qualifier</b><br>Positions: 5<br>Length: 1<br>Format: unpacked numeric        | <b>Description:</b> This field will contain the value of <b>0</b> (zero).                                                                                                                                      |
| <b>Transaction Component Sequence Number</b><br>Positions: 6<br>Length: 1<br>Format: alphanumeric | <b>Description:</b> This field will contain the value of <b>0</b> (zero).                                                                                                                                      |
| <b>Destination Identifier</b><br>Positions: 7-12<br>Length: 6<br>Format: unpacked numeric         | <b>Description:</b> This field will contain the destination identifier of the VIC.                                                                                                                             |
| <b>Source Identifier</b><br>Positions: 13-18<br>Length: 6<br>Format: unpacked numeric             | <b>Description:</b> This field will contain the MDEX identifier.                                                                                                                                               |

## Level II Data Edit Criteria

|                                                                                                                    |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
|--------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>File Identifier - Merchant Capture Data</b><br>Positions: 19-22<br>Length: 4<br>Format: alphanumeric            | <b>Description:</b> This field will contain the value of <b>CP54</b> .                                                                                                                                                                                                                                                                                                                                                                                                                                       |
| <b>Message Identifier</b><br>Positions: 23-37<br>Length: 15<br>Format: alphanumeric                                | <b>Description:</b> This field will contain a unique message identifier that links a specific capture record among multiple capture records being submitted for a single transaction. All capture records within the same file linked to a single authorization request contain the same message identifier.<br><br>The same message identifier can be assigned to other related capture records located in additional TCR groups identified by a value of <b>CPnn</b> in the TC 33 Application Code fields. |
| <b>Local Tax</b><br>Positions: 38-49<br>Length: 12<br>Format: alphanumeric                                         | <b>Description:</b> This field will contain the amount of state or provincial tax included in the transaction amount.<br><br>This amount is expressed in the same currency as the source amount.                                                                                                                                                                                                                                                                                                             |
| <b>Local Tax Included</b><br>Positions: 50<br>Length: 1<br>Format: alphanumeric                                    | <b>Description:</b> This field will contain a value that indicates whether local tax is included.<br><br><b>REFERENCE</b><br>For valid values, see <i>BASE II Clearing Data Codes</i> .                                                                                                                                                                                                                                                                                                                      |
| <b>National Tax</b><br>Positions: 51-62<br>Length: 12<br>Format: alphanumeric                                      | <b>Description:</b> (For Australia) This field will contain the goods and services tax (GST) amount.                                                                                                                                                                                                                                                                                                                                                                                                         |
| <b>National Tax Included</b><br>Positions: 63<br>Length: 1<br>Format: alphanumeric                                 | <b>Description:</b> This field will contain a value that indicates whether national tax is included.<br><br><b>REFERENCE</b><br>For valid values, see <i>BASE II Clearing Data Codes</i> .                                                                                                                                                                                                                                                                                                                   |
| <b>Customer Code/Customer Reference Identifier (CRI)</b><br>Positions: 64-80<br>Length: 17<br>Format: alphanumeric | <b>Description:</b> This field will contain a reference number or code that identifies the customer or consumer.                                                                                                                                                                                                                                                                                                                                                                                             |



## Level II Data Edit Criteria

|                                                                                                                                           |                                                                                      |
|-------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|
| <b>Merchant VAT Registration/<br/>Single Business Reference<br/>Number</b><br><br>Positions: 81-100<br>Length: 20<br>Format: alphanumeric | <b>Description:</b> This field will contain the merchant Australian business number. |
| <b>Reserved</b><br><br>Positions: 101-170<br>Length: 70<br>Format: alphanumeric                                                           | <b>Description:</b> This field is reserved; space-filled.                            |

# TC 33.B - CP 54 TCR 1 Level II Data - American Express

These tables contain the Multipurpose Message (TC 33.B) record layout and edit criteria for CP 54 TCR 1 - LEVEL II DATA - AMERICAN EXPRESS.

## ITF - Incoming Interchange

### Level II Data-American Express Record Layout

| Position | Field Length | Format | Contents                              |
|----------|--------------|--------|---------------------------------------|
| 1-2      | 2            | UN     | Transaction Code                      |
| 3-4      | 2            | BINARY | Record Hash Total                     |
| 5        | 1            | UN     | Transaction Code Qualifier            |
| 6        | 1            | AN     | Transaction Component Sequence Number |
| 7-46     | 40           | AN     | AMEX - Charge descriptor 1            |
| 47-86    | 40           | AN     | AMEX - Charge descriptor 2            |
| 87-126   | 40           | AN     | AMEX - Charge descriptor 3            |
| 127-166  | 40           | AN     | AMEX - Charge descriptor 4            |
| 167-169  | 3            | AN     | AMEX - Tax Type Code                  |
| 170      | 1            | AN     | Reserved                              |

Format: AN = Alphanumeric, ANS = Alphanumeric Special, DX = Display Hexadecimal, N = Numeric, UN = Unpacked Numeric

## Level II Data-American Express Edit Criteria

|                                                                                                   |                                                                                        |
|---------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------|
| <b>Transaction Code</b><br>Positions: 1-2<br>Length: 2<br>Format: unpacked numeric                | <b>Description:</b> This field will contain the value of <b>33</b> .                   |
| <b>Record Hash Total</b><br>Positions: 3-4<br>Length: 2<br>Format: binary                         | <b>Description:</b> This field will contain the Record Hash Total or spaces.           |
| <b>Transaction Code Qualifier</b><br>Positions: 5<br>Length: 1<br>Format: unpacked numeric        | <b>Description:</b> This field will contain the value of <b>0</b> .                    |
| <b>Transaction Component Sequence Number</b><br>Positions: 6<br>Length: 1<br>Format: alphanumeric | <b>Description:</b> This field will contain the value of <b>1</b> .                    |
| <b>AMEX - Charge descriptor 1</b><br>Positions: 7-46<br>Length: 40<br>Format: alphanumeric        | <b>Description:</b> This field will contain the miscellaneous transaction information. |
| <b>AMEX - Charge descriptor 2</b><br>Positions: 47-86<br>Length: 40<br>Format: alphanumeric       | <b>Description:</b> This field will contain the miscellaneous transaction information. |
| <b>AMEX - Charge descriptor 3</b><br>Positions: 87-126<br>Length: 40<br>Format: alphanumeric      | <b>Description:</b> This field will contain the miscellaneous transaction information. |
| <b>AMEX - Charge descriptor 4</b><br>Positions: 127-166<br>Length: 40<br>Format: alphanumeric     | <b>Description:</b> This field will contain the miscellaneous transaction information. |

## Level II Data-American Express Edit Criteria

|                                                                                        |                                                                |
|----------------------------------------------------------------------------------------|----------------------------------------------------------------|
| <b>AMEX - Tax Type Code</b><br>Positions: 167-169<br>Length: 3<br>Format: alphanumeric | <b>Description:</b> This field will contain the tax type code. |
| <b>Reserved</b><br>Positions: 170<br>Length: 1<br>Format: alphanumeric                 | <b>Description:</b> This field is reserved; space-filled.      |

# TC 33.B - CP 54 TCR 2 Level III Data - Purchasing Transaction Summary

These tables contain the Multipurpose Message (TC 33.B) record layout and edit criteria for CP 54 TCR 2 - LEVEL III DATA - PURCHASING TRANSACTION SUMMARY.

## ITF - Incoming Interchange

### Level III Data-Purchasing Transaction Summary Record Layout

| Position | Field Length | Format | Contents                              |
|----------|--------------|--------|---------------------------------------|
| 1-2      | 2            | UN     | Transaction Code                      |
| 3-4      | 2            | BINARY | Record Hash Total                     |
| 5        | 1            | UN     | Transaction Code Qualifier            |
| 6        | 1            | AN     | Transaction Component Sequence Number |
| 7-18     | 12           | AN     | Discount Amount                       |
| 19       | 1            | AN     | Discount Amount Signage               |
| 20-31    | 12           | AN     | Freight/Shipping Amount               |
| 32       | 1            | AN     | Freight/Shipping Amount Signage       |
| 33-44    | 12           | AN     | Duty Amount                           |
| 45       | 1            | AN     | Duty Amount Signage                   |
| 46-57    | 12           | AN     | VAT/TAX Amount                        |
| 58       | 1            | AN     | VAT/TAX Amount Signage                |
| 59-73    | 15           | AN     | Unique VAT Invoice Reference Number   |

### Level III Data-Purchasing Transaction Summary Record Layout

| Position | Field Length | Format | Contents                         |
|----------|--------------|--------|----------------------------------|
| 74-79    | 6            | AN     | Order Date                       |
| 80-83    | 4            | AN     | VAT/TAX Rate (Freight/Shipping)  |
| 84-87    | 4            | AN     | Summary Commodity Code           |
| 88       | 1            | AN     | Invoice Level Discount Treatment |
| 89       | 1            | AN     | Tax Treatment                    |
| 90-114   | 25           | ANS    | MC - Card Acceptor Ref Number    |
| 115-134  | 20           | ANS    | MC - Card Acceptor VAT Number    |
| 135-154  | 20           | ANS    | MC - Customer VAT Number         |
| 155-170  | 16           | AN     | Reserved                         |

Format: AN = Alphanumeric, ANS = Alphanumeric Special, DX = Display Hexadecimal, N = Numeric, UN = Unpacked Numeric

### Level III Data-Purchasing Transaction Summary Edit Criteria

|                                                                                                   |                                                                              |
|---------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------|
| <b>Transaction Code</b><br>Positions: 1-2<br>Length: 2<br>Format: unpacked numeric                | <b>Description:</b> This field will contain the value of <b>33</b> .         |
| <b>Record Hash Total</b><br>Positions: 3-4<br>Length: 2<br>Format: binary                         | <b>Description:</b> This field will contain the record hash total or spaces. |
| <b>Transaction Code Qualifier</b><br>Positions: 5<br>Length: 1<br>Format: unpacked numeric        | <b>Description:</b> This field will contain the value of <b>0</b> .          |
| <b>Transaction Component Sequence Number</b><br>Positions: 6<br>Length: 1<br>Format: alphanumeric | <b>Description:</b> This field will contain the value of <b>2</b> .          |

### Level III Data-Purchasing Transaction Summary Edit Criteria

|                                                                                              |                                                                                  |
|----------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------|
| <b>Discount Amount</b><br>Positions: 7-18<br>Length: 12<br>Format: alphanumeric              | <b>Description:</b> This field will contain the discount amount.                 |
| <b>Discount Amount Signage</b><br>Positions: 19<br>Length: 1<br>Format: alphanumeric         | <b>Description:</b> This field will contain the discount amount signage.         |
| <b>Freight/Shipping Amount</b><br>Positions: 20-31<br>Length: 12<br>Format: alphanumeric     | <b>Description:</b> This field will contain the freight/shipping amount.         |
| <b>Freight/Shipping Amount Signage</b><br>Positions: 32<br>Length: 1<br>Format: alphanumeric | <b>Description:</b> This field will contain the freight/shipping amount signage. |
| <b>Duty Amount</b><br>Positions: 34-44<br>Length: 12<br>Format: alphanumeric                 | <b>Description:</b> This field will contain the duty amount.                     |
| <b>Duty Amount Signage</b><br>Positions: 45<br>Length: 1<br>Format: alphanumeric             | <b>Description:</b> This field will contain the duty amount signage.             |
| <b>VAT/TAX Amount</b><br>Positions: 46-57<br>Length: 12<br>Format: alphanumeric              | <b>Description:</b> This field will contain the VAT/TAX amount.                  |
| <b>VAT/TAX Amount Signage</b><br>Positions: 58<br>Length: 1<br>Format: alphanumeric          | <b>Description:</b> This field will contain the VAT/TAX amount signage.          |

### Level III Data-Purchasing Transaction Summary Edit Criteria

|                                                                                                       |                                                                                      |
|-------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|
| <b>Unique VAT Invoice Reference Number</b><br>Positions: 59-73<br>Length: 15<br>Format: alphanumeric  | <b>Description:</b> This field will contain the unique VAT invoice reference number. |
| <b>Order Date</b><br>Positions: 74-79<br>Length: 6<br>Format: alphanumeric                            | <b>Description:</b> This field will contain the order date.                          |
| <b>VAT/TAX Rate (Freight/Shipping)</b><br>Positions: 80-83<br>Length: 4<br>Format: alphanumeric       | <b>Description:</b> This field will contain the VAT/TAX rate (Freight/Shipping).     |
| <b>Summary Commodity Code</b><br>Positions: 84-87<br>Length: 4<br>Format: alphanumeric                | <b>Description:</b> This field will contain the summary commodity code.              |
| <b>Invoice Level Discount Treatment</b><br>Positions: 88<br>Length: 1<br>Format: alphanumeric         | <b>Description:</b> This field will contain the invoice level discount treatment.    |
| <b>Tax Treatment</b><br>Positions: 89<br>Length: 1<br>Format: alphanumeric                            | <b>Description:</b> This field will contain the tax treatment.                       |
| <b>MC - Card Acceptor Reference Number</b><br>Positions: 90-114<br>Length: 25<br>Format: alphanumeric | <b>Description:</b> This field will contain the MC - card acceptor reference number. |
| <b>MC - Card Acceptor VAT Number</b><br>Positions: 115-134<br>Length: 20<br>Format: alphanumeric      | <b>Description:</b> This field will contain the MC - card acceptor VAT number.       |

### Level III Data-Purchasing Transaction Summary Edit Criteria

|                                                                                             |                                                                           |
|---------------------------------------------------------------------------------------------|---------------------------------------------------------------------------|
| <b>MC - Customer VAT Number</b><br>Positions: 135-154<br>Length: 20<br>Format: alphanumeric | <b>Description:</b> This field will contain the MC - customer VAT number. |
| <b>Reserved</b><br>Positions: 155-170<br>Length: 16<br>Format: alphanumeric                 | <b>Description:</b> This field is reserved; space-filled.                 |

## TC 33.B - CP 54 TCR 3 Level III Data - Purchasing Transaction

These tables contain the Multipurpose Message (TC 33.B) record layout and edit criteria for CP 54 TCR 3 - LEVEL III DATA - PURCHASING TRANSACTION.

### ITF - Incoming Interchange

#### Level III Data-Purchasing Transaction Record Layout

| Position | Field Length | Format | Contents                              |
|----------|--------------|--------|---------------------------------------|
| 1-2      | 2            | UN     | Transaction Code                      |
| 3-4      | 2            | BINARY | Record Hash Total                     |
| 5        | 1            | UN     | Transaction Code Qualifier            |
| 6        | 1            | AN     | Transaction Component Sequence Number |
| 7-42     | 36           | AN     | MC - Authorized Contact Name          |
| 43-82    | 40           | AN     | MC - Contact Number                   |
| 83-170   | 40           | AN     | Reserved                              |

Format: AN = Alphanumeric, ANS = Alphanumeric Special, DX = Display Hexadecimal, N = Numeric, UN = Unpacked Numeric

### Level III Data-Purchasing Transaction

|                                                                                                   |                                                                               |
|---------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------|
| <b>Transaction Code</b><br>Positions: 1-2<br>Length: 2<br>Format: unpacked numeric                | <b>Description:</b> This field will contain the value of <b>33</b> .          |
| <b>Record Hash Total</b><br>Positions: 3-4<br>Length: 2<br>Format: binary                         | <b>Description:</b> This field will contain the record hash total or spaces.  |
| <b>Transaction Code Qualifier</b><br>Positions: 5<br>Length: 1<br>Format: unpacked numeric        | <b>Description:</b> This field will contain the value of <b>0</b> .           |
| <b>Transaction Component Sequence Number</b><br>Positions: 6<br>Length: 1<br>Format: alphanumeric | <b>Description:</b> This field will contain the value of <b>3</b> .           |
| <b>MC - Authorized Contact Name</b><br>Positions: 7-42<br>Length: 36<br>Format: alphanumeric      | <b>Description:</b> This field will contain the MC authorized contact name.   |
| <b>MC - Contact Number</b><br>Positions: 43-82<br>Length: 40<br>Format: alphanumeric              | <b>Description:</b> This field will contain the MC authorized contact number. |
| <b>Reserved</b><br>Positions: 83-170<br>Length: 40<br>Format: alphanumeric                        | <b>Description:</b> This field is reserved; space-filled.                     |



# TC 33.B - CP 55 TCR 0 Passenger Itinerary Data

These tables contain the Multipurpose Message (TC 33.B) record layout and edit criteria for CP 55 TCR 0 - PASSENGER ITINERARY DATA.

## ITF - Incoming Interchange

### Passenger Itinerary Data Record Layout

| Position | Field Length | Format | Contents                                |
|----------|--------------|--------|-----------------------------------------|
| 1-2      | 2            | UN     | Transaction Code                        |
| 3-4      | 2            | BINARY | Record Hash Total                       |
| 5        | 1            | UN     | Transaction Code Qualifier              |
| 6        | 1            | AN     | Transaction Component Sequence Number   |
| 7-12     | 6            | UN     | Destination Identifier                  |
| 13-18    | 6            | UN     | Source Identifier                       |
| 19-22    | 4            | AN     | File Identifier - Merchant Capture Data |
| 23-37    | 15           | AN     | Message Identifier                      |
| 38-57    | 20           | ANS    | Passenger Name                          |
| 58-63    | 6            | AN     | Departure Date                          |
| 64-66    | 3            | AN     | Origination City/Airport Code           |
| 67-74    | 8            | AN     | Travel Agency Code                      |
| 75-99    | 25           | ANS    | Travel Agency Name                      |
| 100      | 1            | AN     | Restricted Ticket Indicator             |
| 101-104  | 4            | AN     | Computerized Reservation System         |
| 105-119  | 15           | AN     | Ticket Number                           |
| 120-139  | 20           | AN     | Total Clearing Amount                   |
| 140-164  | 25           | AN     | Customer Code                           |
| 165-166  | 2            | AN     | Multiple Clearing Sequence Number       |
| 167-168  | 2            | AN     | Multiple Clearing Sequence Count        |
| 169-170  | 2            | AN     | Reserved                                |

Format: AN = Alphanumeric, ANS = Alphanumeric Special, DX = Display Hexadecimal, N = Numeric, UN = Unpacked Numeric

### Passenger Itinerary Data Edit Criteria

|                                                                                                         |                                                                                                                                                                                                                |
|---------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Transaction Code</b><br>Positions: 1-2<br>Length: 2<br>Format: unpacked numeric                      | <b>Description:</b> This field will contain the value of <b>33</b> .                                                                                                                                           |
| <b>Record Hash Total</b><br>Positions: 3-4<br>Length: 2<br>Format: binary                               | <b>Description:</b> Used in BASE II to ensure that the collection and delivery file data have been correctly transmitted.<br><br>The field must contain spaces for computers that do not generate hash totals. |
| <b>Transaction Code Qualifier</b><br>Positions: 5<br>Length: 1<br>Format: unpacked numeric              | <b>Description:</b> This field will contain the value of <b>0</b> (zero).                                                                                                                                      |
| <b>Transaction Component Sequence Number</b><br>Positions: 6<br>Length: 1<br>Format: alphanumeric       | <b>Description:</b> This field will contain the value of <b>0</b> (zero).                                                                                                                                      |
| <b>Destination Identifier</b><br>Positions: 7-12<br>Length: 6<br>Format: unpacked numeric               | <b>Description:</b> This field will contain the destination identifier of the VIC.                                                                                                                             |
| <b>Source Identifier</b><br>Positions: 13-18<br>Length: 6<br>Format: unpacked numeric                   | <b>Description:</b> This field will contain the MDEX identifier.                                                                                                                                               |
| <b>File Identifier - Merchant Capture Data</b><br>Positions: 19-22<br>Length: 4<br>Format: alphanumeric | <b>Description:</b> This field will contain the value of <b>CP55</b> .                                                                                                                                         |

## Passenger Itinerary Data Edit Criteria

|                                                                                                       |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
|-------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Message Identifier</b><br>Positions: 23-37<br>Length: 15<br>Format: alphanumeric                   | <b>Description:</b> This field will contain a unique message identifier that links a specific capture record among multiple capture records being submitted for a single transaction. All capture records within the same file linked to a single authorization request contain the same message identifier.<br><br>The same message identifier can be assigned to other related capture records located in additional TCR groups identified by a value of <b>CPnn</b> in the TC 33 Application Code fields. |
| <b>Passenger Name</b><br>Positions: 38-57<br>Length: 20<br>Format: alphanumeric special character     | <b>Description:</b> This field will contain the name of passenger.                                                                                                                                                                                                                                                                                                                                                                                                                                           |
| <b>Departure Date</b><br>Positions: 58-63<br>Length: 6<br>Format: alphanumeric                        | <b>Description:</b> This field will contain the date of the passenger's departure in the following format: <b>mmddyy</b> .                                                                                                                                                                                                                                                                                                                                                                                   |
| <b>Origination City/Airport Code</b><br>Positions: 64-66<br>Length: 3<br>Format: alphanumeric         | <b>Description:</b> This field will contain a code that indicates the city or airport where the trip originated.                                                                                                                                                                                                                                                                                                                                                                                             |
| <b>Travel Agency Code</b><br>Positions: 67-74<br>Length: 8<br>Format: alphanumeric                    | <b>Description:</b> This field will contain a code identifying travel agency if the ticket was issued by a travel agency.                                                                                                                                                                                                                                                                                                                                                                                    |
| <b>Travel Agency Name</b><br>Positions: 75-99<br>Length: 25<br>Format: alphanumeric special character | <b>Description:</b> This field will contain the name of travel agency if the ticket was issued by a travel agency.                                                                                                                                                                                                                                                                                                                                                                                           |
| <b>Restricted Ticket Indicator</b><br>Positions: 100<br>Length: 1<br>Format: alphanumeric             | <b>Description:</b> This field will contain an indicator for whether this ticket is non-refundable. This value is supplied on CPS Passenger Transport 1 and 2 transactions, if the ticket was purchased as a non-refundable.<br><br><b>REFERENCE</b><br>For valid values, see <i>BASE II Clearing Data Codes</i> .                                                                                                                                                                                           |

### Passenger Itinerary Data Edit Criteria

|                                                                                                     |                                                                                                                                                                                               |
|-----------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Computerized Reservation System</b><br>Positions: 101-104<br>Length: 4<br>Format: alphanumeric   | <b>Description:</b> This field will contain a code that identifies the computerized reservation system used to make the reservation and purchase the ticket.                                  |
| <b>Ticket Number</b><br>Positions: 105-119<br>Length: 15<br>Format: alphanumeric                    | <b>Description:</b> This field will contain the ticket number.                                                                                                                                |
| <b>Total Clearing Amount</b><br>Positions: 120-139<br>Length: 20<br>Format: alphanumeric            | <b>Description:</b> This field will contain the total clearing amount.                                                                                                                        |
| <b>Customer Code</b><br>Positions: 140-164<br>Length: 25<br>Format: alphanumeric                    | <b>Description:</b> This field will contain a reference number or code that identifies the customer or consumer.                                                                              |
| <b>Multiple Clearing Sequence Number</b><br>Positions: 165-166<br>Length: 2<br>Format: alphanumeric | <b>Description:</b> This field will contain a sequence number that distinguishes a specific clearing message among multiple clearing messages being submitted for a single CPS authorization. |
| <b>Multiple Clearing Sequence Count</b><br>Positions: 167-168<br>Length: 2<br>Format: alphanumeric  | <b>Description:</b> This field will contain the count within a multiple clearing sequence.                                                                                                    |
| <b>Reserved</b><br>Positions: 169-170<br>Length: 2<br>Format: alphanumeric                          | <b>Description:</b> This field will contain all <b>spaces</b> .                                                                                                                               |

# TC 33.B - CP 55 TCR 1 Passenger Itinerary Data (Cont'd)

These tables contain the Multipurpose Message (TC 33.B) record layout and edit criteria for CP 55 TCR 1 - PASSENGER ITINERARY DATA (CONT'D).

## ITF - Incoming Interchange

### Passenger Itinerary Data (Cont'd) Record Layout

| Position | Field Length | Format | Contents                              |
|----------|--------------|--------|---------------------------------------|
| 1-2      | 2            | UN     | Transaction Code                      |
| 3-4      | 2            | BINARY | Record Hash Total                     |
| 5        | 1            | UN     | Transaction Code Qualifier            |
| 6        | 1            | AN     | Transaction Component Sequence Number |
| 7-25     | 19           | AN     | Total Fare Amount                     |
| 26-44    | 19           | AN     | Total Taxes Amount                    |
| 45-64    | 20           | AN     | Total Fee Amount                      |
| 65       | 1            | AN     | Credit Reason Indicator               |
| 66       | 1            | AN     | Ticket Change Indicator               |
| 67-170   | 104          | AN     | Reserved                              |

Format: AN = Alphanumeric, ANS = Alphanumeric Special, DX = Display Hexadecimal, N = Numeric, UN = Unpacked Numeric

### Passenger Itinerary Data (Cont'd) Edit Criteria

|                                                                                    |                                                                                                                                                                                                                |
|------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Transaction Code</b><br>Positions: 1-2<br>Length: 2<br>Format: unpacked numeric | <b>Description:</b> This field will contain the value of <b>33</b> .                                                                                                                                           |
| <b>Record Hash Total</b><br>Positions: 3-4<br>Length: 2<br>Format: binary          | <b>Description:</b> Used in BASE II to ensure that the collection and delivery file data have been correctly transmitted.<br><br>The field must contain spaces for computers that do not generate hash totals. |

### Passenger Itinerary Data (Cont'd) Edit Criteria

|                                                                                                   |                                                                                                                                                                                                                                                                                                                                                                                               |
|---------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Transaction Code Qualifier</b><br>Positions: 5<br>Length: 1<br>Format: unpacked numeric        | <b>Description:</b> This field will contain the value of <b>0</b> (zero).                                                                                                                                                                                                                                                                                                                     |
| <b>Transaction Component Sequence Number</b><br>Positions: 6<br>Length: 1<br>Format: alphanumeric | <b>Description:</b> This field will contain the value of <b>1</b> .                                                                                                                                                                                                                                                                                                                           |
| <b>Total Fare Amount</b><br>Positions: 7-25<br>Length: 19<br>Format: alphanumeric                 | <b>Description:</b> This field will contain the total fare amount.                                                                                                                                                                                                                                                                                                                            |
| <b>Total Taxes Amount</b><br>Positions: 26-44<br>Length: 19<br>Format: alphanumeric               | <b>Description:</b> This field will contain the total taxes amount.                                                                                                                                                                                                                                                                                                                           |
| <b>Total Fee Amount</b><br>Positions: 45-64<br>Length: 20<br>Format: alphanumeric                 | <b>Description:</b> This field will contain the total fee amount.                                                                                                                                                                                                                                                                                                                             |
| <b>Credit Reason Indicator</b><br>Positions: 65<br>Length: 1<br>Format: alphanumeric              | <b>Description:</b> This field will contain a code that indicates the reason for the credit to the cardholder.<br>Values:<br><b>A</b> (Passenger transport ancillary purchase cancellation)<br><b>B</b> (Airline ticket and passenger transport ancillary purchase cancellation)<br><b>C</b> (Airline ticket cancellation)<br><b>O</b> (Other)<br><b>P</b> (Partial refund of airline ticket) |

### Passenger Itinerary Data (Cont'd) Edit Criteria

|                                                                                      |                                                                                                                                                                           |
|--------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Ticket Change Indicator</b><br>Positions: 66<br>Length: 1<br>Format: alphanumeric | <b>Description:</b> This field will contain a code that indicates why a ticket was changed.<br>Values:<br><b>C</b> (Airline ticket cancellation)<br><b>N</b> (New ticket) |
| <b>Reserved</b><br>Positions: 65-170<br>Length: 106<br>Format: alphanumeric          | <b>Description:</b> This field will contain all <b>spaces</b> .                                                                                                           |

## TC 33.B - CP 55 TCR 2 Passenger Itinerary Data (Cont'd)

These tables contain the Multipurpose Message (TC 33.B) record layout and edit criteria for CP 55 TCR 2 - PASSENGER ITINERARY DATA (CONT'D).

### ITF - Incoming Interchange

#### Passenger Itinerary Data (Cont'd) Record Layout

| Position | Field Length | Format | Contents                              |
|----------|--------------|--------|---------------------------------------|
| 1-2      | 2            | UN     | Transaction Code                      |
| 3-4      | 2            | BINARY | Record Hash Total                     |
| 5        | 1            | UN     | Transaction Code Qualifier            |
| 6        | 1            | AN     | Transaction Component Sequence Number |
| 7-13     | 7            | Group  | Trip Leg 1 Information                |
| 7-8      | 2            | AN     | Carrier Code                          |
| 9        | 1            | AN     | Service Class                         |
| 10       | 1            | AN     | Stop-Over Code                        |
| 11-13    | 3            | AN     | Destination City/Airport              |
| 14-19    | 6            | AN     | Fare Basis Code Leg 1                 |
| 20-24    | 5            | AN     | Flight Number Leg 1                   |
| 25-30    | 6            | AN     | Departure Date Leg 1                  |

### Passenger Itinerary Data (Cont'd) Record Layout

| Position | Field Length | Format | Contents                       |
|----------|--------------|--------|--------------------------------|
| 31-34    | 4            | AN     | Departure Time Leg 1           |
| 35       | 1            | AN     | Departure Time Segment Leg 1   |
| 36-39    | 4            | AN     | Arrival Time Leg 1             |
| 40       | 1            | AN     | Arrival Time Segment Leg 1     |
| 41-60    | 20           | ANS    | Endorsement/Restrictions Leg 1 |
| 61-85    | 25           | AN     | Conjunction Ticket Leg 1       |
| 86-110   | 25           | AN     | Exchange Ticket Leg 1          |
| 111      | 1            | AN     | Coupon Number Leg 1            |
| 112-123  | 12           | AN     | Fare Amount Leg 1              |
| 124-135  | 12           | AN     | Tax Amount Leg 1               |
| 136-147  | 12           | AN     | Fee Amount Leg 1               |
| 148-170  | 23           | AN     | Reserved                       |

Format: AN = Alphanumeric, ANS = Alphanumeric Special, DX = Display Hexadecimal, N = Numeric, UN = Unpacked Numeric

### Passenger Itinerary Data (Cont'd) Edit Criteria

|                                                                                            |                                                                                                                                                                                                                |
|--------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Transaction Code</b><br>Positions: 1-2<br>Length: 2<br>Format: unpacked numeric         | <b>Description:</b> This field will contain the value of <b>33</b> .                                                                                                                                           |
| <b>Record Hash Total</b><br>Positions: 3-4<br>Length: 2<br>Format: binary                  | <b>Description:</b> Used in BASE II to ensure that the collection and delivery file data have been correctly transmitted.<br><br>The field must contain spaces for computers that do not generate hash totals. |
| <b>Transaction Code Qualifier</b><br>Positions: 5<br>Length: 1<br>Format: unpacked numeric | <b>Description:</b> This field will contain the value of <b>0</b> (zero).                                                                                                                                      |



### Passenger Itinerary Data (Cont'd) Edit Criteria

|                                                                                                   |                                                                                                                                                           |
|---------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Transaction Component Sequence Number</b><br>Positions: 6<br>Length: 1<br>Format: alphanumeric | <b>Description:</b> This field will contain the value of <b>2</b> .                                                                                       |
| <b>Trip Leg 1 Information</b><br>Positions: 7-13<br>Length: 7<br>Format: Group                    | <b>Description:</b> This field will contain the description of the first leg of the trip.                                                                 |
| <b>Carrier Code</b><br>Positions: 7-8<br>Length: 2<br>Format: alphanumeric                        | <b>Description:</b> This field will contain a code that indicates the carrier for the first leg of the trip, such as United Airlines or Jet Blue.         |
| <b>Service Class</b><br>Positions: 9<br>Length: 1<br>Format: alphanumeric                         | <b>Description:</b> This field will contain a code that indicates the service class for the first leg of the trip, such as first class or business class. |
| <b>Stop-Over Code</b><br>Positions: 10<br>Length: 1<br>Format: alphanumeric                       | <b>Description:</b> This field will contain a code that indicates whether a stopover is allowed on this ticket for the first leg of the trip.             |
| <b>Destination City/Airport</b><br>Positions: 11-13<br>Length: 3<br>Format: alphanumeric          | <b>Description:</b> This field will contain a code that indicates the destination city's airport for the first leg of the trip.                           |
| <b>Fare Basis Code Leg 1</b><br>Positions: 14-19<br>Length: 6<br>Format: alphanumeric             | <b>Description:</b> This field will contain the fare basis code used for the first leg of the trip.                                                       |
| <b>Flight Number Leg 1</b><br>Positions: 20-24<br>Length: 5<br>Format: alphanumeric               | <b>Description:</b> This field will contain the number of the airline flight to be taken for the first leg of the trip.                                   |

### Passenger Itinerary Data (Cont'd) Edit Criteria

|                                                                                                                   |                                                                                                                                                          |
|-------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Departure Date Leg 1</b><br>Positions: 25-30<br>Length: 6<br>Format: alphanumeric                              | <b>Description:</b> This field will contain the date of the passenger's departure for the first leg of the trip in the following format: <b>mmddyy</b> . |
| <b>Departure Time Leg 1</b><br>Positions: 31-34<br>Length: 4<br>Format: alphanumeric                              | <b>Description:</b> This field will contain the time of passenger's departure for the first leg of the trip in the following format: <b>hhmm</b> .       |
| <b>Departure Time Segment Leg 1</b><br>Positions: 35<br>Length: 1<br>Format: alphanumeric                         | <b>Description:</b> This field will contain the time of passenger's departure for the first leg segment of the trip.                                     |
| <b>Arrival Time Leg 1</b><br>Positions: 36-39<br>Length: 4<br>Format: alphanumeric                                | <b>Description:</b> This field will contain the time of passenger's arrival for the first leg of the trip in the following format: <b>hhmm</b> .         |
| <b>Arrival Time Segment Leg 1</b><br>Positions: 40<br>Length: 1<br>Format: alphanumeric                           | <b>Description:</b> This field will contain the time of passenger's arrival for the first leg segment of the trip.                                       |
| <b>Endorsement/Restrictions Leg 1</b><br>Positions: 41-60<br>Length: 20<br>Format: alphanumeric special character | <b>Description:</b> This field will contain a value that indicates endorsements and restrictions for the first leg of trip.                              |
| <b>Conjunction Ticket Leg 1</b><br>Positions: 61-85<br>Length: 25<br>Format: alphanumeric                         | <b>Description:</b> This field will contain conjunction ticket information for the first leg of trip.                                                    |
| <b>Exchange Ticket Leg 1</b><br>Positions: 86-110<br>Length: 25<br>Format: alphanumeric                           | <b>Description:</b> This field will contain exchange ticket information for the first leg of trip.                                                       |

### Passenger Itinerary Data (Cont'd) Edit Criteria

|                                                                                      |                                                                                          |
|--------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------|
| <b>Coupon Number Leg 1</b><br>Positions: 111<br>Length: 1<br>Format: alphanumeric    | <b>Description:</b> This field will contain the coupon number for the first leg of trip. |
| <b>Fare Amount Leg 1</b><br>Positions: 112-123<br>Length: 12<br>Format: alphanumeric | <b>Description:</b> This field will contain the fare amount leg 1.                       |
| <b>Tax Amount Leg 1</b><br>Positions: 124-135<br>Length: 12<br>Format: alphanumeric  | <b>Description:</b> This field will contain the tax amount leg 1.                        |
| <b>Fee Amount Leg 1</b><br>Positions: 136-147<br>Length: 12<br>Format: alphanumeric  | <b>Description:</b> This field will contain the fee amount leg 1.                        |
| <b>Reserved</b><br>Positions: 148-170<br>Length: 23<br>Format: alphanumeric          | <b>Description:</b> This field is reserved; space-filled.                                |

## TC 33.B - CP 55 TCR 3 Passenger Itinerary Data (Cont'd)

These tables contain the Multipurpose Message (TC 33.B) record layout and edit criteria for CP 55 TCR 3 - PASSENGER ITINERARY DATA (CONT'D).

### ITF - Incoming Interchange

#### Passenger Itinerary Data (Cont'd) Record Layout

| Position | Field Length | Format | Contents          |
|----------|--------------|--------|-------------------|
| 1-2      | 2            | UN     | Transaction Code  |
| 3-4      | 2            | BINARY | Record Hash Total |

**Passenger Itinerary Data (Cont'd) Record Layout**

| Position | Field Length | Format | Contents                              |
|----------|--------------|--------|---------------------------------------|
| 5        | 1            | UN     | Transaction Code Qualifier            |
| 6        | 1            | AN     | Transaction Component Sequence Number |
| 7-13     | 7            | Group  | Trip Leg 2 Information                |
| 7-8      | 2            | AN     | Carrier Code                          |
| 9        | 1            | AN     | Service Class                         |
| 10       | 1            | AN     | Stop-Over Code                        |
| 11-13    | 3            | AN     | Destination City/Airport              |
| 14-19    | 6            | AN     | Fare Basis Code Leg 2                 |
| 20-24    | 5            | AN     | Flight Number Leg 2                   |
| 25-30    | 6            | AN     | Departure Date Leg 2                  |
| 31-34    | 4            | AN     | Departure Time Leg 2                  |
| 35       | 1            | AN     | Departure Time Segment Leg 2          |
| 36-39    | 4            | AN     | Arrival Time Leg 2                    |
| 40       | 1            | AN     | Arrival Time Segment Leg 2            |
| 41-60    | 20           | ANS    | Endorsement/Restrictions Leg 2        |
| 61-85    | 25           | AN     | Conjunction Ticket Leg 2              |
| 86-110   | 25           | AN     | Exchange Ticket Leg 2                 |
| 111      | 1            | AN     | Coupon Number Leg 2                   |
| 112-123  | 12           | AN     | Fare Amount Leg 2                     |
| 124-135  | 12           | AN     | Tax Amount Leg 2                      |
| 136-147  | 12           | AN     | Fee Amount Leg 2                      |
| 148-170  | 23           | AN     | Reserved                              |

Format: AN = Alphanumeric, ANS = Alphanumeric Special, DX = Display Hexadecimal, N = Numeric, UN = Unpacked Numeric

### Passenger Itinerary Data (Cont'd) Edit Criteria

|                                                                                                   |                                                                                                                                                                                                                |
|---------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Transaction Code</b><br>Positions: 1-2<br>Length: 2<br>Format: unpacked numeric                | <b>Description:</b> This field will contain the value of <b>33</b> .                                                                                                                                           |
| <b>Record Hash Total</b><br>Positions: 3-4<br>Length: 2<br>Format: binary                         | <b>Description:</b> Used in BASE II to ensure that the collection and delivery file data have been correctly transmitted.<br><br>The field must contain spaces for computers that do not generate hash totals. |
| <b>Transaction Code Qualifier</b><br>Positions: 5<br>Length: 1<br>Format: unpacked numeric        | <b>Description:</b> This field will contain the value of <b>0</b> (zero).                                                                                                                                      |
| <b>Transaction Component Sequence Number</b><br>Positions: 6<br>Length: 1<br>Format: alphanumeric | <b>Description:</b> This field will contain the value of <b>3</b> .                                                                                                                                            |
| <b>Trip Leg 2 Information</b><br>Positions: 7-13<br>Length: 7<br>Format: Group                    | <b>Description:</b> This field will contain the description of the second leg of the trip.                                                                                                                     |
| <b>Carrier Code</b><br>Positions: 7-8<br>Length: 2<br>Format: alphanumeric                        | <b>Description:</b> This field will contain a code that indicates the carrier for the second leg of the trip, such as United Airlines or Jet Blue.                                                             |
| <b>Service Class</b><br>Positions: 9<br>Length: 1<br>Format: alphanumeric                         | <b>Description:</b> This field will contain a code that indicates the service class for the second leg of the trip, such as first class or business class.                                                     |
| <b>Stop-Over Code</b><br>Positions: 10<br>Length: 1<br>Format: alphanumeric                       | <b>Description:</b> This field will contain a code that indicates whether a stopover is allowed on this ticket for the second leg of the trip.                                                                 |

### Passenger Itinerary Data (Cont'd) Edit Criteria

|                                                                                           |                                                                                                                                                           |
|-------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Destination City/Airport</b><br>Positions: 11-13<br>Length: 3<br>Format: alphanumeric  | <b>Description:</b> This field will contain a code that indicates the destination city's airport for the second leg of the trip.                          |
| <b>Fare Basis Code Leg 2</b><br>Positions: 14-19<br>Length: 6<br>Format: alphanumeric     | <b>Description:</b> This field will contain the fare basis code used for the second leg of the trip.                                                      |
| <b>Flight Number Leg 2</b><br>Positions: 20-24<br>Length: 5<br>Format: alphanumeric       | <b>Description:</b> This field will contain the number of the airline flight to be taken for the second leg of the trip.                                  |
| <b>Departure Date Leg 2</b><br>Positions: 25-30<br>Length: 6<br>Format: alphanumeric      | <b>Description:</b> This field will contain the date of the passenger's departure for the second leg of the trip in the following format: <b>mmddyy</b> . |
| <b>Departure Time Leg 2</b><br>Positions: 31-34<br>Length: 4<br>Format: alphanumeric      | <b>Description:</b> This field will contain the time of passenger's departure for the second leg of the trip in the following format: <b>hhmm</b> .       |
| <b>Departure Time Segment Leg 2</b><br>Positions: 35<br>Length: 1<br>Format: alphanumeric | <b>Description:</b> This field will contain the time of passenger's departure for the second leg segment of the trip.                                     |
| <b>Arrival Time Leg 2</b><br>Positions: 36-39<br>Length: 4<br>Format: alphanumeric        | <b>Description:</b> This field will contain the time of passenger's arrival for the second leg of the trip in the following format: <b>hhmm</b> .         |
| <b>Arrival Time Segment Leg 2</b><br>Positions: 40<br>Length: 1<br>Format: alphanumeric   | <b>Description:</b> This field will contain the time of passenger's arrival for the second leg segment of the trip.                                       |

### Passenger Itinerary Data (Cont'd) Edit Criteria

|                                                                                                                   |                                                                                                                              |
|-------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------|
| <b>Endorsement/Restrictions Leg 2</b><br>Positions: 41-60<br>Length: 20<br>Format: alphanumeric special character | <b>Description:</b> This field will contain a value that indicates endorsements and restrictions for the second leg of trip. |
| <b>Conjunction Ticket Leg 2</b><br>Positions: 61-85<br>Length: 25<br>Format: alphanumeric                         | <b>Description:</b> This field will contain conjunction ticket information for the second leg of trip.                       |
| <b>Exchange Ticket Leg 2</b><br>Positions: 86-110<br>Length: 25<br>Format: alphanumeric                           | <b>Description:</b> This field will contain exchange ticket information for the second leg of trip.                          |
| <b>Coupon Number Leg 2</b><br>Positions: 111<br>Length: 1<br>Format: alphanumeric                                 | <b>Description:</b> This field will contain the coupon number for the second leg of trip.                                    |
| <b>Fare Amount Leg 2</b><br>Positions: 112-123<br>Length: 12<br>Format: alphanumeric                              | <b>Description:</b> This field will contain the Fare Amount Leg 2.                                                           |
| <b>Tax Amount Leg 2</b><br>Positions: 124-135<br>Length: 12<br>Format: alphanumeric                               | <b>Description:</b> This field will contain the Tax Amount Leg 2.                                                            |
| <b>Fee Amount Leg 2</b><br>Positions: 136-147<br>Length: 12<br>Format: alphanumeric                               | <b>Description:</b> This field will contain the Fee Amount Leg 2.                                                            |
| <b>Reserved</b><br>Positions: 148-170<br>Length: 23<br>Format: alphanumeric                                       | <b>Description:</b> This field is reserved; space-filled.                                                                    |

# TC 33.B - CP 55 TCR 4 Passenger Itinerary Data (Cont'd)

These tables contain the Multipurpose Message (TC 33.B) record layout and edit criteria for CP 55 TCR 4 - PASSENGER ITINERARY DATA (CONT'D).

## ITF - Incoming Interchange

### Passenger Itinerary Data (Cont'd) Record Layout

| Position | Field Length | Format | Contents                              |
|----------|--------------|--------|---------------------------------------|
| 1-2      | 2            | UN     | Transaction Code                      |
| 3-4      | 2            | BINARY | Record Hash Total                     |
| 5        | 1            | UN     | Transaction Code Qualifier            |
| 6        | 1            | AN     | Transaction Component Sequence Number |
| 7-13     | 7            | Group  | Trip Leg 3 Information                |
| 7-8      | 2            | AN     | Carrier Code                          |
| 9        | 1            | AN     | Service Class                         |
| 10       | 1            | AN     | Stop-Over Code                        |
| 11-13    | 3            | AN     | Destination City/Airport              |
| 14-19    | 6            | AN     | Fare Basis Code Leg 3                 |
| 20-24    | 5            | AN     | Flight Number Leg 3                   |
| 25-30    | 6            | AN     | Departure Date Leg 3                  |
| 31-34    | 4            | AN     | Departure Time Leg 3                  |
| 35       | 1            | AN     | Departure Time Segment Leg 3          |
| 36-39    | 4            | AN     | Arrival Time Leg 3                    |
| 40       | 1            | AN     | Arrival Time Segment Leg 3            |
| 41-60    | 20           | ANS    | Endorsement/Restrictions Leg 3        |
| 61-85    | 25           | AN     | Conjunction Ticket Leg 3              |
| 86-110   | 25           | AN     | Exchange Ticket Leg 3                 |
| 111      | 1            | AN     | Coupon Number Leg 3                   |
| 112-123  | 12           | AN     | Fee Amount Leg 3                      |
| 124-135  | 12           | AN     | Tax Amount Leg 3                      |



### Passenger Itinerary Data (Cont'd) Record Layout

| Position | Field Length | Format | Contents         |
|----------|--------------|--------|------------------|
| 136-147  | 12           | AN     | Fee Amount Leg 3 |
| 148-170  | 23           | AN     | Reserved         |

Format: AN = Alphanumeric, ANS = Alphanumeric Special, DX = Display Hexadecimal, N = Numeric, UN = Unpacked Numeric

### Passenger Itinerary Data (Cont'd) Edit Criteria

|                                                                                                   |                                                                                                                                                                                                                |
|---------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Transaction Code</b><br>Positions: 1-2<br>Length: 2<br>Format: unpacked numeric                | <b>Description:</b> This field will contain the value of <b>33</b> .                                                                                                                                           |
| <b>Record Hash Total</b><br>Positions: 3-4<br>Length: 2<br>Format: binary                         | <b>Description:</b> Used in BASE II to ensure that the collection and delivery file data have been correctly transmitted.<br><br>The field must contain spaces for computers that do not generate hash totals. |
| <b>Transaction Code Qualifier</b><br>Positions: 5<br>Length: 1<br>Format: unpacked numeric        | <b>Description:</b> This field will contain the value of <b>0</b> (zero).                                                                                                                                      |
| <b>Transaction Component Sequence Number</b><br>Positions: 6<br>Length: 1<br>Format: alphanumeric | <b>Description:</b> This field will contain the value of <b>4</b> .                                                                                                                                            |
| <b>Trip Leg 3 Information</b><br>Positions: 7-13<br>Length: 7<br>Format: Group                    | <b>Description:</b> This field will contain the description of the third leg of the trip.                                                                                                                      |
| <b>Carrier Code</b><br>Positions: 7-8<br>Length: 2<br>Format: alphanumeric                        | <b>Description:</b> This field will contain a code that indicates the carrier for the third leg of the trip, such as United Airlines or Jet Blue.                                                              |

### Passenger Itinerary Data (Cont'd) Edit Criteria

|                                                                                           |                                                                                                                                                           |
|-------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Service Class</b><br>Positions: 9<br>Length: 1<br>Format: alphanumeric                 | <b>Description:</b> This field will contain a code that indicates the service class for the third leg of the trip, such as first class or business class. |
| <b>Stop-Over Code</b><br>Positions: 10<br>Length: 1<br>Format: alphanumeric               | <b>Description:</b> This field will contain a code that indicates whether a stopover is allowed on this ticket for the third leg of the trip.             |
| <b>Destination City/Airport</b><br>Positions: 11-13<br>Length: 3<br>Format: alphanumeric  | <b>Description:</b> This field will contain a code that indicates the destination city's airport for the third leg of the trip.                           |
| <b>Fare Basis Code Leg 3</b><br>Positions: 14-19<br>Length: 6<br>Format: alphanumeric     | <b>Description:</b> This field will contain the fare basis code used for the third leg of the trip.                                                       |
| <b>Flight Number Leg 3</b><br>Positions: 20-24<br>Length: 5<br>Format: alphanumeric       | <b>Description:</b> This field will contain the number of the airline flight to be taken for the third leg of the trip.                                   |
| <b>Departure Date Leg 3</b><br>Positions: 25-30<br>Length: 6<br>Format: alphanumeric      | <b>Description:</b> This field will contain the date of the passenger's departure for the third leg of the trip in the following format: <b>mmddyy</b> .  |
| <b>Departure Time Leg 3</b><br>Positions: 31-34<br>Length: 4<br>Format: alphanumeric      | <b>Description:</b> This field will contain the time of passenger's departure for the third leg of the trip in the following format: <b>hhmm</b> .        |
| <b>Departure Time Segment Leg 3</b><br>Positions: 35<br>Length: 1<br>Format: alphanumeric | <b>Description:</b> This field will contain the time of passenger's departure for the third leg segment of the trip.                                      |

### Passenger Itinerary Data (Cont'd) Edit Criteria

|                                                                                                                   |                                                                                                                                                  |
|-------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Arrival Time Leg 3</b><br>Positions: 36-39<br>Length: 4<br>Format: alphanumeric                                | <b>Description:</b> This field will contain the time of passenger's arrival for the third leg of the trip in the following format: <b>hhmm</b> . |
| <b>Arrival Time Segment Leg 3</b><br>Positions: 40<br>Length: 1<br>Format: alphanumeric                           | <b>Description:</b> This field will contain the time of passenger's arrival for the third leg segment of the trip.                               |
| <b>Endorsement/Restrictions Leg 3</b><br>Positions: 41-60<br>Length: 20<br>Format: alphanumeric special character | <b>Description:</b> This field will contain a value that indicates endorsements and restrictions for the third leg of trip.                      |
| <b>Conjunction Ticket Leg 3</b><br>Positions: 61-85<br>Length: 25<br>Format: alphanumeric                         | <b>Description:</b> This field will contain conjunction ticket information for the third leg of trip.                                            |
| <b>Exchange Ticket Leg 3</b><br>Positions: 86-110<br>Length: 25<br>Format: alphanumeric                           | <b>Description:</b> This field will contain exchange ticket information for the third leg of trip.                                               |
| <b>Coupon Number Leg 3</b><br>Positions: 111<br>Length: 1<br>Format: alphanumeric                                 | <b>Description:</b> This field will contain the coupon number for the third leg of trip.                                                         |
| <b>Fare Amount Leg 3</b><br>Positions: 112-123<br>Length: 12<br>Format: alphanumeric                              | <b>Description:</b> This field will contain the Fare Amount Leg 3.                                                                               |
| <b>Tax Amount Leg 3</b><br>Positions: 124-135<br>Length: 12<br>Format: alphanumeric                               | <b>Description:</b> This field will contain the Tax Amount Leg 3.                                                                                |

### Passenger Itinerary Data (Cont'd) Edit Criteria

|                                                                                     |                                                                   |
|-------------------------------------------------------------------------------------|-------------------------------------------------------------------|
| <b>Fee Amount Leg 3</b><br>Positions: 136-147<br>Length: 12<br>Format: alphanumeric | <b>Description:</b> This field will contain the Fee Amount Leg 3. |
| <b>Reserved</b><br>Positions: 148-170<br>Length: 23<br>Format: alphanumeric         | <b>Description:</b> This field is reserved; space-filled.         |

## TC 33.B - CP 55 TCR 5 Passenger Itinerary Data (Cont'd)

These tables contain the Multipurpose Message (TC 33.B) record layout and edit criteria for CP 55 TCR 5 - PASSENGER ITINERARY DATA (CONT'D).

### ITF - Incoming Interchange

#### Passenger Itinerary Data (Cont'd) Record Layout

| Position | Field Length | Format | Contents                              |
|----------|--------------|--------|---------------------------------------|
| 1-2      | 2            | UN     | Transaction Code                      |
| 3-4      | 2            | BINARY | Record Hash Total                     |
| 5        | 1            | UN     | Transaction Code Qualifier            |
| 6        | 1            | AN     | Transaction Component Sequence Number |
| 7-13     | 7            | Group  | Trip Leg 4 Information                |
| 7-8      | 2            | AN     | Carrier Code                          |
| 9        | 1            | AN     | Service Class                         |
| 10       | 1            | AN     | Stop-Over Code                        |
| 11-13    | 3            | AN     | Destination City/Airport              |
| 14-19    | 6            | AN     | Fare Basis Code Leg 4                 |
| 20-24    | 5            | AN     | Flight Number Leg 4                   |
| 25-30    | 6            | AN     | Departure Date Leg 4                  |
| 31-34    | 4            | AN     | Departure Time Leg 4                  |

### Passenger Itinerary Data (Cont'd) Record Layout

| Position | Field Length | Format | Contents                       |
|----------|--------------|--------|--------------------------------|
| 35       | 1            | AN     | Departure Time Segment Leg 4   |
| 36-39    | 4            | AN     | Arrival Time Leg 3             |
| 40       | 1            | AN     | Arrival Time Segment Leg 4     |
| 41-60    | 20           | ANS    | Endorsement/Restrictions Leg 4 |
| 61-85    | 25           | AN     | Conjunction Ticket Leg 4       |
| 86-110   | 25           | AN     | Exchange Ticket Leg 4          |
| 111      | 1            | AN     | Coupon Number Leg 4            |
| 112-123  | 12           | AN     | Fare Amount Leg 4              |
| 124-135  | 12           | AN     | Tax Amount Leg 4               |
| 136-147  | 12           | AN     | Fee Amount Leg 4               |
| 148-170  | 23           | AN     | Reserved                       |

Format: AN = Alphanumeric, ANS = Alphanumeric Special, DX = Display Hexadecimal, N = Numeric, UN = Unpacked Numeric

### Passenger Itinerary Data (Cont'd) Edit Criteria

|                                                                                                   |                                                                                                                                                                                                                |
|---------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Transaction Code</b><br>Positions: 1-2<br>Length: 2<br>Format: unpacked numeric                | <b>Description:</b> This field will contain the value of <b>33</b> .                                                                                                                                           |
| <b>Record Hash Total</b><br>Positions: 3-4<br>Length: 2<br>Format: binary                         | <b>Description:</b> Used in BASE II to ensure that the collection and delivery file data have been correctly transmitted.<br><br>The field must contain spaces for computers that do not generate hash totals. |
| <b>Transaction Code Qualifier</b><br>Positions: 5<br>Length: 1<br>Format: unpacked numeric        | <b>Description:</b> This field will contain the value of <b>0</b> (zero).                                                                                                                                      |
| <b>Transaction Component Sequence Number</b><br>Positions: 6<br>Length: 1<br>Format: alphanumeric | <b>Description:</b> This field will contain the value of <b>5</b> .                                                                                                                                            |

### Passenger Itinerary Data (Cont'd) Edit Criteria

|                                                                                          |                                                                                                                                                            |
|------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Trip Leg 4 Information</b><br>Positions: 7-13<br>Length: 7<br>Format: Group           | <b>Description:</b> This field will contain the description of the fourth leg of the trip.                                                                 |
| <b>Carrier Code</b><br>Positions: 7-8<br>Length: 2<br>Format: alphanumeric               | <b>Description:</b> This field will contain a code that indicates the carrier for the fourth leg of the trip, such as United Airlines or Jet Blue.         |
| <b>Service Class</b><br>Positions: 9<br>Length: 1<br>Format: alphanumeric                | <b>Description:</b> This field will contain a code that indicates the service class for the fourth leg of the trip, such as first class or business class. |
| <b>Stop-Over Code</b><br>Positions: 10<br>Length: 1<br>Format: alphanumeric              | <b>Description:</b> This field will contain a code that indicates whether a stopover is allowed on this ticket for the fourth leg of the trip.             |
| <b>Destination City/Airport</b><br>Positions: 11-13<br>Length: 3<br>Format: alphanumeric | <b>Description:</b> This field will contain a code that indicates the destination city's airport for the fourth leg of the trip.                           |
| <b>Fare Basis Code Leg 4</b><br>Positions: 14-19<br>Length: 6<br>Format: alphanumeric    | <b>Description:</b> This field will contain the fare basis code used for the fourth leg of the trip.                                                       |
| <b>Flight Number Leg 4</b><br>Positions: 20-24<br>Length: 5<br>Format: alphanumeric      | <b>Description:</b> This field will contain the number of the airline flight to be taken for the fourth leg of the trip.                                   |
| <b>Departure Date Leg 4</b><br>Positions: 25-30<br>Length: 6<br>Format: alphanumeric     | <b>Description:</b> This field will contain the date of the passenger's departure for the fourth leg of the trip in the following format: <b>mmddyy</b> .  |

### Passenger Itinerary Data (Cont'd) Edit Criteria

|                                                                                                                   |                                                                                                                                                     |
|-------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Departure Time Leg 4</b><br>Positions: 31-34<br>Length: 4<br>Format: alphanumeric                              | <b>Description:</b> This field will contain the time of passenger's departure for the fourth leg of the trip in the following format: <b>hhmm</b> . |
| <b>Departure Time Segment Leg 4</b><br>Positions: 35<br>Length: 1<br>Format: alphanumeric                         | <b>Description:</b> This field will contain the time of passenger's departure for the fourth leg segment of the trip.                               |
| <b>Arrival Time Leg 4</b><br>Positions: 36-39<br>Length: 4<br>Format: alphanumeric                                | <b>Description:</b> This field will contain the time of passenger's arrival for the fourth leg of the trip in the following format: <b>hhmm</b> .   |
| <b>Arrival Time Segment Leg 4</b><br>Positions: 40<br>Length: 1<br>Format: alphanumeric                           | <b>Description:</b> This field will contain the time of passenger's arrival for the fourth leg segment of the trip.                                 |
| <b>Endorsement/Restrictions Leg 4</b><br>Positions: 41-60<br>Length: 20<br>Format: alphanumeric special character | <b>Description:</b> This field will contain a value that indicates endorsements and restrictions for the fourth leg of trip.                        |
| <b>Conjunction Ticket Leg 4</b><br>Positions: 61-85<br>Length: 25<br>Format: alphanumeric                         | <b>Description:</b> This field will contain conjunction ticket information for the fourth leg of trip.                                              |
| <b>Exchange Ticket Leg 4</b><br>Positions: 86-110<br>Length: 25<br>Format: alphanumeric                           | <b>Description:</b> This field will contain exchange ticket information for the fourth leg of trip.                                                 |
| <b>Coupon Number Leg 4</b><br>Positions: 111<br>Length: 1<br>Format: alphanumeric                                 | <b>Description:</b> This field will contain the coupon number for the fourth leg of trip.                                                           |

### Passenger Itinerary Data (Cont'd) Edit Criteria

|                                                                                      |                                                                    |
|--------------------------------------------------------------------------------------|--------------------------------------------------------------------|
| <b>Fare Amount Leg 4</b><br>Positions: 112-123<br>Length: 12<br>Format: alphanumeric | <b>Description:</b> This field will contain the Fare Amount Leg 4. |
| <b>Tax Amount Leg 4</b><br>Positions: 124-135<br>Length: 12<br>Format: alphanumeric  | <b>Description:</b> This field will contain the Tax Amount Leg 4.  |
| <b>Fee Amount Leg 4</b><br>Positions: 136-147<br>Length: 12<br>Format: alphanumeric  | <b>Description:</b> This field will contain the Fee Amount Leg 4.  |
| <b>Reserved</b><br>Positions: 148-170<br>Length: 23<br>Format: alphanumeric          | <b>Description:</b> This field is reserved; space-filled.          |

## TC 33.B - CP 55 TCR 6 Passenger Transport

These tables contain the Multipurpose Message (TC 33.B) record layout and edit criteria for CP 55 TCR 6 - PASSENGER ITINERARY DATA - INDUSTRY-SPECIFIC DATA - PASSENGER TRANSPORT.

### Passenger Itinerary Data - Industry-Specific Data - Passenger Transport Record Layout

| Position | Field Length | Format | Contents                              |
|----------|--------------|--------|---------------------------------------|
| 1-2      | 2            | UN     | Transaction Code                      |
| 3-4      | 2            | BINARY | Record Hash Total                     |
| 5        | 1            | UN     | Transaction Code Qualifier            |
| 6        | 1            | AN     | Transaction Component Sequence Number |
| 7-21     | 15           | AN     | Ancillary Ticket Document Number      |
| 22       | 1            | AN     | Ancillary Credit Reason Indicator     |
| 23-26    | 4            | AN     | Ancillary Service Category 1          |



### Passenger Itinerary Data - Industry-Specific Data - Passenger Transport Record Layout

| Position | Field Length | Format | Contents                                |
|----------|--------------|--------|-----------------------------------------|
| 27-30    | 4            | AN     | Ancillary Service Sub-Category 1        |
| 31-34    | 4            | AN     | Ancillary Service Category 2            |
| 35-38    | 4            | AN     | Ancillary Service Sub-Category 2        |
| 39-42    | 4            | AN     | Ancillary Service Category 3            |
| 43-46    | 4            | AN     | Ancillary Service Sub-Category 3        |
| 47-50    | 4            | AN     | Ancillary Service Category 4            |
| 51-54    | 4            | AN     | Ancillary Service Sub-Category 4        |
| 55-74    | 20           | ANS    | Ancillary Passenger Name                |
| 75-89    | 15           | AN     | Issued in Connection With Ticket Number |
| 88-170   | 81           | AN     | Reserved                                |

Format: AN = Alphanumeric, ANS = Alphanumeric Special, DX = Display Hexadecimal, N = Numeric, UN = Unpacked Numeric

### Passenger Itinerary Data - Industry-Specific Data - Passenger Transport Edit Criteria

|                                                                                                   |                                                                                                                                                                                                                |
|---------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Transaction Code</b><br>Positions: 1-2<br>Length: 2<br>Format: unpacked numeric                | <b>Description:</b> This field contains the value of <b>33</b> .                                                                                                                                               |
| <b>Record Hash Total</b><br>Positions: 3-4<br>Length: 2<br>Format: binary                         | <b>Description:</b> Used in BASE II to ensure that the collection and delivery file data have been correctly transmitted.<br><br>The field must contain spaces for computers that do not generate hash totals. |
| <b>Transaction Code Qualifier</b><br>Positions: 5<br>Length: 1<br>Format: unpacked numeric        | <b>Description:</b> This field contains the value of <b>0</b> .                                                                                                                                                |
| <b>Transaction Component Sequence Number</b><br>Positions: 6<br>Length: 1<br>Format: alphanumeric | <b>Description:</b> This field contains the value of <b>(x)</b> .                                                                                                                                              |

## Passenger Itinerary Data - Industry-Specific Data - Passenger Transport Edit Criteria

|                                                                                                  |                                                                                                                                                                                                                                                                                                                                                                                                                                  |
|--------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Ancillary Ticket Document Number</b><br>Positions: 7-21<br>Length: 15<br>Format: alphanumeric | <b>Description:</b> This field will contain the form number assigned by the carrier for the transaction.<br><br>The value of this field is comprised of the carrier code, form, and serial number, without the check digit.<br><br>This field is required in U.S. domestic originals and reversals in order to qualify for either a custom payment service (CPS) or electronic interchange reimbursement fee (EIRF) fee program. |
| <b>Ancillary Credit Reason Indicator</b><br>Positions: 22<br>Length: 1<br>Format: alphanumeric   | <b>Description:</b> This field will contain a code that indicates the reason for the credit to the cardholder.<br><br>Values:<br><b>A</b> (Passenger transport ancillary purchase cancellation)<br><b>B</b> (Airline ticket and passenger transport ancillary purchase cancellation)                                                                                                                                             |
| <b>Ancillary Service Category 1</b><br>Positions: 23-26<br>Length: 4<br>Format: alphanumeric     | <b>Description:</b> This field will contain the ancillary service category code for the sole or primary type of service that is being provided.<br><br>This field is required in U.S. domestic originals and reversals in order to qualify for either a CPS or EIRF fee program.                                                                                                                                                 |
| <b>Ancillary Service Sub-Category 1</b><br>Positions: 27-30<br>Length: 4<br>Format: alphanumeric | <b>Description:</b> This field will contain a valid ancillary service sub-category code for the Ancillary Service Category 1 field.                                                                                                                                                                                                                                                                                              |
| <b>Ancillary Service Category 2</b><br>Positions: 31-34<br>Length: 4<br>Format: alphanumeric     | <b>Description:</b> This field will contain an ancillary service category code for an additional second type of service that is being provided.                                                                                                                                                                                                                                                                                  |
| <b>Ancillary Service Sub-Category 2</b><br>Positions: 35-38<br>Length: 4<br>Format: alphanumeric | <b>Description:</b> This field will contain a valid ancillary service sub-category code for the Ancillary Service Category 2 field.                                                                                                                                                                                                                                                                                              |
| <b>Ancillary Service Category 3</b><br>Positions: 39-42<br>Length: 4<br>Format: alphanumeric     | <b>Description:</b> This field will contain an ancillary service category code for an additional third type of service that is being provided.                                                                                                                                                                                                                                                                                   |
| <b>Ancillary Service Sub-Category 3</b><br>Positions: 43-46<br>Length: 4<br>Format: alphanumeric | <b>Description:</b> This field will contain a valid ancillary service sub-category code for the Ancillary Service Category 3 field.                                                                                                                                                                                                                                                                                              |

### Passenger Itinerary Data - Industry-Specific Data - Passenger Transport Edit Criteria

|                                                                                                             |                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
|-------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Ancillary Service Category 4</b><br>Positions: 47-50<br>Length: 4<br>Format: alphanumeric                | <b>Description:</b> This field will contain an ancillary service category code for an additional fourth type of service that is being provided.                                                                                                                                                                                                                                                                                                                              |
| <b>Ancillary Service Sub-Category 4</b><br>Positions: 51-54<br>Length: 4<br>Format: alphanumeric            | <b>Description:</b> This field will contain a valid ancillary service sub-category code for the Ancillary Service Category 4 field.                                                                                                                                                                                                                                                                                                                                          |
| <b>Ancillary Passenger Name</b><br>Positions: 55-74<br>Length: 20<br>Format: alphanumeric special character | <b>Description:</b> This field will contain either the passenger's name, or the cardholder's name if the passenger's name is unavailable.<br><br>If the name is not available, a description of the ancillary purchase should be used.<br><br>This field is required in U.S. domestic originals and reversals in order to qualify for either a CPS or EIRF fee program.                                                                                                      |
| <b>Issued in Connection With Ticket Number</b><br>Positions: 75-89<br>Length: 15<br>Format: alphanumeric    | <b>Description:</b> If this purchase has a connection or relationship to another purchase, such as a baggage fee for a passenger transport ticket, this field will contain the ticket document number for the other purchase.<br><br>For a standalone purchase, this field must contain the same value as the Merchant Name field in TCR 0.<br><br>This field is required in U.S. domestic originals and reversals in order to qualify for either a CPS or EIRF fee program. |
| <b>Reserved</b><br>Positions: 90-170<br>Length: 81<br>Format: alphanumeric                                  | <b>Description:</b> This field will contain all <b>spaces</b> .                                                                                                                                                                                                                                                                                                                                                                                                              |

## TC 33.B - CP 55 TCR 7 Passenger Itinerary Data (Cont'd)

These tables contain the Multipurpose Message (TC 33.B) record layout and edit criteria for CP 55 TCR 7 - PASSENGER ITINERARY DATA (CONT'D).

### ITF - Incoming Interchange

### Passenger Itinerary Data (Cont'd) Record Layout

| Position | Field Length | Format | Contents                              |
|----------|--------------|--------|---------------------------------------|
| 1-2      | 2            | UN     | Transaction Code                      |
| 3-4      | 2            | BINARY | Record Hash Total                     |
| 5        | 1            | UN     | Transaction Code Qualifier            |
| 6        | 1            | AN     | Transaction Component Sequence Number |
| 7-10     | 4            | AN     | Issuing Carrier                       |
| 11-13    | 3            | AN     | Ticket Type                           |
| 14-15    | 2            | AN     | Document Type                         |
| 16-40    | 25           | AN     | Ticketing Carrier Name                |
| 41-58    | 18           | AN     | Ticket Issue City                     |
| 59-66    | 8            | AN     | Ticket Issue Date                     |
| 67-69    | 3            | AN     | Number in Party                       |
| 70       | 1            | AN     | Electronic Ticket Indicator           |
| 71-72    | 2            | AN     | Plan Number                           |
| 73-80    | 8            | AN     | Arrival Date (Overall)                |
| 81-100   | 20           | AN     | Restriction Indicator Text            |
| 101-112  | 12           | AN     | Exchange Amount, Summary              |
| 113-124  | 12           | AN     | Exchange Fee, Summary                 |
| 125-170  | 46           | AN     | Reserved                              |

Format: AN = Alphanumeric, ANS = Alphanumeric Special, DX = Display Hexadecimal, N = Numeric, UN = Unpacked Numeric

### Passenger Itinerary Data (Cont'd) Edit Criteria

|                                                                                    |                                                                               |
|------------------------------------------------------------------------------------|-------------------------------------------------------------------------------|
| <b>Transaction Code</b><br>Positions: 1-2<br>Length: 2<br>Format: unpacked numeric | <b>Description:</b> This field will contain the value of <b>33</b> .          |
| <b>Record Hash Total</b><br>Positions: 3-4<br>Length: 2<br>Format: binary          | <b>Description:</b> This field will contain calculated record hash or spaces. |

### Passenger Itinerary Data (Cont'd) Edit Criteria

|                                                                                                   |                                                                         |
|---------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|
| <b>Transaction Code Qualifier</b><br>Positions: 5<br>Length: 1<br>Format: unpacked numeric        | <b>Description:</b> This field will contain the value of <b>0</b> .     |
| <b>Transaction Component Sequence Number</b><br>Positions: 6<br>Length: 1<br>Format: alphanumeric | <b>Description:</b> This field will contain the value of <b>7</b> .     |
| <b>Issuing Carrier</b><br>Positions: 7-10<br>Length: 4<br>Format: alphanumeric                    | <b>Description:</b> This field will contain the issuing carrier.        |
| <b>Ticket Type</b><br>Positions: 11-13<br>Length: 3<br>Format: alphanumeric                       | <b>Description:</b> This field will contain the ticket type.            |
| <b>Document Type</b><br>Positions: 14-15<br>Length: 2<br>Format: alphanumeric                     | <b>Description:</b> This field will contain the document type.          |
| <b>Ticketing Carrier Name</b><br>Positions: 16-40<br>Length: 25<br>Format: alphanumeric           | <b>Description:</b> This field will contain the ticketing carrier name. |
| <b>Ticket Issue City</b><br>Positions: 41-58<br>Length: 18<br>Format: alphanumeric                | <b>Description:</b> This field will contain the ticket issue city.      |
| <b>Ticket Issue Date</b><br>Positions: 59-66<br>Length: 8<br>Format: alphanumeric                 | <b>Description:</b> This field will contain the ticket issue date.      |

### Passenger Itinerary Data (Cont'd) Edit Criteria

|                                                                                              |                                                                                      |
|----------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|
| <b>Number in Party</b><br>Positions: 67-69<br>Length: 3<br>Format: alphanumeric              | <b>Description:</b> This field will contain the number in the party.                 |
| <b>Electronic Ticket Indicator</b><br>Positions: 70<br>Length: 1<br>Format: alphanumeric     | <b>Description:</b> This field will contain the electronic ticket indicator.         |
| <b>Plan Number</b><br>Positions: 71-72<br>Length: 2<br>Format: alphanumeric                  | <b>Description:</b> This field will contain the plan number.                         |
| <b>Arrival Date (Overall)</b><br>Positions: 73-80<br>Length: 8<br>Format: alphanumeric       | <b>Description:</b> This field will contain the overall arrival date.                |
| <b>Restriction Indicator Text</b><br>Positions: 81-100<br>Length: 20<br>Format: alphanumeric | <b>Description:</b> This field will contain the restrictions text.                   |
| <b>Exchange Amount Summary</b><br>Positions: 101-112<br>Length: 12<br>Format: alphanumeric   | <b>Description:</b> This field will contain the exchange amount summary information. |
| <b>Exchange Fee Summary</b><br>Positions: 113-124<br>Length: 12<br>Format: alphanumeric      | <b>Description:</b> This field will contain transaction miscellaneous information.   |
| <b>Reserved</b><br>Positions: 125-170<br>Length: 46<br>Format: alphanumeric                  | <b>Description:</b> This field is reserved; space-filled.                            |

# TC 33.B - CP 56 TCR 0 Purchasing Transaction Line Item Detail

These tables contain the Multipurpose Message (TC 33.B) record layout and edit criteria for CP 56 TCR 0 - ENHANCED DATA - PURCHASING TRANSACTION LINE ITEM DETAIL.

## Enhanced Data - Purchasing Transaction Line Item Detail Record Layout

| Position | Field Length | Format | Contents                                |
|----------|--------------|--------|-----------------------------------------|
| 1-2      | 2            | UN     | Transaction Code                        |
| 3-4      | 2            | BINARY | Record Hash Total                       |
| 5        | 1            | UN     | Transaction Code Qualifier              |
| 6        | 1            | AN     | Transaction Component Sequence Number   |
| 7-12     | 6            | UN     | Destination Identifier                  |
| 13-18    | 6            | UN     | Source Identifier                       |
| 19-22    | 4            | AN     | File Identifier - Merchant Capture Data |
| 23-37    | 15           | AN     | Message Identifier                      |
| 38-40    | 3            | AN     | Item Sequence Number                    |
| 41-52    | 12           | ANS    | Item Commodity Code                     |
| 53-87    | 35           | ANS    | Item Descriptor                         |
| 88-102   | 15           | ANS    | Product Code                            |
| 103-114  | 12           | AN     | Quantity                                |
| 115-126  | 12           | AN     | Unit of Measure/Code                    |
| 127-138  | 12           | AN     | Unit Cost                               |
| 139-150  | 12           | AN     | Line Item Total                         |
| 151-162  | 12           | AN     | Discount Per Line                       |
| 163      | 1            | AN     | Tax Exempt Indicator                    |
| 164-168  | 5            | AN     | Item Discount - Discount Rate           |
| 169      | 1            | AN     | Item Level Discount Treatment Code      |
| 170      | 1            | AN     | Line Item Signage                       |

Format: AN = Alphanumeric, ANS = Alphanumeric Special, DX = Display Hexadecimal, N = Numeric, UN = Unpacked Numeric

### Enhanced Transaction - Purchasing Transaction Line Item Detail Edit Criteria

|                                                                                                   |                                                                               |
|---------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------|
| <b>Transaction Code</b><br>Positions: 1-2<br>Length: 2<br>Format: unpacked numeric                | <b>Description:</b> This field will contain the value of <b>33</b> .          |
| <b>Record Hash Total</b><br>Positions: 3-4<br>Length: 2<br>Format: binary                         | <b>Description:</b> This field will contain calculated record hash or spaces. |
| <b>Transaction Code Qualifier</b><br>Positions: 5<br>Length: 1<br>Format: unpacked numeric        | <b>Description:</b> This field will contain the value of <b>0</b> .           |
| <b>Transaction Component Sequence Number</b><br>Positions: 6<br>Length: 1<br>Format: alphanumeric | <b>Description:</b> This field will contain the value of <b>0</b> .           |
| <b>Destination Identifier</b><br>Positions: 7-12<br>Length: 6<br>Format: unpacked numeric         | <b>Description:</b> This field will contain the acquiring identifier.         |
| <b>Source Identifier</b><br>Positions: 13-18<br>Length: 6<br>Format: unpacked numeric             | <b>Description:</b> This field will contain the MDEX identifier.              |
| <b>File Identifier</b><br>Positions: 19-22<br>Length: 4<br>Format: alphanumeric                   | <b>Description:</b> This field will contain a static value of <b>CP56</b> .   |
| <b>Message Identifier</b><br>Positions: 23-37<br>Length: 15<br>Format: alphanumeric               | <b>Description:</b> This field is used to link files.                         |



### Enhanced Transaction - Purchasing Transaction Line Item Detail Edit Criteria

|                                                                                                        |                                                                              |
|--------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------|
| <b>Item Sequence Number</b><br>Positions: 38-40<br>Length: 3<br>Format: alphanumeric                   | <b>Description:</b> This field will contain the sequence number of the item. |
| <b>Item Commodity Code</b><br>Positions: 41-52<br>Length: 12<br>Format: alphanumeric special character | <b>Description:</b> This field will contain the item commodity code.         |
| <b>Item Descriptor</b><br>Positions: 53-87<br>Length: 35<br>Format: alphanumeric special character     | <b>Description:</b> This field will contain the item descriptor.             |
| <b>Product Code</b><br>Positions: 88-102<br>Length: 15<br>Format: alphanumeric special character       | <b>Description:</b> This field will contain the product code.                |
| <b>Quantity</b><br>Positions: 103-114<br>Length: 12<br>Format: alphanumeric                            | <b>Description:</b> This field will contain the quantity.                    |
| <b>Unit of Measure/Code</b><br>Positions: 115-126<br>Length: 12<br>Format: alphanumeric                | <b>Description:</b> This field will contain the unit of measure or code.     |
| <b>Unit Cost</b><br>Positions: 127-138<br>Length: 12<br>Format: alphanumeric                           | <b>Description:</b> This field will contain the unit cost.                   |
| <b>Line Item Total</b><br>Positions: 139-150<br>Length: 12<br>Format: alphanumeric                     | <b>Description:</b> This field will contain the total line item.             |

### Enhanced Transaction - Purchasing Transaction Line Item Detail Edit Criteria

|                                                                                                  |                                                                                                             |
|--------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------|
| <b>Discount Per Line</b><br>Positions: 151-162<br>Length: 12<br>Format: alphanumeric             | <b>Description:</b> This field will contain the discount per line.                                          |
| <b>Tax Exempt Indicator</b><br>Positions: 163<br>Length: 1<br>Format: alphanumeric               | <b>Description:</b> This field will contain the indicator to communicate that this is a tax exempt product. |
| <b>Item Discount - Discount Rate</b><br>Positions: 164-168<br>Length: 5<br>Format: alphanumeric  | <b>Description:</b> This field will contain the discount or discount rate.                                  |
| <b>Item Level Discount Treatment Code</b><br>Positions: 169<br>Length: 1<br>Format: alphanumeric | <b>Description:</b> This field will contain the item level discount treatment code.                         |
| <b>Line Item Signage</b><br>Positions: 170<br>Length: 1<br>Format: alphanumeric                  | <b>Description:</b> This field will contain the signage of the line item.                                   |

## TC 33.B - CP 56 TCR 1 Purchasing Transaction Line Item Detail (Cont'd)

These tables contain the Multipurpose Message (TC 33.B) record layout and edit criteria for CP 56 TCR 1 - ENHANCED DATA - PURCHASING TRANSACTION LINE ITEM DETAIL (CONT'D).

### ITF - Incoming Interchange

**Enhanced Data - Purchasing Transaction Line Item Detail (Cont'd) Record Layout**

| Position | Field Length | Format | Contents                              |
|----------|--------------|--------|---------------------------------------|
| 1-2      | 2            | UN     | Transaction Code                      |
| 3-4      | 2            | BINARY | Record Hash Total                     |
| 5        | 1            | UN     | Transaction Code Qualifier            |
| 6        | 1            | AN     | Transaction Component Sequence Number |
| 7-18     | 12           | AN     | VAT/Tax Amount                        |
| 19-22    | 4            | AN     | VAT/Tax Rate                          |
| 23-24    | 2            | AN     | Type of Supply                        |
| 25-39    | 15           | ANS    | Unique VAT Invoice Reference Number   |
| 40-170   | 131          | AN     | Reserved                              |

Format: AN = Alphanumeric, ANS = Alphanumeric Special, DX = Display Hexadecimal, N = Numeric, UN = Unpacked Numeric

**Enhanced Data - Purchasing Transaction Line Item Detail (Cont'd) Edit Criteria**

|                                                                                                   |                                                                               |
|---------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------|
| <b>Transaction Code</b><br>Positions: 1-2<br>Length: 2<br>Format: unpacked numeric                | <b>Description:</b> This field will contain the value of <b>33</b> .          |
| <b>Record Hash Total</b><br>Positions: 3-4<br>Length: 2<br>Format: binary                         | <b>Description:</b> This field will contain calculated record hash or spaces. |
| <b>Transaction Code Qualifier</b><br>Positions: 5<br>Length: 1<br>Format: unpacked numeric        | <b>Description:</b> This field will contain the value of <b>0</b> .           |
| <b>Transaction Component Sequence Number</b><br>Positions: 6<br>Length: 1<br>Format: alphanumeric | <b>Description:</b> This field will contain the value of <b>1</b> .           |

### Enhanced Data - Purchasing Transaction Line Item Detail (Cont'd) Edit Criteria

|                                                                                                      |                                                                                      |
|------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|
| <b>VAT/Tax Amount</b><br>Positions: 7-18<br>Length: 12<br>Format: alphanumeric                       | <b>Description:</b> This field will contain the VAT/Tax amount.                      |
| <b>VAT/Tax Rate</b><br>Positions: 19-22<br>Length: 4<br>Format: alphanumeric                         | <b>Description:</b> This field will contain the VAT/Tax rate.                        |
| <b>Type of Supply</b><br>Positions: 23-24<br>Length: 2<br>Format: alphanumeric                       | <b>Description:</b> This field will contain the type of supply.                      |
| <b>Unique VAT Invoice Reference Number</b><br>Positions: 25-39<br>Length: 15<br>Format: alphanumeric | <b>Description:</b> This field will contain the unique VAT invoice reference number. |
| <b>Reserved</b><br>Positions: 40-170<br>Length: 131<br>Format: alphanumeric                          | <b>Description:</b> This field is reserved; space-filled.                            |

## TC 33.B - CP 57 TCR 0 Country Data

These tables contain the Multipurpose Message (TC 33.B) record layout and edit criteria for CP 57 TCR 0 - COUNTRY DATA.

### Country Data Record Layout

| Position | Field Length | Format | Contents                              |
|----------|--------------|--------|---------------------------------------|
| 1-2      | 2            | UN     | Transaction Code                      |
| 3-4      | 2            | BINARY | Record Hash Total                     |
| 5        | 1            | UN     | Transaction Code Qualifier            |
| 6        | 1            | AN     | Transaction Component Sequence Number |

### Country Data Record Layout

| Position | Field Length | Format | Contents                                            |
|----------|--------------|--------|-----------------------------------------------------|
| 7-12     | 6            | UN     | Destination Identifier                              |
| 13-18    | 6            | UN     | Source Identifier                                   |
| 19-22    | 4            | AN     | TC 33 Application Code                              |
| 23-37    | 15           | AN     | Message Identifier                                  |
| 38-42    | 5            | AN     | Special Merchant Identifier                         |
| 43       | 1            | AN     | Special Purchase Identifier Brazil                  |
| 44-45    | 2            | AN     | Account Selection                                   |
| 46-49    | 4            | ANS    | Account Accessed                                    |
| 50-52    | 3            | AN     | Mastercard Bill Payment Transaction Type Identifier |
| 53       | 1            | AN     | Mastercard Combination Card Transaction Identifier  |
| 54-92    | 39           | AN     | Mastercard Post-Dated Transaction Details           |
| 93-98    | 6            | AN     | Mastercard Promotion Code                           |
| 99-170   | 72           | AN     | Reserved                                            |

Format: AN = Alphanumeric, ANS = Alphanumeric Special, DX = Display Hexadecimal, N = Numeric, UN = Unpacked Numeric

### Country Data Edit Criteria

|                                                                                            |                                                                              |
|--------------------------------------------------------------------------------------------|------------------------------------------------------------------------------|
| <b>Transaction Code</b><br>Positions: 1-2<br>Length: 2<br>Format: unpacked numeric         | <b>Description:</b> This field will contain the value of <b>33</b> .         |
| <b>Record Hash Total</b><br>Positions: 3-4<br>Length: 2<br>Format: binary                  | <b>Description:</b> This field will contain the record hash total or spaces. |
| <b>Transaction Code Qualifier</b><br>Positions: 5<br>Length: 1<br>Format: unpacked numeric | <b>Description:</b> This field will contain the value of <b>0</b> .          |

### Country Data Edit Criteria

|                                                                                                   |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
|---------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Transaction Component Sequence Number</b><br>Positions: 6<br>Length: 1<br>Format: alphanumeric | <b>Description:</b> This field will contain the value of <b>0</b> .                                                                                                                                                                                                                                                                                                                                                                                                             |
| <b>Destination Identifier</b><br>Positions: 7-12<br>Length: 6<br>Format: unpacked numeric         | <b>Description:</b> This field will be space-filled.                                                                                                                                                                                                                                                                                                                                                                                                                            |
| <b>Source Identifier</b><br>Positions: 13-18<br>Length: 6<br>Format: unpacked numeric             | <b>Description:</b> This field will contain the value static value of <b>481222</b> - CYBS.                                                                                                                                                                                                                                                                                                                                                                                     |
| <b>TC 33 Application Code</b><br>Positions: 19-22<br>Length: 4<br>Format: alphanumeric            | <b>Description:</b> This field will contain the static value set to <b>CP07</b> .                                                                                                                                                                                                                                                                                                                                                                                               |
| <b>Message Identifier</b><br>Positions: 23-37<br>Length: 15<br>Format: alphanumeric               | <b>Description:</b> A unique message identifier that links a specific capture record among multiple capture records being submitted for a single transaction. All capture records within the same file linked to a single authorization request contain the same message identifier. The same message identifier can be assigned to other related capture records located in additional TCR groups identified by TC 33 application codes ( <b>CP 01</b> through <b>CP 50</b> ). |
| <b>Special Merchant Identifier</b><br>Positions: 38-42<br>Length: 5<br>Format: alphanumeric       | <b>Description:</b> This field will contain the special merchant identifier.                                                                                                                                                                                                                                                                                                                                                                                                    |
| <b>Special Purchase Identifier Brazil</b><br>Positions: 43<br>Length: 1<br>Format: alphanumeric   | <b>Description:</b> This field will contain the special purchase identifier.<br>Values:<br><b>1</b> = Commissioned Purchase<br><b>2</b> = COBAN<br><b>3</b> = Carne<br><b>4</b> = Commissioned Purchase 2<br><b>5</b> = Crediario<br><br><b>Note:</b> For Crediario installment payment, the value must be <b>5</b> .                                                                                                                                                           |

## Country Data Edit Criteria

|                                                                                                                     |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
|---------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Account Selection</b><br>Positions: 44-45<br>Length: 2<br>Format: alphanumeric                                   | <b>Description:</b> A 2-digit code identifying the account type from which an account transfer is made.<br><br><b>00</b> = Not Applicable<br><b>10</b> = Savings Account<br><b>20</b> = Checking Account<br><b>30</b> = Credit Card Account<br><b>31</b> = Credit Facility - Line of Credit (Agro/BNDES)<br><b>40</b> = Universal Account<br><b>60</b> = Visa Vale Prepaid Products                                                                                                                      |
| <b>Account Accessed</b><br>Positions: 46-49<br>Length: 4<br>Format: alphanumeric special character                  | <b>Description:</b> This field will contain the total amount funded.<br>Values:<br><b>AGRO</b> = Visa Agro<br><b>AGRE</b> = Visa Agro Electron<br><b>AGRC</b> = Visa Agro Custeio<br><b>AGRI</b> = Visa Agro Investimento<br><b>VVA</b> = Visa Vale Alimentacao<br><b>VVR</b> = Visa Vale Refeicao<br><b>VVF</b> = Visa Vale Flex                                                                                                                                                                        |
| <b>Mastercard Bill Payment Transaction Type Identifier</b><br>Positions: 50-52<br>Length: 3<br>Format: alphanumeric | <b>Description:</b> This field must contain one of the following Mastercard Bill Payment Transaction Type identifier values.<br>Values:<br><b>C91</b> (Utility payments - Brazil domestic transactions)<br><b>C92</b> (Government services - Brazil domestic transactions)<br><b>C93</b> (Mobile phone top-ups - Brazil domestic transactions)<br><b>C94</b> (Coupon booklet payments (CARNE) - Brazil domestic transactions)<br><br><b>Note:</b> Mapping:<br>F104 U2 DSID 65 T32 => DE 48, SE 77 (AN-3) |
| <b>Mastercard Combination Card Transaction Identifier</b><br>Positions: 53<br>Length: 1<br>Format: alphanumeric     | <b>Description:</b> This field will contain one of these values for Mastercard Brazil-issued combination card transactions.<br><b>C</b> = Credit Transaction<br><b>D</b> = Debit Transaction<br><br><b>Note:</b> Mapping:<br>F104 U2 DSID 65 T33 => DE 48, SE 14 (AN-1)                                                                                                                                                                                                                                  |

### Country Data Edit Criteria

|                                                                                                            |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
|------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Mastercard Post-Dated Transaction Details</b><br>Positions: 54-92<br>Length: 39<br>Format: alphanumeric | <b>Description:</b> This field will contain Mastercard post-dated transaction details for Brazil only.<br><br>The layout of this field is:<br><br>Position 1-2, value <b>30</b> (post-dated with guarantee); value of <b>31</b> (post-dated without guarantee)<br><br>Position <b>3</b> , value of <b>1</b> (number of installments)<br><br>Position <b>4</b> , value ( <b>Y</b> = with guarantee; <b>N</b> = no guarantee)<br><br>Position 5-12, guarantee amount<br><br>Position 13-18, <b>mmddyy</b> (post settlement date)<br><br>Position 19-24, <b>mmddyy</b> (original Mastercard settlement date)<br><br>Position 25-33, Banknet Reference Number<br><br>Position 34-39, Online Authorization Code by issuer<br><br><b>Note:</b> Mapping:<br>F104 U2 DSID 65 T06 => DE 112, SE 18 |
| <b>Mastercard Promotion Code</b><br>Positions: 93-98<br>Length: 6<br>Format: alphanumeric                  | <b>Description:</b> This field will contain the Mastercard Promotion Code.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
| <b>Reserved</b><br>Positions: 99-170<br>Length: 72<br>Format: alphanumeric                                 | <b>Description:</b> This field will contain spaces.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |

## TC 33.B - CP 57 TCR 1 Brazil Country Data - PARC

These tables contain the Multipurpose Message (TC 33.B) record layout and edit criteria for CP 57 TCR 1 - BRAZIL COUNTRY DATA - PARC.

### ITF - Incoming Interchange

#### Brazil Country Data - PARC Record Layout

| Position | Field Length | Format | Contents          |
|----------|--------------|--------|-------------------|
| 1-2      | 2            | UN     | Transaction Code  |
| 3-4      | 2            | BINARY | Record Hash Total |



### Brazil Country Data - PARC Record Layout

| Position | Field Length | Format | Contents                                    |
|----------|--------------|--------|---------------------------------------------|
| 5        | 1            | UN     | Transaction Code Qualifier                  |
| 6        | 1            | AN     | Transaction Component Sequence Number       |
| 7-8      | 2            | AN     | Installment Type                            |
| 9-10     | 2            | AN     | Number of Installments                      |
| 11       | 1            | AN     | Merchant Installment Supporting Information |
| 12-170   | 159          | AN     | Reserved                                    |

Format: AN = Alphanumeric, ANS = Alphanumeric Special, DX = Display Hexadecimal, N = Numeric, UN = Unpacked Numeric

### Brazil Country Data - PARC Edit Criteria

|                                                                                                   |                                                                                                                                        |
|---------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------|
| <b>Transaction Code</b><br>Positions: 1-2<br>Length: 2<br>Format: unpacked numeric                | <b>Description:</b> This field will contain the value of <b>33</b> .                                                                   |
| <b>Record Hash Total</b><br>Positions: 3-4<br>Length: 2<br>Format: binary                         | <b>Description:</b> This field will contain the record hash total or spaces.                                                           |
| <b>Transaction Code Qualifier</b><br>Positions: 5<br>Length: 1<br>Format: unpacked numeric        | <b>Description:</b> This field will contain the value of <b>0</b> .                                                                    |
| <b>Transaction Component Sequence Number</b><br>Positions: 6<br>Length: 1<br>Format: alphanumeric | <b>Description:</b> This field will contain the value of <b>1</b> .                                                                    |
| <b>Installment Type</b><br>Positions: 7-8<br>Length: 2<br>Format: alphanumeric                    | <b>Description:</b> This field will be space-filled.<br>Values:<br><b>88</b> - Merchant Installment<br><b>99</b> - Issuer Installments |

### Brazil Country Data - PARC Edit Criteria

|                                                                                                          |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
|----------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Number of Installments</b><br>Positions: 9-10<br>Length: 2<br>Format: alphanumeric                    | <b>Description:</b> This field will contain the number of installments.                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
| <b>Merchant Installment Supporting Information</b><br>Positions: 11<br>Length: 1<br>Format: alphanumeric | <b>Description:</b> This field will contain the merchant installment supporting information.<br>Values:<br><b>0</b> = Regular Installment (Not Allowed for Airlines).<br><b>1</b> = Installment Payment with Down Payment.<br><b>2</b> = Installment Payment without Down Payment (Airlines only).<br><b>3</b> = Installment Payment where Down Payment and Boarding Fee will follow (Airlines only).<br><b>4</b> = Down Payment only. Regular Installment will follow.<br><b>5</b> = Boarding Fee only (Airlines only). |
| <b>Reserved</b><br>Positions: 12-170<br>Length: 159<br>Format: alphanumeric                              | <b>Description:</b> This field is reserved; space-filled.                                                                                                                                                                                                                                                                                                                                                                                                                                                                |

## TC 33.B - CP 57 TCR 2 Brazil Country Data - BNDES

These tables contain the Multipurpose Message (TC 33.B) record layout and edit criteria for CP 57 TCR 2 - BRAZIL COUNTRY DATA - BNDES.

### ITF - Incoming Interchange

#### Brazil Country Data - BNDES Record Layout

| Position | Field Length | Format | Contents                              |
|----------|--------------|--------|---------------------------------------|
| 1-2      | 2            | UN     | Transaction Code                      |
| 3-4      | 2            | BINARY | Record Hash Total                     |
| 5        | 1            | UN     | Transaction Code Qualifier            |
| 6        | 1            | AN     | Transaction Component Sequence Number |
| 7-8      | 2            | AN     | Business Format Code                  |

### Brazil Country Data - BNDES Record Layout

| Position | Field Length | Format | Contents               |
|----------|--------------|--------|------------------------|
| 9-23     | 15           | AN     | Cardholder Tax ID      |
| 24-27    | 4            | AN     | Cardholder Tax ID Type |
| 28       | 1            | AN     | Asset Indicator        |
| 29-48    | 20           | AN     | Loan Type              |
| 49-170   | 122          | AN     | Reserved               |

Format: AN = Alphanumeric, ANS = Alphanumeric Special, DX = Display Hexadecimal, N = Numeric, UN = Unpacked Numeric

### Brazil Country Data - BNDES Edit Criteria

|                                                                                                   |                                                                              |
|---------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------|
| <b>Transaction Code</b><br>Positions: 1-2<br>Length: 2<br>Format: unpacked numeric                | <b>Description:</b> This field will contain the value of <b>33</b> .         |
| <b>Record Hash Total</b><br>Positions: 3-4<br>Length: 2<br>Format: binary                         | <b>Description:</b> This field will contain the record hash total or spaces. |
| <b>Transaction Code Qualifier</b><br>Positions: 5<br>Length: 1<br>Format: unpacked numeric        | <b>Description:</b> This field will contain the value of <b>0</b> .          |
| <b>Transaction Component Sequence Number</b><br>Positions: 6<br>Length: 1<br>Format: alphanumeric | <b>Description:</b> This field will contain the value of <b>2</b> .          |
| <b>Business Format Code</b><br>Positions: 7-8<br>Length: 2<br>Format: alphanumeric                | <b>Description:</b> This is a fixed value of <b>LD</b> .                     |

### Brazil Country Data - BNDES Edit Criteria

|                                                                                        |                                                                                                                                                                         |
|----------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Cardholder Tax ID</b><br>Positions: 9-23<br>Length: 15<br>Format: alphanumeric      | <b>Description:</b> This field will contain the number of installments.                                                                                                 |
| <b>Cardholder Tax ID Type</b><br>Positions: 24-27<br>Length: 4<br>Format: alphanumeric | <b>Description:</b> This field will contain the merchant installment supporting information.<br>Values:<br><b>CNPJ</b> = Company Tax ID<br><b>CPF</b> = Consumer Tax ID |
| <b>Asset Indicator</b><br>Positions: 28<br>Length: 1<br>Format: alphanumeric           | <b>Description:</b> This field will contain the asset indicator.<br>Values:<br><b>Y</b> or <b>N</b>                                                                     |
| <b>Loan Type</b><br>Positions: 29-48<br>Length: 20<br>Format: alphanumeric             | <b>Description:</b> This field will contain the loan type name.                                                                                                         |
| <b>Reserved</b><br>Positions: 49-170<br>Length: 122<br>Format: alphanumeric            | <b>Description:</b> This field is reserved; space-filled.                                                                                                               |

## TC 33.B - CP 57 TCR 3 Brazil Country Data - American Express Installment Payment

These tables contain the Multipurpose Message (TC 33.B) record layout and edit criteria for CP 57 TCR 3 - BRAZIL COUNTRY DATA - AMERICAN EXPRESS INSTALLMENT PAYMENT.

### ITF - Incoming Interchange

### Brazil Country Data - American Express Installment Payment Record Layout

| Position | Field Length | Format | Contents                              |
|----------|--------------|--------|---------------------------------------|
| 1-2      | 2            | UN     | Transaction Code                      |
| 3-4      | 2            | BINARY | Record Hash Total                     |
| 5        | 1            | UN     | Transaction Code Qualifier            |
| 6        | 1            | AN     | Transaction Component Sequence Number |
| 7-8      | 2            | AN     | Plan Type                             |
| 9-10     | 2            | AN     | Number of Installments                |
| 11-170   | 160          | AN     | Reserved                              |

Format: AN = Alphanumeric, ANS = Alphanumeric Special, DX = Display Hexadecimal, N = Numeric, UN = Unpacked Numeric

### Brazil Country Data - American Express Installment Payment Edit Criteria

|                                                                                                   |                                                                              |
|---------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------|
| <b>Transaction Code</b><br>Positions: 1-2<br>Length: 2<br>Format: unpacked numeric                | <b>Description:</b> This field will contain the value of <b>33</b> .         |
| <b>Record Hash Total</b><br>Positions: 3-4<br>Length: 2<br>Format: binary                         | <b>Description:</b> This field will contain the record hash total or spaces. |
| <b>Transaction Code Qualifier</b><br>Positions: 5<br>Length: 1<br>Format: unpacked numeric        | <b>Description:</b> This field will contain the value of <b>0</b> .          |
| <b>Transaction Component Sequence Number</b><br>Positions: 6<br>Length: 1<br>Format: alphanumeric | <b>Description:</b> This field will contain the value of <b>3</b> .          |
| <b>Plan Type</b><br>Positions: 7-8<br>Length: 2<br>Format: alphanumeric                           | <b>Description:</b> This field will contain the AMEX plan type.              |

### Brazil Country Data - American Express Installment Payment Edit Criteria

|                                                                                       |                                                                         |
|---------------------------------------------------------------------------------------|-------------------------------------------------------------------------|
| <b>Number of Installments</b><br>Positions: 9-10<br>Length: 2<br>Format: alphanumeric | <b>Description:</b> This field will contain the number of installments. |
| <b>Reserved</b><br>Positions: 11-170<br>Length: 160<br>Format: alphanumeric           | <b>Description:</b> This field is reserved; space-filled.               |

## TC 33.B - CP 57 TCR 4 Commercial Mastercard Installment Payment

These tables contain the Multipurpose Message (TC 33.B) record layout and edit criteria for CP 57 TCR 4 - COMMERCIAL MASTERCARD INSTALLMENT PAYMENT.

### ITF - Incoming Interchange

#### Commercial Mastercard Installment Payments Record Layout

| Position | Field Length | Format | Contents                              |
|----------|--------------|--------|---------------------------------------|
| 1-2      | 2            | UN     | Transaction Code                      |
| 3-4      | 2            | BINARY | Record Hash Total                     |
| 5        | 1            | UN     | Transaction Code Qualifier            |
| 6        | 1            | AN     | Transaction Component Sequence Number |
| 7-26     | 20           | ANS    | Financing Type                        |
| 27       | 1            | AN     | Buyer ID Type                         |
| 28-41    | 14           | ANS    | Buyer ID                              |
| 42-52    | 11           | ANS    | Buyer Phone Number                    |
| 53-72    | 20           | ANS    | Purchase Identification               |
| 73-74    | 2            | AN     | Installment Cycles                    |
| 75-92    | 18           | AN     | Interest Rate                         |
| 93-95    | 3            | AN     | Grace Period                          |
| 96-98    | 3            | AN     | Grace Period Cycle                    |

## Commercial Mastercard Installment Payments Record Layout

| Position | Field Length | Format | Contents                   |
|----------|--------------|--------|----------------------------|
| 99-116   | 18           | AN     | Grace Period Interest Rate |
| 117-136  | 20           | AN     | Reference Field 1          |
| 137-156  | 20           | AN     | Reference Field 2          |
| 157-170  | 14           | AN     | Reserved                   |

Format: AN = Alphanumeric, ANS = Alphanumeric Special, DX = Display Hexadecimal, N = Numeric, UN = Unpacked Numeric

## Commercial Mastercard Installment Payments Edit Criteria

|                                                                                                   |                                                                              |
|---------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------|
| <b>Transaction Code</b><br>Positions: 1-2<br>Length: 2<br>Format: unpacked numeric                | <b>Description:</b> This field will contain the value of <b>33</b> .         |
| <b>Record Hash Total</b><br>Positions: 3-4<br>Length: 2<br>Format: binary                         | <b>Description:</b> This field will contain the record hash total or spaces. |
| <b>Transaction Code Qualifier</b><br>Positions: 5<br>Length: 1<br>Format: unpacked numeric        | <b>Description:</b> This field will contain the value of <b>0</b> .          |
| <b>Transaction Component Sequence Number</b><br>Positions: 6<br>Length: 1<br>Format: alphanumeric | <b>Description:</b> This field will contain the value of <b>4</b> .          |
| <b>Financing Type</b><br>Positions: 7-26<br>Length: 20<br>Format: alphanumeric special character  | <b>Description:</b> This field will contain the financing type.              |

### Commercial Mastercard Installment Payments Edit Criteria

|                                                                                                       |                                                                                 |
|-------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------|
| <b>Buyer ID Type</b><br>Positions: 27<br>Length: 1<br>Format: alphanumeric                            | <b>Description:</b> This field will contain the buyer ID type.                  |
| <b>Buyer ID</b><br>Positions: 28-41<br>Length: 14<br>Format: alphanumeric special character           | <b>Description:</b> This field will contain the buyer ID.                       |
| <b>Buyer Phone Number</b><br>Positions: 42-52<br>Length: 11<br>Format: alphanumeric special character | <b>Description:</b> This field will contain the buyer phone number.             |
| <b>Purchase Identification</b><br>Positions: 53-72<br>Length: 20<br>Format: alphanumeric              | <b>Description:</b> This field will contain the purchase identification.        |
| <b>Installment Cycles</b><br>Positions: 73-74<br>Length: 2<br>Format: alphanumeric                    | <b>Description:</b> This field will contain the installment cycles information. |
| <b>Interest Rate</b><br>Positions: 75-92<br>Length: 18<br>Format: alphanumeric                        | <b>Description:</b> This field will contain the interest rate.                  |
| <b>Grace Period</b><br>Positions: 93-95<br>Length: 3<br>Format: alphanumeric                          | <b>Description:</b> This field will contain the grace period information.       |
| <b>Grace Period Cycle</b><br>Positions: 96-98<br>Length: 3<br>Format: alphanumeric                    | <b>Description:</b> This field will contain the grace period cycle.             |



### Commercial Mastercard Installment Payments Edit Criteria

|                                                                                              |                                                                                                                                          |
|----------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Grace Period Interest Rate</b><br>Positions: 99-116<br>Length: 18<br>Format: alphanumeric | <b>Description:</b> This field will contain the grace period interest rate.                                                              |
| <b>Reference Field 1</b><br>Positions: 117-136<br>Length: 20<br>Format: alphanumeric         | <b>Description:</b> This field will contain the Mastercard Reference Field 1.<br>Mapping:<br>F104 U2 DSID 65 T06 => DE 112 (pos 111-130) |
| <b>Reference Field 2</b><br>Positions: 137-156<br>Length: 20<br>Format: alphanumeric         | <b>Description:</b> This field will contain the Mastercard Reference Field 2.<br>Mapping:<br>F104 U2 DSID 65 T06 => DE 112 (pos 131-150) |
| <b>Reserved</b><br>Positions: 157-170<br>Length: 14<br>Format: alphanumeric                  | <b>Description:</b> This field will contain spaces.                                                                                      |

## TC 33.B - CP 57 TCR 5 Consumer Mastercard Installment Payments

These tables contain the Multipurpose Message (TC 33.B) record layout and edit criteria for CP 57 TCR 5 - CONSUMER MASTERCARD INSTALLMENT PAYMENTS.

### ITF - Incoming Interchange

#### Consumer Mastercard Installment Payments Record Layout

| Position | Field Length | Format | Contents                              |
|----------|--------------|--------|---------------------------------------|
| 1-2      | 2            | UN     | Transaction Code                      |
| 3-4      | 2            | BINARY | Record Hash Total                     |
| 5        | 1            | UN     | Transaction Code Qualifier            |
| 6        | 1            | AN     | Transaction Component Sequence Number |
| 7-13     | 7            | AN     | Insurance Amount                      |
| 14-17    | 4            | AN     | Percent Insurance of Total Amount     |

### Consumer Mastercard Installment Payments Record Layout

| Position | Field Length | Format | Contents                                   |
|----------|--------------|--------|--------------------------------------------|
| 18-22    | 5            | AN     | Percent Amount to Merchant of Total Amount |
| 23-26    | 4            | AN     | Monthly Interest Rate                      |
| 27-33    | 7            | AN     | Fee Amount                                 |
| 34-40    | 7            | AN     | Total Amount to Merchant                   |
| 41-47    | 7            | AN     | Tax Amount                                 |
| 48-51    | 4            | AN     | Percent Fee of Total Amount                |
| 52-55    | 4            | AN     | Percent Taxes of Total Amount              |
| 56-62    | 7            | AN     | Other Amount                               |
| 63-66    | 4            | AN     | Percent Other of Total Amount              |
| 67-73    | 7            | AN     | Percent Total Effective Cost               |
| 74-85    | 12           | AN     | Total Effective Cost                       |
| 86-170   | 85           | AN     | Reserved                                   |

Format: AN = Alphanumeric, ANS = Alphanumeric Special, DX = Display Hexadecimal, N = Numeric, UN = Unpacked Numeric

### Consumer Mastercard Installment Payments Edit Criteria

|                                                                                            |                                                                              |
|--------------------------------------------------------------------------------------------|------------------------------------------------------------------------------|
| <b>Transaction Code</b><br>Positions: 1-2<br>Length: 2<br>Format: unpacked numeric         | <b>Description:</b> This field will contain the value of <b>33</b> .         |
| <b>Record Hash Total</b><br>Positions: 3-4<br>Length: 2<br>Format: binary                  | <b>Description:</b> This field will contain the record hash total or spaces. |
| <b>Transaction Code Qualifier</b><br>Positions: 5<br>Length: 1<br>Format: unpacked numeric | <b>Description:</b> This field will contain the value of <b>0</b> .          |

## Consumer Mastercard Installment Payments Edit Criteria

|                                                                                                            |                                                                                                                                                         |
|------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Transaction Component Sequence Number</b><br>Positions: 6<br>Length: 1<br>Format: alphanumeric          | <b>Description:</b> This field will contain the value of <b>5</b> .                                                                                     |
| <b>Insurance Amount</b><br>Positions: 7-13<br>Length: 7<br>Format: alphanumeric                            | <b>Description:</b> This field contains the insurance amount.<br>Mapping:<br>F104 U2 DSID 65 T06 => DE 112 SE 16 (pos 35-41).                           |
| <b>Percent Insurance of Total Amount</b><br>Positions: 14-17<br>Length: 4<br>Format: alphanumeric          | <b>Description:</b> This field contains the Percent Insurance of Total Amount.<br>Mapping:<br>F104 U2 DSID 65 T06 => DE 112 SE 16 (pos 42-45).          |
| <b>Percent Amount to Merchant of Total Amount</b><br>Positions: 18-22<br>Length: 5<br>Format: alphanumeric | <b>Description:</b> This field contains the Percent Amount to Merchant of Total Amount.<br>Mapping:<br>F104 U2 DSID 65 T06 => DE 112 SE 16 (pos 64-67). |
| <b>Monthly Interest Rate</b><br>Positions: 23-26<br>Length: 4<br>Format: alphanumeric                      | <b>Description:</b> This field contains the Monthly Interest Rate.<br>Mapping:<br>F104 U2 DSID 65 T06 => DE 112 SE 2 (pos 29-32).                       |
| <b>Fee Amount</b><br>Positions: 27-33<br>Length: 7<br>Format: alphanumeric                                 | <b>Description:</b> This field contains the Fee Amount.<br>Mapping:<br>F104 U2 DSID 65 T06 => DE 112 SE 16 (pos 24-30).                                 |
| <b>Total Amount to Merchant</b><br>Positions: 34-40<br>Length: 7<br>Format: alphanumeric                   | <b>Description:</b> This field contains the Total Amount to Merchant.<br>Mapping:<br>F104 U2 DSID 65 T06 => DE 112 SE 16 (pos 57-63).                   |
| <b>Tax Amount</b><br>Positions: 41-47<br>Length: 7<br>Format: alphanumeric                                 | <b>Description:</b> This field contains the total Tax Amount.<br>Mapping:<br>F104 U2 DSID 65 T06 => DE 112 SE 16 (pos 13-19).                           |

### Consumer Mastercard Installment Payments Edit Criteria

|                                                                                               |                                                                                                                                                  |
|-----------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Percent Fee of Total Amount</b><br>Positions: 48-51<br>Length: 4<br>Format: alphanumeric   | <b>Description:</b> This field contains the Percent Fee of Total Amount.<br>Mapping:<br>F104 U2 DSID 65 T06 => DE 112 SE 16 (pos 31-34).         |
| <b>Percent Taxes of Total Amount</b><br>Positions: 52-55<br>Length: 4<br>Format: alphanumeric | <b>Description:</b> This field contains the Percent Taxes of Total Amount.<br>Mapping:<br>F104 U2 DSID 65 T06 => DE 112 SE 16 (pos 20-23).       |
| <b>Other Amount</b><br>Positions: 56-62<br>Length: 7<br>Format: alphanumeric                  | <b>Description:</b> This field contains the "Other" Amount.<br>Mapping:<br>F104 U2 DSID 65 T06 => DE 112 SE 16 (pos 46-52).                      |
| <b>Percent Other of Total Amount</b><br>Positions: 63-66<br>Length: 4<br>Format: alphanumeric | <b>Description:</b> This field contains the Percent Other of Total Amount.<br>Mapping:<br>F104 U2 DSID 65 T06 => DE 112 SE 16 (pos 53-56).       |
| <b>Percent Total Effective Cost</b><br>Positions: 67-73<br>Length: 7<br>Format: alphanumeric  | <b>Description:</b> This field contains the Percent Total Effective Cost Amount.<br>Mapping:<br>F104 U2 DSID 65 T06 => DE 112 SE 16 (pos 68-74). |
| <b>Total Effective Cost</b><br>Positions: 74-85<br>Length: 12<br>Format: alphanumeric         | <b>Description:</b> This field contains the Total Effective Cost Amount.<br>Mapping:<br>F104 U2 DSID 65 T06 => DE 112 SE 16 (pos 1-12).          |
| <b>Reserved</b><br>Positions: 86-170<br>Length: 85<br>Format: alphanumeric                    | <b>Description:</b> This field contains spaces.                                                                                                  |

# TC 33.B - CP 57 TCR 6 Brazil Country Data - Mastercard BNDES1

These tables contain the Multipurpose Message (TC 33.B) record layout and edit criteria for CP 57 TCR 6 - BRAZIL COUNTRY DATA - MASTERCARD BNDES1.

## ITF - Incoming Interchange

### Brazil Country Data - Mastercard BNDES1 Record Layout

| Position | Field Length | Format | Contents                              |
|----------|--------------|--------|---------------------------------------|
| 1-2      | 2            | UN     | Transaction Code                      |
| 3-4      | 2            | BINARY | Record Hash Total                     |
| 5        | 1            | UN     | Transaction Code Qualifier            |
| 6        | 1            | AN     | Transaction Component Sequence Number |
| 7-26     | 20           | AN     | Financing Type                        |
| 27       | 1            | AN     | Buyer ID Type                         |
| 28-41    | 14           | AN     | Buyer ID                              |
| 42-61    | 20           | AN     | BNDES Reference Field 1               |
| 62-170   | 109          | AN     | Reserved                              |

Format: AN = Alphanumeric, ANS = Alphanumeric Special, DX = Display Hexadecimal, N = Numeric, UN = Unpacked Numeric

### Brazil Country Data - Mastercard BNDES1 Edit Criteria

|                                                                                            |                                                                              |
|--------------------------------------------------------------------------------------------|------------------------------------------------------------------------------|
| <b>Transaction Code</b><br>Positions: 1-2<br>Length: 2<br>Format: unpacked numeric         | <b>Description:</b> This field will contain the value of <b>33</b> .         |
| <b>Record Hash Total</b><br>Positions: 3-4<br>Length: 2<br>Format: binary                  | <b>Description:</b> This field will contain the record hash total or spaces. |
| <b>Transaction Code Qualifier</b><br>Positions: 5<br>Length: 1<br>Format: unpacked numeric | <b>Description:</b> This field will contain the value of <b>0</b> .          |

### Brazil Country Data - Mastercard BNDES1 Edit Criteria

|                                                                                                   |                                                                                                       |
|---------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------|
| <b>Transaction Component Sequence Number</b><br>Positions: 6<br>Length: 1<br>Format: alphanumeric | <b>Description:</b> This field will contain the value of <b>6</b> .                                   |
| <b>Financing Type</b><br>Positions: 7-26<br>Length: 20<br>Format: alphanumeric                    | <b>Description:</b> This field will contain the financing type.                                       |
| <b>Buyer ID Type</b><br>Positions: 27<br>Length: 1<br>Format: alphanumeric                        | <b>Description:</b> This field will contain the buyer ID type.                                        |
| <b>Buyer ID</b><br>Positions: 28-41<br>Length: 14<br>Format: alphanumeric                         | <b>Description:</b> This field will contain the buyer ID with the CNPJ number (Buyer company tax ID). |
| <b>BNDES Reference Field 1</b><br>Positions: 42-61<br>Length: 20<br>Format: alphanumeric          | <b>Description:</b> This field will contain the CNPJ number (Merchant Brazilian tax ID).              |
| <b>Reserved</b><br>Positions: 62-170<br>Length: 109<br>Format: alphanumeric                       | <b>Description:</b> This field is reserved; space-filled.                                             |

# TC 33.B - CP 57 TCR 7 Debt Repayment Information

These tables contain the Multipurpose Message (TC 33.B) record layout and edit criteria for CP 57 TCR 7 - DEBT REPAYMENT INFORMATION.

## Debt Repayment Information Record Layout

| Position | Field Length | Format | Contents                                |
|----------|--------------|--------|-----------------------------------------|
| 1-2      | 2            | UN     | Transaction Code                        |
| 3-4      | 2            | BINARY | Record Hash Total                       |
| 5        | 1            | UN     | Transaction Code Qualifier              |
| 6        | 1            | AN     | Transaction Component Sequence Number   |
| 7-41     | 35           | ANS    | Debt Repayment Recipient Last Name      |
| 42-51    | 10           | ANS    | Debt Repayment Recipient Postal Code    |
| 52-59    | 8            | AN     | Debt Repayment Recipient Date of Birth  |
| 60-79    | 20           | AN     | Debt Repayment Recipient Account Number |
| 80-170   | 91           | AN     | Reserved                                |

Format: AN = Alphanumeric, ANS = Alphanumeric Special, DX = Display Hexadecimal, N = Numeric, UN = Unpacked Numeric

## Debt Repayment Information Edit Criteria

|                                                                                            |                                                                    |
|--------------------------------------------------------------------------------------------|--------------------------------------------------------------------|
| <b>Transaction Code</b><br>Positions: 1-2<br>Length: 2<br>Format: unpacked numeric         | <b>Description:</b> This field will contain a <b>33</b> .          |
| <b>Record Hash Total</b><br>Positions: 3-4<br>Length: 2<br>Format: binary                  | <b>Description:</b> This field will contain the Record Hash Total. |
| <b>Transaction Code Qualifier</b><br>Positions: 5<br>Length: 1<br>Format: unpacked numeric | <b>Description:</b> This field will contain a <b>0</b> .           |

## Debt Repayment Information Edit Criteria

|                                                                                                                         |                                                                                                                                    |
|-------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------|
| <b>Transaction Component Sequence Number</b><br>Positions: 6<br>Length: 1<br>Format: alphanumeric                       | <b>Description:</b> This field will contain a 7.                                                                                   |
| <b>Debt Repayment Recipient Last Name</b><br>Positions: 7-41<br>Length: 35<br>Format: alphanumeric special character    | <b>Description:</b> This field will contain the Recipient Last Name.<br>Mapping:<br>F104 U2 DSID 65 T06 => MC DE112 SE 33 SF1      |
| <b>Debt Repayment Recipient Postal Code</b><br>Positions: 42-51<br>Length: 10<br>Format: alphanumeric special character | <b>Description:</b> This field will contain the Recipient Postal Code.<br>Mapping:<br>F104 U2 DSID 65 T06 => MC DE112 SE 33 SF2    |
| <b>Debt Repayment Recipient Date of Birth</b><br>Positions: 52-59<br>Length: 8<br>Format: alphanumeric                  | <b>Description:</b> This field will contain the Recipient Date of Birth.<br>Mapping:<br>F104 U2 DSID 65 T06 => MC DE112 SE 33 SF3  |
| <b>Debt Repayment Recipient Account Number</b><br>Positions: 60-79<br>Length: 20<br>Format: alphanumeric                | <b>Description:</b> This field will contain the Recipient Account Number.<br>Mapping:<br>F104 U2 DSID 65 T06 => MC DE112 SE 33 SF4 |
| <b>Reserved</b><br>Positions: 80-170<br>Length: 91<br>Format: alphanumeric                                              | <b>Description:</b> This field will contain spaces.                                                                                |



# TC 33.B - CP 59 TCR 0 Push Payment Default

These tables contain the Multipurpose Message (TC 33.B) record layout and edit criteria for CP 59 TCR 0 - PUSH PAYMENT - DEFAULT.

## Push Payment - Default Record Layout

| Position | Field Length | Format | Contents                                |
|----------|--------------|--------|-----------------------------------------|
| 1-2      | 2            | UN     | Transaction Code                        |
| 3-4      | 2            | BINARY | Record Hash Total                       |
| 5        | 1            | UN     | Transaction Code Qualifier              |
| 6        | 1            | AN     | Transaction Component Sequence Number   |
| 7-12     | 6            | UN     | Destination Identifier                  |
| 13-18    | 6            | UN     | Source Identifier                       |
| 19-22    | 4            | AN     | File Identifier - Merchant Capture Data |
| 23-37    | 15           | AN     | Message Identifier                      |
| 38-170   | 133          | AN     | Reserved                                |

Format: AN = Alphanumeric, ANS = Alphanumeric Special, DX = Display Hexadecimal, N = Numeric, UN = Unpacked Numeric

## Push Payment - Default Edit Criteria

|                                                                                            |                                                                      |
|--------------------------------------------------------------------------------------------|----------------------------------------------------------------------|
| <b>Transaction Code</b><br>Positions: 1-2<br>Length: 2<br>Format: unpacked numeric         | <b>Description:</b> This field will contain the value of <b>33</b> . |
| <b>Record Hash Total</b><br>Positions: 3-4<br>Length: 2<br>Format: binary                  | <b>Description:</b> This field contains the record hash totals.      |
| <b>Transaction Code Qualifier</b><br>Positions: 5<br>Length: 1<br>Format: unpacked numeric | <b>Description:</b> This field contains the value <b>0</b> .         |

### Push Payment - Default Edit Criteria

|                                                                                                         |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
|---------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Transaction Component Sequence Number</b><br>Positions: 6<br>Length: 1<br>Format: alphanumeric       | <b>Description:</b> This field contains the value <b>0</b> .                                                                                                                                                                                                                                                                                                                                                                                                                    |
| <b>Destination Identifier</b><br>Positions: 7-12<br>Length: 6<br>Format: unpacked numeric               | <b>Description:</b> The entity to which the BASE II transaction message is sent. This field will contain a valid acquiring or issuing identifier.                                                                                                                                                                                                                                                                                                                               |
| <b>Source Identifier</b><br>Positions: 13-18<br>Length: 6<br>Format: unpacked numeric                   | <b>Description:</b> This field contains the Visa internal identifier of the VIC.                                                                                                                                                                                                                                                                                                                                                                                                |
| <b>File Identifier - Merchant Capture Data</b><br>Positions: 19-22<br>Length: 4<br>Format: alphanumeric | <b>Description:</b> This TCR group code identifies a group of related Transaction Component Records (TCR 0 through TCR E). This field has a static value of <b>CP59</b> .                                                                                                                                                                                                                                                                                                       |
| <b>Message Identifier</b><br>Positions: 23-37<br>Length: 15<br>Format: alphanumeric                     | <b>Description:</b> A unique message identifier that links a specific capture record among multiple capture records being submitted for a single transaction. All capture records within the same file linked to a single authorization request contain the same message identifier. The same message identifier can be assigned to other related capture records located in additional TCR groups identified by TC 33 application codes ( <b>CP 51</b> through <b>CP 90</b> ). |
| <b>Reserved</b><br>Positions: 38-170<br>Length: 133<br>Format: alphanumeric                             | <b>Description:</b> This field is reserved; space-filled.                                                                                                                                                                                                                                                                                                                                                                                                                       |

# TC 33.B - CP 59 TCR 1 Push Payment - Original Credit Transaction

These tables contain the Multipurpose Message (TC 33.B) record layout and edit criteria for CP 59 TCR 1 - PUSH PAYMENT - ORIGINAL CREDIT TRANSACTION.

## Push Payment - Original Credit Transaction Record Layout

| Position | Field Length | Format | Contents                              |
|----------|--------------|--------|---------------------------------------|
| 1-2      | 2            | UN     | Transaction Code                      |
| 3-4      | 2            | BINARY | Record Hash Total                     |
| 5        | 1            | UN     | Transaction Code Qualifier            |
| 6        | 1            | AN     | Transaction Component Sequence Number |
| 7-8      | 2            | AN     | Business Format Code                  |
| 9-38     | 30           | ANS    | Money Transfer Recipient Name         |
| 39-40    | 2            | AN     | Source of Funds                       |
| 41-60    | 20           | AN     | Claims Code                           |
| 61-80    | 20           | AN     | Tax Document Type                     |
| 81-170   | 90           | AN     | Reserved                              |

Format: AN = Alphanumeric, ANS = Alphanumeric Special, DX = Display Hexadecimal, N = Numeric, UN = Unpacked Numeric

## Push Payment - Original Credit Transaction Edit Criteria

|                                                                                            |                                                                 |
|--------------------------------------------------------------------------------------------|-----------------------------------------------------------------|
| <b>Transaction Code</b><br>Positions: 1-2<br>Length: 2<br>Format: unpacked numeric         | <b>Description:</b> This field contains the value <b>33</b> .   |
| <b>Record Hash Total</b><br>Positions: 3-4<br>Length: 2<br>Format: binary                  | <b>Description:</b> This field contains the record hash totals. |
| <b>Transaction Code Qualifier</b><br>Positions: 5<br>Length: 1<br>Format: unpacked numeric | <b>Description:</b> This field contains the value <b>0</b> .    |

### Push Payment - Original Credit Transaction Edit Criteria

|                                                                                                            |                                                                                                                                                           |
|------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Transaction Component Sequence Number</b><br>Positions: 6<br>Length: 1<br>Format: alphanumeric          | <b>Description:</b> This field contains the value <b>1</b> .                                                                                              |
| <b>Business Format Code</b><br>Positions: 7-8<br>Length: 2<br>Format: alphanumeric                         | <b>Description:</b> This field will contain <b>OC</b> (Original Credit).                                                                                  |
| <b>Money Transfer Recipient</b><br>Positions: 9-38<br>Length: 30<br>Format: alphanumeric special character | <b>Description:</b> This field contains the money transfer recipient name.                                                                                |
| <b>Source of Funds</b><br>Positions: 39-40<br>Length: 2<br>Format: alphanumeric                            | <b>Description:</b> This field should contain one of these values:<br><b>1</b> = Cash<br><b>2</b> = Check<br><b>3</b> = Card<br><b>4</b> = Cash and Check |

18 October 2025

### Push Payment - Original Credit Transaction Edit Criteria

| <b>Tax Document Type (continued)</b><br><br>Positions: 61-80<br><br>Length: 20<br><br>Format: alphanumeric | <b>Description:</b> This field will contain the Tax Document Type in OCT transactions in Latin America.<br><br>Values: <table><tr><th>Country</th><th>Tax Identifier</th><th>Description</th><th>Field</th><th>Comments</th></tr><tr><td rowspan="2">Peru</td><td>RUC</td><td>Registro Unico de Contribuyentes</td><td>Tag 05-Merchant VAT Registration/Single Business Reference Number</td><td>Business tax identification</td></tr><tr><td>DNI</td><td>Documento Nacional de Identidad</td><td>Tag 06-Customer VAT Registration Number</td><td>Individual tax identification</td></tr></table> | Country                          | Tax Identifier                                                    | Description                   | Field | Comments | Peru | RUC | Registro Unico de Contribuyentes | Tag 05-Merchant VAT Registration/Single Business Reference Number | Business tax identification | DNI | Documento Nacional de Identidad | Tag 06-Customer VAT Registration Number | Individual tax identification |
|------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------|-------------------------------------------------------------------|-------------------------------|-------|----------|------|-----|----------------------------------|-------------------------------------------------------------------|-----------------------------|-----|---------------------------------|-----------------------------------------|-------------------------------|
| Country                                                                                                    | Tax Identifier                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    | Description                      | Field                                                             | Comments                      |       |          |      |     |                                  |                                                                   |                             |     |                                 |                                         |                               |
| Peru                                                                                                       | RUC                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               | Registro Unico de Contribuyentes | Tag 05-Merchant VAT Registration/Single Business Reference Number | Business tax identification   |       |          |      |     |                                  |                                                                   |                             |     |                                 |                                         |                               |
|                                                                                                            | DNI                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               | Documento Nacional de Identidad  | Tag 06-Customer VAT Registration Number                           | Individual tax identification |       |          |      |     |                                  |                                                                   |                             |     |                                 |                                         |                               |
| <b>Reserved</b><br><br>Positions: 81-170<br><br>Length: 90<br><br>Format: alphanumeric                     | <b>Description:</b> This field is space-filled.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |                                  |                                                                   |                               |       |          |      |     |                                  |                                                                   |                             |     |                                 |                                         |                               |

## TC 33.B - CP 59 TCR 2 Push Payment - Original Credit Transaction

These tables contain the Multipurpose Message (TC 33.B) record layout and edit criteria for CP 59 TCR 2 - PUSH PAYMENT - ORIGINAL CREDIT TRANSACTION.

### Push Payment - Original Credit Transaction Record Layout

| Position | Field Length | Format | Contents                              |
|----------|--------------|--------|---------------------------------------|
| 1-2      | 2            | UN     | Transaction Code                      |
| 3-4      | 2            | BINARY | Record Hash Total                     |
| 5        | 1            | UN     | Transaction Code Qualifier            |
| 6        | 1            | AN     | Transaction Component Sequence Number |
| 7-22     | 16           | AN     | Sender Reference Number               |

### Push Payment - Original Credit Transaction Record Layout

| Position | Field Length | Format | Contents              |
|----------|--------------|--------|-----------------------|
| 23-56    | 34           | AN     | Sender Account Number |
| 57-86    | 30           | AN     | Sender Name           |
| 87-121   | 35           | AN     | Sender Address        |
| 122-146  | 25           | AN     | Sender City           |
| 147-148  | 2            | AN     | Sender State/Province |
| 149-151  | 3            | AN     | Sender Country        |
| 152-170  | 19           | AN     | Reserved              |

Format: AN = Alphanumeric, ANS = Alphanumeric Special, DX = Display Hexadecimal, N = Numeric, UN = Unpacked Numeric

### Push Payment - Original Credit Transaction Edit Criteria

|                                                                                                   |                                                                        |
|---------------------------------------------------------------------------------------------------|------------------------------------------------------------------------|
| <b>Transaction Code</b><br>Positions: 1-2<br>Length: 2<br>Format: unpacked numeric                | <b>Description:</b> This field contains the value <b>33</b> .          |
| <b>Record Hash Total</b><br>Positions: 3-4<br>Length: 2<br>Format: binary                         | <b>Description:</b> This field contains the record hash totals.        |
| <b>Transaction Code Qualifier</b><br>Positions: 5<br>Length: 1<br>Format: unpacked numeric        | <b>Description:</b> This field contains the value <b>0</b> .           |
| <b>Transaction Component Sequence Number</b><br>Positions: 6<br>Length: 1<br>Format: alphanumeric | <b>Description:</b> This field contains the value <b>2</b> .           |
| <b>Sender Reference Number</b><br>Positions: 7-22<br>Length: 16<br>Format: alphanumeric           | <b>Description:</b> This field contains the sender's reference number. |

### Push Payment - Original Credit Transaction Edit Criteria

|                                                                                                          |                                                                           |
|----------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------|
| <b>Sender Account Number</b><br>Positions: 23-56<br>Length: 34<br>Format: alphanumeric special character | <b>Description:</b> This field contains the sender's account number.      |
| <b>Sender Name</b><br>Positions: 57-86<br>Length: 30<br>Format: alphanumeric                             | <b>Description:</b> This field contains the sender's name.                |
| <b>Sender Address</b><br>Positions: 87-121<br>Length: 35<br>Format: alphanumeric                         | <b>Description:</b> This field contains the sender's address.             |
| <b>Sender City</b><br>Positions: 122-146<br>Length: 25<br>Format: alphanumeric                           | <b>Description:</b> This field contains the sender's city.                |
| <b>Sender State/Province</b><br>Positions: 147-148<br>Length: 2<br>Format: alphanumeric                  | <b>Description:</b> This field contains the sender's state/province code. |
| <b>Sender Country</b><br>Positions: 149-151<br>Length: 3<br>Format: alphanumeric                         | <b>Description:</b> This field contains the sender's country.             |
| <b>Reserved</b><br>Positions: 152-170<br>Length: 19<br>Format: alphanumeric                              | <b>Description:</b> This field is reserved; space-filled.                 |



# TC 33.B - TCR 0 Acknowledgment File Data

These tables contain the Multipurpose Message (TC 33.B) record layout and edit criteria for TCR 0 - ACKNOWLEDGMENT FILE DATA RECORD LAYOUT.

## Acknowledgment File Data Record Layout Record Layout

| Position | Field Length | Format | Contents                              |
|----------|--------------|--------|---------------------------------------|
| 1-2      | 2            | UN     | Transaction Code                      |
| 3-4      | 2            | BINARY | Record Hash Total                     |
| 5        | 1            | UN     | Transaction Code Qualifier            |
| 6        | 1            | AN     | Transaction Component Sequence Number |
| 7-12     | 6            | UN     | Destination Identifier                |
| 13-18    | 6            | UN     | Source Identifier                     |
| 19-25    | 7            | AN     | Application Code                      |
| 26-34    | 9            | UN     | Number of Error Transactions          |
| 35-46    | 12           | UN     | Total Error Transactions Amount       |
| 47-54    | 8            | UN     | Capture Creation Date                 |
| 55-58    | 4            | AN     | Capture File Number                   |
| 59-62    | 4            | AN     | File Status Response Code             |
| 63-66    | 4            | AN     | Record Status Response Code           |
| 67-72    | 6            | UN     | Authorization Acquiring Identifier    |
| 73-80    | 8            | ANS    | Terminal ID                           |
| 81-95    | 15           | ANS    | Card Acceptor ID                      |
| 96-120   | 25           | AN     | Purchase Identifier                   |
| 121-135  | 15           | AN     | Transaction ID                        |
| 136-170  | 35           | AN     | Reserved                              |

Format: AN = Alphanumeric, ANS = Alphanumeric Special, DX = Display Hexadecimal, N = Numeric, UN = Unpacked Numeric

### Acknowledgment File Data Record Layout Edit Criteria

|                                                                                                   |                                                                                                                                                                                                                |
|---------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Transaction Code</b><br>Positions: 1-2<br>Length: 2<br>Format: unpacked numeric                | <b>Description:</b> This field will contain the value of <b>33</b> .                                                                                                                                           |
| <b>Record Hash Total</b><br>Positions: 3-4<br>Length: 2<br>Format: binary                         | <b>Description:</b> Used in BASE II to ensure that the collection and delivery file data have been correctly transmitted.<br><br>The field must contain spaces for computers that do not generate hash totals. |
| <b>Transaction Code Qualifier</b><br>Positions: 5<br>Length: 1<br>Format: unpacked numeric        | <b>Description:</b> This field will contain the value of <b>0</b> (zero).                                                                                                                                      |
| <b>Transaction Component Sequence Number</b><br>Positions: 6<br>Length: 1<br>Format: alphanumeric | <b>Description:</b> This field will contain the value of <b>0</b> (zero).                                                                                                                                      |
| <b>Destination Identifier</b><br>Positions: 7-12<br>Length: 6<br>Format: unpacked numeric         | <b>Description:</b> This field will contain the MDEX identifier.                                                                                                                                               |
| <b>Source Identifier</b><br>Positions: 13-18<br>Length: 6<br>Format: unpacked numeric             | <b>Description:</b> This field will contain the Visa internal identifier of the VIC.                                                                                                                           |
| <b>Application Code</b><br>Positions: 19-25<br>Length: 7<br>Format: alphanumeric                  | <b>Description:</b> This field will contain the value of <b>MERCACK</b> .                                                                                                                                      |
| <b>Number of Error Transactions</b><br>Positions: 26-34<br>Length: 9<br>Format: unpacked numeric  | <b>Description:</b> This field will contain the number of error transactions sent to Visa in the corresponding capture file.                                                                                   |

## Acknowledgment File Data Record Layout Edit Criteria

|                                                                                                        |                                                                                                                                                                                                                                                        |
|--------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Total Error Transactions Amount</b><br>Positions: 35-46<br>Length: 12<br>Format: unpacked numeric   | <b>Description:</b> This field will contain the total transaction amount for all transactions with errors in the corresponding capture file.                                                                                                           |
| <b>Capture Creation Date</b><br>Positions: 47-54<br>Length: 8<br>Format: unpacked numeric              | <b>Description:</b> This field will contain the date that the corresponding capture file was sent to Visa in the following format: <b>mmddyyyy</b> .<br><br>This field may be used to match the acknowledgment file with a corresponding capture file. |
| <b>Capture File Number</b><br>Positions: 55-58<br>Length: 4<br>Format: alphanumeric                    | <b>Description:</b> This field will contain a file number as submitted by the MDEX identifier, and may be used to match the acknowledgment file with a corresponding capture file.                                                                     |
| <b>File Status Response Code</b><br>Positions: 59-62<br>Length: 4<br>Format: alphanumeric              | <b>Description:</b> This field will contain the file-level response code.<br><br><b>REFERENCE</b><br>For valid values, refer to Table F.AB.                                                                                                            |
| <b>Record Status Response Code</b><br>Positions: 63-66<br>Length: 4<br>Format: alphanumeric            | <b>Description:</b> This field will contain the record-level response code. This field will be populated when there is a record-level error.<br><br><b>REFERENCE</b><br>For valid values, refer to Table F.AC.                                         |
| <b>Authorization Acquiring Identifier</b><br>Positions: 67-72<br>Length: 6<br>Format: unpacked numeric | <b>Description:</b> This field will contain the acquiring identifier used in the authorization.                                                                                                                                                        |
| <b>Terminal ID</b><br>Positions: 73-80<br>Length: 8<br>Format: alphanumeric special character          | <b>Description:</b> When a record-level error is present or a transaction, this field will contain a value that identifies the merchant's terminal where the transaction was acquired.                                                                 |
| <b>Card Acceptor ID</b><br>Positions: 81-95<br>Length: 15<br>Format: alphanumeric special character    | <b>Description:</b> When a record-level error for a transaction is present, this field will contain the card acceptor identifier for the transaction.                                                                                                  |

### Acknowledgment File Data Record Layout Edit Criteria

|                                                                                       |                                                                                                                                                                   |
|---------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Purchase Identifier</b><br>Positions: 96-120<br>Length: 25<br>Format: alphanumeric | <b>Description:</b> When a record-level error is present or a transaction, this field will contain the purchase identifier for the transaction.                   |
| <b>Transaction ID</b><br>Positions: 121-135<br>Length: 15<br>Format: alphanumeric     | <b>Description:</b> When a record-level error is present or a transaction, this field will contain the transaction identifier for the transaction when available. |
| <b>Reserved</b><br>Positions: 136-170<br>Length: 35<br>Format: alphanumeric           | <b>Description:</b> This field will contain all <b>spaces</b> .                                                                                                   |

## TC 33.B - TCR 1 Acknowledgment File Data (Cont'd)

These tables contain the Multipurpose Message (TC 33.B) record layout and edit criteria for TCR 1 - ACKNOWLEDGMENT FILE DATA RECORD LAYOUT (CONT'D).

### Acknowledgment File Data Record Layout (Cont'd) Record Layout

| Position | Field Length | Format | Contents                              |
|----------|--------------|--------|---------------------------------------|
| 1-2      | 2            | UN     | Transaction Code                      |
| 3-4      | 2            | BINARY | Record Hash Total                     |
| 5        | 1            | UN     | Transaction Code Qualifier            |
| 6        | 1            | AN     | Transaction Component Sequence Number |
| 7-32     | 26           | AN     | Transaction ID                        |
| 33-132   | 100          | ANS    | Miscellaneous Message                 |
| 133-170  | 38           | AN     | Reserved                              |

Format: AN = Alphanumeric, ANS = Alphanumeric Special, DX = Display Hexadecimal, N = Numeric, UN = Unpacked Numeric

## Acknowledgment File Data Record Layout (Cont'd) Edit Criteria

|                                                                                                            |                                                                                                                                                                                                                   |
|------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Transaction Code</b><br>Positions: 1-2<br>Length: 2<br>Format: unpacked numeric                         | <b>Description:</b> This field will contain the value of <b>33</b> .                                                                                                                                              |
| <b>Record Hash Total</b><br>Positions: 3-4<br>Length: 2<br>Format: binary                                  | <b>Description:</b> Used in BASE II to ensure that the collection and delivery file data have been correctly transmitted.<br><br>The field must contain spaces for computers that do not generate hash totals.    |
| <b>Transaction Code Qualifier</b><br>Positions: 5<br>Length: 1<br>Format: unpacked numeric                 | <b>Description:</b> This field will contain the value of <b>0</b> (zero).                                                                                                                                         |
| <b>Transaction Component Sequence Number</b><br>Positions: 6<br>Length: 1<br>Format: alphanumeric          | <b>Description:</b> This field will contain the value of <b>1</b> .                                                                                                                                               |
| <b>Transaction ID</b><br>Positions: 7-32<br>Length: 26<br>Format: alphanumeric                             | <b>Description:</b> This field will contain the transaction ID value.                                                                                                                                             |
| <b>Miscellaneous Message</b><br>Positions: 33-132<br>Length: 100<br>Format: alphanumeric special character | <b>Description:</b> This field will contain an additional message or description for the transaction.<br><br><b>Example:</b> Cannot process message due to bad merchant address and missing acquiring identifier. |
| <b>Reserved</b><br>Positions: 133-170<br>Length: 38<br>Format: alphanumeric                                | <b>Description:</b> This field will contain all <b>spaces</b> .                                                                                                                                                   |

# Chapter 13

## 38 VCRFS/VDAS Message Transactions (Visa Use Only)

---

### TC 38 VCRFS/VDAS Message Transactions (Visa Use Only)

TCR 0-3: VCRFS

TCR 0-3, 5: VDAS

CTF - Outgoing and Incoming Interchange

**Note:**

TC 38 VDAS (for legacy chargebacks & representments), TC 38 VCRFS transactions (RFC advices), TC 38 Non-Fulfillments are exchanged between RSI and VROL.

# VisaNet Copy Request and Fulfillment Service (VCRFS) Messages

This Visa service provides clients with an automated system for processing copy requests and fulfillments. Copy requests and fulfillments are sent and received through Visa Resolve Online. Fulfillments are electronically delivered to clients through VisaNet.

BASE II processes requests (TC 52) and responses (TC 38, 39) as part of its normal interchange clearing and settlement cycle. Refer to the section on TC 52, and TC 39 for edit criteria for those records.

The TC 38 is used to convey these responses for copy request transactions:

- Nonfulfillment messages
- Pick list messages

BASE II delivers TC 38 messages to Visa Resolve Online. Messages are not intended to be delivered to a host system.

A VCRFS advice (Transaction Type A) is a message generated by BASE II to advise VROL users of each automated request for copy transaction collected from the issuer's VAP during the current BASE II cycle.

A nonfulfillment message (Transaction Type N) is used by an acquirer to notify an issuer that the requested copy will not be sent. A merchant participating in VCRFS can use this message to notify the acquirer that the requested item is not available. Specific reason codes are defined to explain the reasons for not providing the requested item. An issuer participating in VCRFS receives nonfulfillment messages through VROL.

A pick list message (Transaction Type P) is used by an acquirer to notify the merchant or the remote paper storage location of a Visa or non-Visa request for original/copy item.

# VisaNet Documentation Automation Service (VDAS) Messages

The VisaNet Documentation Automation Service (VDAS) uses the TC 38 dispute or dispute response (transaction type C or R respectively), which is generated by VisaNet applications. The transaction is described for documentation purposes only and should not be created by the host system. This transaction is created by BASE II upon successful edits of a dispute or dispute response transaction eligible for VDAS. BASE II delivers it to VROL.

### Valid TCRs for VCRFS/VDAS TC 38 Transactions - Visa Use Only

| Transaction Type      | Valid TCRs |       |       |       |       |         | Comments                                                                                                                                                                                                                                                  |
|-----------------------|------------|-------|-------|-------|-------|---------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|                       | TCR 0      | TCR 1 | TCR 2 | TCR 3 | TCR 5 | TCR 6-7 |                                                                                                                                                                                                                                                           |
| Nonfulfillment        | x          | x     |       |       |       |         | Data Type = F<br>Transaction Type = N<br>Message Transaction No. = 1<br>End Flag = G <sup>1</sup><br>End Flag = F                                                                                                                                         |
| Optional Text Message | x          | x     | x     | x     | x     | x       | (Applicable to nonfulfillment transactions)<br>Data Type Flag = T<br>Transaction Type = N<br>Message Transaction No. = 2<br>Last TCR Data Length = number of characters in the last TCR of the text message <sup>2</sup><br>End Flag = space <sup>3</sup> |
| VCRFS Advice          | x          | x     | x     |       |       |         | Transaction Type = A <sup>4</sup>                                                                                                                                                                                                                         |
| Pick List             | x          | x     | x     |       |       |         | Transaction Type = A <sup>5</sup>                                                                                                                                                                                                                         |
| VDAS Advice           | v          | x     | x     | x     | x     |         | <b>Note:</b> Up to TCR 5 only<br>Transaction Type = C or R <sup>5</sup>                                                                                                                                                                                   |

<sup>1</sup>If text message follows

<sup>2</sup>This field must not contain a **0** (zero) when End Flag is an F

<sup>3</sup>If more than 7 TCRs are needed and last TCR data length should be **0** (zero)

<sup>4</sup>Generated by Visa; does not go to VAP endpoints

<sup>5</sup>Generated by Visa; goes to merchant endpoints or acquirer's remote sites

## TC 38 - TCR 0 VCRFS/VDAS Message Transactions

These tables contain the VCRFS/VDAS Message (TC 38) record layout and edit criteria for TCR 0 - VCRFS/VDAS MESSAGE TRANSACTIONS.

### CTF - Outgoing and Incoming Interchange



**VCRFS/VDAS Message Record Layout**

| Position | Field Length | Format | Contents                              |
|----------|--------------|--------|---------------------------------------|
| 1-2      | 2            | UN     | Transaction Code                      |
| 3        | 1            | UN     | Transaction Code Qualifier            |
| 4        | 1            | UN     | Transaction Component Sequence Number |
| 5-10     | 6            | UN     | Destination Identifier                |
| 11-16    | 6            | UN     | Source Identifier                     |
| 17       | 1            | AN     | End Flag                              |
| 18-20    | 3            | UN     | Last TCR Data Length                  |
| 21-32    | 12           | UN     | Retrieval Request ID                  |
| 33       | 1            | AN     | Data Type Flag                        |
| 34       | 1            | AN     | Transaction Type                      |
| 35       | 1            | AN     | Source Routing Flag                   |
| 36       | 1            | AN     | Destination Routing Flag              |
| 37       | 1            | AN     | Error Return Flag                     |
| 38       | 1            | UN     | Settlement Flag                       |
| 39-43    | 5            | UN     | Message Transaction Number            |
| 44-57    | 14           | AN     | Reserved                              |
| 58-61    | 4            | AN     | Reserved                              |
| 62-84    | 23           | AN     | Acquirer Reference Number             |
| 85-100   | 16           | UN     | Account Number                        |
| 101-103  | 3            | UN     | Account Number Extension              |
| 104-118  | 15           | UN     | Transaction Identifier                |
| 119      | 1            | AN     | Excluded Transaction ID Reason        |
| 120      | 1            | AN     | CRS Processing Code                   |
| 121-122  | 2            | UN     | Multiple Clearing Sequence Number     |
| 123-140  | 18           | AN     | Reserved                              |
| 141-151  | 11           | UN     | Issuer Financial Identifier           |
| 152-162  | 11           | UN     | Acquirer Financial Identifier         |
| 163      | 1            | AN     | Secondary Advice Type                 |
| 164-167  | 4            | UN     | Central Processing Date (YDDD)        |

### VCRFS/VDAS Message Record Layout

| Position | Field Length | Format | Contents                |
|----------|--------------|--------|-------------------------|
| 168      | 1            | AN     | Reimbursement Attribute |

Format: AN = Alphanumeric, ANS = Alphanumeric Special, DX = Display Hexadecimal, N = Numeric, UN = Unpacked Numeric

### VCRFS/VDAS Message Edit Criteria

|                                                                                                       |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
|-------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Transaction Code</b><br>Positions: 1-2<br>Length: 2<br>Format: unpacked numeric                    | <b>Description:</b> This field must contain <b>38</b> .                                                                                                                                                                                                                                                                                                                                                                                                                                  |
| <b>Transaction Code Qualifier</b><br>Positions: 3<br>Length: 1<br>Format: unpacked numeric            | <b>Description:</b> This field must contain a <b>0</b> (zero).<br><br>This edit will continue to be performed by the Edit Package when the Bypass Business Edits option is used during an outgoing edit run.                                                                                                                                                                                                                                                                             |
| <b>Transaction Component Sequence Number</b><br>Positions: 4<br>Length: 1<br>Format: unpacked numeric | <b>Description:</b> This field must contain a <b>0</b> (zero).                                                                                                                                                                                                                                                                                                                                                                                                                           |
| <b>Destination Identifier</b><br>Positions: 5-10<br>Length: 6<br>Format: unpacked numeric             | <b>Description:</b> The entity to which this BASE II transaction message is sent.<br><br>This field will contain a valid acquiring or issuing identifier. It must be either a Visa internal identifier or an issuing or acquiring identifier belonging to an automated Service participant.<br><br><b>Note:</b> For valid nonfulfillments destined to a fax issuer endpoint, the VIC overrides the destination identifier and sends it to the reporting identifier of the account number |
| <b>Source Identifier</b><br>Positions: 11-16<br>Length: 6<br>Format: unpacked numeric                 | <b>Description:</b> The entity from which this BASE II transaction message was sent.<br><br>This field must contain a valid acquiring or issuing identifier. It must be either a Visa internal identifier or an acquiring or issuing identifier belonging to an automated Service participant.                                                                                                                                                                                           |

## VCRFS/VDAS Message Edit Criteria

|                                                                                           |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
|-------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>End Flag</b><br>Positions: 17<br>Length: 1<br>Format: alphanumeric                     | <b>Description:</b> Flag designating if there are more TCs that follow this message or if this is the end of a page or group of transactions.<br><b>VIC Edit:</b> The field must contain a <b>P, G, F</b> , or <b>space</b> .<br>The End Flags are:<br><b>Space</b> = Indicates there are more TCs to follow for this message<br><b>P</b> = Indicates the end of a page of unformatted text data within a group<br><b>G</b> = Indicates the end of the last page in a group of transactions within the message. Another group of transactions follows<br><b>F</b> = Indicates the end of the last group of transactions in the message |
| <b>Last TCR Data Length</b><br>Positions: 18-20<br>Length: 3<br>Format: unpacked numeric  | <b>Description:</b> Data length of the last Transaction Component Record (TCR) of the transaction. For text data transactions, this field contains the number of characters of data in the last TCR of the transaction.<br><b>VIC Edit:</b> This field must be numeric. If the Data Type is T and the End Flag is not a space, this field must be greater than <b>0</b> (zero).<br>This field may contain zeros.                                                                                                                                                                                                                       |
| <b>Retrieval Request ID</b><br>Positions: 21-32<br>Length: 12<br>Format: unpacked numeric | <b>Description:</b> Numeric identifier of an Issuer's request for a Transaction Receipt, which could include the original, a paper copy or facsimile, or an electronic version thereof.<br><b>VIC Edit:</b> This field must be numeric. In the following cases, this field must contain a properly formatted Retrieval Request ID:<br>Transaction Type A Transaction Type C Transaction Type R<br>This field may contain zeros.                                                                                                                                                                                                        |
| <b>Data Type Flag</b><br>Positions: 33<br>Length: 1<br>Format: alphanumeric               | <b>Description:</b> Flag identifying the type of data in the TCR. Flags are:<br><b>F</b> = Transaction contains formatted data<br><b>T</b> = Transaction contains unformatted data<br><b>VIC Edit:</b> The field must contain an <b>F</b> or <b>T</b> .                                                                                                                                                                                                                                                                                                                                                                                |
| <b>Transaction Type</b><br>Positions: 34<br>Length: 1<br>Format: alphanumeric             | <b>Description:</b> The type of transaction contained in this TCR. Types are:<br>The Transaction Types are:<br><b>A</b> = VCRFS advice<br><b>N</b> = Non-fulfilment<br><b>D</b> = Dispute<br><b>P</b> = Pick list<br><b>C</b> = Chargeback advice<br><b>R</b> = Representment advice<br><b>VIC Edit:</b> The field must contain an <b>A, N, D, P, C</b> , or <b>R</b> .                                                                                                                                                                                                                                                                |

## VCRFS/VDAS Message Edit Criteria

|                                                                                                |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
|------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Source Routing Flag</b><br>Positions: 35<br>Length: 1<br>Format: alphanumeric               | <b>Description:</b> Flag identifying the source of the transaction. Flags are:<br><b>I</b> = Transaction from issuer. This is for dispute requests.<br><b>A</b> = Transaction from acquirer. This is used to send nonfulfillments to issuers.<br><b>S</b> = Transaction from secondary acquirer. This is used to send secondary acquirer fulfillments and nonfulfillments to issuers and acquirers.<br><b>M</b> = Transaction from merchant. This is used to send merchant fulfillments and nonfulfillments to issuers and acquirers.<br><b>V</b> = Transaction from Visa. This is used for VCRFS or VDAS advices.<br><b>VIC Edit:</b> The field must contain an <b>I, A, S, M,</b> or <b>V</b> . It must be a valid code for the Transaction Type.<br>For Transaction Type A, it must be <b>I</b> or <b>V</b> . For Transaction Type P, it must be <b>A</b> . For Transaction Type C or R, it must be <b>I</b> or <b>A</b> or <b>V</b> . |
| <b>Destination Routing Flag</b><br>Positions: 36<br>Length: 1<br>Format: alphanumeric          | <b>Description:</b> Flag designating to whom the transaction is being sent: acquirer, issuer, merchant, secondary acquirer or Visa.<br>Flags are:<br><b>A</b> = Transaction destined to acquirer. This is used for VCRFS advices and nonfulfillments from merchants. It is also used for VDAS advices.<br><b>I</b> = Transaction destined to issuer. This is for VCRFS advices and nonfulfillments. It is also used for VDAS advices.<br><b>V</b> = Transaction to Visa. This is used for dispute requests.<br><b>VIC Edit:</b> The field must contain an <b>I, A, M,</b> or <b>V</b> . It must be a valid code for the Transaction Type:<br>For Transaction Type A, it must be <b>I</b> or <b>A</b> .<br>For Transaction Type P, it must be <b>A, S,</b> or <b>M</b> .<br>For Transaction Type C or R, it must be <b>I</b> or <b>A</b> .                                                                                                 |
| <b>Error Return Flag</b><br>Positions: 37<br>Length: 1<br>Format: alphanumeric                 | <b>Description:</b> This field is reserved for future use.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
| <b>Settlement Flag</b><br>Positions: 38<br>Length: 1<br>Format: unpacked numeric               | <b>Description:</b> Reserved for future use. If this field is used, it should contain the Settlement Flag from the original request for copy or VCRFS advice.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
| <b>Message Transaction Number</b><br>Positions: 39-43<br>Length: 5<br>Format: unpacked numeric | <b>Description:</b> Indicates the sequence number of the transaction within a message made up of multiple transactions.<br><b>VIC Edit:</b> The field must be numeric and greater than 0 (zero).                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |

## VCRFS/VDAS Message Edit Criteria

|                                                                                                      |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
|------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Reserved</b><br>Positions: 44-57<br>Length: 14<br>Format: alphanumeric                            | <b>Description:</b> This field is reserved for future use.                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
| <b>Reserved</b><br>Positions: 58-61<br>Length: 4<br>Format: alphanumeric                             | <b>Description:</b> This field is reserved for future use. EP will always space-fill.                                                                                                                                                                                                                                                                                                                                                                                                                       |
| <b>Acquirer Reference Number</b><br>Positions: 62-84<br>Length: 23<br>Format: alphanumeric           | <b>Description:</b> Identification number assigned by the acquirer. For nonfulfillment sent to an issuer, this field must contain the acquirer reference number from the request for copy or VCRFS advice.<br><b>VIC Edit:</b> The Format Code in position 62 must contain either a <b>2</b> or a <b>7</b> .                                                                                                                                                                                                |
| <b>Account Number</b><br>Positions: 85-100<br>Length: 16<br>Format: unpacked numeric                 | <b>Description:</b> Primary cardholder account number. When required, this field must contain the account number that appears on the request for copy or VCRFS advice.<br>For dispute requests from Swedish issuers, the Product ID associated with the account number must be a Visa Product ID (Product IDs F, G, G3, K, K1, L, P, S, S1, S2, S3).<br><b>VIC Edit:</b> The field must be numeric. For nonfulfillments with Destination Routing Flag of <b>I</b> , this field must contain a valid number. |
| <b>Account Number Extension</b><br>Positions: 101-103<br>Length: 3<br>Format: unpacked numeric       | <b>Description:</b> Used for Account Numbers greater than 16 digits.<br><b>VIC Edit:</b> The field must contain zeros if Account Number is 16 digits. or fewer.                                                                                                                                                                                                                                                                                                                                             |
| <b>Transaction Identifier</b><br>Positions: 104-118<br>Length: 15<br>Format: unpacked numeric        | <b>Description:</b> A unique value that Visa assigns to each transaction and returns to the acquirer in the authorization response. Visa uses this value to maintain an audit trail throughout the life cycle of the transaction and all related transactions, such as reversals, adjustments, confirmations, and chargebacks.<br><b>VIC Edit, National-U.S.:</b> If the Format Code subfield in the Acquirer Reference Number is <b>2</b> , this field may not be zeros.                                   |
| <b>Excluded Transaction Identifier Reason</b><br>Positions: 119<br>Length: 1<br>Format: alphanumeric | <b>Description:</b> This field contains a code indicating that a transaction identifier is not included in the transaction. Use of this field ensures that certain transactions that do not have a transaction identifier can be processed successfully through the VisaNet systems. This field contains the value from the TC 05 for VDAS and from the TC 52 for VCRFS.                                                                                                                                    |

## VCRFS/VDAS Message Edit Criteria

|                                                                                                         |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
|---------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>CRS Processing Code</b><br>Positions: 120<br>Length: 1<br>Format: alphanumeric                       | <b>Description:</b> Code will be set by BASE II when an exception item has been validated by the Chargeback Reduction Service. A transaction not qualified for CRS validation will contain a space.<br><br>Codes are:<br><b>Y</b> = Validated<br><br><b>Spaces</b> = Not validated                                                                                                                                                                                                                                                                                                                                                        |
| <b>Multiple Clearing Sequence Number</b><br>Positions: 121-122<br>Length: 2<br>Format: unpacked numeric | <b>Description:</b> A sequence number that distinguishes a specific clearing message among multiple clearing messages being submitted for a single CPS authorization. All BASE II clearing messages linked to a single authorization request must contain a unique clearing sequence number from at least <b>1</b> to the total number of clearing records for the authorization. The entry must be numeric.<br><br><b>Note: Outgoing:</b> Edit Package will move zeros to this field when the submitted value is not numeric.<br><br><b>Note: VIC Edit:</b> BASE II will move zeros to this field when a non-numeric value is submitted. |
| <b>Reserved</b><br>Positions: 123-140<br>Length: 18<br>Format: alphanumeric                             | <b>Description:</b> This field is reserved for future use. EP will always space-fill.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
| <b>Issuer Financial Identifier</b><br>Positions: 141-151<br>Length: 11<br>Format: unpacked numeric      | <b>Description:</b> Issuer's Visa-assigned identification number. Must be a valid financial identifier. If zeros, it will be filled by BASE II with the default financial identifier on the CONFIG.                                                                                                                                                                                                                                                                                                                                                                                                                                       |
| <b>Acquirer Financial Identifier</b><br>Positions: 152-162<br>Length: 11<br>Format: unpacked numeric    | <b>Description:</b> Acquirer's Visa-assigned identification number, usually six digits. Must be a valid financial identifier. If zeros, it will be filled by BASE II with the default financial identifier on the CONFIG.                                                                                                                                                                                                                                                                                                                                                                                                                 |
| <b>Secondary Advice Type</b><br>Positions: 163<br>Length: 1<br>Format: alphanumeric                     | <b>Description:</b> Indicates types of secondary advice being created. Types are:<br><b>F</b> = Fulfillment<br><b>N</b> = Nonfulfillment<br>The field must contain <b>F</b> , <b>N</b> , or <b>space</b> .<br><br>This field is populated by Visa (Source Routing Flag V) when Visa is creating an advice of fulfillment or nonfulfillment.                                                                                                                                                                                                                                                                                               |

## VCRFS/VDAS Message Edit Criteria

|                                                                                               |                                                                                                                                                                                                                                          |
|-----------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Central Processing Date</b><br>Positions: 164-167<br>Length: 4<br>Format: unpacked numeric | <b>Description:</b> The date (based on Greenwich Mean Time) when this TC 38 was processed. The field must contain a valid date in YDDD format.<br><b>VIC Edit:</b> The field must contain the date when this TC 38 advice was processed. |
| <b>Reimbursement Attribute</b><br>Positions: 168<br>Length: 1<br>Format: alphanumeric         | <b>Description:</b> Obsolete - must be zero-filled.                                                                                                                                                                                      |

# TC 38 - TCR 1 Nonfulfillment

These tables contain the VCRFS/VDAS Message (TC 38) record layout and edit criteria for TCR 1 - NONFULFILLMENT.

## CTF - Outgoing and Incoming Interchange

### VCRFS Nonfulfillment Message Record Layout

| Position | Field Length | Format | Contents                              |
|----------|--------------|--------|---------------------------------------|
| 1-2      | 2            | UN     | Transaction Code                      |
| 3        | 1            | UN     | Transaction Code Qualifier            |
| 4        | 1            | UN     | Transaction Component Sequence Number |
| 5-16     | 12           | AN     | Reserved                              |
| 17-18    | 2            | UN     | Nonfulfillment Reason Code            |
| 19-30    | 12           | UN     | Transaction Amount                    |
| 31-33    | 3            | AN     | Transaction Currency Code             |
| 34-35    | 2            | UN     | Retrieval Request Reason Code         |
| 36-39    | 4            | UN     | Purchase Date (MMDD)                  |
| 40-48    | 9            | UN     | Issuer Control Number                 |
| 49-52    | 4            | UN     | Network Identification Code           |
| 53-168   | 116          | AN     | Reserved                              |

Format: AN = Alphanumeric, ANS = Alphanumeric Special, DX = Display Hexadecimal, N = Numeric, UN = Unpacked Numeric

### VCRFS Nonfulfillment Message Edit Criteria

|                                                                                                       |                                                                                                                                                                                                                                                                                                                                                                                                                                            |
|-------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Transaction Code</b><br>Positions: 1-2<br>Length: 2<br>Format: unpacked numeric                    | <b>Description:</b> This field must contain <b>38</b> .                                                                                                                                                                                                                                                                                                                                                                                    |
| <b>Transaction Code Qualifier</b><br>Positions: 3<br>Length: 1<br>Format: unpacked numeric            | <b>Description:</b> This field must contain <b>0</b> (zero).<br><br>This edit will continue to be performed by the Edit Package when the Bypass Business Edits option is used during an outgoing edit run.                                                                                                                                                                                                                                 |
| <b>Transaction Component Sequence Number</b><br>Positions: 4<br>Length: 1<br>Format: unpacked numeric | <b>Description:</b> This field must contain <b>1</b> .                                                                                                                                                                                                                                                                                                                                                                                     |
| <b>Reserved</b><br>Positions: 5-16<br>Length: 12<br>Format: alphanumeric                              | <b>Description:</b> This field is reserved for future use. EP will always space-fill.                                                                                                                                                                                                                                                                                                                                                      |
| <b>Nonfulfillment Reason Code</b><br>Positions: 17-18<br>Length: 2<br>Format: unpacked numeric        | <b>Description:</b> Code indicating the reason why copy request not fulfilled: no draft available, invalid reference number, acquirer will not fulfill, etc.<br><br><b>Note:</b> See Nonfulfillment Reason Codes-Copy Request and Fulfillment Service in <i>BASE II Clearing Data Codes</i> for valid reason codes.                                                                                                                        |
| <b>Transaction Amount</b><br>Positions: 19-30<br>Length: 12<br>Format: unpacked numeric               | <b>Description:</b> The numerical amount of the transaction.<br><br><b>VIC Edit:</b> This field must contain a numeric entry and may be zeros. Two decimals are implied.<br><br><b>Note:</b> If the request for copy or the VCRFS advice provides the Transaction Amount, it should be retained and returned in nonfulfillments sent to the issuer.                                                                                        |
| <b>Transaction Currency Code</b><br>Positions: 31-33<br>Length: 3<br>Format: alphanumeric             | <b>Description:</b> Code designating the type of currency used in the transaction.<br><br><b>VIC Edit:</b> This field must contain spaces or a valid numeric currency code.<br><br><b>Note:</b> If the request for copy or the VCRFS advice provides the Currency Code, it should be retained and returned in nonfulfillments sent to the issuer. See Country and Currency Codes in <i>BASE II Clearing Data Codes</i> for currency codes. |



## VCRFS Nonfulfillment Message Edit Criteria

|                                                                                                   |                                                                                                                                                                                                                                                                                                                                               |
|---------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Retrieval Request Reason Code</b><br>Positions: 34-35<br>Length: 2<br>Format: unpacked numeric | <b>Description:</b> Code designating the reason for the retrieval request.<br><b>VIC Edit:</b> The field must contain a numeric entry.<br><br><b>Note:</b> The Reason Code from the VCRFS or advice should be retained and returned in nonfulfillments sent to the issuer.                                                                    |
| <b>Purchase Date</b><br>Positions: 36-39<br>Length: 4<br>Format: unpacked numeric                 | <b>Description:</b> Date the purchase was made.<br><b>VIC Edit:</b> The field must contain a numeric entry. The field must contain zeros or a valid date in MMDD format.<br><br><b>Note:</b> If the request for copy or the VCRFS advice provides the purchase date, it should be retained in the nonfulfillments and returned to the issuer. |
| <b>Issuer Control Number</b><br>Positions: 40-48<br>Length: 9<br>Format: unpacked numeric         | <b>Description:</b> A 9-digit number optionally assigned by issuers to manage copy requests.<br><b>VIC Edit:</b> The field must contain a numeric entry.<br><br><b>Note:</b> If the request for copy or the VCRFS advice provides the Issuer Control Number, it should be retained in the nonfulfillments and returned to the issuer.         |
| <b>Network Identification Code</b><br>Positions: 49-52<br>Length: 4<br>Format: unpacked numeric   | <b>Description:</b> The transaction network. The entry must be numeric and may be zeros.<br>Values:<br><b>0002</b> = Visa (the default if the network is not included)<br><b>0003</b> = Interlink<br><b>0004</b> = Plus                                                                                                                       |
| <b>Reserved</b><br>Positions: 53-168<br>Length: 116<br>Format: alphanumeric                       | <b>Description:</b> This field is reserved for future use.                                                                                                                                                                                                                                                                                    |

# TC 38 - TCR 1 VCRFS Nonfulfillment Text Message

These tables contain the VCRFS/VDAS Message (TC 38) record layout and edit criteria for TCR 1 - 7 VCRFS NONFULFILLMENT TEXT MESSAGE.

## CTF - Outgoing and Incoming Interchange

### VCRFS Nonfulfillment Text Message Record Layout

| Position | Field Length | Format | Contents                              |
|----------|--------------|--------|---------------------------------------|
| 1-2      | 2            | UN     | Transaction Code                      |
| 3        | 1            | UN     | Transaction Code Qualifier            |
| 4        | 1            | UN     | Transaction Component Sequence Number |
| 5-10     | 6            | UN     | Destination Identifier                |
| 11-16    | 6            | UN     | Source Identifier                     |
| 17-168   | 152          | AN     | Text                                  |

Format: AN = Alphanumeric, ANS = Alphanumeric Special, DX = Display Hexadecimal, N = Numeric, UN = Unpacked Numeric

### VCRFS Nonfulfillment Text Message Edit Criteria

|                                                                                                       |                                                                                                                                                                                                                                                                                 |
|-------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Transaction Code</b><br>Positions: 1-2<br>Length: 2<br>Format: unpacked numeric                    | <b>Description:</b> This field must contain <b>38</b> .                                                                                                                                                                                                                         |
| <b>Transaction Code Qualifier</b><br>Positions: 3<br>Length: 1<br>Format: unpacked numeric            | <b>Description:</b> This field must contain a <b>0</b> (zero).<br>This edit will continue to be performed by the Edit Package when the Bypass Business Edits option is used during an outgoing edit run.                                                                        |
| <b>Transaction Component Sequence Number</b><br>Positions: 4<br>Length: 1<br>Format: unpacked numeric | <b>Description:</b> This field must contain <b>1, 2, 3, 4, 5, 6, or 7</b> .                                                                                                                                                                                                     |
| <b>Destination Identifier</b><br>Positions: 5-10<br>Length: 6<br>Format: unpacked numeric             | <b>Description:</b> The entity to which this BASE II transaction message is sent.<br><br><b>Note:</b> For valid nonfulfillments destined to a fax issuer endpoint, the VIC overrides the destination identifier and sends it to the reporting identifier of the account number. |

### VCRFS Nonfulfillment Text Message Edit Criteria

|                                                                                       |                                                                                                                                                                                                                                                                                              |
|---------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Source Identifier</b><br>Positions: 11-16<br>Length: 6<br>Format: unpacked numeric | <b>Description:</b> Visa-assigned identification number of the source of the transaction. This field must contain a valid acquiring or issuing identifier. It must be either a Visa internal identifier or an acquiring or issuing identifier belonging to an automated Service participant. |
| <b>Text</b><br>Positions: 17-168<br>Length: 152<br>Format: alphanumeric               | <b>Description:</b> Text providing information regarding the nonfulfillment.                                                                                                                                                                                                                 |

## TC 38 - TCR 1 VCRFS/VDAS Advice

These tables contain the VCRFS/VDAS Message (TC 38) record layout and edit criteria for TCR 1 - VCRFS/VDAS ADVICE.

### CTF - Outgoing and Incoming Interchange

#### VCRFS/VDAS Advice Message Record Layout

| Position | Field Length | Format | Contents                              |
|----------|--------------|--------|---------------------------------------|
| 1-2      | 2            | UN     | Transaction Code                      |
| 3        | 1            | UN     | Transaction Code Qualifier            |
| 4        | 1            | UN     | Transaction Component Sequence Number |
| 5-16     | 12           | AN     | Reserved                              |
| 17-24    | 8            | AN     | Reserved                              |
| 25-28    | 4            | UN     | Purchase Date (MMDD)                  |
| 29-40    | 12           | UN     | Transaction Amount                    |
| 41-43    | 3            | AN     | Transaction Currency Code             |
| 44-68    | 25           | AN     | Merchant Name                         |
| 69-81    | 13           | AN     | Merchant City                         |
| 82-84    | 3            | AN     | Merchant Country Code                 |
| 85-88    | 4            | UN     | Merchant Category Code                |
| 89-93    | 5            | UN     | U.S. Merchant ZIP Code                |
| 94-96    | 3            | AN     | Merchant State/Province Code          |

### VCRFS/VDAS Advice Message Record Layout

| Position | Field Length | Format | Contents                                     |
|----------|--------------|--------|----------------------------------------------|
| 97-105   | 9            | UN     | Issuer Control Number                        |
| 106-107  | 2            | UN     | Reason Code                                  |
| 108      | 1            | AN     | Request Type                                 |
| 109-120  | 12           | UN     | Authorized Amount                            |
| 121-123  | 3            | AN     | Authorization Currency Code                  |
| 124-125  | 2            | AN     | Authorization Response Code                  |
| 126      | 1            | AN     | Market-Specific Authorization Data Indicator |
| 127-138  | 12           | UN     | Total Authorized Amount                      |
| 139-154  | 16           | UN     | PAN Token                                    |
| 155-157  | 3            | UN     | PAN Extension                                |
| 158-168  | 11           | AN     | Reserved                                     |

Format: AN = Alphanumeric, ANS = Alphanumeric Special, DX = Display Hexadecimal, N = Numeric, UN = Unpacked Numeric

### VCRFS/VDAS Advice Message Edit Criteria

|                                                                                                       |                                                                                                                                                                                                          |
|-------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Transaction Code</b><br>Positions: 1-2<br>Length: 2<br>Format: unpacked numeric                    | <b>Description:</b> This field must contain <b>38</b> .                                                                                                                                                  |
| <b>Transaction Code Qualifier</b><br>Positions: 3<br>Length: 1<br>Format: unpacked numeric            | <b>Description:</b> This field must contain a <b>0</b> (zero).<br>This edit will continue to be performed by the Edit Package when the Bypass Business Edits option is used during an outgoing edit run. |
| <b>Transaction Component Sequence Number</b><br>Positions: 4<br>Length: 1<br>Format: unpacked numeric | <b>Description:</b> This field must contain a <b>1</b> .                                                                                                                                                 |
| <b>Reserved</b><br>Positions: 5-16<br>Length: 12<br>Format: alphanumeric                              | <b>Description:</b> This field is reserved for future use. EP will always space-fill.                                                                                                                    |

## VCRFS/VDAS Advice Message Edit Criteria

|                                                                                           |                                                                                                                                                                                                                                                                                                                                                                                         |
|-------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Reserved</b><br>Positions: 17-24<br>Length: 8<br>Format: alphanumeric                  | <b>Description:</b> This field is reserved for future use. EP will always space-fill.                                                                                                                                                                                                                                                                                                   |
| <b>Purchase Date</b><br>Positions: 25-28<br>Length: 4<br>Format: unpacked numeric         | <b>Description:</b> Date the purchase was made.<br><b>VIC Edit:</b> The field must contain a numeric entry which is either zeros or a valid date in MMDD format.<br><b>Note:</b> On a VCRFS/VDAS advice, the field contains the Purchase Date.                                                                                                                                          |
| <b>Transaction Amount</b><br>Positions: 29-40<br>Length: 12<br>Format: unpacked numeric   | <b>Description:</b> The numerical amount of the transaction.<br><b>VIC Edit:</b> The field must contain a numeric entry which may be zeros. Two decimals are implied.<br><b>Note:</b> On a VCRFS advice, the field contains the Transaction Amount. On a VDAS advice, the field contains the source amount from the draft data transaction.                                             |
| <b>Transaction Currency Code</b><br>Positions: 41-43<br>Length: 3<br>Format: alphanumeric | <b>Description:</b> Code designating the type of currency used in the transaction.<br><b>VIC Edit:</b> On a VCRFS/VDAS advice, this field contains the Transaction Currency Code. If the Transaction Currency Code was not on the request for copy, this field will be spaces.<br><b>Note:</b> See Country and Currency Codes in <i>BASE II Clearing Data Codes</i> for currency codes. |
| <b>Merchant Name</b><br>Positions: 44-68<br>Length: 25<br>Format: alphanumeric            | <b>Description:</b> Name of merchant that generated the transaction.<br><b>VIC Edit:</b> On a VCRFS/VDAS advice, this field contains the Merchant Name.                                                                                                                                                                                                                                 |
| <b>Merchant City</b><br>Positions: 69-81<br>Length: 13<br>Format: alphanumeric            | <b>Description:</b> City the merchant is located in.<br><b>VIC Edit:</b> On a VCRFS/VDAS advice, this field contains the Merchant City.                                                                                                                                                                                                                                                 |
| <b>Merchant Country Code</b><br>Positions: 82-84<br>Length: 3<br>Format: alphanumeric     | <b>Description:</b> Code designating the country the merchant is located in.<br><b>VIC Edit:</b> On a VCRFS/VDAS advice, this field contains the Merchant Country Code. For Visa transactions, the Country Codes are two left-justified alphabetic characters.<br><b>Note:</b> See Country and Currency Codes in <i>BASE II Clearing Data Codes</i> for country codes.                  |

## VCRFS/VDAS Advice Message Edit Criteria

|                                                                                              |                                                                                                                                                                                                                                                                                                                                                                                                          |
|----------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Merchant Category Code</b><br>Positions: 85-88<br>Length: 4<br>Format: unpacked numeric   | <b>Description:</b> Code designating the principal trade, profession, or line of business in which the merchant is engaged.<br><b>VIC Edit:</b> The field must contain a numeric entry.<br><br><b>Note:</b> On a VCRFS/VDAS advice, this field contains the Merchant Category Code.<br>See <i>Visa Core Rules and Visa Product and Service Rules</i> document for more information on category codes.    |
| <b>U.S. Merchant ZIP Code</b><br>Positions: 89-93<br>Length: 5<br>Format: unpacked numeric   | <b>Description:</b> Merchant's postal code.<br><b>VIC Edit:</b> The field must contain a numeric entry.<br><br><b>Note:</b> On a VCRFS/VDAS advice, this field contains the Merchant ZIP Code.                                                                                                                                                                                                           |
| <b>Merchant State/Province Code</b><br>Positions: 94-96<br>Length: 3<br>Format: alphanumeric | <b>Description:</b> Code designating merchant's state or province code.<br><b>VIC Edit:</b> On a VCRFS/VDAS advice, this field contains the Merchant State or Province Code.                                                                                                                                                                                                                             |
| <b>Issuer Control Number</b><br>Positions: 97-105<br>Length: 9<br>Format: unpacked numeric   | <b>Description:</b> A 9-digit number optionally assigned by issuers to manage copy requests. When no control number is present, but a fax number is, this subfield must be space-filled.<br><b>VIC Edit:</b> The field must contain a numeric entry.<br><br><b>Note:</b> On a VCRFS/VDAS advice, this field contains the Issuer Control Number.<br>This field may contain zeros (this is a VCRFS field). |
| <b>Reason Code</b><br>Positions: 106-107<br>Length: 2<br>Format: unpacked numeric            | <b>Description:</b> Code indicating the reason for this advice.<br><b>VIC Edit:</b> The field must contain a numeric entry.<br>On a VCRFS/VDAS advice, this field contains the Reason Code.                                                                                                                                                                                                              |
| <b>Request Type</b><br>Positions: 108<br>Length: 1<br>Format: alphanumeric                   | <b>Description:</b> Code designating whether the request is for a copy or an original.<br><b>VIC Edit:</b> The field must contain a <b>C</b> , an <b>R</b> , or a <b>space</b> . On VCRFS/VDAS advices, it contains a <b>C</b> .<br><b>C</b> = Request for copy                                                                                                                                          |
| <b>Authorized Amount</b><br>Positions: 109-120<br>Length: 12<br>Format: unpacked numeric     | <b>Description:</b> Amount the issuer originally authorized. The Authorized Amount from TCR 5 of the dispute or dispute response. Two decimals are implied.                                                                                                                                                                                                                                              |

## VCRFS/VDAS Advice Message Edit Criteria

|                                                                                                            |                                                                                                                                                                                                                               |
|------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Authorization Currency Code</b><br>Positions: 121-123<br>Length: 3<br>Format: alphanumeric              | <b>Description:</b> Currency code of the authorized source amount. The Authorization Currency Code from TCR 5 of the dispute or dispute response.                                                                             |
| <b>Authorization Response Code</b><br>Positions: 124-125<br>Length: 2<br>Format: alphanumeric              | <b>Description:</b> The authorization code provided by the issuer when a transaction is approved or a "no reason to decline" code is provided. The Authorization Response Code from TCR 5 of the dispute or dispute response. |
| <b>Market-Specific Authorization Data Indicator</b><br>Positions: 126<br>Length: 1<br>Format: alphanumeric | <b>Description:</b> Code indicating if the industry for which market-specific data has been provided. The Market-Specific Authorization Data Indicator from TCR 5 of the dispute or dispute response.                         |
| <b>Total Authorized Amount</b><br>Positions: 127-138<br>Length: 12<br>Format: unpacked numeric             | <b>Description:</b> The total amount of the transaction including all taxes and miscellaneous fees.<br><br>The Total Authorized Amount from TCR 5 of the dispute or dispute response. Two decimals are implied.               |
| <b>PAN Token</b><br>Positions: 139-154<br>Length: 16<br>Format: unpacked numeric                           | <b>Description:</b> A value that replaces the PAN at the time of authorization and clearing for merchants/acquirers.                                                                                                          |
| <b>PAN Extension</b><br>Positions: 155-157<br>Length: 3<br>Format: unpacked numeric                        | <b>Description:</b> The field must contain zeros.                                                                                                                                                                             |
| <b>Reserved</b><br>Positions: 158-168<br>Length: 11<br>Format: alphanumeric                                | <b>Description:</b> This field is reserved for future use. EP will always space-fill.                                                                                                                                         |

## TC 38 - TCR 2 VCRFS Advice

These tables contain the VCRFS/VDAS Message (TC 38) record layout and edit criteria for TCR 2 - VCRFS ADVICE.

### CTF - Outgoing and Incoming Interchange

#### VCRFS Advice Message Record Layout

| Position | Field Length | Format | Contents                              |
|----------|--------------|--------|---------------------------------------|
| 1-2      | 2            | UN     | Transaction Code                      |
| 3        | 1            | UN     | Transaction Code Qualifier            |
| 4        | 1            | UN     | Transaction Component Sequence Number |
| 5-16     | 12           | AN     | Reserved                              |
| 17       | 1            | AN     | Requested Fulfillment Method          |
| 18       | 1            | AN     | Established Fulfillment Method        |
| 19-29    | 11           | UN     | Issuer RFC Routing ID                 |
| 30-31    | 2            | AN     | Reserved                              |
| 32-47    | 16           | AN     | Issuer FAX Number                     |
| 48       | 1            | AN     | Routing Tier Code                     |
| 49-57    | 9            | UN     | Routing Transit Number (ABA Number)   |
| 58-76    | 19           | AN     | Customer Account Number               |
| 77-91    | 15           | AN     | Check Serial Number                   |
| 92-95    | 4            | UN     | Network Identification Code           |
| 96-168   | 73           | AN     | Reserved                              |

Format: AN = Alphanumeric, ANS = Alphanumeric Special, DX = Display Hexadecimal, N = Numeric, UN = Unpacked Numeric



## VCRFS Advice Message Edit Criteria

|                                                                                                       |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
|-------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Transaction Code</b><br>Positions: 1-2<br>Length: 2<br>Format: unpacked numeric                    | <b>Description:</b> This field must contain <b>38</b> .                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
| <b>Transaction Code Qualifier</b><br>Positions: 3<br>Length: 1<br>Format: unpacked numeric            | <b>Description:</b> This field must contain a <b>0</b> (zero).<br>This edit will continue to be performed by the Edit Package when the Bypass Business Edit option is used during an outgoing edit run.                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
| <b>Transaction Component Sequence Number</b><br>Positions: 4<br>Length: 1<br>Format: unpacked numeric | <b>Description:</b> This field must contain a <b>2</b> .                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
| <b>Reserved</b><br>Positions: 5-16<br>Length: 12<br>Format: alphanumeric                              | <b>Description:</b> This field is reserved for future use. EP will always space-fill.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| <b>Requested Fulfillment Method</b><br>Positions: 17<br>Length: 1<br>Format: alphanumeric             | <b>Description:</b> Code designating whether a manual or automated fulfillment is being requested.<br><b>VIC Edit:</b> On VCRFS advices, this field indicates whether the issuer requested a manual or an automated fulfillment.<br><b>0</b> = Manual fulfillment requested by issuer<br><b>1</b> = Automated fulfillment requested by issuer                                                                                                                                                                                                                                                                                                                                      |
| <b>Established Fulfillment Method</b><br>Positions: 18<br>Length: 1<br>Format: alphanumeric           | <b>Description:</b> Code designating whether the fulfillment method must be fulfilled manually or through the automated service.<br><b>VIC Edit:</b> On VCRFS advices, this field indicates the fulfillment method that the acquirer should use as determined by the VIC (based on the method requested by the issuer, the Request Reason Code, and whether the acquirer is an automated service participant).<br><b>0</b> = The request must be fulfilled manually. If a fax number is included in this TCR, the copy should be sent by fax to that number; otherwise, it should be sent by mail.<br><b>1</b> = Automated fulfillment should be sent through the VisaNet network. |

## VCRFS Advice Message Edit Criteria

|                                                                                                         |                                                                                                                                                                                                                                                                                                                                                              |
|---------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Issuer RFC Routing ID</b><br>Positions: 19-29<br>Length: 11<br>Format: unpacked numeric              | <b>Description:</b> Identifier that identifies the issuer workstation the data is sent to.<br><b>VIC Edit:</b> This field must be a valid workstation identifier.<br><br><b>Note:</b> This identifier must be used as the Destination identifier in any automated fulfillments or nonfulfillments sent to the issuer.                                        |
| <b>Reserved</b><br>Positions: 30-31<br>Length: 2<br>Format: alphanumeric                                | <b>Description:</b> Secondary address of the destination of the dispute or dispute response.<br><b>VIC Edit:</b> This field must be zero-filled.                                                                                                                                                                                                             |
| <b>Issuer FAX Number</b><br>Positions: 32-47<br>Length: 16<br>Format: alphanumeric                      | <b>Description:</b> Fax number used for sending manual fulfillments to the issuer.<br><b>VIC Edit:</b> This field may contain spaces.                                                                                                                                                                                                                        |
| <b>Routing Tier Code</b><br>Positions: 48<br>Length: 1<br>Format: alphanumeric                          | <b>Description:</b> Codes designating VCRFS advice routing (domestic, regional, interregional). The Routing Tier Codes are:<br><b>1</b> = Interregional<br><b>2</b> = Regional<br><b>3</b> = Domestic<br><b>VIC Edit:</b> This field is applicable only to VCRFS advices. The VIC inserts the code prior to delivery.                                        |
| <b>Routing Transit Number (ABA Number)</b><br>Positions: 49-57<br>Length: 9<br>Format: unpacked numeric | <b>Description:</b> The drawee financial institution's Routing Transit Number (ABA Number).<br>Derived from the composite ISO field 125, usage 6.                                                                                                                                                                                                            |
| <b>Customer Account Number</b><br>Positions: 58-76<br>Length: 19<br>Format: alphanumeric                | <b>Description:</b> The customer deposit account number.<br>This field is left-justified and space-filled.<br>Derived from the composite ISO field 125, usage 6.                                                                                                                                                                                             |
| <b>Check Serial Number</b><br>Positions: 77-91<br>Length: 15<br>Format: alphanumeric                    | <b>Description:</b> The check serial number of the check being converted. This field is left-justified and space-filled.<br>Derived from the composite ISO field 125, usage 6.<br><br><b>Note:</b> The check serial number is optional for Internet, Mail Order, or Telephone Order transactions.<br>This field will be filled with spaces if not submitted. |

## VCRFS Advice Message Edit Criteria

|                                                                                                 |                                                                                                                                                                                                                         |
|-------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Network Identification Code</b><br>Positions: 92-95<br>Length: 4<br>Format: unpacked numeric | <b>Description:</b> The transaction network. The entry must be numeric and may be zeros.<br>Values:<br><b>0002</b> = Visa (the default if the network is not included)<br><b>0003</b> = Interlink<br><b>0004</b> = Plus |
| <b>Reserved</b><br>Positions: 96-168<br>Length: 73<br>Format: alphanumeric                      | <b>Description:</b> This field is reserved for future use.<br><b>VIC Edit:</b> This field must be space-filled.                                                                                                         |

# TC 38 - TCR 2 VDAS Advice

These tables contain the VCRFS/VDAS Message (TC 38) record layout and edit criteria for TCR 2 - VDAS ADVICE.

## CTF - Outgoing and Incoming Interchange

### VDAS Advice Message Record Layout

| Position | Field Length | Format | Contents                              |
|----------|--------------|--------|---------------------------------------|
| 1-2      | 2            | UN     | Transaction Code                      |
| 3        | 1            | UN     | Transaction Code Qualifier            |
| 4        | 1            | UN     | Transaction Component Sequence Number |
| 5-16     | 12           | AN     | Reserved                              |
| 17       | 1            | AN     | Requested Fulfillment Method          |
| 18       | 1            | AN     | Established Fulfillment Method        |
| 19-29    | 11           | UN     | Destination Workstation Identifier    |
| 30-31    | 2            | AN     | Reserved                              |
| 32-47    | 16           | AN     | Destination FAX Number                |
| 48       | 1            | AN     | Routing Tier Code                     |
| 49-54    | 6            | UN     | Source Workstation Identifier         |
| 55-56    | 2            | UN     | Draft Transaction Code                |
| 57       | 1            | AN     | Floor Limit Indicator                 |

### VDAS Advice Message Record Layout

| Position | Field Length | Format | Contents                                      |
|----------|--------------|--------|-----------------------------------------------|
| 58       | 1            | AN     | CRB/Exception File Indicator                  |
| 59       | 1            | AN     | Reserved                                      |
| 60-67    | 8            | UN     | Acquirer's Business ID                        |
| 68-79    | 12           | UN     | Destination Amount                            |
| 80-82    | 3            | AN     | Destination Currency Code                     |
| 83       | 1            | AN     | Requested Payment Service                     |
| 84       | 1            | UN     | Usage Code                                    |
| 85       | 1            | AN     | Authorization Characteristics Indicator       |
| 86-91    | 6            | AN     | Authorization Code                            |
| 92       | 1            | AN     | POS Terminal Capability                       |
| 93       | 1            | AN     | Reserved                                      |
| 94       | 1            | AN     | Cardholder ID Method                          |
| 95-96    | 2            | AN     | POS Entry Mode                                |
| 97-100   | 4            | UN     | Exception Item Central Processing Date (YDDD) |
| 101      | 1            | AN     | Exception Item Reimbursement Attribute        |
| 102-105  | 4            | UN     | Network                                       |
| 106-117  | 12           | UN     | Retrieval Reference Number                    |
| 118-123  | 6            | UN     | Interface Trace Number                        |
| 124-128  | 5            | AN     | Reserved for Visa Internal Use                |
| 129-133  | 5            | AN     | Enabler Verification Value                    |
| 134-168  | 35           | AN     | Reserved                                      |

Format: AN = Alphanumeric, ANS = Alphanumeric Special, DX = Display Hexadecimal, N = Numeric, UN = Unpacked Numeric

## VDAS Advice Message Edit Criteria

|                                                                                                       |                                                                                                                                                                                                                                                                                                                                                                                                                                               |
|-------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Transaction Code</b><br>Positions: 1-2<br>Length: 2<br>Format: unpacked numeric                    | <b>Description:</b> This field must contain <b>38</b> .                                                                                                                                                                                                                                                                                                                                                                                       |
| <b>Transaction Code Qualifier</b><br>Positions: 3<br>Length: 1<br>Format: unpacked numeric            | <b>Description:</b> This field must contain a <b>0</b> (zero).<br>This edit will continue to be performed by the Edit Package when the Bypass Business Edits option is used during an outgoing edit run.                                                                                                                                                                                                                                      |
| <b>Transaction Component Sequence Number</b><br>Positions: 4<br>Length: 1<br>Format: unpacked numeric | <b>Description:</b> This field must contain a <b>2</b> .                                                                                                                                                                                                                                                                                                                                                                                      |
| <b>Reserved</b><br>Positions: 5-16<br>Length: 12<br>Format: alphanumeric                              | <b>Description:</b> This field is reserved for future use. EP will always space-fill.                                                                                                                                                                                                                                                                                                                                                         |
| <b>Requested Fulfillment Method</b><br>Positions: 17<br>Length: 1<br>Format: alphanumeric             | <b>Description:</b> Code designating whether a manual or automated fulfillment is being requested.<br><b>VIC Edit:</b> This field will contain a space.                                                                                                                                                                                                                                                                                       |
| <b>Established Fulfillment Method</b><br>Positions: 18<br>Length: 1<br>Format: alphanumeric           | <b>Description:</b> Code designating whether the fulfillment method must be fulfilled manually or is automated.<br><b>VIC Edit:</b> In VDAS advices, this field indicates the response method that should be used as determined by the VIC (based on whether the opposite party is a VDAS participant).<br><b>0</b> = The request must be fulfilled manually.<br><b>1</b> = Automated fulfillment should be sent through the VisaNet network. |

## VDAS Advice Message Edit Criteria

|                                                                                                         |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
|---------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Destination Workstation Identifier</b><br>Positions: 19-29<br>Length: 11<br>Format: unpacked numeric | <b>Description:</b> The identifier of the workstation located at the destination of the dispute or dispute response.<br><b>VIC Edit:</b> This field will be a valid workstation identifier.<br><br><b>Note: Chargebacks (Transaction type C)</b><br><b>Note:</b> If the acquirer is a VDAS participant, this field will contain the Acquirer Workstation Identifier from the TCR-1 of the chargeback (position 11-16) if present, otherwise BASE II will insert the default Acquirer VDAS Identifier from the CONFIG.<br><br><b>Note: Representments (Transaction type R)</b><br><b>Note:</b> If the issuer is a VDAS participant, this field will contain the Issuer Workstation Identifier from the TCR 1 of the representment (position 5-10) if present, otherwise BASE II will insert the default Issuer VDAS Identifier from the CONFIG. |
| <b>Reserved</b><br>Positions: 30-31<br>Length: 2<br>Format: alphanumeric                                | <b>Description:</b> Secondary address of the destination of the dispute or dispute response.<br><b>VIC Edit:</b> This field must be zero-filled.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
| <b>Destination FAX Number</b><br>Positions: 32-47<br>Length: 16<br>Format: alphanumeric                 | <b>Description:</b> FAX number of the destination of the dispute or dispute response.<br><b>VIC Edit:</b> This field must be space-filled.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
| <b>Routing Tier Code</b><br>Positions: 48<br>Length: 1<br>Format: alphanumeric                          | <b>Description:</b> Codes designating VCRFS advice routing (domestic, regional, interregional). The Routing Tier Codes are:<br><b>1</b> = Interregional<br><b>2</b> = Regional<br><b>3</b> = Domestic<br><b>VIC Edit:</b> This field is applicable only to VDAS advices. The VIC inserts the code prior to delivery.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |

## VDAS Advice Message Edit Criteria

|                                                                                                   |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
|---------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Source Workstation Identifier</b><br>Positions: 49-54<br>Length: 6<br>Format: unpacked numeric | <b>Description:</b> The identifier of the workstation located at the source of the dispute or dispute response<br><b>VIC Edit:</b> This field will be a valid workstation identifier.<br><br><b>Note: Chargebacks (Transaction type C)</b><br><b>Note:</b> If the Issuer is a VDAS participant, this field will contain the Issuer Workstation Identifier from the TCR 1 of the chargeback (position 5-10) if present; otherwise, BASE II will insert the default Issuer VDAS Identifier from the CONFIG.<br><br><b>Note: Representments (Transaction type R)</b><br><b>Note:</b> If the acquirer is a VDAS participant, this field will contain the Acquirer Workstation Identifier from the TCR 1 of the representment (position 11-16) if present; otherwise, BASE II will insert the default Acquirer VDAS Identifier from the CONFIG. |
| <b>Draft Transaction Code</b><br>Positions: 55-56<br>Length: 2<br>Format: unpacked numeric        | <b>Description:</b> This field must contain the Draft Transaction Code from TCR-0 of the dispute or dispute response.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
| <b>Floor Limit Indicator</b><br>Positions: 57<br>Length: 1<br>Format: alphanumeric                | <b>Description:</b> Indicates that the transaction was above or below the merchant's floor limit for the date of purchase. This field must contain the Floor Limit Indicator from TCR 0 of the dispute or dispute response.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
| <b>CRB/Exception File Indicator</b><br>Positions: 58<br>Length: 1<br>Format: alphanumeric         | <b>Description:</b> Indicates that the account number used in the transaction was listed in the Card Recovery Bulletin or the Account Screen Authorization File (ASAF) (U.S. transactions). This field must contain the CRB/Exception File Indicator from TCR-0 of the dispute or dispute response.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
| <b>Reserved</b><br>Positions: 59<br>Length: 1<br>Format: alphanumeric                             | <b>Description:</b> This field is reserved for future use.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
| <b>Acquirer's Business ID</b><br>Positions: 60-67<br>Length: 8<br>Format: unpacked numeric        | <b>Description:</b> A unique client identification number assigned by Visa. This field must contain the Acquirer's Business ID from TCR-0 of the dispute or dispute response.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| <b>Destination Amount</b><br>Positions: 68-79<br>Length: 12<br>Format: unpacked numeric           | <b>Description:</b> This field must contain the Destination Amount from TCR 0 of the dispute or dispute response.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |

## VDAS Advice Message Edit Criteria

|                                                                                                      |                                                                                                                                                                                                                                                                                             |
|------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Destination Currency Code</b><br>Positions: 80-82<br>Length: 3<br>Format: alphanumeric            | <b>Description:</b> This field must contain the Destination Currency Code from TCR 0 of the dispute or dispute response.                                                                                                                                                                    |
| <b>Requested Payment Service</b><br>Positions: 83<br>Length: 1<br>Format: alphanumeric               | <b>Description:</b> This field must contain the Requested Payment Service from TCR 0 of the dispute or dispute response.                                                                                                                                                                    |
| <b>Usage Code</b><br>Positions: 84<br>Length: 1<br>Format: unpacked numeric                          | <b>Description:</b> Indicates whether this is the first presentment or the second.<br><br>This field must contain the Usage Code from TCR 0 of the dispute or dispute response.                                                                                                             |
| <b>Authorization Characteristics Indicator</b><br>Positions: 85<br>Length: 1<br>Format: alphanumeric | <b>Description:</b> A code used by the acquirer to request CPS qualification. This field must contain the Authorization Characteristics Indicator from TCR 0 of the dispute or dispute response.                                                                                            |
| <b>Authorization Code</b><br>Positions: 86-91<br>Length: 6<br>Format: alphanumeric                   | <b>Description:</b> Code that an issuer, its authorizing processor, or stand-in processor provides to indicate approval of a transaction. The code is returned in the authorization response. This field must contain the Authorization Code from TCR 0 of the dispute or dispute response. |
| <b>POS Terminal Capability</b><br>Positions: 92<br>Length: 1<br>Format: alphanumeric                 | <b>Description:</b> This field must contain the POS Terminal Capability from TCR 0 of the dispute or dispute response.                                                                                                                                                                      |
| <b>Reserved</b><br>Positions: 93<br>Length: 1<br>Format: alphanumeric                                | <b>Description:</b> This field is reserved for future use.                                                                                                                                                                                                                                  |
| <b>Cardholder ID Method</b><br>Positions: 94<br>Length: 1<br>Format: alphanumeric                    | <b>Description:</b> Method used to identify cardholder (PIN, signature, etc.). This field must contain the Cardholder ID Method from TCR 0 of the dispute or dispute response.                                                                                                              |



### VDAS Advice Message Edit Criteria

|                                                                                                                    |                                                                                                               |
|--------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------|
| <b>POS Entry Mode</b><br>Positions: 95-96<br>Length: 2<br>Format: alphanumeric                                     | <b>Description:</b> This field must contain the POS Entry Mode from TCR 0 of the dispute or dispute response. |
| <b>Exception Item Central Processing Date (YDDD)</b><br>Positions: 97-100<br>Length: 4<br>Format: unpacked numeric | <b>Description:</b> The Central Processing Date from TCR 0 of the dispute or dispute response.                |
| <b>Exception Item Reimbursement Attribute</b><br>Positions: 101<br>Length: 1<br>Format: alphanumeric               | <b>Description:</b> The Reimbursement Attribute from TCR 0 of the dispute or dispute response.                |
| <b>Network</b><br>Positions: 102-105<br>Length: 4<br>Format: unpacked numeric                                      | <b>Description:</b> Network value from the dispute or dispute response.                                       |
| <b>Retrieval Reference Number</b><br>Positions: 106-117<br>Length: 12<br>Format: unpacked numeric                  | <b>Description:</b> Retrieval Reference Number from the dispute or dispute response.                          |
| <b>Interface Trace Number</b><br>Positions: 118-123<br>Length: 6<br>Format: unpacked numeric                       | <b>Description:</b> Trace Number from the dispute or dispute response.                                        |
| <b>Reserved for Visa Internal Use</b><br>Positions: 124-128<br>Length: 5<br>Format: alphanumeric                   | <b>Description:</b> This field is reserved for Visa internal use.                                             |

### VDAS Advice Message Edit Criteria

|                                                                                              |                                                                                                                             |
|----------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------|
| <b>Enabler Verification Value</b><br>Positions: 129-133<br>Length: 5<br>Format: alphanumeric | <b>Description:</b> This field will contain A-Z, 0-9, or all characters as spaces. Non-alphanumeric values are not allowed. |
| <b>Reserved</b><br>Positions: 134-168<br>Length: 35<br>Format: alphanumeric                  | <b>Description:</b> This field is reserved for future use.                                                                  |

## TC 38 - TCR 3 VCRFS/VDAS Chargeback Documentation Data

These tables contain the VCRFS/VDAS Message (TC 38) record layout and edit criteria for TCR 3 - VCRFS/VDAS CHARGEBACK DOCUMENTATION DATA.

### CTF - Outgoing and Incoming Interchange

#### VCRFS/VDAS Chargeback Documentation Data Message Record Layout

| Position | Field Length | Format | Contents                                |
|----------|--------------|--------|-----------------------------------------|
| 1-2      | 2            | UN     | Transaction Code                        |
| 3        | 1            | UN     | Transaction Code Qualifier              |
| 4        | 1            | UN     | Transaction Component Sequence Number   |
| 5-10     | 6            | UN     | Chargeback Reference Number             |
| 11       | 1            | AN     | Documentation Indicator                 |
| 12-61    | 50           | AN     | Member Message Text                     |
| 62-63    | 2            | AN     | Special Condition Indicators            |
| 64-78    | 15           | AN     | Card Acceptor ID                        |
| 79-86    | 8            | AN     | Terminal ID                             |
| 87       | 1            | AN     | Mail/Telephone Indicator                |
| 88       | 1            | AN     | Special Chargeback Indicator            |
| 89       | 1            | UN     | Cardholder-Activated Terminal Indicator |
| 90       | 1            | AN     | Prepaid Card Indicator                  |

## VCRFS/VDAS Chargeback Documentation Data Message Record Layout

| Position | Field Length | Format | Contents                       |
|----------|--------------|--------|--------------------------------|
| 91       | 1            | AN     | AVS Response Code              |
| 92       | 1            | AN     | Authorization Source Code      |
| 93       | 1            | AN     | Purchase Identifier Format     |
| 94       | 1            | AN     | ATM Account Selection          |
| 95-119   | 25           | AN     | Purchase Identifier            |
| 120-128  | 9            | UN     | Cashback                       |
| 129-167  | 39           | AN     | Reserved                       |
| 168      | 1            | AN     | Reserved for Visa Internal Use |

Format: AN = Alphanumeric, ANS = Alphanumeric Special, DX = Display Hexadecimal, N = Numeric, UN = Unpacked Numeric

## VCRFS/VDAS Chargeback Documentation Data Message Edit Criteria

|                                                                                                       |                                                                                                                                                                                                          |
|-------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Transaction Code</b><br>Positions: 1-2<br>Length: 2<br>Format: unpacked numeric                    | <b>Description:</b> This field must contain <b>38</b> .                                                                                                                                                  |
| <b>Transaction Code Qualifier</b><br>Positions: 3<br>Length: 1<br>Format: unpacked numeric            | <b>Description:</b> This field must contain a <b>0</b> (zero).<br>This edit will continue to be performed by the Edit Package when the Bypass Business Edits option is used during an outgoing edit run. |
| <b>Transaction Component Sequence Number</b><br>Positions: 4<br>Length: 1<br>Format: unpacked numeric | <b>Description:</b> This field must contain a <b>3</b> .                                                                                                                                                 |
| <b>Chargeback Reference Number</b><br>Positions: 5-10<br>Length: 6<br>Format: unpacked numeric        | <b>Description:</b> Unique identifier assigned by issuers to chargebacks. The Chargeback Reference Number from the TCR 1 of the dispute or dispute response.                                             |

## VCRFS/VDAS Chargeback Documentation Data Message Edit Criteria

|                                                                                                          |                                                                                                                                                                                                                                               |
|----------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Documentation Indicator</b><br>Positions: 11<br>Length: 1<br>Format: alphanumeric                     | <b>Description:</b> The Documentation Indicator from the TCR 1 of the dispute or dispute response. Indicates the status of supporting documentation.                                                                                          |
| <b>Member Message Text</b><br>Positions: 12-61<br>Length: 50<br>Format: alphanumeric                     | <b>Description:</b> Contains member text message. The Member Message Text from the TCR 1 of the dispute or dispute response.                                                                                                                  |
| <b>Special Condition Indicators</b><br>Positions: 62-63<br>Length: 2<br>Format: alphanumeric             | <b>Description:</b> This subfield supplies extra information regarding chargebacks (validation requests and advices).<br><br>The Special Condition Indicators from the TCR 1 of the dispute or dispute response.                              |
| <b>Card Acceptor ID</b><br>Positions: 64-78<br>Length: 15<br>Format: alphanumeric                        | <b>Description:</b> Code that identifies the card acceptor operating the POS terminal. The Card Acceptor ID from the TCR 1 of the dispute or dispute response.                                                                                |
| <b>Terminal ID</b><br>Positions: 79-86<br>Length: 8<br>Format: alphanumeric                              | <b>Description:</b> Code that identifies the card acceptor terminal or ATM.<br><br>The Terminal ID from the TCR 1 of the dispute or dispute response.                                                                                         |
| <b>Mail/Telephone Indicator</b><br>Positions: 87<br>Length: 1<br>Format: alphanumeric                    | <b>Description:</b> Indicates transaction performed by mail, telephone, or electronic commerce. The Mail/Telephone Indicator from the TCR 1 of the dispute or dispute response.                                                               |
| <b>Special Chargeback Indicator</b><br>Positions: 88<br>Length: 1<br>Format: alphanumeric                | <b>Description:</b> This subfield supplies extra information regarding chargebacks (validation requests and advices).<br><br>The Special Chargeback Indicator from the TCR 1 of the dispute or dispute response.                              |
| <b>Cardholder-Activated Terminal Indicator</b><br>Positions: 89<br>Length: 1<br>Format: unpacked numeric | <b>Description:</b> If the transaction occurred at an unattended terminal, the indicator identifies what type of terminal, such as a gas pump. The Cardholder-Activated Terminal Indicator from the TCR 1 of the dispute or dispute response. |

### VCRFS/VDAS Chargeback Documentation Data Message Edit Criteria

|                                                                                         |                                                                                                                                                                                                      |
|-----------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Prepaid Card Indicator</b><br>Positions: 90<br>Length: 1<br>Format: alphanumeric     | <b>Description:</b> Indicates the type of prepaid card. The Prepaid Card Indicator from the TCR 1 of the dispute or dispute response.                                                                |
| <b>AVS Response Code</b><br>Positions: 91<br>Length: 1<br>Format: alphanumeric          | <b>Description:</b> Contains the response to an address verification service request. The AVS Response Code from the TCR 1 of the dispute or dispute response.                                       |
| <b>Authorization Source Code</b><br>Positions: 92<br>Length: 1<br>Format: alphanumeric  | <b>Description:</b> Identifies the source of the authorization. The Authorization Source Code from the TCR 1 of the dispute or dispute response.                                                     |
| <b>Purchase Identifier Format</b><br>Positions: 93<br>Length: 1<br>Format: alphanumeric | <b>Description:</b> The Purchase Identifier Format from the TCR 1 of the dispute or dispute response.                                                                                                |
| <b>ATM Account Selection</b><br>Positions: 94<br>Length: 1<br>Format: alphanumeric      | <b>Description:</b> The ATM Account Selection from the TCR 1 of the dispute or dispute response.                                                                                                     |
| <b>Purchase Identifier</b><br>Positions: 95-119<br>Length: 25<br>Format: alphanumeric   | <b>Description:</b> Indicates the type of identifying information (order number, invoice number, text description, etc.). The Purchase Identifier from the TCR 1 of the dispute or dispute response. |
| <b>Cashback</b><br>Positions: 120-128<br>Length: 9<br>Format: unpacked numeric          | <b>Description:</b> The Cashback amount from the TCR 1 of the dispute or dispute response.                                                                                                           |

### VCRFS/VDAS Chargeback Documentation Data Message Edit Criteria

|                                                                                              |                                                                                              |
|----------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------|
| <b>Reserved</b><br>Positions: 129-167<br>Length: 39<br>Format: alphanumeric                  | <b>Description:</b> This field is reserved for future use. EP will always space-fill.        |
| <b>Reserved for Visa Internal Use</b><br>Positions: 168<br>Length: 1<br>Format: alphanumeric | <b>Description:</b> This field is reserved for Visa internal use. EP will always space-fill. |

## TC 38 - TCR 5 VDAS Industry-Specific Data - Lodging

These tables contain the VCRFS/VDAS Message (TC 38) record layout and edit criteria for TCR 5 - VDAS INDUSTRY SPECIFIC DATA-LODGING.

### CTF - Outgoing and Incoming Interchange

#### VDAS Industry-Specific Data-Lodging Advice Record Layout

| Position | Field Length | Format | Contents                              |
|----------|--------------|--------|---------------------------------------|
| 1-2      | 2            | UN     | Transaction Code                      |
| 3        | 1            | UN     | Transaction Code Qualifier            |
| 4        | 1            | UN     | Transaction Component Sequence Number |
| 5-16     | 12           | AN     | Reserved                              |
| 17-18    | 2            | AN     | Business Format Code                  |
| 19-26    | 8            | AN     | Reserved                              |
| 27       | 1            | AN     | Lodging No-Show Indicator             |
| 28-33    | 6            | UN     | Lodging Extra Charges                 |
| 34-37    | 4            | AN     | Reserved                              |
| 38-43    | 6            | UN     | Lodging Check-In Date                 |
| 44-168   | 125          | AN     | Reserved                              |

Format: AN = Alphanumeric, ANS = Alphanumeric Special, DX = Display Hexadecimal, N = Numeric, UN = Unpacked Numeric

## VDAS Industry-Specific Data-Lodging Advice Edit Criteria

|                                                                                                       |                                                                                                                                                                                                              |
|-------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Transaction Code</b><br>Positions: 1-2<br>Length: 2<br>Format: unpacked numeric                    | <b>Description:</b> This field must contain <b>38</b> .                                                                                                                                                      |
| <b>Transaction Code Qualifier</b><br>Positions: 3<br>Length: 1<br>Format: unpacked numeric            | <b>Description:</b> This field must contain a <b>0</b> (zero).<br><br>This edit will continue to be performed by the Edit Package when the Bypass Business Edits option is used during an outgoing edit run. |
| <b>Transaction Component Sequence Number</b><br>Positions: 4<br>Length: 1<br>Format: unpacked numeric | <b>Description:</b> This field must contain a <b>5</b> .                                                                                                                                                     |
| <b>Reserved</b><br>Positions: 5-16<br>Length: 12<br>Format: alphanumeric                              | <b>Description:</b> This field is reserved for future use. EP will always space-fill.                                                                                                                        |
| <b>Business Format Code</b><br>Positions: 17-18<br>Length: 2<br>Format: alphanumeric                  | <b>Description:</b> Code indicating the type of business that is applicable to this transaction. The Business Format Code from TCR 3 of the dispute or dispute response.                                     |
| <b>Reserved</b><br>Positions: 19-26<br>Length: 8<br>Format: alphanumeric                              | <b>Description:</b> This field is reserved for future use. EP will always space-fill.                                                                                                                        |
| <b>Lodging No-Show Indicator</b><br>Positions: 27<br>Length: 1<br>Format: alphanumeric                | <b>Description:</b> Code indicating the cardholder is being billed for a reserved room that was not actually rented. The Lodging No-Show Indicator from TCR 3 of the dispute or dispute response.            |
| <b>Lodging Extra Charges</b><br>Positions: 28-33<br>Length: 6<br>Format: unpacked numeric             | <b>Description:</b> Used to indicate the type of additional charges added to a customer's bill after check out. The Lodging Extra Charges from TCR 3 of the dispute or dispute response.                     |

## VDAS Industry-Specific Data-Lodging Advice Edit Criteria

|                                                                                           |                                                                                              |
|-------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------|
| <b>Reserved</b><br>Positions: 34-37<br>Length: 4<br>Format: alphanumeric                  | <b>Description:</b> This field is reserved for future use. EP will always space-fill.        |
| <b>Lodging Check-In Date</b><br>Positions: 38-43<br>Length: 6<br>Format: unpacked numeric | <b>Description:</b> The Lodging Check-In Date from TCR 3 of the dispute or dispute response. |
| <b>Reserved</b><br>Positions: 44-168<br>Length: 125<br>Format: alphanumeric               | <b>Description:</b> This field is reserved for future use. EP will always space-fill.        |

# TC 38 - TCR 5 VDAS Industry-Specific Data - Car Rental

These tables contain the VCRFS/VDAS Message (TC 38) record layout and edit criteria for TCR 5 - VDAS INDUSTRY SPECIFIC DATA - CAR RENTAL.

## CTF - Outgoing and Incoming Interchange

### VDAS Industry-Specific Data-Car Rental Advice Record Layout

| Position | Field Length | Format | Contents                              |
|----------|--------------|--------|---------------------------------------|
| 1-2      | 2            | UN     | Transaction Code                      |
| 3        | 1            | UN     | Transaction Code Qualifier            |
| 4        | 1            | UN     | Transaction Component Sequence Number |
| 5-16     | 12           | AN     | Reserved                              |
| 17-18    | 2            | AN     | Business Format Code                  |
| 19-26    | 8            | AN     | Reserved                              |
| 27       | 1            | AN     | Car Rental No-Show Indicator          |
| 28-33    | 6            | UN     | Car Rental Extra Charges              |
| 34-37    | 4            | AN     | Reserved                              |



### VDAS Industry-Specific Data-Car Rental Advice Record Layout

| Position | Field Length | Format | Contents                  |
|----------|--------------|--------|---------------------------|
| 38-43    | 6            | UN     | Car Rental Check-Out Date |
| 44-168   | 125          | AN     | Reserved                  |

Format: AN = Alphanumeric, ANS = Alphanumeric Special, DX = Display Hexadecimal, N = Numeric, UN = Unpacked Numeric

### VDAS Industry-Specific Data-Car Rental Advice Edit Criteria

|                                                                                                       |                                                                                                                                                                                                          |
|-------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Transaction Code</b><br>Positions: 1-2<br>Length: 2<br>Format: unpacked numeric                    | <b>Description:</b> This field must contain <b>38</b> .                                                                                                                                                  |
| <b>Transaction Code Qualifier</b><br>Positions: 3<br>Length: 1<br>Format: unpacked numeric            | <b>Description:</b> This field must contain a <b>0</b> (zero).<br>This edit will continue to be performed by the Edit Package when the Bypass Business Edits option is used during an outgoing edit run. |
| <b>Transaction Component Sequence Number</b><br>Positions: 4<br>Length: 1<br>Format: unpacked numeric | <b>Description:</b> This field must contain a <b>5</b> .                                                                                                                                                 |
| <b>Reserved</b><br>Positions: 5-16<br>Length: 12<br>Format: alphanumeric                              | <b>Description:</b> This field is reserved for future use. EP will always space-fill.                                                                                                                    |
| <b>Business Format Code</b><br>Positions: 17-18<br>Length: 2<br>Format: alphanumeric                  | <b>Description:</b> Code indicating the type of business that is applicable to this transaction. This field must contain the Business Format Code from TCR 3 of the dispute or dispute response.         |
| <b>Reserved</b><br>Positions: 19-26<br>Length: 8<br>Format: alphanumeric                              | <b>Description:</b> This field is reserved for future use. EP will always space-fill.                                                                                                                    |

### VDAS Industry-Specific Data-Car Rental Advice Edit Criteria

|                                                                                               |                                                                                                                                                                                                                                   |
|-----------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Car Rental No-Show Indicator</b><br>Positions: 27<br>Length: 1<br>Format: alphanumeric     | <b>Description:</b> Indicates that the cardholder was billed for a reserved vehicle that was not actually rented. This field must contain the Car Rental No-Show Indicator from TCR 3 of the dispute or dispute response.         |
| <b>Car Rental Extra Charges</b><br>Positions: 28-33<br>Length: 6<br>Format: unpacked numeric  | <b>Description:</b> Indicates additional charges (gas, late fee, etc.) added to the customer's bill after checkout. This field must contain the Car Rental Extra Charges from TCR 3 of the dispute or dispute response.           |
| <b>Reserved</b><br>Positions: 34-37<br>Length: 4<br>Format: alphanumeric                      | <b>Description:</b> This field is reserved for future use. EP will always space-fill.                                                                                                                                             |
| <b>Car Rental Check-Out Date</b><br>Positions: 38-43<br>Length: 6<br>Format: unpacked numeric | <b>Description:</b> Date the customer picked up the car or, in the case of a no-show or pre-pay, the scheduled pick-up date. This field must contain the Car Rental Check-Out Date from TCR 3 of the dispute or dispute response. |
| <b>Reserved</b><br>Positions: 44-168<br>Length: 125<br>Format: alphanumeric                   | <b>Description:</b> This field is reserved for future use. EP will always space-fill.                                                                                                                                             |

# Chapter 14

## 39 VCRFS/VDAS Message Transactions (Visa Use Only)

---

### TC 39 - VCRFS/VDAS Message Transactions (Visa Use Only)

This transaction (TC 39) is created by VROL to trigger the creation of fulfillment incentive fees by the Clearing system.

TCR 0, 1-7

CTF - Outgoing and Incoming Interchange

In VCRFS, an automated copy fulfillment (TC 39) is an electronic image of the requested copy provided by the acquirer to the issuer or by the merchant to the acquirer. An acquirer, using a workstation or fax machine, can send automated copy fulfillments to an issuer participating in either the CRM or fax service. A merchant, using a workstation or fax machine, can send automated copy fulfillments to an acquirer participating in the CRM service.

**Note:**

TC 39 Fulfillments are exchanged between RSI and VROL.

# TC 39 - TCR 0 VCRFS/VDAS Message Transactions

These tables contain the VCRFS/VDAS Message (TC 39) record layout and edit criteria for TCR 0 - VCRFS/VDAS MESSAGE TRANSACTIONS.

## CTF - Outgoing and Incoming Interchange

### VCRFS/VDAS Message Transactions Record Layout

| Position | Field Length | Format | Contents                              |
|----------|--------------|--------|---------------------------------------|
| 1-2      | 2            | UN     | Transaction Code                      |
| 3        | 1            | UN     | Transaction Code Qualifier            |
| 4        | 1            | UN     | Transaction Component Sequence Number |
| 5-10     | 6            | UN     | Destination Identifier                |
| 11-16    | 6            | UN     | Source Identifier                     |
| 17       | 1            | AN     | End Flag                              |
| 18-20    | 3            | UN     | Last TCR Data Length                  |
| 21-32    | 12           | UN     | Retrieval Request ID                  |
| 33       | 1            | AN     | Data Type Flag                        |
| 34       | 1            | AN     | Transaction Type                      |
| 35       | 1            | AN     | Source Routing Flag                   |
| 36       | 1            | AN     | Destination Routing Flag              |
| 37       | 1            | AN     | Return Flag                           |
| 38       | 1            | UN     | Settlement Flag                       |
| 39-43    | 5            | UN     | Message Transaction Number            |
| 44-54    | 11           | UN     | Issuer Financial Identifier           |
| 55-57    | 3            | AN     | Reserved                              |
| 58-61    | 4            | AN     | Public Network Trace Number           |
| 62-84    | 23           | AN     | Acquirer Reference Number             |
| 85-100   | 16           | UN     | Account Number                        |
| 101-103  | 3            | UN     | Account Number Extension              |
| 104-118  | 15           | UN     | Transaction Identifier                |

### VCRFS/VDAS Message Transactions Record Layout

| Position | Field Length | Format | Contents                          |
|----------|--------------|--------|-----------------------------------|
| 119      | 1            | AN     | Excluded Transaction ID Reason    |
| 120-121  | 2            | UN     | Multiple Clearing Sequence Number |
| 122-125  | 4            | UN     | Network Identification Code       |
| 126-129  | 4            | AN     | Reserved                          |
| 130-140  | 11           | UN     | Acquirer Financial Identifier     |
| 141      | 1            | AN     | Requested Document Method         |
| 142-147  | 6            | UN     | Chargeback Reference Number       |
| 148-159  | 12           | UN     | Transaction Amount                |
| 160-163  | 4            | UN     | Purchase Date (MMDD)              |
| 164-167  | 4            | UN     | Central Processing Date (YDDD)    |
| 168      | 1            | AN     | Reimbursement Attribute           |

Format: AN = Alphanumeric, ANS = Alphanumeric Special, DX = Display Hexadecimal, N = Numeric, UN = Unpacked Numeric

### VCRFS/VDAS Message Transactions Edit Criteria

|                                                                                                       |                                                                                                                                                                                                          |
|-------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Transaction Code</b><br>Positions: 1-2<br>Length: 2<br>Format: unpacked numeric                    | <b>Description:</b> This field must be <b>39</b> .                                                                                                                                                       |
| <b>Transaction Code Qualifier</b><br>Positions: 3<br>Length: 1<br>Format: unpacked numeric            | <b>Description:</b> This field must contain a <b>0</b> (zero).<br>This edit will continue to be performed by the Edit Package when the Bypass Business Edits option is used during an outgoing edit run. |
| <b>Transaction Component Sequence Number</b><br>Positions: 4<br>Length: 1<br>Format: unpacked numeric | <b>Description:</b> This field must contain a <b>0</b> (zero).                                                                                                                                           |
| <b>Destination Identifier</b><br>Positions: 5-10<br>Length: 6<br>Format: unpacked numeric             | <b>Description:</b> The entity to which a BASE II transaction message is sent.<br>This field must contain a valid VCRFS or VDAS workstation identifier.                                                  |

## VCRFS/VDAS Message Transactions Edit Criteria

|                                                                                           |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
|-------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Source Identifier</b><br>Positions: 11-16<br>Length: 6<br>Format: unpacked numeric     | <b>Description:</b> The entity from which a BASE II transaction message is sent.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
| <b>End Flag</b><br>Positions: 17<br>Length: 1<br>Format: alphanumeric                     | <b>Description:</b> Flag designating if there are more TCs that follow this message or if this is the end of a page or group of transactions.<br><b>VIC Edit:</b> The field must contain a <b>P</b> , <b>G</b> , <b>F</b> , or <b>space</b> .<br>The End Flags are:<br><b>Space</b> = Indicates that there are more TCs to follow for this message.<br><b>P</b> = Indicates the end of a page of unformatted text data within a group.<br><b>G</b> = Indicates the end of the last page in a group of transactions within the message. Another group of transactions follows.<br><b>F</b> = Indicates the end of the last group of transactions in the message. |
| <b>Last TCR Data Length</b><br>Positions: 18-20<br>Length: 3<br>Format: unpacked numeric  | <b>Description:</b> This is the data length of the last Transaction Component Record (TCR) of the transaction.<br><b>VIC Edit:</b> This field must contain a numeric entry.<br>If the Data Type is <b>I</b> or <b>T</b> and the End Flag is not a space, this field must be greater than zero.                                                                                                                                                                                                                                                                                                                                                                  |
| <b>Retrieval Request ID</b><br>Positions: 21-32<br>Length: 12<br>Format: unpacked numeric | <b>Description:</b> Numeric identifier of an issuer's request for a transaction receipt, which could include the original, a paper copy, a facsimile, or an electronic version.<br><b>VIC Edit:</b> This field must contain a numeric entry.<br>When the Destination Routing Flag is <b>1</b> , this field must contain a properly formatted ID.<br>This field may contain zeros.                                                                                                                                                                                                                                                                               |
| <b>Data Type Flag</b><br>Positions: 33<br>Length: 1<br>Format: alphanumeric               | <b>Description:</b> Flag identifying the type of data in the Transaction Component Record (TCR).<br>The Data Type Flags are:<br><b>I</b> = Transaction contains G3 image data<br><b>F</b> = Transaction contains formatted data<br><b>T</b> = Transaction contains unformatted text data                                                                                                                                                                                                                                                                                                                                                                        |

## VCRFS/VDAS Message Transactions Edit Criteria

|                                                                                                |                                                                                                                                                                                                                                                                                                                                                                                              |
|------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Transaction Type</b><br>Positions: 34<br>Length: 1<br>Format: alphanumeric                  | <b>Description:</b> The type of transaction contained in this TCR. The transaction type flags are:<br><b>C</b> = Chargeback<br><b>D</b> = Dispute<br><b>R</b> = Representment<br><b>F</b> = Fulfillment<br><b>V</b> = Reserved for Visa internal use<br><b>VIC Edit:</b> The field must contain a <b>C, D, R, F, or V</b> .                                                                  |
| <b>Source Routing Flag</b><br>Positions: 35<br>Length: 1<br>Format: alphanumeric               | <b>Description:</b> Flag indicating from whom the transaction was sent. The Source Routing Flags are:<br><b>I</b> = Transaction from issuer<br><b>A</b> = Transaction from acquirer<br><b>S</b> = Transaction from secondary acquirer<br><b>M</b> = Transaction from merchant<br><b>V</b> = Transaction from Visa<br><b>VIC Edit:</b> The field must contain an <b>I, A, S, M, or V</b> .    |
| <b>Destination Routing Flag</b><br>Positions: 36<br>Length: 1<br>Format: alphanumeric          | <b>Description:</b> Flag indicating to whom the transaction is being sent (destined): acquirer, issuer, or Visa. The Destination Routing Flags are:<br><b>A</b> = Transaction to acquirer<br><b>I</b> = Transaction to issuer<br><b>VIC Edit:</b> The field must contain an <b>A or I</b> .                                                                                                  |
| <b>Return Flag</b><br>Positions: 37<br>Length: 1<br>Format: alphanumeric                       | <b>Description:</b> Reserved for future use. EP will always space-fill.                                                                                                                                                                                                                                                                                                                      |
| <b>Settlement Flag</b><br>Positions: 38<br>Length: 1<br>Format: unpacked numeric               | <b>Description:</b> Indicates the settlement impact; also, the settlement service in which the transaction will settle: the International Settlement Service or a National Area Net Service.<br><b>VIC Edit:</b> If provided from the VCRFS/VDAS advice, this field should contain the Settlement Flag.<br>This field must contain the Settlement Flag from the dispute or dispute response. |
| <b>Message Transaction Number</b><br>Positions: 39-43<br>Length: 5<br>Format: unpacked numeric | <b>Description:</b> This field indicates the sequence of the transaction within the message, for example, the first transaction in the message has a Transaction Number of 00001.<br><b>VIC Edit:</b> The field must contain a numeric entry which is greater than zero.                                                                                                                     |

## VCRFS/VDAS Message Transactions Edit Criteria

|                                                                                                  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
|--------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Issuer Financial Identifier</b><br>Positions: 44-54<br>Length: 11<br>Format: unpacked numeric | <b>Description:</b> Issuer's identification number, usually six digits, assigned by Visa.<br><br>Must be a valid financial identifier. If zeros, it will be filled by BASE II with the default financial identifier on the CONFIG.                                                                                                                                                                                                                                                                                                                                   |
| <b>Reserved</b><br>Positions: 55-57<br>Length: 3<br>Format: alphanumeric                         | <b>Description:</b> This field is reserved for future use.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
| <b>Public Network Trace Number</b><br>Positions: 58-61<br>Length: 4<br>Format: alphanumeric      | <b>VIC Edit:</b> Transactions which originated at a Public Network user can contain a trace number inserted by the Public Network Gateway.<br><br>The receiver is not required to retain this trace number.<br><br>This field may contain spaces.                                                                                                                                                                                                                                                                                                                    |
| <b>Acquirer Reference Number (ARN)</b><br>Positions: 62-84<br>Length: 23<br>Format: alphanumeric | <b>Description:</b> A 23-digit identification number assigned by the acquirer and associated with every draft/voucher. It contains a format code, acquiring identifier, capture date, file locator, and check digit. This field must contain the Acquirer Reference Number from the dispute or dispute response.<br><br>This number is included in a Clearing Record.<br><br>The ARN should be unique although duplicate ARNs will not be rejected.<br><br><b>VIC Edit:</b> The Format Code in Position 62 of the ARN must contain either a <b>2</b> or a <b>7</b> . |
| <b>Account Number</b><br>Positions: 85-100<br>Length: 16<br>Format: unpacked numeric             | <b>Description:</b> Contains the Account Number from the dispute or dispute response.<br><br>Account numbers are required on some transactions depending on the specified Funds Disbursement Reason Code. Refer to <i>BASE II Clearing Data Codes</i> to determine which reason code requires an account number.<br><br><b>VIC Edit:</b> If the Destination Routing Flag is <b>I</b> , the field must contain a valid account number.<br><br>Fulfillments sent to issuers must contain the account number from the VCRFS/VDAS advice.                                |
| <b>Account Number Extension</b><br>Positions: 101-103<br>Length: 3<br>Format: unpacked numeric   | <b>Description:</b> A three-digit extension of the account number that allows account numbers up to 19 digits.<br><br>If the account number exceeds 16 digits, the extension field entry must be numeric, left-justified, and any remaining positions zero-filled.<br><br><b>Outgoing:</b> The Edit Package inserts zeros in the field if the Account Number is 16 digits or less (per the ARDEF Table).<br><br><b>VIC Edit:</b> The field must contain zeros if Account Number is 16 digits or fewer.                                                               |



## VCRFS/VDAS Message Transactions Edit Criteria

|                                                                                                         |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
|---------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Transaction Identifier (TID)</b><br>Positions: 104-118<br>Length: 15<br>Format: unpacked numeric     | <b>Description:</b> A unique value that Visa assigns to each transaction and returns to the acquirer in the authorization response. Visa uses this value to maintain an audit trail throughout the lifecycle of the transaction and all related transactions, such as reversals, adjustments, confirmations, and chargebacks.<br><br><b>VIC Edit:</b> The field must contain a numeric entry. It must be either zeros or a valid Transaction Identifier.<br><br>For fulfillment transactions destined for issuers, if the Acquirer Reference Number Format Code is a <b>2</b> , this field may not be zeros. If the ARN format code is a <b>7</b> , this field must be zeros. This field must contain the Transaction Identifier from the dispute or dispute response. |
| <b>Excluded Transaction Identifier Reason</b><br>Positions: 119<br>Length: 1<br>Format: alphanumeric    | <b>Description:</b> This field contains a code indicating that a transaction identifier is not included in the transaction. Use of this field ensures that certain transactions that do not have a transaction identifier can be processed successfully through the VisaNet systems. This field contains the value from the TC 38.                                                                                                                                                                                                                                                                                                                                                                                                                                     |
| <b>Multiple Clearing Sequence Number</b><br>Positions: 120-121<br>Length: 2<br>Format: unpacked numeric | <b>Description:</b> This field contains a sequence number that distinguishes a specific clearing message among multiple clearing messages being submitted for a single CPS authorization from a dispute or dispute response. All BASE II clearing messages linked to a single authorization request must contain a unique clearing sequence number from at least <b>1</b> to the total number of clearing records (Field 62.12-Multiple Clearing Sequence Count) for the authorization.<br><br>This entry must be numeric.<br><br><b>Outgoing:</b> For transactions from non-CPS participating merchants, the Edit Package zero-fills this field.                                                                                                                      |
| <b>Network Identification Code</b><br>Positions: 122-125<br>Length: 4<br>Format: unpacked numeric       | <b>Description:</b> The transaction network. The entry must be numeric and may be zeros.<br><br>Values:<br><b>0002</b> = Visa (the default if the network is not included)<br><b>0003</b> = Interlink<br><b>0004</b> = Plus                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
| <b>Reserved</b><br>Positions: 126-129<br>Length: 4<br>Format: alphanumeric                              | <b>Description:</b> This field is reserved for future use.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
| <b>Acquirer Financial Identifier</b><br>Positions: 130-140<br>Length: 11<br>Format: unpacked numeric    | <b>Description:</b> Acquirer's Visa-assigned identification number, usually six digits.<br><br>Must be a valid financial identifier. If zeros, it will be filled by BASE II with the default financial identifier on the CONFIG.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |

## VCRFS/VDAS Message Transactions Edit Criteria

|                                                                                                   |                                                                                                                                                                                                                                                                                                                                                                 |
|---------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Requested Document Method</b><br>Positions: 141<br>Length: 1<br>Format: alphanumeric           | <b>Description:</b> Requested method of distributing the document.<br>Documents can be distributed: <ul style="list-style-type: none"> <li>• <b>M</b> = By mail</li> <li>• <b>0</b> = Electronically (on websites or CD-ROMs)</li> </ul> This field must contain a <b>0</b> (zero) or an <b>M</b> .                                                             |
| <b>Chargeback Reference Number</b><br>Positions: 142-147<br>Length: 6<br>Format: unpacked numeric | <b>Description:</b> Unique identifier assigned by issuers to chargebacks.<br>Acquirers that submit Visa representations must include the number in the representation message.<br>This field must contain the Chargeback Reference Number from the dispute or dispute response.                                                                                 |
| <b>Transaction Amount</b><br>Positions: 148-159<br>Length: 12<br>Format: unpacked numeric         | <b>Description:</b> The total amount of the transaction -- between a cardholder and a merchant, or between a cardholder and a client. The transaction amount includes the actual amount of the purchase plus state (or other) taxes.<br>This field must contain the Destination Amount from TCR 0 of the dispute or dispute response. Two decimals are implied. |
| <b>Purchase Date</b><br>Positions: 160-163<br>Length: 4<br>Format: unpacked numeric               | <b>Description:</b> The actual date a cardholder makes a purchase; this is the date of the transaction. This field must contain the Purchase Date from the dispute or dispute response.<br>The entry must be a four-digit numeric (which may be zeros) in the format <b>MMDD</b> (month and day).                                                               |
| <b>Central Processing Date</b><br>Positions: 164-167<br>Length: 4<br>Format: unpacked numeric     | <b>Description:</b> The date (based on Greenwich Mean Time) on which a client enters Interchange data to, and the data is accepted by, a VisaNet Interchange Center (VIC).<br><b>VIC Edit:</b> Insert the date when the transaction was processed.<br>The date format is <b>YDDD</b> (year and day).                                                            |
| <b>Reimbursement Attribute</b><br>Positions: 168<br>Length: 1<br>Format: alphanumeric             | <b>Description:</b> Obsolete - must be zero-filled.                                                                                                                                                                                                                                                                                                             |

# TC 39 - TCR 1-7 VCRFS/VDAS Image/Text Message

These tables contain the VCRFS/VDAS Message (TC 39) record layout and edit criteria for TCR 1-7 - VCRFS/VDAS IMAGE/TEXT MESSAGE.

## CTF - Outgoing and Incoming Interchange

### VCRFS/VDAS Text Message Record Layout

| Position | Field Length | Format | Contents                              |
|----------|--------------|--------|---------------------------------------|
| 1-2      | 2            | UN     | Transaction Code                      |
| 3        | 1            | UN     | Transaction Code Qualifier            |
| 4        | 1            | UN     | Transaction Component Sequence Number |
| 5-168    | 164          | AN     | Image or Text                         |

Format: AN = Alphanumeric, ANS = Alphanumeric Special, DX = Display Hexadecimal, N = Numeric, UN = Unpacked Numeric

### VCRFS/VDAS Text Message Edit Criteria

|                                                                                                       |                                                                                                                                                                                                              |
|-------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Transaction Code</b><br>Positions: 1-2<br>Length: 2<br>Format: unpacked numeric                    | <b>Description:</b> This field must be <b>39</b> .                                                                                                                                                           |
| <b>Transaction Code Qualifier</b><br>Positions: 3<br>Length: 1<br>Format: unpacked numeric            | <b>Description:</b> This field must contain a <b>0</b> (zero).<br><br>This edit will continue to be performed by the Edit Package when the Bypass Business Edits option is used during an outgoing edit run. |
| <b>Transaction Component Sequence Number</b><br>Positions: 4<br>Length: 1<br>Format: unpacked numeric | <b>Description:</b> This field must contain <b>1</b> through <b>7</b> .                                                                                                                                      |
| <b>Image or Text</b><br>Positions: 5-168<br>Length: 164<br>Format: alphanumeric                       | <b>Description:</b> Image or text being transmitted.                                                                                                                                                         |

## TC 39 - TCR 1 VDAS Forms Data

These tables contain the VCRFS/VDAS Message (TC 39) record layout and edit criteria for TCR 1 - VDAS FORMS DATA.

### CTF - Outgoing and Incoming Interchange

### VDAS Forms Data Record Layout

| Position | Field Length | Format | Contents                              |
|----------|--------------|--------|---------------------------------------|
| 1-2      | 2            | UN     | Transaction Code                      |
| 3        | 1            | UN     | Transaction Code Qualifier            |
| 4        | 1            | UN     | Transaction Component Sequence Number |
| 5-6      | 2            | AN     | Form ID                               |
| 7        | 1            | UN     | Jurisdiction                          |
| 8-168    | 161          | AN     | Forms Formatted Fields                |

Format: AN = Alphanumeric, ANS = Alphanumeric Special, DX = Display Hexadecimal, N = Numeric, UN = Unpacked Numeric

### VDAS Forms Data Edit Criteria

|                                                                                                       |                                                                                                                                                                                                                       |
|-------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Transaction Code</b><br>Positions: 1-2<br>Length: 2<br>Format: unpacked numeric                    | <b>Description:</b> This field must be <b>39</b> .                                                                                                                                                                    |
| <b>Transaction Code Qualifier</b><br>Positions: 3<br>Length: 1<br>Format: unpacked numeric            | <b>Description:</b> This field must contain a <b>0</b> (zero).<br>This edit will continue to be performed by the Edit Package when the Bypass Business Edits option is used during an outgoing edit run.              |
| <b>Transaction Component Sequence Number</b><br>Positions: 4<br>Length: 1<br>Format: unpacked numeric | <b>Description:</b> This field must contain a <b>1</b> .                                                                                                                                                              |
| <b>Form ID</b><br>Positions: 5-6<br>Length: 2<br>Format: alphanumeric                                 | <b>Description:</b> Indicates type of form being transmitted.<br>Values:<br><b>2E</b> = Documentation Transmittal<br><b>3C</b> = Certification of Special Authorization<br><b>3D</b> = Certification of Authorization |

## VDAS Forms Data Edit Criteria

|                                                                                          |                                                                                                                                                                                          |
|------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Jurisdiction</b><br>Positions: 7<br>Length: 1<br>Format: unpacked numeric             | <b>Description:</b> The region or area whose authority and control this transaction comes under.<br><br>Values:<br><b>1</b> = International<br><b>2</b> = U.S. Region<br><b>3</b> = U.K. |
| <b>Forms Formatted Fields</b><br>Positions: 8-168<br>Length: 161<br>Format: alphanumeric | <b>Description:</b> Forms data.                                                                                                                                                          |

# TC 39 - TCR 1 VDAS Forms Data, Exhibit E or Exhibit 2E

These tables contain the VCRFS/VDAS Message (TC 39) record layout and edit criteria for TCR 1 - VDAS FORMS DATA, EXHIBIT E OR EXHIBIT 2E.

## CTF - Outgoing and Incoming Interchange

### VDAS Forms Data, Exhibit E or Exhibit 2E Record Layout

| Position | Field Length | Format | Contents                              |
|----------|--------------|--------|---------------------------------------|
| 1-2      | 2            | UN     | Transaction Code                      |
| 3        | 1            | UN     | Transaction Code Qualifier            |
| 4        | 1            | UN     | Transaction Component Sequence Number |
| 5-6      | 2            | AN     | Form ID                               |
| 7        | 1            | UN     | Jurisdiction                          |
| 8-13     | 6            | UN     | Chargeback Reference Number           |
| 14-25    | 12           | UN     | Transaction Amount                    |
| 26-28    | 3            | AN     | Transaction Currency Code             |
| 29-32    | 4            | UN     | Transaction Date (MMDD)               |
| 33-34    | 2            | UN     | Transaction Type                      |
| 35       | 1            | UN     | Usage Code                            |

### VDAS Forms Data, Exhibit E or Exhibit 2E Record Layout

| Position | Field Length | Format | Contents                                        |
|----------|--------------|--------|-------------------------------------------------|
| 36-37    | 2            | UN     | Reason Code                                     |
| 38       | 1            | UN     | Documentation Indicator                         |
| 39-63    | 25           | AN     | Merchant Name                                   |
| 64-76    | 13           | AN     | Merchant City                                   |
| 77-79    | 3            | AN     | Merchant State                                  |
| 80-83    | 4            | AN     | Merchant Category Code                          |
| 84-89    | 6            | AN     | Estimated Central Processing Date (MMDDYY)      |
| 90-114   | 25           | AN     | Prepared By                                     |
| 115-130  | 16           | AN     | Telephone Number                                |
| 131-138  | 8            | UN     | Date Prepared                                   |
| 139      | 1            | UN     | Reimbursement Attribute on Draft                |
| 140-143  | 4            | UN     | Central Processing Date (YDDD)                  |
| 144-151  | 8            | UN     | Acquirer's Business ID                          |
| 152      | 1            | AN     | Mail/Telephone or Electronic Commerce Indicator |
| 153-154  | 2            | AN     | Special Condition Indicators                    |
| 155-168  | 14           | AN     | Reserved                                        |

Format: AN = Alphanumeric, ANS = Alphanumeric Special, DX = Display Hexadecimal, N = Numeric, UN = Unpacked Numeric

### VDAS Forms Data, Exhibit E or Exhibit 2E Edit Criteria

|                                                                                            |                                                                                                                                                                                                              |
|--------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Transaction Code</b><br>Positions: 1-2<br>Length: 2<br>Format: unpacked numeric         | <b>Description:</b> This field must be <b>39</b> .                                                                                                                                                           |
| <b>Transaction Code Qualifier</b><br>Positions: 3<br>Length: 1<br>Format: unpacked numeric | <b>Description:</b> This field must contain a <b>0</b> (zero).<br><br>This edit will continue to be performed by the Edit Package when the Bypass Business Edits option is used during an outgoing edit run. |

## VDAS Forms Data, Exhibit E or Exhibit 2E Edit Criteria

|                                                                                                       |                                                                                                                                                                                                                                                                                                                                                                                                                                 |
|-------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Transaction Component Sequence Number</b><br>Positions: 4<br>Length: 1<br>Format: unpacked numeric | <b>Description:</b> This field must contain a <b>1</b> .                                                                                                                                                                                                                                                                                                                                                                        |
| <b>Form ID</b><br>Positions: 5-6<br>Length: 2<br>Format: alphanumeric                                 | <b>Description:</b> Indicates type of form being transmitted.<br>The valid value for this field is <b>2E</b> (Documentation Transmittal).                                                                                                                                                                                                                                                                                       |
| <b>Jurisdiction</b><br>Positions: 7<br>Length: 1<br>Format: unpacked numeric                          | <b>Description:</b> The region or area whose authority and control this transaction comes under.<br>Values:<br><b>1</b> = International<br><b>2</b> = U.S. Region<br><b>3</b> = U.K.                                                                                                                                                                                                                                            |
| <b>Chargeback Reference Number</b><br>Positions: 8-13<br>Length: 6<br>Format: unpacked numeric        | <b>Description:</b> Unique identifier assigned by issuers. Acquirers that submit Visa representations must include the number in the representment message. For adjustments, this subfield is not applicable and must be zero-filled.<br>This subfield must be numeric.<br>For original sales drafts, the entry must be zeros.<br>This field must contain the Chargeback Reference Number from the dispute or dispute response. |
| <b>Transaction Amount</b><br>Positions: 14-25<br>Length: 12<br>Format: unpacked numeric               | <b>Description:</b> The total amount of the transaction -- between a cardholder and a merchant, or between a cardholder and a client. The transaction amount includes the actual amount of the purchase plus state (or other) taxes.<br>This field must contain the Destination Amount from TCR 0 of the dispute or dispute response.                                                                                           |
| <b>Transaction Currency Code</b><br>Positions: 26-28<br>Length: 3<br>Format: alphanumeric             | <b>Description:</b> This field contains the three-digit currency code of the transaction. Refer to the appropriate VisaNet User's manuals for the listing of valid currency codes.                                                                                                                                                                                                                                              |
| <b>Transaction Date</b><br>Positions: 29-32<br>Length: 4<br>Format: unpacked numeric                  | <b>Description:</b> The date on which a transaction between a cardholder and a merchant, an acquirer, or a carrier occurs.<br>This field contains the Purchase Date.                                                                                                                                                                                                                                                            |

## VDAS Forms Data, Exhibit E or Exhibit 2E Edit Criteria

|                                                                                          |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
|------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Transaction Type</b><br>Positions: 33-34<br>Length: 2<br>Format: unpacked numeric     | <b>Description:</b> The type of transaction contained in this TCR.<br>This field must contain <b>05, 06, 07, 15, 16, or 17</b> .                                                                                                                                                                                                                                                                                                                                                                           |
| <b>Usage Code</b><br>Positions: 35<br>Length: 1<br>Format: unpacked numeric              | <b>Description:</b> Indicates whether this is the first presentment or the second.<br>A VisaNet code that identifies the specific processing cycle of a Dispute or Dispute Response.<br>The entry will be <b>1</b> on original transactions.<br>This field must contain <b>1 or 2</b> .                                                                                                                                                                                                                    |
| <b>Reason Code</b><br>Positions: 36-37<br>Length: 2<br>Format: unpacked numeric          | <b>Description:</b> A VisaNet code that provides additional information to the receiving client regarding a Chargeback, Representment, Fee Collection, Funds Disbursement, or Transaction Receipt Request.<br>This field must contain a valid Reason Code.                                                                                                                                                                                                                                                 |
| <b>Documentation Indicator</b><br>Positions: 38<br>Length: 1<br>Format: unpacked numeric | <b>Description:</b> This is a 1-position code identifying the status of supporting documentation. Subfield is required. This field must contain the Documentation Indicator from TCR 1 of the dispute or dispute response.<br>This field must contain a <b>space</b> or <b>0</b> through <b>4</b> .                                                                                                                                                                                                        |
| <b>Merchant Name</b><br>Positions: 39-63<br>Length: 25<br>Format: alphanumeric           | <b>Description:</b> This is the merchant or client name (for cash disbursements) imprinted on the transaction receipt by the merchant's or client's imprinter plate. It should be the "doing business as" (DBA) name of the merchant or client and the one most recognizable to cardholders. The merchant name as shown in the original presentment must be included in all chargebacks, retrieval requests, and representments.<br>This field contains the Merchant Name.                                 |
| <b>Merchant City</b><br>Positions: 64-76<br>Length: 13<br>Format: alphanumeric           | <b>Description:</b> Unless otherwise specified, this must be the city location of the merchant or client outlet where the transaction occurred.<br>The U.S. Postal Service standard city abbreviations as provided in the appropriate VisaNet User's manuals must be used for city names containing more than 13 characters. The merchant city as shown in the original presentment must be included in all chargebacks, retrieval requests, and representments.<br>This field contains the Merchant City. |
| <b>Merchant State</b><br>Positions: 77-79<br>Length: 3<br>Format: alphanumeric           | <b>Description:</b> This field contains the Merchant State/Province.                                                                                                                                                                                                                                                                                                                                                                                                                                       |



## VDAS Forms Data, Exhibit E or Exhibit 2E Edit Criteria

|                                                                                                            |                                                                                                                                                                                                                                                                                                |
|------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Merchant Category Code</b><br>Positions: 80-83<br>Length: 4<br>Format: alphanumeric                     | <b>Description:</b> A code designating the principal trade, profession, or line of business in which a merchant is engaged. The field must contain a valid four-digit numeric Merchant Category Code (MCC). For Reimbursement Attribute <b>1, 2, G, or H</b> , the entry must be <b>6011</b> . |
| <b>Estimated Central Processing Date (MMDDYY)</b><br>Positions: 84-89<br>Length: 6<br>Format: alphanumeric | <b>Description:</b> Estimate of when the original transaction was processed by BASE II. This field is supplied by the workstation.                                                                                                                                                             |
| <b>Prepared By</b><br>Positions: 90-114<br>Length: 25<br>Format: alphanumeric                              | <b>Description:</b> Defaults to the workstation operator name.                                                                                                                                                                                                                                 |
| <b>Telephone Number</b><br>Positions: 115-130<br>Length: 16<br>Format: alphanumeric                        | <b>Description:</b> This field contains the workstation operator telephone number.                                                                                                                                                                                                             |
| <b>Date Prepared</b><br>Positions: 131-138<br>Length: 8<br>Format: unpacked numeric                        | <b>Description:</b> Date this record was created, supplied by the workstation.                                                                                                                                                                                                                 |
| <b>Reimbursement Attribute on Draft</b><br>Positions: 139<br>Length: 1<br>Format: unpacked numeric         | <b>Description:</b> This field contains the Reimbursement Attribute of the draft message.                                                                                                                                                                                                      |
| <b>Central Processing Date (YDDD)</b><br>Positions: 140-143<br>Length: 4<br>Format: unpacked numeric       | <b>Description:</b> The date (based on Greenwich Mean Time) on which a client enters Interchange data to, and the data is accepted by, a VisaNet Interchange Center. The field must contain a valid date in <b>YDDD</b> format.                                                                |
| <b>Acquirer's Business ID</b><br>Positions: 144-151<br>Length: 8<br>Format: unpacked numeric               | <b>Description:</b> A unique client identification number assigned to the acquirer by Visa.<br><br>This field contains the Acquirer's Business ID.                                                                                                                                             |

## VDAS Forms Data, Exhibit E or Exhibit 2E Edit Criteria

|                                                                                                               |                                                                                                                                                                                                                                                                                                                                                                                                                               |
|---------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Mail/Telephone or Electronic Commerce Indicator</b><br>Positions: 152<br>Length: 1<br>Format: alphanumeric | <b>Description:</b> Indicates that the transaction was performed by mail, telephone, or electronic commerce. The field must contain a <b>space</b> or <b>1</b> through <b>9</b> . If the Merchant Category Code on an original transaction is <b>5960</b> , <b>5962</b> , or <b>5964</b> through <b>5969</b> , then the entry cannot be a space, unless <b>R</b> is present in the POS Environment code (TCR1, position 168). |
| <b>Special Condition Indicators</b><br>Positions: 153-154<br>Length: 2<br>Format: alphanumeric                | <b>Description:</b> This subfield supplies extra information regarding chargebacks (validation requests and advices).<br><br>This field must contain the appropriate Risk Identification Service indicator and/or merchant indicator from TCR 1 of the dispute or dispute response.<br><br>This field contains the Special Condition Indicators.                                                                              |
| <b>Reserved</b><br>Positions: 155-168<br>Length: 14<br>Format: alphanumeric                                   | <b>Description:</b> This field is reserved for future use. EP will always space-fill.                                                                                                                                                                                                                                                                                                                                         |

# TC 39 - TCR 2 VDAS Forms, Exhibit E or Exhibit 2E - Optional Collection Data

These tables contain the VCRFS/VDAS Message (TC 39) record layout and edit criteria for TCR 2 - VDAS FORMS DATA, EXHIBIT E OR EXHIBIT 2E-OPTIONAL COLLECTION DATA.

## CTF - Outgoing and Incoming Interchange

### VDAS Forms Data, Exhibit E or Exhibit 2E-Optional Collection Data Record Layout

| Position | Field Length | Format | Contents                              |
|----------|--------------|--------|---------------------------------------|
| 1-2      | 2            | UN     | Transaction Code                      |
| 3        | 1            | UN     | Transaction Code Qualifier            |
| 4        | 1            | UN     | Transaction Component Sequence Number |
| 5-6      | 2            | AN     | Form ID                               |
| 7        | 1            | AN     | Fraud Account Flag                    |
| 8-32     | 25           | AN     | Cardholder Name                       |
| 33-72    | 40           | AN     | Cardholder Address                    |

### VDAS Forms Data, Exhibit E or Exhibit 2E-Optional Collection Data Record Layout

| Position | Field Length | Format | Contents |
|----------|--------------|--------|----------|
| 73-168   | 96           | AN     | Reserved |

Format: AN = Alphanumeric, ANS = Alphanumeric Special, DX = Display Hexadecimal, N = Numeric, UN = Unpacked Numeric

### VDAS Forms Data, Exhibit E or Exhibit 2E-Optional Collection Data Edit Criteria

|                                                                                                       |                                                                                                                                                                                                               |
|-------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Transaction Code</b><br>Positions: 1-2<br>Length: 2<br>Format: unpacked numeric                    | <b>Description:</b> This field must be <b>39</b> .                                                                                                                                                            |
| <b>Transaction Code Qualifier</b><br>Positions: 3<br>Length: 1<br>Format: unpacked numeric            | <b>Description:</b> This field must contain a <b>0</b> (zero).<br><br>This edit will continue to be performed by the Edit Package when the Bypass Business Edits option is used during an outgoing edit run.  |
| <b>Transaction Component Sequence Number</b><br>Positions: 4<br>Length: 1<br>Format: unpacked numeric | <b>Description:</b> This field must contain a <b>2</b> .                                                                                                                                                      |
| <b>Form ID</b><br>Positions: 5-6<br>Length: 2<br>Format: alphanumeric                                 | <b>Description:</b> Indicates type of form being transmitted.<br><br>This field must contain <b>2E</b> (Documentation Transmittal).                                                                           |
| <b>Fraud Account Flag</b><br>Positions: 7<br>Length: 1<br>Format: alphanumeric                        | <b>Description:</b> Indicates if account is fraudulent.<br><br>This field must contain <b>Y</b> or <b>N</b> .                                                                                                 |
| <b>Cardholder Name</b><br>Positions: 8-32<br>Length: 25<br>Format: alphanumeric                       | <b>Description:</b> Name of individual to whom a Visa Card, Visa Electron Card, or Visa TravelMoney Card is issued, or who is authorized to use this Visa Card, Visa Electron Card, or Visa TravelMoney Card. |

### VDAS Forms Data, Exhibit E or Exhibit 2E-Optional Collection Data Edit Criteria

|                                                                                     |                                                                                                                          |
|-------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------|
| <b>Cardholder Address</b><br>Positions: 33-72<br>Length: 40<br>Format: alphanumeric | <b>Description:</b> The address given by cardholder as the place to receive statements and miscellaneous correspondence. |
| <b>Reserved</b><br>Positions: 73-168<br>Length: 96<br>Format: alphanumeric          | <b>Description:</b> This field is reserved for future use. EP will always space-fill.                                    |

## TC 39 - TCR 3 Exhibit E or Exhibit 2E - Optional Representment/Second Chargeback

These tables contain the VCRFS/VDAS Message (TC 39) record layout and edit criteria for TCR 3 - VDAS FORMS DATA, EXHIBIT E OR EXHIBIT 2E-OPTIONAL REPRESENTMENT/SECOND CHARGEBACK.

### CTF - Outgoing and Incoming Interchange

#### VDAS Forms Data, Exhibit E or Exhibit 2E-Optional Representment/Second Chargeback Record Layout

| Position | Field Length | Format | Contents                                                    |
|----------|--------------|--------|-------------------------------------------------------------|
| 1-2      | 2            | UN     | Transaction Code                                            |
| 3        | 1            | UN     | Transaction Code Qualifier                                  |
| 4        | 1            | UN     | Transaction Component Sequence Number                       |
| 5-6      | 2            | AN     | Form ID                                                     |
| 7-16     | 10           | Group  | Representment Info                                          |
| 7-14     | 8            | UN     | Chargeback Receipt Date                                     |
| 15-16    | 2            | UN     | Representment Reason                                        |
| 17-29    | 13           | Group  | Second Chargeback Info                                      |
| 17-24    | 8            | UN     | Representment Receipt Date                                  |
| 25       | 1            | AN     | Providing Documentation for Original Chargeback Reason Code |

**VDAS Forms Data, Exhibit E or Exhibit 2E-Optional Representment/Second Chargeback Record Layout**

| Position | Field Length | Format | Contents                         |
|----------|--------------|--------|----------------------------------|
| 26       | 1            | AN     | Documentation Not Received       |
| 27       | 1            | AN     | Different Chargeback Reason Code |
| 28-29    | 2            | UN     | Second Chargeback Reason Code    |
| 30-79    | 50           | AN     | Member Message Text              |
| 80-168   | 89           | AN     | Reserved                         |

Format: AN = Alphanumeric, ANS = Alphanumeric Special, DX = Display Hexadecimal, N = Numeric, UN = Unpacked Numeric

**VDAS Forms Data, Exhibit E or Exhibit 2E-Optional Representment/Second Chargeback Edit Criteria**

|                                                                                                       |                                                                                                                                                                                                          |
|-------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Transaction Code</b><br>Positions: 1-2<br>Length: 2<br>Format: unpacked numeric                    | <b>Description:</b> This field must be <b>39</b> .                                                                                                                                                       |
| <b>Transaction Code Qualifier</b><br>Positions: 3<br>Length: 1<br>Format: unpacked numeric            | <b>Description:</b> This field must contain a <b>0</b> (zero).<br>This edit will continue to be performed by the Edit Package when the Bypass Business Edits option is used during an outgoing edit run. |
| <b>Transaction Component Sequence Number</b><br>Positions: 4<br>Length: 1<br>Format: unpacked numeric | <b>Description:</b> This field must contain a <b>3</b> .                                                                                                                                                 |
| <b>Form ID</b><br>Positions: 5-6<br>Length: 2<br>Format: alphanumeric                                 | <b>Description:</b> Indicates type of form being transmitted.                                                                                                                                            |
| <b>Representment Info</b><br>Positions: 7-16<br>Length: 10<br>Format: group                           | <b>Description:</b> The information on a clearing record that an acquirer presents to an issuer through Interchange after a chargeback.                                                                  |

**VDAS Forms Data, Exhibit E or Exhibit 2E-Optional Representment/Second Chargeback Edit Criteria**

|                                                                                                                          |                                                                                                                                                        |
|--------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Chargeback Receipt Date</b><br>Positions: 7-14<br>Length: 8<br>Format: unpacked numeric                               | <b>Description:</b> The date an acquirer receives a returned transaction from an issuer.                                                               |
| <b>Representment Reason</b><br>Positions: 15-16<br>Length: 2<br>Format: unpacked numeric                                 | <b>Description:</b> Valid Representment Reason Code, indicating reason for representment.                                                              |
| <b>Second Chargeback Info</b><br>Positions: 17-29<br>Length: 13<br>Format: group                                         | <b>Description:</b> This field is reserved.                                                                                                            |
| <b>Representment Receipt Date</b><br>Positions: 17-24<br>Length: 8<br>Format: unpacked numeric                           | <b>Description:</b> The date the issuer receives information on a clearing record from an acquirer after a chargeback.<br>Date received by the issuer. |
| <b>Providing Documentation for Original Chargeback Reason Code</b><br>Positions: 25<br>Length: 1<br>Format: alphanumeric | <b>Description:</b> Indicates whether documentation is being provided for original chargeback.<br>This field must contain <b>Y</b> or <b>N</b> .       |
| <b>Documentation not Received</b><br>Positions: 26<br>Length: 1<br>Format: alphanumeric                                  | <b>Description:</b> Indicates if documentation was not received.<br>This field must contain <b>Y</b> or <b>N</b> .                                     |
| <b>Different Chargeback Reason Code</b><br>Positions: 27<br>Length: 1<br>Format: alphanumeric                            | <b>Description:</b> Indicates if there was a different reason code.<br>This field must contain <b>Y</b> or <b>N</b> .                                  |
| <b>Second Chargeback Reason Code</b><br>Positions: 28-29<br>Length: 2<br>Format: unpacked numeric                        | <b>Description:</b> This field is reserved.                                                                                                            |

## VDAS Forms Data, Exhibit E or Exhibit 2E-Optional Representment/Second Chargeback Edit Criteria

|                                                                                      |                                                                                       |
|--------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
| <b>Member Message Text</b><br>Positions: 30-79<br>Length: 50<br>Format: alphanumeric | <b>Description:</b> Contains member text message.                                     |
| <b>Reserved</b><br>Positions: 80-168<br>Length: 89<br>Format: alphanumeric           | <b>Description:</b> This field is reserved for future use. EP will always space-fill. |

# TC 39 - TCR 4 VDAS Forms Data, Exhibit Q or Exhibit 3D

These tables contain the VCRFS/VDAS Message (TC 39) record layout and edit criteria for TCR 4 - VDAS FORMS DATA, EXHIBIT Q OR EXHIBIT 3D.

## CTF - Outgoing and Incoming Interchange

### VDAS Forms Data, Exhibit Q or Exhibit 3D Record Layout

| Position | Field Length | Format | Contents                                   |
|----------|--------------|--------|--------------------------------------------|
| 1-2      | 2            | UN     | Transaction Code                           |
| 3        | 1            | UN     | Transaction Code Qualifier                 |
| 4        | 1            | UN     | Transaction Component Sequence Number      |
| 5-6      | 2            | AN     | Form ID                                    |
| 7        | 1            | UN     | Jurisdiction                               |
| 8-11     | 4            | UN     | Transaction Central Processing Date (YDDD) |
| 12-19    | 8            | UN     | Authorization Date (MMDDCCYY)              |
| 20-31    | 12           | UN     | Authorization Amount                       |
| 32-34    | 3            | AN     | Authorization Currency Code                |
| 35-40    | 6            | AN     | Issuer's Approval Code                     |
| 41-42    | 2            | UN     | Method of Authorization                    |
| 43-67    | 25           | AN     | Prepared By                                |

### VDAS Forms Data, Exhibit Q or Exhibit 3D Record Layout

| Position | Field Length | Format | Contents                     |
|----------|--------------|--------|------------------------------|
| 68-83    | 16           | AN     | Telephone Number             |
| 84-91    | 8            | UN     | Date Prepared                |
| 92-103   | 12           | UN     | Authorized Amount (US\$)     |
| 104      | 1            | AN     | Authorizing Member Contacted |
| 105-168  | 64           | AN     | Reserved                     |

Format: AN = Alphanumeric, ANS = Alphanumeric Special, DX = Display Hexadecimal, N = Numeric, UN = Unpacked Numeric

### VDAS Forms Data, Exhibit Q or Exhibit 3D Edit Criteria

|                                                                                                       |                                                                                                                                                                                                          |
|-------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Transaction Code</b><br>Positions: 1-2<br>Length: 2<br>Format: unpacked numeric                    | <b>Description:</b> This field must be <b>39</b> .                                                                                                                                                       |
| <b>Transaction Code Qualifier</b><br>Positions: 3<br>Length: 1<br>Format: unpacked numeric            | <b>Description:</b> This field must contain a <b>0</b> (zero).<br>This edit will continue to be performed by the Edit Package when the Bypass Business Edits option is used during an outgoing edit run. |
| <b>Transaction Component Sequence Number</b><br>Positions: 4<br>Length: 1<br>Format: unpacked numeric | <b>Description:</b> This field must contain a <b>4</b> .                                                                                                                                                 |
| <b>Form ID</b><br>Positions: 5-6<br>Length: 2<br>Format: alphanumeric                                 | <b>Description:</b> Indicates type of form being transmitted.<br>Value:<br><b>3D</b> = Certification of Authorization                                                                                    |
| <b>Jurisdiction</b><br>Positions: 7<br>Length: 1<br>Format: unpacked numeric                          | <b>Description:</b> The region or area whose authority and control this transaction comes under.<br>Values:<br><b>1</b> = International<br><b>2</b> = U.S. region<br><b>3</b> = U.K.                     |



### VDAS Forms Data, Exhibit Q or Exhibit 3D Edit Criteria

|                                                                                                        |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
|--------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Transaction Central Processing Date</b><br>Positions: 8-11<br>Length: 4<br>Format: unpacked numeric | <b>Description:</b> Date on which a transaction is processed by BASE II.<br>This field must contain the Central Processing Date from the dispute or dispute response.                                                                                                                                                                                                                                                                                                                                               |
| <b>Authorization Date</b><br>Positions: 12-19<br>Length: 8<br>Format: unpacked numeric                 | <b>Description:</b> Date the purchase was made and authorized.<br><b>MMDDCCYY</b> format.                                                                                                                                                                                                                                                                                                                                                                                                                           |
| <b>Authorization Amount</b><br>Positions: 20-31<br>Length: 12<br>Format: unpacked numeric              | <b>Description:</b> Authorization amounts must be equal to (but can be greater than) their clearing amounts. Two decimals implied.                                                                                                                                                                                                                                                                                                                                                                                  |
| <b>Authorization Currency Code</b><br>Positions: 32-34<br>Length: 3<br>Format: alphanumeric            | <b>Description:</b> Currency code of the authorized source amount. This field must contain the Authorization Currency Code from TCR 5 of the dispute or dispute response.<br>The entry must be spaces or a valid ISO numeric currency code. If the Authorized Amount is not zeros, then the Authorization Currency Code must not be spaces. The source currency and the authorization currency must be the same. CPS credit vouchers and their reversals must contain spaces in this field.<br>Valid Currency Code. |
| <b>Issuer's Approval Code</b><br>Positions: 35-40<br>Length: 6<br>Format: alphanumeric                 | <b>Description:</b> Authorization code provided by the issuer when the transaction is approved.                                                                                                                                                                                                                                                                                                                                                                                                                     |
| <b>Method of Authorization</b><br>Positions: 41-42<br>Length: 2<br>Format: unpacked numeric            | <b>Description:</b> Method used to authorize the transaction.<br>Values:<br><b>01</b> = Manual Authorizer<br><b>02</b> = V.I.P. System User<br><b>03</b> = V.I.P. Emergency Procedures (International only)<br><b>04</b> = Terminal Procedures (U.S. only)<br><b>05</b> = Auto/Telex User (International only)<br><b>06</b> = Point of Transaction (U.S. only)<br><b>07</b> = Telephone (U.S. only)                                                                                                                 |

### VDAS Forms Data, Exhibit Q or Exhibit 3D Edit Criteria

|                                                                                                |                                                                                                                     |
|------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------|
| <b>Prepared By</b><br>Positions: 43-67<br>Length: 25<br>Format: alphanumeric                   | <b>Description:</b> Defaults to workstation operator name.                                                          |
| <b>Telephone Number</b><br>Positions: 68-83<br>Length: 16<br>Format: alphanumeric              | <b>Description:</b> Defaults to workstation operator telephone number.                                              |
| <b>Date Prepared</b><br>Positions: 84-91<br>Length: 8<br>Format: unpacked numeric              | <b>Description:</b> The date the record was prepared. Supplied by workstation.                                      |
| <b>Authorized Amount (US\$)</b><br>Positions: 92-103<br>Length: 12<br>Format: unpacked numeric | <b>Description:</b> Amount the issuer originally authorized in US dollars.                                          |
| <b>Authorizing Member Contacted</b><br>Positions: 104<br>Length: 1<br>Format: alphanumeric     | <b>Description:</b> Whether the authorizing member was contacted.<br>This field must contain <b>Y</b> or <b>N</b> . |
| <b>Reserved</b><br>Positions: 105-168<br>Length: 64<br>Format: alphanumeric                    | <b>Description:</b> This field is reserved for future use. EP will always space-fill.                               |

## TC 39 - TCR 4 VDAS Forms Data, Exhibit Y or Exhibit 3C

These tables contain the VCRFS/VDAS Message (TC 39) record layout and edit criteria for TCR 4 - VDAS FORMS DATA, EXHIBIT Y OR EXHIBIT 3C.

### CTF - Outgoing and Incoming Interchange

**VDAS Forms Data, Exhibit Y or Exhibit 3C Record Layout**

| Position | Field Length | Format | Contents                                |
|----------|--------------|--------|-----------------------------------------|
| 1-2      | 2            | UN     | Transaction Code                        |
| 3        | 1            | UN     | Transaction Code Qualifier              |
| 4        | 1            | UN     | Transaction Component Sequence Number   |
| 5-6      | 2            | AN     | Form ID                                 |
| 7        | 1            | UN     | Jurisdiction                            |
| 8-68     | 61           | Group  | Transaction Information                 |
| 8        | 1            | AN     | Lodging or Vehicle Leasing              |
| 9-11     | 3            | AN     | Currency Code                           |
| 12-68    | 57           | Group  | Lodging Merchant                        |
| 12-19    | 8            | UN     | Check-In Date (MMDDCCYY)                |
| 20-27    | 8            | UN     | Check-Out Date (MMDDCCYY)               |
| 28-39    | 12           | UN     | Room Rate                               |
| 40       | 1            | AN     | Room Rate Period                        |
| 41-43    | 3            | UN     | Intended Length of Stay                 |
| 44       | 1            | AN     | Intended Length of Stay Period          |
| 45-56    | 12           | UN     | Estimated Transaction Amount            |
| 57-68    | 12           | UN     | Transaction Amount                      |
| 12-68    | 57           | Group  | Vehicle Leasing Merchant                |
| 12-19    | 8            | UN     | Rental Date (MMDDCCYY)                  |
| 20-27    | 8            | UN     | Return Date (MMDDCCYY)                  |
| 28-39    | 12           | UN     | Rental Rate                             |
| 40       | 1            | AN     | Rental Rate Period                      |
| 41-43    | 3            | UN     | Intended Length of Rental               |
| 44       | 1            | AN     | Intended Length of Rental Period        |
| 45-56    | 12           | UN     | Estimated Transaction Amount            |
| 57-68    | 12           | UN     | Transaction Amount                      |
| 69-117   | 49           | Group  | Calculation of the Representment Amount |
| 69       | 1            | UN     | Floor Limit Indicator                   |
| 70-81    | 12           | UN     | Applicable Floor Limit                  |

### VDAS Forms Data, Exhibit Y or Exhibit 3C Record Layout

| Position | Field Length | Format | Contents                  |
|----------|--------------|--------|---------------------------|
| 82-93    | 12           | UN     | Sum of Amounts Authorized |
| 82-93    | 12           | UN     | Transaction Amount        |
| 94-105   | 12           | UN     | Representment Amount      |
| 106-117  | 12           | UN     | Totals Allowed            |
| 118-142  | 25           | AN     | Prepared By               |
| 143-158  | 16           | AN     | Telephone Number          |
| 159-166  | 8            | UN     | Date Prepared             |
| 167-168  | 2            | AN     | Reserved                  |

Format: AN = Alphanumeric, ANS = Alphanumeric Special, DX = Display Hexadecimal, N = Numeric, UN = Unpacked Numeric

### VDAS Forms Data, Exhibit Y or Exhibit 3C Edit Criteria

|                                                                                                       |                                                                                                                                                                                                                                                    |
|-------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Transaction Code</b><br>Positions: 1-2<br>Length: 2<br>Format: unpacked numeric                    | <b>Description:</b> This field must contain <b>39</b> .                                                                                                                                                                                            |
| <b>Transaction Code Qualifier</b><br>Positions: 3<br>Length: 1<br>Format: unpacked numeric            | <b>Description:</b> This field must contain a <b>0</b> (zero).<br>This edit will continue to be performed by the Edit Package when the Bypass Business Edits option is used during an outgoing edit run.                                           |
| <b>Transaction Component Sequence Number</b><br>Positions: 4<br>Length: 1<br>Format: unpacked numeric | <b>Description:</b> This field must contain a <b>4</b> .                                                                                                                                                                                           |
| <b>Form ID</b><br>Positions: 5-6<br>Length: 2<br>Format: alphanumeric                                 | <b>Description:</b> Indicates type of form being transmitted.<br>Values:<br><b>3C</b> = Certification of Special Authorization Representment Amount (International)<br><b>Y</b> = Certification of Special Authorization Presentment Amount (U.S.) |

### VDAS Forms Data, Exhibit Y or Exhibit 3C Edit Criteria

|                                                                                        |                                                                                                                                                                                                                              |
|----------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Jurisdiction</b><br>Positions: 7<br>Length: 1<br>Format: unpacked numeric           | <b>Description:</b> The region or area whose authority and control this transaction comes under.<br><br>Values:<br><b>1</b> = International<br><b>2</b> = U.S. region<br><b>3</b> = U.K.                                     |
| <b>Transaction Information</b><br>Positions: 8-68<br>Length: 61<br>Format: group       | <b>Description:</b> Information that describes the transaction.                                                                                                                                                              |
| <b>Lodging or Vehicle Leasing</b><br>Positions: 8<br>Length: 1<br>Format: alphanumeric | <b>Description:</b> Indicates whether the transaction involved lodging or vehicle leasing:<br><br><b>L</b> = Lodging<br><b>V</b> = Vehicle Leasing                                                                           |
| <b>Currency Code</b><br>Positions: 9-11<br>Length: 3<br>Format: alphanumeric           | <b>Description:</b> Indicates type of currency.<br>Defaults to dispute or dispute response Currency Code.                                                                                                                    |
| <b>Lodging Merchant</b><br>Positions: 12-68<br>Length: 57<br>Format: group             | <b>Description:</b> Name of lodging merchant.                                                                                                                                                                                |
| <b>Check-In Date&lt;</b><br>Positions: 12-19<br>Length: 8<br>Format: unpacked numeric  | <b>Description:</b> Date of check-in at lodging. This field must contain the Check-In Date in the following format:<br><br><b>MMDDCCYY</b>                                                                                   |
| <b>Check-Out Date</b><br>Positions: 20-27<br>Length: 8<br>Format: unpacked numeric     | <b>Description:</b> Date of departure from lodging. This field must contain the Check-Out Date in the following format:<br><br><b>MMDDCCYY</b><br><br>The Check-Out Date must be greater than or equal to the Check-In Date. |
| <b>Room Rate</b><br>Positions: 28-39<br>Length: 12<br>Format: unpacked numeric         | <b>Description:</b> Daily rate charged for lodging. Two decimals implied.                                                                                                                                                    |

## VDAS Forms Data, Exhibit Y or Exhibit 3C Edit Criteria

|                                                                                                   |                                                                                                                                                                                                        |
|---------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Room Rate Period</b><br>Positions: 40<br>Length: 1<br>Format: alphanumeric                     | <b>Description:</b> Period of time the room rate covers (per day, per week, etc.).<br>Values:<br><b>D</b> = Days<br><b>W</b> = Weeks<br><b>E</b> = Weekend<br><b>M</b> = Per Month<br><b>O</b> = Other |
| <b>Intended Length of Stay</b><br>Positions: 41-43<br>Length: 3<br>Format: unpacked numeric       | <b>Description:</b> Duration of stay that the cardholder reserved.                                                                                                                                     |
| <b>Intended Length of Stay Period</b><br>Positions: 44<br>Length: 1<br>Format: alphanumeric       | <b>Description</b> Values:<br><b>D</b> = Days<br><b>W</b> = Weeks<br><b>E</b> = Weekend<br><b>M</b> = Per Month<br><b>O</b> = Other                                                                    |
| <b>Estimated Transaction Amount</b><br>Positions: 45-56<br>Length: 12<br>Format: unpacked numeric | <b>Description:</b> Estimated amount of the transaction based on the reservation. Two decimals implied.                                                                                                |
| <b>Transaction Amount</b><br>Positions: 57-68<br>Length: 12<br>Format: unpacked numeric           | <b>Description:</b> The total amount of the transaction -- between a cardholder and a merchant, or between a cardholder and a client.                                                                  |
| <b>Vehicle Leasing Merchant</b><br>Positions: 12-68<br>Length: 57<br>Format: group                | <b>Description:</b> Name of leasing merchant.                                                                                                                                                          |
| <b>Rental Date</b><br>Positions: 12-19<br>Length: 1<br>Format: unpacked numeric                   | <b>Description:</b> This field must contain the Rental Date in the following format:<br><b>MMDDCCYY</b>                                                                                                |

## VDAS Forms Data, Exhibit Y or Exhibit 3C Edit Criteria

|                                                                                                   |                                                                                                                                                                                                                                                                                                                                    |
|---------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Return Date</b><br>Positions: 20-27<br>Length: 8<br>Format: unpacked numeric                   | <b>Description:</b> The date the rental was returned.<br>This field must contain the Return Date in the following format:<br><b>MMDDCCYY</b><br>The Return Date must be greater than or equal to the Rental Date.                                                                                                                  |
| <b>Rental Rate</b><br>Positions: 28-39<br>Length: 12<br>Format: unpacked numeric                  | <b>Description:</b> Rate charged for car rental.                                                                                                                                                                                                                                                                                   |
| <b>Rental Rate Period</b><br>Positions: 40<br>Length: 1<br>Format: alphanumeric                   | <b>Description:</b> Period of rental.<br>Values:<br><b>D</b> = Days<br><b>W</b> = Weeks<br><b>E</b> = Weekend<br><b>M</b> = Per Month<br><b>O</b> = Other                                                                                                                                                                          |
| <b>Intended Length of Rental</b><br>Positions: 41-43<br>Length: 3<br>Format: unpacked numeric     | <b>Description:</b> Duration of car rental that the cardholder reserved.                                                                                                                                                                                                                                                           |
| <b>Intended Length of Rental Period</b><br>Positions: 44<br>Length: 1<br>Format: alphanumeric     | <b>Description:</b> Time period used for measuring duration of rental (per day, per week, etc.).<br>Values:<br><b>D</b> = Days<br><b>W</b> = Weeks<br><b>E</b> = Weekend<br><b>M</b> = Per Month<br><b>O</b> = Other                                                                                                               |
| <b>Estimated Transaction Amount</b><br>Positions: 45-56<br>Length: 12<br>Format: unpacked numeric | <b>Description:</b> The estimated amount of the transaction based on the reservation. Two decimals implied.                                                                                                                                                                                                                        |
| <b>Transaction Amount</b><br>Positions: 57-68<br>Length: 12<br>Format: unpacked numeric           | <b>Description:</b> The total amount of the transaction between a cardholder and a merchant, or between a cardholder and a client. The transaction amount includes the actual amount of the purchase plus state (or other) taxes.<br>This field must contain the Destination Amount from TCR 0 of the dispute or dispute response. |

### VDAS Forms Data, Exhibit Y or Exhibit 3C Edit Criteria

|                                                                                                    |                                                                                                                                                                                                                                                                                                             |
|----------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Calculation of the Representment Amount</b><br>Positions: 69-117<br>Length: 49<br>Format: group | <b>Description:</b> Estimated transaction based on reservation. Two decimals implied.                                                                                                                                                                                                                       |
| <b>Floor Limit Indicator</b><br>Positions: 69<br>Length: 1<br>Format: unpacked numeric             | <b>Description:</b> Indicates if the transaction was above or below the merchant's floor limit for the date of the purchase. This field must contain the Floor Limit Indicator from TCR 0 of the dispute or dispute response.<br><br>Values:<br><b>1</b> = Under Floor Limit<br><b>2</b> = Over Floor Limit |
| <b>Applicable Floor Limit</b><br>Positions: 70-81<br>Length: 12<br>Format: unpacked numeric        | <b>Description:</b> If transaction was under the floor limit, indicates applicable limit.                                                                                                                                                                                                                   |
| <b>Sum of Amounts Authorized</b><br>Positions: 82-93<br>Length: 12<br>Format: unpacked numeric     | <b>Description:</b> If transaction was over the floor limit, indicates total amount authorized. Two decimals implied.                                                                                                                                                                                       |
| <b>Transaction Amount</b><br>Positions: 82-93<br>Length: 12<br>Format: unpacked numeric            | <b>Description:</b> The total amount of the transaction between a cardholder and a merchant, or between a cardholder and a client. The transaction amount includes the actual amount of the purchase plus state (or other) taxes.                                                                           |
| <b>Representment Amount</b><br>Positions: 94-105<br>Length: 12<br>Format: unpacked numeric         | <b>Description:</b> The amount on the clearing record that an acquirer presents to an issuer through Interchange after a chargeback. Two decimals implied.                                                                                                                                                  |
| <b>Total Allowed</b><br>Positions: 106-117<br>Length: 12<br>Format: unpacked numeric               | <b>Description:</b> The total amount allowed. Used only if Over Floor Limit. Two decimals implied.                                                                                                                                                                                                          |
| <b>Prepared By</b><br>Positions: 118-142<br>Length: 25<br>Format: alphanumeric                     | <b>Description:</b> Defaults to workstation operator name.                                                                                                                                                                                                                                                  |



### VDAS Forms Data, Exhibit Y or Exhibit 3C Edit Criteria

|                                                                                     |                                                                                                                             |
|-------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------|
| <b>Telephone Number</b><br>Positions: 143-158<br>Length: 16<br>Format: alphanumeric | <b>Description:</b> Defaults to workstation operator telephone number.                                                      |
| <b>Date Prepared</b><br>Positions: 159-166<br>Length: 8<br>Format: unpacked numeric | <b>Description:</b> The date this record was prepared, supplied by workstation.<br><br>The date format is <b>YYYYMMDD</b> . |
| <b>Reserved</b><br>Positions: 167-168<br>Length: 2<br>Format: alphanumeric          | <b>Description:</b> This field is reserved for future use. EP will always space-fill.                                       |

## TC 39 - TCR 5, 6 Exhibit Y or Exhibit 3C - Authorizations Obtained Information

These tables contain the VCRFS/VDAS Message (TC 39) record layout and edit criteria for TCR 5,6 - VDAS FORMS DATA, EXHIBIT Y OR EXHIBIT 3C-AUTHORIZATIONS OBTAINED INFORMATION.

### CTF - Outgoing and Incoming Interchange

#### VDAS Forms Data, Exhibit Y or Exhibit 3C-Authorizations Obtained Information Record Layout

| Position | Field Length | Format | Contents                              |
|----------|--------------|--------|---------------------------------------|
| 1-2      | 2            | UN     | Transaction Code                      |
| 3        | 1            | UN     | Transaction Code Qualifier            |
| 4        | 1            | UN     | Transaction Component Sequence Number |
| 5-6      | 2            | AN     | Form ID                               |
| 7-32     | 26           | Group  | Authorizations Obtained Info          |
| 7-14     | 8            | UN     | Authorization Date (MMDDCCYY)         |
| 15-26    | 12           | UN     | Authorization Amount                  |

**VDAS Forms Data, Exhibit Y or Exhibit 3C-Authorizations Obtained Information Record Layout**

| Position | Field Length | Format | Contents                      |
|----------|--------------|--------|-------------------------------|
| 27-32    | 6            | AN     | Issuer's Approval Code        |
| 33-58    | 26           | Group  | Authorizations Obtained Info  |
| 33-40    | 8            | UN     | Authorization Date (MMDDCCYY) |
| 41-52    | 12           | UN     | Authorization Amount          |
| 53-58    | 6            | AN     | Issuer's Approval Code        |
| 59-84    | 26           | Group  | Authorizations Obtained Info  |
| 59-66    | 8            | UN     | Authorization Date (MMDDCCYY) |
| 67-78    | 12           | UN     | Authorization Amount          |
| 79-84    | 6            | AN     | Issuer's Approval Code        |
| 85-110   | 26           | Group  | Authorizations Obtained Info  |
| 85-92    | 8            | UN     | Authorization Date (MMDDCCYY) |
| 93-104   | 12           | UN     | Authorization Amount          |
| 105-110  | 6            | AN     | Issuer's Approval Code        |
| 111-136  | 26           | Group  | Authorizations Obtained Info  |
| 111-118  | 8            | UN     | Authorization Date (MMDDCCYY) |
| 119-130  | 12           | UN     | Authorization Amount          |
| 131-136  | 6            | AN     | Issuer's Approval Code        |
| 137-162  | 26           | Group  | Authorizations Obtained Info  |
| 137-144  | 8            | UN     | Authorization Date (MMDDCCYY) |
| 145-156  | 12           | UN     | Authorization Amount          |
| 157-162  | 6            | AN     | Issuer's Approval Code        |
| 163-168  | 6            | AN     | Reserved                      |

Format: AN = Alphanumeric, ANS = Alphanumeric Special, DX = Display Hexadecimal, N = Numeric, UN = Unpacked Numeric

## VDAS Forms Data, Exhibit Y or Exhibit 3C-Authorizations Obtained Information Edit Criteria

|                                                                                                       |                                                                                                                                                                                                          |
|-------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Transaction Code</b><br>Positions: 1-2<br>Length: 2<br>Format: unpacked numeric                    | <b>Description:</b> This field must be <b>39</b> .                                                                                                                                                       |
| <b>Transaction Code Qualifier</b><br>Positions: 3<br>Length: 1<br>Format: unpacked numeric            | <b>Description:</b> This field must contain a <b>0</b> (zero).<br>This edit will continue to be performed by the Edit Package when the Bypass Business Edits option is used during an outgoing edit run. |
| <b>Transaction Component Sequence Number</b><br>Positions: 4<br>Length: 1<br>Format: unpacked numeric | <b>Description:</b> This field must contain <b>5</b> or <b>6</b> .                                                                                                                                       |
| <b>Form ID</b><br>Positions: 5-6<br>Length: 2<br>Format: alphanumeric                                 | <b>Description:</b> Indicates type of form being transmitted.<br>Value:<br><b>3C</b> = Certification of Special Authorization.                                                                           |
| <b>Authorizations Obtained Info</b><br>Positions: 7-32<br>Length: 26<br>Format: group                 | <b>Description:</b> Quantity of authorizations obtained for this transaction. 1st occurrence, TCR 5<br>7th occurrence, TCR 6                                                                             |
| <b>Authorization Date</b><br>Positions: 7-14<br>Length: 8<br>Format: unpacked numeric                 | <b>Description:</b> The actual date that the purchase was made and authorized.<br><b>MMDDCCYY</b> format.                                                                                                |
| <b>Authorization Amount</b><br>Positions: 15-26<br>Length: 12<br>Format: unpacked numeric             | <b>Description:</b> The actual authorized amount. This can exceed actual purchase amount in certain circumstances. Two decimals implied.                                                                 |
| <b>Issuer's Approval Code</b><br>Positions: 27-32<br>Length: 6<br>Format: alphanumeric                | <b>Description:</b> Authorization provided by the issuer when transaction is approved.                                                                                                                   |

## VDAS Forms Data, Exhibit Y or Exhibit 3C-Authorizations Obtained Information Edit Criteria

|                                                                                           |                                                                                                                                                                              |
|-------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Authorizations Obtained Info</b><br>Positions: 33-58<br>Length: 26<br>Format: group    | <b>Descriptions:</b> Quantity of authorizations obtained for this transaction.<br>2nd occurrence, TCR 5<br>8th occurrence, TCR 6                                             |
| <b>Authorization Date</b><br>Positions: 33-40<br>Length: 8<br>Format: unpacked numeric    | <b>Description:</b> The actual date that the purchase was made and authorized.<br>This field must contain the Authorization Date in the following format:<br><b>MMDDCCYY</b> |
| <b>Authorization Amount</b><br>Positions: 41-52<br>Length: 12<br>Format: unpacked numeric | <b>Description:</b> The actual authorized amount. Can exceed actual purchase amount in certain circumstances. Two decimals implied.                                          |
| <b>Issuer's Approval Code</b><br>Positions: 53-58<br>Length: 6<br>Format: alphanumeric    | <b>Description:</b> Valid Approval Code.                                                                                                                                     |
| <b>Authorizations Obtained Info</b><br>Positions: 59-84<br>Length: 26<br>Format: group    | <b>Description:</b> Quantity of authorizations obtained for this transaction.<br>3rd occurrence, TCR 5<br>9th occurrence, TCR 6                                              |
| <b>Authorization Date</b><br>Positions: 59-66<br>Length: 8<br>Format: unpacked numeric    | <b>Description:</b> The actual date that the purchase was made and authorized.<br>This field must contain the Authorization Date in the following format:<br><b>MMDDCCYY</b> |
| <b>Authorization Amount</b><br>Positions: 67-78<br>Length: 12<br>Format: unpacked numeric | <b>Description:</b> The actual authorized amount. Can exceed actual purchase amount in certain circumstances. Two decimals implied.                                          |
| <b>Issuer's Approval Code</b><br>Positions: 79-84<br>Length: 6<br>Format: alphanumeric    | <b>Description:</b> Authorization provided by the issuer when transaction is approved.                                                                                       |

**VDAS Forms Data, Exhibit Y or Exhibit 3C-Authorizations Obtained Information Edit Criteria**

|                                                                                             |                                                                                                                                                                              |
|---------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Authorizations Obtained Info</b><br>Positions: 85-110<br>Length: 26<br>Format: group     | <b>Description:</b> Identifies the source of the authorization. 4th occurrence, TCR 5<br>10th occurrence, TCR 6                                                              |
| <b>Authorization Date</b><br>Positions: 85-92<br>Length: 8<br>Format: unpacked numeric      | <b>Description:</b> The actual date that the purchase was made and authorized.<br>This field must contain the Authorization Date in the following format:<br><b>MMDDCCYY</b> |
| <b>Authorization Amount</b><br>Positions: 93-104<br>Length: 12<br>Format: unpacked numeric  | <b>Description:</b> The actual authorized amount. Can exceed actual purchase amount in certain circumstances. Two decimals implied.                                          |
| <b>Issuer's Approval Code</b><br>Positions: 105-110<br>Length: 6<br>Format: alphanumeric    | <b>Description:</b> Authorization provided by the issuer when transaction is approved. Valid Approval Code.                                                                  |
| <b>Authorizations Obtained Info</b><br>Positions: 111-136<br>Length: 26<br>Format: group    | <b>Description:</b> Quantity of authorizations obtained for this transaction.<br>6th occurrence, TCR 5<br>12th occurrence, TCR 6                                             |
| <b>Authorization Date</b><br>Positions: 111-118<br>Length: 8<br>Format: unpacked numeric    | <b>Description:</b> The actual date that the purchase was made and authorized. This field must contain the Authorization Date in the following format:<br><b>MMDDCCYY</b>    |
| <b>Authorization Amount</b><br>Positions: 119-130<br>Length: 12<br>Format: unpacked numeric | <b>Description:</b> Authorized amount can exceed actual purchase amount in certain circumstances. Two decimals implied.                                                      |
| <b>Issuer's Approval Code</b><br>Positions: 131-136<br>Length: 6<br>Format: alphanumeric    | <b>Description:</b> Authorization provided by the issuer when transaction is approved.                                                                                       |

**VDAS Forms Data, Exhibit Y or Exhibit 3C-Authorizations Obtained Information Edit Criteria**

|                                                                                             |                                                                                                                                                                              |
|---------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Authorizations Obtained Info</b><br>Positions: 137-162<br>Length: 26<br>Format: group    | <b>Description:</b> Quantity of authorizations obtained for this transaction.<br>6th occurrence, TCR 5<br>12th occurrence, TCR 6                                             |
| <b>Authorization Date</b><br>Positions: 137-144<br>Length: 8<br>Format: unpacked numeric    | <b>Description:</b> The actual date that the purchase was made and authorized.<br>This field must contain the Authorization Date in the following format:<br><b>MMDDCCYY</b> |
| <b>Authorization Amount</b><br>Positions: 145-156<br>Length: 12<br>Format: unpacked numeric | <b>Description:</b> Authorized amount can exceed actual purchase amount in certain circumstances. Two decimals implied.                                                      |
| <b>Issuer's Approval Code</b><br>Positions: 157-162<br>Length: 6<br>Format: alphanumeric    | <b>Description:</b> Valid Approval Code.                                                                                                                                     |
| <b>Reserved</b><br>Positions: 163-168<br>Length: 6<br>Format: alphanumeric                  | <b>Description:</b> This field is reserved for future use. EP will always space-fill.                                                                                        |

# Chapter 15

## 40 Fraud Advice Transactions

---

### TC 40 - Fraud Advice Transactions

The Fraud Advice transaction (TC 40) transmits information to and from clients for fraudulent transactions.

TCR 0, 1, 2, 3, 4, 7

CTF - Outgoing and Incoming Interchange

TCR 0 is always required.

TCR 1 is used by U.S. clients to report fraud to the Issuers' Clearinghouse Service (ICS) and to report optional cardholder and merchant data for the Fraud Reporting System. It is also used for incoming optional print image reports. See *Issuer's Clearinghouse Service User's Guide* and *Fraud Reporting System User's Guide*.

TCR 2 is a required TCR if the transaction being reported contained a Transaction Identifier. It is also used for incoming optional print image reports to clients.

TCR 3 is used by clients to report optional transaction data for the Fraud Reporting System and for incoming optional print image reports to clients.

TCR 4 is used for incoming optional print image reports to clients.

TCR 5 and TCR 6 are reserved for future use.

TCR 7 is used for optional incoming interchange transactions to clients.

## TC 40 - TCR 0

These tables contain the Fraud Advice (TC 40) record layout and edit criteria for TCR 0.

### CTF - Outgoing and Incoming Interchange

#### Fraud Advice Record Layout

| Position | Field Length | Format | Contents                              |
|----------|--------------|--------|---------------------------------------|
| 1-2      | 2            | UN     | Transaction Code                      |
| 3        | 1            | UN     | Transaction Code Qualifier            |
| 4        | 1            | UN     | Transaction Component Sequence Number |
| 5-10     | 6            | UN     | Destination Identifier                |
| 11-16    | 6            | UN     | Source Identifier                     |
| 17-167   | 151          | AN     | Transaction Data                      |
| 168      | 1            | AN     | Reimbursement Attribute               |

Format: AN = Alphanumeric, ANS = Alphanumeric Special, DX = Display Hexadecimal, N = Numeric, UN = Unpacked Numeric

#### Fraud Advice Edit Criteria

|                                                                                                       |                                                                                                                                                                                                          |
|-------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Transaction Code</b><br>Positions: 1-2<br>Length: 2<br>Format: unpacked numeric                    | <b>Description:</b> This field must contain <b>40</b> .                                                                                                                                                  |
| <b>Transaction Code Qualifier</b><br>Positions: 3<br>Length: 1<br>Format: unpacked numeric            | <b>Description:</b> This field must contain a <b>0</b> (zero).<br>This edit will continue to be performed by the Edit Package when the Bypass Business Edits option is used during an outgoing edit run. |
| <b>Transaction Component Sequence Number</b><br>Positions: 4<br>Length: 1<br>Format: unpacked numeric | <b>Description:</b> This field must contain a <b>0</b> (zero).                                                                                                                                           |



## Fraud Advice Edit Criteria

|                                                                                           |                                                                                                                                                                                                                                                                                                                                                                                                                      |
|-------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Destination Identifier</b><br>Positions: 5-10<br>Length: 6<br>Format: unpacked numeric | <b>Description:</b> The entity to which a BASE II transaction message is sent.<br><b>Outgoing:</b> This field must contain <b>400050</b> .                                                                                                                                                                                                                                                                           |
| <b>Source Identifier</b><br>Positions: 11-16<br>Length: 6<br>Format: unpacked numeric     | <b>Description:</b> The entity from which this BASE II transaction message was sent.<br><b>Outgoing:</b> This field must contain the source identifier of the client reporting the fraud. The source identifier is normally the issuing identifier but will be the acquiring identifier when an acquirer is reporting counterfeit/fraud (Fraud type = 9)<br><b>Incoming:</b> This field must contain <b>400050</b> . |
| <b>Transaction Data</b><br>Positions: 17-167<br>Length: 151<br>Format: alphanumeric       | <b>Description:</b><br>See the <i>Fraud Reporting System User's Guide</i> for specific transaction data information.                                                                                                                                                                                                                                                                                                 |
| <b>Reimbursement Attribute</b><br>Positions: 168<br>Length: 1<br>Format: alphanumeric     | <b>Description:</b> This field must contain <b>0</b> (zero).                                                                                                                                                                                                                                                                                                                                                         |

# TC 40 - TCR 1

These tables contain the Fraud Advice (TC 40) record layout and edit criteria for TCR 1.

## CTF - Outgoing and Incoming Interchange

### Fraud Advice Record Layout

| Position | Field Length | Format | Contents                              |
|----------|--------------|--------|---------------------------------------|
| 1-2      | 2            | UN     | Transaction Code                      |
| 3        | 1            | UN     | Transaction Code Qualifier            |
| 4        | 1            | UN     | Transaction Component Sequence Number |
| 5-168    | 164          | AN     | Transaction Data                      |

Format: AN = Alphanumeric, ANS = Alphanumeric Special, DX = Display Hexadecimal, N = Numeric, UN = Unpacked Numeric

### Fraud Advice Edit Criteria

|                                                                                                       |                                                                                                                                                                                                          |
|-------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Transaction Code</b><br>Positions: 1-2<br>Length: 2<br>Format: unpacked numeric                    | <b>Description:</b> This field must contain <b>40</b> .                                                                                                                                                  |
| <b>Transaction Code Qualifier</b><br>Positions: 3<br>Length: 1<br>Format: unpacked numeric            | <b>Description:</b> This field must contain a <b>0</b> (zero).<br>This edit will continue to be performed by the Edit Package when the Bypass Business Edits option is used during an outgoing edit run. |
| <b>Transaction Component Sequence Number</b><br>Positions: 4<br>Length: 1<br>Format: unpacked numeric | <b>Description:</b> This field must contain a <b>1</b> .                                                                                                                                                 |
| <b>Transaction Data</b><br>Positions: 5-168<br>Length: 164<br>Format: alphanumeric                    | <b>Description:</b><br>See <i>Fraud Reporting System User's Guide</i> for specific transaction data information.                                                                                         |

## TC 40 - TCR 2

These tables contain the Fraud Advice (TC 40) record layout and edit criteria for TCR 2.

### CTF - Outgoing and Incoming Interchange

#### Fraud Advice Record Layout

| Position | Field Length | Format | Contents                              |
|----------|--------------|--------|---------------------------------------|
| 1-2      | 2            | UN     | Transaction Code                      |
| 3        | 1            | UN     | Transaction Code Qualifier            |
| 4        | 1            | UN     | Transaction Component Sequence Number |
| 5-168    | 164          | AN     | Transaction Data                      |

Format: AN = Alphanumeric, ANS = Alphanumeric Special, DX = Display Hexadecimal, N = Numeric, UN = Unpacked Numeric

## Fraud Advice Edit Criteria

|                                                                                                       |                                                                                                                                                                                                          |
|-------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Transaction Code</b><br>Positions: 1-2<br>Length: 2<br>Format: unpacked numeric                    | <b>Description:</b> This field must contain <b>40</b> .                                                                                                                                                  |
| <b>Transaction Code Qualifier</b><br>Positions: 3<br>Length: 1<br>Format: unpacked numeric            | <b>Description:</b> This field must contain a <b>0</b> (zero).<br>This edit will continue to be performed by the Edit Package when the Bypass Business Edits option is used during an outgoing edit run. |
| <b>Transaction Component Sequence Number</b><br>Positions: 4<br>Length: 1<br>Format: unpacked numeric | <b>Description:</b> This field must contain a <b>2</b> .                                                                                                                                                 |
| <b>Transaction Data</b><br>Positions: 5-168<br>Length: 164<br>Format: alphanumeric                    | <b>Description:</b><br>See <i>Fraud Reporting System User's Guide</i> for specific transaction data information.                                                                                         |

## TC 40 - TCR 3

These tables contain the Fraud Advice (TC 40) record layout and edit criteria for TCR 3.

### CTF - Outgoing and Incoming Interchange

#### Fraud Advice Record Layout

| Position | Field Length | Format | Contents                              |
|----------|--------------|--------|---------------------------------------|
| 1-2      | 2            | UN     | Transaction Code                      |
| 3        | 1            | UN     | Transaction Code Qualifier            |
| 4        | 1            | UN     | Transaction Component Sequence Number |
| 5-168    | 164          | AN     | Transaction Data                      |

Format: AN = Alphanumeric, ANS = Alphanumeric Special, DX = Display Hexadecimal, N = Numeric, UN = Unpacked Numeric

## Fraud Advice Edit Criteria

|                                                                                                       |                                                                                                                                                                                                          |
|-------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Transaction Code</b><br>Positions: 1-2<br>Length: 2<br>Format: unpacked numeric                    | <b>Description:</b> This field must contain <b>40</b> .                                                                                                                                                  |
| <b>Transaction Code Qualifier</b><br>Positions: 3<br>Length: 1<br>Format: unpacked numeric            | <b>Description:</b> This field must contain a <b>0</b> (zero).<br>This edit will continue to be performed by the Edit Package when the Bypass Business Edits option is used during an outgoing edit run. |
| <b>Transaction Component Sequence Number</b><br>Positions: 4<br>Length: 1<br>Format: unpacked numeric | <b>Description:</b> This field must contain a <b>3</b> .                                                                                                                                                 |
| <b>Transaction Data</b><br>Positions: 5-168<br>Length: 164<br>Format: alphanumeric                    | <b>Description:</b><br>See <i>Fraud Reporting System User's Guide</i> for specific transaction data information.                                                                                         |

## TC 40 - TCR 4-7

These tables contain the Fraud Advice (TC 40) record layout and edit criteria for TCR 4-7.

### CTF - Incoming Interchange

#### Fraud Advice Record Layout

| Position | Field Length | Format | Contents                              |
|----------|--------------|--------|---------------------------------------|
| 1-2      | 2            | UN     | Transaction Code                      |
| 3        | 1            | UN     | Transaction Code Qualifier            |
| 4        | 1            | UN     | Transaction Component Sequence Number |
| 5-168    | 164          | AN     | Transaction Data                      |

Format: AN = Alphanumeric, ANS = Alphanumeric Special, DX = Display Hexadecimal, N = Numeric, UN = Unpacked Numeric

### Fraud Advice Edit Criteria

|                                                                                                       |                                                                                                                                                                                                              |
|-------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Transaction Code</b><br>Positions: 1-2<br>Length: 2<br>Format: unpacked numeric                    | <b>Description:</b> This field must contain <b>40</b> .                                                                                                                                                      |
| <b>Transaction Code Qualifier</b><br>Positions: 3<br>Length: 1<br>Format: unpacked numeric            | <b>Description:</b> This field must contain a <b>0</b> (zero).<br><br>This edit will continue to be performed by the Edit Package when the Bypass Business Edits option is used during an outgoing edit run. |
| <b>Transaction Component Sequence Number</b><br>Positions: 4<br>Length: 1<br>Format: unpacked numeric | <b>Description:</b> This field must contain a <b>4, 5, 6, or 7</b> .                                                                                                                                         |
| <b>Transaction Data</b><br>Positions: 5-168<br>Length: 164<br>Format: alphanumeric                    | <b>Description:</b><br><br>See <i>Fraud Reporting System User's Guide</i> for specific transaction data information.                                                                                         |

# Chapter 16

## 42, 43 Merchant File Update Transactions

---

### TC 42, 43 - Merchant File Update Transactions

The Merchant File Update transactions carry merchant update information for Card Recovery Bulletin distribution purposes.

TCR 0

CTF - Outgoing and Incoming Interchange

- **Merchant File Update (TC 42)**—Carries an acquirer's required merchant update information between a VIC and the clients for Card Recovery Bulletin distribution purposes.
- **Merchant File Update (TC 43)**—Performs the same function on an optional basis.

**Note:** TC 42 and 43 transactions are no longer valid BASE II transaction types. Transactions will be returned with return reason code of G7.

# TC 42, 43 - TCR 0 Record 1

These tables contain the Merchant File Update (TC 42) record layout and edit criteria for TCR 0 - RECORD 1.

## CTF - Outgoing and Incoming Interchange

### Merchant File Update - Record 1 Record Layout

| Position | Field Length | Format | Contents                              |
|----------|--------------|--------|---------------------------------------|
| 1-2      | 2            | UN     | Transaction Code                      |
| 3        | 1            | UN     | Transaction Code Qualifier            |
| 4        | 1            | UN     | Transaction Component Sequence Number |
| 5-10     | 6            | UN     | Destination Identifier                |
| 11-16    | 6            | UN     | Source Identifier                     |
| 17-153   | 137          | AN     | Transaction Data                      |
| 154      | 1            | AN     | Service Identifier                    |
| 155-167  | 13           | AN     | Transaction Data                      |
| 168      | 1            | AN     | Reimbursement Attribute               |

Format: AN = Alphanumeric, ANS = Alphanumeric Special, DX = Display Hexadecimal, N = Numeric, UN = Unpacked Numeric

### Merchant File Update - Record 1 Edit Criteria

|                                                                                                       |                                                                                                                                                                                                          |
|-------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Transaction Code</b><br>Positions: 1-2<br>Length: 2<br>Format: unpacked numeric                    | <b>Description:</b> This field must contain <b>42</b> .                                                                                                                                                  |
| <b>Transaction Code Qualifier</b><br>Positions: 3<br>Length: 1<br>Format: unpacked numeric            | <b>Description:</b> This field must contain a <b>0</b> (zero).<br>This edit will continue to be performed by the Edit Package when the Bypass Business Edits option is used during an outgoing edit run. |
| <b>Transaction Component Sequence Number</b><br>Positions: 4<br>Length: 1<br>Format: unpacked numeric | <b>Description:</b> This field must contain a <b>0</b> (zero).                                                                                                                                           |

### Merchant File Update - Record 1 Edit Criteria

|                                                                                           |                                                                                                                                                                                                                   |
|-------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Destination Identifier</b><br>Positions: 5-10<br>Length: 6<br>Format: unpacked numeric | <b>Description:</b> The entity to which the BASE II transaction message is sent.<br>The field must contain a valid destination identifier.                                                                        |
| <b>Source Identifier</b><br>Positions: 11-16<br>Length: 6<br>Format: unpacked numeric     | <b>Description:</b> The acquiring identifier responsible for maintaining the Merchant Mailing File record, and is used for billing and reporting purposes.<br>This field must contain a valid source identifier.  |
| <b>Transaction Data</b><br>Positions: 17-153<br>Length: 137<br>Format: alphanumeric       | <b>Description:</b>                                                                                                                                                                                               |
| <b>Service Identifier</b><br>Positions: 154<br>Length: 1<br>Format: alphanumeric          | <b>Description:</b> Further identifies the type of transaction.<br>This field will contain one of these values:<br><b>Y</b> = National Merchant Mailing File record<br><b>Space</b> = Merchant File Update record |
| <b>Transaction Data</b><br>Positions: 155-167<br>Length: 13<br>Format: alphanumeric       | <b>Description:</b> Additional transaction data and/or filler.                                                                                                                                                    |
| <b>Reimbursement Attribute</b><br>Positions: 168<br>Length: 1<br>Format: alphanumeric     | <b>Description:</b> Obsolete - must be zero-filled                                                                                                                                                                |

## TC 42, 43 - TCR 0 Record 2

These tables contain the Merchant File Update (TC 43) record layout and edit criteria for TCR 0 - RECORD 2.

### CTF - Outgoing and Incoming Interchange



## Merchant File Update Record 2 Record Layout

| Position | Field Length | Format | Contents                              |
|----------|--------------|--------|---------------------------------------|
| 1-2      | 2            | UN     | Transaction Code                      |
| 3        | 1            | UN     | Transaction Code Qualifier            |
| 4        | 1            | UN     | Transaction Component Sequence Number |
| 5-10     | 6            | UN     | Destination Identifier                |
| 11-16    | 6            | UN     | Source Identifier                     |
| 17-167   | 151          | AN     | Transaction Data                      |
| 168      | 1            | AN     | Reimbursement Attribute               |

Format: AN = Alphanumeric, ANS = Alphanumeric Special, DX = Display Hexadecimal, N = Numeric, UN = Unpacked Numeric

## Merchant File Update Record 2 Edit Criteria

|                                                                                                       |                                                                                                                                                                                                                  |
|-------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Transaction Code</b><br>Positions: 1-2<br>Length: 2<br>Format: unpacked numeric                    | <b>Description:</b> The field must contain <b>43</b> .                                                                                                                                                           |
| <b>Transaction Code Qualifier</b><br>Positions: 3<br>Length: 1<br>Format: unpacked numeric            | <b>Description:</b> The field must contain a <b>0</b> (zero).                                                                                                                                                    |
| <b>Transaction Component Sequence Number</b><br>Positions: 4<br>Length: 1<br>Format: unpacked numeric | <b>Description:</b> The field must contain a <b>0</b> (zero).                                                                                                                                                    |
| <b>Destination Identifier</b><br>Positions: 5-10<br>Length: 6<br>Format: unpacked numeric             | <b>Description:</b> The entity to which the BASE II transaction message is sent.<br>This field must contain a valid destination identifier.                                                                      |
| <b>Source Identifier</b><br>Positions: 11-16<br>Length: 6<br>Format: unpacked numeric                 | <b>Description:</b> The acquiring identifier responsible for maintaining the Merchant Mailing File record, and is used for billing and reporting purposes.<br>This field must contain a valid source identifier. |

### Merchant File Update Record 2 Edit Criteria

|                                                                                       |                                                                                                                                                                                                                                                                                   |
|---------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Transaction Data</b><br>Positions: 17-167<br>Length: 151<br>Format: alphanumeric   | <b>Description:</b> Specifies the action to be taken (add a merchant outlet, suspend bulletin delivery, reinstate bulletin delivery, etc.), and gives related Merchant Mailing File information, such as merchant outlet number, distribution frequency, and distribution method. |
| <b>Reimbursement Attribute</b><br>Positions: 168<br>Length: 1<br>Format: alphanumeric | <b>Description:</b> Obsolete - must be zero-filled.                                                                                                                                                                                                                               |

# Chapter 17

## 44 Collection Batch Acknowledgment Transactions

---

### TC 44 - Collection Batch Acknowledgment Transactions

The Collection Batch Acknowledgment (TC 44) carries data necessary to report the batches collected by a VIC. Three TCR 0 transaction formats are provided, one for an accepted batch (Batch Disposition Code = **A**), and one for a rejected batch (Batch Disposition Code = **R**), and one for a split batch (Batch Disposition Code = **X**-To be activated January 2020).

TCR 0-8

ITF - Incoming Interchange

# TC 44 - TCR 0 Batch Disposition Code A

These tables contain the Collection Batch Acknowledgment (TC 44) record layout and edit criteria for TCR 0 - BATCH DISPOSITION CODE A.

## CTF - Incoming Interchange

### Collection Batch Acknowledgment-Batch Disposition Code A Record Layout

| Position | Field Length | Format | Contents                              |
|----------|--------------|--------|---------------------------------------|
| 1-2      | 2            | UN     | Transaction Code                      |
| 3        | 1            | UN     | Transaction Code Qualifier            |
| 4        | 1            | UN     | Transaction Component Sequence Number |
| 5-10     | 6            | UN     | Destination Identifier                |
| 11-16    | 6            | UN     | Source Identifier                     |
| 17-21    | 5            | UN     | Edit Package Batch Date (YYDDD)       |
| 22-27    | 6            | UN     | Edit Package Batch Number             |
| 28-32    | 5            | UN     | Collection Date                       |
| 33-35    | 3            | UN     | Collection Window Number              |
| 36       | 1            | AN     | Batch Disposition Code                |
| 37       | 1            | AN     | Summary Type Code                     |
| 38-40    | 3            | AN     | Currency Code                         |
| 41       | 1            | AN     | Settlement Flag                       |
| 42       | 1            | AN     | Reserved                              |
| 43-57    | 15           | UN     | Total Transaction Component Records   |
| 58-72    | 15           | UN     | Total Transactions                    |
| 73-87    | 15           | UN     | Gross Amount                          |
| 88-137   | 50           | AN     | Reserved                              |
| 138-167  | 30           | AN     | BASE II Unique File ID                |
| 168      | 1            | AN     | Reimbursement Attribute               |

Format: AN = Alphanumeric, ANS = Alphanumeric Special, DX = Display Hexadecimal, N = Numeric, UN = Unpacked Numeric

### Collection Batch Acknowledgment-Batch Disposition Code A Edit Criteria

|                                                                                                       |                                                                                                                                                                                                             |
|-------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Transaction Code</b><br>Positions: 1-2<br>Length: 2<br>Format: unpacked numeric                    | <b>Description:</b> The field will contain <b>44</b> .                                                                                                                                                      |
| <b>Transaction Code Qualifier</b><br>Positions: 3<br>Length: 1<br>Format: unpacked numeric            | <b>Description:</b> The field will contain a <b>0</b> (zero).<br><br>This edit will continue to be performed by the Edit Package when the Bypass Business Edits option is used during an outgoing edit run. |
| <b>Transaction Component Sequence Number</b><br>Positions: 4<br>Length: 1<br>Format: unpacked numeric | <b>Description:</b> The field will contain a <b>0</b> (zero).                                                                                                                                               |
| <b>Destination Identifier</b><br>Positions: 5-10<br>Length: 6<br>Format: unpacked numeric             | <b>Description:</b> The entity to which a BASE II transaction message is sent.<br><br>This field will contain the destination identifier of the processing center.                                          |
| <b>Source Identifier</b><br>Positions: 11-16<br>Length: 6<br>Format: unpacked numeric                 | <b>Description:</b> The entity from which this BASE II transaction message was sent.                                                                                                                        |
| <b>Edit Package Batch Date</b><br>Positions: 17-21<br>Length: 5<br>Format: unpacked numeric           | <b>Description:</b> The outgoing Edit Package date of the batch being acknowledged.<br><br>The format of this field is <b>YYDDD</b> .                                                                       |
| <b>Edit Package Batch Number</b><br>Positions: 22-27<br>Length: 6<br>Format: unpacked numeric         | <b>Description:</b> The outgoing Edit Package batch number of the batch being acknowledged.                                                                                                                 |
| <b>Collection Date</b><br>Positions: 28-32<br>Length: 5<br>Format: unpacked numeric                   | <b>Description:</b> The date that the VIC collected the batch. (A batch is a set of transaction records sent through BASE II).<br><br>The format of this field is <b>YYDDD</b> .                            |

## Collection Batch Acknowledgment-Batch Disposition Code A Edit Criteria

|                                                                                                          |                                                                                                                                                                                                                                                                                                                                                     |
|----------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Collection Window Number</b><br>Positions: 33-35<br>Length: 3<br>Format: unpacked numeric             | <b>Description:</b> This is the settlement window when the batch is collected by the VIC.<br><br>The entry must be numeric. The VIC will add zeros.                                                                                                                                                                                                 |
| <b>Batch Disposition Code</b><br>Positions: 36<br>Length: 1<br>Format: alphanumeric                      | <b>Description:</b> This field will contain an <b>A</b> , which indicates that the batch was accepted by the VIC (although individual records within the batch may have been returned).                                                                                                                                                             |
| <b>Summary Type Code</b><br>Positions: 37<br>Length: 1<br>Format: alphanumeric                           | <b>Description:</b> This code indicates which type of transactions within the batch are being acknowledged.<br><br>This field will contain a <b>0</b> (zero) or a <b>2</b> .<br><br>The Summary Type Codes are:<br><b>0</b> = Interchange<br><b>2</b> = Collection-only transaction                                                                 |
| <b>Currency Code</b><br>Positions: 38-40<br>Length: 3<br>Format: alphanumeric                            | <b>Description:</b> The three-digit currency code of the transaction that indicates type of currency for the group of transactions being summarized from the batch.<br><br>Defaults to dispute financial or dispute response financial Currency Code. The field will contain a <b>0</b> (zero) when nonfinancial transactions are being summarized. |
| <b>Settlement Flag</b><br>Positions: 41<br>Length: 1<br>Format: alphanumeric                             | <b>Description:</b> The Settlement Service in which the transaction will settle: the International Settlement Service or National Area Net Service.<br><br>The field will contain a <b>space</b> .                                                                                                                                                  |
| <b>Reserved</b><br>Positions: 42<br>Length: 1<br>Format: alphanumeric                                    | <b>Description:</b> This field is reserved for future use. EP will always space-fill.                                                                                                                                                                                                                                                               |
| <b>Total Transaction Component Records</b><br>Positions: 43-57<br>Length: 15<br>Format: unpacked numeric | <b>Description:</b> A TCR is a fixed-length record used to contain a component portion of a BASE II transaction. A single BASE II transaction may contain multiple TCRs. The "total" is the number of all the TCRs in the group of transactions being summarized.                                                                                   |
| <b>Total Transactions</b><br>Positions: 58-72<br>Length: 15<br>Format: unpacked numeric                  | <b>Description:</b> The total number of the records that make up a single financial, administrative, or text message, as required for transmission between a processing center and a VIC. (Such transactions are identified by transaction codes.) The "total" is the number of transactions in the group being summarized.                         |

### Collection Batch Acknowledgment-Batch Disposition Code A Edit Criteria

|                                                                                           |                                                                                                                             |
|-------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------|
| <b>Gross Amount</b><br>Positions: 73-87<br>Length: 15<br>Format: unpacked numeric         | <b>Description:</b> This field will contain the hash total of Source Amounts in the group of transactions being summarized. |
| <b>Reserved</b><br>Positions: 88-137<br>Length: 50<br>Format: alphanumeric                | <b>Description:</b> This field is reserved for future use. EP will always space-fill.                                       |
| <b>BASE II Unique File ID</b><br>Positions: 138-167<br>Length: 30<br>Format: alphanumeric | <b>Description:</b> A unique file number (like an identification) used by the Edit Package for history checking.            |
| <b>Reimbursement Attribute</b><br>Positions: 168<br>Length: 1<br>Format: alphanumeric     | <b>Description:</b> This field must contain <b>0</b> (zero).                                                                |

## TC 44 - TCR 0 Batch Disposition Code R

These tables contain the Collection Batch Acknowledgment (TC 44) record layout and edit criteria for TCR 0 - BATCH DISPOSITION CODE R.

### CTF - Incoming Interchange

#### Collection Batch Acknowledgment-Batch Disposition Code R Record Layout

| Position | Field Length | Format | Contents                              |
|----------|--------------|--------|---------------------------------------|
| 1-2      | 2            | UN     | Transaction Code                      |
| 3        | 1            | UN     | Transaction Code Qualifier            |
| 4        | 1            | UN     | Transaction Component Sequence Number |
| 5-10     | 6            | UN     | Destination Identifier                |
| 11-16    | 6            | UN     | Source Identifier                     |
| 17-21    | 5            | UN     | Edit Package Batch Date (YYDDD)       |

### Collection Batch Acknowledgment-Batch Disposition Code R Record Layout

| Position | Field Length | Format | Contents                  |
|----------|--------------|--------|---------------------------|
| 22-27    | 6            | UN     | Edit Package Batch Number |
| 28-32    | 5            | UN     | Collection Date           |
| 33-35    | 3            | UN     | Collection Window Number  |
| 36       | 1            | AN     | Batch Disposition Code    |
| 37-39    | 3            | AN     | Reject Reason Code        |
| 40-137   | 98           | AN     | Reserved                  |
| 138-167  | 30           | AN     | BASE II Unique File ID    |
| 168      | 1            | AN     | Reimbursement Attribute   |

Format: AN = Alphanumeric, ANS = Alphanumeric Special, DX = Display Hexadecimal, N = Numeric, UN = Unpacked Numeric

### Collection Batch Acknowledgment-Batch Disposition Code R Edit Criteria

|                                                                                                       |                                                                                                                                                                                                         |
|-------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Transaction Code</b><br>Positions: 1-2<br>Length: 2<br>Format: unpacked numeric                    | <b>Description:</b> The field will contain <b>44</b> .                                                                                                                                                  |
| <b>Transaction Code Qualifier</b><br>Positions: 3<br>Length: 1<br>Format: unpacked numeric            | <b>Description:</b> The field will contain a <b>0</b> (zero).<br>This edit will continue to be performed by the Edit Package when the Bypass Business Edits option is used during an outgoing edit run. |
| <b>Transaction Component Sequence Number</b><br>Positions: 4<br>Length: 1<br>Format: unpacked numeric | <b>Description:</b> The field will contain a <b>0</b> (zero).                                                                                                                                           |
| <b>Destination Identifier</b><br>Positions: 5-10<br>Length: 6<br>Format: unpacked numeric             | <b>Description:</b> The entity to which a BASE II transaction message is sent.<br>This field will contain the destination identifier of the processing center.                                          |



### Collection Batch Acknowledgment-Batch Disposition Code R Edit Criteria

|                                                                                               |                                                                                                                                                                                                                                                                                                                                                                                                                                |
|-----------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Source Identifier</b><br>Positions: 11-16<br>Length: 6<br>Format: unpacked numeric         | <b>Description:</b> The entity from which this BASE II transaction message was sent.<br><br><b>Incoming:</b> This field must contain the source identifier of the VIC: <b>400050</b> .                                                                                                                                                                                                                                         |
| <b>Edit Package Batch Date</b><br>Positions: 17-21<br>Length: 5<br>Format: unpacked numeric   | <b>Description:</b> The outgoing Edit Package date of the batch being acknowledged.<br><br>The format of this field is <b>YYDDD</b> .                                                                                                                                                                                                                                                                                          |
| <b>Edit Package Batch Number</b><br>Positions: 22-27<br>Length: 6<br>Format: unpacked numeric | <b>Description:</b> The Edit Package batch number of the batch being acknowledged.                                                                                                                                                                                                                                                                                                                                             |
| <b>Collection Date</b><br>Positions: 28-32<br>Length: 5<br>Format: unpacked numeric           | <b>Description:</b> The date that the VIC collected the batch (A batch is a set of transaction records sent through BASE II).<br><br><b>Note:</b> The format of this field is <b>YYDDD</b> .                                                                                                                                                                                                                                   |
| <b>Collection Window Number</b><br>Positions: 33-35<br>Length: 3<br>Format: unpacked numeric  | <b>Description:</b> This is the settlement window when the batch is collected by the VIC.<br><br>The entry must be numeric. The VIC will add zeros.                                                                                                                                                                                                                                                                            |
| <b>Batch Disposition Code</b><br>Positions: 36<br>Length: 1<br>Format: alphanumeric           | <b>Description:</b> A code that indicates that the batch was rejected by the VIC. This field will contain an <b>R</b> .                                                                                                                                                                                                                                                                                                        |
| <b>Reject Reason Code</b><br>Positions: 37-39<br>Length: 3<br>Format: alphanumeric            | <b>Description:</b> Using a specific code, this is a response to a transaction request indicating that the receiving endpoint cannot accept the message because it contains an error.<br><br>This field is 2 alphanumeric positions containing the defined codes for approval and declines of eligibility inquiries.<br><br><b>Note:</b> See <i>BASE II Clearing Data Codes</i> for a list of valid Batch Reject Reason Codes. |
| <b>Reserved</b><br>Positions: 40-137<br>Length: 98<br>Format: alphanumeric                    | <b>Description:</b> This field is reserved for future use. EP will always space-fill.                                                                                                                                                                                                                                                                                                                                          |

### Collection Batch Acknowledgment-Batch Disposition Code R Edit Criteria

|                                                                                           |                                                                                         |
|-------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------|
| <b>BASE II Unique File ID</b><br>Positions: 138-167<br>Length: 30<br>Format: alphanumeric | <b>Description:</b> A unique file number used by the Edit Package for history checking. |
| <b>Reimbursement Attribute</b><br>Positions: 168<br>Length: 1<br>Format: alphanumeric     | <b>Description:</b> This field must contain <b>0</b> (zero).                            |

## TC 44 - TCR 0 Batch Disposition Code X

These tables contain the Collection Batch Acknowledgment (TC 44) record layout and edit criteria for TCR 0 - BATCH DISPOSITION CODE X.

### CTF - Incoming Interchange

#### Collection Batch Acknowledgment Record Layout

| Position | Field Length | Format | Contents                              |
|----------|--------------|--------|---------------------------------------|
| 1-2      | 2            | UN     | Transaction Code                      |
| 3        | 1            | UN     | Transaction Code Qualifier            |
| 4        | 1            | UN     | Transaction Component Sequence Number |
| 5-10     | 6            | UN     | Destination Identifier                |
| 11-16    | 6            | UN     | Source Identifier                     |
| 17-21    | 5            | UN     | Edit Package Batch Date (YYDDD)       |
| 22-27    | 6            | UN     | Edit Package Batch Number             |
| 28-32    | 5            | UN     | Collection Date                       |
| 33-35    | 3            | UN     | Collection Window Number              |
| 36       | 1            | AN     | Batch Disposition Code                |
| 37       | 1            | AN     | Summary Type Code                     |
| 38-40    | 3            | AN     | Currency Code                         |
| 41       | 1            | AN     | Settlement Flag                       |

### Collection Batch Acknowledgment Record Layout

| Position | Field Length | Format | Contents                            |
|----------|--------------|--------|-------------------------------------|
| 42       | 1            | AN     | Reserved-Batch                      |
| 43-57    | 15           | UN     | Total Transaction Component Records |
| 58-72    | 15           | UN     | Total Transactions                  |
| 73-87    | 15           | UN     | Gross Amount                        |
| 88-137   | 50           | AN     | Reserved                            |
| 138-167  | 30           | AN     | BASE II Unique File ID              |
| 168      | 1            | AN     | Reimbursement Attribute             |

Format: AN = Alphanumeric, ANS = Alphanumeric Special, DX = Display Hexadecimal, N = Numeric, UN = Unpacked Numeric

### Collection Batch Acknowledgment-Batch Disposition Code X Edit Criteria

|                                                                                                       |                                                                                                                                                                                                         |
|-------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Transaction Code</b><br>Positions: 1-2<br>Length: 2<br>Format: unpacked numeric                    | <b>Description:</b> The field will contain <b>44</b> .                                                                                                                                                  |
| <b>Transaction Code Qualifier</b><br>Positions: 3<br>Length: 1<br>Format: unpacked numeric            | <b>Description:</b> The field will contain a <b>0</b> (zero).<br>This edit will continue to be performed by the Edit Package when the Bypass Business Edits option is used during an outgoing edit run. |
| <b>Transaction Component Sequence Number</b><br>Positions: 4<br>Length: 1<br>Format: unpacked numeric | <b>Description:</b> The field will contain a <b>0</b> (zero).                                                                                                                                           |
| <b>Destination Identifier</b><br>Positions: 5-10<br>Length: 6<br>Format: unpacked numeric             | <b>Description:</b> The entity to which a BASE II transaction message is sent.<br>This field will contain the destination identifier of the processing center.                                          |
| <b>Source Identifier</b><br>Positions: 11-16<br>Length: 6<br>Format: unpacked numeric                 | <b>Description:</b> The entity from which this BASE II transaction message was sent.                                                                                                                    |

### Collection Batch Acknowledgment-Batch Disposition Code X Edit Criteria

|                                                                                                     |                                                                                                                                                                                                                                                                                                                                                     |
|-----------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Edit Package Batch Date (YYDDD)</b><br>Positions: 17-21<br>Length: 5<br>Format: unpacked numeric | <b>Description:</b> The outgoing Edit Package date of the batch being acknowledged.<br><br>The format of this field is <b>YYDDD</b> .                                                                                                                                                                                                               |
| <b>Edit Package Batch Number</b><br>Positions: 22-27<br>Length: 6<br>Format: unpacked numeric       | <b>Description:</b> The outgoing Edit Package batch number of the batch being acknowledged.                                                                                                                                                                                                                                                         |
| <b>Collection Date</b><br>Positions: 28-32<br>Length: 5<br>Format: unpacked numeric                 | <b>Description:</b> The date that the VIC collected the batch. (A batch is a set of transaction records sent through BASE II).<br><br>The format of this field is <b>YYDDD</b> .                                                                                                                                                                    |
| <b>Collection Window Number</b><br>Positions: 33-35<br>Length: 3<br>Format: unpacked numeric        | <b>Description:</b> This is the settlement window when the batch is collected by the VIC.<br><br>The entry must be numeric. The VIC will add zeros.                                                                                                                                                                                                 |
| <b>Batch Disposition Code</b><br>Positions: 36<br>Length: 1<br>Format: alphanumeric                 | <b>Description:</b> This field will contain an <b>X</b> , which indicates that the batch was accepted by the VIC and records within the batch may have been sent via Cross VIC processing.                                                                                                                                                          |
| <b>Summary Type Code</b><br>Positions: 37<br>Length: 1<br>Format: alphanumeric                      | <b>Description:</b> This code indicates which type of transactions within the batch are being acknowledged.<br><br>This field will contain a <b>0</b> (zero) or a <b>2</b> .<br><br>The Summary Type Codes are:<br><b>0</b> = Interchange<br><b>2</b> = Collection-only transaction                                                                 |
| <b>Currency Code</b><br>Positions: 38-40<br>Length: 3<br>Format: alphanumeric                       | <b>Description:</b> The three-digit currency code of the transaction that indicates type of currency for the group of transactions being summarized from the batch.<br><br>Defaults to dispute financial or dispute response financial Currency Code. The field will contain a <b>0</b> (zero) when nonfinancial transactions are being summarized. |
| <b>Settlement Flag</b><br>Positions: 41<br>Length: 1<br>Format: alphanumeric                        | <b>Description:</b> The Settlement Service in which the transaction will settle: the International Settlement Service or National Area Net Service.<br><br>The field will contain a <b>space</b> .                                                                                                                                                  |

### Collection Batch Acknowledgment-Batch Disposition Code X Edit Criteria

|                                                                                                          |                                                                                                                                                                                                                                                                                                                             |
|----------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Reserved-Batch</b><br>Positions: 42<br>Length: 1<br>Format: alphanumeric                              | <b>Description:</b> This field is reserved for future use. EP will always space-fill.                                                                                                                                                                                                                                       |
| <b>Total Transaction Component Records</b><br>Positions: 43-57<br>Length: 15<br>Format: unpacked numeric | <b>Description:</b> A TCR is a fixed-length record used to contain a component portion of a BASE II transaction. A single BASE II transaction may contain multiple TCRs. The "total" is the number of all the TCRs in the group of transactions being summarized.                                                           |
| <b>Total Transactions</b><br>Positions: 58-72<br>Length: 15<br>Format: unpacked numeric                  | <b>Description:</b> The total number of the records that make up a single financial, administrative, or text message, as required for transmission between a processing center and a VIC. (Such transactions are identified by transaction codes.) The "total" is the number of transactions in the group being summarized. |
| <b>Gross Amount</b><br>Positions: 73-87<br>Length: 15<br>Format: unpacked numeric                        | <b>Description:</b> This field will contain the hash total of Source Amounts in the group of transactions being summarized.                                                                                                                                                                                                 |
| <b>Reserved</b><br>Positions: 88-137<br>Length: 50<br>Format: alphanumeric                               | <b>Description:</b> This field is reserved for future use. EP will always space-fill.                                                                                                                                                                                                                                       |
| <b>BASE II Unique File ID</b><br>Positions: 138-167<br>Length: 30<br>Format: alphanumeric                | <b>Description:</b> A unique file number (like an identification) used by the Edit Package for history checking.                                                                                                                                                                                                            |
| <b>Reimbursement Attribute</b><br>Positions: 168<br>Length: 1<br>Format: alphanumeric                    | <b>Description:</b> This field must contain <b>0</b> (zeros).                                                                                                                                                                                                                                                               |

# TC 44 - TCR 1-8

These tables contain the Collection Batch Acknowledgment (TC 44) record layout and edit criteria for TCR 1-8.

## CTF - Incoming Interchange

### Collection Batch Acknowledgment Record Layout

| Position | Field Length | Format | Contents                              |
|----------|--------------|--------|---------------------------------------|
| 1-2      | 2            | UN     | Transaction Code                      |
| 3        | 1            | UN     | Transaction Code Qualifier            |
| 4        | 1            | UN     | Transaction Component Sequence Number |
| 5-16     | 12           | AN     | Reserved                              |
| 17-18    | 2            | UN     | Transaction Code Being Summarized     |
| 19       | 1            | UN     | Transaction Code Qualifier            |
| 20-34    | 15           | UN     | Transaction Count                     |
| 35-49    | 15           | UN     | Settlement Amount                     |
| 50-51    | 2            | UN     | Transaction Code Being Summarized     |
| 52       | 1            | UN     | Transaction Code Qualifier            |
| 53-67    | 15           | UN     | Transaction Count                     |
| 68-82    | 15           | UN     | Settlement Amount                     |
| 83-84    | 2            | UN     | Transaction Code Being Summarized     |
| 85       | 1            | UN     | Transaction Code Qualifier            |
| 86-100   | 15           | UN     | Transaction Count                     |
| 101-115  | 15           | UN     | Settlement Amount                     |
| 116-117  | 2            | UN     | Transaction Code Being Summarized     |
| 118      | 1            | UN     | Transaction Code Qualifier            |
| 119-133  | 15           | UN     | Transaction Count                     |
| 134-148  | 15           | UN     | Settlement Amount                     |
| 149-168  | 20           | AN     | Reserved                              |

Format: AN = Alphanumeric, ANS = Alphanumeric Special, DX = Display Hexadecimal, N = Numeric, UN = Unpacked Numeric

### Collection Batch Acknowledgment Edit Criteria

|                                                                                                       |                                                                                                                                                                                                                                                                                                                 |
|-------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Transaction Code</b><br>Positions: 1-2<br>Length: 2<br>Format: unpacked numeric                    | <b>Description:</b> The field will contain a <b>44</b> .                                                                                                                                                                                                                                                        |
| <b>Transaction Code Qualifier</b><br>Positions: 3<br>Length: 1<br>Format: unpacked numeric            | <b>Description:</b> The field will contain a <b>0</b> (zero).<br><br>This edit will continue to be performed by the Edit Package when the Bypass Business Edits option is used during an outgoing edit run.                                                                                                     |
| <b>Transaction Component Sequence Number</b><br>Positions: 4<br>Length: 1<br>Format: unpacked numeric | <b>Description:</b> The field will contain <b>1</b> through <b>8</b> .                                                                                                                                                                                                                                          |
| <b>Reserved</b><br>Positions: 5-16<br>Length: 6<br>Format: unpacked numeric                           | <b>Description:</b> This field is reserved for future use. EP will always space-fill.                                                                                                                                                                                                                           |
| <b>Transaction Code Being Summarized</b><br>Positions: 17-18<br>Length: 2<br>Format: unpacked numeric | <b>Description:</b> The two-digit BASE II transaction code for the batch being summarized.<br><br>Zeros in this field or at the end of TCRs indicate the end of the information for the key.                                                                                                                    |
| <b>Transaction Code Qualifier</b><br>Positions: 19<br>Length: 1<br>Format: unpacked numeric           | <b>Description:</b> This field will contain a <b>0</b> (zero).                                                                                                                                                                                                                                                  |
| <b>Transaction Count</b><br>Positions: 20-34<br>Length: 15<br>Format: unpacked numeric                | <b>Description:</b> The total count of all transactions in the file excluding file header and trailer records.                                                                                                                                                                                                  |
| <b>Settlement Amount</b><br>Positions: 35-49<br>Length: 15<br>Format: unpacked numeric                | <b>Description:</b> The daily net amount resulting from Clearing. This amount includes Transaction and Fee Collection Transaction totals, expressed in a Member's Settlement Currency. May be a debit or credit. Two decimals implied.<br><br>This field will contain zeros if it is a nonmonetary transaction. |

### Collection Batch Acknowledgment Edit Criteria

|                                                                                                       |                                                                                                                                                                                                                                                                                                                 |
|-------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Transaction Code Being Summarized</b><br>Positions: 50-51<br>Length: 2<br>Format: unpacked numeric | <b>Description:</b> The two-digit BASE II transaction code for the batch being summarized.<br><br>Zeros in this field or at the end of TCRs indicate the end of the information for the key.                                                                                                                    |
| <b>Transaction Code Qualifier</b><br>Positions: 52<br>Length: 1<br>Format: unpacked numeric           | <b>Description:</b> If used, this field will contain a <b>0</b> (zero).                                                                                                                                                                                                                                         |
| <b>Transaction Count</b><br>Positions: 53-67<br>Length: 15<br>Format: unpacked numeric                | <b>Description:</b> The total count of all transactions in the file excluding file header and trailer records.                                                                                                                                                                                                  |
| <b>Settlement Amount</b><br>Positions: 68-82<br>Length: 15<br>Format: unpacked numeric                | <b>Description:</b> The daily net amount resulting from Clearing. This amount includes Transaction and Fee Collection Transaction totals, expressed in a Member's Settlement Currency. May be a debit or credit. Two decimals implied.<br><br>This field will contain zeros if it is a nonmonetary transaction. |
| <b>Transaction Code Being Summarized</b><br>Positions: 83-84<br>Length: 2<br>Format: unpacked numeric | <b>Description:</b> The two-digit BASE II transaction code for the batch being summarized.<br><br>Zeros in this field or at the end of TCRs indicate the end of the information for the key.                                                                                                                    |
| <b>Transaction Code Qualifier</b><br>Positions: 85<br>Length: 1<br>Format: unpacked numeric           | <b>Description:</b> If used, this field will contain a <b>0</b> (zero).                                                                                                                                                                                                                                         |
| <b>Transaction Count</b><br>Positions: 86-100<br>Length: 15<br>Format: unpacked numeric               | <b>Description:</b> The total count of all transactions in the file excluding file header and trailer records.                                                                                                                                                                                                  |
| <b>Settlement Amount</b><br>Positions: 101-115<br>Length: 15<br>Format: unpacked numeric              | <b>Description:</b> The daily net amount resulting from Clearing. This amount includes Transaction and Fee Collection Transaction totals, expressed in a Member's Settlement Currency. May be a debit or credit. Two decimals implied.<br><br>This field will contain zeros if it is a nonmonetary transaction. |



### Collection Batch Acknowledgment Edit Criteria

|                                                                                                         |                                                                                                                                                                                                                                                                                                                 |
|---------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Transaction Code Being Summarized</b><br>Positions: 116-117<br>Length: 2<br>Format: unpacked numeric | <b>Description:</b> The two-digit BASE II transaction code for the batch being summarized.<br><br>Zeros in this field or at the end of TCRs indicate the end of the information for the key.                                                                                                                    |
| <b>Transaction Code Qualifier</b><br>Positions: 118<br>Length: 1<br>Format: unpacked numeric            | <b>Description:</b> If used, this field will contain a <b>0</b> (zero).                                                                                                                                                                                                                                         |
| <b>Transaction Count</b><br>Positions: 119-133<br>Length: 15<br>Format: unpacked numeric                | <b>Description:</b> The total count of all transactions in the file excluding file header and trailer records.                                                                                                                                                                                                  |
| <b>Settlement Amount</b><br>Positions: 134-148<br>Length: 15<br>Format: unpacked numeric                | <b>Description:</b> The daily net amount resulting from Clearing. This amount includes Transaction and Fee Collection Transaction totals, expressed in a Member's Settlement Currency. May be a debit or credit. Two decimals implied.<br><br>This field will contain zeros if it is a nonmonetary transaction. |
| <b>Reserved</b><br>Positions: 149-168<br>Length: 20<br>Format: unpacked numeric                         | <b>Description:</b> This field is reserved for future use. EP will always space-fill.                                                                                                                                                                                                                           |

# Chapter 18

## 45 General Delivery Report Transactions

---

### TC 45 - General Delivery Report Transactions

The General Delivery Report transaction (TC 45) contains client report data for the destination center.

TCR 0

CTF - Incoming Interchange

These TC 45 Direct Debit Reports are available:

- Direct Debit Reconciliation Activity
- Direct Debit Reconciliation Exceptions
- Direct Debit Settlement Position

See *V.I.P. Technical Specifications*.

# TC 45 - TCR 0

These tables contain the General Delivery Report (TC 45) record layout and edit criteria for TCR 0.

## CTF - Incoming Interchange

### General Delivery Report Record Layout

| Position | Field Length | Format | Contents                              |
|----------|--------------|--------|---------------------------------------|
| 1-2      | 2            | UN     | Transaction Code                      |
| 3        | 1            | UN     | Transaction Code Qualifier            |
| 4        | 1            | UN     | Transaction Component Sequence Number |
| 5-10     | 6            | UN     | Destination Identifier                |
| 11-16    | 6            | UN     | Source Identifier                     |
| 17-148   | 132          | AN     | Report Text                           |
| 149      | 1            | AN     | Reserved                              |
| 150-159  | 10           | AN     | Report Identifier                     |
| 160      | 1            | UN     | Report Day Sequence Number            |
| 161-167  | 7            | UN     | Report Line Sequence Number           |
| 168      | 1            | AN     | Reimbursement Attribute               |

Format: AN = Alphanumeric, ANS = Alphanumeric Special, DX = Display Hexadecimal, N = Numeric, UN = Unpacked Numeric

### General Delivery Report Edit Criteria

|                                                                                            |                                                                                                                                                                                                          |
|--------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Transaction Code</b><br>Positions: 1-2<br>Length: 2<br>Format: unpacked numeric         | <b>Description:</b> This field will contain <b>45</b> .                                                                                                                                                  |
| <b>Transaction Code Qualifier</b><br>Positions: 3<br>Length: 1<br>Format: unpacked numeric | <b>Description:</b> This field will contain a <b>0</b> (zero).<br>This edit will continue to be performed by the Edit Package when the Bypass Business Edits option is used during an outgoing edit run. |

### General Delivery Report Edit Criteria

|                                                                                                       |                                                                                                                                                                                                                                                                                                |
|-------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Transaction Component Sequence Number</b><br>Positions: 4<br>Length: 1<br>Format: unpacked numeric | <b>Description:</b> This field will contain a <b>0</b> (zero).                                                                                                                                                                                                                                 |
| <b>Destination Identifier</b><br>Positions: 5-10<br>Length: 6<br>Format: unpacked numeric             | <b>Description:</b> The entity to which a BASE II transaction message is sent.<br>This field will contain a valid acquiring or issuing identifier.                                                                                                                                             |
| <b>Source Identifier</b><br>Positions: 11-16<br>Length: 6<br>Format: unpacked numeric                 | <b>Description:</b> The entity from which this BASE II transaction message was sent.                                                                                                                                                                                                           |
| <b>Report Text</b><br>Positions: 17-148<br>Length: 132<br>Format: alphanumeric                        | <b>Description:</b> This field contains the text for the report.<br>The first position of this field will contain a <b>space</b> , a <b>0</b> (zero), a <b>dash</b> (-), or <b>1</b> .<br>The first character of text in report-generation transactions is an ANSI carriage control character. |
| <b>Reserved</b><br>Positions: 149<br>Length: 1<br>Format: alphanumeric                                | <b>Description:</b> This field is reserved for future use. EP will always space-fill.                                                                                                                                                                                                          |
| <b>Report Identifier</b><br>Positions: 150-159<br>Length: 10<br>Format: alphanumeric                  | <b>Description:</b> The identifying number of the report transmitted in this transaction.<br>The Report number is left-justified and space-filled.                                                                                                                                             |
| <b>Report Day Sequence Number</b><br>Positions: 160<br>Length: 1<br>Format: unpacked numeric          | <b>Description:</b> This digit is the last digit of the Julian date on which the report was created.                                                                                                                                                                                           |

### General Delivery Report Edit Criteria

|                                                                                                   |                                                                                                                                |
|---------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------|
| <b>Report Line Sequence Number</b><br>Positions: 161-167<br>Length: 7<br>Format: unpacked numeric | <b>Description:</b> The report line number used to ensure that the report comes out in the sequence in which it was generated. |
| <b>Reimbursement Attribute</b><br>Positions: 168<br>Length: 1<br>Format: alphanumeric             | <b>Description:</b> Obsolete - must be zero-filled.                                                                            |

# Chapter 19

## TC 46 Member Settlement Data Transactions

---

### TC 46 - Member Settlement Data Transactions

The Member Settlement Data transaction (TC 46) is used to transmit machine-readable settlement data.

TCR 0

CTF - Incoming Interchange

**Note:** For TC 46 layouts, please see *VisaNet Settlement Service (VSS) User's Guide, Volume 2 Reports*.

# Chapter 20

## 47 Report Generation Record Transactions

---

### TC 47 - Report Generation Record Transactions

The Report Generation Records (TC 47) are used to transmit a report of authorization processing activity by a VIC to the acquirer center through the Interchange Transaction File. This is a 170-byte record.

TCR 0

ITF - Incoming Interchange

# TC 47 - TCR 0

These tables contain the Report Generation Record (TC 47) record layout and edit criteria for TCR 0.

## ITF - Incoming Interchange

### Report Generation Record Layout

| Position | Field Length | Format | Contents                              |
|----------|--------------|--------|---------------------------------------|
| 1-2      | 2            | UN     | Transaction Code                      |
| 3-4      | 2            | BINARY | Record Hash Total                     |
| 5        | 1            | UN     | Transaction Code Qualifier            |
| 6        | 1            | UN     | Transaction Component Sequence Number |
| 7-12     | 6            | UN     | Destination Identifier                |
| 13-18    | 6            | UN     | Source Identifier                     |
| 19-149   | 131          | UN     | Text                                  |
| 150-169  | 20           | AN     | Reserved                              |
| 170      | 1            | AN     | Reimbursement Attribute               |

Format: AN = Alphanumeric, ANS = Alphanumeric Special, DX = Display Hexadecimal, N = Numeric, UN = Unpacked Numeric

### Report Generation Record Edit Criteria

|                                                                                            |                                                                                                                                                                                                              |
|--------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Transaction Code</b><br>Positions: 1-2<br>Length: 2<br>Format: unpacked numeric         | <b>Description:</b> This field must contain <b>47</b> .                                                                                                                                                      |
| <b>Record Hash Total</b><br>Positions: 3-4<br>Length: 2<br>Format: Binary                  | <b>Description:</b> Used in BASE II to ensure that the collection and delivery file data have been correctly transmitted.<br><br>This field is space-filled for computers not generating hash totals.        |
| <b>Transaction Code Qualifier</b><br>Positions: 5<br>Length: 1<br>Format: unpacked numeric | <b>Description:</b> This field will contain a <b>0</b> (zero).<br><br>This edit will continue to be performed by the Edit Package when the Bypass Business Edits option is used during an outgoing edit run. |



## Report Generation Record Edit Criteria

|                                                                                                       |                                                                                                                                                                                                                                                                                                                                                                                                                                              |
|-------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Transaction Component Sequence Number</b><br>Positions: 6<br>Length: 1<br>Format: unpacked numeric | <b>Description:</b> This field will contain a <b>0</b> (zero).                                                                                                                                                                                                                                                                                                                                                                               |
| <b>Destination Identifier</b><br>Positions: 7-12<br>Length: 6<br>Format: unpacked numeric             | <b>Description:</b> This field will contain a valid acquiring or issuing identifier.                                                                                                                                                                                                                                                                                                                                                         |
| <b>Source Identifier</b><br>Positions: 13-18<br>Length: 6<br>Format: unpacked numeric                 | <b>Description:</b> This field will contain zeroes.                                                                                                                                                                                                                                                                                                                                                                                          |
| <b>Text</b><br>Positions: 19-149<br>Length: 131<br>Format: unpacked numeric                           | <b>Description:</b> The text in Report Generation Records (TC 47s) used to transmit a report of authorization processing activity by a VIC to the acquirer center through the Interchange transaction File.<br><br>The first position of this field must be a <b>space</b> , <b>0</b> (zero), <b>-</b> (dash), or <b>1</b> .<br><br>The first character of the text in report-generation transactions is an ANSI carriage control character. |
| <b>Reserved</b><br>Positions: 150-169<br>Length: 20<br>Format: alphanumeric                           | <b>Description:</b> This field is reserved for future use. EP will always space-fill.                                                                                                                                                                                                                                                                                                                                                        |
| <b>Reimbursement Attribute</b><br>Positions: 170<br>Length: Length: 1<br>Format: alphanumeric         | <b>Description:</b> Obsolete - must be zero-filled.                                                                                                                                                                                                                                                                                                                                                                                          |

# Chapter 21

## 48 BASE I Advice Record Transactions

---

### TC 48 - BASE I Advice Record Transactions

The BASE I Advice Records (TC 48) are used to transmit a report of authorization processing activity by a VIC to the issuer center through the Interchange Transaction File. There are two formats for TC 48 records. The format for a particular record is indicated by a 0 (Standard) or a 1 (ISO-Enriched) in the Format Code field.

TCR 0, 1, 2, 3, 6, 7

CTF - Incoming Interchange

# TC 48 - TCR 0 Format 0 (Standard)

These tables contain the BASE I Advice Record (TC 48) record layout and edit criteria for TCR 0 - FORMAT 0 (STANDARD).

## CTF - Incoming Interchange

### BASE I Advice-Format 0 (Standard) Record Layout

| Position | Field Length | Format | Contents                              |
|----------|--------------|--------|---------------------------------------|
| 1-2      | 2            | UN     | Transaction Code                      |
| 3        | 1            | UN     | Transaction Code Qualifier            |
| 4        | 1            | UN     | Transaction Component Sequence Number |
| 5-10     | 6            | AN     | Destination Identifier                |
| 11-16    | 6            | UN     | Source Identifier                     |
| 17       | 1            | UN     | Format Code                           |
| 18-25    | 8            | AN     | Constant Identifier                   |
| 26       | 1            | AN     | Reserved                              |
| 27-42    | 16           | UN     | Account Number                        |
| 43       | 1            | AN     | Persistent FX Eligible Indicator      |
| 44-48    | 5            | AN     | Rate Table ID                         |
| 49-50    | 2            | AN     | Reserved                              |
| 51-52    | 2            | AN     | Response Code                         |
| 53-54    | 2            | AN     | Reserved                              |
| 55-58    | 4            | UN     | Transaction Date (MMDD)               |
| 59-60    | 2            | AN     | Reserved                              |
| 61-64    | 4            | UN     | Transaction Time (HHMM)               |
| 65-66    | 2            | AN     | Reserved                              |
| 67-74    | 8            | AN     | Transaction Amount                    |
| 75-76    | 2            | AN     | Reserved                              |
| 77-80    | 4            | UN     | Inquiring Center                      |
| 81-82    | 2            | AN     | Reserved                              |
| 83-87    | 5            | AN     | Authorization Code                    |
| 88-89    | 2            | AN     | Reserved                              |

### BASE I Advice-Format 0 (Standard) Record Layout

| Position | Field Length | Format | Contents                                                |
|----------|--------------|--------|---------------------------------------------------------|
| 90-92    | 3            | AN     | BASE I Transaction Code and Merchant Terminal Indicator |
| 93-94    | 2            | AN     | Reserved                                                |
| 95       | 1            | AN     | Stand-In Reason Code                                    |
| 96-100   | 5            | AN     | Reserved                                                |
| 101      | 1            | AN     | CRIS Alert Type                                         |
| 102-106  | 5            | AN     | CRIS Account Score                                      |
| 107-110  | 4            | UN     | Network Identification Code                             |
| 111-167  | 57           | AN     | Reserved                                                |
| 168      | 1            | AN     | Reimbursement Attribute                                 |

Format: AN = Alphanumeric, ANS = Alphanumeric Special, DX = Display Hexadecimal, N = Numeric, UN = Unpacked Numeric

### BASE I Advice-Format 0 (Standard) Edit Criteria

|                                                                                                       |                                                                                                                                                                                                          |
|-------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Transaction Code</b><br>Positions: 1-2<br>Length: 2<br>Format: unpacked numeric                    | <b>Description:</b> This field will contain <b>48</b> .                                                                                                                                                  |
| <b>Transaction Code Qualifier</b><br>Positions: 3<br>Length: 1<br>Format: unpacked numeric            | <b>Description:</b> This field will contain a <b>0</b> (zero).<br>This edit will continue to be performed by the Edit Package when the Bypass Business Edits option is used during an outgoing edit run. |
| <b>Transaction Component Sequence Number</b><br>Positions: 4<br>Length: 1<br>Format: unpacked numeric | <b>Description:</b> This field will contain a <b>0</b> (zero).                                                                                                                                           |
| <b>Destination Identifier</b><br>Positions: 5-10<br>Length: 6<br>Format: alphanumeric                 | <b>Description:</b> The entity to which a BASE II transaction message is sent.<br>This field will contain a valid acquiring or issuing identifier.                                                       |

### BASE I Advice-Format 0 (Standard) Edit Criteria

|                                                                                               |                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
|-----------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Source Identifier</b><br>Positions: 11-16<br>Length: 6<br>Format: unpacked numeric         | <b>Description:</b> The entity from which this BASE II transaction message was sent.<br><br>This field will contain a valid acquiring or issuing identifier.                                                                                                                                                                                                                                                                                                             |
| <b>Format Code</b><br>Positions: 17<br>Length: 1<br>Format: unpacked numeric                  | <b>Description:</b> Indicates the format of this record.<br><br>The field will contain a <b>0</b> (zero), which represents Standard format.                                                                                                                                                                                                                                                                                                                              |
| <b>Constant Identifier</b><br>Positions: 18-25<br>Length: 8<br>Format: alphanumeric           | <b>Description:</b> A constant value identifying the type of advice. The Constant Identifier is <b>EV*****</b>                                                                                                                                                                                                                                                                                                                                                           |
| <b>Reserved</b><br>Positions: 26<br>Length: 1<br>Format: alphanumeric                         | <b>Description:</b> This field is reserved for future use. EP will always space-fill.                                                                                                                                                                                                                                                                                                                                                                                    |
| <b>Account Number</b><br>Positions: 27-42<br>Length: 16<br>Format: unpacked numeric           | <b>Description:</b> An account number is a primary cardholder account number that is either: <ul style="list-style-type: none"> <li>• Embossed and encoded on a Visa Card or</li> <li>• Encoded on an Electron Card, a Proprietary Card bearing the PLUS Symbol, or a card bearing the Visa Electron Symbol.</li> </ul> The field must be zero-filled to the right of an account number that is less than 16-digits in length. This field must have a valid check digit. |
| <b>Persistent FX Eligible Indicator</b><br>Positions: 43<br>Length: 1<br>Format: alphanumeric | <b>Description:</b> This field contains a code that identifies if the transaction is eligible for the Persistent FX service.<br><br>Valid values are: <ul style="list-style-type: none"> <li>• <b>Y</b> (Transaction eligible)</li> <li>• <b>N</b> (Transaction not eligible)</li> </ul>                                                                                                                                                                                 |
| <b>Rate Table ID</b><br>Positions: 44-48<br>Length: 5<br>Format: alphanumeric                 | <b>Description:</b> This field will contain the rate table ID of the foreign exchange rate table used for currency conversion. The rate table ID contains alpha and numeric values for a total of five characters.                                                                                                                                                                                                                                                       |
| <b>Reserved</b><br>Positions: 49-50<br>Length: 2<br>Format: alphanumeric                      | <b>Description:</b> This field is reserved for future use.                                                                                                                                                                                                                                                                                                                                                                                                               |

### BASE I Advice-Format 0 (Standard) Edit Criteria

|                                                                                      |                                                                                                                                                                                                                                                                                                                                                                              |
|--------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Response Code</b><br>Positions: 51-52<br>Length: 2<br>Format: alphanumeric        | <b>Description:</b> A two-digit field indicating the response to the Authorization Request. The values for the Response Code are: <ul style="list-style-type: none"><li>• <b>00</b> Approval</li><li>• <b>01</b> Referral; call Issuer for instructions</li></ul> An entry of <b>NS</b> indicates an error in the Enhanced Authorization Response (EAR) file update process. |
| <b>Reserved</b><br>Positions: 53-54<br>Length: 2<br>Format: alphanumeric             | <b>Description:</b> This field is reserved for future use. EP will always space-fill.                                                                                                                                                                                                                                                                                        |
| <b>Transaction Date</b><br>Positions: 55-58<br>Length: 4<br>Format: unpacked numeric | <b>Description:</b> The date on which a transaction between a cardholder and a merchant, an acquirer, or a carrier, occurs.<br><br>This field will contain the date in the <b>MMDD</b> (month and day) format.                                                                                                                                                               |
| <b>Reserved</b><br>Positions: 59-60<br>Length: 2<br>Format: alphanumeric             | <b>Description:</b> This field is reserved for future use. EP will always space-fill.                                                                                                                                                                                                                                                                                        |
| <b>Transaction Time</b><br>Positions: 61-64<br>Length: 4<br>Format: unpacked numeric | <b>Description:</b> The time at which a transaction between a cardholder and a merchant, an acquirer, or a carrier occurs.<br><br>The format for this field is <b>HHMM</b> (hour and minutes).                                                                                                                                                                               |
| <b>Reserved</b><br>Positions: 65-66<br>Length: 2<br>Format: alphanumeric             | <b>Description:</b> This field is reserved for future use. EP will always space-fill.                                                                                                                                                                                                                                                                                        |
| <b>Transaction Amount</b><br>Positions: 67-74<br>Length: 8<br>Format: alphanumeric   | <b>Description:</b> The total amount of the transaction between a cardholder and a merchant, or between a cardholder and a client.<br><br>The Transaction Amount is in whole U.S. dollars (no decimals) and is right-justified.                                                                                                                                              |
| <b>Reserved</b><br>Positions: 75-76<br>Length: 2<br>Format: alphanumeric             | <b>Description:</b> This field is reserved for future use. EP will always space-fill.                                                                                                                                                                                                                                                                                        |

### BASE I Advice-Format 0 (Standard) Edit Criteria

|                                                                                                                         |                                                                                                                                                                                                                                                 |
|-------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Inquiring Center</b><br>Positions: 77-80<br>Length: 4<br>Format: unpacked numeric                                    | <b>Description:</b> The center making the inquiry.                                                                                                                                                                                              |
| <b>Reserved</b><br>Positions: 81-82<br>Length: 2<br>Format: alphanumeric                                                | <b>Description:</b> This field is reserved for future use. EP will always space-fill.                                                                                                                                                           |
| <b>Authorization Code</b><br>Positions: 83-87<br>Length: 5<br>Format: alphanumeric                                      | <b>Description:</b> Code that an issuer, its authorizing processor, or stand-in processor provides to indicate approval of a transaction. Code is returned in the authorization response. The Authorization Code from TCR 0 of the transaction. |
| <b>Reserved</b><br>Positions: 88-89<br>Length: 2<br>Format: alphanumeric                                                | <b>Description:</b> This field is reserved for future use. EP will always space-fill.                                                                                                                                                           |
| <b>BASE I Transaction Code and Merchant Terminal Indicator</b><br>Positions: 90-92<br>Length: 3<br>Format: alphanumeric | <b>Description:</b> The transaction code originally used for the authorization and the merchant's terminal indicator.                                                                                                                           |
| <b>Reserved</b><br>Positions: 93-94<br>Length: 2<br>Format: alphanumeric                                                | <b>Description:</b> This field is reserved for future use. EP will always space-fill.                                                                                                                                                           |
| <b>Stand-In Reason Code</b><br>Positions: 95<br>Length: 1<br>Format: alphanumeric                                       | <b>Description:</b> Code indicating the Reason why Stand-In processing occurred. The valid values are <b>0</b> through <b>5</b> . (Please refer to the V.I.P. System Technical Reference manuals for a description of these STIP codes.)        |
| <b>Reserved</b><br>Positions: 96-100<br>Length: 5<br>Format: alphanumeric                                               | <b>Description:</b> This field is reserved for future use. EP will always space-fill.                                                                                                                                                           |

### BASE I Advice-Format 0 (Standard) Edit Criteria

|                                                                                                   |                                                                                                                                                                                                                            |
|---------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>CRIS Alert Type</b><br>Positions: 101<br>Length: 1<br>Format: alphanumeric                     | <b>Description:</b> This field is obsolete and must be spaces.                                                                                                                                                             |
| <b>CRIS Account Score</b><br>Positions: 102-106<br>Length: 5<br>Format: alphanumeric              | <b>Description:</b> This field is obsolete and must be spaces.                                                                                                                                                             |
| <b>Network Identification Code</b><br>Positions: 107-110<br>Length: 4<br>Format: unpacked numeric | <b>Description:</b> This field will include the network identification code.<br>Valid values are <b>0000-9999</b> . For transactions that do not contain network identification code, this field should contain all zeros. |
| <b>Reserved</b><br>Positions: 111-167<br>Length: 57<br>Format: alphanumeric                       | <b>Description:</b> This field will be space-filled by the Edit Package.                                                                                                                                                   |
| <b>Reimbursement Attribute</b><br>Positions: 168<br>Length: 1<br>Format: alphanumeric             | <b>Description:</b> Obsolete - must be zero-filled.                                                                                                                                                                        |

## TC 48 - TCR 0 Format 1 (ISO-Enriched)

These tables contain the BASE I Advice Record (TC 48) record layout and edit criteria for TCR 0 - FORMAT 1 (ISO-ENRICHED).

### CTF - Incoming Interchange

#### BASE I Advice-Format 1 (ISO-Enriched) Record Layout

| Position | Field Length | Format | Contents                   |
|----------|--------------|--------|----------------------------|
| 1-2      | 2            | UN     | Transaction Code           |
| 3        | 1            | UN     | Transaction Code Qualifier |



**BASE I Advice-Format 1 (ISO-Enriched) Record Layout**

| Position | Field Length | Format | Contents                                 |
|----------|--------------|--------|------------------------------------------|
| 4        | 1            | UN     | Transaction Component Sequence Number    |
| 5-10     | 6            | UN     | Destination Identifier                   |
| 11-16    | 6            | UN     | Source Identifier                        |
| 17       | 1            | UN     | Format Code                              |
| 18-45    | 28           | AN     | Account Number                           |
| 46-47    | 2            | AN     | Response Code                            |
| 48-53    | 6            | AN     | Authorization Code                       |
| 54       | 1            | AN     | Stand-In Response Code                   |
| 55       | 1            | AN     | Address Verification Service Reason Code |
| 56-65    | 10           | UN     | Transmission Date and Time (MMDDHHMMSS)  |
| 66-77    | 12           | UN     | Transaction Amount                       |
| 78-80    | 3            | UN     | Cardholder Billing Currency Code         |
| 81-83    | 3            | UN     | Transaction Currency Code                |
| 84-91    | 8            | AN     | Cardholder Billing Conversion Rate       |
| 92-95    | 4            | UN     | Expiration Date (YYMM)                   |
| 96-106   | 11           | UN     | Acquiring Institution ID                 |
| 107-109  | 3            | UN     | Acquiring Institution Country Code       |
| 110-113  | 4            | AN     | Message Type                             |
| 114-117  | 4            | UN     | Processing Code                          |
| 118-119  | 2            | UN     | POS Condition Code                       |
| 120-123  | 4            | UN     | Merchant Type                            |
| 124-125  | 2            | UN     | POS Entry Mode                           |
| 126-129  | 4            | AN     | POS Entry Capability                     |
| 130-137  | 8            | AN     | Card Acceptor Terminal ID                |
| 138-152  | 15           | AN     | Card Acceptor ID                         |
| 153-164  | 12           | UN     | Retrieval Reference Number               |
| 165-166  | 2            | AN     | Payment Indicator                        |
| 167      | 1            | AN     | Reserved                                 |

### BASE I Advice-Format 1 (ISO-Enriched) Record Layout

| Position | Field Length | Format | Contents                |
|----------|--------------|--------|-------------------------|
| 168      | 1            | AN     | Reimbursement Attribute |

Format: AN = Alphanumeric, ANS = Alphanumeric Special, DX = Display Hexadecimal, N = Numeric, UN = Unpacked Numeric

### BASE I Advice-Format 1 (ISO-Enriched) Edit Criteria

|                                                                                                       |                                                                                                                                                          |
|-------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Transaction Code</b><br>Positions: 1-2<br>Length: 2<br>Format: unpacked numeric                    | <b>Description:</b> This field will contain <b>48</b> .                                                                                                  |
| <b>Transaction Code Qualifier</b><br>Positions: 3<br>Length: 1<br>Format: unpacked numeric            | <b>Description:</b> This field will contain a <b>0</b> (zero).                                                                                           |
| <b>Transaction Component Sequence Number</b><br>Positions: 4<br>Length: 1<br>Format: unpacked numeric | <b>Description:</b> This field will contain a <b>0</b> (zero).                                                                                           |
| <b>Destination Identifier</b><br>Positions: 5-10<br>Length: 6<br>Format: unpacked numeric             | <b>Description:</b> The entity to which a BASE II transaction message is sent.<br>This field will contain a valid acquiring or issuing identifier.       |
| <b>Source Identifier</b><br>Positions: 11-16<br>Length: 6<br>Format: unpacked numeric                 | <b>Description:</b> The entity from which this BASE II transaction message was sent.<br>This field will contain a valid acquiring or issuing identifier. |
| <b>Format Code</b><br>Positions: 17<br>Length: 1<br>Format: unpacked numeric                          | <b>Description:</b> Indicates the format of this record.<br>The entry will contain a <b>1</b> , which represents the enriched (ISO) format.              |

## BASE I Advice-Format 1 (ISO-Enriched) Edit Criteria

|                                                                                                       |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
|-------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Account Number</b><br>Positions: 18-45<br>Length: 28<br>Format: alphanumeric                       | <b>Description:</b> An account number is a primary cardholder account number that is either: <ul style="list-style-type: none"> <li>• Embossed and encoded on a Visa Card or</li> <li>• Encoded on an Electron Card, a Proprietary Card bearing the PLUS Symbol, or a card bearing the Visa Electron Symbol.</li> </ul> It must be a 16-digit number and must contain a valid number from the BASE II ARDEF. The field must be zero-filled to the right of an account number that is less than 16-digits in length. This field must have a valid check digit.<br>The ISO fields are 2, 34, 102, and 103. |
| <b>Response Code</b><br>Positions: 46-47<br>Length: 2<br>Format: alphanumeric                         | <b>Description:</b> Code that an issuer, its authorizing processor, or stand-in processor provides to indicate approval of a transaction.<br>A two-digit field indicating the response to the Authorization Request. The values for the Response Code are: <ul style="list-style-type: none"> <li>• <b>00</b> Approval</li> <li>• <b>01</b> Referral; call Issuer for instructions</li> </ul> The ISO field is 39.                                                                                                                                                                                       |
| <b>Authorization Code</b><br>Positions: 48-53<br>Length: 6<br>Format: alphanumeric                    | <b>Description:</b> Code provided by the issuer when a transaction is approved or a "no reason to decline" code provided for successful verifications.<br><br><b>Note:</b> A STIP authorization code is derived from the retrieval reference number, account number, date, and time, and the algorithm can generate 99,999 unique combinations. It is therefore possible to receive identical authorization numbers for different transactions.<br>The ISO field is 38.                                                                                                                                  |
| <b>Stand-In Response Code</b><br>Positions: 54<br>Length: 1<br>Format: alphanumeric                   | <b>Description:</b> Code indicating the reason why stand-In processing (STIP) occurred. The valid values are <b>0</b> through <b>5</b> . (Refer to the V.I.P. Systems Technical Reference Manuals for a description of the STIP codes.)<br>The ISO field is 44, byte 1.                                                                                                                                                                                                                                                                                                                                  |
| <b>Address Verification Service Reason Code</b><br>Positions: 55<br>Length: 1<br>Format: alphanumeric | <b>Description:</b> Code indicating the Reason for the AVS Request.<br>The ISO field is 44, byte 2.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |

## BASE I Advice-Format 1 (ISO-Enriched) Edit Criteria

|                                                                                                      |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
|------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Transmission Date and Time</b><br>Positions: 56-65<br>Length: 10<br>Format: unpacked numeric      | <b>Description:</b> Contains the date and time the request or advice was submitted to VisaNet. The date and time must be in mmdd format. GMT (Greenwich mean time) can be used.<br><br>Transmission date and time is a key data element used to match a response to its request or advice. This field indicates when a transaction entered the network. The sender of a transaction enters a new date and time with each request. The receiving client saves the field and returns it in the response message.<br><br>This field is used in every message generated by acquirers and issuers and is present in every message generated by VisaNet.<br><br>The format will be <b>MMDDHHMMSS</b> (month, day, hour, minute, second).<br>The ISO field is 7. |
| <b>Transaction Amount</b><br>Positions: 66-77<br>Length: 12<br>Format: unpacked numeric              | <b>Description:</b> The total transaction amount between a cardholder and a merchant, or between a cardholder and a client. The transaction amount includes the actual amount of the purchase plus state (or other) taxes.<br><br>The ISO field is 6 or 4, depending on the Issuer's V.I.P. multicurrency participation option.                                                                                                                                                                                                                                                                                                                                                                                                                           |
| <b>Cardholder Billing Currency Code</b><br>Positions: 78-80<br>Length: 3<br>Format: unpacked numeric | <b>Description:</b> Numeric code that identifies the currency used by the issuer to bill the cardholder's account.<br><br>The ISO field is 51.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
| <b>Transaction Currency Code</b><br>Positions: 81-83<br>Length: 3<br>Format: unpacked numeric        | <b>Description:</b> Code that identifies the currency of the amount field(s).<br><br>When the "Cardholder Billing Currency Code" field is not present, this field contains the currency of the amount specified in the "Transaction Amount" field.<br><br>The ISO field is 49.                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
| <b>Cardholder Billing Conversion Rate</b><br>Positions: 84-91<br>Length: 8<br>Format: alphanumeric   | <b>Description:</b> Contains the rate used by VisaNet to convert the transaction amount (field 4) to the cardholder billing amount (field 6), including the Visa Issuer FX Calculator. The transaction amount (field 4) multiplied by this rate equals the cardholder billing amount (field 6).<br><br><b>Note:</b> Visa uses either a buy rate or a sell rate for currency conversion, depending on the message type and the exchange direction. Visa uses both U.S. dollar-based buy/sell rate pairs and buy/sell cross-rate pairs of currencies other than the U.S. dollar. For more information, refer to the Multicurrency Service description in the V.I.P. System Overview and Services manual.<br><br>The ISO field is 10.                        |
| <b>Expiration Date</b><br>Positions: 92-95<br>Length: 4<br>Format: unpacked numeric                  | <b>Description:</b> The expiration date of this record in Julian format (YYYYDDD). This field will contain <b>9999365</b> if the record does not expire.<br><br>The format of this field will be <b>YYMM</b> (year, month).<br><br>The ISO field is 14.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |

### BASE I Advice-Format 1 (ISO-Enriched) Edit Criteria

|                                                                                                          |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
|----------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Acquiring Institution ID</b><br>Positions: 96-106<br>Length: 11<br>Format: alphanumeric               | <b>Description:</b> This code identifies the financial institution acting as the acquirer of a customer transaction. The acquirer is the client or system user that signed the merchant or ADM or dispensed cash. This number is usually a Visa-assigned identifier.<br><br>When a processing center operates for multiple acquirers, this code is for the individual client or system user, not a code for the center.<br><br>Codes other than Visa identifiers can be supported; for example, this ID may be a routing and transit number that complies with the ISO 7812 standard.<br><br>The ISO field is 32. |
| <b>Acquiring Institution Country Code</b><br>Positions: 107-109<br>Length: 3<br>Format: unpacked numeric | <b>Description:</b> Code identifying the country where the acquirer is located.<br><br>The ISO field is 19.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
| <b>Message Type</b><br>Positions: 110-113<br>Length: 4<br>Format: alphanumeric                           | <b>Description:</b> Number that identifies the type of V.I.P. message.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
| <b>Processing Code</b><br>Positions: 114-117<br>Length: 4<br>Format: unpacked numeric                    | <b>Description:</b> Code used to identify the type of transaction (positions 1 and 2) and, if applicable, the type of account affected (positions 3 and 4).<br><br>The ISO field is 3 (positions 1-4).                                                                                                                                                                                                                                                                                                                                                                                                            |
| <b>POS Condition Code</b><br>Positions: 118-119<br>Length: 2<br>Format: unpacked numeric                 | <b>Description:</b> Code identifying transaction conditions at the point of sale or point of service, thus, in many cases, identify a type of original or subsequent transactions.<br><br>This field is used in all customer transaction-related messages. In several message types that may follow an original transaction (including CRS), this field contains the code that identifies the type of processing being done.<br><br>The ISO field is 25.                                                                                                                                                          |
| <b>Merchant Type</b><br>Positions: 120-123<br>Length: 4<br>Format: unpacked numeric                      | <b>Description:</b> Code describing the merchant's type of business product or service, also known as the merchant category code (MCC).<br><br>These codes are based on the <i>Merchant Classification Code Guideline</i> available from the Bank Card Division of the ABA. Valid codes are listed in the <i>Visa Core Rules and Visa Product and Service Rules</i> , as amended by additions and changes published in <i>VisaNet Business Enhancements</i> and in <i>Technical Letters</i> for clients.<br><br>This field must be numeric.<br><br>The ISO field is 18.                                           |

### BASE I Advice-Format 1 (ISO-Enriched) Edit Criteria

|                                                                                                   |                                                                                                                                                                                                                                                                                                                                                                                                        |
|---------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>POS Entry Mode</b><br>Positions: 124-125<br>Length: 2<br>Format: unpacked numeric              | <b>Description:</b> A V.I.P. System field indicating the method by which a point-of-transaction terminal obtains and transmits the cardholder information necessary to complete a transaction.<br><br>When the POS Entry Mode is 90, this field contains positions 1 and 3 of ISO field 22. In all other cases, this field contains positions 2 and 3 of ISO field 22.                                 |
| <b>POS Entry Capability</b><br>Positions: 126-129<br>Length: 4<br>Format: alphanumeric            | <b>Description:</b> Point-of-sale entry capability.<br><br>The ISO field is 60 (positions 1, 2, 5, and 6).                                                                                                                                                                                                                                                                                             |
| <b>Card Acceptor Terminal ID</b><br>Positions: 130-137<br>Length: 8<br>Format: alphanumeric       | <b>Description:</b> Contains a code that identifies a terminal at the card acceptor location, by itself or in conjunction with the Card Acceptor Identification Code.<br><br>This field is used in all messages related to a customer transaction. If this field is present in a request, it must be preserved and returned in the response.<br><br>The ISO field is 41.                               |
| <b>Card Acceptor ID</b><br>Positions: 138-152<br>Length: 15<br>Format: alphanumeric               | <b>Description:</b> Code that identifies the card acceptor.<br><br>The ISO field is 42.                                                                                                                                                                                                                                                                                                                |
| <b>Retrieval Reference Number</b><br>Positions: 153-164<br>Length: 12<br>Format: unpacked numeric | <b>Description:</b> Contains a number that is used with other data elements as a key to identify and track all messages related to a given cardholder transaction, that is, to a given transaction set. These sets are: <ul style="list-style-type: none"><li>• Authorization</li><li>• Purchase</li><li>• Merchandise return</li><li>• Cash disbursement (manual cash)</li></ul> The ISO field is 37. |
| <b>Payment Indicator</b><br>Positions: 165-166<br>Length: 2<br>Format: alphanumeric               | <b>Description:</b> This U.S.-only field contains a code indicating the type of goods purchased over the Internet.<br><br>The ISO field is 60 (positions 9 and 10).                                                                                                                                                                                                                                    |

### BASE I Advice-Format 1 (ISO-Enriched) Edit Criteria

|                                                                                       |                                                                                       |
|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
| <b>Reserved</b><br>Positions: 167<br>Length: 1<br>Format: alphanumeric                | <b>Description:</b> This field is reserved for future use. EP will always space-fill. |
| <b>Reimbursement Attribute</b><br>Positions: 168<br>Length: 1<br>Format: alphanumeric | <b>Description:</b> Obsolete - must be zero-filled.                                   |

## TC 48 - TCR 0 Format 2 (Chip Card Informational Advice)

These tables contain the BASE I Advice Record (TC 48) record layout and edit criteria for TCR 0 - FORMAT 2 (CHIP CARD INFORMATIONAL ADVICE).

### CTF - Outgoing and Incoming Interchange

#### Chip Card Informational Advice Record Layout

| Position | Field Length | Format | Contents                              |
|----------|--------------|--------|---------------------------------------|
| 1-2      | 2            | UN     | Transaction Code                      |
| 3        | 1            | UN     | Transaction Code Qualifier            |
| 4        | 1            | UN     | Transaction Component Sequence Number |
| 5-10     | 6            | AN     | Destination Identifier                |
| 11-16    | 6            | UN     | Source Identifier                     |
| 17       | 1            | UN     | Format Code                           |
| 18-45    | 28           | AN     | Account Number                        |
| 46-47    | 2            | AN     | Authorization Response Code           |
| 48-59    | 12           | UN     | Destination Amount                    |
| 60-62    | 3            | UN     | Destination Currency Code             |
| 63-74    | 12           | UN     | Source Amount                         |
| 75-77    | 3            | UN     | Source Currency Code                  |
| 78-79    | 2            | UN     | POS Entry Mode                        |

### Chip Card Informational Advice Record Layout

| Position | Field Length | Format | Contents                         |
|----------|--------------|--------|----------------------------------|
| 80       | 1            | AN     | POS Terminal Capability          |
| 81-105   | 25           | AN     | Merchant Name                    |
| 106-118  | 13           | AN     | Merchant City                    |
| 119-121  | 3            | AN     | Merchant Country Code            |
| 122-126  | 5            | UN     | Merchant ZIP Code                |
| 127-130  | 4            | UN     | Network Identification Code      |
| 131-133  | 3            | AN     | Merchant State/Province Code     |
| 134-148  | 15           | AN     | Card Acceptor ID                 |
| 149-156  | 8            | AN     | Terminal ID                      |
| 157-160  | 4            | UN     | Merchant Category Code           |
| 161      | 1            | AN     | Persistent FX Eligible Indicator |
| 162-166  | 5            | AN     | Rate Table ID                    |
| 167      | 1            | AN     | Reserved                         |
| 168      | 1            | AN     | Reimbursement Attribute          |

Format: AN = Alphanumeric, ANS = Alphanumeric Special, DX = Display Hexadecimal, N = Numeric, UN = Unpacked Numeric

### Chip Card Informational Advice Edit Criteria

|                                                                                                       |                                                                                                                                                                                                         |
|-------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Transaction Code</b><br>Positions: 1-2<br>Length: 2<br>Format: unpacked numeric                    | <b>Description:</b> The field must contain <b>48</b> .                                                                                                                                                  |
| <b>Transaction Code Qualifier</b><br>Positions: 3<br>Length: 1<br>Format: unpacked numeric            | <b>Description:</b> The field must contain a <b>0</b> (zero).<br>This edit will continue to be performed by the Edit Package when the Bypass Business Edits option is used during an outgoing edit run. |
| <b>Transaction Component Sequence Number</b><br>Positions: 4<br>Length: 1<br>Format: unpacked numeric | <b>Description:</b> The field must contain a <b>0</b> (zero).                                                                                                                                           |



## Chip Card Informational Advice Edit Criteria

|                                                                                             |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
|---------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Destination Identifier</b><br>Positions: 5-10<br>Length: 6<br>Format: alphanumeric       | <b>Description:</b> The entity to which a BASE II transaction message is sent.<br><b>Outgoing:</b> This field should contain spaces.<br><b>Incoming:</b> This field will contain a valid issuing identifier.<br>If spaces are entered, the VIC inserts the destination identifier based on the account number.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
| <b>Source Identifier</b><br>Positions: 11-16<br>Length: 6<br>Format: unpacked numeric       | <b>Description:</b> The entity from which this BASE II transaction message was sent.<br><b>Outgoing:</b> This field must contain a valid acquiring identifier for sending transactions.<br><b>Incoming:</b> This field must contain <b>400050</b> .                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
| <b>Format Code</b><br>Positions: 17<br>Length: 1<br>Format: unpacked numeric                | <b>Description:</b> The entry must be either a <b>2</b> (chip card informational advice) or a <b>7</b> .                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
| <b>Account Number</b><br>Positions: 18-45<br>Length: 28<br>Format: alphanumeric             | <b>Description:</b> An account number is a primary cardholder account number that is either: <ul style="list-style-type: none"> <li>• Embossed and encoded on a Visa Card or</li> <li>• Encoded on an Electron Card, a Proprietary Card bearing the PLUS Symbol, or a card bearing the Visa Electron Symbol.</li> </ul> This field must contain a valid account number (13-digit or 16-digit), left-justified and right-zero-filled.                                                                                                                                                                                                                                                                                                                                                            |
| <b>Authorization Response Code</b><br>Positions: 46-47<br>Length: 2<br>Format: alphanumeric | <b>Description:</b> Code indicating issuer's reply to an Authorization Request. Authorization Responses include: <ul style="list-style-type: none"> <li>• Approval Response</li> <li>• Decline Response</li> <li>• Pickup Response</li> <li>• Referral Response</li> </ul> For custom payment service credit vouchers and their reversals, this field must contain spaces.<br>The field contains the authorization code provided by the issuer when a transaction is approved or a "no reason to decline" code provided for successful verifications.<br>The entry must be two alphanumeric characters; <b>spaces</b> , <b>A</b> through <b>Z</b> , or <b>0</b> through <b>9</b> .<br>For chip transactions that are processed offline, this field must contain the offline authorization code. |

## Chip Card Informational Advice Edit Criteria

|                                                                                               |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
|-----------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Destination Amount</b><br>Positions: 48-59<br>Length: 12<br>Format: unpacked numeric       | <b>Description:</b> Identifies the submitted transaction amount in the currency that is appropriate to the destination endpoint.<br><b>Outgoing:</b> The field must contain zeros. The VIC converts the Source Amount to the Destination Amount. Two decimals are implied.<br><b>Incoming:</b> The field will contain a numeric value.                                                                                                                                                                                           |
| <b>Destination Currency Code</b><br>Positions: 60-62<br>Length: 3<br>Format: unpacked numeric | <b>Description:</b> The currency type presented to the client on incoming transactions. For most transactions (that is, drafts), it is the billing currency. For other transactions (for example, fee collection, dispute financial), it is the settlement currency of the destination.<br><b>Outgoing:</b> The VIC inserts the Issuer Currency Code. The field must contain zeros.<br><b>Incoming:</b> The field will contain the ISO numeric code for the Issuer's billing currency.                                           |
| <b>Source Amount</b><br>Positions: 63-74<br>Length: 12<br>Format: unpacked numeric            | <b>Description:</b> Identifies the submitted transaction amount in the currency that is appropriate to the source endpoint.<br>The entry must be numeric. Two decimal places are implied.                                                                                                                                                                                                                                                                                                                                        |
| <b>Source Currency Code</b><br>Positions: 75-77<br>Length: 3<br>Format: unpacked numeric      | <b>Description:</b> The currency type associated with the source amount of the transaction.<br>The field must contain a valid ISO numeric currency code.                                                                                                                                                                                                                                                                                                                                                                         |
| <b>POS Entry Mode</b><br>Positions: 78-79<br>Length: 2<br>Format: unpacked numeric            | <b>Description:</b> A V.I.P. system field indicating the method by which a point-of-transaction terminal obtains and transmits the cardholder information necessary to complete a transaction.<br>When the POS Entry Mode is 90, this field contains positions 1 and 3 of ISO field 22. In all other cases, this field contains positions 2 and 3 of ISO field 22.<br>This field must be <b>spaces, 00</b> through <b>06, 10, 90, or 95</b> .<br>Please see <i>BASE II Clearing Data Codes manual</i> for a list of valid codes. |
| <b>POS Terminal Capability</b><br>Positions: 80<br>Length: 1<br>Format: alphanumeric          | <b>Description:</b> Indicates the capability of the point-of-sale terminal to obtain an authorization and process transaction data.<br>The field must contain a <b>space, 0</b> through <b>5, or 9</b> . See <i>BASE II Clearing Data Codes manual</i> for a list of valid codes.                                                                                                                                                                                                                                                |

## Chip Card Informational Advice Edit Criteria

|                                                                                                |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
|------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Merchant Name</b><br>Positions: 81-105<br>Length: 25<br>Format: alphanumeric                | <b>Description:</b> The merchant or client name (for cash disbursements) imprinted on the transaction receipt by the merchant's or client's imprinter plate. It should be the "doing business as" (DBA) name of the merchant or client and the one most recognizable to cardholders. The merchant name as shown in the original presentment must be included in all dispute financials, retrieval requests, and dispute response financials.<br><br>The first position of this field cannot be a space. The field must be space-filled to the right. |
| <b>Merchant City</b><br>Positions: 106-118<br>Length: 13<br>Format: alphanumeric               | <b>Description:</b> The name of the city where the transaction took place.<br><br>The first position of this field cannot be a space.<br><br>The field must be space-filled to the right.                                                                                                                                                                                                                                                                                                                                                            |
| <b>Merchant Country Code</b><br>Positions: 119-121<br>Length: 3<br>Format: alphanumeric        | <b>Description:</b> Identifies the country code of the merchant location where the transaction took place.<br><br>The entry must be a valid BASE II code. The first two characters must be the alpha country code. The third character must be a space.                                                                                                                                                                                                                                                                                              |
| <b>Merchant ZIP Code</b><br>Positions: 122-126<br>Length: 5<br>Format: alphanumeric            | <b>Description:</b> Identifies the ZIP code of the merchant location where the transaction took place.<br><br>This field must be numeric. It may be zeros.                                                                                                                                                                                                                                                                                                                                                                                           |
| <b>Network Identification Code</b><br>Positions: 127-130<br>Length: 4<br>Format: alphanumeric  | This field will include the network identification code.<br><br>Valid values are <b>0000-9999</b> . For transactions that do not contain network identification code, this field should contain all zeros.                                                                                                                                                                                                                                                                                                                                           |
| <b>Merchant State/Province Code</b><br>Positions: 131-133<br>Length: 3<br>Format: alphanumeric | <b>Description:</b> Code designating merchant's state or province code.<br><br>If the Merchant Country Code is <b>US</b> or <b>CA</b> , this field must contain a valid U.S. State Code or Canadian Province Code, respectively. Otherwise it must contain spaces.                                                                                                                                                                                                                                                                                   |
| <b>Card Acceptor ID</b><br>Positions: 134-148<br>Length: 15<br>Format: alphanumeric            | <b>Description:</b> The identifier of the card acceptor operating the point-of-sale or point-of-service terminal or at the ATM in local and in interchange environments. Depending on the acquirer or merchant billing and reporting requirements, the acquirer-assigned code can represent a merchant, a specific merchant location, or a specific merchant location terminal.<br><br>This field must contain alphanumeric values.                                                                                                                  |

## Chip Card Informational Advice Edit Criteria

|                                                                                                |                                                                                                                                                                                                                                                                                                                      |
|------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Terminal ID</b><br>Positions: 149-156<br>Length: 8<br>Format: alphanumeric                  | <b>Description:</b> Code identifying the card acceptor terminal or ATM. For electronic point-of-sale or point-of-service (POS) terminals, when the ID is not unique to a specific terminal, Card Acceptor Identification Code can be used along with this field.<br><br>This field must contain alphanumeric values. |
| <b>Merchant Category Code</b><br>Positions: 157-160<br>Length: 4<br>Format: unpacked numeric   | <b>Description:</b> A code designating the principal trade, profession, or line of business in which a merchant is engaged.<br><br>This field must contain a valid Merchant Category Code (MCC).<br><br>Please see <i>Visa Core Rules and Visa Product and Service Rules</i> for valid codes.                        |
| <b>Persistent FX Eligible Indicator</b><br>Positions: 161<br>Length: 1<br>Format: alphanumeric | <b>Description:</b> This field contains a code that identifies if the transaction is eligible for the Persistent FX service.<br><br>Valid values are: <ul style="list-style-type: none"><li>• <b>Y</b> (Transaction eligible)</li><li>• <b>N</b> (Transaction not eligible)</li></ul>                                |
| <b>Rate Table ID</b><br>Positions: 162-166<br>Length: 5<br>Format: alphanumeric                | <b>Description:</b> This field will contain the rate table ID of the foreign exchange rate table used for currency conversion. The rate table ID contains alpha and numeric values for a total of five characters.                                                                                                   |
| <b>Reserved</b><br>Positions: 167<br>Length: 1<br>Format: alphanumeric                         | <b>Description:</b> This field is reserved for future use.                                                                                                                                                                                                                                                           |
| <b>Reimbursement Attribute</b><br>Positions: 168<br>Length: 1<br>Format: alphanumeric          | <b>Description:</b> Obsolete - must be zero-filled.                                                                                                                                                                                                                                                                  |

## TC 48 - TCR 1 ISO-Enriched

These tables contain the BASE I Advice Record (TC 48) record layout and edit criteria for TCR 1 - ISO-ENRICHED.

### CTF - Incoming Interchange

### BASE I Advice-ISO-Enriched Record Layout

| Position | Field Length | Format | Contents                              |
|----------|--------------|--------|---------------------------------------|
| 1-2      | 2            | UN     | Transaction Code                      |
| 3        | 1            | UN     | Transaction Code Qualifier            |
| 4        | 1            | UN     | Transaction Component Sequence Number |
| 5-10     | 6            | AN     | CVV2 Authorization Request Data       |
| 11       | 1            | AN     | CVV2 Result Code                      |
| 12-15    | 4            | UN     | Network Identification Code           |
| 16       | 1            | AN     | Reserved                              |
| 17-20    | 4            | UN     | Original Message Type                 |
| 21       | 1            | AN     | Persistent FX Eligible Indicator      |
| 22-26    | 5            | AN     | Rate Table ID                         |
| 27       | 1            | AN     | Reserved                              |
| 28-33    | 6            | UN     | Trace Audit Number                    |
| 34-73    | 40           | AN     | Card Acceptor Name/Location           |
| 74-87    | 14           | AN     | National POS Geographic Data          |
| 88-99    | 12           | UN     | Amount, Issuer                        |
| 100-112  | 13           | AN     | Reserved                              |
| 113-141  | 29           | AN     | Address Verification Data             |
| 142-152  | 11           | UN     | Forwarding Institution ID             |
| 153-155  | 3            | UN     | Forwarding Institution Country Code   |
| 156-159  | 4            | AN     | File Update Error Code                |
| 160-161  | 2            | AN     | PACM Diversion Level                  |
| 162      | 1            | AN     | PACM Diversion Reason                 |
| 163      | 1            | AN     | Chip Condition Code                   |
| 164      | 1            | AN     | CVV Results Code                      |
| 165-168  | 4            | AN     | Reserved                              |

Format: AN = Alphanumeric, ANS = Alphanumeric Special, DX = Display Hexadecimal, N = Numeric, UN = Unpacked Numeric

## BASE I Advice-ISO-Enriched Edit Criteria

|                                                                                                       |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
|-------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Transaction Code</b><br>Positions: 1-2<br>Length: 2<br>Format: unpacked numeric                    | <b>Description:</b> This field will contain <b>48</b> .                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
| <b>Transaction Code Qualifier</b><br>Positions: 3<br>Length: 1<br>Format: unpacked numeric            | <b>Description:</b> The field contains the Transaction Code qualifier of the item being returned.<br><br>This field will contain a <b>0</b> (zero).<br><br>This edit will continue to be performed by the Edit Package when the Bypass Business Edits option is used during an outgoing edit run.                                                                                                                                                                                                                                                 |
| <b>Transaction Component Sequence Number</b><br>Positions: 4<br>Length: 1<br>Format: unpacked numeric | <b>Description:</b> This field contains the Transaction Component Sequence Number of the item being returned.<br><br>This field will contain a <b>1</b> .                                                                                                                                                                                                                                                                                                                                                                                         |
| <b>CVV2 Authorization Request Data</b><br>Positions: 5-10<br>Length: 6<br>Format: alphanumeric        | <b>Description:</b> Contains CVV2 data for the card-not-present CVV2 service. The Card Verification Value 2 (CVV2) Service is a card verification tool designed to reduce fraud losses on card-not-present and card-present transactions including manual key-entered transactions.<br><br>Issuers must imprint a 3-digit security number (the CVV2) on the back of all new or reissued Visa cards. Clients can use the CVV2 number to verify that a genuine Visa card is present during a transaction.<br><br>The field will contain <b>48</b> . |
| <b>CVV2 Result Code</b><br>Positions: 11<br>Length: 1<br>Format: alphanumeric                         | <b>Description:</b> Contains a Card Verification Value 2 (CVV2) verification result for card-not-present transactions and also for card-present CVV2 verification-only requests.<br><br>Values:<br><b>M</b> = CVV2 match<br><b>N</b> = CVV2 does not match<br><b>P</b> = Not processed<br><b>S</b> = CVV2 should be on the card, but the merchant has indicated CVV2 is not present<br><b>U</b> = Issuer not participating (not certified)<br><br>The ISO field is 44.10.                                                                         |
| <b>Network Identification Code</b><br>Positions: 12-15<br>Length: 4<br>Format: unpacked numeric       | <b>Description:</b> This field will include the network identification code.<br><br>Valid values are <b>0000-9999</b> . For transactions that do not contain network identification code, this field should contain all zeros.                                                                                                                                                                                                                                                                                                                    |

## BASE I Advice-ISO-Enriched Edit Criteria

|                                                                                               |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
|-----------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Reserved</b><br>Positions: 16<br>Length: 1<br>Format: alphanumeric                         | <b>Description:</b> This field will be space-filled by the Edit Package.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
| <b>Original Message Type</b><br>Positions: 17-20<br>Length: 4<br>Format: unpacked numeric     | <b>Description:</b> The ISO field is 90. This field will be zero-filled except when the TC 48 transaction is for a reversal advice.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
| <b>Persistent FX Eligible Indicator</b><br>Positions: 21<br>Length: 1<br>Format: alphanumeric | <b>Description:</b> This field contains a code that identifies if the transaction is eligible for the Persistent FX service.<br>Valid values are: <ul style="list-style-type: none"> <li>• <b>Y</b> (Transaction eligible)</li> <li>• <b>N</b> (Transaction not eligible)</li> </ul>                                                                                                                                                                                                                                                                                                                                                                                                          |
| <b>Rate Table ID</b><br>Positions: 22-26<br>Length: 5<br>Format: alphanumeric                 | <b>Description:</b> This field will contain the rate table ID of the foreign exchange rate table used for currency conversion. The rate table ID contains alpha and numeric values for a total of five characters.                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
| <b>Reserved</b><br>Positions: 27<br>Length: 1<br>Format: alphanumeric                         | <b>Description:</b> This field is reserved for future use.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
| <b>Trace Audit Number</b><br>Positions: 28-33<br>Length: 6<br>Format: unpacked numeric        | <b>Description:</b> A number assigned by the message initiator that uniquely identifies a cardholder transaction and all the message types (also known as system transactions) that it comprises, according to individual program rules. The trace number remains unchanged for all messages throughout the life of the transaction. For example, the same trace number is used in an authorization request and response, and in a subsequent reversal request and response, and in any advices of authorization or reversal.<br><br>The trace number can be used to match a response to its request or to match a message to a given cardholder transaction set.<br><br>The ISO field is 11. |

### BASE I Advice-ISO-Enriched Edit Criteria

|                                                                                                  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
|--------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Card Acceptor Name/Location</b><br>Positions: 34-73<br>Length: 40<br>Format: alphanumeric     | <b>Description:</b> Identifies the name and location of the merchant: <ul style="list-style-type: none"> <li>• Positions 1-25 contain the name of the merchant</li> <li>• Positions 26-38 contain the city name</li> <li>• Positions 39-40 contain the country code.</li> </ul> This data is required for all transactions.<br>The ISO field is 43.                                                                                                                                                                                                                                                                                                                                                                 |
| <b>National POS Geographic Data</b><br>Positions: 74-87<br>Length: 14<br>Format: alphanumeric    | <b>Description:</b> Identifies the location where the transaction occurred: <ul style="list-style-type: none"> <li>• The first two digits identify the state in which the transaction occurred.</li> <li>• The next three digits identify the county in which the transaction occurred.</li> <li>• The remaining positions contain either the five-digit or nine-digit U.S. Postal Service ZIP codes of the merchant location.</li> </ul> The ISO field is 59.                                                                                                                                                                                                                                                      |
| <b>Amount, Issuer</b><br>Positions: 88-99<br>Length: 12<br>Format: unpacked numeric              | <b>Description:</b> The issuer amount.<br>The ISO field is 61. This field will contain two implied decimal places.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
| <b>Reserved</b><br>Positions: 100-112<br>Length: 13<br>Format: alphanumeric                      | <b>Description:</b> This field should contain spaces.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
| <b>Address Verification Data</b><br>Positions: 113-141<br>Length: 29<br>Format: alphanumeric     | <b>Description:</b> A Visa-defined private-use field that contains selected portions of the cardholder's postal code and street address for verification. All merchants whose acquirers subscribe to the Visa Address Verification Service may request postal code and street address verification for a cardholder.<br>The ISO field is 123.                                                                                                                                                                                                                                                                                                                                                                       |
| <b>Forwarding Institution ID</b><br>Positions: 142-152<br>Length: 11<br>Format: unpacked numeric | <b>Description:</b> In an authorization request that contains a PIN, this field contains the acquiring identifier assigned to the entity associated with the Acquirer Working Key that was used to encrypt the PIN. This field is used only when the acquiring identifier associated with the Acquirer Working Key is different from the Acquiring Institution Identification Code.<br>For ATM transactions without a PIN, (for example, reversals, adjustments, and so forth) this is a code that identifies the institution that forwards a request to VisaNet, that is, to the message originator. The ID code can be a Visa identifier, a prearranged institution ID, or a Plus PMC ID.<br>The ISO field is 33. |



### BASE I Advice-ISO-Enriched Edit Criteria

|                                                                                                           |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
|-----------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Forwarding Institution Country Code</b><br>Positions: 153-155<br>Length: 3<br>Format: unpacked numeric | <b>Description:</b> Contains a code that identifies the country of the forwarding institution in the Forwarding Institution ID.<br><br>The ISO field is 21.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
| <b>File Update Error Code</b><br>Positions: 156-159<br>Length: 4<br>Format: alphanumeric                  | <b>Description:</b> If the file update is successful, this field contains spaces. Otherwise, the field contains a V.I.P. System file updating error code.<br><br>The ISO field is 48 (usage 1a and 1b).                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
| <b>PACM Diversion Level</b><br>Positions: 160-161<br>Length: 2<br>Format: alphanumeric                    | <b>Description:</b> Indicates the applicable diversion level when Positive Authorization Capacity Management (PACM) processing is used to route 0100 POS authorization requests or 0400 requests.<br><br>PACM determines which transactions are processed in STIP and which are forwarded to available issuers. There are 21 PACM diversion levels, and each one indicates a specific dollar amount below which transactions are processed by STIP.<br><br>Values:<br><b>0</b> = No Diversion<br><b>1</b> through <b>20</b> = Specific Diversion Level in effect<br><br>Other transactions apply only when the card range is set up for PACM. PACM does not apply to cash disbursements, balance inquiries, status checks, and MOTO or e-commerce transactions.<br><br>PACM also supports Mastercard transactions. |
| <b>PACM Diversion Reason</b><br>Positions: 162<br>Length: 1<br>Format: alphanumeric                       | <b>Description:</b> Why request was diverted to PACM.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| <b>Chip Condition Code</b><br>Positions: 163<br>Length: 1<br>Format: alphanumeric                         | <b>Description:</b> Code provides information about magnetic stripe-read transactions of VSDC cards at VSDC ATMs ("fallback" transactions). It does not apply to VSDC transactions where the chip is read.<br><br>Values:<br><b>space</b> or <b>0</b> = Unknown/not applicable<br><b>1</b> = Magnetic stripe service code begins with <b>2</b> or <b>6</b> , last transaction at the chip capable terminal was a successful chip read, or was not a chip transaction, or unknown<br><b>2</b> = Magnetic stripe service code begins with <b>2</b> or <b>6</b> , last transaction at the chip capable terminal was an unsuccessful chip read<br><br>The ISO field is 60, position 3.                                                                                                                                 |

## BASE I Advice-ISO-Enriched Edit Criteria

|                                                                                |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
|--------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>CVV Results Code</b><br>Positions: 164<br>Length: 1<br>Format: alphanumeric | <b>Description:</b> Code indicating Card Verification Value (CVV) verification results. The field can also contain other verification results like iCVV or dCVV. When acquired as a contactless transaction, the field may contain the Card Authentication Method (CAM) results.<br><br>Values:<br><b>1</b> = The CVV or iCVV verification failed<br><b>2</b> = The CVV or iCVV passed verification <b>Blank</b> = The CVV or iCVV was not verified<br><br>This ISO field is 44.5. |
| <b>Reserved</b><br>Positions: 165-168<br>Length: 4<br>Format: alphanumeric     | <b>Description:</b> This field is reserved for future use. EP will always space-fill.                                                                                                                                                                                                                                                                                                                                                                                              |

# TC 48 - TCR 2 ISO-Enriched

These tables contain the BASE I Advice Record (TC 48) record layout and edit criteria for TCR 2 - ISO-ENRICHED.

## CTF - Incoming Interchange

### BASE I Advice-ISO-Enriched Record Layout

| Position | Field Length | Format | Contents                                     |
|----------|--------------|--------|----------------------------------------------|
| 1-2      | 2            | UN     | Transaction Code                             |
| 3        | 1            | UN     | Transaction Code Qualifier                   |
| 4        | 1            | UN     | Transaction Component Sequence Number        |
| 5-16     | 12           | AN     | Reserved                                     |
| 17-27    | 11           | UN     | Receiving Institution ID                     |
| 28-30    | 3            | UN     | Receiving Institution Country Code           |
| 31-41    | 11           | UN     | Issuing Institution ID                       |
| 42-44    | 3            | UN     | Issuing Institution Country Code             |
| 45-59    | 15           | UN     | Transaction Identifier                       |
| 60       | 1            | AN     | Authorization Characteristics Indicator      |
| 61       | 1            | AN     | Market-Specific Authorization Data Indicator |

### BASE I Advice-ISO-Enriched Record Layout

| Position | Field Length | Format | Contents           |
|----------|--------------|--------|--------------------|
| 62-63    | 2            | UN     | Duration           |
| 64       | 1            | AN     | Reserved           |
| 65-73    | 9            | UN     | Cashback           |
| 74-85    | 12           | UN     | Replacement Amount |
| 86-88    | 3            | AN     | Reserved           |
| 89       | 1            | AN     | CRIS Alert Type    |
| 90-94    | 5            | AN     | CRIS Account Score |
| 96-168   | 74           | AN     | Reserved           |

Format: AN = Alphanumeric, ANS = Alphanumeric Special, DX = Display Hexadecimal, N = Numeric, UN = Unpacked Numeric

### BASE I Advice-ISO-Enriched Edit Criteria

|                                                                                                       |                                                                                                                                                                                                        |
|-------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Transaction Code</b><br>Positions: 1-2<br>Length: 2<br>Format: unpacked numeric                    | <b>Description:</b> This field will contain a <b>48</b> .                                                                                                                                              |
| <b>Transaction Code Qualifier</b><br>Positions: 3<br>Length: 1<br>Format: unpacked numeric            | <b>Description:</b> This field will contain <b>0</b> (zero).<br>This edit will continue to be performed by the Edit Package when the Bypass Business Edits option is used during an outgoing edit run. |
| <b>Transaction Component Sequence Number</b><br>Positions: 4<br>Length: 1<br>Format: unpacked numeric | <b>Description:</b> This field will contain a <b>2</b> .                                                                                                                                               |
| <b>Reserved</b><br>Positions: 5-16<br>Length: 12<br>Format: alphanumeric                              | <b>Description:</b> This field is reserved for future use. EP will always space-fill.                                                                                                                  |

### BASE I Advice-ISO-Enriched Edit Criteria

|                                                                                                           |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
|-----------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Receiving Institution ID</b><br>Positions: 17-27<br>Length: 11<br>Format: unpacked numeric             | <b>Description:</b> This message routing field contains a code that identifies the institution which should receive a request or advice. This ID is used when it is not possible to route a message using the account number field in the message. The routing information in this field supersedes routing information in all other account number fields.<br><br>The ISO field is 100.                                                                                                                                                                                        |
| <b>Receiving Institution Country Code</b><br>Positions: 28-30<br>Length: 3<br>Format: unpacked numeric    | <b>Description:</b> Contains the code for the country of the receiving institution in the Receiving Institution ID field. Country codes are listed in the <i>BASE II Clearing Data Codes</i> guide.<br><br>The ISO field is 68.                                                                                                                                                                                                                                                                                                                                                 |
| <b>Issuing Institution ID</b><br>Positions: 31-41<br>Length: 11<br>Format: unpacked numeric               | <b>Description:</b> Contains a code identifying the issuer when the issuer cannot be determined from the message's account number.<br><br>The ISO field is 121.                                                                                                                                                                                                                                                                                                                                                                                                                 |
| <b>Issuing Institution Country Code</b><br>Positions: 42-44<br>Length: 3<br>Format: unpacked numeric      | <b>Description:</b> Contains a code that identifies the country of the institution that issued the card.<br><br>The ISO field is 20.                                                                                                                                                                                                                                                                                                                                                                                                                                            |
| <b>Transaction Identifier</b><br>Positions: 45-59<br>Length: 15<br>Format: unpacked numeric               | <b>Description:</b> A unique value that Visa assigns to each transaction and returns to the acquirer in the authorization response. Visa uses this value to maintain an audit trail throughout the life cycle of the transaction and all related transactions, such as reversals, adjustments, confirmations, and dispute financials.<br><br>The ISO field number is 62.2.                                                                                                                                                                                                      |
| <b>Authorization Characteristics Indicator</b><br>Positions: 60<br>Length: 1<br>Format: alphanumeric      | <b>Description:</b> A code used by the acquirer to request CPS qualification. If applicable, the code is changed by V.I.P. to reflect the results of V.I.P.'s CPS evaluation of the request.<br><br>The ISO field number is 62.1.                                                                                                                                                                                                                                                                                                                                               |
| <b>Market-Specific Authorization Data Indicator</b><br>Positions: 61<br>Length: 1<br>Format: alphanumeric | <b>Description:</b> Identifies the industry for which market-specific data has been provided in other ISO field 62 subfields; however, the use of this subfield is not confined to CPS. Except where noted, the subfield is used only in authorization requests and responses.<br><br>This subfield is required on all initial CPS/Hotel or Auto Rental 0100 authorization requests and their responses to the acquirer. It is also required in U.S. bill payment transactions and auto-substantiation requests destined for U.S. issuers.<br><br>The ISO field number is 62.4. |

### BASE I Advice-ISO-Enriched Edit Criteria

|                                                                                         |                                                                                                                                                                                                                                                                                                                                                   |
|-----------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Duration</b><br>Positions: 62-63<br>Length: Length: 2<br>Format: unpacked numeric    | <b>Description:</b> Indicates the number of days (from <b>01</b> through <b>99</b> ) anticipated for the auto rental or hotel stay. For auto rental prepaids and hotel deposits, the value reflects the number of days covered by the advance payment. This subfield is used only in authorization requests.<br><br>The ISO field number is 62.5. |
| <b>Reserved</b><br>Positions: 64<br>Length: 1<br>Format: alphanumeric                   | <b>Description:</b> This field will be space-filled.                                                                                                                                                                                                                                                                                              |
| <b>Cashback</b><br>Positions: 65-73<br>Length: 9<br>Format: unpacked numeric            | <b>Description:</b> In outgoing and incoming requests and advices related to a Visa or Visa Electron purchase transaction, this field contains the cashback amount, if any, expressed in the acquirer transaction currency.<br><br>The ISO field number is 61.1.                                                                                  |
| <b>Replacement Amount</b><br>Positions: 74-85<br>Length: 12<br>Format: unpacked numeric | <b>Description:</b> Contains the corrected amount of a transaction in a partial reversal.<br><br>The ISO field number is 95, positions 1-12.                                                                                                                                                                                                      |
| <b>Reserved</b><br>Positions: 86-88<br>Length: 3<br>Format: alphanumeric                | <b>Description:</b> This field will contain spaces.                                                                                                                                                                                                                                                                                               |
| <b>CRIS Alert Type</b><br>Positions: 89<br>Length: 1<br>Format: alphanumeric            | <b>Description:</b> This field is obsolete and must be spaces.                                                                                                                                                                                                                                                                                    |
| <b>CRIS Account Score</b><br>Positions: 90-94<br>Length: 5<br>Format: alphanumeric      | <b>Description:</b> This field is obsolete and must be spaces.                                                                                                                                                                                                                                                                                    |
| <b>Reserved</b><br>Positions: 96-168<br>Length: 74<br>Format: alphanumeric              | <b>Description:</b> This field will contain spaces.                                                                                                                                                                                                                                                                                               |

# TC 48 - TCR 3 ISO-Enriched

These tables contain the BASE I Advice Record (TC 48) record layout and edit criteria for TCR 3 - ISO-ENRICHED.

## CTF - Incoming Interchange

### BASE I Advice-ISO-Enriched Record Layout

| Position | Field Length | Format | Contents                              |
|----------|--------------|--------|---------------------------------------|
| 1-2      | 2            | UN     | Transaction Code                      |
| 3        | 1            | UN     | Transaction Code Qualifier            |
| 4        | 1            | UN     | Transaction Component Sequence Number |
| 5        | 1            | UN     | Field Identifier                      |
| 6-7      | 2            | UN     | Field Sub-Identifier                  |
| 8-15     | 8            | UN     | Activity From (MMDDCCYY)              |
| 16-23    | 8            | UN     | Activity To (MMDDCCYY)                |
| 24-27    | 4            | UN     | Issuer Account Score Threshold        |
| 28-31    | 4            | UN     | Issuer Consolidated Score Threshold   |
| 32-35    | 4            | UN     | Account Score                         |
| 36-39    | 4            | UN     | Consolidated Score                    |
| 40-47    | 8            | UN     | Account Alert Date (MMDDCCYY)         |
| 48-55    | 8            | UN     | Consolidated Alert Date               |
| 56-63    | 8            | UN     | Last Account Alert Date               |
| 64-67    | 4            | UN     | Last Account Alert Score              |
| 68-75    | 8            | UN     | Last Consolidated Alert Date          |
| 76-79    | 4            | UN     | Last Consolidated Alert Score         |
| 80       | 1            | AN     | CRIS Cross-Alert Indicator            |
| 81-83    | 3            | AN     | Account Alert Type                    |
| 84-86    | 3            | UN     | Account Reason Code 1                 |
| 87-89    | 3            | UN     | Account Reason Code 2                 |
| 90-92    | 3            | UN     | Account Reason Code 3                 |
| 93-95    | 3            | UN     | Account Reason Code 4                 |
| 96-98    | 3            | UN     | Consolidated Alert Type               |

### BASE I Advice-ISO-Enriched Record Layout

| Position | Field Length | Format | Contents                            |
|----------|--------------|--------|-------------------------------------|
| 99-101   | 3            | UN     | Consolidated Reason Code 1          |
| 102-104  | 3            | UN     | Consolidated Reason Code 2          |
| 105-107  | 3            | UN     | Consolidated Reason Code 3          |
| 108-110  | 3            | UN     | Consolidated Reason Code 4          |
| 111-132  | 22           | UN     | Bankruptcy Risk Audit ID            |
| 133-142  | 10           | UN     | Sequence Number                     |
| 143-146  | 4            | UN     | Network Management Information Code |
| 147-168  | 22           | AN     | Reserved                            |

Format: AN = Alphanumeric, ANS = Alphanumeric Special, DX = Display Hexadecimal, N = Numeric, UN = Unpacked Numeric

### BASE I Advice-ISO-Enriched Edit Criteria

|                                                                                                       |                                                                                                                                                                                                        |
|-------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Transaction Code</b><br>Positions: 1-2<br>Length: 2<br>Format: unpacked numeric                    | <b>Description:</b> This field will contain <b>48</b> .                                                                                                                                                |
| <b>Transaction Code Qualifier</b><br>Positions: 3<br>Length: 1<br>Format: unpacked numeric            | <b>Description:</b> This field will contain <b>0</b> (zero).<br>This edit will continue to be performed by the Edit Package when the Bypass Business Edits option is used during an outgoing edit run. |
| <b>Transaction Component Sequence Number</b><br>Positions: 4<br>Length: 1<br>Format: unpacked numeric | <b>Description:</b> This field will contain a <b>3</b> .                                                                                                                                               |
| <b>Field Identifier</b><br>Positions: 5<br>Length: 1<br>Format: unpacked numeric                      | <b>Description:</b> The value for this entry will be <b>B</b> for Bankruptcy Risk Alerts. This value may incorporate other risk alert formats, depending on the Sub-Identifier value.                  |

## BASE I Advice-ISO-Enriched Edit Criteria

|                                                                                                         |                                                                                                                                                                                                                                                                                   |
|---------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Field Sub-Identifier</b><br>Positions: 6-7<br>Length: 2<br>Format: unpacked numeric                  | <b>Description:</b> In conjunction with the Field Identifier, indicates the format of the remainder of Field 48 for risk alerts.                                                                                                                                                  |
| <b>Activity From</b><br>Positions: 8-15<br>Length: 8<br>Format: unpacked numeric                        | <b>Description:</b> The U.S. Eastern Standard time (EST) date of the start of the period being reported. The format is <b>MMDDCCYY</b> , where:<br><b>mm</b> = 01-12<br><b>dd</b> = 01-31<br><b>cc</b> = 19 or 20 (cc: 19 = 20th century, 20 = 21st century)<br><b>yy</b> = 00-99 |
| <b>Activity To</b><br>Positions: 16-23<br>Length: 8<br>Format: unpacked numeric                         | <b>Description:</b> The U.S. Eastern Standard Time date of the end of the period being reported in the format <b>mmddccyy</b> , where:<br><b>mm</b> = 01-12<br><b>dd</b> = 01-31<br><b>cc</b> = 19 or 20 (cc: 19 = 20th century, 20 = 21st century)<br><b>yy</b> = 00-99          |
| <b>Issuer Account Score Threshold</b><br>Positions: 24-27<br>Length: 4<br>Format: unpacked numeric      | <b>Description:</b> Issuer-defined reporting account score threshold.                                                                                                                                                                                                             |
| <b>Issuer Consolidated Score Threshold</b><br>Positions: 28-31<br>Length: 4<br>Format: unpacked numeric | <b>Description:</b> Issuer-defined reporting consolidated score threshold.                                                                                                                                                                                                        |
| <b>Account Score</b><br>Positions: 32-35<br>Length: 4<br>Format: unpacked numeric                       | <b>Description:</b> Represents the risk associated with an account becoming a bankruptcy loss to the issuer, as scored in the reporting period. If there was not a score generated for the reporting period, the value will be <b>0001</b> .                                      |
| <b>Consolidated Score</b><br>Positions: 36-39<br>Length: 4<br>Format: unpacked numeric                  | <b>Description:</b> Represents the risk of all associated accounts linked by Customer ID becoming a bankruptcy loss to the issuer.                                                                                                                                                |



## BASE I Advice-ISO-Enriched Edit Criteria

|                                                                                                   |                                                                                                                                                                                                                                                    |
|---------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Account Alert Date</b><br>Positions: 40-47<br>Length: 8<br>Format: unpacked numeric            | <b>Description:</b> The date in the period being reported on which the account score first reached the score reported.<br><br>Will be in <b>MMDDCCYY</b> format.                                                                                   |
| <b>Consolidated Alert Date</b><br>Positions: 48-55<br>Length: 8<br>Format: unpacked numeric       | <b>Description:</b> The date in the period being reported on which the consolidated score first reached the score reported.<br><br>Will be in <b>MMDDCCYY</b> format.                                                                              |
| <b>Last Account Alert Date</b><br>Positions: 56-63<br>Length: 8<br>Format: unpacked numeric       | <b>Description:</b> The date of the previous account alert for the account in <b>MMDDCCYY</b> format. If there was no previous account alert, the value will be zeros.                                                                             |
| <b>Last Account Alert Score</b><br>Positions: 64-67<br>Length: 4<br>Format: unpacked numeric      | <b>Description:</b> The account score which last met or was less than the Issuer Account Score Threshold. If there was no previous account alert, the value will be <b>0001</b> .                                                                  |
| <b>Last Consolidated Alert Date</b><br>Positions: 68-75<br>Length: 8<br>Format: unpacked numeric  | <b>Description:</b> The date of the previous consolidated alert for the account in <b>MMDDCCYY</b> format. If there was no previous consolidated alert, the value will be zeros.                                                                   |
| <b>Last Consolidated Alert Score</b><br>Positions: 76-79<br>Length: 4<br>Format: unpacked numeric | <b>Description:</b> The consolidated score which last met or was less than the Issuer Consolidated Score Threshold. If there was no previous consolidated alert, the value will be <b>0001</b> .                                                   |
| <b>CRIS Cross-Alert Indicator</b><br>Positions: 80<br>Length: 1<br>Format: alphanumeric           | <b>Description:</b> This field is not in use and will contain spaces.                                                                                                                                                                              |
| <b>Account Alert Type</b><br>Positions: 81-83<br>Length: 3<br>Format: alphanumeric                | <b>Description:</b> Provides information regarding the type of model and version used to produce the account score.<br><br>Position 1 = Model version designator<br>Position 2 = Major product designator<br>Position 3 = Minor product designator |

### BASE I Advice-ISO-Enriched Edit Criteria

|                                                                                                  |                                                                                                                                                                                                                                                         |
|--------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Account Reason Code 1</b><br>Positions: 84-86<br>Length: 3<br>Format: unpacked numeric        | <b>Description:</b> A three-position code representing a significant reason why the account did not score higher.                                                                                                                                       |
| <b>Account Reason Code 2</b><br>Positions: 87-89<br>Length: 3<br>Format: unpacked numeric        | <b>Description:</b> A three-position code representing a significant reason why the account did not score higher.                                                                                                                                       |
| <b>Account Reason Code 3</b><br>Positions: 90-92<br>Length: 3<br>Format: unpacked numeric        | <b>Description:</b> A three-position code representing a significant reason why the account did not score higher.                                                                                                                                       |
| <b>Account Reason Code 4</b><br>Positions: 93-95<br>Length: 3<br>Format: unpacked numeric        | <b>Description:</b> A three-position code representing a significant reason why the account did not score higher.                                                                                                                                       |
| <b>Consolidated Alert Type</b><br>Positions: 96-98<br>Length: 3<br>Format: unpacked numeric      | <b>Description:</b> Provides information regarding the type of model and version used to produce the consolidated score.<br><br>Position 1 = Model version designator<br>Position 2 = Major product designator<br>Position 3 = Minor product designator |
| <b>Consolidated Reason Code 1</b><br>Positions: 99-101<br>Length: 3<br>Format: unpacked numeric  | <b>Description:</b> A three-position code representing a significant reason why the consolidated score was not higher.                                                                                                                                  |
| <b>Consolidated Reason Code 2</b><br>Positions: 102-104<br>Length: 3<br>Format: unpacked numeric | <b>Description:</b> A three-position code representing a significant reason why the consolidated score was not higher.                                                                                                                                  |
| <b>Consolidated Reason Code 3</b><br>Positions: 105-107<br>Length: 3<br>Format: unpacked numeric | <b>Description:</b> A three-position code representing a significant reason why the consolidated score was not higher.                                                                                                                                  |

### BASE I Advice-ISO-Enriched Edit Criteria

|                                                                                                           |                                                                                                                                                                                                                                      |
|-----------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Consolidated Reason Code 4</b><br>Positions: 108-110<br>Length: 3<br>Format: unpacked numeric          | <b>Description:</b> A three-position code representing a significant reason why the consolidated score was not higher.                                                                                                               |
| <b>Bankruptcy Risk Audit ID</b><br>Positions: 111-132<br>Length: 22<br>Format: unpacked numeric           | <b>Description:</b> Provides information for bankruptcy risk audit.<br>Positions 1-2 = Service ID<br>Positions 3-6 = Group Number<br>Positions 7-14 = Cycle Date<br>Positions 15-16 = Cycle Number<br>Positions 17-22 = Audit Number |
| <b>Sequence Number</b><br>Positions: 133-142<br>Length: 10<br>Format: unpacked numeric                    | <b>Description:</b> Value used to identify records for a customer within the file/report.                                                                                                                                            |
| <b>Network Management Information Code</b><br>Positions: 143-146<br>Length: 4<br>Format: unpacked numeric | <b>Description:</b> This field must be <b>0173</b> to identify this administrative advice as a Bankruptcy Risk alert message. This is populated by the V.I.P. application.                                                           |
| <b>Reserved</b><br>Positions: 147-168<br>Length: 22<br>Format: alphanumeric                               | <b>Description:</b> This field is reserved for future use. EP will always space-fill.                                                                                                                                                |

## TC 48 - TCR 6 ISO-Enriched

These tables contain the BASE I Advice Record (TC 48) record layout and edit criteria for TCR 6 - ISO-ENRICHED.

### CTF - Incoming Interchange

#### BASE I Advice-ISO-Enriched Record Layout

| Position | Field Length | Format | Contents                   |
|----------|--------------|--------|----------------------------|
| 1-2      | 2            | UN     | Transaction Code           |
| 3        | 1            | UN     | Transaction Code Qualifier |

### BASE I Advice-ISO-Enriched Record Layout

| Position | Field Length | Format | Contents                                  |
|----------|--------------|--------|-------------------------------------------|
| 4        | 1            | UN     | Transaction Component Sequence Number     |
| 5-20     | 16           | DX     | Authorization Response Cryptogram         |
| 21-22    | 2            | DX     | ARPC Response Code                        |
| 23       | 1            | AN     | Reserved                                  |
| 24       | 1            | AN     | Card Authentication Results Code          |
| 25-36    | 12           | UN     | Cryptogram Amount                         |
| 37-39    | 3            | AN     | Cryptogram Currency Code                  |
| 40-48    | 9            | UN     | Cryptogram Cashback Amount                |
| 49-80    | 32           | DX     | Issuer Discretionary Data                 |
| 81       | 1            | DX     | Card Authentication Reliability Indicator |
| 82       | 1            | DX     | Chip Debit/Credit Transaction Indicator   |
| 83-168   | 86           | AN     | Reserved                                  |

Format: AN = Alphanumeric, ANS = Alphanumeric Special, DX = Display Hexadecimal, N = Numeric, UN = Unpacked Numeric

### BASE I Advice-ISO-Enriched Edit Criteria

|                                                                                                       |                                                                                                                                                                                                        |
|-------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Transaction Code</b><br>Positions: 1-2<br>Length: 2<br>Format: unpacked numeric                    | <b>Description:</b> This field will contain <b>48</b> .                                                                                                                                                |
| <b>Transaction Code Qualifier</b><br>Positions: 3<br>Length: 1<br>Format: unpacked numeric            | <b>Description:</b> This field will contain <b>0</b> (zero).<br>This edit will continue to be performed by the Edit Package when the Bypass Business Edits option is used during an outgoing edit run. |
| <b>Transaction Component Sequence Number</b><br>Positions: 4<br>Length: 1<br>Format: unpacked numeric | <b>Description:</b> This field will contain a <b>6</b> .                                                                                                                                               |

## BASE I Advice-ISO-Enriched Edit Criteria

|                                                                                                              |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
|--------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Authorization Response Cryptogram</b><br>Positions: 5-20<br>Length: 16<br>Format: displayable hexadecimal | <b>Description:</b> This VSDC field contains the authentication response cryptogram (ARPC) that is used by the card to perform Issuer Authentication for VIS transactions.<br><br>This field will contain one of the following depending on the type of Chip card:<br>VIS: Authorization Response Cryptogram<br>CCD: Authorization Response Cryptogram bytes 1-4, Card Status Update, bytes 5-8<br>Generic EMV Transport: Issuer Authentication Data, bytes 1-8<br>The ISO field is 139. |
| <b>ARPC Response Code</b><br>Positions: 21-22<br>Length: 2<br>Format: displayable hexadecimal                | <b>Description:</b> Contains the response code that is used by the card to perform issuer authentication.                                                                                                                                                                                                                                                                                                                                                                                |
| <b>Reserved</b><br>Positions: 23<br>Length: 1<br>Format: alphanumeric                                        | <b>Description:</b> This field is reserved for future use. EP will always space-fill.                                                                                                                                                                                                                                                                                                                                                                                                    |
| <b>Card Authentication Results Code</b><br>Positions: 24<br>Length: 1<br>Format: alphanumeric                | <b>Description:</b> This VSDC field that contains a Visa-defined code to indicate Card Authentication results. This field is available to Full Data Option participants only.<br><br>The ISO field is 44.8.                                                                                                                                                                                                                                                                              |
| <b>Cryptogram Amount</b><br>Positions: 25-36<br>Length: 12<br>Format: unpacked numeric                       | <b>Description:</b> The transaction amount used by the chip when calculating the cryptogram. it must contain right-justified numeric data with leading zeros.<br><br>This field must be numeric. The ISO field is 147.                                                                                                                                                                                                                                                                   |
| <b>Cryptogram Currency Code</b><br>Positions: 37-39<br>Length: 3<br>Format: alphanumeric                     | <b>Description:</b> This field is carried in VSDC transactions and contains the currency code used by the chip when calculating the cryptogram. A leading zero is required to pad the first unused half-byte of this field. The zero is filler and is not a part of the code.<br><br>This field maps to ISO Field 55, Tag 5F2A-Transaction Currency Code.<br>The ISO field is 148.                                                                                                       |

## BASE I Advice-ISO-Enriched Edit Criteria

|                                                                                                                   |                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
|-------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Cryptogram Cashback Amount</b><br>Positions: 40-48<br>Length: 9<br>Format: unpacked numeric                    | <b>Description:</b> This field is carried in VSDC transaction and contains the cashback amount that the chip uses when calculating the cryptogram. If the transaction does not include cashback, this field can either not be sent or be sent zero filled.<br><br>This field maps to ISO Field 55, Tag 9F03-Amount, Other.<br>The ISO field is 149.                                                                                                          |
| <b>Issuer Discretionary Data</b><br>Positions: 49-80<br>Length: 32<br>Format: displayable hexadecimal             | <b>Description:</b> This field contains the issuer discretionary portion of the Issuer Authentication Data (IAD) that is defined by the issuer on the card.<br>Issuer Application Data, bytes 18-32.                                                                                                                                                                                                                                                         |
| <b>Card Authentication Reliability Indicator</b><br>Positions: 81<br>Length: 1<br>Format: displayable hexadecimal | <b>Description:</b> Provides additional information about the point of sale or point of service.<br><br>This code can be set and sent in by the full VSDC data acquirer or set by V.I.P. when the acquirer or issuer is inactive for Card Authentication.<br>The ISO field is 60.7.                                                                                                                                                                          |
| <b>Chip Debit/Credit Transaction Indicator</b><br>Positions: 82<br>Length: 1<br>Format: displayable hexadecimal   | <b>Description:</b> Indicates a VSDC transaction sent from a full data acquirer. For full VSDC transactions, this field is required in the following messages: <ul style="list-style-type: none"><li>• <b>0100</b> and <b>0200</b> requests</li><li>• <b>0120</b> and <b>0220</b> STIP advices</li><li>• <b>0220</b> acquirer advices</li><li>• <b>0220</b> BASE II advices</li><li>• <b>0220</b> deferred clearing advices</li></ul> The ISO field is 60.6. |
| <b>Reserved</b><br>Positions: 83-168<br>Length: 86<br>Format: alphanumeric                                        | <b>Description:</b> This field is reserved for future use. EP will always space-fill.                                                                                                                                                                                                                                                                                                                                                                        |

## TC 48 - TCR 7 ISO-Enriched

These tables contain the BASE I Advice Record (TC 48) record layout and edit criteria for TCR 7 - ISO-ENRICHED.

### CTF - Incoming Interchange

### BASE I Advice-ISO-Enriched Record Layout

| Position | Field Length | Format | Contents                              |
|----------|--------------|--------|---------------------------------------|
| 1-2      | 2            | UN     | Transaction Code                      |
| 3        | 1            | UN     | Transaction Code Qualifier            |
| 4        | 1            | UN     | Transaction Component Sequence Number |
| 5-6      | 2            | AN     | Transaction Type                      |
| 7-9      | 3            | UN     | Card Sequence Number                  |
| 10-15    | 6            | UN     | Terminal Transaction Date             |
| 16-21    | 6            | DX     | Terminal Capability Profile           |
| 22-24    | 3            | UN     | Terminal Country Code                 |
| 25-32    | 8            | AN     | Terminal Serial Number                |
| 33-40    | 8            | DX     | Unpredictable Number                  |
| 41-44    | 4            | DX     | Application Transaction Counter       |
| 45-48    | 4            | DX     | Application Interchange Profile       |
| 49-64    | 16           | DX     | Cryptogram                            |
| 65-66    | 2            | DX     | Issuer Application Data, Byte 2       |
| 67-68    | 2            | DX     | Issuer Application Data, Byte 3       |
| 69-78    | 10           | DX     | Terminal Verification Results         |
| 79-86    | 8            | DX     | Issuer Application Data, Bytes 4-7    |
| 87-98    | 12           | UN     | Cryptogram Amount                     |
| 99-100   | 2            | DX     | Issuer Application Data, Byte 8       |
| 101-116  | 16           | DX     | Issuer Application Data, Bytes 9-16   |
| 117-118  | 2            | DX     | Issuer Application Data, Byte 1       |
| 119-120  | 2            | DX     | Issuer Application Data, Byte 17      |
| 121-150  | 30           | DX     | Issuer Application Data, Bytes 18-32  |
| 151-158  | 8            | DX     | Form Factor Indicator                 |
| 159-168  | 10           | DX     | Issuer Script 1 Results               |

Format: AN = Alphanumeric, ANS = Alphanumeric Special, DX = Display Hexadecimal, N = Numeric, UN = Unpacked Numeric

## BASE I Advice-ISO-Enriched Edit Criteria

|                                                                                                       |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
|-------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Transaction Code</b><br>Positions: 1-2<br>Length: 2<br>Format: unpacked numeric                    | <b>Description:</b> This field must contain <b>48</b> .                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
| <b>Transaction Code Qualifier</b><br>Positions: 3<br>Length: 1<br>Format: unpacked numeric            | <b>Description:</b> This field must contain <b>0</b> (zero).<br><br>This edit will continue to be performed by the Edit Package when the Bypass Business Edits option is used during an outgoing edit run.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
| <b>Transaction Component Sequence Number</b><br>Positions: 4<br>Length: 1<br>Format: unpacked numeric | <b>Description:</b> The field must contain a <b>7</b> .                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
| <b>Transaction Type</b><br>Positions: 5-6<br>Length: 2<br>Format: alphanumeric                        | <b>Description:</b> This field is carried in VSDC transactions and indicates the type of financial transaction provided by the terminal. It usually corresponds to the first two digits of the Processing Code and is carried in the message to ensure that the issuer and the card are using the same value to compute the cryptogram.<br><br>The ISO field is 144.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
| <b>Card Sequence Number</b><br>Positions: 7-9<br>Length: 3<br>Format: unpacked numeric                | <b>Description:</b> Contains a number assigned to a specific card when two or more individual cards are associated with the same primary account number, thus enabling issuers to distinguish among different cards linked to the same account. The sequence number can also act as a tracking tool when reissuing cards. For example, the initial card is issued with sequence number one, and when it expires, the card can be reissued with sequence number two, and so on. Although not part of the cryptogram, the sequence number is used by the issuer or Visa to derive the Unique Derivation Key (UDK) from the Master Derivation Key (MDK) when performing Online Card Authentication.<br><br>This field applies to VSDC full data transactions and Contactless Magnetic Stripe transactions. If the sequence number is present on the chip card, acquirers must include it without modification in requests to avoid a failed Online Card Authentication. If the card sequence number is not present on the chip card, the acquirer may either exclude the field entirely from the request message, or include it with all zeros.<br><br>The ISO field is 23. |



## BASE I Advice-ISO-Enriched Edit Criteria

|                                                                                                        |                                                                                                                                                                                                                                                                                                                                                                                                  |
|--------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Terminal Transaction Date</b><br>Positions: 10-15<br>Length: 6<br>Format: Format: unpacked numeric  | <b>Description:</b> Contains the local date at the terminal on which the transaction was authorized. This field is used in the calculation of the cryptogram. The format is <b>yyymmdd</b> , where:<br><b>yy</b> = 00-99<br><b>mm</b> = 01-12<br><b>dd</b> = 01-31<br>This field maps to ISO Field 55, Tag 9A-Terminal Transaction Date.<br>This field must be numeric.<br>The ISO field is 146. |
| <b>Terminal Capability Profile</b><br>Positions: 16-21<br>Length: 6<br>Format: displayable hexadecimal | <b>Description:</b> This is a fixed-length Visa Smart Debit/Visa Smart Credit (VSDC) field, carried in VSDC transactions and indicates the card data input, the Cardholder Verification Method (CVM), and the security capabilities supported by the terminal. This field maps to ISO Field 55, Tag 9F33-Terminal Capabilities.<br>The ISO field is 130.                                         |
| <b>Terminal Country Code</b><br>Positions: 22-24<br>Length: 3<br>Format: unpacked numeric              | <b>Description:</b> This field is carried in VSDC transactions and identifies the country where the merchant terminal is located. A leading zero is required to pad the first unused half-byte of this field. The zero is filler and is not part of the code.<br>This field maps to Field 55, Tag 9F1A-Terminal Country Code.<br>This field must be numeric.<br>The ISO field is 145.            |
| <b>Terminal Serial Number</b><br>Positions: 25-32<br>Length: 8<br>Format: alphanumeric                 | <b>Description:</b> This field is carried in VSDC transactions and contains a unique and permanent identification number of the chip terminal assigned by the manufacturer. It is used to track devices regardless of their location.<br>This field maps to Field 55, Tag 9F1E-IFD Serial Number.<br>This field must contain an alphanumeric value.<br>The ISO field is 133.                     |
| <b>Unpredictable Number</b><br>Positions: 33-40<br>Length: 8<br>Format: displayable hexadecimal        | <b>Description:</b> Contains the number used in the generation of the cryptogram for chip transactions. It provides variability and uniqueness to the cryptogram.<br>This field maps to Field 55, Tag 9F37-Unpredictable Number.<br>The ISO field is 132.                                                                                                                                        |

## BASE I Advice-ISO-Enriched Edit Criteria

|                                                                                                                    |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
|--------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Application Transaction Counter</b><br>Positions: 41-44<br>Length: 4<br>Format: displayable hexadecimal         | <b>Description:</b> Contains a count of the transactions performed within the card application. The count increments by one each time a transaction is initiated. Multiple authorization requests for the same transaction will have the same ATC; for example, when online PIN fails and the next authorization represents a different PIN try for the same transaction, the ATC will be the same. For reversals and advices, the ATC is the value from the original message.<br><br>The ISO field is 137. |
| <b>Application Interchange Profile</b><br>Positions: 45-48<br>Length: 4<br>Format: Format: displayable hexadecimal | <b>Description:</b> This Field is carried in VSDC transactions and provides a series of indicators that reflect the specific functions supported by the chip card account, for example, whether cardholder verification is supported.<br><br>This field maps to ISO Field 55, Tag 82-Application Interchange Profile.<br>The ISO field is 138.                                                                                                                                                              |
| <b>Cryptogram</b><br>Positions: 49-64<br>Length: 16<br>Format: displayable hexadecimal                             | <b>Description:</b> Contains the clearing cryptogram used to validate transaction processing in the event of a dispute.<br><br>The ISO field is 136.                                                                                                                                                                                                                                                                                                                                                        |
| <b>Issuer Application Data, Byte 2</b><br>Positions: 65-66<br>Length: 2<br>Format: displayable hexadecimal         | <b>Description:</b> This field will contain one of the following depending on type of Chip card:<br>VIS: Derivation Key Index<br>CCD: Common Core Identifier<br>Generic EMV Transport: Undefined Data<br>The ISO field is 134.1.                                                                                                                                                                                                                                                                            |
| <b>Issuer Application Data, Byte 3</b><br>Positions: 67-68<br>Length: 2<br>Format: displayable hexadecimal         | <b>Description:</b> This field will contain one of the following depending on type of Chip card:<br>VIS: Cryptogram Version<br>CCD: Derivation Key Index<br>Generic EMV Transport: Undefined Data                                                                                                                                                                                                                                                                                                           |
| <b>Terminal Verification Results</b><br>Positions: 69-78<br>Length: 10<br>Format: displayable hexadecimal          | <b>Description:</b> A series of indicators from a terminal perspective. The terminal records the results of offline and online processing by setting a series of indicators in this field. These indicators are available to clients in the online message and clearing transaction.                                                                                                                                                                                                                        |
| <b>Issuer Application Data, Bytes 4-7</b><br>Positions: 79-86<br>Length: 8<br>Format: displayable hexadecimal      | <b>Description:</b> This field will contain one of the following depending on type of Chip card:<br>VIS & CCD: Card Verification Results<br>Generic EMV Transport: Undefined Data                                                                                                                                                                                                                                                                                                                           |

### BASE I Advice-ISO-Enriched Edit Criteria

|                                                                                                                    |                                                                                                                                                                                                           |
|--------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Cryptogram Amount</b><br>Positions: 87-98<br>Length: 12<br>Format: unpacked numeric                             | <b>Description:</b> Contains the cryptogram amount when it differs from the authorized amount.<br><br>This field must be numeric.                                                                         |
| <b>Issuer Application Data, Byte-8</b><br>Positions: 99-100<br>Length: 2<br>Format: display hexadecimal            | <b>Description:</b> This field will contain one of the following depending on type of Chip card:<br>VIS: Data could be present<br>CCD: CVR Extension<br>Generic EMV Transport: Undefined Data             |
| <b>Issuer Application Data, Bytes 9-16</b><br>Positions: 101-116<br>Length: 16<br>Format: display hexadecimal      | <b>Description:</b> This field will contain one of the following depending on type of Chip card:<br>VIS: Data could be present<br>CCD: Counters<br>Generic EMV Transport: Undefined Data                  |
| <b>Issuer Application Data, Byte 1</b><br>Positions: 117-118<br>Length: 2<br>Format: display hexadecimal           | <b>Description:</b> This field will contain one of the following depending on type of Chip card:<br>VIS: Data could be present<br>CCD: Length Indicator<br>Generic EMV Transport: Undefined Data          |
| <b>Issuer Application Data, Byte 17</b><br>Positions: 119-120<br>Length: 2<br>Format: displayable hexadecimal      | <b>Description:</b> This field will contain one of the following depending on type of Chip card:<br>VIS: Data could be present<br>CCD: Length Indicator<br>Generic EMV Transport: Undefined Data          |
| <b>Issuer Application Data, Bytes 18-32</b><br>Positions: 121-150<br>Length: 30<br>Format: displayable hexadecimal | <b>Description:</b> This field will contain one of the following depending on type of Chip card:<br>VIS: Data could be present<br>CCD: Issuer Discretionary Data<br>Generic EMV Transport: Undefined Data |

## BASE I Advice-ISO-Enriched Edit Criteria

|                                                                                                       |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
|-------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Form Factor Indicator</b><br>Positions: 151-158<br>Length: 8<br>Format: display hexadecimal        | <b>Description:</b> This field is not in use and will contain spaces.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
| <b>Issuer Script 1 Results</b><br>Positions: 159-168<br>Length: 10<br>Format: displayable hexadecimal | <b>Description:</b> This field identifies the update command that the issuer sends in the authorization response to the card during online processing. With the command, the card updates the parameters and records the success or failure of the updates in the Issuer Script 1 Results field.<br><br>This field contains indicators related to the attributes of the cardholder's device and the technology used for the communication between the cardholder's device and the acquiring device. This field must be display hexadecimal.<br><br>The ISO field is 143. |

# TC 48 - TCR 7 Format 2 (Chip Card Information)

These tables contain the BASE I Advice Record (TC 48) record layout and edit criteria for TCR 7 - FORMAT 2 (CHIP CARD INFORMATION).

## CTF - Outgoing and Incoming Interchange

### Chip Card Informational Advice Record Layout

| Position | Field Length | Format | Contents                              |
|----------|--------------|--------|---------------------------------------|
| 1-2      | 2            | UN     | Transaction Code                      |
| 3        | 1            | UN     | Transaction Code Qualifier            |
| 4        | 1            | UN     | Transaction Component Sequence Number |
| 5-6      | 2            | AN     | Transaction Type                      |
| 7-9      | 3            | UN     | Card Sequence Number                  |
| 10-15    | 6            | UN     | Terminal Transaction Date (YYMMDD)    |
| 16-21    | 6            | DX     | Terminal Capability Profile           |
| 22-24    | 3            | UN     | Terminal Country Code                 |
| 25-32    | 8            | AN     | Terminal Serial Number                |
| 33-40    | 8            | DX     | Unpredictable Number                  |

### Chip Card Informational Advice Record Layout

| Position | Field Length | Format | Contents                             |
|----------|--------------|--------|--------------------------------------|
| 41-44    | 4            | DX     | Application Transaction Counter      |
| 45-48    | 4            | DX     | Application Interchange Profile      |
| 49-64    | 16           | DX     | Cryptogram                           |
| 65-66    | 2            | DX     | Issuer Application Data, Byte 2      |
| 67-68    | 2            | DX     | Issuer Application Data, Byte 3      |
| 69-78    | 10           | DX     | Terminal Verification Results        |
| 79-86    | 8            | DX     | Issuer Application Data, Bytes 4-7   |
| 87-98    | 12           | AN     | Reserved                             |
| 99-100   | 2            | DX     | Issuer Application Data, Byte 8      |
| 101-116  | 16           | DX     | Issuer Application Data, Bytes 9-16  |
| 117-118  | 2            | DX     | Issuer Application Data, Byte 1      |
| 119-120  | 2            | DX     | Issuer Application Data, Byte 17     |
| 121-150  | 30           | DX     | Issuer Application Data, Bytes 18-32 |
| 151-158  | 8            | DX     | Form Factor Indicator                |
| 159-168  | 10           | DX     | Issuer Script 1 Results              |

Format: AN = Alphanumeric, ANS = Alphanumeric Special, DX = Display Hexadecimal, N = Numeric, UN = Unpacked Numeric

### Chip Card Informational Advice Edit Criteria

|                                                                                            |                                                                                                                                                                                                             |
|--------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Transaction Code</b><br>Positions: 1-2<br>Length: 2<br>Format: unpacked numeric         | <b>Description:</b> The field must contain <b>48</b> .                                                                                                                                                      |
| <b>Transaction Code Qualifier</b><br>Positions: 3<br>Length: 1<br>Format: unpacked numeric | <b>Description:</b> The field must contain a <b>0</b> (zero).<br><br>This edit will continue to be performed by the Edit Package when the Bypass Business Edits option is used during an outgoing edit run. |

## Chip Card Informational Advice Edit Criteria

|                                                                                                       |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
|-------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Transaction Component Sequence Number</b><br>Positions: 4<br>Length: 1<br>Format: unpacked numeric | <b>Description:</b> The field must contain a 7.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
| <b>Transaction Type</b><br>Positions: 5-6<br>Length: 2<br>Format: alphanumeric                        | <b>Description:</b> The type of transaction (purchase, adjustments, etc.) contained in this TCR.<br>Values:<br><b>00</b> = Goods or Service Purchase<br><b>01</b> = Withdrawal/Cash Advance<br><b>02</b> = Adjustment<br><b>03</b> = Check Guarantee (funds guaranteed)<br><b>11</b> = Quasi-Cash Transaction<br><b>17</b> = Script<br><b>19</b> = Fee Collection<br><b>20</b> = Return (of goods)<br><b>22</b> = Adjustment<br><b>29</b> = Funds Disbursement<br><b>30</b> = Available Funds Inquiry<br><b>40</b> = Cardholder Account Transfer                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
| <b>Card Sequence Number</b><br>Positions: 7-9<br>Length: 3<br>Format: unpacked numeric                | <b>Description:</b> Contains a number assigned to a specific card when two or more individual cards are associated with the same primary account number, thus enabling issuers to distinguish among different cards linked to the same account. The sequence number can also act as a tracking tool when reissuing cards. For example, the initial card is issued with sequence number one, and when it expires, the card can be reissued with sequence number two, and so on. Although not part of the cryptogram, the sequence number is used by the issuer or Visa to derive the Unique Derivation Key (UDK) from the Master Derivation Key (MDK) while performing Online Card Authentication.<br>This field applies to VSDC full data transactions and Contactless Magnetic Stripe transactions. If the sequence number is present on the chip card, acquirers must include it without modification in requests to avoid a failed Online Card Authentication. If the card sequence number is not present on the chip card, the acquirer may either exclude the field entirely from the request message, or include it with all zeros.<br>This field must be numeric. |

## Chip Card Informational Advice Edit Criteria

|                                                                                                            |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
|------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Terminal Transaction Date</b><br>Positions: 10-15<br>Length: 6<br>Format: unpacked numeric              | <b>Description:</b> Contains the local date at the terminal on which the transaction was authorized. This field is used in the calculation of the cryptogram. The format is <b>yyymmdd</b> , where:<br><b>yy</b> = 00-99<br><b>mm</b> = 01-12<br><b>dd</b> = 01-31<br>This field maps to ISO Field 55, Tag 9A-Terminal Transaction Date.<br>This field must be numeric.                                                                                                                                                                                                                                                                    |
| <b>Terminal Capability Profile</b><br>Positions: 16-21<br>Length: 6<br>Format: displayable hexadecimal     | <b>Description:</b> Indicates the card data input, the Cardholder Verification Method (CVM), and the security capabilities supported by the terminal.<br>The field is not used in authentication processing.<br>This field maps to ISO Field 55, Tag 9F33-Terminal Capabilities.<br><b>VIC Edit:</b> This field must be displayable hexadecimal.                                                                                                                                                                                                                                                                                           |
| <b>Terminal Country Code</b><br>Positions: 22-24<br>Length: 3<br>Format: unpacked numeric                  | <b>Description:</b> Identifies the country where the merchant terminal is located. A leading zero is required to pad the first unused half-byte of this field. The zero is filler and is not part of the code.<br>This field maps to ISO Field 55, Tag 9F1A-Terminal Country Code.<br><b>VIC Edit:</b> This field must be numeric.                                                                                                                                                                                                                                                                                                         |
| <b>Terminal Serial Number</b><br>Positions: 25-32<br>Length: 8<br>Format: alphanumeric                     | <b>Description:</b> Contains a unique identification number of the VSDC terminal assigned by the manufacturer. It is used to track devices regardless of their location.<br>This field maps to ISO Field 55, Tag 9F1E-IFD Serial Number.<br>This field must contain alphanumeric values.                                                                                                                                                                                                                                                                                                                                                   |
| <b>Unpredictable Number</b><br>Positions: 33-40<br>Length: 8<br>Format: displayable hexadecimal            | <b>Description:</b> Contains the number used in the generation of the cryptogram for VSDC full transactions and contactless magnetic stripe transactions. It provides variability and uniqueness to the cryptogram.<br>This field maps to ISO Field 55, Tag 9F37-Unpredictable Number.<br><b>VIC Edit:</b> This field must be displayable hexadecimal.                                                                                                                                                                                                                                                                                     |
| <b>Application Transaction Counter</b><br>Positions: 41-44<br>Length: 4<br>Format: displayable hexadecimal | <b>Description:</b> This field contains a count of the transactions performed within the card application. The count increments by one each time a transaction is initiated.<br>Multiple authorization requests for the same transaction will have the same ATC; for example, when online PIN fails and the next authorization represents a different PIN try for the same transaction, the ATC will be the same. For reversals and advices, the ATC is the value from the original message.<br>This field maps to ISO Field 55, Tag 9F36-Application Transaction Counter.<br><b>VIC Edit:</b> This field must be displayable hexadecimal. |

### Chip Card Informational Advice Edit Criteria

|                                                                                                                       |                                                                                                                                                                                                                                                                                                                                                                    |
|-----------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Application Interchange Profile</b><br>Positions: 45-48<br>Length: 4<br>Format: displayable hexadecimal            | <b>Description:</b> Provides a series of indicators that reflect the specific functions supported by the chip card account, for example, whether cardholder verification is supported.<br><br>This field maps to ISO Field 55, Tag 82-Application Interchange Profile.<br><b>VIC Edit:</b> This field must be displayable hexadecimal.                             |
| <b>Cryptogram</b><br>Positions: 49-64<br>Length: 16<br>Format: displayable hexadecimal                                | <b>Description:</b> This field contains the clearing cryptogram used to validate transaction processing in the event of a dispute.<br><b>VIC Edit:</b> This field must be displayable hexadecimal.                                                                                                                                                                 |
| <b>Issuer Application Data, Byte 2</b><br>Positions: 65-66<br>Length: 2<br>Format: Format: displayable hexadecimal    | <b>Description:</b> This field will contain one of the following depending on type of Chip card:<br>VIS: Derivation Key Index<br>CCD: Common Core Identifier<br>Generic EMV Transport: Undefined Data                                                                                                                                                              |
| <b>Issuer Application Data, Byte 3</b><br>Positions: 67-68<br>Length: 2<br>Format: displayable hexadecimal            | <b>Description:</b> This field will contain one of the following depending on type of Chip card:<br>VIS: Cryptogram Version<br>CCD: Derivation Key Index<br>Generic EMV Transport: Undefined Data                                                                                                                                                                  |
| <b>Terminal Verification Results</b><br>Positions: 69-78<br>Length: 10<br>Format: displayable hexadecimal             | <b>Description:</b> A series of indicators from a terminal perspective. The terminal records the results of offline and online processing by setting a series of indicators in this field. These indicators are available to clients in the online message and clearing transaction.<br><br>This field maps to ISO Field 55, Tag 95-Terminal Verification Results. |
| <b>Issuer Application Data, Bytes 4-7</b><br>Positions: 79-86<br>Length: Length: 8<br>Format: displayable hexadecimal | <b>Description:</b> This field will contain one of the following depending on type of Chip card:<br>VIS& CCD: Card Verification Results<br>Generic EMV Transport: Undefined Data                                                                                                                                                                                   |
| <b>Reserved</b><br>Positions: 87-98<br>Length: 12<br>Format: AN                                                       | <b>Description:</b> This field is reserved for future use. EP will always space-fill.                                                                                                                                                                                                                                                                              |



## Chip Card Informational Advice Edit Criteria

|                                                                                                                    |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
|--------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Issuer Application Data, Byte 8</b><br>Positions: 99-100<br>Length: 2<br>Format: displayable hexadecimal        | <b>Description:</b> This field will contain one of the following depending on type of Chip card:<br>VIS: Data could be present<br>CCD: CVR Extension<br>Generic EMV Transport: Undefined Data                                                                                                                                                                                                                                                                                                                                                                            |
| <b>Issuer Application Data, Bytes 9-16</b><br>Positions: 101-116<br>Length: 16<br>Format: displayable hexadecimal  | <b>Description:</b> This field will contain one of the following depending on type of Chip card:<br>VIS: Data could be present<br>CCD: Counters<br>Generic EMV Transport: Undefined Data                                                                                                                                                                                                                                                                                                                                                                                 |
| <b>Issuer Application Data, Byte 1</b><br>Positions: 117-118<br>Length: 2<br>Format: displayable hexadecimal       | <b>Description:</b> This field will contain one of the following depending on type of Chip card:<br>VIS: Data could be present<br>CCD: Length Indicator<br>Generic EMV Transport: Undefined Data                                                                                                                                                                                                                                                                                                                                                                         |
| <b>Issuer Application Data, Byte 17</b><br>Positions: 119-120<br>Length: 2<br>Format: displayable hexadecimal      | <b>Description:</b> This field will contain one of the following depending on type of Chip card:<br>VIS: Data could be present<br>CCD: Length Indicator<br>Generic EMV Transport: Undefined Data                                                                                                                                                                                                                                                                                                                                                                         |
| <b>Issuer Application Data, Bytes 18-32</b><br>Positions: 121-150<br>Length: 30<br>Format: displayable hexadecimal | <b>Description:</b> This field will contain one of the following depending on type of Chip card:<br>VIS: Data could be present<br>CCD: Issuer Discretionary Data<br>Generic EMV Transport: Undefined Data                                                                                                                                                                                                                                                                                                                                                                |
| <b>Form Factor Indicator</b><br>Positions: 151-158<br>Length: 8<br>Format: display hexadecimal                     | <b>Description:</b> This field is not in use and will contain spaces.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
| <b>Issuer Script 1 Results</b><br>Positions: 159-168<br>Length: 10<br>Format: displayable hexadecimal              | <b>Description:</b> This field identifies the update command that the issuer sends in the authorization response to the card during online processing. With the command, the card updates the parameters and records the success or failure of the updates in the Issuer Script 1 Results field.<br><br>This field contains indicators related to the attributes of the cardholder's device and the technology used for the communication between the cardholder's device and the acquiring device. This field must be display hexadecimal.<br><br>The ISO field is 143. |

# Chapter 22

## 49 Split Batch Acknowledgment Transactions

---

### TC 49 - Split Batch Acknowledgment Transactions

The TC 49 will be defined for transactions processed in the destination VIC of the Cross VIC file. The TC 49 Split Batch Acknowledgment will be created and sent only to CIBs subscribed to receive the file.

TCR 0

CTF - Incoming Interchange

# TC 49 - TCR 0 Split Batch Acknowledgment Transactions

These tables contain the Split Batch Acknowledgment (TC 49) record layout and edit criteria for TCR 0.

## CTF - Incoming Interchange

### Split Batch Acknowledgment Layout

| Position | Field Length | Format | Contents                              |
|----------|--------------|--------|---------------------------------------|
| 1-2      | 2            | UN     | Transaction Code                      |
| 3        | 1            | UN     | Transaction Code Qualifier            |
| 4        | 1            | UN     | Transaction Component Sequence Number |
| 5-10     | 6            | UN     | Destination Identifier                |
| 11-16    | 6            | UN     | Source Identifier                     |
| 17-21    | 5            | UN     | Edit Package Batch Date               |
| 22-27    | 6            | UN     | Edit Package Batch Number             |
| 28-35    | 8            | AN     | Reserved                              |
| 36       | 1            | AN     | Batch Disposition Code                |
| 37       | 1            | AN     | Summary Type Code                     |
| 38-57    | 20           | AN     | Reserved                              |
| 58-72    | 15           | UN     | Total Transactions                    |
| 73-87    | 15           | UN     | Gross Amount                          |
| 88-137   | 50           | AN     | Reserved                              |
| 138-167  | 30           | AN     | BASE II Unique File ID                |
| 168      | 1            | AN     | Reimbursement Attribute               |

Format: AN = Alphanumeric, ANS = Alphanumeric Special, DX = Display Hexadecimal, N = Numeric, UN = Unpacked Numeric

### Split Batch Acknowledgment Criteria

|                                                                                                       |                                                                                                                                                                                                                                      |
|-------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Transaction Code</b><br>Positions: 1-2<br>Length: 2<br>Format: unpacked numeric                    | <b>Description:</b> This field will contain <b>49</b> .                                                                                                                                                                              |
| <b>Transaction Code Qualifier</b><br>Positions: 3<br>Length: 1<br>Format: unpacked numeric            | <b>Description:</b> This field will contain a <b>0</b> (zero).<br>The edit will continue to be performed by the Edit Package when the Bypass Business Edits option is used during an outgoing edit run.                              |
| <b>Transaction Component Sequence Number</b><br>Positions: 4<br>Length: 1<br>Format: unpacked numeric | <b>Description:</b> This field will contain a <b>0</b> (zero).                                                                                                                                                                       |
| <b>Destination Identifier</b><br>Positions: 5-10<br>Length: 6<br>Format: unpacked numeric             | <b>Description:</b> The entity to which a BASE II transaction message is sent.<br>This field will contain the destination identifier of the processing center.                                                                       |
| <b>Source Identifier</b><br>Positions: 11-16<br>Length: 6<br>Format: unpacked numeric                 | <b>Description:</b> The entity from which this BASE II transaction message was sent.                                                                                                                                                 |
| <b>Edit Package Batch Date</b><br>Positions: 17-21<br>Length: 5<br>Format: unpacked numeric           | <b>Description:</b> The outgoing Edit Package date of the batch being acknowledged.<br>The format of this field is <b>YYDDD</b> . <ul style="list-style-type: none"><li>• <b>YY = 00-99</b></li><li>• <b>DDD = 001-366</b></li></ul> |
| <b>Edit Package Batch Number</b><br>Positions: 22-27<br>Length: 6<br>Format: unpacked numeric         | <b>Description:</b> The outgoing Edit Package batch number of the batch being acknowledged.                                                                                                                                          |
| <b>Reserved</b><br>Positions: 28-35<br>Length: 8<br>Format: alphanumeric                              | <b>Description:</b> This field is reserved for future use. BASE II will always space-fill.                                                                                                                                           |

## Split Batch Acknowledgment Criteria

|                                                                                           |                                                                                                                                                                                                                                                                                                                    |
|-------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Batch Disposition Code</b><br>Positions: 36<br>Length: 1<br>Format: alphanumeric       | <b>Description:</b> This field will contain an <b>X</b> (Batch was sent via cross VIC processing), which indicates that the batch was accepted by the VIC and records within the batch may have been sent via cross VIC processing.                                                                                |
| <b>Summary Type Code</b><br>Positions: 37<br>Length: 1<br>Format: alphanumeric            | <b>Description:</b> This code indicates which type of transactions within the batch are being acknowledged.<br><br>This field will contain one of the following values: <ul style="list-style-type: none"><li>• <b>0</b> (Interchange)</li><li>• <b>2</b> (Collection-only transaction)</li></ul>                  |
| <b>Reserved</b><br>Positions: 38-57<br>Length: 20<br>Format: alphanumeric                 | <b>Description:</b> This field is reserved for future use. BASE II will always space-fill.                                                                                                                                                                                                                         |
| <b>Total Transactions</b><br>Positions: 58-72<br>Length: 15<br>Format: unpacked numeric   | <b>Description:</b> The total number of the records that make up a single financial, administrative, or text message, as required for transmission between a processing center and a VIC. Transactions are identified by transaction codes. The total is the number of transactions in the group being summarized. |
| <b>Gross Amount</b><br>Positions: 73-87<br>Length: 15<br>Format: unpacked numeric         | <b>Description:</b> This field will contain the hash total of source amounts in the group of transactions being summarized.                                                                                                                                                                                        |
| <b>Reserved</b><br>Positions: 88-137<br>Length: 50<br>Format: alphanumeric                | <b>Description:</b> This field is reserved for future use. BASE II will always space-fill.                                                                                                                                                                                                                         |
| <b>BASE II Unique File ID</b><br>Positions: 138-167<br>Length: 30<br>Format: alphanumeric | <b>Description:</b> A unique file number, like an identification, used by the Edit Package for history checking.                                                                                                                                                                                                   |
| <b>Reimbursement Attribute</b><br>Positions: 168<br>Length: 1<br>Format: alphanumeric     | <b>Description:</b> This field must contain a <b>0</b> (zero).                                                                                                                                                                                                                                                     |

# Glossary

|                                                 |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
|-------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>account funding source</b>                   | Identifies the source of the funds associated with the primary account for the card. For example, Charge, Credit, Debit, Deferred Debit, and Prepaid.                                                                                                                                                                                                                                                                                                                                                                                                                      |
| <b>account number</b>                           | An issuer-assigned payment credential that identifies an account in order to post a transaction.                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
| <b>account number extension</b>                 | A three-position extension of the account number that allows account numbers up to 19 digits in length.                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
| <b>account prefix</b>                           | The first nine digits of a cardholder account number.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
| <b>account prefix range</b>                     | The set of a low-account prefix and a high-account prefix that defines the range of cardholder account numbers used by an issuer. (A single issuer may use more than one range.) All ranges are maintained on the ARDEF Table for cardholder account number and issuing identifier validation purposes.                                                                                                                                                                                                                                                                    |
| <b>account restricted use</b>                   | Identifies whether any processing restriction exists for the account range.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
| <b>Account Screen Authorization File (ASAF)</b> | The <i>Account Screen Authorization File (ASAF)</i> is an online file that contains data for an issuer's cardholder accounts that require nonstandard responses to authorization requests. It is an issuer-maintained file that includes both positive and negative action codes and special instructions for listed accounts, and allows Visa to respond to an authorization request on behalf of an issuer. V.I.P. has the ability to access the file during both Stand-In (STIP) processing as well as when the issuer is available, depending on issuer configuration. |
| <b>Account Screen Clearing File (ASCF)</b>      | The <i>Account Screen Clearing File (ASCF)</i> provides global clearing transaction protection for listed accounts, including below-floor-limit transactions, force-posted transactions and card-not-present transactions. The file is an extract of negatively listed accounts from the ASAF that Visa references in clearing when the issuer participates in Account Screen All Respond and Clearing Return functionality.                                                                                                                                               |

|                                               |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
|-----------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>acquirer</b>                               | <p>A client financial institution that has agreements with merchants to accept Visa card transactions or offers cash disbursement services to account holders, or both. The acquirer is responsible for:</p> <ul style="list-style-type: none"> <li>• Accepting card transaction data from merchants and its own ATMs and bank branches</li> <li>• Providing authorization decisions to those card-accepting locations</li> <li>• Conveying transaction information to Visa as interchange transactions</li> </ul> |
| <b>Acquirer center</b>                        | <p>A BASE II processing center supporting one or more Visa acquirers. The processing center receives transaction information from merchants and cash dispensing locations on behalf of acquirers; processes local transactions and sends interchange transactions to a VIC for distribution to the issuer processing centers; and settles the value of transactions with merchants and agents and, for interchange transactions, with other clients through the BASE II system.</p>                                |
| <b>Acquirer Reference Number (ARN)</b>        | <p>A 23-digit identification number associated with every draft and voucher. It consists of a Format Code, Acquiring Identifier, Capture Date, Film Locator, and Check Digit.</p>                                                                                                                                                                                                                                                                                                                                  |
| <b>acquiring identifier</b>                   | <p>The acquirer from which a BASE II transaction is sent.</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
| <b>administrative messages</b>                | <p>All transactions that pass information between processing centers but do not result in debits or credits in the settlement process.</p>                                                                                                                                                                                                                                                                                                                                                                         |
| <b>Advice File</b>                            | <p>The V.I.P. file containing records of authorization and verification responses generated at the VIC.</p>                                                                                                                                                                                                                                                                                                                                                                                                        |
| <b>ARDEF File</b>                             | <p>The permanent file for the ARDEF (Account Range Definition) Table, which is used to control the accuracy of Edit Package processing. The table contains all valid ARDEF entries, namely: the account prefix range, its associated issuing identifier, card-number length indicator, check-digit indicator, product ID, and account funding source.</p>                                                                                                                                                          |
| <b>balancing and reconciliation</b>           | <p>The process of accounting for the number and amount of transactions and the currency of each transaction in a BASE II cycle.</p>                                                                                                                                                                                                                                                                                                                                                                                |
| <b>BASE I System</b>                          | <p>See V.I.P. System.</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
| <b>Bank Identification Number (BIN)</b>       | <p>A 6-digit identifier licensed by Visa to an issuer before 22 April 2022 that comprises of the first 6 digits of an account number.</p> <p>An 8-digit identifier assigned by the ISO to Visa and then licensed by Visa to an issuer that comprises of the first 8 digits of an account number.</p>                                                                                                                                                                                                               |
| <b>BASE II Center Information Block (CIB)</b> | <p>Numeric value used to define the processor/settlement entity for BASE II endpoints.</p>                                                                                                                                                                                                                                                                                                                                                                                                                         |
| <b>BASE II CIB</b>                            | <p>See BASE II Center Information Block (CIB).</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |

|                                         |                                                                                                                                                                                                                                                                                                                                 |
|-----------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>BASE II processing center</b>        | See processing center.                                                                                                                                                                                                                                                                                                          |
| <b>BASE II System</b>                   | An electronic batch transmission system primarily used for the exchange of Visa interchange transaction data and for settlement of the value of those transactions between acquirers and issuers. This system is also used by centers to retrieve records from the Advice File and by Visa to settle various fees with clients. |
| <b>batch</b>                            | A set of transaction records, terminating with a batch trailer, sent through BASE II.                                                                                                                                                                                                                                           |
| <b>Batch Acknowledgment Transaction</b> | A receipt confirmation generated at a VIC of each batch of outgoing transactions. These transactions are received in the center's incoming Interchange Transaction File.                                                                                                                                                        |
| <b>batch reject</b>                     | See rejected batch.                                                                                                                                                                                                                                                                                                             |
| <b>batch trailer record</b>             | A record designating the end of a batch of BASE II transactions. It contains count and monetary totals used to control the integrity of the batch's transaction data. See also merchant batch trailer record.                                                                                                                   |
| <b>Bill Payment Service</b>             | A service allowing a client to accept payment from a Visa cardholder whose account belongs to another client and to credit the issuer through BASE II. The issuer and the client receiving the payment must both be in the same country. Used in Canada and Brazil.                                                             |
| <b>billing currency</b>                 | The currency in which the issuer bills the cardholder for transactions.                                                                                                                                                                                                                                                         |
| <b>BIN</b>                              | See <i>Bank Identification Number (BIN)</i> .                                                                                                                                                                                                                                                                                   |
| <b>BIN File</b>                         | The permanent file for a BIN Table, which is used to control the accuracy of Edit Package processing. The table contains all valid BINs and their BASE II processing status codes. This is a deprecated term. See current, VID Table File.                                                                                      |
| <b>card</b>                             | A payment card, digital application, or other device or solution that provides access to a payment credential and that is capable of conducting a transaction, is issued by an issuer, and may bear one of the Visa-owned marks.                                                                                                |
| <b>card issuer processing center</b>    | See issuer center.                                                                                                                                                                                                                                                                                                              |
| <b>Card Recovery Bulletin (CRB)</b>     | A paper listing, published and distributed by Visa, that contains Visa account numbers for which card pickup is required.                                                                                                                                                                                                       |
| <b>cardholder processing center</b>     | See issuer center.                                                                                                                                                                                                                                                                                                              |
| <b>cash advance</b>                     | The disbursement of cash from an ATM, bank teller, or authorized merchant based on use of a Visa or Plus card.                                                                                                                                                                                                                  |



|                                           |                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
|-------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>cashback field</b>                     | A nine-digit field that specifies the currency amount that is paid out when a purchase transaction occurs.                                                                                                                                                                                                                                                                                                                                                                |
| <b>Center Transaction File (CTF)</b>      | The outgoing Center Transaction File contains interchange transactions generated by a processing center's pre-edit program. If the format is acceptable to the Edit Package, it is converted to an ITF and is submitted to the VIC. The incoming Center Transaction File contains ITF data transmitted from the VIC through the VAP to the Edit Package for processing. If there are no errors, the ITF is converted to a CTF and used as input to the post-edit program. |
| <b>Central Processing Date (CPD)</b>      | The date (based on GMT) when the ITF or report in question was generated at a VIC.                                                                                                                                                                                                                                                                                                                                                                                        |
| <b>dispute</b>                            | A sales draft or other item that has been examined by the issuer center, found to be improper, and sent back to the acquirer center with other outgoing interchange.                                                                                                                                                                                                                                                                                                      |
| <b>Chargeback Reduction Service (CRS)</b> | A worldwide service that provides acquirers and issuers with information available from other VisaNet systems to reduce the number of unnecessary Visa retrieval copy requests and fulfillment requests.                                                                                                                                                                                                                                                                  |
| <b>check digit</b>                        | A digit added to the end of an account number or Acquirer Reference Number that is derived from a computation using a predetermined formula and the preceding digits of the account number. It is used during editing processes to validate account numbers and Acquirer Reference Numbers.                                                                                                                                                                               |
| <b>Chip Card</b>                          | See <i>Integrated Circuit Card</i> .                                                                                                                                                                                                                                                                                                                                                                                                                                      |
| <b>Chip Debit/Credit</b>                  | See Visa Smart Debit/Visa Smart Credit (VSDC).                                                                                                                                                                                                                                                                                                                                                                                                                            |
| <b>clearing</b>                           | All of the functions required to collect a transaction from an acquirer in the merchant's currency and deliver it to the issuer in the cardholder's currency.                                                                                                                                                                                                                                                                                                             |
| <b>collection-only transaction</b>        | An intraprocessor transaction submitted to BASE II for collection only (not settlement or delivery). Normal BASE II processing charges and interchange reimbursement fees do not apply to collection-only transactions.                                                                                                                                                                                                                                                   |
| <b>copy/original</b>                      | A copy of a transaction requested from the acquirer center by the issuer center. (Synonymous with original/photocopy.)                                                                                                                                                                                                                                                                                                                                                    |
| <b>CPD</b>                                | See central processing date (CPD).                                                                                                                                                                                                                                                                                                                                                                                                                                        |
| <b>CPS</b>                                | See <i>Custom Payment Service (CPS)</i> or <i>Card Personalization Specification (CPS)</i> .                                                                                                                                                                                                                                                                                                                                                                              |
| <b>CRB</b>                                | See Card Recovery Bulletin (CRB).                                                                                                                                                                                                                                                                                                                                                                                                                                         |

|                                     |                                                                                                                                                                                                                                                                                                                                                                                                             |
|-------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>credit card</b>                  | A physical or digital card with an account number assigned by an issuer to a cardholder. This card, which has a credit limit, can be used to purchase goods and services and to get cash. The issuing institution bills the cardholder every month for repayment of the credit extended. The cardholder repays the issuer in full every month <b>or</b> on an installment basis, with a minimum amount due. |
| <b>credit voucher</b>               | Sometimes referred to as credit return, it is the record of a return or price adjustment of a purchase.                                                                                                                                                                                                                                                                                                     |
| <b>CRS</b>                          | See Chargeback Reduction Service (CRS).                                                                                                                                                                                                                                                                                                                                                                     |
| <b>CTF</b>                          | See Center Transaction File (CTF).                                                                                                                                                                                                                                                                                                                                                                          |
| <b>currency conversion rate</b>     | This rate is applied by Visa International to certain transactions (original sales drafts, dispute response financials, travel vouchers, credit vouchers, and cash disbursements) and the reversal of such transactions.                                                                                                                                                                                    |
| <b>currency of purchase</b>         | See transaction currency.                                                                                                                                                                                                                                                                                                                                                                                   |
| <b>currency trading cutoff</b>      | The time at which currency conversion rates expire.                                                                                                                                                                                                                                                                                                                                                         |
| <b>Custom Merchant Service</b>      | A service that tailors interchange reimbursement fees to specific merchant categories.                                                                                                                                                                                                                                                                                                                      |
| <b>Custom Payment Service (CPS)</b> | A Visa payment service that minimizes dispute financials and facilitates transaction clearing and settlement by assigning a unique identifier that stays with the transaction throughout its life cycle.                                                                                                                                                                                                    |
| <b>Data Capture Advice</b>          | A batch transaction that delivers data for transactions captured at merchant locations to the acquirer center for subsequent submission to BASE II.                                                                                                                                                                                                                                                         |
| <b>Data Capture Service</b>         | Merchants' use of electronic terminals at points-of-sale (POS) to capture sales transaction data. Clients can receive reports on transactions that have occurred at each merchant location.                                                                                                                                                                                                                 |
| <b>DBA</b>                          | The "doing business as" name of the merchant. (The DBA name is required in all BASE II records that include merchant ID to ensure cardholder recognition.)                                                                                                                                                                                                                                                  |
| <b>debit card</b>                   | A card linked to a demand deposit account, checking account, current account, negotiable order of withdrawal account, or savings account held at a financial institution, or a debit account or equivalent, as defined under applicable laws or regulations.                                                                                                                                                |

|                                   |                                                                                                                                                                                                                                                                                                                                                                                        |
|-----------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>descriptive billing</b>        | A billing method in which the cardholder receives a statement containing a descriptive section of information identifying the card acceptor (merchant, bank branch , or business location) and the nature of each charge or credit for each transaction posted to the account. Copies of the original paper are not returned to the cardholder.                                        |
| <b>designated currency</b>        | One of the currencies that may be chosen by a client for settlement and funds transfer.                                                                                                                                                                                                                                                                                                |
| <b>destination BIN</b>            | The BIN to which a BASE II transaction message is sent. DEPRECATED TERM: See <i>destination identifier</i> .                                                                                                                                                                                                                                                                           |
| <b>destination currency</b>       | The currency type presented to the client on incoming transactions. For most transactions (that is, drafts), it is the billing currency. For other transactions (for example, fee collection, dispute financials), it is the settlement currency of the destination.                                                                                                                   |
| <b>destination identifier</b>     | See acquiring identifier and/or issuing identifier.                                                                                                                                                                                                                                                                                                                                    |
| <b>dispute financial</b>          | A dispute financial provides an issuer with a way to return a disputed transaction, i.e. to reverse a sales transaction or similar item, and assign financial liability to the acquirer.                                                                                                                                                                                               |
| <b>dispute financial reversal</b> | The cancellation of a dispute financial sent in error to the acquirer center.                                                                                                                                                                                                                                                                                                          |
| <b>dispute response financial</b> | If the acquirer determines that a dispute is invalid, or if the required supporting information/documentation is missing or incomplete, the acquirer may reject the dispute and send it back to the issuer through a dispute response financial or pre-arbitration (depending on the dispute condition). The dispute response financial assigns the financial liability to the issuer. |
| <b>documentation request</b>      | See Request for Copy of transaction.                                                                                                                                                                                                                                                                                                                                                   |
| <b>draft data transaction</b>     | A BASE II financial transaction that contains data for a cardholder transaction and results in a debit or a credit to clearing clients during the settlement process.                                                                                                                                                                                                                  |
| <b>EAS</b>                        | See Visa Extended Access Server.                                                                                                                                                                                                                                                                                                                                                       |
| <b>Early Delivery Service</b>     | Option by which transaction data is delivered to the processing center before settlement is completed.                                                                                                                                                                                                                                                                                 |
| <b>Edit Package</b>               | The BASE II software Visa supplies to processors to validate interchange data, produce the file containing interchange data to be sent from the processor to Visa, and process incoming transactions received from Visa. The Edit Package is the interface between a processing center's internal processing systems and its Extended Access Server (EAS).                             |

|                                       |                                                                                                                                                                                                                                                                                                                                                                      |
|---------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Edit Package processing date</b>   | The date used by the Edit Package during a specific run. This can be the computer's system date or a date specified on the RUNDATE run control option.                                                                                                                                                                                                               |
| <b>electronic terminal</b>            | A point-of-sale terminal, an automated teller machine, or a cash dispensing machine used at the point of transaction to generate electronic impulses that are captured in computer-readable form.                                                                                                                                                                    |
| <b>Extended Access Server</b>         | See Visa Extended Access Server.                                                                                                                                                                                                                                                                                                                                     |
| <b>fee collection transaction</b>     | A BASE II transaction representing a miscellaneous financial charge assessed by one client or by Visa against another client.                                                                                                                                                                                                                                        |
| <b>File Distribution Service</b>      | The receipt of files through BASE II based on an arrangement that best meets the client's needs and processing schedules. It can distinguish and simultaneously process interchange, nonfinancial, and settlement data. It can separate report delivery from interchange processing.                                                                                 |
| <b>file header record</b>             | A record designating the beginning of a CTF or ITF. It contains the processing center ID, security code, and relevant control information.                                                                                                                                                                                                                           |
| <b>file trailer record</b>            | A record designating the end of a CTF or ITF. It contains count and monetary totals used to control the integrity of file content. A CTF is terminated with one file trailer record regardless of the number of volumes used to contain the data; an ITF on tape is terminated with a file trailer record at the end of each volume, if multiple volumes are needed. |
| <b>file transfer</b>                  | Electronic transfer of an ITF between the PC Edit Package and the VAP.                                                                                                                                                                                                                                                                                               |
| <b>financial controls</b>             | Those controls surrounding general ledger activities and procedures relating to bank card accounting.                                                                                                                                                                                                                                                                |
| <b>floor limit</b>                    | The maximum dollar amount for a transaction without having to obtain authorization.                                                                                                                                                                                                                                                                                  |
| <b>fraud advice transaction</b>       | A BASE II transaction sent by a center to notify Visa of the possible fraudulent use of a card. Sent only with outgoing interchange transactions from the issuer center.                                                                                                                                                                                             |
| <b>freeform text message</b>          | See text message.                                                                                                                                                                                                                                                                                                                                                    |
| <b>funds disbursement transaction</b> | A BASE II transaction used to transfer monetary credit from one BASE II entity to another or to reverse a fee collection transaction.                                                                                                                                                                                                                                |
| <b>History File</b>                   | The Edit Package file used to store the history of outgoing and incoming processing runs, and to control reruns and assign batch numbers for multiple daily runs.                                                                                                                                                                                                    |

|                                           |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
|-------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>host computer(s)</b>                   | The computer system used at the processing center to process BASE II interchange or V.I.P. inquiries, or both, and other authorization-related messages.                                                                                                                                                                                                                                                                                                                                                                                            |
| <b>IAF</b>                                | See International Acquiring Fee.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
| <b>ICC</b>                                | See Integrated Circuit Card.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
| <b>ICS</b>                                | See Issuers' Clearinghouse Service (ICS).                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
| <b>ICS input/response transaction</b>     | A BASE II transaction sent (input) or received (response) by a center participating in the Issuers' Clearinghouse Service.                                                                                                                                                                                                                                                                                                                                                                                                                          |
| <b>incoming interchange</b>               | All BASE II transactions transmitted from a VIC to a processing center, or the entire process of receiving incoming interchange transaction data from a VIC.                                                                                                                                                                                                                                                                                                                                                                                        |
| <b>integrated circuit card (ICC)</b>      | A plastic card embedded with a silicon chip that has greater storage capabilities than a magnetic stripe. This allows for more robust functionality and multiple accounts to reside on one physical card.                                                                                                                                                                                                                                                                                                                                           |
| <b>interchange processing</b>             | The electronic movement of transaction data between acquirers and issuers.                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
| <b>Interchange Reimbursement Fee</b>      | A fee paid by issuers and acquirers to each other for transactions entered into interchange (and their reversals) to balance the cost of doing business.                                                                                                                                                                                                                                                                                                                                                                                            |
| <b>interchange transaction</b>            | Any transaction where the client that signed the cardholder submits transactions through a different processing center than the client that signed the merchant.                                                                                                                                                                                                                                                                                                                                                                                    |
| <b>Interchange Transaction File (ITF)</b> | <p>The <i>outgoing</i> Interchange Transaction File contains transactions sent to VisaNet by an endpoint. This file may be created by the outgoing Edit Package after the endpoint's pre-edit processing, or it may be sent directly to VisaNet.</p> <p>The <i>incoming</i> Interchange Transaction File contains transactions delivered to an endpoint by VisaNet. This file may be read by the Edit Package prior to the transaction being processed by the endpoint's post-edit processing, or it may be directly processed by the endpoint.</p> |
| <b>interface transaction advice</b>       | A notice to certain non-Visa card issuers of transactions captured by Visa terminals at merchant locations. These notices are created by the terminal provider and are transmitted through the BASE II system to non-Visa card issuers.                                                                                                                                                                                                                                                                                                             |
| <b>International Acquiring Fee (IAF)</b>  | An optional regional fee paid by the acquirer when a transaction occurs outside the issuer's country. It may be assessed for Sales Draft (TC 05) original and dispute response financial, Cash Disbursement (TC 07) original and dispute response financial, TC 05 and TC 07 reversals and their V.I.P. full financial Visa or Plus Network equivalent transactions.                                                                                                                                                                                |

|                                                     |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
|-----------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>International Airline Program</b>                | A program that permits acquirers of merchants designated by Visa as international airlines to deposit transactions outside the country where the transactions occurred.                                                                                                                                                                                                                                                                                                                                                                                                                                       |
| <b>international airline transactions</b>           | International Airline Program transactions in which the issuer and merchant are not in the same country.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
| <b>International Outgoing Interchange (IOI) fee</b> | See International Acquiring Fees (IAF).                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
| <b>International Service Assessment (ISA)</b>       | The International Service Assessment (ISA) fee applies to international BASE II and V.I.P. full financial clearing transactions in which the issuer country is different from the merchant country.                                                                                                                                                                                                                                                                                                                                                                                                           |
| <b>interregional transaction</b>                    | A transaction where the merchant and issuer are not in the same Visa region.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
| <b>intraprocessor transaction</b>                   | A transaction where the acquirer and the issuer are two different clients but both are serviced by the same processor.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
| <b>intraregional transaction</b>                    | A transaction where the merchant and issuer are in the same Visa region but are not in the same country.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
| <b>IOI fee</b>                                      | See International Acquiring Fees (IAF).                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
| <b>IRF</b>                                          | See Interchange Reimbursement Fee (IRF).                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
| <b>ISA</b>                                          | See International Service Assessment (ISA).                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
| <b>issuer</b>                                       | A client financial institution that issues Visa cards. For a given transaction, the issuer is the institution that issued the card used for that transaction to the account holder. The issuer is responsible for maintaining the accounts of its account holders, for providing authorization decisions, for account holder billing, and for settlement of transactions its account holders have with merchants and cash dispensing locations of other clients. Each issuer operates or designates an issuer center to perform the functions related to clearing and settlement of interchange transactions. |
| <b>issuer center</b>                                | A BASE II processing center acting in support of one or more issuers. The processing center processes completed account holder transactions (local and interchange) for account holder account posting and billing. For completed interchange transactions, the center is also responsible for receiving and processing incoming transactions for the account holders of the issuer or issuers.                                                                                                                                                                                                               |
| <b>Issuers' Clearinghouse Service (ICS)</b>         | A service developed to curtail the fraudulent or excessive use of credit card applications, and the fraudulent use of credit cards. Issuers may access or update the ICS database through BASE II.                                                                                                                                                                                                                                                                                                                                                                                                            |
| <b>issuing BIN</b>                                  | Numeric value used to identify the issuing institution.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |

|                                           |                                                                                                                                                                                                                                                                                                                              |
|-------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>issuing identifier</b>                 | A numeric value used to define issuing processing. Multiple Issuing BINs can be linked to the same Issuing Identifier in Visa's systems.                                                                                                                                                                                     |
| <b>ITF</b>                                | See Interchange Transaction File (ITF).                                                                                                                                                                                                                                                                                      |
| <b>julian date</b>                        | A date expressed as the day's position in a year rather than in a particular month. The format is YDDD or YYDDD.                                                                                                                                                                                                             |
| <b>local airline transaction</b>          | International Airline Program transactions in which the issuer and merchant are in the same country.                                                                                                                                                                                                                         |
| <b>mark</b>                               | A word, name, design, symbol, distinctive sign, animation, sound, haptic, other designation, or any combination thereof, that Visa or any entity adopts to identify its goods or services.                                                                                                                                   |
| <b>media request</b>                      | See Request for Copy transaction.                                                                                                                                                                                                                                                                                            |
| <b>member settlement data transaction</b> | An incoming transaction used to transmit settlement report data in machine-readable format.                                                                                                                                                                                                                                  |
| <b>merchant batch header record</b>       | The header record in a data capture advice that carries merchant batch data.                                                                                                                                                                                                                                                 |
| <b>merchant batch trailer record</b>      | The trailer record in a data capture advice that carries merchant batch data.                                                                                                                                                                                                                                                |
| <b>Merchant Mailing File (MMF)</b>        | A file at the VIC containing the names, addresses, and other pertinent information for merchants who receive the Card Recovery Bulletin.                                                                                                                                                                                     |
| <b>Merchant Mailing File transaction</b>  | The BASE II transaction used by processing centers to update the Merchant Master File. It is transmitted from acquirer centers to a VIC.                                                                                                                                                                                     |
| <b>Merchant Master File</b>               | A computer record of information on all merchants serviced by a center. This file is maintained at the processing center.                                                                                                                                                                                                    |
| <b>merchant processing center</b>         | See acquirer center.                                                                                                                                                                                                                                                                                                         |
| <b>multicurrency clearing</b>             | The clearing of transactions where clients enter financial transactions into BASE II in the currency as signed by the cardholder, and receive cleared transactions converted to the issuer's billing currency. This results in uniform conversion rates for all issuers for the processing day.                              |
| <b>National Net interchange</b>           | Transactions that are exchanged between processing centers whose issuers and acquirers are located in the same country where settlement is accomplished through a central agent bank for each country using the service. BASE II clears the transactions and records transaction totals on National Net interchange reports. |
| <b>national settlement transaction</b>    | A National Net transaction.                                                                                                                                                                                                                                                                                                  |

|                                 |                                                                                                                                                                                                                                                                                                                                                                                                          |
|---------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>National Transaction</b>     | A transaction in which the merchant, issuer, and acquirer are all in the same country.                                                                                                                                                                                                                                                                                                                   |
| <b>net settlement amount</b>    | The currency amount representing the difference between a settlement entity's outgoing and incoming interchange for a given day, plus or minus fees and charges. May be a debit or credit.                                                                                                                                                                                                               |
| <b>nonfinancial transaction</b> | A nonmonetary transaction that supports the bankcard business. For example, a request or confirmation of a photocopy, freeform message, BASE I Advice record, Merchant Mailing File update, data capture advice, and Issuers' Clearing Service inquiry or response.                                                                                                                                      |
| <b>on-us transactions</b>       | Drafts, vouchers and other items where the client that signed the merchant also signed the cardholder, or where the client that signed the merchant and the client that issued the card have both designated the same processing center.                                                                                                                                                                 |
| <b>Optional Issuer Fee</b>      | See Visa Issuer FX Calculator                                                                                                                                                                                                                                                                                                                                                                            |
| <b>original transaction</b>     | In the BASE II System, the first presentation of a purchase, credit, or cash advance submitted into interchange.                                                                                                                                                                                                                                                                                         |
| <b>original/photocopy</b>       | See copy/original.                                                                                                                                                                                                                                                                                                                                                                                       |
| <b>outgoing interchange</b>     | All BASE II transactions transmitted from a client's processing center to a VIC. Both acquirer and issuer centers send outgoing interchange.                                                                                                                                                                                                                                                             |
| <b>payment credential</b>       | A number or other credential that identifies an account of a cardholder for use in a transaction.                                                                                                                                                                                                                                                                                                        |
| <b>Plus</b>                     | An automatic teller machine (ATM) network to which Visa clients have access.                                                                                                                                                                                                                                                                                                                             |
| <b>Plus Identifier File</b>     | A file containing Plus table update records that is created through incoming Edit Package processing for all clients subscribing to the Plus ATM system. The Plus Table contains identifier numbers of Plus card issuers.                                                                                                                                                                                |
| <b>post-edit program</b>        | Software written and maintained by a processing center to restructure an incoming Center Transaction File into a format acceptable for the local posting and billing process and to apply client-unique edit criteria against the transactions. This program is executed following the incoming Edit Package run.                                                                                        |
| <b>pre-edit program</b>         | Software written and maintained by a processing center to separate on-us items from interchange items and to apply client-unique edit criteria against the transactions. This program also formats outgoing interchange into the outgoing Center Transaction File for processing by the Edit Package according to BASE II specifications. This program is executed before the outgoing Edit Package run. |



|                                           |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
|-------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>prepaid card</b>                       | A card linked to a reloadable or nonreloadable prefunded account, or a prepaid account or equivalent as defined under applicable laws or regulations.                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
| <b>presentation</b>                       | See presentment.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
| <b>presentment</b>                        | Paper (or a transaction) submitted for the first time by an acquirer to an issuer and processed through VisaNet interchange.                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
| <b>processing center</b>                  | The entity, operated or designated by a clearing client of Visa, responsible for processing of interchange transactions. It executes the Edit Package and the pre- or post-edit programs, or both, and sends and receives interchange transactions to and from a VIC. A single processing center may function as an acquirer center, an issuer center, or both. It performs interchange transaction services for one client or a multiple number of clients. Most BASE II processing centers are operated by Visa clients; nonmember processing centers may be authorized to process Visa transactions. |
| <b>processing date</b>                    | See central processing date (CPD) or Edit Package processing date.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
| <b>proof and capture</b>                  | The process of determining that each deposit or group of deposits balances, and the process of recording standard information from each draft, voucher, and transaction in a form acceptable for editing and processing.                                                                                                                                                                                                                                                                                                                                                                                |
| <b>PSIRF</b>                              | See Payment Service Interchange Reimbursement Fee (PSIRF).                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| <b>RCRF</b>                               | See Regional Card Recovery File (RCRF).                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
| <b>Regional Card Recovery File (RCRF)</b> | A file of cardholder account records, created by Visa every week for international users, that contains all V.I.P. Exception File pickup accounts coded for a given CRB region, plus specified "Region 0" accounts listed by issuers in that CRB region. Users receive an RCRF as part of the incoming BASE II interchange transaction file.                                                                                                                                                                                                                                                            |
| <b>reimbursement attribute</b>            | A one-digit alphanumeric code designating reimbursement fees applicable to a specific transaction.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
| <b>Interchange Transaction File</b>       | The standard input/output data medium for the BASE II Interchange Control System (ICS). All output from BASE II is delivered to the Visa client on an incoming ITF. All input to BASE II is sent from the member to the ICS on an outgoing ITF.                                                                                                                                                                                                                                                                                                                                                         |
| <b>rejected batch</b>                     | An interchange batch that is not accepted by the VIC due to an error in the audit integrity of that batch.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |

|                                     |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
|-------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>rejected transaction</b>         | An outgoing BASE II transaction record in which the Edit Package detected an error that affects the financial integrity of the batch. The Edit Package excludes such transactions from outgoing interchange, that is, the transaction is not included in the outgoing Interchange Transaction File forwarded to a VIC. (The batch is not rejected; all valid transactions in the batch are included in the outgoing Interchange Transaction File.) Unless the transaction is a batch or file trailer record, the run aborts.                                                                        |
| <b>re-presentment</b>               | Paper (or a transaction) submitted by an acquirer to an issuer for a second time, following receipt of a chargeback. This is a deprecated term. See current, dispute response financial.                                                                                                                                                                                                                                                                                                                                                                                                            |
| <b>Request for Copy transaction</b> | A transaction generated when an issuer requests for a copy of the original transaction, followed by a confirmation that records the sending of the copy. Also known as a documentation or media request.                                                                                                                                                                                                                                                                                                                                                                                            |
| <b>returned transaction</b>         | A cardholder transaction record in which the VIC edit function detected an error that does not violate the financial integrity of the batch. When such an error is detected, the transaction is included in the outgoing batch interchange totals (in a separate category), but it is not forwarded to the issuer center. The transaction is placed in a new BASE II transaction, with a new transaction code, and returned to the originating center with incoming interchange. (On the incoming reports for an originating center, the transactions appear in both outgoing and incoming totals.) |
| <b>reversal</b>                     | A BASE II transaction used to negate or cancel a transaction that has been sent through interchange in error.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
| <b>Settlement</b>                   | The actual transfer of funds from the issuing bank to the acquiring bank through a wire transfer to a settlement account, and the total amount owed by one Visa client to another. See also net settlement amount.                                                                                                                                                                                                                                                                                                                                                                                  |
| <b>settlement currency</b>          | The currency used by the BASE II System to calculate a settlement entity's daily net settlement position.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
| <b>Single Message System (SMS)</b>  | See V.I.P. System.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
| <b>source BIN</b>                   | The BIN from which a BASE II transaction message is sent. This is a deprecated term. See current, source identifier.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
| <b>source currency</b>              | The currency type associated with the amount of a transaction entered into interchange.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
| <b>source identifier</b>            | See acquiring identifier and/or issuing identifier.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
| <b>special airline fee</b>          | A fee charged on transactions from International Airlines when the issuer, acquirer, and transaction countries are different entities. This fee is collected instead of the IAF fee, and is paid to the transaction region.                                                                                                                                                                                                                                                                                                                                                                         |

|                                                           |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
|-----------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Stand-In Processor (STIP)</b>                          | <i>For V.I.P. processing.</i> The function operating at all VICs that provides authorization decisions on behalf of card issuers. It acts for transactions in amounts below the issuer limit, when the issuer center is unavailable, when a request sent to the issuer center times out, or when a local switch request STIP processing.                                                                                                                                            |
| <b>STIP</b>                                               | See Stand-In Processor (STIP) and Stand-In Processing (STIP).                                                                                                                                                                                                                                                                                                                                                                                                                       |
| <b>stored credential</b>                                  | Information (including, but not limited to, a payment credential) stored by a merchant or its agent, a payment facilitator, or a staged digital wallet operator to process future transactions.                                                                                                                                                                                                                                                                                     |
| <b>substitute draft or substitute transaction receipt</b> | A computer-generated version of a sales draft, including items such as account number, merchant name and location, purchase date, transaction amount, authorization code, and a description of the goods and services.                                                                                                                                                                                                                                                              |
| <b>suspense</b>                                           | A series of general ledger accounts containing drafts and vouchers and other items that have been rejected by either the processing center's editing programs or the Edit Package.                                                                                                                                                                                                                                                                                                  |
| <b>system log</b>                                         | A VAP disk file that contains messages recording significant events related to BASE II operations, including net settlement information and all operator actions and their acknowledgments. (All valid dial terminal inquiries and responses and the error messages generated by all VAP subsystems are also included.) When BASE II transmission to or from the VIC completes, the log can be archived to the center's host computer and center-designed reports may be generated. |
| <b>TCR</b>                                                | See Transaction Component Record (TCR).                                                                                                                                                                                                                                                                                                                                                                                                                                             |
| <b>text message</b>                                       | An unformatted message exchanged between processing centers, or sent by Visa, through the BASE II System.                                                                                                                                                                                                                                                                                                                                                                           |
| <b>third-party processor</b>                              | See processing center.                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| <b>token</b>                                              | A type of payment credential issued in accordance with the <i>EMV Payment Tokenization Specification</i> .                                                                                                                                                                                                                                                                                                                                                                          |
| <b>transaction</b>                                        | <p><i>BASE II transaction.</i> The record or records that make up a single financial, administrative, or text message, as required for transmission between a processing center and a VIC. BASE II transactions are identified by transaction codes.</p> <p><i>Cardholder transaction.</i> The use of a payment credential to make a payment or otherwise exchange value between a cardholder (or an issuer) and a merchant (or an acquirer).</p>                                   |
| <b>Transaction Charges</b>                                | Charges paid by clients to Visa for processing services. Transaction charges vary depending on transaction type and volume.                                                                                                                                                                                                                                                                                                                                                         |

|                                                           |                                                                                                                                                                                                                                                                                                                                                                                                                     |
|-----------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Transaction Code (TC)</b>                              | A two-digit code that identifies a specific type of BASE II transaction.                                                                                                                                                                                                                                                                                                                                            |
| <b>Transaction Component Record (TCR)</b>                 | A fixed-length record used to contain a component portion of a BASE II transaction. A single BASE II transaction may consist of multiple TCRs.                                                                                                                                                                                                                                                                      |
| <b>transaction component sequence number</b>              | A single digit placed in each TCR so multiple records (TCRs) can be combined into a single BASE II transaction.                                                                                                                                                                                                                                                                                                     |
| <b>transaction currency</b>                               | The currency of the purchase, as agreed to by the cardholder and the merchant.                                                                                                                                                                                                                                                                                                                                      |
| <b>V.I.P. System</b>                                      | An electronic data transmission system for the real-time delivery and processing of messages related to authorization of bank, T&E, private label, and proprietary card and check acceptance transactions. It accepts authorization requests from acquirer and merchant authorization centers and either provides authorization decisions or secures authorization decisions from the issuer authorization centers. |
| <b>VAP</b>                                                | See VisaNet Access Point (VAP).                                                                                                                                                                                                                                                                                                                                                                                     |
| <b>VIC</b>                                                | See VisaNet Interchange Center (VIC).                                                                                                                                                                                                                                                                                                                                                                               |
| <b>VIC processing date</b>                                | See central processing date (CPD).                                                                                                                                                                                                                                                                                                                                                                                  |
| <b>VID Table</b>                                          | See Visa Identifier (VID) Table.                                                                                                                                                                                                                                                                                                                                                                                    |
| <b>VID Table File</b>                                     | The permanent file for a VID table, which is used to control the accuracy of Edit Package processing. The table contains all valid Acquiring/Issuing identifiers and their BASE II processing status codes.                                                                                                                                                                                                         |
| <b>Visa card</b>                                          | A card that bears the Visa brand mark.                                                                                                                                                                                                                                                                                                                                                                              |
| <b>Visa Extended Access Server</b>                        | The Visa Extended Access Server is the next-generation gateway to Visa products and services, replacing legacy VisaNet Access Points. The EA Server offers improved security and a flexible platform for future updates.                                                                                                                                                                                            |
| <b>Visa Identifier (VID) Table</b>                        | Visa Identifier (VID) table, formally known as BIN table.                                                                                                                                                                                                                                                                                                                                                           |
| <b>Visa Issuer FX Calculator (formerly known as OIF):</b> | Visa calculates an optional issuer-determined amount for multicurrency and/or cross-border transactions if requested by the issuer. This value is calculated based on the percentage rate specified by the issuer and added to the billing amount. The value is informational only and not included in the settlement amount.                                                                                       |

|                                                             |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
|-------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Visa Resolve Online (VROL)</b>                           | Visa Resolve Online provides dispute management services, including transaction research, for example, for cardholder queries, dispute questionnaires to collect relevant customer information and documentation, financial transaction processing (both BASE II and V.I.P. full-financial) for disputes, fraud reporting, Account Screen Authorization file (ASAF), stop payments, and case filing (arbitration and compliance) capabilities. Visa Resolve Online identifies associated transactions, for example, credits, adjustments, and consolidates the dispute history in case folders. To access Visa Resolve Online a client may use either the VROL user interface accessed through Visa Access or a web-service-API system interface (Real Time System Interface - RTSI). |
| <b>Visa Smart Debit/Visa Smart Credit (VSDC)</b>            | A payment service involving the use of chip cards and chip capable card acceptance devices providing a variety of features to support offline authorization, protect against fraud, enhance cardholder verification, and provide a platform for multifunction programs.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
| <b>VisaNet Access Point (VAP)</b>                           | An IBM personal computer supplied by Visa, at which the VisaNet network is accessed electronically by a processing center. A VAP is in direct communication with a VIC. BASE II data are generally transmitted or received through a VAP.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
| <b>VisaNet Copy Request and Fulfillment Service (VCRFS)</b> | An automated service that facilitates the exchange of copy requests and their fulfillments through VisaNet.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
| <b>VisaNet Interchange Center (VIC)</b>                     | The computers and all associated peripheral devices and telecommunications support facilities needed for the V.I.P. System, the BASE II System, related systems, and backup for these systems.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
| <b>warehoused transactions</b>                              | Transactions received at the VIC after the settlement window closes. These transactions are held over for next-day settlement at the new rates.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |