



# BASE II Clearing Interchange Formats, TC 50 to TC 92

*Effective: 18 October 2025*

Visa Supplemental Requirements

© 2021–2025 Visa. All Rights Reserved.

## **Notice on Confidentiality, Intellectual Property Rights and Disclaimers (“Notice”)**

**Confidentiality.** This document and any information, data, representations, materials, recommendations, exhibits, appendices or glossaries contained herein or attached hereto (collectively, the “Material”) is proprietary and confidential to Visa. The Material is furnished to you solely in your capacity as a client and/or potential client of Visa and/or a participant in the Visa payments system. You agree to keep the Material confidential and not to use or disclose the Material for any purpose other than in such capacity. By accepting the Material, you agree that the Material is intended for use by you solely subject to the confidentiality restrictions in (i) the Visa Charter Documents (as applicable), (ii) the Visa Core Rules and Visa Product and Service Rules, the Visa Payment System Operating Regulations – Russia, Visa International Travelers Cheque Operating Regulations, V PAY Core Rules and V PAY Product and Service Rules and Visa Supplemental Requirements (collectively, the “Visa Rules”) (as applicable), (iii) for VisaNet Processors, an executed and valid VisaNet Letter of Agreement on file with Visa, and (iv) for other third parties, a current participation agreement that includes applicable confidentiality provisions, other non-disclosure agreement with Visa that covers disclosure and use of the Material, and/or other confidentiality agreements that limit your use and disclosure of the Material. The Material may only be disseminated within your organization on a need-to-know basis to enable your participation in the product, service and/or program described herein and/or in the Visa payments system.

Please be advised that the Material may constitute material non-public information under U.S. federal securities laws and that purchasing or selling securities of Visa Inc. while being aware of material non-public information would constitute a violation of applicable U.S. federal securities laws.

**Intellectual Property Rights.** The Material is protected by copyright. The Material and/or any part of the Material must not be duplicated, reproduced, published, distributed or disclosed, in whole or in part, in any form by any means without Visa’s prior written authorization, including to any third party. Visa owns the trademarks, logos, trade names and service marks, whether registered or unregistered, contained in the Material. Third-party trademarks not attributed to Visa are the property of their respective owners, are used for identification purposes only, and do not necessarily imply product endorsement or affiliation with Visa.

**Disclaimers.** THE MATERIAL HEREIN IS PROVIDED ON AN “AS IS,” “WHERE IS,” BASIS, “WITH ALL FAULTS” KNOWN AND UNKNOWN. THE MATERIAL HEREIN IS INTENDED FOR INFORMATIONAL PURPOSES ONLY AND SHOULD NOT BE RELIED UPON FOR OPERATIONAL, MARKETING, LEGAL, REGULATORY, TECHNICAL, TAX, FINANCIAL OR OTHER ADVICE. TO THE MAXIMUM EXTENT PERMITTED BY APPLICABLE LAW, VISA EXPLICITLY DISCLAIMS ALL WARRANTIES, EXPRESS OR IMPLIED, REGARDING THE MATERIAL HEREIN, INCLUDING ANY IMPLIED WARRANTY OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, AND NON-INFRINGEMENT (INCLUDING, BUT NOT LIMITED TO, NON-INFRINGEMENT OF THIRD-PARTY INTELLECTUAL PROPERTY RIGHTS). VISA DOES NOT MAKE ANY WARRANTIES, REPRESENTATIONS, GUARANTEES OR INDEMNITIES AS TO THE COMPLETENESS, ACCURACY AUTHENTICITY, USEFULNESS, TIMELINESS, RELIABILITY OR APPROPRIATENESS OF THE MATERIAL HEREIN OR OF THE INFORMATION OR MATERIALS REFERENCED HEREIN. VISA IS NOT LIABLE OR RESPONSIBLE FOR YOUR USE OR DISCLOSURE OF OR RELIANCE ON THE MATERIAL HEREIN, INCLUDING ERRORS OF ANY KIND, CONTAINED IN THE MATERIAL. NOTHING IN THIS NOTICE OR THE MATERIAL HEREIN SHALL BE DEEMED TO EXCLUDE OR LIMIT LIABILITY THAT CANNOT BE EXCLUDED OR LIMITED AS A MATTER OF LAW.

USE OF THE MATERIAL HEREIN IS AT YOUR OWN RISK. THE MATERIAL HEREIN SHOULD BE INDEPENDENTLY EVALUATED IN LIGHT OF YOUR SPECIFIC BUSINESS NEEDS AND ANY APPLICABLE LAWS AND REGULATIONS. THE

MATERIAL HEREIN IS NOT INTENDED AS INVESTMENT OR LEGAL ADVICE, AND READERS AND RECIPIENTS OF THE MATERIAL ARE ENCOURAGED TO SEEK THE ADVICE OF A COMPETENT PROFESSIONAL WHERE SUCH ADVICE IS REQUIRED.

THE MATERIAL HEREIN MAY CONTAIN DEPICTIONS AND DESCRIPTIONS OF A PRODUCT, SERVICE AND/OR PROGRAM CURRENTLY IN THE PROCESS OF DEVELOPMENT AND DEPLOYMENT, AND SHOULD BE UNDERSTOOD AS A REPRESENTATION OF THE POTENTIAL FEATURES OF THE FULLY-DEPLOYED PRODUCT, SERVICE AND/OR PROGRAM. ANY FINAL VERSION OF SUCH PRODUCT, SERVICE AND/OR PROGRAM MAY NOT CONTAIN ALL OF THE FEATURES DESCRIBED IN THE MATERIAL. WHERE POTENTIAL FUTURE FUNCTIONALITY IS HIGHLIGHTED, VISA DOES NOT PROVIDE ANY WARRANTY ON WHETHER SUCH FUNCTIONALITY WILL BE AVAILABLE OR IF IT WILL BE DELIVERED IN ANY PARTICULAR MANNER OR MARKET. PARTICIPATION IN PRODUCTS, SERVICES AND/OR PROGRAMS, IF AND WHEN OFFERED, MAY BE SUBJECT TO VISA'S TERMS AND CONDITIONS.

THE MATERIAL HEREIN COULD INCLUDE TECHNICAL INACCURACIES OR TYPOGRAPHICAL ERRORS. CHANGES MAY BE PERIODICALLY MADE TO THE MATERIAL. SUCH CHANGES WILL BE INCORPORATED IN NEW EDITIONS OF THE MATERIAL. VISA MAY MAKE IMPROVEMENTS AND/OR CHANGES IN OR TO THE PRODUCT(S), SERVICE(S) AND/OR PROGRAM(S) DESCRIBED IN THE MATERIAL HEREIN AT ANY TIME AT VISA'S SOLE DISCRETION. VISA MAY MODIFY, REPLACE OR RECALL THE MATERIAL HEREIN AT ANY TIME WITHOUT NOTICE TO ANY PARTY AND AT VISA'S SOLE DISCRETION.

**Forward-Looking Statements.** The Material contains forward-looking statements within the meaning of the U.S. Private Securities Litigation Reform Act of 1995 that relate to, among other things, Visa's future operations, prospects, developments, strategies, business growth and financial outlook. Forward-looking statements generally are identified by words such as "believes," "estimates," "expects," "intends," "may," "projects," "could," "should," "will," "continue" and other similar expressions. All statements other than statements of historical fact could be forward-looking statements, which speak only as of the date they are made, are not guarantees of future performance and are subject to certain risks, uncertainties and other factors, many of which are beyond our control and are difficult to predict. Visa describes risks and uncertainties that could cause actual results to differ materially from those expressed in, or implied by, any of these forward-looking statements in Visa's filings with the SEC. Except as required by law, Visa does not intend to update or revise any forward-looking statements as a result of new information, future events or otherwise.

**Reservation of Rights.** Any Visa features, functionality(ies), implementation(s), and/or branding, may be amended, updated or canceled at Visa's discretion. The timing of availability of programs and functionality described herein is subject to a number of factors outside Visa's control, including but not limited to overall levels of anticipated participation and deployment of necessary infrastructure by issuers, acquirers, and other system participants. Participation in programs and services, if and when offered, will be subject to Visa's terms and conditions.

**Additional disclaimers and/or notifications** may be found in the "Additional Notices" section of this document and/or in the Material herein.

**Relationship to the Visa Rules.** The Material is a supplement to the Visa Rules. In the event of any conflict between the Material, any document referenced herein or any communications concerning the Material, and any content in the Visa Rules, the Visa Rules shall govern and control.

**Definitions.** Capitalized terms not otherwise defined herein have the meanings given to them in the Visa Core Rules and Visa Product and Service Rules.

As used in this Notice, the terms "you" or "your" refer to (i) the person using the Material in any way, (ii) your organization and/or (iii) your or your organization's Sponsor.

"Visa" refers to the relevant Visa entity that has entered into an agreement with you governing the subject matter of the Material, being only *one* of the following Visa entities, and any of its current and former affiliates, employees, successors or assigns:

- Visa Canada Corporation;
- Visa do Brasil Empreendimentos Ltda.;
- Visa Europe Limited;
- Visa International Service Association;
- Visa International Servicios de Pagos Espana, S.R.L.U.;
- Visa U.S.A. Inc.;
- Visa Worldwide Pte Limited; OR
- Another Visa entity that is an affiliate of any of the foregoing entities.

\* \* \*

If you have questions about a Visa product, service, program or capability, please contact your Visa representative.

# Contents

## Chapter 1 • BASE II Interchange Files and Transaction Formats

|                                                      |    |
|------------------------------------------------------|----|
| BASE II Interchange Formats Overview. . . . .        | 10 |
| BASE II Clearing System Documentation. . . . .       | 10 |
| BASE II Edit Package Interchange Processing. . . . . | 11 |
| BASE II Edit Package Process Flow. . . . .           | 12 |
| BASE II Non-Edit Package Process Flow. . . . .       | 12 |
| BASE II Center Transaction Files. . . . .            | 13 |
| BASE II CTF Structure. . . . .                       | 14 |
| BASE II Outgoing CTF. . . . .                        | 14 |
| BASE II Incoming CTF. . . . .                        | 14 |
| BASE II Interchange Transaction Files. . . . .       | 15 |
| BASE II Outgoing ITF. . . . .                        | 15 |
| BASE II Incoming ITF. . . . .                        | 15 |
| BASE II Edit Package Run Control Options. . . . .    | 16 |
| BASE II Bypass Business Edits Option. . . . .        | 16 |
| Transaction Codes Print/Pass Summary. . . . .        | 17 |
| BASE II Transaction Formats. . . . .                 | 17 |
| BASE II Transaction Information Guidelines. . . . .  | 17 |
| BASE II Field Edit Criteria. . . . .                 | 18 |

## Chapter 2 • TC 50 Text Message Transactions

|                                                     |    |
|-----------------------------------------------------|----|
| TC 50 - Text Message Transactions. . . . .          | 19 |
| TC 50 - TCR 0. . . . .                              | 19 |
| TC 50 - TCR 0 - OCT Additional Information. . . . . | 21 |
| TC 50 - TCR 1 - OCT Additional Information. . . . . | 24 |
| TC 50 - TCR 0 - OCT Payment Detail Data. . . . .    | 25 |
| TC 50 - TCR 1 - OCT Payment Detail Data. . . . .    | 27 |
| TC 50 - TCR 2 - OCT Payment Detail Data. . . . .    | 28 |

|                                                                                               |     |
|-----------------------------------------------------------------------------------------------|-----|
| TC 50 - TCR 0 - Commercial Card - Passenger Itinerary Data. . . . .                           | 30  |
| TC 50 - TCR 0 - Commercial Card - Passenger Itinerary Data - Leg-Specific. . . . .            | 34  |
| TC 50 - TCR 0 - Commercial Card - Fleet Service. . . . .                                      | 40  |
| TC 50 - TCR 1 - Commercial Card - Fleet Service. . . . .                                      | 44  |
| TC 50 - TCR 2 - Commercial Card - Fleet Service. . . . .                                      | 47  |
| TC 50 - TCR 0 - Commercial Card - Generic Data. . . . .                                       | 50  |
| TC 50 - TCR 0 - Commercial Card - Lodging. . . . .                                            | 54  |
| TC 50 - TCR 0 - Commercial Card - Car Rental. . . . .                                         | 57  |
| TC 50 - TCR 0 - Commercial Card - Invoice (Header and Summary). . . . .                       | 60  |
| TC 50 - TCR 0 - Commercial Card - Lodging (Additional Data Elements). . . . .                 | 66  |
| TC 50 - TCR 0 - Commercial Card - Car Rental (Additional Data Elements). . . . .              | 70  |
| TC 50 - TCR 0 - Commercial Card - Invoice (Line Detail). . . . .                              | 74  |
| TC 50 - TCR 0 - Commercial Card - Lodging - Line Item Detail (Item Data Elements). . . . .    | 79  |
| TC 50 - TCR 0 - Commercial Card - Car Rental - Line Item Detail (Item Data Elements). . . . . | 83  |
| TC 50 - TCR 0 - Commercial Card - Open Format - Text Message. . . . .                         | 87  |
| TC 50 - TCR 1-7 - Commercial Card - Open Format - Text Message. . . . .                       | 89  |
| TC 50 - TCR 0 - Merchant Registration - Incoming. . . . .                                     | 90  |
| TC 50 - TCR 0 - Merchant Registration - Outgoing. . . . .                                     | 96  |
| TC 50 - TCR 0 - Stop Recurring Payment. . . . .                                               | 99  |
| TC 50 - TCR 0 - AMMF - Merchant. . . . .                                                      | 100 |
| TC 50 - TCR 1 - AMMF - Merchant (Additional Data Elements). . . . .                           | 103 |
| TC 50 - TCR 2 - AMMF - Merchant (Additional Data Elements). . . . .                           | 105 |
| TC 50 - TCR 3 - AMMF - Merchant (Additional Data Elements). . . . .                           | 107 |
| TC 50 - TCR 4 - AMMF - Merchant (Additional Data Elements). . . . .                           | 111 |
| TC 50 - TCR 0 - AMMF - VMSG - Record Reject. . . . .                                          | 114 |
| TC 50 - TCR 0 - AMMF - VMSG - Certification Status. . . . .                                   | 122 |
| TC 50 - TCR 0 - AMMF - VMSG - Unlinkable. . . . .                                             | 125 |
| TC 50 - TCR 0 - AMMF - VMSG - AMMF ID. . . . .                                                | 129 |

## Chapter 3 • TC 52 Retrieval Request Record Transactions

|                                                        |     |
|--------------------------------------------------------|-----|
| TC 52 - Retrieval Request Record Transactions. . . . . | 133 |
| TC 52 - TCR 0. . . . .                                 | 134 |
| TC 52 - TCR 1. . . . .                                 | 140 |
| TC 52 - TCR 4. . . . .                                 | 144 |

## Chapter 4 • TC 54 Table Update Record Transactions

|                                                                                  |     |
|----------------------------------------------------------------------------------|-----|
| TC 54 - Table Update Record Transactions. . . . .                                | 146 |
| TC 54 - TCR 0 Edit Package Release 4.0 Table Update Record Transactions. . . . . | 147 |
| TC 54 - TCR 0 Visa Clearing Exchange Table Update Record Transactions. . . . .   | 150 |

## Chapter 5 • TC 55 RCRF Update Record Transactions

|                                                  |     |
|--------------------------------------------------|-----|
| TC 55 - RCRF Update Record Transactions. . . . . | 154 |
| TC 55 - TCR 0. . . . .                           | 154 |
| TC 55 - TCR 1-2. . . . .                         | 156 |
| TC 55 - TCR 1, 2, 3-7. . . . .                   | 157 |

## Chapter 6 • TC 56 Currency Conversion Rate Update Record Transactions

|                                                                      |     |
|----------------------------------------------------------------------|-----|
| TC 56 - Currency Conversion Rate Update Record Transactions. . . . . | 159 |
| TC 56 - TCR 0. . . . .                                               | 160 |
| TC 56 - TCR 1. . . . .                                               | 169 |

## Chapter 7 • TC 57 Data Capture Advice Transactions

|                                                                                   |     |
|-----------------------------------------------------------------------------------|-----|
| TC 57 - Data Capture Advice Transactions. . . . .                                 | 180 |
| TC 57 - TCR 0 - Batch Header. . . . .                                             | 181 |
| TC 57 - TCR 0 - Batch Header (Korea). . . . .                                     | 186 |
| TC 57 - TCR 1 - Batch Header. . . . .                                             | 189 |
| TC 57 - TCR 2 - American Express Batch Header. . . . .                            | 193 |
| TC 57 - TCR 0 - Transaction Detail. . . . .                                       | 196 |
| TC 57 - TCR 0 - American Express Transaction Detail, General Merchandise. . . . . | 204 |
| TC 57 - TCR 2 - American Express Transaction Detail, General Merchandise. . . . . | 209 |

|                                                                                         |     |
|-----------------------------------------------------------------------------------------|-----|
| TC 57 - TCR 0 - American Express Transaction Detail, Automobile Rental. . . . .         | 212 |
| TC 57 - TCR 0 - American Express Transaction Detail, Lodging. . . . .                   | 216 |
| TC 57 - TCR 1 - American Express Transaction Detail, Restaurant. . . . .                | 221 |
| TC 57 - TCR 1 - American Express Transaction Detail, Insurance Part 1. . . . .          | 225 |
| TC 57 - TCR 2 - American Express Transaction Detail, Insurance Part 2. . . . .          | 228 |
| TC 57 - TCR 1 - American Express Transaction Detail, Automobile Leasing. . . . .        | 231 |
| TC 57 - TCR 2 - American Express Transaction Detail, Automobile Leasing (Optional). . . | 235 |
| TC 57 - TCR 1 - American Express Transaction Detail, Telephone Part 1. . . . .          | 237 |
| TC 57 - TCR 2 - American Express Transaction Detail, Telephone Part 2. . . . .          | 241 |
| TC 57 - TCR 3 - Transaction Detail, Payment Service Data. . . . .                       | 244 |
| TC 57 - TCR 4 - Industry-Specific Data. . . . .                                         | 248 |
| TC 57 - TCR 4 - Industry-Specific Data - Passenger Itinerary Data. . . . .              | 249 |
| TC 57 - TCR 4 - Industry-Specific Data - Lodging. . . . .                               | 255 |
| TC 57 - TCR 4 - Industry-Specific Data - Car Rental. . . . .                            | 258 |
| TC 57 - TCR 4 - Mastercard Transaction - Lodging Data. . . . .                          | 261 |
| TC 57 - TCR 4 - Mastercard Transaction - Car Rental Data. . . . .                       | 266 |
| TC 57 - TCR 5 - Limited Use Data. . . . .                                               | 270 |
| TC 57 - TCR 5 - Limited Use Data. . . . .                                               | 273 |
| TC 57 - TCR 0 - Japan Acquirer Services. . . . .                                        | 275 |
| TC 57 - TCR 0 - Japan Acquirer Services - Additional Capture Information. . . . .       | 277 |
| TC 57 - TCR 0 - Cardholder Transaction Detail (Korea). . . . .                          | 278 |
| TC 57 - TCR 1 - Cardholder Transaction Detail (Korea). . . . .                          | 283 |
| TC 57 - TCR 2 - Transaction Additional Detail (Korea). . . . .                          | 288 |
| TC 57 - TCR 0 - Batch Trailer. . . . .                                                  | 290 |
| TC 57 - TCR 0 - Batch Trailer (Korea). . . . .                                          | 294 |

## Chapter 8 • TC 58 National Settlement Advice Record Transactions

|                                                                 |     |
|-----------------------------------------------------------------|-----|
| TC 58 - National Settlement Advice Record Transactions. . . . . | 299 |
| TC 58 - TCR 0. . . . .                                          | 300 |



## Chapter 9 • TC 59 Interface Transaction Advice Record Transactions

|                                                                                   |     |
|-----------------------------------------------------------------------------------|-----|
| TC 59 - Interface Transaction Advice Record Transactions. . . . .                 | 304 |
| TC 59 - TCR 0 - Non-Visa Transaction Detail. . . . .                              | 305 |
| TC 59 - TCR 1 - Non-Visa Transaction Detail, Additional Data. . . . .             | 310 |
| TC 59 - TCR 1 - American Express. . . . .                                         | 314 |
| TC 59 - TCR 2 - American Express Transaction Detail, General Merchandise. . . . . | 321 |
| TC 59 - TCR 2 - American Express Transaction Detail, Automobile Rental. . . . .   | 325 |
| TC 59 - TCR 2 - American Express Transaction Detail, Lodging. . . . .             | 328 |
| TC 59 - TCR 2 - American Express Transaction Detail, Restaurant. . . . .          | 331 |
| TC 59 - TCR 2 - American Express Transaction Detail, Insurance Part 1. . . . .    | 334 |
| TC 59 - TCR 2 - American Express Transaction Detail, Insurance Part 2. . . . .    | 336 |
| TC 59 - TCR 2 - American Express Transaction Detail, Automobile Leasing. . . . .  | 338 |
| TC 59 - TCR 2 - American Express Transaction Detail, Telephone. . . . .           | 342 |

## Chapter 10 • TC 90 Header Records

|                                       |     |
|---------------------------------------|-----|
| TC 90 - Header Records. . . . .       | 347 |
| TC 90 - TCR 0 - Outgoing CTF. . . . . | 348 |
| TC 90 - TCR 0 - Incoming CTF. . . . . | 350 |
| TC 90 - TCR 0 - Outgoing ITF. . . . . | 352 |
| TC 90 - TCR 0 - Incoming ITF. . . . . | 358 |

## Chapter 11 • TC 91, 92 Batch and File Trailer Records

|                                                     |     |
|-----------------------------------------------------|-----|
| TC 91, 92 - Batch and File Trailer Records. . . . . | 364 |
| TC 91, 92 - TCR 0 - CTF. . . . .                    | 365 |
| TC 91, 92 - TCR 0 - ITF. . . . .                    | 368 |

## Glossary

# Chapter 1

## BASE II Interchange Files and Transaction Formats

---

### BASE II Interchange Formats Overview

Transaction codes are used to describe transaction records and edit criteria applied to each field of a record in a transaction file in order to process interchange transactions.

### BASE II Clearing System Documentation

The following documents are available.

- *BASE II Clearing Interchange Formats, TC 01 to TC 49*
- *BASE II Clearing Interchange Formats, TC 50 to TC 92*
- *BASE II Clearing Data Codes*
- *BASE II Clearing Edit Package Messages Reference Guide Release 4*

- *BASE II Clearing Edit Package Reports Reference Guide Release 4*
- *BASE II Clearing PC Edit Package for Windows User Guide Release 4*
- *BASE II Clearing Edit Package Operations Guide Release 4*
- *Card Recovery Bulletin User's Guide*
- *VCRFS Processing Manual*
- *Fraud Reporting System User's Manual*
- *Issuer's Clearinghouse Service User's Manual*
- *Merchant Performance Reporting User's Guide*
- *Visa Merchant Data Standards Manual*
- *Visa Core Rules and Visa Product and Service Rules*

**Note:** VML is no longer being supported.

## BASE II Edit Package Interchange Processing


The BASE II Edit Package uses Center Transaction Files (CTFs) and Interchange Transaction Files (ITFs) to process interchange messages.

CTFs are used as the interface between the client's own pre- and post-edit programs and the Edit Package.

## BASE II Edit Package Process Flow

This figure illustrates the flow of ITFs and CTFs through the Edit Package.

### Interchange Processing Flow



- Outgoing CTFs contain interchange generated by the client's pre-edit program and validated by the Edit Package before submission to the VisaNet Interchange Center (VIC).
- Incoming CTFs contain interchange from the VIC that has been processed by the Edit Package for the client's post-edit program. The incoming transactions are processed by the client's post-edit program.

ITFs are used in the transmission of interchange between the Edit Package and the VIC.


- Outgoing ITFs are generated by the Edit Package and contain reformatted validated CTF interchange transactions.
- Incoming ITFs are generated by the VIC for the Edit Package; they contain incoming interchange, BASE II report records, and Center Information Block (CIB) and Center Security Codes.

## BASE II Non-Edit Package Process Flow

A client also has the option to exchange ITFs directly with BASE II without using the Edit Package application.

This figure illustrates the alternative processing flow.

## Interchange Processing Flow Without Edit Package



- Outgoing ITFs are created and sent directly by the client to the VisaNet Interchange Center (VIC).
- Incoming ITFs are created and sent directly by the VIC to the client.

Both CTF and ITF files can reside on magnetic tape or hard disks.

## BASE II Center Transaction Files

Center Transaction Files (CTFs) are sequential, fixed-block files. Each CTF contains one or more logical transactions, each of which is defined by a transaction code (TC) and comprised of one or more transaction component records (TCR). Each TCR is 168 bytes long.

All TCRs in a transaction have the same two-character transaction code (positions 1 and 2). The TCR 0 must be the first number in a transaction, however subsequent TCR numbers are not necessarily consecutive, that is, the TCR sequence may skip a number. For example, the Funds Disbursement transaction contains TCR 0, TCR 1, and TCR 4. The TCRs must be in ascending order within the transaction, however.

The Edit Package considers a transaction complete when either or both of these conditions are encountered:


- The Transaction Code is different from the previous one.
- The Transaction Component Sequence Number (TCR number) is less than the previous one.

## BASE II CTF Structure

The transactions are stored in the Center Transaction File (CTF) in batches. Transactions within each batch do not have to be in any particular order, and a batch may contain multiple issuing or acquiring identifiers.

This figure illustrates the CTF structure.

### CTF Structure



The TC 90 Header Record contains the Center Information Block (CIB) and Security Code, VisaNet Interchange Center (VIC) Processing and Settlement Dates, Edit Package Release Number, and File Type Subfile ID Number (if separate CTFs are created). For outgoing processing, the Edit Package uses the Center File ID and pre-edit processing date for duplicate file checking. For incoming processing, processing centers can elect to receive an incoming CTF Header Record by using the WRITEHEADER Edit Package run control option.

## BASE II Outgoing CTF

The outgoing Edit Package Center Transaction File (CTF) has a batch record capacity of 999. Centers can modify this to allow for up to 3,300 records in a batch if their VisaNet Access Points (VAPs) permit.

Transactions rejected by the Edit Package's outgoing control program can, by the use of a run control option, be written to a separate CTF for correction and re-entry. This separate CTF includes TC 91 (Batch Trailer) and TC 92 (File Trailer) records. A TC 90 (Header Record) is also supplied if the processing center included it on the original outgoing CTF.

## BASE II Incoming CTF

The number of batches in an incoming Center Transaction File (CTF) is determined by the VisaNet Interchange Center (VIC). Incoming batches are not sorted and distributed by

destination identifier; batches may contain transactions for multiple entities processed by the same processing center.

## **BASE II Interchange Transaction Files**

Interchange Transaction Files (ITFs) are sequential, fixed block size EBCDIC files. ITF transaction records are 170 positions in length, and are identical to Center Transaction File (CTF) transaction records except for a two-byte ITF Record Hash Total field in positions 3 and 4, which pushes all subsequent fields forward by two.

### **BASE II Outgoing ITF**

Outgoing Interchange Transaction Files (ITFs) can contain up to 999 TCRs in a batch. Before the Edit Package writes each transaction to the outgoing ITF, it checks to see if there is enough room for the component records and the batch and file trailers.

If a client chooses not to use the Edit Package application, an ITF is sent directly from the client to the VIC without Edit Package processing. This option requires clients to modify their pre- and post-Edit Package processing programs. TC 00 short block filler records are not required for outgoing ITFs.

### **BASE II Incoming ITF**

Incoming Interchange Transaction File (ITF) record batches each contain approximately 1,000 TCRs, although there is no upper limit. Within the Edit Package the processing center has the option of splitting the incoming ITF into a maximum of 25 separate Center Transaction Files (CTFs). Depending on Edit Package run control options, the incoming ITF can be split by ARDEF range, Destination Identifier, Product ID, and Transaction Code.

Rejected transactions on incoming interchange can be written to a separate file for per-field correction, thus avoiding the need to re-key the entire transaction. This rejected transaction file is in CTF format and contains batch trailer (TC 91) and file trailer (TC 92) records. If the Edit Package's WRITEHEADER run control option has been set to Y, a TC 90 Header Record is also supplied.

If a client chooses not to use the Edit Package application, a client receives an ITF directly from the VisaNet Interchange Center (VIC) without Edit Package processing.

# BASE II Edit Package Run Control Options

Run control options allow processing centers to select permanent or temporary Edit Package functions that best meet their needs, such as splitting an incoming Interchange Transaction File (ITF) into several Center Transaction Files (CTFs), setting run- or item-level tolerance checking limits, and establishing duplicate batch detection settings.

See:

- *BASE II Clearing Edit Package Operations Guide Release 4*
- *BASE II Clearing PC Edit Package For Windows User Guide Release 4*

## BASE II Bypass Business Edits Option

During an outgoing edit run, the majority of the business edits can be Bypassed. All of the edits and processing that are necessary to insure file integrity and correct Edit Package processing are always performed. When the Bypass Business Edits option is used, unless indicated, the Edit Package does not perform the edits during an outgoing edit run. Business edits performed when the Bypass Business Edits option is used are noted by :

This edit will continue to be performed by the Edit Package when the Bypass Business Edits option is used during an outgoing edit run.

**Note:**

It may be necessary to obtain authorization from your Visa regional representative to use this run control option.

For the error message that can still be received when the Bypass Business Edits option is used, see *BASE II Clearing Edit Package (Release 4.0) Messages*.



# Transaction Codes Print/Pass Summary

The print/pass run control options determine which incoming transactions are written (passed) to the Center Transaction File (CTF) and which outgoing and incoming transactions are printed. The system defaults can be overridden through the use of Edit Package run control options.

For outgoing runs, the print options for Edit Package Release 4.0 are:

- TRNOUTPRT: Prints reports on outgoing transactions.
- TRNOOUTPRT: Prevents printing reports on outgoing transactions.

For incoming runs, the print options are:

- TRNINPRT: Prints reports on selected incoming transactions.
- TRNNOINPRT: Prevents printing reports on incoming transactions.

For incoming runs, the pass options are:

- TRNPASS: Writes specific transaction codes to the incoming CTF.
- TRNOPASS: Prevents specific transaction codes from being written to the incoming CTF.

See *BASE II Clearing Edit Package Operations Guide Release 4*.

## BASE II Transaction Formats

### BASE II Transaction Information Guidelines

BASE II transactions follow certain information guidelines to prevent transaction rejections during processing.

- Negative values (for example, -1) in any record field cause transactions to be rejected.
- Reserved numeric fields should contain zeros. Reserved alphanumeric fields should contain spaces unless otherwise specified.
- The default entry for any numeric field is zero and the default entry for any alphanumeric field is a space unless otherwise indicated.
- Alphabetic characters should always be uppercase (for example, A, not a).
- Unless specifically stated for a particular field, special characters should not be entered. Special characters include such language-specific ones as accent grave (') or umlaut (ä).
- Numeric fields should be unpacked numeric (UN).

## BASE II Field Edit Criteria

The edit criteria for each field contain several types of edit information.

- **Universal edits**—Apply to all transactions and are always listed first. There may be separate outgoing and incoming universal edits. Edit criterion is universally applicable unless identified by a category subheading:
- **Regional edits**—Apply only to transactions between clients within a region. Applicable regions are identified.
- **National edits**—Apply only to transactions within the specified country. Applicable countries are identified.
- **Visa Interchange Center (VIC)-specific edits**—Are performed only at the VIC and not by the Edit Package. VIC edits may also be applicable to only a specific nation or region.
- **Notes**—Provide information such as descriptions, value definitions, or when an optional field should be used. No edits are applied to the information provided in Notes.

This figure shows an example of a field edit accompanied by explanatory notes.

### Field Edit Criteria Example

|                                                                                                                                                                                                                                                                                                                                                                                                                                                  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <p><b>POS Terminal Capability</b><br/>Position: 158<br/>Length: 1<br/>Format: alphanumeric</p> <p>Universal edit applicable to all transactions</p> <p>Note applicable universally</p> <p>Edit applicable only to CPS participating countries</p> <p>National edit applicable only to the U.S.</p> <p>VIC Edit applicable only to the U.S.</p> <p>Universal edits and notes applying only to dispute response financials, dispute financials</p> | <p><b>Description:</b> Indicates the capability of the Point-of-Sale (POS) Terminal (for example, terminal was not used, terminal can read magnetic stripe, terminal can read chip, etc.) The field must contain a space, 0 through 5, 8 or 9. Refer to the <i>BASE II Clearing Data Codes</i> manual for a list of valid codes.</p> <p><b>Note:</b> Please refer to the <i>BASE II Clearing Data Codes</i> manual for a list of valid codes.</p> <p><b>For CPS Participating Countries:</b> If ACI = M, P, R, or V, this field may contain any valid value. Otherwise, CPS originals and their reversals, except CPS/ATM, must contain a 2 through 5 or 9. CPS vouchers may contain a space.</p> <p><b>National—U.S.:</b> EIRF originals and their reversals must contain 0 through 5, 8, or 9. EIRF credit vouchers may contain a space. Contactless original transactions must contain 8.</p> <p><b>VIC Edit, National—U.S.:</b> EPS and Supermarket originals and reversals must contain 2 through 5, 8, or 9.</p> <hr/> <p><b>Dispute Response Financials, Dispute Financials</b><br/>The entry is not required, but if it is present it must be a valid value.</p> |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|

# Chapter 2

## TC 50 Text Message Transactions

---

### TC 50 - Text Message Transactions

The Text Message records are generally used to transmit an unformatted informational message to another processing center.

TCR 0

CTF - Outgoing and Incoming Interchange

### TC 50 - TCR 0

These tables contain the Text Message (TC 50) record layout and edit criteria for TCR 0.

**CTF - Outgoing and Incoming Interchange**

### Text Message Transactions Record Layout

| Position | Field Length | Format | Contents                              |
|----------|--------------|--------|---------------------------------------|
| 1-2      | 2            | UN     | Transaction Code                      |
| 3        | 1            | UN     | Transaction Code Qualifier            |
| 4        | 1            | UN     | Transaction Component Sequence Number |
| 5-10     | 6            | UN     | Destination Identifier                |
| 11-16    | 6            | UN     | Source Identifier                     |
| 17-22    | 6            | AN     | Reserved                              |
| 23-129   | 107          | AN     | Text                                  |
| 130-168  | 39           | AN     | Reserved                              |

Format: AN = Alphanumeric, ANS = Alphanumeric Special, DX = Display Hexadecimal, N = Numeric, UN = Unpacked Numeric

### Text Message Transactions Edit Criteria

|                                                                                                       |                                                                                                                                                                                                              |
|-------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Transaction Code</b><br>Positions: 1-2<br>Length: 2<br>Format: unpacked numeric                    | <b>Description:</b> This field must contain a <b>50</b> .                                                                                                                                                    |
| <b>Transaction Code Qualifier</b><br>Positions: 3<br>Length: 1<br>Format: unpacked numeric            | <b>Description:</b> This field must contain a <b>0</b> (zero).<br><br>This edit will continue to be performed by the Edit Package when the Bypass Business Edits option is used during an outgoing edit run. |
| <b>Transaction Component Sequence Number</b><br>Positions: 4<br>Length: 1<br>Format: unpacked numeric | <b>Description:</b> This field must contain a <b>0</b> (zero).                                                                                                                                               |
| <b>Destination Identifier</b><br>Positions: 5-10<br>Length: 6<br>Format: unpacked numeric             | <b>Description:</b> The entity to which a BASE II transaction message is sent.<br><br>This field must contain a valid acquiring or issuing identifier.                                                       |

### Text Message Transactions Edit Criteria

|                                                                                       |                                                                                                                                                          |
|---------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Source Identifier</b><br>Positions: 11-16<br>Length: 6<br>Format: unpacked numeric | <b>Description:</b> The entity from which a BASE II transaction message is sent.<br><br>This field must contain a valid acquiring or issuing identifier. |
| <b>Reserved</b><br>Positions: 17-22<br>Length: 6<br>Format: alphanumeric              | <b>Description:</b> This field is reserved for future use. EP will always space-fill.                                                                    |
| <b>Text</b><br>Positions: 23-129<br>Length: 107<br>Format: alphanumeric               | <b>Description:</b> The text in the field is followed by spaces.                                                                                         |
| <b>Reserved</b><br>Positions: 130-168<br>Length: 39<br>Format: alphanumeric           | <b>Description:</b> This field is reserved for future use. EP will always space-fill.                                                                    |

## TC 50 - TCR 0 - OCT Additional Information

These tables contain the Text Message (TC 50) record layout and edit criteria for TCR 0 - OCT Additional Information.

### CTF - Outgoing and Incoming Interchange

#### Text Message OCT Additional Information Data Record Layout

| Position | Field Length | Format | Contents                              |
|----------|--------------|--------|---------------------------------------|
| 1-2      | 2            | UN     | Transaction Code                      |
| 3        | 1            | UN     | Transaction Code Qualifier            |
| 4        | 1            | UN     | Transaction Component Sequence Number |
| 5-10     | 6            | UN     | Destination Identifier                |
| 11-16    | 6            | UN     | Source Identifier                     |
| 17-22    | 6            | AN     | Service Identifier                    |

### Text Message OCT Additional Information Data Record Layout

| Position | Field Length | Format | Contents              |
|----------|--------------|--------|-----------------------|
| 23-37    | 15           | AN     | Message Identifier    |
| 38-41    | 4            | UN     | Item Sequencing Field |
| 42-45    | 4            | AN     | Reserved              |
| 46-63    | 18           | AN     | Reserved              |
| 64-98    | 35           | AN     | Sender First Name     |
| 99-133   | 35           | AN     | Sender Middle Name    |
| 134-168  | 35           | AN     | Sender Last Name      |

Format: AN = Alphanumeric, ANS = Alphanumeric Special, DX = Display Hexadecimal, N = Numeric, UN = Unpacked Numeric

### Text Message OCT Additional Information Data Edit Criteria

|                                                                                                       |                                                                                                                                                                                                          |
|-------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Transaction Code</b><br>Positions: 1-2<br>Length: 2<br>Format: unpacked numeric                    | <b>Description:</b> This field must contain a <b>50</b> .                                                                                                                                                |
| <b>Transaction Code Qualifier</b><br>Positions: 3<br>Length: 1<br>Format: unpacked numeric            | <b>Description:</b> This field must contain a <b>0</b> (zero).<br>This edit will continue to be performed by the Edit Package when the Bypass Business Edits option is used during an outgoing edit run. |
| <b>Transaction Component Sequence Number</b><br>Positions: 4<br>Length: 1<br>Format: unpacked numeric | <b>Description:</b> This field must contain a <b>0</b> (zero).                                                                                                                                           |
| <b>Destination Identifier</b><br>Positions: 5-10<br>Length: 6<br>Format: unpacked numeric             | <b>Description:</b> The entity to which a BASE II transaction message is sent.<br>This field must contain a valid acquiring or issuing identifier.                                                       |
| <b>Source Identifier</b><br>Positions: 11-16<br>Length: 6<br>Format: unpacked numeric                 | <b>Description:</b> The entity from which a BASE II transaction message is sent.<br>This field must contain a valid acquiring or issuing identifier.                                                     |

### Text Message OCT Additional Information Data Edit Criteria

|                                                                                           |                                                                                                                                                                                                                                                                                                                        |
|-------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Service Identifier</b><br>Positions: 17-22<br>Length: 6<br>Format: alphanumeric        | <b>Description:</b> Further identifies the type of transaction. Field must contain value: OCTINF.                                                                                                                                                                                                                      |
| <b>Message Identifier</b><br>Positions: 23-37<br>Length: 15<br>Format: alphanumeric       | <b>Description:</b> This field is used to link the draft data and related text message transactions. The contents of this field should match that of the related draft data transaction's Message Identifier field.<br><b>VIC Edit:</b> The field cannot contain all zeros or spaces, or two spaces followed by zeros. |
| <b>Item Sequencing Field</b><br>Positions: 38-41<br>Length: 4<br>Format: unpacked numeric | <b>Description:</b> This field contains the current and total number of records for this transaction. The format is XXYY, where XX is the current record and YY is the total number of records.                                                                                                                        |
| <b>Reserved</b><br>Positions: 42-45<br>Length: 4<br>Format: alphanumeric                  | <b>Description:</b> Reserved for future use.<br>(Reserved for Language code. Contains the ISO 639 defined language code. It is the language that Sender/Recipient Names are represented in.)                                                                                                                           |
| <b>Reserved</b><br>Positions: 46-63<br>Length: 18<br>Format: alphanumeric                 | <b>Description:</b> Reserved for future use.<br>(Reserved for Sender/Recipient Name Encoding Format.)                                                                                                                                                                                                                  |
| <b>Sender First Name</b><br>Positions: 64-98<br>Length: 35<br>Format: alphanumeric        | <b>Description:</b> This field contains Sender First Name.                                                                                                                                                                                                                                                             |
| <b>Sender Middle Name</b><br>Positions: 99-133<br>Length: 35<br>Format: alphanumeric      | <b>Description:</b> This field contains Sender Middle Name.                                                                                                                                                                                                                                                            |
| <b>Sender Last Name</b><br>Positions: 134-168<br>Length: 35<br>Format: alphanumeric       | <b>Description:</b> This field contains Sender Last Name.                                                                                                                                                                                                                                                              |

# TC 50 - TCR 1 - OCT Additional Information

These tables contain the Text Message (TC 50) record layout and edit criteria for TCR 1 - OCT Additional Information.

## CTF - Outgoing and Incoming Interchange

### Text Message OCT Additional Information Data Record Layout

| Position | Field Length | Format | Contents                              |
|----------|--------------|--------|---------------------------------------|
| 1-2      | 2            | UN     | Transaction Code                      |
| 3        | 1            | UN     | Transaction Code Qualifier            |
| 4        | 1            | UN     | Transaction Component Sequence Number |
| 5-39     | 35           | AN     | Recipient First Name                  |
| 40-74    | 35           | AN     | Recipient Middle Name                 |
| 75-109   | 35           | AN     | Recipient Last Name                   |
| 110-168  | 59           | AN     | Reserved                              |

Format: AN = Alphanumeric, ANS = Alphanumeric Special, DX = Display Hexadecimal, N = Numeric, UN = Unpacked Numeric

### Text Message OCT Additional Information Data Edit Criteria

|                                                                                                       |                                                                                                                                                                                                          |
|-------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Transaction Code</b><br>Positions: 1-2<br>Length: 2<br>Format: unpacked numeric                    | <b>Description:</b> This field must contain a <b>50</b> .                                                                                                                                                |
| <b>Transaction Code Qualifier</b><br>Positions: 3<br>Length: 1<br>Format: unpacked numeric            | <b>Description:</b> This field must contain a <b>0</b> (zero).<br>This edit will continue to be performed by the Edit Package when the Bypass Business Edits option is used during an outgoing edit run. |
| <b>Transaction Component Sequence Number</b><br>Positions: 4<br>Length: 1<br>Format: unpacked numeric | <b>Description:</b> This field must contain a <b>0</b> (zero).                                                                                                                                           |



### Text Message OCT Additional Information Data Edit Criteria

|                                                                                        |                                                                |
|----------------------------------------------------------------------------------------|----------------------------------------------------------------|
| <b>Recipient First Name</b><br>Positions: 5-39<br>Length: 35<br>Format: alphanumeric   | <b>Description:</b> This field contains Recipient First Name.  |
| <b>Recipient Middle Name</b><br>Positions: 40-74<br>Length: 35<br>Format: alphanumeric | <b>Description:</b> This field contains Recipient Middle Name. |
| <b>Recipient Last Name</b><br>Positions: 75-109<br>Length: 35<br>Format: alphanumeric  | <b>Description:</b> This field contains Recipient Last Name.   |
| <b>Reserved</b><br>Positions: 110-168<br>Length: 59<br>Format: alphanumeric            | <b>Description:</b> This field is reserved for future use.     |

## TC 50 - TCR 0 - OCT Payment Detail Data

These tables contain the Text Message (TC 50) record layout and edit criteria for TCR 0 - OCT Payment Detail Data.

### CTF - Outgoing and Incoming Interchange

#### Text Message OCT Payment Detail Data Record Layout

| Position | Field Length | Format | Contents                              |
|----------|--------------|--------|---------------------------------------|
| 1-2      | 2            | UN     | Transaction Code                      |
| 3        | 1            | UN     | Transaction Code Qualifier            |
| 4        | 1            | UN     | Transaction Component Sequence Number |
| 5-10     | 6            | UN     | Destination Identifier                |
| 11-16    | 6            | UN     | Source Identifier                     |
| 17-22    | 6            | AN     | Service Identifier                    |

### Text Message OCT Payment Detail Data Record Layout

| Position | Field Length | Format | Contents              |
|----------|--------------|--------|-----------------------|
| 23-37    | 15           | AN     | Message Identifier    |
| 38-41    | 4            | UN     | Reserved              |
| 42-168   | 127          | AN     | Payment Details Part1 |

Format: AN = Alphanumeric, ANS = Alphanumeric Special, DX = Display Hexadecimal, N = Numeric, UN = Unpacked Numeric

### Text Message OCT Payment Detail Data Edit Criteria

|                                                                                                       |                                                                                                                                                                                                          |
|-------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Transaction Code</b><br>Positions: 1-2<br>Length: 2<br>Format: unpacked numeric                    | <b>Description:</b> This field must contain a <b>50</b> .                                                                                                                                                |
| <b>Transaction Code Qualifier</b><br>Positions: 3<br>Length: 1<br>Format: unpacked numeric            | <b>Description:</b> This field must contain a <b>0</b> (zero).<br>This edit will continue to be performed by the Edit Package when the Bypass Business Edits option is used during an outgoing edit run. |
| <b>Transaction Component Sequence Number</b><br>Positions: 4<br>Length: 1<br>Format: unpacked numeric | <b>Description:</b> This field must contain a <b>0</b> (zero).                                                                                                                                           |
| <b>Destination Identifier</b><br>Positions: 5-10<br>Length: 6<br>Format: unpacked numeric             | <b>Description:</b> The entity to which a BASE II transaction message is sent.<br>This field must contain a valid acquiring or issuing identifier.                                                       |
| <b>Source Identifier</b><br>Positions: 11-16<br>Length: 6<br>Format: unpacked numeric                 | <b>Description:</b> The entity from which a BASE II transaction message is sent.<br>This field must contain a valid acquiring or issuing identifier.                                                     |
| <b>Service Identifier</b><br>Positions: 17-22<br>Length: 6<br>Format: alphanumeric                    | <b>Description:</b> Further identifies the type of transaction. Field must contain value: RUSPVT with description as "Russia Private".                                                                   |

## Text Message OCT Payment Detail Data Edit Criteria

|                                                                                          |                                                                                                                                                                                                                                                                                                        |
|------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Message Identifier</b><br>Positions: 23-37<br>Length: 15<br>Format: alphanumeric      | <b>Description:</b> This field is used to link the draft data and TC 50 containing Payment Detail Data text message transactions. The contents of this field should match that of the related draft data transaction's Message Identifier field.                                                       |
| <b>Reserved</b><br>Positions: 38-41<br>Length: 4<br>Format: unpacked numeric             | <b>Description:</b> This field is reserved for future use. EP will always space-fill.                                                                                                                                                                                                                  |
| <b>Payment Details Part1</b><br>Positions: 42-168<br>Length: 127<br>Format: alphanumeric | <b>Description:</b> This field will contain the Payment Details Data in single-byte characters.<br><br><b>Note:</b> For Russia, this is an EBCDIC 1025 code page with full Cyrillic character set. This is a single-byte character set and must be used across multiple systems to represent Cyrillic. |

# TC 50 - TCR 1 - OCT Payment Detail Data

These tables contain the Text Message (TC 50) record layout and edit criteria for TCR 1 - OCT Payment Detail Data.

## CTF - Outgoing and Incoming Interchange

### Text Message OCT Payment Detail Data Record Layout

| Position | Field Length | Format | Contents                              |
|----------|--------------|--------|---------------------------------------|
| 1-2      | 2            | UN     | Transaction Code                      |
| 3        | 1            | UN     | Transaction Code Qualifier            |
| 4        | 1            | UN     | Transaction Component Sequence Number |
| 5-10     | 6            | UN     | Destination Identifier                |
| 11-16    | 6            | UN     | Source Identifier                     |
| 17-168   | 152          | AN     | Payment Details Part2                 |

Format: AN = Alphanumeric, ANS = Alphanumeric Special, DX = Display Hexadecimal, N = Numeric, UN = Unpacked Numeric

### Text Message OCT Payment Detail Data Edit Criteria

|                                                                                                       |                                                                                                                                                                                                                                                                                                        |
|-------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Transaction Code</b><br>Positions: 1-2<br>Length: 2<br>Format: unpacked numeric                    | <b>Description:</b> This field must contain a <b>50</b> .                                                                                                                                                                                                                                              |
| <b>Transaction Code Qualifier</b><br>Positions: 3<br>Length: 1<br>Format: unpacked numeric            | <b>Description:</b> This field must contain a <b>0</b> (zero).<br><br>This edit will continue to be performed by the Edit Package when the Bypass Business Edits option is used during an outgoing edit run.                                                                                           |
| <b>Transaction Component Sequence Number</b><br>Positions: 4<br>Length: 1<br>Format: unpacked numeric | <b>Description:</b> This field must contain a <b>0</b> (zero).                                                                                                                                                                                                                                         |
| <b>Destination Identifier</b><br>Positions: 5-10<br>Length: 6<br>Format: unpacked numeric             | <b>Description:</b> The entity to which a BASE II transaction message is sent.<br><br>This field must contain a valid acquiring or issuing identifier.                                                                                                                                                 |
| <b>Source Identifier</b><br>Positions: 11-16<br>Length: 6<br>Format: unpacked numeric                 | <b>Description:</b> The entity from which a BASE II transaction message is sent.<br><br>This field must contain a valid acquiring or issuing identifier.                                                                                                                                               |
| <b>Payment Details Part2</b><br>Positions: 17-168<br>Length: 152<br>Format: alphanumeric              | <b>Description:</b> This field will contain the Payment Details Data in single-byte characters.<br><br><b>Note:</b> For Russia, this is an EBCDIC 1025 code page with full Cyrillic character set. This is a single-byte character set and must be used across multiple systems to represent Cyrillic. |

## TC 50 - TCR 2 - OCT Payment Detail Data

These tables contain the Text Message (TC 50) record layout and edit criteria for TCR 2 - OCT Payment Detail Data.

### CTF - Outgoing and Incoming Interchange

### Text Message OCT Payment Detail Data Record Layout

| Position | Field Length | Format | Contents                              |
|----------|--------------|--------|---------------------------------------|
| 1-2      | 2            | UN     | Transaction Code                      |
| 3        | 1            | UN     | Transaction Code Qualifier            |
| 4        | 1            | UN     | Transaction Component Sequence Number |
| 5-10     | 6            | UN     | Destination Identifier                |
| 11-16    | 6            | UN     | Source Identifier                     |
| 17-37    | 21           | AN     | Payment Details Part3                 |
| 38-168   | 131          | AN     | Reserved                              |

Format: AN = Alphanumeric, ANS = Alphanumeric Special, DX = Display Hexadecimal, N = Numeric, UN = Unpacked Numeric

### Text Message OCT Payment Detail Data Edit Criteria

|                                                                                                       |                                                                                                                                                                                                          |
|-------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Transaction Code</b><br>Positions: 1-2<br>Length: 2<br>Format: unpacked numeric                    | <b>Description:</b> This field must contain a <b>50</b> .                                                                                                                                                |
| <b>Transaction Code Qualifier</b><br>Positions: 3<br>Length: 1<br>Format: unpacked numeric            | <b>Description:</b> This field must contain a <b>0</b> (zero).<br>This edit will continue to be performed by the Edit Package when the Bypass Business Edits option is used during an outgoing edit run. |
| <b>Transaction Component Sequence Number</b><br>Positions: 4<br>Length: 1<br>Format: unpacked numeric | <b>Description:</b> This field must contain a <b>0</b> (zero).                                                                                                                                           |
| <b>Destination Identifier</b><br>Positions: 5-10<br>Length: 6<br>Format: unpacked numeric             | <b>Description:</b> The entity to which a BASE II transaction message is sent.<br>This field must contain a valid acquiring or issuing identifier.                                                       |
| <b>Source Identifier</b><br>Positions: 11-16<br>Length: 6<br>Format: unpacked numeric                 | <b>Description:</b> The entity from which a BASE II transaction message is sent.<br>This field must contain a valid acquiring or issuing identifier.                                                     |

### Text Message OCT Payment Detail Data Edit Criteria

|                                                                                        |                                                                                                                                                                                                                                                                                                        |
|----------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Payment Details Part3</b><br>Positions: 17-37<br>Length: 21<br>Format: alphanumeric | <b>Description:</b> This field will contain the Payment Details Data in single-byte characters.<br><br><b>Note:</b> For Russia, this is an EBCDIC 1025 code page with full Cyrillic character set. This is a single-byte character set and must be used across multiple systems to represent Cyrillic. |
| <b>Reserved</b><br>Positions: 38-168<br>Length: 131<br>Format: alphanumeric            | <b>Description:</b> This field is reserved for future use. EP will always space-fill.                                                                                                                                                                                                                  |

## TC 50 - TCR 0 - Commercial Card - Passenger Itinerary Data

These tables contain the Text Message (TC 50) record layout and edit criteria for TCR 0 - Commercial Card - Passenger Itinerary Data.

### CTF - Outgoing and Incoming Interchange

#### Text Message Commercial Card - Passenger Itinerary Data Record Layout

| Position | Field Length | Format | Contents                              |
|----------|--------------|--------|---------------------------------------|
| 1-2      | 2            | UN     | Transaction Code                      |
| 3        | 1            | UN     | Transaction Code Qualifier            |
| 4        | 1            | UN     | Transaction Component Sequence Number |
| 5-10     | 6            | UN     | Destination Identifier                |
| 11-16    | 6            | UN     | Source Identifier                     |
| 17-22    | 6            | AN     | Service Identifier                    |
| 23-37    | 15           | AN     | Message Identifier                    |
| 38-41    | 4            | UN     | Item Sequencing Field                 |
| 42-57    | 16           | UN     | Account Number                        |
| 58-60    | 3            | UN     | Account Number Extension              |
| 61-80    | 20           | AN     | Passenger Name                        |
| 81-92    | 12           | UN     | Total Fare Amount                     |
| 93-104   | 12           | UN     | Total Tax Amount                      |

### Text Message Commercial Card - Passenger Itinerary Data Record Layout

| Position | Field Length | Format | Contents                    |
|----------|--------------|--------|-----------------------------|
| 105-116  | 12           | UN     | National Tax Amount         |
| 117-128  | 12           | UN     | Total Fee Amount            |
| 129-131  | 3            | AN     | Currency Code               |
| 132-144  | 13           | AN     | Exchange Ticket Number      |
| 145-156  | 12           | UN     | Exchange Ticket Amount      |
| 157-164  | 8            | AN     | Travel Agency Code          |
| 165      | 1            | AN     | Internet Indicator          |
| 166      | 1            | AN     | Electronic Ticket Indicator |
| 167-168  | 2            | AN     | Reserved                    |

Format: AN = Alphanumeric, ANS = Alphanumeric Special, DX = Display Hexadecimal, N = Numeric, UN = Unpacked Numeric

### Text Message Commercial Card - Passenger Itinerary Data Edit Criteria

|                                                                                                       |                                                                                                                                                                                                          |
|-------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Transaction Code</b><br>Positions: 1-2<br>Length: 2<br>Format: unpacked numeric                    | <b>Description:</b> This field must contain a <b>50</b> .                                                                                                                                                |
| <b>Transaction Code Qualifier</b><br>Positions: 3<br>Length: 1<br>Format: unpacked numeric            | <b>Description:</b> This field must contain a <b>0</b> (zero).<br>This edit will continue to be performed by the Edit Package when the Bypass Business Edits option is used during an outgoing edit run. |
| <b>Transaction Component Sequence Number</b><br>Positions: 4<br>Length: 1<br>Format: unpacked numeric | <b>Description:</b> This field must contain a <b>0</b> (zero).                                                                                                                                           |
| <b>Destination Identifier</b><br>Positions: 5-10<br>Length: 6<br>Format: unpacked numeric             | <b>Description:</b> The entity to which a BASE II transaction message is sent.<br>This field must contain a valid acquiring or issuing identifier.                                                       |

### Text Message Commercial Card - Passenger Itinerary Data Edit Criteria

|                                                                                              |                                                                                                                                                                                                                                                                                                                                                                                                                                          |
|----------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Source Identifier</b><br>Positions: 11-16<br>Length: 6<br>Format: unpacked numeric        | <b>Description:</b> The entity from which a BASE II transaction message is sent.<br><br>This field must contain a valid acquiring or issuing identifier.                                                                                                                                                                                                                                                                                 |
| <b>Service Identifier</b><br>Positions: 17-22<br>Length: 6<br>Format: alphanumeric           | <b>Description:</b> Further identifies the type of transaction.<br><br>If the record is created by an acquirer, this field must contain <b>CORPAI</b> . If the record is created by a third-party information provider, this field must contain <b>COMMAG</b> .                                                                                                                                                                          |
| <b>Message Identifier</b><br>Positions: 23-37<br>Length: 15<br>Format: alphanumeric          | <b>Description:</b> This field contains the Primary Ticket number (13 positions), left-justified, followed by two spaces.<br><br><b>VIC Edit:</b> This field cannot be zeros or spaces or two spaces followed by all zeros.                                                                                                                                                                                                              |
| <b>Item Sequencing Field</b><br>Positions: 38-41<br>Length: 4<br>Format: unpacked numeric    | <b>Description:</b> This field contains the current and total number of records for this transaction. Format is <b>XXYY</b> , where <b>XX</b> is the current record and <b>YY</b> is the total number of records.                                                                                                                                                                                                                        |
| <b>Account Number</b><br>Positions: 42-57<br>Length: 16<br>Format: unpacked numeric          | <b>Description:</b> An issuer-assigned number that identifies a cardholder's accounts. The field must contain a numeric which is greater than zero, left-justified, and zero-filled.<br><br><b>VIC Edit:</b> American Express Cardholder Account Numbers (defined by 34 or 37 in the first two positions) must be 15 characters in length and must pass the modulus-10 check digit routine.<br><br>This entry must be a 16-digit number. |
| <b>Account Number Extension</b><br>Positions: 58-60<br>Length: 3<br>Format: unpacked numeric | <b>Description:</b> A three-digit extension of the account number that allows an account number up to 19 digits. This entry must be left-justified and zero-filled.                                                                                                                                                                                                                                                                      |
| <b>Passenger Name</b><br>Positions: 61-80<br>Length: 20<br>Format: alphanumeric              | <b>Description:</b> Name of the passenger using the ticket. This entry should be left-justified.                                                                                                                                                                                                                                                                                                                                         |
| <b>Total Fare Amount</b><br>Positions: 81-92<br>Length: 12<br>Format: unpacked numeric       | <b>Description:</b> Total amount of passenger's fare. This field must be numeric and may contain zeros. Two decimal places are implied.                                                                                                                                                                                                                                                                                                  |



### Text Message Commercial Card - Passenger Itinerary Data Edit Criteria

|                                                                                               |                                                                                                                                                                                                                                               |
|-----------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Total Tax Amount</b><br>Positions: 93-104<br>Length: 12<br>Format: unpacked numeric        | <b>Description:</b> Tax amount on purchase. This field must be numeric and may contain zeros. Two decimal places are implied.                                                                                                                 |
| <b>National Tax Amount</b><br>Positions: 105-116<br>Length: 12<br>Format: unpacked numeric    | <b>Description:</b> Used by acquirers to indicate the amount of National Tax included in the transaction amount. Must be in same currency as source amount. This field must be numeric and may contain zeros. Two decimal places are implied. |
| <b>Total Fee Amount</b><br>Positions: 117-128<br>Length: 12<br>Format: unpacked numeric       | <b>Description:</b> Amount of fee. This field must be numeric and may contain zeros. Two decimal places are implied.                                                                                                                          |
| <b>Currency Code</b><br>Positions: 129-131<br>Length: 3<br>Format: alphanumeric               | <b>Description:</b> Indicates the type of currency. This field should contain a valid currency ISO numeric code.                                                                                                                              |
| <b>Exchange Ticket Number</b><br>Positions: 132-144<br>Length: 13<br>Format: alphanumeric     | <b>Description:</b> Number of exchanged ticket. This field should be left-justified.                                                                                                                                                          |
| <b>Exchange Ticket Amount</b><br>Positions: 145-156<br>Length: 12<br>Format: unpacked numeric | <b>Description:</b> Amount of exchanged ticket. This field must be numeric and may contain zeros. Two decimal places are implied.                                                                                                             |
| <b>Travel Agency Code</b><br>Positions: 157-164<br>Length: 8<br>Format: alphanumeric          | <b>Description:</b> Code identifying travel agency if the ticket was issued by a travel agency.<br>An entry should be supplied if the ticket was issued by a travel agent.                                                                    |
| <b>Internet Indicator</b><br>Positions: 165<br>Length: 1<br>Format: alphanumeric              | <b>Description:</b> Indicates if this is an Internet transaction.<br>Values: <b>Y</b> = Yes <b>N</b> = No                                                                                                                                     |

### Text Message Commercial Card - Passenger Itinerary Data Edit Criteria

|                                                                                           |                                                                                                               |
|-------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------|
| <b>Electronic Ticket Indicator</b><br>Positions: 166<br>Length: 1<br>Format: alphanumeric | <b>Description:</b> This field will contain a value to indicate that the ticket was purchased electronically. |
| <b>Reserved</b><br>Positions: 167-168<br>Length: 2<br>Format: alphanumeric                | <b>Description:</b> This field is reserved for future use. EP will always space-fill.                         |

## TC 50 - TCR 0 - Commercial Card - Passenger Itinerary Data - Leg-Specific

These tables contain the Text Message (TC 50) record layout and edit criteria for TCR 0 - Commercial Card - Passenger Itinerary Data - Leg-Specific.

### CTF - Outgoing and Incoming Interchange

#### Text Message Commercial Card - Passenger Itinerary Data - Leg-Specific Record Layout

| Position | Field Length | Format | Contents                              |
|----------|--------------|--------|---------------------------------------|
| 1-2      | 2            | UN     | Transaction Code                      |
| 3        | 1            | UN     | Transaction Code Qualifier            |
| 4        | 1            | UN     | Transaction Component Sequence Number |
| 5-10     | 6            | UN     | Destination Identifier                |
| 11-16    | 6            | UN     | Source Identifier                     |
| 17-22    | 6            | AN     | Service Identifier                    |
| 23-37    | 15           | AN     | Message Identifier                    |
| 38-41    | 4            | UN     | Item Sequencing Field                 |
| 42-54    | 13           | AN     | Conjunction Ticket Number             |
| 55-97    | 43           | Group  | Trip Leg 1 Information                |
| 98-140   | 43           | Group  | Trip Leg 2 Information                |
| 141-153  | 13           | AN     | Control ID                            |

### Text Message Commercial Card - Passenger Itinerary Data - Leg-Specific Record Layout

| Position | Field Length | Format | Contents          |
|----------|--------------|--------|-------------------|
| 154-159  | 6            | AN     | Reserved          |
| 160-167  | 8            | UN     | Ticket Issue Date |
| 168      | 1            | AN     | Reserved          |

Format: AN = Alphanumeric, ANS = Alphanumeric Special, DX = Display Hexadecimal, N = Numeric, UN = Unpacked Numeric

### Text Message Commercial Card - Passenger Itinerary Data - Leg-Specific Edit Criteria

|                                                                                                       |                                                                                                                                                                                                                                                             |
|-------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Transaction Code</b><br>Positions: 1-2<br>Length: 2<br>Format: unpacked numeric                    | <b>Description:</b> This field must contain a <b>50</b> .                                                                                                                                                                                                   |
| <b>Transaction Code Qualifier</b><br>Positions: 3<br>Length: 1<br>Format: unpacked numeric            | <b>Description:</b> The field must contain a <b>0</b> (zero).<br>This edit will continue to be performed by the Edit Package when the Bypass Business Edits option is used during an outgoing edit run.                                                     |
| <b>Transaction Component Sequence Number</b><br>Positions: 4<br>Length: 1<br>Format: unpacked numeric | <b>Description:</b> The field must contain a <b>0</b> (zero).                                                                                                                                                                                               |
| <b>Destination Identifier</b><br>Positions: 5-10<br>Length: 6<br>Format: unpacked numeric             | <b>Description:</b> The entity to which a BASE II transaction message is sent.<br>This field must contain a valid acquiring or issuing identifier.                                                                                                          |
| <b>Source Identifier</b><br>Positions: 11-16<br>Length: 6<br>Format: unpacked numeric                 | <b>Description:</b> The entity from which a BASE II transaction message is sent.<br>This field must contain a valid acquiring or issuing identifier.                                                                                                        |
| <b>Service Identifier</b><br>Positions: 17-22<br>Length: 6<br>Format: alphanumeric                    | <b>Description:</b> Further identifies the type of transaction.<br>If the record is created by an acquirer, this field must contain <b>CORPAS</b> . If the record is created by a third-party information provider, this field must contain <b>COMMAS</b> . |

### Text Message Commercial Card - Passenger Itinerary Data - Leg-Specific Edit Criteria

|                                                                                            |                                                                                                                                                                                                                         |
|--------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Message Identifier</b><br>Positions: 23-37<br>Length: 15<br>Format: alphanumeric        | <b>Description:</b> This field contains the Primary Ticket number (13 positions), left-justified, followed by two spaces.<br><b>VIC Edit:</b> This field cannot be zeros or spaces or two spaces followed by all zeros. |
| <b>Item Sequencing Field</b><br>Positions: 38-41<br>Length: 4<br>Format: unpacked numeric  | <b>Description:</b> This field contains the current and total number of records for this transaction. Format is <b>XXYY</b> , where <b>XX</b> is the current record and <b>YY</b> is the total number of records.       |
| <b>Conjunction Ticket Number</b><br>Positions: 42-54<br>Length: 13<br>Format: alphanumeric | <b>Description:</b> The primary ticket number for the first four legs of the trip. This field should be left-justified.                                                                                                 |
| <b>Trip Leg 1 Information</b><br>Positions: 55-97<br>Length: 43<br>Format: group           | <b>Description:</b> Description of the first leg of the trip.                                                                                                                                                           |
| <b>Coupon Number</b><br>Positions: 55<br>Length: 1<br>Format: unpacked numeric             | <b>Description:</b> Number of coupons in the ticket.<br>Values:<br><b>1</b><br><b>2</b><br><b>3</b><br><b>4</b>                                                                                                         |
| <b>Carrier Code</b><br>Positions: 56-57<br>Length: 2<br>Format: alphanumeric               | <b>Description:</b> Carrier identification.                                                                                                                                                                             |
| <b>Flight Number</b><br>Positions: 58-62<br>Length: 5<br>Format: alphanumeric              | <b>Description:</b> Number of the airline flight.                                                                                                                                                                       |
| <b>Service Class</b><br>Positions: 63-64<br>Length: 2<br>Format: alphanumeric              | <b>Description:</b> Class of service (first class, business class etc.)                                                                                                                                                 |

### Text Message Commercial Card - Passenger Itinerary Data - Leg-Specific Edit Criteria

|                                                                                               |                                                                                                                                                             |
|-----------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Origination City/Airport Code</b><br>Positions: 65-69<br>Length: 5<br>Format: alphanumeric | <b>Description:</b> Indicates origination city's airport code.                                                                                              |
| <b>Stop-Over Code</b><br>Positions: 70<br>Length: 1<br>Format: alphanumeric                   | <b>Description:</b> Indicates whether a stop-over is allowed on this ticket.<br>Values:<br><b>O</b> = Stop-Over allowed<br><b>X</b> = Stop-Over not allowed |
| <b>Destination City/Airport Code</b><br>Positions: 71-75<br>Length: 5<br>Format: alphanumeric | <b>Description:</b> Indicates destination city's airport code.                                                                                              |
| <b>Fare Basis Code</b><br>Positions: 76-83<br>Length: 8<br>Format: alphanumeric               | <b>Description:</b> Indicates the class of airline ticket (first class, business class etc.).                                                               |
| <b>Departure Date</b><br>Positions: 84-89<br>Length: 6<br>Format: unpacked numeric            | <b>Description:</b> The date the flight is scheduled to depart. The format for this field is <b>MMDDYY</b> .                                                |
| <b>Departure Time</b><br>Positions: 90-93<br>Length: 4<br>Format: unpacked numeric            | <b>Description:</b> The time the flight is scheduled to depart. The format for this field is military time, <b>HHMM</b> .                                   |
| <b>Arrival Time</b><br>Positions: 94-97<br>Length: 4<br>Format: unpacked numeric              | <b>Description:</b> The time the flight is scheduled to arrive. The format for this field is military time, <b>HHMM</b> .                                   |
| <b>Trip Leg 2 Information</b><br>Positions: 98-140<br>Length: 43<br>Format: group             | <b>Description:</b> Description of the second leg of the trip.                                                                                              |

### Text Message Commercial Card - Passenger Itinerary Data - Leg-Specific Edit Criteria

|                                                                                                   |                                                                                                                                                       |
|---------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Coupon Number</b><br>Positions: 98<br>Length: 1<br>Format: unpacked numeric                    | <b>Description:</b> Number of coupons in the ticket.<br>Values: <b>1 2 3 4</b>                                                                        |
| <b>Carrier Code</b><br>Positions: 99-100<br>Length: 2<br>Format: alphanumeric                     | <b>Description:</b> Carrier identification.                                                                                                           |
| <b>Flight Number</b><br>Positions: 101-105<br>Length: 5<br>Format: alphanumeric                   | <b>Description:</b> Number of the airline flight.                                                                                                     |
| <b>Service Class</b><br>Positions: 106-107<br>Length: 2<br>Format: alphanumeric                   | <b>Description:</b> Class of service (first class, business class etc.).                                                                              |
| <b>Origination City / Airport Code</b><br>Positions: 108-112<br>Length: 5<br>Format: alphanumeric | <b>Description:</b> Indicates origination city's airport code.                                                                                        |
| <b>Stop-Over Code</b><br>Positions: 113<br>Length: 1<br>Format: alphanumeric                      | <b>Description:</b> Indicates whether a stop-over is allowed on this ticket.<br>Values: <b>O</b> = Stop-Over allowed <b>X</b> = Stop-Over not allowed |
| <b>Destination City/Airport Code</b><br>Positions: 114-118<br>Length: 5<br>Format: alphanumeric   | <b>Description:</b> Indicates destination city's airport code.                                                                                        |
| <b>Fare Basis Code</b><br>Positions: 119-126<br>Length: 8<br>Format: alphanumeric                 | <b>Description:</b> Indicates the class of airline ticket (first class, business class, etc.).                                                        |

### Text Message Commercial Card - Passenger Itinerary Data - Leg-Specific Edit Criteria

|                                                                                         |                                                                                                                           |
|-----------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------|
| <b>Departure Date</b><br>Positions: 127-132<br>Length: 6<br>Format: unpacked numeric    | <b>Description:</b> The date the flight is scheduled to depart. The format for this field is <b>MMDDYY</b> .              |
| <b>Departure Time</b><br>Positions: 133-136<br>Length: 4<br>Format: unpacked numeric    | <b>Description:</b> The time the flight is scheduled to depart. The format for this field is military time, <b>HHMM</b> . |
| <b>Arrival Time</b><br>Positions: 137-140<br>Length: 4<br>Format: unpacked numeric      | <b>Description:</b> The time the flight is scheduled to arrive. The format for this field is military time, <b>HHMM</b> . |
| <b>Control ID</b><br>Positions: 141-153<br>Length: 13<br>Format: alphanumeric           | <b>Description:</b> This field will contain an identifier assigned at the time of reservation.                            |
| <b>Reserved</b><br>Positions: 154-159<br>Length: 6<br>Format: alphanumeric              | <b>Description:</b> This field is reserved for future use. EP will always space-fill.                                     |
| <b>Ticket Issue Date</b><br>Positions: 160-167<br>Length: 8<br>Format: unpacked numeric | <b>Description:</b> The date the ticket is issued.<br>The format for this field is <b>MMDDYYYY</b> .                      |
| <b>Reserved</b><br>Positions: 168<br>Length: 1<br>Format: alphanumeric                  | <b>Description:</b> This field is reserved for future use. EP will always space-fill.                                     |

# TC 50 - TCR 0 - Commercial Card - Fleet Service

TC 50 - TCR 0 - Commercial Card - Fleet Service record layout is no longer being supported.

## CTF - Outgoing and Incoming Interchange

### Text Message Commercial Card - Fleet Service Record Layout

| Position | Field Length | Format | Contents                                            |
|----------|--------------|--------|-----------------------------------------------------|
| 1-2      | 2            | UN     | Transaction Code                                    |
| 3        | 1            | UN     | Transaction Code Qualifier                          |
| 4        | 1            | UN     | Transaction Component Sequence Number               |
| 5-10     | 6            | UN     | Destination Identifier                              |
| 11-16    | 6            | UN     | Source Identifier                                   |
| 17-22    | 6            | AN     | Service Identifier                                  |
| 23-37    | 15           | AN     | Message Identifier                                  |
| 38-40    | 3            | UN     | Item Sequence Number                                |
| 41       | 1            | AN     | Federal Excise Tax (Non-Fuel) Exemption Status      |
| 42-53    | 12           | UN     | Federal Excise Tax (Non-Fuel)                       |
| 54       | 1            | AN     | Federal Excise Tax (Fuel) Exemption Status          |
| 55-66    | 12           | UN     | Federal Excise Tax (Fuel)                           |
| 67       | 1            | AN     | State Motor Fuel Tax Exemption Status               |
| 68-79    | 12           | UN     | State Motor Fuel Tax                                |
| 80       | 1            | AN     | County Fuel Sales Tax Exemption Status              |
| 81-92    | 12           | UN     | County Fuel Sales Tax                               |
| 93       | 1            | AN     | Non-Fuel State and Local Sales Tax Exemption Status |
| 94-105   | 12           | UN     | Non-Fuel State and Local Sales Tax                  |
| 106      | 1            | AN     | County Motor Fuel Tax Exemption Status              |
| 107-118  | 12           | UN     | County Motor Fuel Tax                               |
| 119      | 1            | AN     | City Sales Fuel Tax Exemption Status                |
| 120-131  | 12           | UN     | City Sales Fuel Tax                                 |
| 132      | 1            | AN     | City Motor Fuel Tax Exemption Status                |



### Text Message Commercial Card - Fleet Service Record Layout

| Position | Field Length | Format | Contents                                  |
|----------|--------------|--------|-------------------------------------------|
| 133-144  | 12           | UN     | City Motor Fuel Tax                       |
| 145      | 1            | AN     | Secondary State Fuel Tax Exemption Status |
| 146-157  | 12           | UN     | Secondary State Fuel Tax                  |
| 158-168  | 11           | AN     | Reserved                                  |

Format: AN = Alphanumeric, ANS = Alphanumeric Special, DX = Display Hexadecimal, N = Numeric, UN = Unpacked Numeric

### Text Message Commercial Card - Fleet Service Edit Criteria

|                                                                                                       |                                                                                                                                                                                                          |
|-------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Transaction Code</b><br>Positions: 1-2<br>Length: 2<br>Format: unpacked numeric                    | <b>Description:</b> This field must contain a <b>50</b> .                                                                                                                                                |
| <b>Transaction Code Qualifier</b><br>Positions: 3<br>Length: 1<br>Format: unpacked numeric            | <b>Description:</b> This field must contain a <b>0</b> (zero).<br>This edit will continue to be performed by the Edit Package when the Bypass Business Edits option is used during an outgoing edit run. |
| <b>Transaction Component Sequence Number</b><br>Positions: 4<br>Length: 1<br>Format: unpacked numeric | <b>Description:</b> This field must contain a <b>0</b> (zero).                                                                                                                                           |
| <b>Destination Identifier</b><br>Positions: 5-10<br>Length: 6<br>Format: unpacked numeric             | <b>Description:</b> The entity to which a BASE II transaction message is sent.<br>This field must contain a valid acquiring or issuing identifier.                                                       |
| <b>Source Identifier</b><br>Positions: 11-16<br>Length: 6<br>Format: unpacked numeric                 | <b>Description:</b> The entity from which a BASE II transaction message is sent.<br>This field must contain a valid acquiring or issuing identifier.                                                     |
| <b>Service Identifier</b><br>Positions: 17-22<br>Length: 6<br>Format: alphanumeric                    | <b>Description:</b> Further identifies the type of transaction.<br>The valid value for this field is <b>COMFLT</b> .                                                                                     |

### Text Message Commercial Card - Fleet Service Edit Criteria

|                                                                                                             |                                                                                                                                                                                                                                                                                                                           |
|-------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Message Identifier</b><br>Positions: 23-37<br>Length: 15<br>Format: alphanumeric                         | <b>Description:</b> This field is used to link the draft data and related text message transactions. The contents of this field should match that of the related draft data transaction's Message Identifier field.<br><br><b>VIC Edit:</b> The field cannot contain all zeros or spaces or two spaces followed by zeros. |
| <b>Item Sequence Number</b><br>Positions: 38-40<br>Length: 3<br>Format: unpacked numeric                    | <b>Description:</b> Sequence number of the item. This field must be numeric. If the entry is not numeric, the BASE II VIC will insert zeros.                                                                                                                                                                              |
| <b>Federal Excise Tax (Non-Fuel) Exemption Status</b><br>Positions: 41<br>Length: 1<br>Format: alphanumeric | <b>Description:</b> Indicates whether transaction is exempt from federal excise tax (non-fuel).<br><br>The field may contain one of the following:<br><b>0</b> = Non-Exempt<br><b>1</b> = Exempt                                                                                                                          |
| <b>Federal Excise Tax (Non-Fuel)</b><br>Positions: 42-53<br>Length: 12<br>Format: unpacked numeric          | <b>Description:</b> Federal excise tax on non-fuel purchases. The field must be numeric. It may contain zeros.<br><br>The field contains two implied decimal places. If the entry is not numeric, the BASE II VIC will insert zeros.                                                                                      |
| <b>Federal Excise Tax (Fuel) Exemption Status</b><br>Positions: 54<br>Length: 1<br>Format: alphanumeric     | <b>Description:</b> Indicates whether transaction is exempt from excise tax (Federal) on fuel purchase.<br><br>The field should contain one of the following:<br><b>0</b> = Non-Exempt<br><b>1</b> = Exempt                                                                                                               |
| <b>Federal Excise Tax (Fuel)</b><br>Positions: 55-66<br>Length: 12<br>Format: unpacked numeric              | <b>Description:</b> Federal excise tax on fuel purchases. The field must be numeric. It may contain zeros.<br><br>The field contains two implied decimal places. If the entry is not numeric, the BASE II VIC will insert zeros.                                                                                          |
| <b>State Motor Fuel Tax Exemption Status</b><br>Positions: 67<br>Length: 1<br>Format: alphanumeric          | <b>Description:</b> Indicates whether transaction is exempt from any state taxes on fuel purchases.<br><br>The field should contain one of the following:<br><b>0</b> = Non-Exempt<br><b>1</b> = Exempt                                                                                                                   |
| <b>State Motor Fuel Tax</b><br>Positions: 68-79<br>Length: 12<br>Format: unpacked numeric                   | <b>Description:</b> State sales tax on fuel purchases. The field must be numeric. It may contain zeros.<br><br>The field contains two implied decimal places. If the entry is not numeric, the BASE II VIC will insert zeros.                                                                                             |

### Text Message Commercial Card - Fleet Service Edit Criteria

|                                                                                                                  |                                                                                                                                                                                                                                     |
|------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>County Fuel Sales Tax Exemption Status</b><br>Positions: 80<br>Length: 1<br>Format: alphanumeric              | <b>Description:</b> Indicates whether the transaction is exempt from any country sales taxes on fuel purchases.<br>The field should contain one of the following:<br><b>0</b> = Non-Exempt<br><b>1</b> = Exempt                     |
| <b>County Fuel Sales Tax</b><br>Positions: 81-92<br>Length: 12<br>Format: unpacked numeric                       | <b>Description:</b> Country sales tax on fuel purchases. The field must be numeric. It may contain zeros.<br>The field contains two implied decimal places. If the entry is not numeric, the BASE II VIC will insert zeros.         |
| <b>Non-Fuel State and Local Sales Tax Exemption Status</b><br>Positions: 93<br>Length: 1<br>Format: alphanumeric | <b>Description:</b> Indicates whether transaction is exempt from any state and local taxes.<br>The field should contain one of the following:<br><b>0</b> = Non-Exempt<br><b>1</b> = Exempt                                         |
| <b>Non-Fuel State and Local Sales Tax</b><br>Positions: 94-105<br>Length: 12<br>Format: unpacked numeric         | <b>Description:</b> State and local taxes on non-fuel purchases. The field must be numeric. It may contain zeros.<br>The field contains two implied decimal places. If the entry is not numeric, the BASE II VIC will insert zeros. |
| <b>County Motor Fuel Tax Exemption Status</b><br>Positions: 106<br>Length: 1<br>Format: alphanumeric             | <b>Description:</b><br>The field should contain one of the following:<br><b>0</b> = Non-Exempt<br><b>1</b> = Exempt                                                                                                                 |
| <b>County Motor Fuel Tax</b><br>Positions: 107-118<br>Length: 12<br>Format: unpacked numeric                     | <b>Description:</b> The field must be numeric. It may contain zeros.<br>The field contains two implied decimal places. If the entry is not numeric, the BASE II VIC will insert zeros.                                              |
| <b>City Sales Fuel Tax Exemption Status</b><br>Positions: 119<br>Length: 1<br>Format: alphanumeric               | <b>Description:</b> Indicates if transaction is exempt from city sales tax.<br>The field should contain one of the following:<br><b>0</b> = Non-Exempt<br><b>1</b> = Exempt                                                         |

## Text Message Commercial Card - Fleet Service Edit Criteria

|                                                                                                         |                                                                                                                                                                                                                                             |
|---------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>City Sales Fuel Tax</b><br>Positions: 120-131<br>Length: 12<br>Format: unpacked numeric              | <b>Description:</b> City sales tax on gas/fuel purchase. The field must be numeric. It may contain zeros.<br><br>The field contains two implied decimal places. If the entry is not numeric, the BASE II VIC will insert zeros.             |
| <b>City Motor Fuel Tax Exemption Status</b><br>Positions: 132<br>Length: 1<br>Format: alphanumeric      | <b>Description:</b> Indicates if transaction is exempt from city fuel tax.<br><br>The field should contain one of the following:<br><b>0</b> = Non-Exempt<br><b>1</b> = Exempt                                                              |
| <b>City Motor Fuel Tax</b><br>Positions: 133-144<br>Length: 12<br>Format: unpacked numeric              | <b>Description:</b> Amount of city tax charged on gas/fuel purchase. The field must be numeric. It may contain zeros.<br><br>The field contains two implied decimal places. If the entry is not numeric, the BASE II VIC will insert zeros. |
| <b>Secondary State Fuel Tax Exemption Status</b><br>Positions: 145<br>Length: 1<br>Format: alphanumeric | <b>Description:</b><br><br>The field should contain one of the following:<br><b>0</b> = Non-Exempt<br><b>1</b> = Exempt                                                                                                                     |
| <b>Secondary State Fuel Tax</b><br>Positions: 146-157<br>Length: 12<br>Format: unpacked numeric         | <b>Description:</b> The field must be numeric. It may contain zeros.<br><br>The field contains two implied decimal places. If the entry is not numeric, the BASE II VIC will insert zeros.                                                  |
| <b>Reserved</b><br>Positions: 158-168<br>Length: 11<br>Format: alphanumeric                             | <b>Description:</b> This field is reserved for future use. EP will always space-fill.                                                                                                                                                       |

# TC 50 - TCR 1 - Commercial Card - Fleet Service

TC 50 - TCR 1 - Commercial Card Fleet Service record layout is used by the CEMEA region for the following fields: Fuel Brand, Fuel Transaction Validation Results, and Fuel Acceptance Code.

## CTF - Outgoing and Incoming Interchange

### Text Message Commercial Card - Fleet Service Record Layout

| Position | Field Length | Format | Contents                              |
|----------|--------------|--------|---------------------------------------|
| 1-2      | 2            | UN     | Transaction Code                      |
| 3        | 1            | UN     | Transaction Code Qualifier            |
| 4        | 1            | UN     | Transaction Component Sequence Number |
| 5        | 1            | AN     | Federal Sales Tax Exemption Status    |
| 6-17     | 12           | UN     | Federal Sales Tax                     |
| 18-21    | 4            | AN     | Fuel Brand                            |
| 22-26    | 5            | AN     | Fuel Transaction Validation Results   |
| 27       | 1            | AN     | Fuel Acceptance Mode                  |
| 28-47    | 20           | AN     | Driver Identification                 |
| 48-57    | 10           | AN     | Job Number                            |
| 58-65    | 8            | AN     | Fleet Number                          |
| 66-79    | 14           | AN     | Vehicle Registration Number           |
| 80-168   | 89           | AN     | Reserved                              |

Format: AN = Alphanumeric, ANS = Alphanumeric Special, DX = Display Hexadecimal, N = Numeric, UN = Unpacked Numeric

### Text Message Commercial Card - Fleet Service Edit Criteria

|                                                                                                       |                                                                                                                                                                                                          |
|-------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Transaction Code</b><br>Positions: 1-2<br>Length: 2<br>Format: unpacked numeric                    | <b>Description:</b> This field must contain a <b>50</b> .                                                                                                                                                |
| <b>Transaction Code Qualifier</b><br>Positions: 3<br>Length: 1<br>Format: unpacked numeric            | <b>Description:</b> This field must contain a <b>0</b> (zero).<br>This edit will continue to be performed by the Edit Package when the Bypass Business Edits option is used during an outgoing edit run. |
| <b>Transaction Component Sequence Number</b><br>Positions: 4<br>Length: 1<br>Format: unpacked numeric | <b>Description:</b> This field must contain a <b>1</b> .                                                                                                                                                 |

### Text Message Commercial Card - Fleet Service Edit Criteria

|                                                                                                     |                                                                                                                                                                                        |
|-----------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Federal Sales Tax Exemption Status</b><br>Positions: 5<br>Length: 1<br>Format: alphanumeric      | <b>Description:</b> The field should contain one of the following:<br><b>0</b> = Non-Exempt <b>1</b> = Exempt                                                                          |
| <b>Federal Sales Tax</b><br>Positions: 6-17<br>Length: 12<br>Format: unpacked numeric               | <b>Description:</b> The field must be numeric. It may contain zeros.<br>The field contains two implied decimal places. If the entry is not numeric, the BASE II VIC will insert zeros. |
| <b>Fuel Brand</b><br>Positions: 18-21<br>Length: 4<br>Format: alphanumeric                          | <b>Description:</b> This field will contain the fuel brand. This field should be left-justified.                                                                                       |
| <b>Fuel Transaction Validation Results</b><br>Positions: 22-26<br>Length: 5<br>Format: alphanumeric | <b>Description:</b> This field will contain the fuel transaction validation results. This field should be left-justified.                                                              |
| <b>Fuel Acceptance Mode</b><br>Positions: 27<br>Length: 1<br>Format: alphanumeric                   | <b>Description:</b> This field will contain the fuel acceptance mode.                                                                                                                  |
| <b>Driver Identification</b><br>Positions: 28-47<br>Length: 20<br>Format: alphanumeric              | <b>Description:</b> This field will contain the driver identification. This field should be left-justified.                                                                            |
| <b>Job Number</b><br>Positions: 48-57<br>Length: 10<br>Format: alphanumeric                         | <b>Description:</b> This field will contain the job number. This field should be left-justified.                                                                                       |
| <b>Fleet Number</b><br>Positions: 58-65<br>Length: 8<br>Format: alphanumeric                        | <b>Description:</b> This field will contain the fleet number. This field should be left-justified.                                                                                     |

### Text Message Commercial Card - Fleet Service Edit Criteria

|                                                                                              |                                                                                                                   |
|----------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------|
| <b>Vehicle Registration Number</b><br>Positions: 66-79<br>Length: 14<br>Format: alphanumeric | <b>Description:</b> This field will contain the vehicle registration number. This field should be left-justified. |
| <b>Reserved</b><br>Positions: 80-168<br>Length: 89<br>Format: alphanumeric                   | <b>Description:</b> This field is reserved for future use. EP will always space-fill.                             |

## TC 50 - TCR 2 - Commercial Card - Fleet Service

TC 50 - TCR 2 - Commercial Card - Fleet Service record layout is no longer being supported.

### CTF - Outgoing and Incoming Interchange

#### Text Message Commercial Card - Fleet Service Record Layout

| Position | Field Length | Format | Contents                                   |
|----------|--------------|--------|--------------------------------------------|
| 1-2      | 2            | UN     | Transaction Code                           |
| 3        | 1            | UN     | Transaction Code Qualifier                 |
| 4        | 1            | UN     | Transaction Component Sequence Number      |
| 5-8      | 4            | AN     | Expanded Non-Fuel Product Code 1           |
| 9-12     | 4            | UN     | Expanded Non-Fuel Product Code 1 Quantity  |
| 13-24    | 12           | UN     | Expanded Non-Fuel Product Code 1 Unit Cost |
| 25-28    | 4            | AN     | Expanded Non-Fuel Product Code 2           |
| 29-32    | 4            | UN     | Expanded Non-Fuel Product Code 2 Quantity  |
| 33-44    | 12           | UN     | Expanded Non-Fuel Product Code 2 Unit Cost |
| 45-48    | 4            | AN     | Expanded Non-Fuel Product Code 3           |
| 49-52    | 4            | UN     | Expanded Non-Fuel Product Code 3 Quantity  |
| 53-64    | 12           | UN     | Expanded Non-Fuel Product Code 3 Unit Cost |
| 65-68    | 4            | AN     | Expanded Non-Fuel Product Code 4           |
| 69-72    | 4            | UN     | Expanded Non-Fuel Product Code 4 Quantity  |

### Text Message Commercial Card - Fleet Service Record Layout

| Position | Field Length | Format | Contents                                   |
|----------|--------------|--------|--------------------------------------------|
| 73-84    | 12           | UN     | Expanded Non-Fuel Product Code 4 Unit Cost |
| 85-168   | 84           | AN     | Reserved                                   |

Format: AN = Alphanumeric, ANS = Alphanumeric Special, DX = Display Hexadecimal, N = Numeric, UN = Unpacked Numeric

### Text Message Commercial Card - Fleet Service Edit Criteria

|                                                                                                                 |                                                                                                                                                                                                          |
|-----------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Transaction Code</b><br>Positions: 1-2<br>Length: 2<br>Format: unpacked numeric                              | <b>Description:</b> This field must contain a <b>50</b> .                                                                                                                                                |
| <b>Transaction Code Qualifier</b><br>Positions: 3<br>Length: 1<br>Format: unpacked numeric                      | <b>Description:</b> This field must contain a <b>0</b> (zero).<br>This edit will continue to be performed by the Edit Package when the Bypass Business Edits option is used during an outgoing edit run. |
| <b>Transaction Component Sequence Number</b><br>Positions: 4<br>Length: 1<br>Format: unpacked numeric           | <b>Description:</b> This field must contain a <b>2</b> .                                                                                                                                                 |
| <b>Expanded Non-Fuel Product Code 1</b><br>Positions: 5-8<br>Length: 4<br>Format: alphanumeric                  | <b>Description:</b> This field will contain the Expanded Non-Fuel Product Code 1.<br>This field should be left-justified and space-filled.                                                               |
| <b>Expanded Non-Fuel Product Code 1 Quantity</b><br>Positions: 9-12<br>Length: 4<br>Format: unpacked numeric    | <b>Description:</b> This field will contain the Expanded Non-Fuel Product Code 1 Quantity.<br>This field should be right-justified and zero-filled.                                                      |
| <b>Expanded Non-Fuel Product Code 1 Unit Cost</b><br>Positions: 13-24<br>Length: 12<br>Format: unpacked numeric | <b>Description:</b> This field will contain the Expanded Non-Fuel Product Code 1 Unit Cost.<br>This field should be right-justified, with two implied decimal places and zero-filled.                    |



### Text Message Commercial Card - Fleet Service Edit Criteria

|                                                                                                                     |                                                                                                                                                                                           |
|---------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Expanded Non-Fuel Product Code 2</b><br><br>Positions: 25-28<br>Length: 4<br>Format: alphanumeric                | <b>Description:</b> This field will contain the Expanded Non-Fuel Product Code 2.<br><br>This field should be left-justified and space-filled.                                            |
| <b>Expanded Non-Fuel Product Code 2 Quantity</b><br><br>Positions: 29-32<br>Length: 4<br>Format: unpacked numeric   | <b>Description:</b> This field will contain the Expanded Non-Fuel Product Code 2 Quantity.<br><br>This field should be right-justified and zero-filled.                                   |
| <b>Expanded Non-Fuel Product Code 2 Unit Cost</b><br><br>Positions: 33-44<br>Length: 12<br>Format: unpacked numeric | <b>Description:</b> This field will contain the Expanded Non-Fuel Product Code 2 Unit Cost.<br><br>This field should be right-justified, with two implied decimal places and zero-filled. |
| <b>Expanded Non-Fuel Product Code 3</b><br><br>Positions: 45-48<br>Length: 4<br>Format: alphanumeric                | <b>Description:</b> This field will contain the Expanded Non-Fuel Product Code 3.<br><br>This field should be left-justified and space-filled.                                            |
| <b>Expanded Non-Fuel Product Code 3 Quantity</b><br><br>Positions: 49-52<br>Length: 4<br>Format: unpacked numeric   | <b>Description:</b> This field will contain the Expanded Non-Fuel Product Code 3 Quantity.<br><br>This field should be right-justified and zero-filled.                                   |
| <b>Expanded Non-Fuel Product Code 3 Unit Cost</b><br><br>Positions: 53-64<br>Length: 12<br>Format: unpacked numeric | <b>Description:</b> This field will contain the Expanded Non-Fuel Product Code 3 Unit Cost.<br><br>This field should be right-justified, with two implied decimal places and zero-filled. |
| <b>Expanded Non-Fuel Product Code 4</b><br><br>Positions: 65-68<br>Length: 4<br>Format: alphanumeric                | <b>Description:</b> This field will contain the Expanded Non-Fuel Product Code 4.<br><br>This field should be left-justified and space-filled.                                            |

### Text Message Commercial Card - Fleet Service Edit Criteria

|                                                                                                                 |                                                                                                                                                                                      |
|-----------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Expanded Non-Fuel Product Code 4 Quantity</b><br>Positions: 69-72<br>Length: 4<br>Format: unpacked numeric   | <b>Description:</b> This field will contain the Expanded Non-Fuel Product Code 4 Quantity.<br>This field should be right-justified and zero-filled.                                  |
| <b>Expanded Non-Fuel Product Code 4 Unit Cost</b><br>Positions: 73-84<br>Length: 12<br>Format: unpacked numeric | <b>Description:</b> This field will contain the Expanded Non-Fuel Product Code 4 Unit Cost<br>This field should be right-justified, with two implied decimal places and zero-filled. |
| <b>Reserved</b><br>Positions: 85-168<br>Length: 84<br>Format: alphanumeric                                      | <b>Description:</b> This field is reserved for future use. EP will always space-fill.                                                                                                |

## TC 50 - TCR 0 - Commercial Card - Generic Data

TC 50 - TCR 0 - Commercial Card - Generic Data record layout is no longer being supported.

### CTF - Outgoing and Incoming Interchange

#### Text Message Commercial Card - Generic Data Record Layout

| Position | Field Length | Format | Contents                              |
|----------|--------------|--------|---------------------------------------|
| 1-2      | 2            | UN     | Transaction Code                      |
| 3        | 1            | UN     | Transaction Code Qualifier            |
| 4        | 1            | UN     | Transaction Component Sequence Number |
| 5-10     | 6            | UN     | Destination Identifier                |
| 11-16    | 6            | UN     | Source Identifier                     |
| 17-22    | 6            | AN     | Service Identifier                    |
| 23-37    | 15           | AN     | Message Identifier                    |
| 38-41    | 4            | UN     | Item Sequencing Field                 |
| 42-57    | 16           | UN     | Account Number                        |

### Text Message Commercial Card - Generic Data Record Layout

| Position | Field Length | Format | Contents                 |
|----------|--------------|--------|--------------------------|
| 58-60    | 3            | UN     | Account Number Extension |
| 61-64    | 4            | UN     | Purchase Date            |
| 65-76    | 12           | UN     | Source Amount            |
| 77-101   | 25           | AN     | Merchant Name            |
| 102-105  | 4            | UN     | Merchant Category Code   |
| 106-110  | 5            | UN     | Merchant ZIP code        |
| 111-135  | 25           | AN     | Merchant Order Number    |
| 136-147  | 12           | UN     | Local Tax                |
| 148-159  | 12           | UN     | National Tax             |
| 160-163  | 4            | AN     | Summary Commodity Code   |
| 164-168  | 5            | AN     | Reserved                 |

Format: AN = Alphanumeric, ANS = Alphanumeric Special, DX = Display Hexadecimal, N = Numeric, UN = Unpacked Numeric

### Text Message Commercial Card - Generic Data Edit Criteria

|                                                                                                       |                                                                                                                                                                                                          |
|-------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Transaction Code</b><br>Positions: 1-2<br>Length: 2<br>Format: unpacked numeric                    | <b>Description:</b> This field must contain a <b>50</b> .                                                                                                                                                |
| <b>Transaction Code Qualifier</b><br>Positions: 3<br>Length: 1<br>Format: unpacked numeric            | <b>Description:</b> This field must contain a <b>0</b> (zero).<br>This edit will continue to be performed by the Edit Package when the Bypass Business Edits option is used during an outgoing edit run. |
| <b>Transaction Component Sequence Number</b><br>Positions: 4<br>Length: 1<br>Format: unpacked numeric | <b>Description:</b> This field must contain a <b>0</b> (zero).                                                                                                                                           |
| <b>Destination Identifier</b><br>Positions: 5-10<br>Length: 6<br>Format: unpacked numeric             | <b>Description:</b> The entity to which a BASE II transaction message is sent.<br>This field must contain a valid acquiring or issuing identifier.                                                       |

### Text Message Commercial Card - Generic Data Edit Criteria

|                                                                                              |                                                                                                                                                                                                                                                                                                  |
|----------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Source Identifier</b><br>Positions: 11-16<br>Length: 6<br>Format: unpacked numeric        | <b>Description:</b> The entity from which a BASE II transaction message is sent.<br><br>This field must contain a valid acquiring or issuing identifier.                                                                                                                                         |
| <b>Service Identifier</b><br>Positions: 17-22<br>Length: 6<br>Format: alphanumeric           | <b>Description:</b> Further identifies the type of transaction.<br><br>This field must contain <b>COMMGN</b> .                                                                                                                                                                                   |
| <b>Message Identifier</b><br>Positions: 23-37<br>Length: 15<br>Format: alphanumeric          | <b>Description:</b> If data is provided in the additional data, line item detail, or passenger itinerary TC 50s, this field must contain the message identifier used to link the transactions.<br><br><b>VIC Edit:</b> This field cannot be zeros or spaces or two spaces followed by all zeros. |
| <b>Item Sequencing Field</b><br>Positions: 38-41<br>Length: 4<br>Format: unpacked numeric    | <b>Description:</b> This field contains the current and total number of records for this transaction. The format is <b>XXYY</b> , where <b>XX</b> is the current record and <b>YY</b> is the total number of records.                                                                            |
| <b>Account Number</b><br>Positions: 42-57<br>Length: 16<br>Format: unpacked numeric          | <b>Description:</b> An issuer-assigned number that identifies a cardholder's account. This entry must be a 16-digit number.                                                                                                                                                                      |
| <b>Account Number Extension</b><br>Positions: 58-60<br>Length: 3<br>Format: unpacked numeric | <b>Description:</b> A three-digit extension of the account number that allows account numbers up to 19 digits. This entry must be left-justified and zero-filled.                                                                                                                                |
| <b>Purchase Date</b><br>Positions: 61-64<br>Length: 4<br>Format: unpacked numeric            | <b>Description:</b> Contains the date the purchase made. Format is <b>MMDD</b> .                                                                                                                                                                                                                 |
| <b>Source Amount</b><br>Positions: 65-76<br>Length: 12<br>Format: unpacked numeric           | <b>Description:</b> Identifies the submitted transaction amount in the currency that is appropriate to the source endpoint.<br><br>Two decimal places are implied.                                                                                                                               |

### Text Message Commercial Card - Generic Data Edit Criteria

|                                                                                              |                                                                                                                                                                                                     |
|----------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Merchant Name</b><br>Positions: 77-101<br>Length: 25<br>Format: alphanumeric              | <b>Description:</b> Contains the merchant's name. This field should be left-justified.                                                                                                              |
| <b>Merchant Category Code</b><br>Positions: 102-105<br>Length: 4<br>Format: unpacked numeric | <b>Description:</b> Identifies the merchant's principal line of business.                                                                                                                           |
| <b>Merchant ZIP Code</b><br>Positions: 106-110<br>Length: 5<br>Format: unpacked numeric      | <b>Description:</b> Contains the merchant's postal code. This entry must be numeric, may be zeros.                                                                                                  |
| <b>Merchant Order Number</b><br>Positions: 111-135<br>Length: 25<br>Format: alphanumeric     | <b>Description:</b> Merchant invoice number. This field must be numeric and may contain zeros. Two decimal places are implied.                                                                      |
| <b>Local Tax</b><br>Positions: 136-147<br>Length: 12<br>Format: unpacked numeric             | <b>Description:</b> Used to indicate the amount of local tax included in the transaction amount. This field must be numeric and may contain zeros. Two decimal places are implied.                  |
| <b>National Tax</b><br>Positions: 148-159<br>Length: 12<br>Format: unpacked numeric          | <b>Description:</b> Amount of national tax on this purchase. Must be expressed in same currency as source amount. This field must be numeric and may contain zeros. Two decimal places are implied. |
| <b>Summary Commodity Code</b><br>Positions: 160-163<br>Length: 4<br>Format: alphanumeric     | <b>Description:</b> Contains the national standard coding structure for the description of goods.                                                                                                   |
| <b>Reserved</b><br>Positions: 164-168<br>Length: 5<br>Format: alphanumeric                   | <b>Description:</b> This field is reserved for future use. EP will always space-fill.                                                                                                               |

# TC 50 - TCR 0 - Commercial Card - Lodging

TC 50 - TCR 0 - Commercial Card - Lodging record layout is no longer being supported.

## CTF - Outgoing and Incoming Interchange

### Text Message Commercial Card - Lodging Record Layout

| Position | Field Length | Format | Contents                              |
|----------|--------------|--------|---------------------------------------|
| 1-2      | 2            | UN     | Transaction Code                      |
| 3        | 1            | UN     | Transaction Code Qualifier            |
| 4        | 1            | UN     | Transaction Component Sequence Number |
| 5-10     | 6            | UN     | Destination Identifier                |
| 11-16    | 6            | UN     | Source Identifier                     |
| 17-22    | 6            | AN     | Service Identifier                    |
| 23-37    | 15           | AN     | Message Identifier                    |
| 38-40    | 3            | UN     | Item Sequence Number                  |
| 41-52    | 12           | UN     | Valet Parking Charges                 |
| 53-64    | 12           | UN     | Minibar Charges                       |
| 65-76    | 12           | UN     | Laundry Charges                       |
| 77-88    | 12           | UN     | Telephone Charges                     |
| 89-100   | 12           | UN     | Gift Shop Purchases                   |
| 101-112  | 12           | UN     | Movie Charges                         |
| 113-124  | 12           | UN     | Business Center Charges               |
| 125-136  | 12           | UN     | Health Club Charges                   |
| 137-148  | 12           | UN     | Other Charges                         |
| 149-160  | 12           | UN     | Total Non-Room Charges                |
| 161-168  | 8            | AN     | Reserved                              |

Format: AN = Alphanumeric, ANS = Alphanumeric Special, DX = Display Hexadecimal, N = Numeric, UN = Unpacked Numeric

### Text Message Commercial Card - Lodging Edit Criteria

|                                                                                                       |                                                                                                                                                                                                                                                                                                                      |
|-------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Transaction Code</b><br>Positions: 1-2<br>Length: 2<br>Format: unpacked numeric                    | <b>Description:</b> This field must contain a <b>50</b> .                                                                                                                                                                                                                                                            |
| <b>Transaction Code Qualifier</b><br>Positions: 3<br>Length: 1<br>Format: unpacked numeric            | <b>Description:</b> This field must contain a <b>0</b> (zero).<br><br>This edit will continue to be performed by the Edit Package when the Bypass Business Edits option is used during an outgoing edit run.                                                                                                         |
| <b>Transaction Component Sequence Number</b><br>Positions: 4<br>Length: 1<br>Format: unpacked numeric | <b>Description:</b> This field must contain a <b>0</b> (zero).                                                                                                                                                                                                                                                       |
| <b>Destination Identifier</b><br>Positions: 5-10<br>Length: 6<br>Format: unpacked numeric             | <b>Description:</b> The entity to which a BASE II transaction message is sent.<br><br>This field must contain a valid acquiring or issuing identifier.                                                                                                                                                               |
| <b>Source Identifier</b><br>Positions: 11-16<br>Length: 6<br>Format: unpacked numeric                 | <b>Description:</b> The entity from which a BASE II transaction message is sent.<br><br>This field must contain a valid acquiring or issuing identifier.                                                                                                                                                             |
| <b>Service Identifier</b><br>Positions: 17-22<br>Length: 6<br>Format: alphanumeric                    | <b>Description:</b> Further identifies the type of transaction.<br><br>This field must contain <b>CORPLG</b> .                                                                                                                                                                                                       |
| <b>Message Identifier</b><br>Positions: 23-37<br>Length: 15<br>Format: alphanumeric                   | <b>Description:</b> This field is used to link the draft data and related message text transactions. The contents of this field should match that of the related draft data transaction's Message Identifier field.<br><br><b>VIC Edit:</b> The entry cannot be zeros or spaces or two spaces followed by all zeros. |
| <b>Item Sequence Number</b><br>Positions: 38-40<br>Length: 3<br>Format: unpacked numeric              | <b>Description:</b> Sequence number of the item. This field must be numeric. If the entry is not numeric, the BASE II VIC will insert zeros.                                                                                                                                                                         |

### Text Message Commercial Card - Lodging Edit Criteria

|                                                                                                |                                                                                                                                                                                                                                        |
|------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Valet Parking Charges</b><br>Positions: 41-52<br>Length: 12<br>Format: unpacked numeric     | <b>Description:</b> Any charges for valet parking while staying at lodging. The entry must be numeric; two decimal places are implied. The entry may be zeros. If the entry is not numeric, the BASE II VIC will insert zeros.         |
| <b>Minibar Charges</b><br>Positions: 53-64<br>Length: 12<br>Format: unpacked numeric           | <b>Description:</b> Any charges for minibar purchases while staying at lodging. The entry must be numeric; two decimal places are implied. The entry may be zeros. If the entry is not numeric, the BASE II VIC will insert zeros.     |
| <b>Laundry Charges</b><br>Positions: 65-76<br>Length: 12<br>Format: unpacked numeric           | <b>Description:</b> Any charges for laundry while staying at lodging. The entry must be numeric; two decimal places are implied. The entry may be zeros. If the entry is not numeric, the BASE II VIC will insert zeros.               |
| <b>Telephone Charges</b><br>Positions: 77-88<br>Length: 12<br>Format: unpacked numeric         | <b>Description:</b> Any charges for telephone calls while staying at lodging. The entry must be numeric; two decimal places are implied. The entry may be zeros. If the entry is not numeric, the BASE II VIC will insert zeros.       |
| <b>Gift Shop Purchases</b><br>Positions: 89-100<br>Length: 12<br>Format: unpacked numeric      | <b>Description:</b> Any charges for gift shop purchase while staying at lodging. The entry must be numeric; two decimal places are implied. The entry may be zeros. If the entry is not numeric, the BASE II VIC will insert zeros.    |
| <b>Movie Charges</b><br>Positions: 101-112<br>Length: 12<br>Format: unpacked numeric           | <b>Description:</b> Any charges for movies watched while staying at lodging. The entry must be numeric; two decimal places are implied. The entry may be zeros. If the entry is not numeric, the BASE II VIC will insert zeros.        |
| <b>Business Center Charges</b><br>Positions: 113-124<br>Length: 12<br>Format: unpacked numeric | <b>Description:</b> Any charges for use a business center while staying at lodging. The entry must be numeric; two decimal places are implied. The entry may be zeros. If the entry is not numeric, the BASE II VIC will insert zeros. |
| <b>Health Club Charges</b><br>Positions: 125-136<br>Length: 12<br>Format: unpacked numeric     | <b>Description:</b> Any charges for use of health club while staying at lodging. The entry must be numeric; two decimal places are implied. The entry may be zeros. If the entry is not numeric, the BASE II VIC will insert zeros.    |



### Text Message Commercial Card - Lodging Edit Criteria

|                                                                                               |                                                                                                                                                                                                                                                   |
|-----------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Other Charges</b><br>Positions: 137-148<br>Length: 12<br>Format: unpacked numeric          | <b>Description:</b> Any other charges that the guest accumulated while staying at the lodging. The entry must be numeric; two decimal places are implied. The entry may be zeros. If the entry is not numeric, the BASE II VIC will insert zeros. |
| <b>Total Non-Room Charges</b><br>Positions: 149-160<br>Length: 12<br>Format: unpacked numeric | <b>Description:</b> Total amount of all non-room charges. This field must be numeric and may contain zeros. Two decimal places are implied.                                                                                                       |
| <b>Reserved</b><br>Positions: 161-168<br>Length: 8<br>Format: alphanumeric                    | <b>Description:</b> This field is reserved for future use. EP will always space-fill.                                                                                                                                                             |

## TC 50 - TCR 0 - Commercial Card - Car Rental

TC 50 - TCR 0 - Commercial Card - Car Rental record layout is no longer being supported.

### CTF - Outgoing and Incoming Interchange

#### Text Message Commercial Card - Car Rental Record Layout

| Position | Field Length | Format | Contents                              |
|----------|--------------|--------|---------------------------------------|
| 1-2      | 2            | UN     | Transaction Code                      |
| 3        | 1            | UN     | Transaction Code Qualifier            |
| 4        | 1            | UN     | Transaction Component Sequence Number |
| 5-10     | 6            | UN     | Destination Identifier                |
| 11-16    | 6            | UN     | Source Identifier                     |
| 17-22    | 6            | AN     | Service Identifier                    |
| 23-37    | 15           | AN     | Message Identifier                    |
| 38-40    | 3            | UN     | Item Sequence Number                  |
| 41-52    | 12           | UN     | Auto Towing                           |
| 53-64    | 12           | UN     | Regular Mileage Charges               |

### Text Message Commercial Card - Car Rental Record Layout

| Position | Field Length | Format | Contents                        |
|----------|--------------|--------|---------------------------------|
| 65-76    | 12           | UN     | Extra-Mileage Charges           |
| 77-88    | 12           | UN     | Late Return Charges/Hourly Rate |
| 89-113   | 25           | AN     | Location (City) Car Returned To |
| 114-125  | 12           | UN     | Total Tax/VAT                   |
| 126-137  | 12           | UN     | Telephone Charges               |
| 138-149  | 12           | UN     | Other Charges                   |
| 150-161  | 12           | AN     | Corporate ID                    |
| 162-168  | 7            | AN     | Reserved                        |

Format: AN = Alphanumeric, ANS = Alphanumeric Special, DX = Display Hexadecimal, N = Numeric, UN = Unpacked Numeric

### Text Message Commercial Card - Car Rental Edit Criteria

|                                                                                                       |                                                                                                                                                                                                          |
|-------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Transaction Code</b><br>Positions: 1-2<br>Length: 2<br>Format: unpacked numeric                    | <b>Description:</b> This field must contain a <b>50</b> .                                                                                                                                                |
| <b>Transaction Code Qualifier</b><br>Positions: 3<br>Length: 1<br>Format: unpacked numeric            | <b>Description:</b> This field must contain a <b>0</b> (zero).<br>This edit will continue to be performed by the Edit Package when the Bypass Business Edits option is used during an outgoing edit run. |
| <b>Transaction Component Sequence Number</b><br>Positions: 4<br>Length: 1<br>Format: unpacked numeric | <b>Description:</b> This field must contain a <b>0</b> (zero).                                                                                                                                           |
| <b>Destination Identifier</b><br>Positions: 5-10<br>Length: 6<br>Format: unpacked numeric             | <b>Description:</b> The entity to which a BASE II transaction message is sent.<br>This field must contain a valid acquiring or issuing identifier.                                                       |

### Text Message Commercial Card - Car Rental Edit Criteria

|                                                                                                      |                                                                                                                                                                                                                                                                                                                      |
|------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Source Identifier</b><br>Positions: 11-16<br>Length: 6<br>Format: unpacked numeric                | <b>Description:</b> The entity from which a BASE II transaction message is sent.<br><br>This field must contain a valid acquiring or issuing identifier.                                                                                                                                                             |
| <b>Service Identifier</b><br>Positions: 17-22<br>Length: 6<br>Format: alphanumeric                   | <b>Description:</b> Further identifies the type of transaction.<br><br>This field must contain <b>CORPCA</b> .                                                                                                                                                                                                       |
| <b>Message Identifier</b><br>Positions: 23-37<br>Length: 15<br>Format: alphanumeric                  | <b>Description:</b> This field is used to link the draft data and related text message transactions. The contents of this field should match that of the related draft data transaction's Message Identifier field.<br><br><b>VIC Edit:</b> The entry cannot be zeros or spaces or two spaces followed by all zeros. |
| <b>Item Sequence Number</b><br>Positions: 38-40<br>Length: 3<br>Format: unpacked numeric             | <b>Description:</b> Sequence number of the item. This field must be numeric. If the entry is not numeric, the BASE II VIC will insert zeros.                                                                                                                                                                         |
| <b>Auto Towing</b><br>Positions: 41-52<br>Length: 12<br>Format: unpacked numeric                     | <b>Description:</b> Amount charged if vehicle towed. The entry must be numeric; two decimal places are implied. The entry may be zeros. If the entry is not numeric, the BASE II VIC will insert zeros.                                                                                                              |
| <b>Regular Mileage Charges</b><br>Positions: 53-64<br>Length: 12<br>Format: unpacked numeric         | <b>Description:</b> Amount of charges for mileage. The entry must be numeric; two decimal places are implied. The entry may be zeros.                                                                                                                                                                                |
| <b>Extra-Mileage Charges</b><br>Positions: 65-76<br>Length: 12<br>Format: unpacked numeric           | <b>Description:</b> Any charges for extra-mileage on the returned vehicle. The entry must be numeric; two decimal places are implied. The entry may be zeros.                                                                                                                                                        |
| <b>Late Return Charges/Hourly Rate</b><br>Positions: 77-88<br>Length: 12<br>Format: unpacked numeric | <b>Description:</b> Charges (Hourly Rate) for late return of vehicle. The entry must be numeric; two decimal places are implied. The entry may be zeros.                                                                                                                                                             |

### Text Message Commercial Card - Car Rental Edit Criteria

|                                                                                                   |                                                                                                                                     |
|---------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------|
| <b>Location (City) Car Returned To</b><br>Positions: 89-113<br>Length: 25<br>Format: alphanumeric | <b>Description:</b> City the rental vehicle was returned to. The field may contain spaces.                                          |
| <b>Total Tax/VAT</b><br>Positions: 114-125<br>Length: 12<br>Format: unpacked numeric              | <b>Description:</b> Total tax amount. The entry must be numeric; two decimal places are implied. The entry may be zeros.            |
| <b>Telephone Charges</b><br>Positions: 126-137<br>Length: 12<br>Format: unpacked numeric          | <b>Description:</b> Any telephone charges. The entry must be numeric; two decimal places are implied. The entry may be zeros.       |
| <b>Other Charges</b><br>Positions: 138-149<br>Length: 12<br>Format: unpacked numeric              | <b>Description:</b> Amount of any other charges. The entry must be numeric; two decimal places are implied. The entry may be zeros. |
| <b>Corporate ID</b><br>Positions: 150-161<br>Length: 12<br>Format: alphanumeric                   | <b>Description:</b> Corporate identifier. The field may be space-filled.                                                            |
| <b>Reserved</b><br>Positions: 162-168<br>Length: 7<br>Format: alphanumeric                        | <b>Description:</b> The field is reserved for future use. EP will always space-fill.                                                |

## TC 50 - TCR 0 - Commercial Card - Invoice (Header and Summary)

These tables contain the Text Message (TC 50) record layout and edit criteria for TCR 0 - Commercial Card - Invoice (Header and Summary). In certain regions, Fleet Level 2 and Level 3 data is required for specific MCCs. Please consult your Fleet 2.0 Implementation Guide for details.

### CTF - Outgoing and Incoming Interchange

**Text Message Commercial Card - Invoice (Header And Summary) Record Layout**

| Position | Field Length | Format | Contents                              |
|----------|--------------|--------|---------------------------------------|
| 1-2      | 2            | UN     | Transaction Code                      |
| 3        | 1            | UN     | Transaction Code Qualifier            |
| 4        | 1            | UN     | Transaction Component Sequence Number |
| 5-10     | 6            | UN     | Destination Identifier                |
| 11-16    | 6            | UN     | Source Identifier                     |
| 17-22    | 6            | AN     | Service Identifier                    |
| 23-37    | 15           | AN     | Message Identifier                    |
| 38-40    | 3            | UN     | Item Sequence Number                  |
| 41-52    | 12           | UN     | Discount Amount                       |
| 53-64    | 12           | UN     | Freight/Shipping Amount               |
| 65-76    | 12           | UN     | Duty Amount                           |
| 77-86    | 10           | AN     | Destination Postal/ZIP Code           |
| 87-96    | 10           | AN     | Ship From Postal/ZIP Code             |
| 97-99    | 3            | AN     | Destination Country Code              |
| 100-114  | 15           | AN     | Unique VAT Invoice Reference Number   |
| 115-120  | 6            | UN     | Order Date (YYMMDD)                   |
| 121-136  | 16           | UN     | Account Number                        |
| 137-139  | 3            | AN     | Account Number Extension              |
| 140-151  | 12           | UN     | VAT/Tax Amount (Freight/Shipping)     |
| 152-155  | 4            | UN     | VAT/Tax Rate (Freight/Shipping)       |
| 156-161  | 6            | AN     | Authorization Code                    |
| 162      | 1            | AN     | Reserved                              |
| 163      | 1            | UN     | Invoice Level Discount Treatment Code |
| 164      | 1            | UN     | Tax Treatments                        |
| 165      | 1            | AN     | Discount Amount Signage               |
| 166      | 1            | AN     | Freight/Shipping Amount Signage       |
| 167      | 1            | AN     | Duty Amount Signage                   |

### Text Message Commercial Card - Invoice (Header And Summary) Record Layout

| Position | Field Length | Format | Contents               |
|----------|--------------|--------|------------------------|
| 168      | 1            | AN     | VAT/Tax Amount Signage |

Format: AN = Alphanumeric, ANS = Alphanumeric Special, DX = Display Hexadecimal, N = Numeric, UN = Unpacked Numeric

### Text Message Commercial Card - Invoice (Header And Summary) Edit Criteria

|                                                                                                       |                                                                                                                                                                                                              |
|-------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Transaction Code</b><br>Positions: 1-2<br>Length: 2<br>Format: unpacked numeric                    | <b>Description:</b> This field must contain a <b>50</b> .                                                                                                                                                    |
| <b>Transaction Code Qualifier</b><br>Positions: 3<br>Length: 1<br>Format: unpacked numeric            | <b>Description:</b> This field must contain a <b>0</b> (zero).<br><br>This edit will continue to be performed by the Edit Package when the Bypass Business Edits option is used during an outgoing edit run. |
| <b>Transaction Component Sequence Number</b><br>Positions: 4<br>Length: 1<br>Format: unpacked numeric | <b>Description:</b> This field must contain a <b>0</b> (zero).                                                                                                                                               |
| <b>Destination Identifier</b><br>Positions: 5-10<br>Length: 6<br>Format: unpacked numeric             | <b>Description:</b> The entity to which a BASE II transaction message is sent.<br><br>This field must contain a valid acquiring or issuing identifier.                                                       |
| <b>Source Identifier</b><br>Positions: 11-16<br>Length: 6<br>Format: unpacked numeric                 | <b>Description:</b> The entity from which a BASE II transaction message is sent.<br><br>This field must contain a valid acquiring or issuing identifier.                                                     |
| <b>Service Identifier</b><br>Positions: 17-22<br>Length: 6<br>Format: alphanumeric                    | <b>Description:</b> Further identifies the transaction.<br><br>This field must contain <b>PURCHA</b> . For backward compatibility this field may alternatively contain <b>COMMXA</b> .                       |

### Text Message Commercial Card - Invoice (Header And Summary) Edit Criteria

|                                                                                              |                                                                                                                                                                                                                                                                                                                  |
|----------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Message Identifier</b><br>Positions: 23-37<br>Length: 15<br>Format: alphanumeric          | <b>Description:</b> This field is used to link the draft data and related text message transactions. The contents of this field should match that of the related draft data transaction's Message Identifier field.<br><b>VIC Edit:</b> The entry cannot be zeros or spaces or two spaces followed by all zeros. |
| <b>Item Sequence Number</b><br>Positions: 38-40<br>Length: 3<br>Format: unpacked numeric     | <b>Description:</b> Sequence number of the item. This field must be numeric. If the entry is not numeric, the BASE II VIC will insert zeros.                                                                                                                                                                     |
| <b>Discount Amount</b><br>Positions: 41-52<br>Length: 12<br>Format: unpacked numeric         | <b>Description:</b> Discount given to cardholder. The entry must be numeric; two decimal places are implied. The entry may be zeros. If the entry is not numeric, the BASE II VIC will insert zeros.                                                                                                             |
| <b>Freight/Shipping Amount</b><br>Positions: 53-64<br>Length: 12<br>Format: unpacked numeric | <b>Description:</b> The entry must be numeric; two decimal places are implied. The entry may contain zeros. If the entry is not numeric, the BASE II VIC will insert zeros.                                                                                                                                      |
| <b>Duty Amount</b><br>Positions: 65-76<br>Length: 12<br>Format: unpacked numeric             | <b>Description:</b> Amount of duty taxes. The entry must be numeric; two decimal places are implied. The entry may contain zeros. If the entry is not numeric, the BASE II VIC will insert zeros.                                                                                                                |
| <b>Destination Postal/ZIP Code</b><br>Positions: 77-86<br>Length: 10<br>Format: alphanumeric | <b>Description:</b> Postal code of the destination. The field may contain spaces.                                                                                                                                                                                                                                |
| <b>Ship From Postal/ZIP Code</b><br>Positions: 87-96<br>Length: 10<br>Format: alphanumeric   | <b>Description:</b> Postal code of the location being shipped from. The field may contain spaces.                                                                                                                                                                                                                |
| <b>Destination Country Code</b><br>Positions: 97-99<br>Length: 3<br>Format: alphanumeric     | <b>Description:</b> Country code of the destination. The field may contain spaces.                                                                                                                                                                                                                               |

### Text Message Commercial Card - Invoice (Header And Summary) Edit Criteria

|                                                                                                          |                                                                                                                                                                                                                                                                                                                             |
|----------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Unique VAT Invoice Reference Number</b><br>Positions: 100-114<br>Length: 15<br>Format: alphanumeric   | <b>Description:</b> Value added tax invoice reference number. The field may contain spaces.                                                                                                                                                                                                                                 |
| <b>Order Date</b><br>Positions: 115-120<br>Length: 6<br>Format: unpacked numeric                         | <b>Description:</b> Date the order was taken. The entry should be a six-digit numeric, either zeros or a valid date, in the format <b>YYMMDD</b> . If the entry is not numeric, the BASE II VIC will insert zeros.                                                                                                          |
| <b>Account Number</b><br>Positions: 121-136<br>Length: 16<br>Format: unpacked numeric                    | <b>Description:</b> An issuer-assigned number that identifies a cardholder's account. The entry must be a 16-digit number. If the entry is not numeric, the BASE II VIC will insert zeros.                                                                                                                                  |
| <b>Account Number Extension</b><br>Positions: 137-139<br>Length: 3<br>Format: alphanumeric               | <b>Description:</b> A three-digit extension of the account number that allows account numbers up to 19 digits. If used, the entry should be left-justified and zero-filled. If the entry is not numeric, BASE II will insert zeros.                                                                                         |
| <b>VAT/Tax Amount (Freight/Shipping)</b><br>Positions: 140-151<br>Length: 12<br>Format: unpacked numeric | <b>Description:</b> Tax amount of the freight and shipping. Two decimal places are implied. If the entry is not numeric, the BASE II VIC will insert zeros.                                                                                                                                                                 |
| <b>VAT/Tax Rate (Freight/Shipping)</b><br>Positions: 152-155<br>Length: 4<br>Format: unpacked numeric    | <b>Description:</b> Two decimal places are implied. If the entry is not numeric, the BASE II VIC will insert zeros.                                                                                                                                                                                                         |
| <b>Authorization Code</b><br>Positions: 156-161<br>Length: 6<br>Format: alphanumeric                     | <b>Description:</b> Authorization Code of the TC 05.<br><br><b>VIC Edits:</b> If the entry is not <b>A - Z</b> or <b>0 - 9</b> , the BASE II VIC will space-fill the field.<br><br>Values:<br><b>A - Z</b> and <b>0 - 9</b><br><br><b>Outgoing Edit:</b> If the entry is not valid, Edit Package will space-fill the field. |



### Text Message Commercial Card - Invoice (Header And Summary) Edit Criteria

|                                                                                                         |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
|---------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Reserved</b><br>Positions: 162<br>Length: 1<br>Format: alphanumeric                                  | <b>Description:</b> This field is reserved for future use. EP will always space-fill.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
| <b>Invoice Level Discount Treatment Code</b><br>Positions: 163<br>Length: 1<br>Format: unpacked numeric | <b>Description:</b> Indicates how the merchant is managing discounts.<br><b>VIC Edits:</b> If the entry is not <b>0</b> , <b>1</b> or <b>2</b> , the BASE II VIC will insert zero.<br>Values:<br><b>0</b> = no invoice level discount provided<br><b>1</b> = tax was calculated on the post-discount invoice total<br><b>2</b> = tax was calculated on the pre-discount invoice total<br><b>Outgoing Edit:</b> If the entry is not valid, Edit Package will zero-fill the field.                                                                                                                                                                                                       |
| <b>Tax Treatments</b><br>Positions: 164<br>Length: 1<br>Format: unpacked numeric                        | <b>Description:</b> Indicates how the merchant is handling taxes.<br><b>VIC Edits:</b> If the entry is not <b>0-4</b> , the BASE II VIC will zero-fill the field.<br>Values:<br><b>0</b> = NLL (Net Prices with tax calculated at line item level)<br><b>1</b> = NIL (Net Prices with tax calculated at invoice level)<br><b>2</b> = GLL (Gross prices given with tax information provided at line item level)<br><b>3</b> = GIL (Gross prices given with tax information provided at invoice level)<br><b>4</b> = NON (No tax applies (small supplier) on the invoice for the transaction)<br><b>Outgoing Edit:</b> If the entry is not valid, Edit Package will zero-fill the field. |
| <b>Discount Amount Signage</b><br>Positions: 165<br>Length: 1<br>Format: alphanumeric                   | <b>Description:</b> Indicates if the Discount Amount should be interpreted as Negative or Positive. As a note, the Discount Amount as a positive value is considered to reduce the amount of the invoice or act as a negative.<br><b>VIC Edits:</b> If the entry is not ^ (space), <b>C</b> , or <b>D</b> , the BASE II VIC will space-fill the field.<br>Values:<br>^ (space)<br><b>D</b> = Discount Amount is considered as discount for the invoice (+)<br><b>C</b> = Discount Amount is considered as refund discount for the invoice (-)<br><b>Outgoing Edit:</b> If the entry is not valid, Edit Package will space-fill the field.                                              |

## Text Message Commercial Card - Invoice (Header And Summary) Edit Criteria

|                                                                                               |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
|-----------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Freight/Shipping Amount Signage</b><br>Positions: 166<br>Length: 1<br>Format: alphanumeric | <b>Description:</b> Indicates if the Freight/Shipping Amount should be interpreted as Negative or Positive.<br><b>VIC Edits:</b> If the entry is not ^ (space), <b>C</b> or <b>D</b> , the BASE II VIC will space-fill the field.<br>Values:<br>^ (space)<br><b>D</b> = Freight/Shipping Amount is considered positive for the invoice (+)<br><b>C</b> = Freight/Shipping Amount is considered negative for the invoice (-)<br><b>Outgoing Edit:</b> If the entry is not valid, Edit Package will space-fill the field. |
| <b>Duty Amount Signage</b><br>Positions: 167<br>Length: 1<br>Format: alphanumeric             | <b>Description:</b> Indicates if the Duty Amount should be interpreted as Negative or Positive.<br><b>VIC Edits:</b> If the entry is not ^ (space), <b>C</b> or <b>D</b> , the BASE II VIC will space-fill the field.<br>Values:<br>^ (space)<br><b>D</b> = Duty Amount is considered positive for the invoice (+)<br><b>C</b> = Duty Amount is considered negative for the invoice (-)<br><b>Outgoing Edit:</b> If the entry is not valid, Edit Package will space-fill the field.                                     |
| <b>VAT/Tax Amount Signage</b><br>Positions: 168<br>Length: 1<br>Format: alphanumeric          | <b>Description:</b> Indicates if the VAT/Tax Amount should be interpreted as Negative or Positive.<br><b>VIC Edits:</b> If the entry is not ^ (space), <b>C</b> or <b>D</b> , the BASE II VIC will space-fill the field.<br>Values:<br>^ (space)<br><b>D</b> = VAT/Tax Amount is considered positive for the invoice (+)<br><b>C</b> = VAT/Tax Amount is considered negative for the invoice (-)<br><b>Outgoing Edit:</b> If the entry is not valid, Edit Package will space-fill the field.                            |

## TC 50 - TCR 0 - Commercial Card - Lodging (Additional Data Elements)

TC 50 - TCR 0 - Commercial Card - Lodging (Additional Data Elements) record layout is no longer being supported.

### CTF - Outgoing and Incoming Interchange

**Text Message Commercial Card - Lodging (Additional Data Elements) Record Layout**

| Position | Field Length | Format | Contents                              |
|----------|--------------|--------|---------------------------------------|
| 1-2      | 2            | UN     | Transaction Code                      |
| 3        | 1            | UN     | Transaction Code Qualifier            |
| 4        | 1            | UN     | Transaction Component Sequence Number |
| 5-10     | 6            | UN     | Destination Identifier                |
| 11-16    | 6            | UN     | Source Identifier                     |
| 17-22    | 6            | AN     | Service Identifier                    |
| 23-37    | 15           | AN     | Message Identifier                    |
| 38-40    | 3            | UN     | Item Sequence Number                  |
| 41-52    | 12           | UN     | Discount Amount                       |
| 53-64    | 12           | UN     | Freight/Shipping Amount               |
| 65-76    | 12           | UN     | Duty Amount                           |
| 77-86    | 10           | AN     | Destination Postal/ZIP Code           |
| 87-96    | 10           | AN     | Ship From Postal/ZIP Code             |
| 97-99    | 3            | AN     | Destination Country Code              |
| 100-114  | 15           | AN     | Unique VAT Invoice Reference Number   |
| 115-120  | 6            | UN     | Order Date (YYMMDD)                   |
| 121-136  | 16           | UN     | Account Number                        |
| 137-139  | 3            | AN     | Account Number Extension              |
| 140-151  | 12           | UN     | VAT/Tax Amount (Freight/Shipping)     |
| 152-155  | 4            | UN     | VAT/Tax Rate (Freight/Shipping)       |
| 156-168  | 13           | AN     | Reserved                              |

Format: AN = Alphanumeric, ANS = Alphanumeric Special, DX = Display Hexadecimal, N = Numeric, UN = Unpacked Numeric

### Text Message Commercial Card - Lodging (Additional Data Elements) Edit Criteria

|                                                                                                       |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
|-------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Transaction Code</b><br>Positions: 1-2<br>Length: 2<br>Format: unpacked numeric                    | <b>Description:</b> This field must contain a <b>50</b> .                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
| <b>Transaction Code Qualifier</b><br>Positions: 3<br>Length: 1<br>Format: unpacked numeric            | <b>Description:</b> This field must contain a <b>0</b> (zero).<br>This edit will continue to be performed by the Edit Package when the Bypass Business Edits option is used during an outgoing edit run.                                                                                                                                                                                                                                                                                                                                                                                                                        |
| <b>Transaction Component Sequence Number</b><br>Positions: 4<br>Length: 1<br>Format: unpacked numeric | <b>Description:</b> This field must contain a <b>0</b> (zero).                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
| <b>Destination Identifier</b><br>Positions: 5-10<br>Length: 6<br>Format: unpacked numeric             | <b>Description:</b> The entity to which a BASE II transaction message is sent.<br>This field must contain a valid acquiring or issuing identifier.                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| <b>Source Identifier</b><br>Positions: 11-16<br>Length: 6<br>Format: unpacked numeric                 | <b>Description:</b> The entity from which a BASE II transaction message is sent.<br>This field must contain a valid acquiring or issuing identifier.                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
| <b>Service Identifier</b><br>Positions: 17-22<br>Length: 6<br>Format: alphanumeric                    | <b>Description:</b> Further identifies the type of transaction.<br>If the record is created by an acquirer, this field must contain <b>CORPLA</b> . If the record is created by a third party information provider, this field must contain <b>COMMLA</b> .                                                                                                                                                                                                                                                                                                                                                                     |
| <b>Message Identifier</b><br>Positions: 23-37<br>Length: 15<br>Format: alphanumeric                   | <b>Description:</b> For acquirers, this field is used to link the draft data and related text message transactions. The contents of this field should match that of the related draft data transaction's Message Identifier field. For third-party information providers, this field is used to link the TC 50, TCR 0 Commercial Card Generic Data and related text message transactions. The contents of this field should match that of the related TC 50, TCR 0 Commercial Card Generic Data transaction's Message Identifier.<br><b>VIC Edit:</b> This field cannot be zeros or spaces or two spaces followed by all zeros. |

### Text Message Commercial Card - Lodging (Additional Data Elements) Edit Criteria

|                                                                                                        |                                                                                                                                                                                                            |
|--------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Item Sequence Number</b><br>Positions: 38-40<br>Length: 3<br>Format: unpacked numeric               | <b>Description:</b> Sequence number of the item. This field must be numeric. If the entry is not numeric, the BASE II VIC will insert zeros.                                                               |
| <b>Discount Amount</b><br>Positions: 41-52<br>Length: 12<br>Format: unpacked numeric                   | <b>Description:</b> Discount given to cardholder. The entry must be numeric; two decimal places are implied. The entry may be zeros. If the entry is not numeric, the BASE II VIC will insert zeros.       |
| <b>Freight/Shipping Amount</b><br>Positions: 53-64<br>Length: 12<br>Format: unpacked numeric           | <b>Description:</b> Amount of freight or shipping. The entry must be numeric; two decimal places are implied. The entry may contain zeros. If the entry is not numeric, the BASE II VIC will insert zeros. |
| <b>Duty Amount</b><br>Positions: 65-76<br>Length: 12<br>Format: unpacked numeric                       | <b>Description:</b> Amount of duty taxes. The entry must be numeric; two decimal places are implied. The entry may contain zeros. If the entry is not numeric, the BASE II VIC will insert zeros.          |
| <b>Destination Postal/ZIP Code</b><br>Positions: 77-86<br>Length: 10<br>Format: alphanumeric           | <b>Description:</b> Postal code of the destination location. The field may contain spaces.                                                                                                                 |
| <b>Ship From Postal/ZIP Code</b><br>Positions: 87-96<br>Length: 10<br>Format: alphanumeric             | <b>Description:</b> Postal code of the location being shipped from. The field may contain spaces.                                                                                                          |
| <b>Destination Country Code</b><br>Positions: 97-99<br>Length: 3<br>Format: alphanumeric               | <b>Description:</b> Country code of the destination. The field may contain spaces.                                                                                                                         |
| <b>Unique VAT Invoice Reference Number</b><br>Positions: 100-114<br>Length: 15<br>Format: alphanumeric | <b>Description:</b> Value Added Tax invoice reference number. The field may contain spaces.                                                                                                                |

### Text Message Commercial Card - Lodging (Additional Data Elements) Edit Criteria

|                                                                                                          |                                                                                                                                                                                                                                             |
|----------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Order Date (YYMMDD)</b><br>Positions: 115-120<br>Length: 6<br>Format: unpacked numeric                | <b>Description:</b> Date the order was taken. The entry should be a six-digit numeric, either zeros or a valid date, in the format <b>YYMMDD</b> .<br><br>If the entry is not numeric, the BASE II VIC will insert zeros.                   |
| <b>Account Number</b><br>Positions: 121-136<br>Length: 16<br>Format: unpacked numeric                    | <b>Description:</b> An issuer-assigned number that identifies a cardholder's account. The entry must be a 16-digit number. If this field is not numeric, the BASE II VIC will inset zeros.                                                  |
| <b>Account Number Extension</b><br>Positions: 137-139<br>Length: 3<br>Format: alphanumeric               | <b>Description:</b> A three-digit extension of the account number that allows account numbers up to 19 digits. If used, the entry should be left-justified and zero-filled. If the entry is not numeric, the BASE II VIC will insert zeros. |
| <b>VAT/Tax Amount (Freight/Shipping)</b><br>Positions: 140-151<br>Length: 12<br>Format: unpacked numeric | <b>Description:</b> Tax amount of the freight and shipping. Two decimal places are implied. If the entry is not numeric, the BASE II VIC will insert zeros.                                                                                 |
| <b>VAT/Tax Rate (Freight/Shipping)</b><br>Positions: 152-155<br>Length: 4<br>Format: unpacked numeric    | <b>Description:</b> Two decimal places are implied. If the entry is not numeric, the BASE II VIC will insert zeros.                                                                                                                         |
| <b>Reserved</b><br>Positions: 156-168<br>Length: 13<br>Format: alphanumeric                              | <b>Description:</b> This field is reserved for future use. EP will always space-fill.                                                                                                                                                       |

## TC 50 - TCR 0 - Commercial Card - Car Rental (Additional Data Elements)

TC 50 - TCR 0 - Commercial Card - Car Rental (Additional Data Elements) record layout is no longer being supported.

### CTF - Outgoing and Incoming Interchange

**Text Message Commercial Card - Car Rental (Additional Data Elements) Record Layout**

| Position | Field Length | Format | Contents                              |
|----------|--------------|--------|---------------------------------------|
| 1-2      | 2            | UN     | Transaction Code                      |
| 3        | 1            | UN     | Transaction Code Qualifier            |
| 4        | 1            | UN     | Transaction Component Sequence Number |
| 5-10     | 6            | UN     | Destination Identifier                |
| 11-16    | 6            | UN     | Source Identifier                     |
| 17-22    | 6            | AN     | Service Identifier                    |
| 23-37    | 15           | AN     | Message Identifier                    |
| 38-40    | 3            | UN     | Item Sequence Number                  |
| 41-52    | 12           | UN     | Discount Amount                       |
| 53-64    | 12           | UN     | Freight/Shipping Amount               |
| 65-76    | 12           | UN     | Duty Amount                           |
| 77-86    | 10           | AN     | Destination Postal/ZIP Code           |
| 87-96    | 10           | AN     | Ship From Postal/ZIP Code             |
| 97-99    | 3            | AN     | Destination Country Code              |
| 100-114  | 15           | AN     | Unique VAT Invoice Reference Number   |
| 115-120  | 6            | UN     | Order Date (YYMMDD)                   |
| 121-136  | 16           | UN     | Account Number                        |
| 137-139  | 3            | AN     | Account Number Extension              |
| 140-151  | 12           | UN     | VAT/Tax Amount (Freight/Shipping)     |
| 152-155  | 4            | UN     | VAT/Tax Rate (Freight/Shipping)       |
| 156-168  | 13           | AN     | Reserved                              |

Format: AN = Alphanumeric, ANS = Alphanumeric Special, DX = Display Hexadecimal, N = Numeric, UN = Unpacked Numeric

### Text Message Commercial Card - Car Rental (Additional Data Elements) Edit Criteria

|                                                                                                       |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
|-------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Transaction Code</b><br>Positions: 1-2<br>Length: 2<br>Format: unpacked numeric                    | <b>Description:</b> This field must contain a <b>50</b> .                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
| <b>Transaction Code Qualifier</b><br>Positions: 3<br>Length: 1<br>Format: unpacked numeric            | <b>Description:</b> This field must contain a <b>0</b> (zero).<br>This edit will continue to be performed by the Edit Package when the Bypass Business Edits option is used during an outgoing edit run.                                                                                                                                                                                                                                                                                                                                                                                                                       |
| <b>Transaction Component Sequence Number</b><br>Positions: 4<br>Length: 1<br>Format: unpacked numeric | <b>Description:</b> This field must contain a <b>0</b> (zero).                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
| <b>Destination Identifier</b><br>Positions: 5-10<br>Length: 6<br>Format: unpacked numeric             | <b>Description:</b> The entity to which a BASE II transaction message is sent.<br>This field must contain a valid acquiring or issuing identifier.                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
| <b>Source Identifier</b><br>Positions: 11-16<br>Length: 6<br>Format: unpacked numeric                 | <b>Description:</b> The entity from which a BASE II transaction message is sent.<br>This field must contain a valid acquiring or issuing identifier.                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
| <b>Service Identifier</b><br>Positions: 17-22<br>Length: 6<br>Format: alphanumeric                    | <b>Description:</b> Further identifies the type of transaction.<br>If the record is created by an acquirer, this field must contain <b>CORPCD</b> . If the record is created by a third-party information provider, this field must contain <b>COMMCA</b> .                                                                                                                                                                                                                                                                                                                                                                    |
| <b>Message Identifier</b><br>Positions: 23-37<br>Length: 15<br>Format: alphanumeric                   | <b>Description:</b> For acquirers, this field is used to link the draft data and related text message transactions. The contents of this field should match that of the related draft data transaction's Message Identifier field. For third-party information providers, this field is used to link the TC 50, TCR 0 Commercial Card Generic Data and related text message transactions. The contents of this field should match that of the related TC 50, TCR 0 Commercial Card Generic Data transaction's Message Identifier.<br><b>VIC Edit:</b> The entry cannot be zeros or spaces or two spaces followed by all zeros. |



### Text Message Commercial Card - Car Rental (Additional Data Elements) Edit Criteria

|                                                                                                        |                                                                                                                                                                                                             |
|--------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Item Sequence Number</b><br>Positions: 38-40<br>Length: 3<br>Format: unpacked numeric               | <b>Description:</b> Sequence number of the item. This field must be numeric. If the entry is not numeric, the BASE II VIC will insert zeros.                                                                |
| <b>Discount Amount</b><br>Positions: 41-52<br>Length: 12<br>Format: unpacked numeric                   | <b>Description:</b> Discount given to cardholders. The entry must be numeric; two decimal places are implied. The entry may be zeros. If the entry is not numeric, the BASE II VIC will insert zeros.       |
| <b>Freight/Shipping Amount</b><br>Positions: 53-64<br>Length: 12<br>Format: unpacked numeric           | <b>Description:</b> Amount for freight or shipping. The entry must be numeric; two decimal places are implied. The entry may contain zeros. If the entry is not numeric, the BASE II VIC will insert zeros. |
| <b>Duty Amount</b><br>Positions: 65-76<br>Length: 12<br>Format: unpacked numeric                       | <b>Description:</b> Amount of duty taxes. The entry must be numeric; two decimal places are implied. The entry may contain zeros. If the entry is not numeric, the BASE II VIC will insert zeros.           |
| <b>Destination Postal/ZIP Code</b><br>Positions: 77-86<br>Length: 10<br>Format: alphanumeric           | <b>Description:</b> Postal code of the destination location. The field may contain spaces.                                                                                                                  |
| <b>Ship From Postal/ZIP Code</b><br>Positions: 87-96<br>Length: 10<br>Format: alphanumeric             | <b>Description:</b> Postal code of the location being shipped from. The field may contain spaces.                                                                                                           |
| <b>Destination Country Code</b><br>Positions: 97-99<br>Length: 3<br>Format: alphanumeric               | <b>Description:</b> Country code of the destination. The field may contain spaces.                                                                                                                          |
| <b>Unique VAT Invoice Reference Number</b><br>Positions: 100-114<br>Length: 15<br>Format: alphanumeric | <b>Description:</b> Value Added Tax invoice reference number. The field may contain spaces.                                                                                                                 |

### Text Message Commercial Card - Car Rental (Additional Data Elements) Edit Criteria

|                                                                                                          |                                                                                                                                                                                                                                             |
|----------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Order Date</b><br>Positions: 115-120<br>Length: 6<br>Format: unpacked numeric                         | <b>Description:</b> Date the car was rented.<br><br>The entry should be a six-digit numeric, either zeros or a valid date, in the format <b>YYMMDD</b> .<br><br>If the entry is not numeric, the BASE II VIC will insert zeros.             |
| <b>Account Number</b><br>Positions: 121-136<br>Length: 16<br>Format: unpacked numeric                    | <b>Description:</b> An issuer-assigned number that identifies a cardholder's account. The entry must be a 16-digit number. If this field is not numeric, the BASE II VIC will inset zeros.                                                  |
| <b>Account Number Extension</b><br>Positions: 137-139<br>Length: 3<br>Format: alphanumeric               | <b>Description:</b> A three-digit extension of the account number that allows account numbers up to 19 digits. If used, the entry should be left-justified and zero-filled. If the entry is not numeric, the BASE II VIC will insert zeros. |
| <b>VAT/Tax Amount (Freight/Shipping)</b><br>Positions: 140-151<br>Length: 12<br>Format: unpacked numeric | <b>Description:</b> Tax amount of the freight and shipping. Two decimal places are implied. If the entry is not numeric, the BASE II VIC will insert zeros.                                                                                 |
| <b>VAT/Tax Rate (Freight/Shipping)</b><br>Positions: 152-155<br>Length: 4<br>Format: unpacked numeric    | <b>Description:</b> Two decimal places are implied. If the entry is not numeric, the BASE II VIC will insert zeros.                                                                                                                         |
| <b>Reserved</b><br>Positions: 156-168<br>Length: 13<br>Format: alphanumeric                              | <b>Description:</b> This field is reserved for future use. EP will always space-fill.                                                                                                                                                       |

## TC 50 - TCR 0 - Commercial Card - Invoice (Line Detail)

These tables contain the Text Message (TC 50) record layout and edit criteria for TCR 0 - Commercial Card - Invoice (Line Detail). In certain regions, Fleet Level 2 and Level 3 data is required for specific MCCs. Please consult your Fleet 2.0 Implementation Guide for details.

### CTF - Outgoing and Incoming Interchange

**Text Message Commercial Card - Invoice (Line Detail) Record Layout**

| Position | Field Length | Format | Contents                                |
|----------|--------------|--------|-----------------------------------------|
| 1-2      | 2            | UN     | Transaction Code                        |
| 3        | 1            | UN     | Transaction Code Qualifier              |
| 4        | 1            | UN     | Transaction Component Sequence Number   |
| 5-10     | 6            | UN     | Destination Identifier                  |
| 11-16    | 6            | UN     | Source Identifier                       |
| 17-22    | 6            | AN     | Service Identifier                      |
| 23-37    | 15           | AN     | Message Identifier                      |
| 38-40    | 3            | UN     | Item Sequence Number                    |
| 41-52    | 12           | AN     | Item Commodity Code                     |
| 53-78    | 26           | AN     | Item Descriptor                         |
| 79-90    | 12           | AN     | Product Code                            |
| 91-102   | 12           | UN     | Quantity                                |
| 103-114  | 12           | AN     | Unit of Measure                         |
| 115-126  | 12           | UN     | Unit Cost                               |
| 127-138  | 12           | UN     | VAT/Tax Amount                          |
| 139-142  | 4            | UN     | VAT/Tax Rate                            |
| 143-154  | 12           | UN     | Discount per Line Item                  |
| 155-166  | 12           | UN     | Line Item Total                         |
| 167      | 1            | UN     | Line Item Detail Indicator              |
| 168      | 1            | UN     | Line Item Level Discount Treatment Code |

Format: AN = Alphanumeric, ANS = Alphanumeric Special, DX = Display Hexadecimal, N = Numeric, UN = Unpacked Numeric

---

### Text Message Commercial Card - Invoice (Line Detail) Edit Criteria

|                                                                                                       |                                                                                                                                                                                                                                                                                                                       |
|-------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Transaction Code</b><br>Positions: 1-2<br>Length: 2<br>Format: unpacked numeric                    | <b>Description:</b> This field must contain a <b>50</b> .                                                                                                                                                                                                                                                             |
| <b>Transaction Code Qualifier</b><br>Positions: 3<br>Length: 1<br>Format: unpacked numeric            | <b>Description:</b> This field must contain a <b>0</b> (zero).<br>This edit will continue to be performed by the Edit Package when the Bypass Business Edits option is used during an outgoing edit run.                                                                                                              |
| <b>Transaction Component Sequence Number</b><br>Positions: 4<br>Length: 1<br>Format: unpacked numeric | <b>Description:</b> This field must contain a <b>0</b> (zero).                                                                                                                                                                                                                                                        |
| <b>Destination Identifier</b><br>Positions: 5-10<br>Length: 6<br>Format: unpacked numeric             | <b>Description:</b> The entity to which a BASE II transaction message is sent.<br>This field must contain a valid acquiring or issuing identifier.                                                                                                                                                                    |
| <b>Source Identifier</b><br>Positions: 11-16<br>Length: 6<br>Format: unpacked numeric                 | <b>Description:</b> The entity from which a BASE II transaction message is sent.<br>This field must contain a valid acquiring or issuing identifier.                                                                                                                                                                  |
| <b>Service Identifier</b><br>Positions: 17-22<br>Length: 6<br>Format: alphanumeric                    | <b>Description:</b> Further identifies the transaction.<br>This field must contain <b>PURCHL</b> . For backward compatibility this field may alternatively contain <b>COMMXL</b> .                                                                                                                                    |
| <b>Message Identifier</b><br>Positions: 23-37<br>Length: 15<br>Format: alphanumeric                   | <b>Description:</b> This field is used to link the draft data and related text message transactions. The contents of this field should match that of the related draft data transaction's Message Identifier field.<br><b>VIC Edit:</b> The field cannot contain zeros or spaces or two spaces followed by all zeros. |
| <b>Item Sequence Number</b><br>Positions: 38-40<br>Length: 3<br>Format: unpacked numeric              | <b>Description:</b> Sequence number of the purchase item.<br><b>VIC Edit:</b> This field must be numeric and must not contain zeros.                                                                                                                                                                                  |

### Text Message Commercial Card - Invoice (Line Detail) Edit Criteria

|                                                                                         |                                                                                                                                                                                                                                                         |
|-----------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Item Commodity Code</b><br>Positions: 41-52<br>Length: 12<br>Format: alphanumeric    | <b>Description:</b> Code used to categorize purchase item. This field may contain spaces.                                                                                                                                                               |
| <b>Item Descriptor</b><br>Positions: 53-78<br>Length: 26<br>Format: alphanumeric        | <b>Description:</b> Text field describing purchase. This field may contain spaces.                                                                                                                                                                      |
| <b>Product Code</b><br>Positions: 79-90<br>Length: 12<br>Format: alphanumeric           | <b>Description:</b> Identifies the product being purchased. This field may contain spaces.                                                                                                                                                              |
| <b>Quantity</b><br>Positions: 91-102<br>Length: 12<br>Format: unpacked numeric          | <b>Description:</b> The number of units of the product being purchased. The entry must be numeric; four decimal places are implied. If the entry is not numeric, the BASE II VIC will insert zeros.                                                     |
| <b>Unit of Measure/Code</b><br>Positions: 103-114<br>Length: 12<br>Format: alphanumeric | <b>Description:</b> Code indicating unit of measure (gallons, etc.). This field may contain spaces.                                                                                                                                                     |
| <b>Unit Cost</b><br>Positions: 115-126<br>Length: 12<br>Format: unpacked numeric        | <b>Description:</b> Cost of fuel per unit of measure (for example, dollars per gallon). The entry must be numeric; four decimal places are implied. The entry may contain zeros.<br><br>If the entry is not numeric, the BASE II VIC will insert zeros. |
| <b>VAT/Tax Amount</b><br>Positions: 127-138<br>Length: 12<br>Format: unpacked numeric   | <b>Description:</b> Any value-added tax or other sales tax amount. The entry must be numeric; two decimal places are implied. The entry may contain zeros.<br><br>If the entry is not numeric, the BASE II VIC will insert zeros.                       |
| <b>VAT/Tax Rate</b><br>Positions: 139-142<br>Length: 4<br>Format: unpacked numeric      | <b>Description:</b> The percentage of the sales tax. If the entry is not numeric, the BASE II VIC will insert zeros.<br><br>Two decimal places are implied.                                                                                             |

### Text Message Commercial Card - Invoice (Line Detail) Edit Criteria

|                                                                                                           |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
|-----------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Discount per Line Item</b><br>Positions: 143-154<br>Length: 12<br>Format: unpacked numeric             | <b>Description:</b> Any discount on the purchase, per line item. If the entry is not numeric, the BASE II VIC will insert zeros.<br><br>Two decimal places are implied.                                                                                                                                                                                                                                                                                                                                                                                                                             |
| <b>Line Item Total</b><br>Positions: 155-166<br>Length: 12<br>Format: unpacked numeric                    | <b>Description:</b> Total of line items. If the entry is not numeric, the BASE II VIC will insert zeros.<br><br>Two decimal places are implied.                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
| <b>Line Item Detail Indicator</b><br>Positions: 167<br>Length: 1<br>Format: unpacked numeric              | <b>Description:</b> Indicates the type of line item detail record.<br><br><b>VIC Edits:</b> If the entry is not <b>0, 1, 2, 3, 4,</b> or <b>5</b> the BASE II VIC will insert <b>0</b> (zero).<br>Values:<br><b>0</b> = Normal line item detail record<br><b>1</b> = Normal last line item detail record<br><b>2</b> = Credit line item detail record<br><b>3</b> = Credit last line item detail record<br><b>4</b> = Payment line item detail record<br><b>5</b> = Payment last line item detail record<br><b>Outgoing Edit:</b> If the entry is not valid, Edit Package will zero-fill the field. |
| <b>Line Item Level Discount Treatment Code</b><br>Positions: 168<br>Length: 1<br>Format: unpacked numeric | <b>Description:</b> Indicates how the merchant is handling discount at the line item level.<br><br><b>VIC Edits:</b> If the entry is not <b>0, 1,</b> or <b>2</b> the BASE II VIC will insert <b>0</b> (zero).<br>Values:<br><b>0</b> = No line level discount provided<br><b>1</b> = Tax was calculated on the post-discount line item total<br><b>2</b> = Tax was calculated on the pre-discount line item total<br><b>Outgoing Edit:</b> If the entry is not valid, Edit Package will zero-fill the field.                                                                                       |

# TC 50 - TCR 0 - Commercial Card - Lodging - Line Item Detail (Item Data Elements)

TC 50 - TCR 0 - Commercial Card - Lodging - Line Item Detail (Item Data Elements) record layout is no longer being supported.

## CTF - Outgoing and Incoming Interchange

### Text Message Commercial Card - Lodging - Line Item Detail (Item Data Elements) Record Layout

| Position | Field Length | Format | Contents                              |
|----------|--------------|--------|---------------------------------------|
| 1-2      | 2            | UN     | Transaction Code                      |
| 3        | 1            | UN     | Transaction Code Qualifier            |
| 4        | 1            | UN     | Transaction Component Sequence Number |
| 5-10     | 6            | UN     | Destination Identifier                |
| 11-16    | 6            | UN     | Source Identifier                     |
| 17-22    | 6            | AN     | Service Identifier                    |
| 23-37    | 15           | AN     | Message Identifier                    |
| 38-40    | 3            | UN     | Item Sequence Number                  |
| 41-52    | 12           | AN     | Item Commodity Code                   |
| 53-78    | 26           | AN     | Item Descriptor                       |
| 79-90    | 12           | AN     | Product Code                          |
| 91-102   | 12           | UN     | Quantity                              |
| 103-114  | 12           | AN     | Unit of Measure/Code                  |
| 115-126  | 12           | UN     | Unit Cost                             |
| 127-138  | 12           | UN     | VAT/Tax Amount                        |
| 139-142  | 4            | UN     | VAT/Tax Rate                          |
| 143-154  | 12           | UN     | Discount Per Line                     |
| 155-166  | 12           | UN     | Line Item Total                       |
| 167      | 1            | UN     | Line Item Detail Indicator            |

### Text Message Commercial Card - Lodging - Line Item Detail (Item Data Elements) Record Layout

| Position | Field Length | Format | Contents |
|----------|--------------|--------|----------|
| 168      | 1            | AN     | Reserved |

Format: AN = Alphanumeric, ANS = Alphanumeric Special, DX = Display Hexadecimal, N = Numeric, UN = Unpacked Numeric

### Text Message Commercial Card - Lodging - Line Item Detail (Item Data Elements)Edit Criteria

|                                                                                                       |                                                                                                                                                                                                                                                             |
|-------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Transaction Code</b><br>Positions: 1-2<br>Length: 2<br>Format: unpacked numeric                    | <b>Description:</b> This field must contain a <b>50</b> .                                                                                                                                                                                                   |
| <b>Transaction Code Qualifier</b><br>Positions: 3<br>Length: 1<br>Format: unpacked numeric            | <b>Description:</b> This field must contain a <b>0</b> (zero).<br>This edit will continue to be performed by the Edit Package when the Bypass Business Edits option is used during an outgoing edit run.                                                    |
| <b>Transaction Component Sequence Number</b><br>Positions: 4<br>Length: 1<br>Format: unpacked numeric | <b>Description:</b> This field must contain a <b>0</b> (zero).                                                                                                                                                                                              |
| <b>Destination Identifier</b><br>Positions: 5-10<br>Length: 6<br>Format: unpacked numeric             | <b>Description:</b> The entity to which a BASE II transaction message is sent.<br>This field must contain a valid acquiring or issuing identifier.                                                                                                          |
| <b>Source Identifier</b><br>Positions: 11-16<br>Length: 6<br>Format: unpacked numeric                 | <b>Description:</b> The entity from which a BASE II transaction message is sent.<br>This field must contain a valid acquiring or issuing identifier.                                                                                                        |
| <b>Service Identifier</b><br>Positions: 17-22<br>Length: 6<br>Format: alphanumeric                    | <b>Description:</b> Further identifies the type of transaction.<br>If the record is created by an acquirer, this field must contain <b>CORPLL</b> . If the record is created by a third party information provider, this field must contain <b>COMMLL</b> . |



**Text Message Commercial Card - Lodging - Line Item Detail (Item Data Elements)Edit Criteria**

|                                                                                          |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
|------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Message Identifier</b><br>Positions: 23-37<br>Length: 15<br>Format: alphanumeric      | <b>Description:</b> For acquirers, this field is used to link the draft data and related text message transactions. The contents of this field should match that of the related draft data transaction's Message Identifier field. For third-party information providers, this field is used to link the TC 50, TCR 0 Commercial Card Generic Data and related text message transactions. The contents of this field should match that of the related TC 50, TCR 0 Commercial Card Generic Data transaction's Message Identifier.<br><b>VIC Edit:</b> This field cannot be zeros or spaces or two spaces followed by all zeros. |
| <b>Item Sequence Number</b><br>Positions: 38-40<br>Length: 3<br>Format: unpacked numeric | <b>Description:</b> Sequence number of the purchase item.<br><b>VIC Edit:</b> This field must be numeric and must not contain zeros.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
| <b>Item Commodity Code</b><br>Positions: 41-52<br>Length: 12<br>Format: alphanumeric     | <b>Description:</b> Code used to categorize purchase item. This field may contain spaces.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
| <b>Item Descriptor</b><br>Positions: 53-78<br>Length: 26<br>Format: alphanumeric         | <b>Description:</b> Text field describing purchase. This field may contain spaces.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| <b>Product Code</b><br>Positions: 79-90<br>Length: 12<br>Format: alphanumeric            | <b>Description:</b> This field may contain spaces.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| <b>Quantity</b><br>Positions: 91-102<br>Length: 12<br>Format: unpacked numeric           | <b>Description:</b> The entry must be numeric; four decimal places are implied. If the entry is not numeric, the BASE II VIC will insert zeros.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
| <b>Unit of Measure/Code</b><br>Positions: 103-114<br>Length: 12<br>Format: alphanumeric  | <b>Description:</b> Code indicating unit of measure (gallons etc.). This field may contain spaces.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |

**Text Message Commercial Card - Lodging - Line Item Detail (Item Data Elements)Edit Criteria**

|                                                                                              |                                                                                                                                                                                                                                                                                |
|----------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Unit Cost</b><br>Positions: 115-126<br>Length: 12<br>Format: unpacked numeric             | <b>Description:</b> Cost of fuel per unit of measure (for example, dollars per gallon). The entry must be numeric; four decimal places are implied. The entry may contain zeros.<br><br>If the entry is not numeric, the BASE II VIC will insert zeros.                        |
| <b>VAT/Tax Amount</b><br>Positions: 127-138<br>Length: 12<br>Format: unpacked numeric        | <b>Description:</b> Value added tax or other sales tax amount. The entry must be numeric; two decimal places are implied. The entry may contain zeros.<br><br>If the entry is not numeric, the BASE II VIC will insert zeros.                                                  |
| <b>VAT/Tax Rate</b><br>Positions: 139-142<br>Length: 4<br>Format: unpacked numeric           | <b>Description:</b> The percentage of the sales tax. The entry must be numeric; two decimal places are implied. The entry may contain zeros.<br><br>If the entry is not numeric, the BASE II VIC will insert zeros.                                                            |
| <b>Discount Per Line</b><br>Positions: 143-154<br>Length: 12<br>Format: unpacked numeric     | <b>Description:</b> Discount applied to each invoice line item. The entry must be numeric; two decimal places are implied. The entry may contain zeros.<br><br>If the entry is not numeric, the BASE II VIC will insert zeros.                                                 |
| <b>Line Item Total</b><br>Positions: 155-166<br>Length: 12<br>Format: unpacked numeric       | <b>Description:</b> Total of line items. The entry must be numeric; two decimal places are implied. The entry may contain zeros.<br><br>If the entry is not numeric, the BASE II VIC will insert zeros.                                                                        |
| <b>Line Item Detail Indicator</b><br>Positions: 167<br>Length: 1<br>Format: unpacked numeric | <b>Description:</b> Indicates if normal line item detail or last line item detail record. If the entry is not <b>0</b> or <b>1</b> , the BASE II VIC will insert zeros.<br><br>Values:<br><b>0</b> = Normal line item detail record<br><b>1</b> = Last line item detail record |
| <b>Reserved</b><br>Positions: 168<br>Length: 1<br>Format: alphanumeric                       | <b>Description:</b> This field is reserved for future use. EP will always space-fill.                                                                                                                                                                                          |

# TC 50 - TCR 0 - Commercial Card - Car Rental - Line Item Detail (Item Data Elements)

TC 50 - TCR 0 - Commercial Card - Car Rental - Line Item Detail (Item Data Elements) record layout is no longer being supported.

## CTF - Outgoing and Incoming Interchange

### Text Message Commercial Card - Car Rental - Line Item Detail (Item Data Elements) Record Layout

| Position | Field Length | Format | Contents                              |
|----------|--------------|--------|---------------------------------------|
| 1-2      | 2            | UN     | Transaction Code                      |
| 3        | 1            | UN     | Transaction Code Qualifier            |
| 4        | 1            | UN     | Transaction Component Sequence Number |
| 5-10     | 6            | UN     | Destination Identifier                |
| 11-16    | 6            | UN     | Source Identifier                     |
| 17-22    | 6            | AN     | Service Identifier                    |
| 23-37    | 15           | AN     | Message Identifier                    |
| 38-40    | 3            | UN     | Item Sequence Number                  |
| 41-52    | 12           | AN     | Item Commodity Code                   |
| 53-78    | 26           | AN     | Item Descriptor                       |
| 79-90    | 12           | AN     | Product Code                          |
| 91-102   | 12           | UN     | Quantity                              |
| 103-114  | 12           | AN     | Unit of Measure/Code                  |
| 115-126  | 12           | UN     | Unit Cost                             |
| 127-138  | 12           | UN     | VAT/Tax Amount                        |
| 139-142  | 4            | UN     | VAT/Tax Rate                          |
| 143-154  | 12           | UN     | Discount Per Line                     |
| 155-166  | 12           | UN     | Line Item Total                       |
| 167      | 1            | UN     | Line Item Detail Indicator            |

### Text Message Commercial Card - Car Rental - Line Item Detail (Item Data Elements) Record Layout

| Position | Field Length | Format | Contents |
|----------|--------------|--------|----------|
| 168      | 1            | AN     | Reserved |

Format: AN = Alphanumeric, ANS = Alphanumeric Special, DX = Display Hexadecimal, N = Numeric, UN = Unpacked Numeric

### Text Message Commercial Card - Car Rental - Line Item Detail (Item Data Elements) Edit Criteria

|                                                                                                       |                                                                                                                                                                                                                                                                 |
|-------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Transaction Code</b><br>Positions: 1-2<br>Length: 2<br>Format: unpacked numeric                    | <b>Description:</b> This field must contain a <b>50</b> .                                                                                                                                                                                                       |
| <b>Transaction Code Qualifier</b><br>Positions: 3<br>Length: 1<br>Format: unpacked numeric            | <b>Description:</b> This field must contain a <b>0</b> (zero).<br><br>This edit will continue to be performed by the Edit Package when the Bypass Business Edits option is used during an outgoing edit run.                                                    |
| <b>Transaction Component Sequence Number</b><br>Positions: 4<br>Length: 1<br>Format: unpacked numeric | <b>Description:</b> This field must contain a <b>0</b> (zero).                                                                                                                                                                                                  |
| <b>Destination Identifier</b><br>Positions: 5-10<br>Length: 6<br>Format: unpacked numeric             | <b>Description:</b> The entity to which a BASE II transaction message is sent.<br><br>This field must contain a valid acquiring or issuing identifier.                                                                                                          |
| <b>Source Identifier</b><br>Positions: 11-16<br>Length: 6<br>Format: unpacked numeric                 | <b>Description:</b> The entity from which a BASE II transaction message is sent.<br><br>This field must contain a valid acquiring or issuing identifier.                                                                                                        |
| <b>Service Identifier</b><br>Positions: 17-22<br>Length: 6<br>Format: alphanumeric                    | <b>Description:</b> Further identifies the type of transaction.<br><br>If the record is created by an acquirer, this field must contain <b>CORPCL</b> . If the record is created by a third-party information provider, this field must contain <b>COMMCL</b> . |

### Text Message Commercial Card - Car Rental - Line Item Detail (Item Data Elements) Edit Criteria

|                                                                                          |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
|------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Message Identifier</b><br>Positions: 23-37<br>Length: 15<br>Format: alphanumeric      | <b>Description:</b> For acquirers, this field is used to link the draft data and related text message transactions. The contents of this field should match that of the related draft data transaction's Message Identifier field. For third-party information providers, this field is used to link the TC 50, TCR 0 Commercial Card Generic Data and related text message transactions. The contents of this field should match that of the related TC 50, TCR 0 Commercial Card Generic Data transaction's Message Identifier.<br><b>VIC Edit:</b> This field cannot be zeros or spaces or two spaces followed by all zeros. |
| <b>Item Sequence Number</b><br>Positions: 38-40<br>Length: 3<br>Format: unpacked numeric | <b>Description:</b> Sequence number of the item.<br><b>VIC Edit:</b> This field must be numeric and must not contain zeros.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
| <b>Item Commodity Code</b><br>Positions: 41-52<br>Length: 12<br>Format: alphanumeric     | <b>Description:</b> Code used to categorize purchase item. This field may contain spaces.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
| <b>Item Descriptor</b><br>Positions: 53-78<br>Length: 26<br>Format: alphanumeric         | <b>Description:</b> Text field describing purchase. This field may contain spaces.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| <b>Product Code</b><br>Positions: 79-90<br>Length: 12<br>Format: alphanumeric            | <b>Description:</b> Identifies the product being purchased. This field may contain spaces.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
| <b>Quantity</b><br>Positions: 91-102<br>Length: 12<br>Format: unpacked numeric           | <b>Description:</b> Number of units of the product being purchased. The entry must be numeric; four decimal places are implied. If the entry is not numeric, the BASE II VIC will insert zeros.                                                                                                                                                                                                                                                                                                                                                                                                                                 |
| <b>Unit of Measure/Code</b><br>Positions: 103-114<br>Length: 12<br>Format: alphanumeric  | <b>Description:</b> Code indicating unit of measure (gallons, etc.). This field may contain spaces.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |

### Text Message Commercial Card - Car Rental - Line Item Detail (Item Data Elements) Edit Criteria

|                                                                                              |                                                                                                                                                                                                                                                                                |
|----------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Unit Cost</b><br>Positions: 115-126<br>Length: 12<br>Format: unpacked numeric             | <b>Description:</b> Cost of fuel per unit of measure (for example, dollars per gallon). The entry must be numeric; four decimal places are implied. The entry may contain zeros.<br><br>If the entry is not numeric, the BASE II VIC will insert zeros.                        |
| <b>VAT/Tax Amount</b><br>Positions: 127-138<br>Length: 12<br>Format: unpacked numeric        | <b>Description:</b> Any value-added tax or other sales tax amount. The entry must be numeric; two decimal places are implied. The entry may contain zeros.<br><br>If the entry is not numeric, the BASE II VIC will insert zeros.                                              |
| <b>VAT/Tax Rate</b><br>Positions: 139-142<br>Length: 4<br>Format: unpacked numeric           | <b>Description:</b> The percentage of the sales tax. The entry must be numeric; two decimal places are implied. The entry may contain zeros.<br><br>If the entry is not numeric, the BASE II VIC will insert zeros.                                                            |
| <b>Discount Per Line</b><br>Positions: 143-154<br>Length: 12<br>Format: unpacked numeric     | <b>Description:</b> Discount applied to each invoice line item. The entry must be numeric; two decimal places are implied. The entry may contain zeros.<br><br>If the entry is not numeric, the BASE II VIC will insert zeros.                                                 |
| <b>Line Item Total</b><br>Positions: 155-166<br>Length: 12<br>Format: unpacked numeric       | <b>Description:</b> Total of line items. The entry must be numeric; two decimal places are implied. The entry may contain zeros.<br><br>If the entry is not numeric, the BASE II VIC will insert zeros.                                                                        |
| <b>Line Item Detail Indicator</b><br>Positions: 167<br>Length: 1<br>Format: unpacked numeric | <b>Description:</b> Indicates if normal line item detail or last line item detail record. If the entry is not <b>0</b> or <b>1</b> , the BASE II VIC will insert zeros.<br><br>Values:<br><b>0</b> = Normal line item detail record<br><b>1</b> = Last line item detail record |
| <b>Reserved</b><br>Positions: 168<br>Length: 1<br>Format: alphanumeric                       | <b>Description:</b> This field is reserved for future use. EP will always space-fill.                                                                                                                                                                                          |

# TC 50 - TCR 0 - Commercial Card - Open Format - Text Message

These tables contain the Text Message (TC 50) record layout and edit criteria for TCR 0 - Commercial Card - Open Format - Text Message.

## CTF - Outgoing and Incoming Interchange

### Text Message Commercial Card - Open Format - Text Message Record Layout

| Position | Field Length | Format | Contents                              |
|----------|--------------|--------|---------------------------------------|
| 1-2      | 2            | UN     | Transaction Code                      |
| 3        | 1            | UN     | Transaction Code Qualifier            |
| 4        | 1            | UN     | Transaction Component Sequence Number |
| 5-10     | 6            | UN     | Destination Identifier                |
| 11-16    | 6            | UN     | Source Identifier                     |
| 17-22    | 6            | AN     | Service Identifier                    |
| 23-37    | 15           | AN     | Message Identifier                    |
| 38-39    | 2            | AN     | Merchant Sector                       |
| 40       | 1            | AN     | Source Identification                 |
| 41-43    | 3            | UN     | TC 50 Envelope Sequence Number        |
| 44-46    | 3            | AN     | Reserved                              |
| 47-167   | 121          | AN     | Message Text                          |
| 168      | 1            | AN     | Reserved                              |

Format: AN = Alphanumeric, ANS = Alphanumeric Special, DX = Display Hexadecimal, N = Numeric, UN = Unpacked Numeric

### Text Message Commercial Card - Open Format - Text Message Edit Criteria

|                                                                                                       |                                                                                                                                                                                                                                                                                                                                                    |
|-------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Transaction Code</b><br>Positions: 1-2<br>Length: 2<br>Format: unpacked numeric                    | <b>Description:</b> This field must contain a <b>50</b> .                                                                                                                                                                                                                                                                                          |
| <b>Transaction Code Qualifier</b><br>Positions: 3<br>Length: 1<br>Format: unpacked numeric            | <b>Description:</b> This field must contain a <b>0</b> (zero).<br>This edit will continue to be performed by the Edit Package when the Bypass Business Edits option is used during an outgoing edit run.                                                                                                                                           |
| <b>Transaction Component Sequence Number</b><br>Positions: 4<br>Length: 1<br>Format: unpacked numeric | <b>Description:</b> This field must contain a <b>0</b> (zero).                                                                                                                                                                                                                                                                                     |
| <b>Destination Identifier</b><br>Positions: 5-10<br>Length: 6<br>Format: unpacked numeric             | <b>Description:</b> The entity to which a BASE II transaction message is sent.<br>This field must contain a valid acquiring or issuing identifier.                                                                                                                                                                                                 |
| <b>Source Identifier</b><br>Positions: 11-16<br>Length: 6<br>Format: unpacked numeric                 | <b>Description:</b> The entity from which a BASE II transaction message is sent.<br>This field must contain a valid acquiring or issuing identifier.                                                                                                                                                                                               |
| <b>Service Identifier</b><br>Positions: 17-22<br>Length: 6<br>Format: alphanumeric                    | <b>Description:</b> Further identifies the type of transaction.<br>The valid value for this field is <b>OPNFMT</b> .                                                                                                                                                                                                                               |
| <b>Message Identifier</b><br>Positions: 23-37<br>Length: 15<br>Format: alphanumeric                   | <b>Description:</b> This field is used to link the draft data and related message text transactions. The contents of this field should match that of the related draft data transaction's Message Identifier field.<br><b>VIC Edit:</b> This field cannot be zeros or spaces or two spaces followed by all zeros.                                  |
| <b>Merchant Sector</b><br>Positions: 38-39<br>Length: 2<br>Format: alphanumeric                       | <b>Description:</b> This field should contain the code indicating the industry sector the merchant's business is in (retail, banking, etc.).<br>See <i>Visa U.S.A. Enhanced Data Service Member Implementation Guide</i> for current supported Merchant Sectors. For a current copy of the guide, please contact Visa U.S.A. Commercial Solutions. |



### Text Message Commercial Card - Open Format - Text Message Edit Criteria

|                                                                                                    |                                                                                                                                                                                                                                                                                                                      |
|----------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Source Identification</b><br>Positions: 40<br>Length: 1<br>Format: alphanumeric                 | <b>Description:</b> This field should contain the acquirer or third-party processor source identification value.                                                                                                                                                                                                     |
| <b>TC 50 Envelope Sequence Number</b><br>Positions: 41-43<br>Length: 3<br>Format: unpacked numeric | <b>Description:</b> This field should contain the 3-character TC 50 sequence number.                                                                                                                                                                                                                                 |
| <b>Reserved</b><br>Positions: 44-46<br>Length: 3<br>Format: alphanumeric                           | <b>Description:</b> This field is reserved for future use. EP will always space-fill.                                                                                                                                                                                                                                |
| <b>Message Text</b><br>Positions: 47-167<br>Length: 121<br>Format: alphanumeric                    | <b>Description:</b> Informational text.<br><br>See <i>Visa U.S.A. Enhanced Data Service Member Implementation Guide</i> for current supported Merchant Sectors. For a current copy of the guide, please contact Visa U.S.A. Commercial Solutions.<br><br>This field may contain XML Visa Global Invoice information. |
| <b>Reserved</b><br>Positions: 168<br>Length: 1<br>Format: alphanumeric                             | <b>Description:</b> This field is reserved for future use. EP will always space-fill.                                                                                                                                                                                                                                |

## TC 50 - TCR 1-7 - Commercial Card - Open Format - Text Message

These tables contain the Text Message (TC 50) record layout and edit criteria for TCR 1-7 - Commercial Card - Open Format - Text Message.

### CTF - Outgoing and Incoming Interchange

#### Text Message Commercial Card - Open Format - Text Message Record Layout

| Position | Field Length | Format | Contents                   |
|----------|--------------|--------|----------------------------|
| 1-2      | 2            | UN     | Transaction Code           |
| 3        | 1            | UN     | Transaction Code Qualifier |

### Text Message Commercial Card - Open Format - Text Message Record Layout

| Position | Field Length | Format | Contents                              |
|----------|--------------|--------|---------------------------------------|
| 4        | 1            | UN     | Transaction Component Sequence Number |
| 5-168    | 164          | AN     | Message Text                          |

Format: AN = Alphanumeric, ANS = Alphanumeric Special, DX = Display Hexadecimal, N = Numeric, UN = Unpacked Numeric

### Text Message Commercial Card - Open Format - Text Message Edit Criteria

|                                                                                                       |                                                                                                                                                                                                                                                                                                              |
|-------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Transaction Code</b><br>Positions: 1-2<br>Length: 2<br>Format: unpacked numeric                    | <b>Description:</b> This field must contain a <b>50</b> .                                                                                                                                                                                                                                                    |
| <b>Transaction Code Qualifier</b><br>Positions: 3<br>Length: 1<br>Format: unpacked numeric            | <b>Description:</b> This field must contain a <b>0</b> (zero).<br>This edit will continue to be performed by the Edit Package when the Bypass Business Edits option is used during an outgoing edit run.                                                                                                     |
| <b>Transaction Component Sequence Number</b><br>Positions: 4<br>Length: 1<br>Format: unpacked numeric | <b>Description:</b> This field must contain a <b>1</b> through <b>7</b> .                                                                                                                                                                                                                                    |
| <b>Message Text</b><br>Positions: 5-168<br>Length: 164<br>Format: alphanumeric                        | <b>Description:</b> Informational text.<br>See <i>Visa U.S.A. Enhanced Data Service Member Implementation Guide</i> for current supported Merchant Sectors. For a current copy of the guide, please contact Visa U.S.A. Commercial Solutions.<br>This field may contain XML Visa Global Invoice information. |

## TC 50 - TCR 0 - Merchant Registration - Incoming

These tables contain the Text Message (TC 50) record layout and edit criteria for TCR 0 - Merchant Registration - Incoming.

### CTF - Incoming Interchange

**Text Message Merchant Registration - Incoming Record Layout**

| Position | Field Length | Format | Contents                              |
|----------|--------------|--------|---------------------------------------|
| 1-2      | 2            | UN     | Transaction Code                      |
| 3        | 1            | UN     | Transaction Code Qualifier            |
| 4        | 1            | UN     | Transaction Component Sequence Number |
| 5-10     | 6            | UN     | Destination Identifier                |
| 11-16    | 6            | UN     | Source Identifier                     |
| 17-22    | 6            | AN     | Service Identifier                    |
| 23-32    | 10           | AN     | Reserved                              |
| 33-38    | 6            | UN     | Acquiring Identifier                  |
| 39-63    | 25           | AN     | Merchant Name                         |
| 64-76    | 13           | AN     | Merchant City                         |
| 77-79    | 3            | AN     | Merchant State                        |
| 80-82    | 3            | AN     | Merchant Country Code                 |
| 83-91    | 9            | UN     | Merchant ZIP Code                     |
| 92-95    | 4            | AN     | Merchant Category Code                |
| 96-110   | 15           | AN     | Card Acceptor ID                      |
| 111      | 1            | UN     | Occurrence Number                     |
| 112-113  | 2            | AN     | Error Code 1                          |
| 114-115  | 2            | AN     | Error Code 2                          |
| 116-117  | 2            | AN     | Error Code 3                          |
| 118-119  | 2            | AM     | Error Code 4                          |
| 120-121  | 2            | AN     | Error Code 5                          |
| 122-123  | 2            | AN     | Error Code 6                          |
| 124-125  | 2            | AN     | Error Code 7                          |
| 126-127  | 2            | AN     | Error Code 8                          |
| 128-129  | 2            | AN     | Error Code 9                          |
| 130-141  | 12           | UN     | MPS Identification Number             |
| 142-168  | 27           | AN     | Reserved                              |

Format: AN = Alphanumeric, ANS = Alphanumeric Special, DX = Display Hexadecimal, N = Numeric, UN = Unpacked Numeric

### Text Message Merchant Registration - Incoming Edit Criteria

|                                                                                                       |                                                                                                                                                                                                              |
|-------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Transaction Code</b><br>Positions: 1-2<br>Length: 2<br>Format: unpacked numeric                    | <b>Description:</b> This field must contain <b>50</b> .                                                                                                                                                      |
| <b>Transaction Code Qualifier</b><br>Positions: 3<br>Length: 1<br>Format: unpacked numeric            | <b>Description:</b> This field must contain a <b>0</b> (zero).<br><br>This edit will continue to be performed by the Edit Package when the Bypass Business Edits option is used during an outgoing edit run. |
| <b>Transaction Component Sequence Number</b><br>Positions: 4<br>Length: 1<br>Format: unpacked numeric | <b>Description:</b> This field must contain a <b>0</b> (zero).                                                                                                                                               |
| <b>Destination Identifier</b><br>Positions: 5-10<br>Length: 6<br>Format: unpacked numeric             | <b>Description:</b> The entity to which a BASE II transaction message is sent.<br><br>This field must contain a valid acquiring or issuing identifier.                                                       |
| <b>Source Identifier</b><br>Positions: 11-16<br>Length: 6<br>Format: unpacked numeric                 | <b>Description:</b> The entity from which a BASE II transaction message is sent.<br><br>This field must contain <b>471598</b> .                                                                              |
| <b>Service Identifier</b><br>Positions: 17-22<br>Length: 6<br>Format: alphanumeric                    | <b>Description:</b> Further identifies the type of transaction.<br><br>This field will contain <b>PURCHM</b> .                                                                                               |
| <b>Reserved</b><br>Positions: 23-32<br>Length: 10<br>Format: alphanumeric                             | <b>Description:</b> This field is reserved for future use. EP will always space-fill.                                                                                                                        |
| <b>Acquiring Identifier</b><br>Positions: 33-38<br>Length: 6<br>Format: unpacked numeric              | <b>Description:</b> A numeric used to identify an acquiring financial institution. This field will contain the acquiring identifier, not the acquirer CIB.                                                   |

### Text Message Merchant Registration - Incoming Edit Criteria

|                                                                                        |                                                                                                                                                                     |
|----------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Merchant Name</b><br>Positions: 39-63<br>Length: 25<br>Format: alphanumeric         | <b>Description:</b> The merchant's doing-business-as (DBA) name. This field will contain the value from the original transaction, the doing-business-as (DBA) name. |
| <b>Merchant City</b><br>Positions: 64-76<br>Length: 13<br>Format: alphanumeric         | <b>Description:</b> City the merchant is located in. This field will contain the value from the original transaction.                                               |
| <b>Merchant State</b><br>Positions: 77-79<br>Length: 3<br>Format: alphanumeric         | <b>Description:</b> State the merchant is located in. This field will contain the value from the original transaction.                                              |
| <b>Merchant Country Code</b><br>Positions: 80-82<br>Length: 3<br>Format: alphanumeric  | <b>Description:</b> Country the merchant is located in. This field will contain the value from the original transaction.                                            |
| <b>Merchant ZIP Code</b><br>Positions: 83-91<br>Length: 9<br>Format: unpacked numeric  | <b>Description:</b> The merchant's postal code. This field will contain the value from the original transaction.                                                    |
| <b>Merchant Category Code</b><br>Positions: 92-95<br>Length: 4<br>Format: alphanumeric | <b>Description:</b> Code designating the merchant's principle line of business. This field will contain the value from the original transaction.                    |
| <b>Card Acceptor ID</b><br>Positions: 96-110<br>Length: 15<br>Format: alphanumeric     | <b>Description:</b> Code that identifies the card acceptor operating the POS terminal. This field will contain the value from the original transaction.             |

### Text Message Merchant Registration - Incoming Edit Criteria

|                                                                                     |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
|-------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Occurrence Number</b><br>Positions: 111<br>Length: 1<br>Format: unpacked numeric | <b>Description:</b> This field will indicate the occurrence number of this incoming TC 50 record.<br><br>If an error was found on a previous outgoing TC 50, the occurrence number increments by:<br><b>0</b> = Initial or non-error TC 50<br><b>1</b> = First Occurrence<br><b>2</b> = Second Occurrence<br><b>3</b> = Third or more Occurrence                                                                                                                                                                                                                                                                                                             |
| <b>Error Code 1</b><br>Positions: 112-113<br>Length: 2<br>Format: alphanumeric      | <b>Description:</b> This field will contain the first error found on an outgoing TC 50. This field will contain values <b>00</b> to <b>10</b> or <b>spaces</b> .<br><br>Values:<br><b>00</b> = Unspecified<br><b>01</b> = Invalid Taxpayer ID Number<br><b>02</b> = Invalid Incorporation Status Code<br><b>03</b> = Invalid TIN Type<br><b>04</b> = Invalid Merchant Street Address<br><b>05</b> = Invalid Merchant City<br><b>06</b> = Invalid Merchant State<br><b>07</b> = Invalid Merchant ZIP Code<br><b>08</b> = Invalid Sole Proprietor Last Name<br><b>09</b> = Invalid Sole Proprietor First Name<br><b>10</b> = Invalid MPS Identification Number |
| <b>Error Code 2</b><br>Positions: 114-115<br>Length: 2<br>Format: alphanumeric      | <b>Description:</b> This field will contain the second error found on an outgoing TC 50.<br><br>This field will contain values <b>00</b> to <b>10</b> or <b>spaces</b> . (See Error Code 1 for definitions.)                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
| <b>Error Code 3</b><br>Positions: 116-117<br>Length: 2<br>Format: alphanumeric      | <b>Description:</b> This field will contain the third error found on an outgoing TC 50.<br><br>This field will contain values <b>00</b> to <b>10</b> or <b>spaces</b> . (See Error Code 1 for definitions.)                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
| <b>Error Code 4</b><br>Positions: 118-119<br>Length: 2<br>Format: alphanumeric      | <b>Description:</b> This field will contain the fourth error found on an outgoing TC 50. This field will contain values <b>00</b> to <b>10</b> or <b>spaces</b> . (See Error Code 1 for definitions.)                                                                                                                                                                                                                                                                                                                                                                                                                                                        |

### Text Message Merchant Registration - Incoming Edit Criteria

|                                                                                                  |                                                                                                                                                                                                              |
|--------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Error Code 5</b><br>Positions: 120-121<br>Length: 2<br>Format: alphanumeric                   | <b>Description:</b> This field will contain the fifth error found on an outgoing TC 50.<br><br>This field will contain values <b>00</b> to <b>10</b> or <b>spaces</b> . (See Error Code 1 for definitions.)  |
| <b>Error Code 6</b><br>Positions: 122-123<br>Length: 2<br>Format: alphanumeric                   | <b>Description:</b> This field will contain the sixth error found on an outgoing TC 50.<br><br>This field will contain values <b>00</b> to <b>10</b> or <b>spaces</b> . (See Error Code 1 for definitions.)  |
| <b>Error Code 7</b><br>Positions: 124-125<br>Length: 2<br>Format: alphanumeric                   | <b>Description:</b> This field will contain the seventh error found on an outgoing TC 50. This field will contain values <b>00</b> to <b>10</b> or <b>spaces</b> . (See Error Code 1 for definitions.)       |
| <b>Error Code 8</b><br>Positions: 126-127<br>Length: 2<br>Format: alphanumeric                   | <b>Description:</b> This field will contain the eighth error found on an outgoing TC 50.<br><br>This field will contain values <b>00</b> to <b>10</b> or <b>spaces</b> . (See Error Code 1 for definitions.) |
| <b>Error Code 9</b><br>Positions: 128-129<br>Length: 2<br>Format: alphanumeric                   | <b>Description:</b> This field will contain the ninth error found on an outgoing TC 50. This field will contain values <b>00</b> to <b>10</b> or <b>spaces</b> . (See Error Code 1 for definitions.)         |
| <b>MPS Identification Number</b><br>Positions: 130-141<br>Length: 12<br>Format: unpacked numeric | <b>Description:</b> Number identifying the MPS. This field will contain Visa proprietary data.                                                                                                               |
| <b>Reserved</b><br>Positions: 142-168<br>Length: 27<br>Format: alphanumeric                      | <b>Description:</b> This field is reserved for future use. EP will always space-fill.                                                                                                                        |

# TC 50 - TCR 0 - Merchant Registration - Outgoing

These tables contain the Text Message (TC 50) record layout and edit criteria for TCR 0 - Merchant Registration - Outgoing.

## CTF - Outgoing Interchange

### Text Message Merchant Registration - Outgoing Record Layout

| Position | Field Length | Format | Contents                              |
|----------|--------------|--------|---------------------------------------|
| 1-2      | 2            | UN     | Transaction Code                      |
| 3        | 1            | UN     | Transaction Code Qualifier            |
| 4        | 1            | UN     | Transaction Component Sequence Number |
| 5-10     | 6            | UN     | Destination Identifier                |
| 11-16    | 6            | UN     | Source Identifier                     |
| 17-22    | 6            | AN     | Service Identifier                    |
| 23-34    | 12           | UN     | MPS Identification Number             |
| 35-40    | 6            | UN     | Acquiring Identifier                  |
| 41-65    | 25           | AN     | Merchant Name                         |
| 66-105   | 40           | AN     | Reserved                              |
| 106-135  | 30           | AN     | Merchant Street Address               |
| 136-155  | 20           | AN     | Merchant City                         |
| 156-158  | 3            | AN     | Merchant State                        |
| 159-167  | 9            | UN     | Merchant ZIP Code                     |
| 168      | 1            | AN     | Reserved                              |

Format: AN = Alphanumeric, ANS = Alphanumeric Special, DX = Display Hexadecimal, N = Numeric, UN = Unpacked Numeric



### Text Message Merchant Registration - Outgoing Edit Criteria

|                                                                                                       |                                                                                                                                                                                                          |
|-------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Transaction Code</b><br>Positions: 1-2<br>Length: 2<br>Format: unpacked numeric                    | <b>Description:</b> This field must contain <b>50</b> .                                                                                                                                                  |
| <b>Transaction Code Qualifier</b><br>Positions: 3<br>Length: 1<br>Format: unpacked numeric            | <b>Description:</b> This field must contain a <b>0</b> (zero).<br>This edit will continue to be performed by the Edit Package when the Bypass Business Edits option is used during an outgoing edit run. |
| <b>Transaction Component Sequence Number</b><br>Positions: 4<br>Length: 1<br>Format: unpacked numeric | <b>Description:</b> This field must contain a <b>0</b> (zero).                                                                                                                                           |
| <b>Destination Identifier</b><br>Positions: 5-10<br>Length: 6<br>Format: unpacked numeric             | <b>Description:</b> The entity to which a BASE II transaction message is sent.<br>This field must contain <b>471598</b> .                                                                                |
| <b>Source Identifier</b><br>Positions: 11-16<br>Length: 6<br>Format: unpacked numeric                 | <b>Description:</b> The entity from which a BASE II transaction message is sent.<br>This field will contain a valid acquiring or issuing identifier.                                                     |
| <b>Service Identifier</b><br>Positions: 17-22<br>Length: 6<br>Format: alphanumeric                    | <b>Description:</b> Further identifies the type of transaction.<br>This field will contain <b>PURCHM</b> .                                                                                               |
| <b>MPS Identification Number</b><br>Positions: 23-34<br>Length: 12<br>Format: unpacked numeric        | <b>Description:</b> This field will contain the value received in the incoming TC 50.                                                                                                                    |
| <b>Acquiring Identifier</b><br>Positions: 35-40<br>Length: 6<br>Format: unpacked numeric              | <b>Description:</b> The bank's Visa-assigned identification number of the acquirer. This field will contain the value received in the incoming TC 50.                                                    |

### Text Message Merchant Registration - Outgoing Edit Criteria

|                                                                                            |                                                                                                                                                                    |
|--------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Merchant Name</b><br>Positions: 41-65<br>Length: 25<br>Format: alphanumeric             | <b>Description:</b> This field will contain the value received in the incoming TC 50.                                                                              |
| <b>Reserved</b><br>Positions: 66-105<br>Length: 40<br>Format: alphanumeric                 | <b>Description:</b> This field is reserved for future use. EP will always space-fill.                                                                              |
| <b>Merchant Street Address</b><br>Positions: 106-135<br>Length: 30<br>Format: alphanumeric | <b>Description:</b> This field will contain the merchant location street address.                                                                                  |
| <b>Merchant City</b><br>Positions: 136-155<br>Length: 20<br>Format: alphanumeric           | <b>Description:</b> This field will contain the merchant location city.                                                                                            |
| <b>Merchant State</b><br>Positions: 156-158<br>Length: 3<br>Format: alphanumeric           | <b>Description:</b> This field will contain the merchant location state.                                                                                           |
| <b>Merchant ZIP Code</b><br>Positions: 159-167<br>Length: 9<br>Format: unpacked numeric    | <b>Description:</b> This field will contain the merchant location postal code.<br>This field is 9 digits, 5 digits followed by 4 spaces, all spaces, or all zeros. |
| <b>Reserved</b><br>Positions: 168<br>Length: 1<br>Format: alphanumeric                     | <b>Description:</b> This field is reserved for future use. EP will always space-fill.                                                                              |

# TC 50 - TCR 0 - Stop Recurring Payment

These tables contain the Text Message (TC 50) record layout and edit criteria for TCR 0 - Stop Recurring Payment.

## CTF - Outgoing and Incoming Interchange

### Text Message Stop Recurring Payment Record Layout

| Position | Field Length | Format | Contents                              |
|----------|--------------|--------|---------------------------------------|
| 1-2      | 2            | UN     | Transaction Code                      |
| 3        | 1            | UN     | Transaction Code Qualifier            |
| 4        | 1            | UN     | Transaction Component Sequence Number |
| 5-10     | 6            | UN     | Destination Identifier                |
| 11-16    | 6            | UN     | Source Identifier                     |
| 17-22    | 6            | AN     | Service Identifier                    |
| 23-129   | 107          | AN     | Text                                  |
| 130-168  | 39           | AN     | Reserved                              |

Format: AN = Alphanumeric, ANS = Alphanumeric Special, DX = Display Hexadecimal, N = Numeric, UN = Unpacked Numeric

### Text Message Stop Recurring Payment Edit Criteria

|                                                                                                       |                                                                                                                                                                                                              |
|-------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Transaction Code</b><br>Positions: 1-2<br>Length: 2<br>Format: unpacked numeric                    | <b>Description:</b> This field must contain <b>50</b> .                                                                                                                                                      |
| <b>Transaction Code Qualifier</b><br>Positions: 3<br>Length: 1<br>Format: unpacked numeric            | <b>Description:</b> This field must contain a <b>0</b> (zero).<br><br>This edit will continue to be performed by the Edit Package when the Bypass Business Edits option is used during an outgoing edit run. |
| <b>Transaction Component Sequence Number</b><br>Positions: 4<br>Length: 1<br>Format: unpacked numeric | <b>Description:</b> This field must contain a <b>0</b> (zero).                                                                                                                                               |

### Text Message Stop Recurring Payment Edit Criteria

|                                                                                           |                                                                                                                                                            |
|-------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Destination Identifier</b><br>Positions: 5-10<br>Length: 6<br>Format: unpacked numeric | <b>Description:</b> The entity to which a BASE II transaction message is sent.<br>This field must contain a valid acquiring or issuing identifier.         |
| <b>Source Identifier</b><br>Positions: 11-16<br>Length: 6<br>Format: unpacked numeric     | <b>Description:</b> The entity from which a BASE II transaction message is sent.<br>This field will contain a valid acquiring or issuing identifier.       |
| <b>Service Identifier</b><br>Positions: 17-22<br>Length: 6<br>Format: alphanumeric        | <b>Description:</b> Further identifies the type of transaction.<br>This field must contain STOPRP for a Stop Recurring Payment advice.                     |
| <b>Text</b><br>Positions: 23-129<br>Length: 107<br>Format: alphanumeric                   | <b>Description:</b> This field contains the text of the Stop Recurring Payment advice. See "Stop Recurring Payment Text Field" for additional information. |
| <b>Reserved</b><br>Positions: 130-168<br>Length: 39<br>Format: alphanumeric               | <b>Description:</b> This field is reserved for future use. EP will always space-fill.                                                                      |

## TC 50 - TCR 0 - AMMF - Merchant

These tables contain the Text Message (TC 50) record layout and edit criteria for TCR 0 - AMMF - Merchant.

### CTF - Outgoing and Incoming Interchange

#### Text Message AMMF - Merchant Record Layout

| Position | Field Length | Format | Contents                              |
|----------|--------------|--------|---------------------------------------|
| 1-2      | 2            | UN     | Transaction Code                      |
| 3        | 1            | UN     | Transaction Code Qualifier            |
| 4        | 1            | UN     | Transaction Component Sequence Number |
| 5-10     | 6            | UN     | Destination Identifier                |

### Text Message AMMF - Merchant Record Layout

| Position | Field Length | Format | Contents                      |
|----------|--------------|--------|-------------------------------|
| 11-16    | 6            | UN     | Source Identifier             |
| 17-22    | 6            | AN     | Service Identifier            |
| 23-37    | 15           | AN     | Reserved                      |
| 38-39    | 2            | AN     | Reserved                      |
| 40       | 1            | AN     | Reserved                      |
| 41-43    | 3            | UN     | Reserved                      |
| 44-46    | 3            | AN     | Reserved                      |
| 47-52    | 6            | AN     | Acquirer CIB                  |
| 53-60    | 8            | UN     | Acquirer BID                  |
| 61-90    | 30           | AN     | Acquirer Assigned Merchant ID |
| 91-100   | 10           | AN     | Reserved                      |
| 101-134  | 34           | AN     | Free Text 1                   |
| 135-168  | 34           | AN     | Free Text 2                   |

Format: AN = Alphanumeric, ANS = Alphanumeric Special, DX = Display Hexadecimal, N = Numeric, UN = Unpacked Numeric

### Text Message AMMF - Merchant Edit Criteria

|                                                                                                       |                                                                |
|-------------------------------------------------------------------------------------------------------|----------------------------------------------------------------|
| <b>Transaction Code</b><br>Positions: 1-2<br>Length: 2<br>Format: unpacked numeric                    | <b>Description:</b> This field must contain a <b>50</b> .      |
| <b>Transaction Code Qualifier</b><br>Positions: 3<br>Length: 1<br>Format: unpacked numeric            | <b>Description:</b> This field must contain a <b>0</b> (zero). |
| <b>Transaction Component Sequence Number</b><br>Positions: 4<br>Length: 1<br>Format: unpacked numeric | <b>Description:</b> This field must contain a <b>0</b> (zero). |

### Text Message AMMF - Merchant Edit Criteria

|                                                                                           |                                                                                                                |
|-------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------|
| <b>Destination Identifier</b><br>Positions: 5-10<br>Length: 6<br>Format: unpacked numeric | <b>Description:</b> Visa Internal AMMF identifier = 320040.                                                    |
| <b>Source Identifier</b><br>Positions: 11-16<br>Length: 6<br>Format: unpacked numeric     | <b>Description:</b> The entity from which a BASE II transaction message is sent.                               |
| <b>Service Identifier</b><br>Positions: 17-22<br>Length: 6<br>Format: alphanumeric        | <b>Description:</b> Further identifies the type of transaction.<br>The value for this field is <b>AMMF03</b> . |
| <b>Reserved</b><br>Positions: 23-37<br>Length: 15<br>Format: alphanumeric                 | <b>Description:</b> This field is reserved for future use.                                                     |
| <b>Reserved</b><br>Positions: 38-39<br>Length: 2<br>Format: alphanumeric                  | <b>Description:</b> This field is reserved for future use.                                                     |
| <b>Reserved</b><br>Positions: 40<br>Length: 1<br>Format: alphanumeric                     | <b>Description:</b> This field is reserved for future use.                                                     |
| <b>Reserved</b><br>Positions: 41-43<br>Length: 3<br>Format: unpacked numeric              | <b>Description:</b> This field is reserved for future use.                                                     |
| <b>Reserved</b><br>Positions: 44-46<br>Length: 3<br>Format: alphanumeric                  | <b>Description:</b> This field is reserved for future use.                                                     |

### Text Message AMMF - Merchant Edit Criteria

|                                                                                                |                                                                                                            |
|------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------|
| <b>Acquirer CIB</b><br>Positions: 47-52<br>Length: 6<br>Format: alphanumeric                   | <b>Description:</b> The source of the file, the processor CIB number.                                      |
| <b>Acquirer BID</b><br>Positions: 53-60<br>Length: 8<br>Format: unpacked numeric               | <b>Description:</b> The Business Identification Number (BID) of the acquiring financial institution.       |
| <b>Acquirer Assigned Merchant ID</b><br>Positions: 61-90<br>Length: 30<br>Format: alphanumeric | <b>Description:</b> The identifying number used by the acquirer to identify the merchant.                  |
| <b>Reserved</b><br>Positions: 91-100<br>Length: 10<br>Format: alphanumeric                     | <b>Description:</b> This field is reserved for future use.                                                 |
| <b>Free Text 1</b><br>Positions: 101-134<br>Length: 34<br>Format: alphanumeric                 | <b>Description:</b> This field will be used for capturing additional details per regional needs in future. |
| <b>Free Text 2</b><br>Positions: 135-168<br>Length: 34<br>Format: alphanumeric                 | <b>Description:</b> This field will be used for capturing additional details per regional needs in future. |

## TC 50 - TCR 1 - AMMF - Merchant (Additional Data Elements)

These tables contain the Text Message (TC 50) record layout and edit criteria for TCR 1 - AMMF - Merchant (Additional Data Elements).

### CTF - Outgoing and Incoming Interchange

### Text Message AMMF - Merchant (Additional Data Elements) Record Layout

| Position | Field Length | Format | Contents                              |
|----------|--------------|--------|---------------------------------------|
| 1-2      | 2            | UN     | Transaction Code                      |
| 3        | 1            | UN     | Transaction Code Qualifier            |
| 4        | 1            | UN     | Transaction Component Sequence Number |
| 5-79     | 75           | AN     | Merchant DBA Name                     |
| 80-154   | 75           | AN     | Merchant Legal Name                   |
| 155-168  | 14           | AN     | National Tax Identification Number    |

Format: AN = Alphanumeric, ANS = Alphanumeric Special, DX = Display Hexadecimal, N = Numeric, UN = Unpacked Numeric

### Text Message AMMF - Merchant (Additional Data Elements) Edit Criteria

|                                                                                                       |                                                                                          |
|-------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------|
| <b>Transaction Code</b><br>Positions: 1-2<br>Length: 2<br>Format: unpacked numeric                    | <b>Description:</b> This field must contain a <b>50</b> .                                |
| <b>Transaction Code Qualifier</b><br>Positions: 3<br>Length: 1<br>Format: unpacked numeric            | <b>Description:</b> This field must contain a <b>0</b> (zero).                           |
| <b>Transaction Component Sequence Number</b><br>Positions: 4<br>Length: 1<br>Format: unpacked numeric | <b>Description:</b> This field must contain a <b>1</b> .                                 |
| <b>Merchant DBA Name</b><br>Positions: 5-79<br>Length: 75<br>Format: alphanumeric                     | <b>Description:</b> The DBA ("doing business as") name of the merchant at this location. |



### Text Message AMMF - Merchant (Additional Data Elements) Edit Criteria

|                                                                                                       |                                                                                                     |
|-------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------|
| <b>Merchant Legal Name</b><br>Positions: 80-154<br>Length: 75<br>Format: alphanumeric                 | <b>Description:</b> The merchant's legal business name, which may be different from the DBA name.   |
| <b>National Tax Identification Number</b><br>Positions: 155-168<br>Length: 14<br>Format: alphanumeric | <b>Description:</b> The government-assigned number used by the merchant for tax reporting purposes. |

## TC 50 - TCR 2 - AMMF - Merchant (Additional Data Elements)

These tables contain the Text Message (TC 50) record layout and edit criteria for TCR 2 - AMMF - Merchant (Additional Data Elements).

### CTF - Outgoing and Incoming Interchange

#### Text Message AMMF - Merchant (Additional Data Elements) Record Layout

| Position | Field Length | Format | Contents                              |
|----------|--------------|--------|---------------------------------------|
| 1-2      | 2            | UN     | Transaction Code                      |
| 3        | 1            | UN     | Transaction Code Qualifier            |
| 4        | 1            | UN     | Transaction Component Sequence Number |
| 5-64     | 60           | AN     | Location Street Address Line 1        |
| 65-124   | 60           | AN     | Location Street Address Line 2        |
| 125-153  | 29           | AN     | Location City                         |
| 154-155  | 2            | AN     | Location State Code                   |
| 156-165  | 10           | AN     | Location Postal Code                  |
| 166-168  | 3            | UN     | Location ISO Numeric Country Code     |

Format: AN = Alphanumeric, ANS = Alphanumeric Special, DX = Display Hexadecimal, N = Numeric, UN = Unpacked Numeric

**Text Message AMMF - Merchant (Additional Data Elements) Edit Criteria**

|                                                                                                       |                                                                                |
|-------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------|
| <b>Transaction Code</b><br>Positions: 1-2<br>Length: 2<br>Format: unpacked numeric                    | <b>Description:</b> This field must contain a <b>50</b> .                      |
| <b>Transaction Code Qualifier</b><br>Positions: 3<br>Length: 1<br>Format: unpacked numeric            | <b>Description:</b> This field must contain a <b>0</b> (zero).                 |
| <b>Transaction Component Sequence Number</b><br>Positions: 4<br>Length: 1<br>Format: unpacked numeric | <b>Description:</b> This field must contain a <b>2</b> .                       |
| <b>Location Street Address Line 1</b><br>Positions: 5-64<br>Length: 60<br>Format: alphanumeric        | <b>Description:</b> Street address including rural number. Cannot be a PO Box. |
| <b>Location Street Address Line 2</b><br>Positions: 65-124<br>Length: 60<br>Format: alphanumeric      | <b>Description:</b> Street address including rural number. Cannot be a PO Box. |
| <b>Location City</b><br>Positions: 125-153<br>Length: 29<br>Format: alphanumeric                      | <b>Description:</b> City, town, or principal subdivision.                      |
| <b>Location State Code</b><br>Positions: 154-155<br>Length: 2<br>Format: alphanumeric                 | <b>Description:</b> State or Province code of the address.                     |

### Text Message AMMF - Merchant (Additional Data Elements) Edit Criteria

|                                                                                                         |                                                                          |
|---------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------|
| <b>Location Postal Code</b><br>Positions: 156-165<br>Length: 10<br>Format: alphanumeric                 | <b>Description:</b> Postal code of the address.                          |
| <b>Location ISO Numeric Country Code</b><br>Positions: 166-168<br>Length: 3<br>Format: unpacked numeric | <b>Description:</b> Identifies the merchant location's ISO Country Code. |

## TC 50 - TCR 3 - AMMF - Merchant (Additional Data Elements)

These tables contain the Text Message (TC 50) record layout and edit criteria for TCR 3 - AMMF - Merchant (Additional Data Elements).

### CTF - Outgoing and Incoming Interchange

#### Text Message AMMF - Merchant (Additional Data Elements) Record Layout

| Position | Field Length | Format | Contents                              |
|----------|--------------|--------|---------------------------------------|
| 1-2      | 2            | UN     | Transaction Code                      |
| 3        | 1            | UN     | Transaction Code Qualifier            |
| 4        | 1            | UN     | Transaction Component Sequence Number |
| 5-8      | 4            | UN     | MCC1                                  |
| 9-12     | 4            | UN     | MCC2                                  |
| 13-16    | 4            | UN     | MCC3                                  |
| 17-20    | 4            | UN     | MCC4                                  |
| 21-24    | 4            | UN     | MCC5                                  |
| 25-28    | 4            | UN     | MCC6                                  |
| 29-32    | 4            | UN     | MCC7                                  |
| 33-36    | 4            | UN     | MCC8                                  |
| 37-40    | 4            | UN     | MCC9                                  |

### Text Message AMMF - Merchant (Additional Data Elements) Record Layout

| Position | Field Length | Format | Contents         |
|----------|--------------|--------|------------------|
| 41-44    | 4            | UN     | MCC10            |
| 45       | 1            | AN     | Reserved         |
| 46-53    | 8            | AN     | Aggregator ID    |
| 54-78    | 25           | AN     | Aggregator Name  |
| 79       | 1            | AN     | Aggregator Type  |
| 80-104   | 25           | AN     | BASE II Name     |
| 105      | 1            | UN     | Corporate Status |
| 106-160  | 55           | AN     | Corporate Name   |
| 161-168  | 8            | UN     | Date Signed      |

Format: AN = Alphanumeric, ANS = Alphanumeric Special, DX = Display Hexadecimal, N = Numeric, UN = Unpacked Numeric

### Text Message AMMF - Merchant (Additional Data Elements) Edit Criteria

|                                                                                                       |                                                                                                                                  |
|-------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------|
| <b>Transaction Code</b><br>Positions: 1-2<br>Length: 2<br>Format: unpacked numeric                    | <b>Description:</b> This field must contain a <b>50</b> .                                                                        |
| <b>Transaction Code Qualifier</b><br>Positions: 3<br>Length: 1<br>Format: unpacked numeric            | <b>Description:</b> This field must contain a <b>0</b> (zero).                                                                   |
| <b>Transaction Component Sequence Number</b><br>Positions: 4<br>Length: 1<br>Format: unpacked numeric | <b>Description:</b> This field must contain a <b>3</b> .                                                                         |
| <b>MCC1</b><br>Positions: 5-8<br>Length: 4<br>Format: unpacked numeric                                | <b>Description:</b> Contains a list of MCCs assigned for this merchant location. MCC1 is mandatory and cannot be empty or blank. |

### Text Message AMMF - Merchant (Additional Data Elements) Edit Criteria

|                                                                          |                                                                                  |
|--------------------------------------------------------------------------|----------------------------------------------------------------------------------|
| <b>MCC2</b><br>Positions: 9-12<br>Length: 4<br>Format: unpacked numeric  | <b>Description:</b> Contains a list of MCCs assigned for this merchant location. |
| <b>MCC3</b><br>Positions: 13-16<br>Length: 4<br>Format: unpacked numeric | <b>Description:</b> Contains a list of MCCs assigned for this merchant location. |
| <b>MCC4</b><br>Positions: 17-20<br>Length: 4<br>Format: unpacked numeric | <b>Description:</b> Contains a list of MCCs assigned for this merchant location. |
| <b>MCC5</b><br>Positions: 21-24<br>Length: 4<br>Format: unpacked numeric | <b>Description:</b> Contains a list of MCCs assigned for this merchant location. |
| <b>MCC6</b><br>Positions: 25-28<br>Length: 4<br>Format: unpacked numeric | <b>Description:</b> Contains a list of MCCs assigned for this merchant location. |
| <b>MCC7</b><br>Positions: 29-32<br>Length: 4<br>Format: unpacked numeric | <b>Description:</b> Contains a list of MCCs assigned for this merchant location. |
| <b>MCC8</b><br>Positions: 33-36<br>Length: 4<br>Format: unpacked numeric | <b>Description:</b> Contains a list of MCCs assigned for this merchant location. |
| <b>MCC9</b><br>Positions: 37-40<br>Length: 4<br>Format: unpacked numeric | <b>Description:</b> Contains a list of MCCs assigned for this merchant location. |

### Text Message AMMF - Merchant (Additional Data Elements) Edit Criteria

|                                                                                    |                                                                                                                                                                                                                                                                                     |
|------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>MCC10</b><br>Positions: 41-44<br>Length: 4<br>Format: unpacked numeric          | <b>Description:</b> Contains a list of MCCs assigned for this merchant location.                                                                                                                                                                                                    |
| <b>Reserved</b><br>Positions: 45<br>Length: 1<br>Format: alphanumeric              | <b>Description:</b> This field is reserved for future use.                                                                                                                                                                                                                          |
| <b>Aggregator ID</b><br>Positions: 46-53<br>Length: 8<br>Format: alphanumeric      | <b>Description:</b> The Business Identification Number (BID) assigned by Visa to the aggregator that is processing this merchant's transactions.<br>(Required if the merchant processes through payment facilitator or if the merchant is a marketplace, otherwise leave it empty.) |
| <b>Aggregator Name</b><br>Positions: 54-78<br>Length: 25<br>Format: alphanumeric   | <b>Description:</b> The name of the aggregator processing this merchant's payment. (Required if the merchant processes through payment facilitator or the merchant is a marketplace, otherwise leave it empty.)                                                                     |
| <b>Aggregator Type</b><br>Positions: 79<br>Length: 1<br>Format: alphanumeric       | <b>Description:</b> Type of aggregator - payment facilitator or marketplace.<br>(Required if the merchant processes through payment facilitator or if the merchant is a marketplace, otherwise leave it empty.)                                                                     |
| <b>BASE II Name</b><br>Positions: 80-104<br>Length: 25<br>Format: alphanumeric     | <b>Description:</b> Payment Facilitators do not have one unique CAID per Sponsored Merchant and therefore BASE II Name is needed to match AMMF merchant record with transaction.                                                                                                    |
| <b>Corporate Status</b><br>Positions: 105<br>Length: 1<br>Format: unpacked numeric | <b>Description:</b> Identifies whether the merchant is Sole proprietor or not. If the merchant is sole proprietor then give the value as 1, otherwise leave it blank.<br><br>0 - Not a Sole Proprietor<br>1 - Individual/Sole Proprietor                                            |

### Text Message AMMF - Merchant (Additional Data Elements) Edit Criteria

|                                                                                   |                                                                                                                                                  |
|-----------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Corporate Name</b><br>Positions: 106-160<br>Length: 55<br>Format: alphanumeric | <b>Description:</b> The name of the corporation that owns the merchant. (If the merchant is owned by another company in a hierarchical fashion.) |
| <b>Date Signed</b><br>Positions: 161-168<br>Length: 8<br>Format: unpacked numeric | <b>Description:</b> The date when the store (location) was signed up by the acquirer or payment facilitator.                                     |

## TC 50 - TCR 4 - AMMF - Merchant (Additional Data Elements)

These tables contain the Text Message (TC 50) record layout and edit criteria for TCR 4 - AMMF - Merchant (Additional Data Elements).

### CTF - Outgoing and Incoming Interchange

#### Text Message AMMF - Merchant (Additional Data Elements) Record Layout

| Position | Field Length | Format | Contents                              |
|----------|--------------|--------|---------------------------------------|
| 1-2      | 2            | UN     | Transaction Code                      |
| 3        | 1            | UN     | Transaction Code Qualifier            |
| 4        | 1            | UN     | Transaction Component Sequence Number |
| 5-10     | 6            | UN     | Acquirer Identifier1                  |
| 11-25    | 15           | AN     | Card Acceptor ID1                     |
| 26-31    | 6            | UN     | Acquirer Identifier2                  |
| 32-46    | 15           | AN     | Card Acceptor ID2                     |
| 47-52    | 6            | UN     | Acquirer Identifier3                  |
| 53-67    | 15           | AN     | Card Acceptor ID3                     |
| 68-73    | 6            | UN     | Acquirer Identifier4                  |
| 74-88    | 15           | AN     | Card Acceptor ID4                     |
| 89-94    | 6            | UN     | Acquirer Identifier5                  |
| 95-109   | 15           | AN     | Card Acceptor ID5                     |

### Text Message AMMF - Merchant (Additional Data Elements) Record Layout

| Position | Field Length | Format | Contents             |
|----------|--------------|--------|----------------------|
| 110-115  | 6            | UN     | Acquirer Identifier6 |
| 116-130  | 15           | AN     | Card Acceptor ID6    |
| 131-136  | 6            | UN     | Acquirer Identifier7 |
| 137-151  | 15           | AN     | Card Acceptor ID7    |
| 152-168  | 17           | AN     | Reserved             |

Format: AN = Alphanumeric, ANS = Alphanumeric Special, DX = Display Hexadecimal, N = Numeric, UN = Unpacked Numeric

### Text Message AMMF - Merchant (Additional Data Elements) Edit Criteria

|                                                                                                       |                                                                                                                                |
|-------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------|
| <b>Transaction Code</b><br>Positions: 1-2<br>Length: 2<br>Format: unpacked numeric                    | <b>Description:</b> This field must contain a <b>50</b> .                                                                      |
| <b>Transaction Code Qualifier</b><br>Positions: 3<br>Length: 1<br>Format: unpacked numeric            | <b>Description:</b> This field must contain a <b>0</b> (zero).                                                                 |
| <b>Transaction Component Sequence Number</b><br>Positions: 4<br>Length: 1<br>Format: unpacked numeric | <b>Description:</b> This field must contain a <b>4</b> .                                                                       |
| <b>Acquirer Identifier1</b><br>Positions: 5-10<br>Length: 6<br>Format: unpacked numeric               | <b>Description:</b> Visa-assigned Acquirer identifier number for the acquiring financial institution. This field is mandatory. |
| <b>Card Acceptor ID1</b><br>Positions: 11-25<br>Length: 15<br>Format: alphanumeric                    | <b>Description:</b> The card acceptor ID number. This field is mandatory.                                                      |



### Text Message AMMF - Merchant (Additional Data Elements) Edit Criteria

|                                                                                          |                                                                                                                                |
|------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------|
| <b>Acquirer Identifier2</b><br>Positions: 26-31<br>Length: 6<br>Format: unpacked numeric | <b>Description:</b> Visa-assigned Acquirer identifier number for the acquiring financial institution. This field is mandatory. |
| <b>Card Acceptor ID2</b><br>Positions: 32-46<br>Length: 15<br>Format: alphanumeric       | <b>Description:</b> The card acceptor ID number.                                                                               |
| <b>Acquirer Identifier3</b><br>Positions: 47-52<br>Length: 6<br>Format: unpacked numeric | <b>Description:</b> Visa-assigned Acquirer identifier number for the acquiring financial institution. This field is mandatory. |
| <b>Card Acceptor ID3</b><br>Positions: 53-67<br>Length: 15<br>Format: alphanumeric       | <b>Description:</b> The card acceptor ID number.                                                                               |
| <b>Acquirer Identifier4</b><br>Positions: 68-73<br>Length: 6<br>Format: unpacked numeric | <b>Description:</b> Visa-assigned Acquirer identifier number for the acquiring financial institution. This field is mandatory. |
| <b>Card Acceptor ID4</b><br>Positions: 74-88<br>Length: 15<br>Format: alphanumeric       | <b>Description:</b> The card acceptor ID number.                                                                               |
| <b>Acquirer Identifier5</b><br>Positions: 89-94<br>Length: 6<br>Format: unpacked numeric | <b>Description:</b> Visa-assigned Acquirer identifier number for the acquiring financial institution. This field is mandatory. |
| <b>Card Acceptor ID5</b><br>Positions: 95-109<br>Length: 15<br>Format: alphanumeric      | <b>Description:</b> The card acceptor ID number.                                                                               |

### Text Message AMMF - Merchant (Additional Data Elements) Edit Criteria

|                                                                                            |                                                                                                                                |
|--------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------|
| <b>Acquirer Identifier6</b><br>Positions: 110-115<br>Length: 6<br>Format: unpacked numeric | <b>Description:</b> Visa-assigned Acquirer identifier number for the acquiring financial institution. This field is mandatory. |
| <b>Card Acceptor ID6</b><br>Positions: 116-130<br>Length: 15<br>Format: alphanumeric       | <b>Description:</b> The card acceptor ID number.                                                                               |
| <b>Acquirer Identifier7</b><br>Positions: 131-136<br>Length: 6<br>Format: unpacked numeric | <b>Description:</b> Visa-assigned Acquirer identifier number for the acquiring financial institution. This field is mandatory. |
| <b>Card Acceptor ID7</b><br>Positions: 137-151<br>Length: 15<br>Format: alphanumeric       | <b>Description:</b> The card acceptor ID number.                                                                               |
| <b>Reserved</b><br>Positions: 152-168<br>Length: 17<br>Format: alphanumeric                | <b>Description:</b> This field is reserved for future use.                                                                     |

## TC 50 - TCR 0 - AMMF - VMSG - Record Reject

These tables contain the Text Message (TC 50) record layout and edit criteria for TCR 0 - AMMF - VMSG - Record Reject.

### CTF - Outgoing and Incoming Interchange

#### Text Message AMMF - VMSG - Record Reject Record Layout

| Position | Field Length | Format | Contents                   |
|----------|--------------|--------|----------------------------|
| 1-2      | 2            | UN     | Transaction Code           |
| 3        | 1            | UN     | Transaction Code Qualifier |

**Text Message AMMF - VMSG - Record Reject Record Layout**

| Position | Field Length | Format | Contents                                                                          |
|----------|--------------|--------|-----------------------------------------------------------------------------------|
| 4        | 1            | UN     | Transaction Component Sequence Number                                             |
| 5-10     | 6            | UN     | Destination Identifier                                                            |
| 11-16    | 6            | UN     | Source Identifier                                                                 |
| 17-22    | 6            | AN     | Service Identifier                                                                |
| 23-37    | 15           | AN     | Reserved                                                                          |
| 38-39    | 2            | AN     | Reserved                                                                          |
| 40       | 1            | AN     | Reserved                                                                          |
| 41-43    | 3            | UN     | Reserved                                                                          |
| 44-46    | 3            | AN     | Reserved                                                                          |
| 47-48    | 2            | AN     | VMSG Message Type                                                                 |
| 49-54    | 6            | AN     | Acquirer CIB                                                                      |
| 55-62    | 8            | UN     | Acquirer BID                                                                      |
| 63-92    | 30           | AN     | Acquirer Merchant ID                                                              |
| 93       | 1            | AN     | Record Reject Indicator - CIB Error                                               |
| 94       | 1            | AN     | Record Reject Indicator - BID Error                                               |
| 95       | 1            | AN     | Record Reject Indicator - MID Error                                               |
| 96       | 1            | AN     | Record Reject Indicator - DBA Name invalid/missing Error                          |
| 97       | 1            | AN     | Record Reject Indicator - Legal Name invalid/missing Error                        |
| 98       | 1            | AN     | Record Reject Indicator - Tax ID invalid/missing Error                            |
| 99       | 1            | AN     | Record Reject Indicator - Location Address - Street invalid/missing Error         |
| 100      | 1            | AN     | Record Reject Indicator - Location Address - City invalid/missing Error           |
| 101      | 1            | AN     | Record Reject Indicator - Location Address - State invalid/missing Error          |
| 102      | 1            | AN     | Record Reject Indicator - Location Address - Postal City invalid/missing Error    |
| 103      | 1            | AN     | Record Reject Indicator - Location Address - Country invalid/missing Error        |
| 104      | 1            | AN     | Record Reject Indicator - 1 or more invalid MCC or No MCC provided Error          |
| 105      | 1            | AN     | Record Reject Indicator - 1 or more invalid Issuing or Acquiring Identifier Error |

### Text Message AMMF - VMSG - Record Reject Record Layout

| Position | Field Length | Format | Contents                                                         |
|----------|--------------|--------|------------------------------------------------------------------|
| 106      | 1            | AN     | Record Reject Indicator - 1 or more CAID invalid/missing         |
| 107      | 1            | AN     | Record Reject Indicator - Aggregator ID invalid/missing Error    |
| 108      | 1            | AN     | Record Reject Indicator - Aggregator Name invalid/missing Error  |
| 109      | 1            | AN     | Record Reject Indicator - Aggregator Type invalid/missing Error  |
| 110      | 1            | AN     | Record Reject Indicator - BASE II Name invalid/missing Error     |
| 111      | 1            | AN     | Record Reject Indicator - Corporate Status invalid/missing Error |
| 112      | 1            | AN     | Record Reject Indicator - Corporate Name invalid/missing Error   |
| 113      | 1            | AN     | Record Reject Indicator - Date Signed invalid/missing Error      |
| 114-153  | 40           | AN     | Free Form Error Message - Miscellaneous                          |
| 154-168  | 15           | AN     | Reserved                                                         |

Format: AN = Alphanumeric, ANS = Alphanumeric Special, DX = Display Hexadecimal, N = Numeric, UN = Unpacked Numeric

### Text Message AMMF - VMSG - Record Reject Edit Criteria

|                                                                                                       |                                                                                |
|-------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------|
| <b>Transaction Code</b><br>Positions: 1-2<br>Length: 2<br>Format: unpacked numeric                    | <b>Description:</b> This field must contain a <b>50</b> .                      |
| <b>Transaction Code Qualifier</b><br>Positions: 3<br>Length: 1<br>Format: unpacked numeric            | <b>Description:</b> This field must contain a <b>0</b> (zero).                 |
| <b>Transaction Component Sequence Number</b><br>Positions: 4<br>Length: 1<br>Format: unpacked numeric | <b>Description:</b> This field must contain a <b>0</b> (zero).                 |
| <b>Destination Identifier</b><br>Positions: 5-10<br>Length: 6<br>Format: unpacked numeric             | <b>Description:</b> The entity to which a BASE II transaction message is sent. |

### Text Message AMMF - VMSG - Record Reject Edit Criteria

|                                                                                       |                                                                                                                |
|---------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------|
| <b>Source Identifier</b><br>Positions: 11-16<br>Length: 6<br>Format: unpacked numeric | <b>Description:</b> Visa Internal AMMF identifier = 320040.                                                    |
| <b>Service Identifier</b><br>Positions: 17-22<br>Length: 6<br>Format: alphanumeric    | <b>Description:</b> Further identifies the type of transaction.<br>The value for this field is <b>VMSG03</b> . |
| <b>Reserved</b><br>Positions: 23-37<br>Length: 15<br>Format: alphanumeric             | <b>Description:</b> This field is reserved for future use.                                                     |
| <b>Reserved</b><br>Positions: 38-39<br>Length: 2<br>Format: alphanumeric              | <b>Description:</b> This field is reserved for future use.                                                     |
| <b>Reserved</b><br>Positions: 40<br>Length: 1<br>Format: alphanumeric                 | <b>Description:</b> This field is reserved for future use.                                                     |
| <b>Reserved</b><br>Positions: 41-43<br>Length: 3<br>Format: unpacked numeric          | <b>Description:</b> This field is reserved for future use.                                                     |
| <b>Reserved</b><br>Positions: 44-46<br>Length: 3<br>Format: alphanumeric              | <b>Description:</b> This field is reserved for future use.                                                     |
| <b>VMSG Message Type</b><br>Positions: 47-48<br>Length: 2<br>Format: alphanumeric     | <b>Description:</b> Value is <b>RJ</b> . This VMSG contains Record Reject reason.                              |

### Text Message AMMF - VMSG - Record Reject Edit Criteria

|                                                                                                                       |                                                                                                                                 |
|-----------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------|
| <b>Acquirer CIB</b><br>Positions: 49-54<br>Length: 6<br>Format: alphanumeric                                          | <b>Description:</b> The source of the file, the processor CIB number.                                                           |
| <b>Acquirer BID</b><br>Positions: 55-62<br>Length: 8<br>Format: unpacked numeric                                      | <b>Description:</b> The Business Identification Number (BID) of the acquiring financial institution.                            |
| <b>Acquirer Merchant ID</b><br>Positions: 63-92<br>Length: 30<br>Format: alphanumeric                                 | <b>Description:</b> The identifying number used by the acquirer to identify the merchant. Left-justify the number in the field. |
| <b>Record Reject Indicator - CIB Error</b><br>Positions: 93<br>Length: 1<br>Format: alphanumeric                      | <b>Description:</b> Values are <b>1</b> or <b>Blank</b> . <b>1</b> represents an error value received in AMMF.                  |
| <b>Record Reject Indicator - BID Error</b><br>Positions: 94<br>Length: 1<br>Format: alphanumeric                      | <b>Description:</b> Values are <b>1</b> or <b>Blank</b> . <b>1</b> represents an error value received in AMMF.                  |
| <b>Record Reject Indicator - MID Error</b><br>Positions: 95<br>Length: 1<br>Format: alphanumeric                      | <b>Description:</b> Values are <b>1</b> or <b>Blank</b> . <b>1</b> represents an error value received in AMMF.                  |
| <b>Record Reject Indicator - DBA Name invalid/missing Error</b><br>Positions: 96<br>Length: 1<br>Format: alphanumeric | <b>Description:</b> Values are <b>1</b> or <b>Blank</b> . <b>1</b> represents an error value received in AMMF.                  |

### Text Message AMMF - VMSG - Record Reject Edit Criteria

|                                                                                                                                         |                                                                                                                |
|-----------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------|
| <b>Record Reject Indicator - Legal Name invalid/missing Error</b><br>Positions: 97<br>Length: 1<br>Format: alphanumeric                 | <b>Description:</b> Values are <b>1</b> or <b>Blank</b> . <b>1</b> represents an error value received in AMMF. |
| <b>Record Reject Indicator - Tax ID invalid/missing Error</b><br>Positions: 98<br>Length: 1<br>Format: alphanumeric                     | <b>Description:</b> Values are <b>1</b> or <b>Blank</b> . <b>1</b> represents an error value received in AMMF. |
| <b>Record Reject Indicator - Location Address Street invalid/missing Error</b><br>Positions: 99<br>Length: 1<br>Format: alphanumeric    | <b>Description:</b> Values are <b>1</b> or <b>Blank</b> . <b>1</b> represents an error value received in AMMF. |
| <b>Record Reject Indicator - Location Address - City invalid/missing Error</b><br>Positions: 100<br>Length: 1<br>Format: alphanumeric   | <b>Description:</b> Values are <b>1</b> or <b>Blank</b> . <b>1</b> represents an error value received in AMMF. |
| <b>Record Reject Indicator - Location Address - State invalid/missing Error</b><br>Positions: 101<br>Length: 1<br>Format: alphanumeric  | <b>Description:</b> Values are <b>1</b> or <b>Blank</b> . <b>1</b> represents an error value received in AMMF. |
| <b>Record Reject Indicator - Location Address - Postal invalid/missing Error</b><br>Positions: 102<br>Length: 1<br>Format: alphanumeric | <b>Description:</b> Values are <b>1</b> or <b>Blank</b> . <b>1</b> represents an error value received in AMMF. |

### Text Message AMMF - VMSG - Record Reject Edit Criteria

|                                                                                                                                                     |                                                                                                                |
|-----------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------|
| <b>Record Reject Indicator - Location Address - Country invalid/missing Error</b><br><br>Positions: 103<br>Length: 1<br>Format: alphanumeric        | <b>Description:</b> Values are <b>1</b> or <b>Blank</b> . <b>1</b> represents an error value received in AMMF. |
| <b>Record Reject Indicator - 1 or more invalid MCC or No MCC provided Error</b><br><br>Positions: 104<br>Length: 1<br>Format: alphanumeric          | <b>Description:</b> Values are <b>1</b> or <b>Blank</b> . <b>1</b> represents an error value received in AMMF. |
| <b>Record Reject Indicator - 1 or more invalid Issuing or Acquiring Identifier Error</b><br><br>Positions: 105<br>Length: 1<br>Format: alphanumeric | <b>Description:</b> Values are <b>1</b> or <b>Blank</b> . <b>1</b> represents an error value received in AMMF. |
| <b>Record Reject Indicator - 1 or more CAID invalid missing Error</b><br><br>Positions: 106<br>Length: 1<br>Format: alphanumeric                    | <b>Description:</b> Values are <b>1</b> or <b>Blank</b> . <b>1</b> represents an error value received in AMMF. |
| <b>Record Reject Indicator - Aggregator ID invalid/missing Error</b><br><br>Positions: 107<br>Length: 1<br>Format: alphanumeric                     | <b>Description:</b> Values are <b>1</b> or <b>Blank</b> . <b>1</b> represents an error value received in AMMF. |
| <b>Record Reject Indicator - Aggregator Name invalid/missing Error</b><br><br>Positions: 108<br>Length: 1<br>Format: alphanumeric                   | <b>Description:</b> Values are <b>1</b> or <b>Blank</b> . <b>1</b> represents an error value received in AMMF. |



### Text Message AMMF - VMSG - Record Reject Edit Criteria

|                                                                                                                                            |                                                                                                                |
|--------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------|
| <b>Record Reject Indicator -<br/>Aggregator Type invalid/missing<br/>Error</b><br><br>Positions: 109<br>Length: 1<br>Format: alphanumeric  | <b>Description:</b> Values are <b>1</b> or <b>Blank</b> . <b>1</b> represents an error value received in AMMF. |
| <b>Record Reject Indicator - BASE II<br/>Name invalid/missing Error</b><br><br>Positions: 110<br>Length: 1<br>Format: alphanumeric         | <b>Description:</b> Values are <b>1</b> or <b>Blank</b> . <b>1</b> represents an error value received in AMMF. |
| <b>Record Reject Indicator -<br/>Corporate Status invalid/missing<br/>Error</b><br><br>Positions: 111<br>Length: 1<br>Format: alphanumeric | <b>Description:</b> Values are <b>1</b> or <b>Blank</b> . <b>1</b> represents an error value received in AMMF. |
| <b>Record Reject Indicator -<br/>Corporate Name invalid/missing<br/>Error</b><br><br>Positions: 112<br>Length: 1<br>Format: alphanumeric   | <b>Description:</b> Values are <b>1</b> or <b>Blank</b> . <b>1</b> represents an error value received in AMMF. |
| <b>Record Reject Indicator - Date<br/>Signed invalid/missing Error</b><br><br>Positions: 113<br>Length: 1<br>Format: alphanumeric          | <b>Description:</b> Values are <b>1</b> or <b>Blank</b> . <b>1</b> represents an error value received in AMMF. |
| <b>Free Form Error Message -<br/>Miscellaneous</b><br><br>Positions: 114-153<br>Length: 40<br>Format: alphanumeric                         | <b>Description:</b> This field will contain the error message details.                                         |
| <b>Reserved</b><br><br>Positions: 154-168<br>Length: 15<br>Format: alphanumeric                                                            | <b>Description:</b> This field is reserved for future use.                                                     |

# TC 50 - TCR 0 - AMMF - VMSG - Certification Status

These tables contain the Text Message (TC 50) record layout and edit criteria for TCR 0 - AMMF - VMSG - Certification Status.

## CTF - Outgoing and Incoming Interchange

### Text Message AMMF - VMSG - Certification Status Record Layout

| Position | Field Length | Format | Contents                                  |
|----------|--------------|--------|-------------------------------------------|
| 1-2      | 2            | UN     | Transaction Code                          |
| 3        | 1            | UN     | Transaction Code Qualifier                |
| 4        | 1            | UN     | Transaction Component Sequence Number     |
| 5-10     | 6            | UN     | Destination Identifier                    |
| 11-16    | 6            | UN     | Source Identifier                         |
| 17-22    | 6            | AN     | Service Identifier                        |
| 23-37    | 15           | AN     | Reserved                                  |
| 38-39    | 2            | AN     | Reserved                                  |
| 40       | 1            | AN     | Reserved                                  |
| 41-43    | 3            | UN     | Reserved                                  |
| 44-46    | 3            | AN     | Reserved                                  |
| 47-48    | 2            | AN     | VMSG Message Type                         |
| 49-54    | 6            | AN     | Acquirer CIB                              |
| 55-62    | 8            | UN     | Acquirer BID                              |
| 63-68    | 6            | UN     | Acquiring Identifier                      |
| 69       | 1            | UN     | Acquiring Identifier Certification Status |
| 70-167   | 98           | AN     | Message                                   |
| 168      | 1            | AN     | Reserved                                  |

Format: AN = Alphanumeric, ANS = Alphanumeric Special, DX = Display Hexadecimal, N = Numeric, UN = Unpacked Numeric

### Text Message AMMF - VMSG - Certification Status Edit Criteria

|                                                                                                       |                                                                                                                |
|-------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------|
| <b>Transaction Code</b><br>Positions: 1-2<br>Length: 2<br>Format: unpacked numeric                    | <b>Description:</b> This field must contain a <b>50</b> .                                                      |
| <b>Transaction Code Qualifier</b><br>Positions: 3<br>Length: 1<br>Format: unpacked numeric            | <b>Description:</b> This field must contain a <b>0</b> (zero).                                                 |
| <b>Transaction Component Sequence Number</b><br>Positions: 4<br>Length: 1<br>Format: unpacked numeric | <b>Description:</b> This field must contain a <b>0</b> (zero).                                                 |
| <b>Destination Identifier</b><br>Positions: 5-10<br>Length: 6<br>Format: unpacked numeric             | <b>Description:</b> The entity to which a BASE II transaction message is sent.                                 |
| <b>Source Identifier</b><br>Positions: 11-16<br>Length: 6<br>Format: unpacked numeric                 | <b>Description:</b> Visa Internal AMMF identifier = 320040.                                                    |
| <b>Service Identifier</b><br>Positions: 17-22<br>Length: 6<br>Format: alphanumeric                    | <b>Description:</b> Further identifies the type of transaction.<br>The value for this field is <b>VMSG03</b> . |
| <b>Reserved</b><br>Positions: 23-37<br>Length: 15<br>Format: alphanumeric                             | <b>Description:</b> This field is reserved for future use.                                                     |
| <b>Reserved</b><br>Positions: 38-39<br>Length: 2<br>Format: alphanumeric                              | <b>Description:</b> This field is reserved for future use.                                                     |

### Text Message AMMF - VMSG - Certification Status Edit Criteria

|                                                                                                            |                                                                                                                                                                                           |
|------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Reserved</b><br>Positions: 40<br>Length: 1<br>Format: alphanumeric                                      | <b>Description:</b> This field is reserved for future use.                                                                                                                                |
| <b>Reserved</b><br>Positions: 41-43<br>Length: 3<br>Format: unpacked numeric                               | <b>Description:</b> This field is reserved for future use.                                                                                                                                |
| <b>Reserved</b><br>Positions: 44-46<br>Length: 3<br>Format: alphanumeric                                   | <b>Description:</b> This field is reserved for future use.                                                                                                                                |
| <b>VMSG Message Type</b><br>Positions: 47-48<br>Length: 2<br>Format: alphanumeric                          | <b>Description:</b> Value is <b>CS</b> . This VMSG contains Certification Stats.                                                                                                          |
| <b>Acquirer CIB</b><br>Positions: 49-54<br>Length: 6<br>Format: alphanumeric                               | <b>Description:</b> The source of the file, the processor CIB number.                                                                                                                     |
| <b>Acquirer BID</b><br>Positions: 55-62<br>Length: 8<br>Format: unpacked numeric                           | <b>Description:</b> The Business Identification Number (BID) of the acquiring financial institution.                                                                                      |
| <b>Acquiring Identifier</b><br>Positions: 63-68<br>Length: 6<br>Format: unpacked numeric                   | <b>Description:</b> Visa-assigned Acquiring identifier number for the acquiring financial institution.                                                                                    |
| <b>Acquiring Identifier Certification Status</b><br>Positions: 69<br>Length: 1<br>Format: unpacked numeric | <b>Description:</b> Values are <b>1</b> or <b>0</b> , where <b>1</b> represents acquiring identifier passed certification, <b>0</b> represents acquiring identifier failed certification. |

### Text Message AMMF - VMSG - Certification Status Edit Criteria

|                                                                           |                                                                                                                                                              |
|---------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Message</b><br>Positions: 70-167<br>Length: 98<br>Format: alphanumeric | <b>Description:</b> Optional. Additional detail about the acquiring identifier; could contain information why the acquiring identifier failed certification. |
| <b>Reserved</b><br>Positions: 168<br>Length: 1<br>Format: alphanumeric    | <b>Description:</b> This field is reserved for future use.                                                                                                   |

## TC 50 - TCR 0 - AMMF - VMSG - Unlinkable

These tables contain the Text Message (TC 50) record layout and edit criteria for TCR 0 - AMMF - VMSG - Unlinkable.

### CTF - Outgoing and Incoming Interchange

#### Text Message AMMF - VMSG - Unlinkable Record Layout

| Position | Field Length | Format | Contents                              |
|----------|--------------|--------|---------------------------------------|
| 1-2      | 2            | UN     | Transaction Code                      |
| 3        | 1            | UN     | Transaction Code Qualifier            |
| 4        | 1            | UN     | Transaction Component Sequence Number |
| 5-10     | 6            | UN     | Destination Identifier                |
| 11-16    | 6            | UN     | Source Identifier                     |
| 17-22    | 6            | AN     | Service Identifier                    |
| 23-37    | 15           | AN     | Reserved                              |
| 38-39    | 2            | AN     | Reserved                              |
| 40       | 1            | AN     | Reserved                              |
| 41-43    | 3            | UN     | Reserved                              |
| 44-46    | 3            | AN     | Reserved                              |
| 47-48    | 2            | AN     | VMSG Message Type                     |
| 49-58    | 10           | AN     | Unlinkable Source                     |

### Text Message AMMF - VMSG - Unlinkable Record Layout

| Position | Field Length | Format | Contents             |
|----------|--------------|--------|----------------------|
| 59-64    | 6            | UN     | Acquiring Identifier |
| 65-89    | 25           | AN     | Merchant Name        |
| 90-102   | 13           | AN     | Merchant City        |
| 103-105  | 3            | AN     | Merchant State       |
| 106-114  | 9            | AN     | Merchant ZIP         |
| 115-117  | 3            | UN     | Merchant Country     |
| 118-132  | 15           | AN     | Card Acceptor ID     |
| 133-167  | 35           | AN     | Reserved             |
| 168      | 1            | AN     | Reserved             |

Format: AN = Alphanumeric, ANS = Alphanumeric Special, DX = Display Hexadecimal, N = Numeric, UN = Unpacked Numeric

### Text Message AMMF - VMSG - Unlinkable Edit Criteria

|                                                                                                       |                                                                                                                                                   |
|-------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Transaction Code</b><br>Positions: 1-2<br>Length: 2<br>Format: unpacked numeric                    | <b>Description:</b> This field must contain a <b>50</b> .                                                                                         |
| <b>Transaction Code Qualifier</b><br>Positions: 3<br>Length: 1<br>Format: unpacked numeric            | <b>Description:</b> This field must contain a <b>0</b> (zero).                                                                                    |
| <b>Transaction Component Sequence Number</b><br>Positions: 4<br>Length: 1<br>Format: unpacked numeric | <b>Description:</b> This field must contain a <b>0</b> (zero).                                                                                    |
| <b>Destination Identifier</b><br>Positions: 5-10<br>Length: 6<br>Format: unpacked numeric             | <b>Description:</b> The entity to which a BASE II transaction message is sent.<br>This field will contain a valid acquiring or issuing identifier |

### Text Message AMMF - VMSG - Unlinkable Edit Criteria

|                                                                                       |                                                                                                                |
|---------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------|
| <b>Source Identifier</b><br>Positions: 11-16<br>Length: 6<br>Format: unpacked numeric | <b>Description:</b> Visa Internal AMMF identifier = 320040.                                                    |
| <b>Service Identifier</b><br>Positions: 17-22<br>Length: 6<br>Format: alphanumeric    | <b>Description:</b> Further identifies the type of transaction.<br>The value for this field is <b>VMSG03</b> . |
| <b>Reserved</b><br>Positions: 23-37<br>Length: 15<br>Format: alphanumeric             | <b>Description:</b> This field is reserved for future use.                                                     |
| <b>Reserved</b><br>Positions: 38-39<br>Length: 2<br>Format: alphanumeric              | <b>Description:</b> This field is reserved for future use.                                                     |
| <b>Reserved</b><br>Positions: 40<br>Length: 1<br>Format: alphanumeric                 | <b>Description:</b> This field is reserved for future use.                                                     |
| <b>Reserved</b><br>Positions: 41-43<br>Length: 3<br>Format: unpacked numeric          | <b>Description:</b> This field is reserved for future use.                                                     |
| <b>Reserved</b><br>Positions: 44-46<br>Length: 3<br>Format: alphanumeric              | <b>Description:</b> This field is reserved for future use.                                                     |
| <b>VMSG Message Type</b><br>Positions: 47-48<br>Length: 2<br>Format: alphanumeric     | <b>Description:</b> Value is <b>UM</b> . This VMSG contains Unlinkable Merchant number.                        |

### Text Message AMMF - VMSG - Unlinkable Edit Criteria

|                                                                                          |                                                                                                                                           |
|------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Unlinkable Source</b><br>Positions: 49-58<br>Length: 10<br>Format: alphanumeric       | <b>Description:</b> The source where Visa found the unlinkable merchant data.<br>Values:<br><b>BASE I</b><br><b>BASE II</b><br><b>SMS</b> |
| <b>Acquiring Identifier</b><br>Positions: 59-64<br>Length: 6<br>Format: unpacked numeric | <b>Description:</b> Visa-assigned Acquiring identifier number for the acquiring financial institution.                                    |
| <b>Merchant Name</b><br>Positions: 65-89<br>Length: 25<br>Format: alphanumeric           | <b>Description:</b> Merchant DBA name as present in original transaction.                                                                 |
| <b>Merchant City</b><br>Positions: 90-102<br>Length: 13<br>Format: alphanumeric          | <b>Description:</b> City the merchant is located in. This field will contain the value from the original transaction.                     |
| <b>Merchant State</b><br>Positions: 103-105<br>Length: 3<br>Format: alphanumeric         | <b>Description:</b> State the merchant is located in. This field will contain the value from the original transaction.                    |
| <b>Merchant ZIP</b><br>Positions: 106-114<br>Length: 9<br>Format: alphanumeric           | <b>Description:</b> Postal code or ZIP the merchant is located in. This field will contain the value from the original transaction.       |
| <b>Merchant Country</b><br>Positions: 115-117<br>Length: 3<br>Format: unpacked numeric   | <b>Description:</b> Country the merchant is located in. This field will contain the value from the original transaction.                  |
| <b>Card Acceptor ID</b><br>Positions: 118-132<br>Length: 15<br>Format: alphanumeric      | <b>Description:</b> This field contains the Card Acceptor ID.                                                                             |



### Text Message AMMF - VMSG - Unlinkable Edit Criteria

|                                                                             |                                                            |
|-----------------------------------------------------------------------------|------------------------------------------------------------|
| <b>Reserved</b><br>Positions: 133-167<br>Length: 35<br>Format: alphanumeric | <b>Description:</b> This field is reserved for future use. |
| <b>Reserved</b><br>Positions: 168<br>Length: 1<br>Format: alphanumeric      | <b>Description:</b> This field is reserved for future use. |

## TC 50 - TCR 0 - AMMF - VMSG - AMMF ID

These tables contain the Text Message (TC 50) record layout and edit criteria for TCR 0 - AMMF - VMSG - AMMF ID.

### CTF - Outgoing and Incoming Interchange

#### Text Message AMMF - VMSG - AMMF ID Record Layout

| Position | Field Length | Format | Contents                              |
|----------|--------------|--------|---------------------------------------|
| 1-2      | 2            | UN     | Transaction Code                      |
| 3        | 1            | UN     | Transaction Code Qualifier            |
| 4        | 1            | UN     | Transaction Component Sequence Number |
| 5-10     | 6            | UN     | Destination Identifier                |
| 11-16    | 6            | UN     | Source Identifier                     |
| 17-22    | 6            | AN     | Service Identifier                    |
| 23-37    | 15           | AN     | Reserved                              |
| 38-39    | 2            | AN     | Reserved                              |
| 40       | 1            | AN     | Reserved                              |
| 41-43    | 3            | UN     | Reserved                              |
| 44-46    | 3            | AN     | Reserved                              |
| 47-48    | 2            | AN     | VMSG Message Type                     |
| 49-54    | 6            | AN     | Acquirer CIB                          |

### Text Message AMMF - VMSG - AMMF ID Record Layout

| Position | Field Length | Format | Contents                      |
|----------|--------------|--------|-------------------------------|
| 55-62    | 8            | UN     | Acquirer BID                  |
| 63-92    | 30           | AN     | Acquirer Assigned Merchant ID |
| 93-107   | 15           | UN     | Visa AMMF ID                  |
| 108-167  | 60           | AN     | Reserved                      |
| 168      | 1            | AN     | Reserved                      |

Format: AN = Alphanumeric, ANS = Alphanumeric Special, DX = Display Hexadecimal, N = Numeric, UN = Unpacked Numeric

### Text Message AMMF - VMSG - AMMF ID Edit Criteria

|                                                                                                       |                                                                                                                                                   |
|-------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Transaction Code</b><br>Positions: 1-2<br>Length: 2<br>Format: unpacked numeric                    | <b>Description:</b> This field must contain a <b>50</b> .                                                                                         |
| <b>Transaction Code Qualifier</b><br>Positions: 3<br>Length: 1<br>Format: unpacked numeric            | <b>Description:</b> This field must contain a <b>0</b> (zero).                                                                                    |
| <b>Transaction Component Sequence Number</b><br>Positions: 4<br>Length: 1<br>Format: unpacked numeric | <b>Description:</b> This field must contain a <b>0</b> (zero).                                                                                    |
| <b>Destination Identifier</b><br>Positions: 5-10<br>Length: 6<br>Format: unpacked numeric             | <b>Description:</b> The entity to which a BASE II transaction message is sent.<br>This field will contain a valid acquiring or issuing identifier |
| <b>Source Identifier</b><br>Positions: 11-16<br>Length: 6<br>Format: unpacked numeric                 | <b>Description:</b> Visa Internal AMMF identifier = 320040.                                                                                       |

### Text Message AMMF - VMSG - AMMF ID Edit Criteria

|                                                                                    |                                                                                                                |
|------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------|
| <b>Service Identifier</b><br>Positions: 17-22<br>Length: 6<br>Format: alphanumeric | <b>Description:</b> Further identifies the type of transaction.<br>The value for this field is <b>VMSG03</b> . |
| <b>Reserved</b><br>Positions: 23-37<br>Length: 15<br>Format: alphanumeric          | <b>Description:</b> This field is reserved for future use.                                                     |
| <b>Reserved</b><br>Positions: 38-39<br>Length: 2<br>Format: alphanumeric           | <b>Description:</b> This field is reserved for future use.                                                     |
| <b>Reserved</b><br>Positions: 40<br>Length: 1<br>Format: alphanumeric              | <b>Description:</b> This field is reserved for future use.                                                     |
| <b>Reserved</b><br>Positions: 41-43<br>Length: 3<br>Format: unpacked numeric       | <b>Description:</b> This field is reserved for future use.                                                     |
| <b>Reserved</b><br>Positions: 44-46<br>Length: 3<br>Format: alphanumeric           | <b>Description:</b> This field is reserved for future use.                                                     |
| <b>VMSG Message Type</b><br>Positions: 47-48<br>Length: 2<br>Format: alphanumeric  | <b>Description:</b> Value is <b>ID</b> . This VMSG contains Visa-assigned AMMF Identification Number.          |
| <b>Acquirer CIB</b><br>Positions: 49-54<br>Length: 6<br>Format: alphanumeric       | <b>Description:</b> The source of the file, the processor CIB number.                                          |

### Text Message AMMF - VMSG - AMMF ID Edit Criteria

|                                                                                                |                                                                                                                                                                |
|------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Acquirer BID</b><br>Positions: 55-62<br>Length: 8<br>Format: unpacked numeric               | <b>Description:</b> The Business Identification Number (BID) of the acquiring financial institution.                                                           |
| <b>Acquirer Assigned Merchant ID</b><br>Positions: 63-92<br>Length: 30<br>Format: alphanumeric | <b>Description:</b> The identifying number used by the acquirer to identify the merchant. Left-justify the number in the field; fill on the right with spaces. |
| <b>Visa AMMF ID</b><br>Positions: 93-107<br>Length: 15<br>Format: unpacked numeric             | <b>Description:</b> AMMF Identification Number assigned by Visa for this merchant.                                                                             |
| <b>Reserved</b><br>Positions: 108-167<br>Length: 60<br>Format: alphanumeric                    | <b>Description:</b> This field is reserved for future use.                                                                                                     |
| <b>Reserved</b><br>Positions: 168<br>Length: 1<br>Format: alphanumeric                         | <b>Description:</b> This field is reserved for future use.                                                                                                     |

# Chapter 3

## TC 52 Retrieval Request Record Transactions

---

### TC 52 - Retrieval Request Record Transactions

The Retrieval Request/Confirmation records are used to request specific interchange transaction records from the merchant processing center.

TCR 0, 1, 4

CTF - Outgoing and Incoming

**Note:**

TC 51 Transactions (Request for Original) are no longer valid BASE II Transaction Types. "RED" changes in April 2005 removed these transaction options.

- Request for Photocopy (TC 52)—Requests a photocopy of the original paper (or microfilm) for an interchange transaction from the merchant processing center.

**Note:**

TC 52 transactions (Retrieval Requests) are no longer valid BASE II transaction types. October 2021 TC 52 transactions will be returned with reason code 02.

**Note:**

TC 53 transactions (Request Confirmations) are no longer valid BASE II Transaction Types. "RED" changes in April 2005 removed these transaction options.

The edit rules for Retrieval Request TCR inclusion are:

- TCR 0 is always required. It must be the first TCR in the transaction.
- TCR 1 is optional.
- TCR 4 is optional.

## TC 52 - TCR 0

These tables contain the Retrieval Request (TC 52) record layout and edit criteria for TCR 0.

### CTF - Outgoing and Incoming Interchange

#### Retrieval Request/Confirmation Record Layout

| Position | Field Length | Format | Contents                              |
|----------|--------------|--------|---------------------------------------|
| 1-2      | 2            | UN     | Transaction Code                      |
| 3        | 1            | UN     | Transaction Code Qualifier            |
| 4        | 1            | UN     | Transaction Component Sequence Number |
| 5-20     | 16           | UN     | Account Number                        |
| 21-23    | 3            | UN     | Account Number Extension              |
| 24-46    | 23           | UN     | Acquirer Reference Number             |
| 47-54    | 8            | UN     | Acquirer's Business ID                |
| 55-58    | 4            | UN     | Purchase Date (MMDD)                  |
| 59-70    | 12           | UN     | Transaction Amount                    |
| 71-73    | 3            | UN     | Transaction Currency Code             |
| 74-98    | 25           | AN     | Merchant Name                         |
| 99-111   | 13           | AN     | Merchant City                         |
| 112-114  | 3            | AN     | Merchant Country Code                 |
| 115-118  | 4            | UN     | Merchant Category Code                |
| 119-123  | 5            | UN     | U.S. Merchant ZIP Code                |

### Retrieval Request/Confirmation Record Layout

| Position | Field Length | Format | Contents                       |
|----------|--------------|--------|--------------------------------|
| 124-126  | 3            | AN     | Merchant State/Province Code   |
| 127-135  | 9            | UN     | Issuer Control Number          |
| 136-137  | 2            | UN     | Request Reason Code            |
| 138      | 1            | UN     | Settlement Flag                |
| 139-150  | 12           | UN     | National Reimbursement Fee     |
| 151      | 1            | AN     | Account Selection              |
| 152-163  | 12           | AN     | Retrieval Request ID           |
| 164-167  | 4            | UN     | Central Processing Date (YDDD) |
| 168      | 1            | AN     | Reimbursement Attribute        |

Format: AN = Alphanumeric, ANS = Alphanumeric Special, DX = Display Hexadecimal, N = Numeric, UN = Unpacked Numeric

### Retrieval Request/Confirmation Edit Criteria

|                                                                                                       |                                                                                                                                                                                                                                                                     |
|-------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Transaction Code</b><br>Positions: 1-2<br>Length: 2<br>Format: unpacked numeric                    | <b>Description:</b> This field must contain <b>52</b> .<br>The Transaction Code is:<br><b>52</b> = Request for Copy                                                                                                                                                 |
| <b>Transaction Code Qualifier</b><br>Positions: 3<br>Length: 1<br>Format: unpacked numeric            | <b>Description:</b> This field must contain a <b>0</b> (zero).<br>This edit will continue to be performed by the Edit Package when the Bypass Business Edits option is used during an outgoing edit run.                                                            |
| <b>Transaction Component Sequence Number</b><br>Positions: 4<br>Length: 1<br>Format: unpacked numeric | <b>Description:</b> This field must contain a <b>0</b> (zero).                                                                                                                                                                                                      |
| <b>Account Number</b><br>Positions: 5-20<br>Length: 16<br>Format: unpacked numeric                    | <b>Description:</b> An issuer-assigned number that identifies a cardholder's account. This transaction must contain the same Account Number as the original to which it applies.<br>Acquirer Note: This field may contain the Token for x5, x6, TCQ 0 transactions. |

### Retrieval Request/Confirmation Edit Criteria

|                                                                                                      |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
|------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Account Number Extension</b><br>Positions: 21-23<br>Length: 3<br>Format: unpacked numeric         | <b>Description:</b> A three-digit extension of the account number that allows account numbers up to 19 digits.<br><br>If the account number exceeds 16 digits, the extension field entry must be numeric, left-justified, and any remaining positions zero-filled.<br><br><b>VIC Edit:</b> The field must contain zeros if Account Number is 16 digits or fewer.<br><br><b>Outgoing:</b> The Edit Package inserts zeros if the Account Number is 16 digits or fewer in length, according to the ARDEF Table. If the Account Number is greater than 16 digits in length, the processing center must fill this field. |
| <b>Acquirer Reference Number (ARN)</b><br>Positions: 24-46<br>Length: 23<br>Format: unpacked numeric | <b>Description:</b> Identification number assigned by the acquirer. The ARN should be unique although duplicate ARNs will not be rejected.<br><br>This field must contain the Acquirer Reference Number from the dispute financial or dispute response financial.<br><br>The Acquirer Reference Number must be the same as the original transaction. The entry must be in the following format.                                                                                                                                                                                                                     |
| <b>Format Code</b><br>Positions: 24<br>Length: 1<br>Format: unpacked numeric                         | <b>Description:</b> The format code is part of the Acquirer Reference Number and is used to ensure a valid Visa reference number.<br><br>The entry must be either a <b>2</b> or a <b>7</b> .                                                                                                                                                                                                                                                                                                                                                                                                                        |
| <b>Acquiring Identifier</b><br>Positions: 25-30<br>Length: 6<br>Format: unpacked numeric             | <b>Description:</b> A numeric used to identify an acquiring financial institution.<br><br>The entry must be a valid acquiring identifier per the current BIN Table. May be an issuing identifier for cash disbursements                                                                                                                                                                                                                                                                                                                                                                                             |
| <b>Date</b><br>Positions: 31-34<br>Length: 4<br>Format: unpacked numeric                             | <b>Description:</b> Date is part of the Acquirer Reference Number and should be either the data capture date or the pre-edit program run date.<br><br>The date field must contain a valid four-digit numeric in the format <b>YDDD</b> (year and Julian day).                                                                                                                                                                                                                                                                                                                                                       |
| <b>Film Locator</b><br>Positions: 35-45<br>Length: 11<br>Format: unpacked numeric                    | <b>Description:</b> Number used to identify film records.<br><br>The field must contain an 11-digit numeric. The entry may be zeros if the center has other provisions for quick retrieval of originals/photocopies.                                                                                                                                                                                                                                                                                                                                                                                                |
| <b>Check Digit</b><br>Positions: 46<br>Length: 11<br>Format: unpacked numeric                        | <b>Description:</b> Check Digit is used to validate the Acquirer Reference Number.<br><br>The entry must be a valid standard modulus-10 check digit of the preceding 22 digits (Positions 24-45).                                                                                                                                                                                                                                                                                                                                                                                                                   |



### Retrieval Request/Confirmation Edit Criteria

|                                                                                               |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
|-----------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Acquirer's Business ID</b><br>Positions: 47-54<br>Length: 8<br>Format: unpacked numeric    | <b>Description:</b> The Visa-assigned business ID provided in the original by the acquirer.<br><br>U.S. issuers must retain and return this field in retrieval requests if it was provided by the acquirer.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
| <b>Purchase Date</b><br>Positions: 55-58<br>Length: 4<br>Format: unpacked numeric             | <b>Description:</b> The date a cardholder made the original purchase (the actual date of the original transaction).<br><br>The entry must be a four-digit numeric (which may be zeros) in the format <b>MMDD</b> (month and day).<br><br>This field may contain zeros. If it is not all zeros, the format is <b>MMDD</b> .<br><br>This field may be all zeros only if the date from the original transaction was all zeros.                                                                                                                                                                                                                                                                                                                           |
| <b>Transaction Amount</b><br>Positions: 59-70<br>Length: 12<br>Format: unpacked numeric       | <b>Description:</b> The total amount of the transaction -- between a cardholder and a merchant, or between a cardholder and a client.<br><br>For U.S. transactions, this field must be numeric and greater than zero.<br><br>For non-U.S. transactions, this field may contain zeros if the Merchant Name and Country Code are provided.<br><br>For both U.S. and international transactions, this should be the same as the original Transaction Amount in the transaction currency (the amount in the Source Amount field of the original transaction). This field contains two implied decimal places.                                                                                                                                             |
| <b>Transaction Currency Code</b><br>Positions: 71-73<br>Length: 3<br>Format: unpacked numeric | <b>Description:</b> This field contains the three-digit currency code of the transaction. See the appropriate VisaNet user's manuals for the listing of valid currency codes.<br><br>For U.S. transactions, this must be a valid ISO numeric code.<br><br>For international transactions, this field may contain spaces if the Merchant Name and Country Code are provided. Otherwise, it must be a valid ISO numeric code.<br><br>For both U.S. and international transactions, this is the original transaction amount currency code (Source Currency Code field of the original transaction).                                                                                                                                                      |
| <b>Merchant Name</b><br>Positions: 74-98<br>Length: 25<br>Format: alphanumeric                | <b>Description:</b> This field contains the name and location of the card acceptor merchant.<br><br>The first position of this field cannot be a space. This field must be left-justified and space-filled to the right.<br><br>For international transactions, if present, the first position cannot be a space. It may be omitted if the Transaction Amount and Transaction Currency Code are provided.<br><br>For international transactions, this field must be the same as in the original transaction, except when a discrepancy or omission in a TC 52 transaction makes it impossible to locate the document requested. In this instance, the acquirer center must identify the problem in this field and send a TC 53 back to the requestor. |

### Retrieval Request/Confirmation Edit Criteria

|                                                                                                |                                                                                                                                                                                                                                                                                                                                                                                                                         |
|------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Merchant City</b><br>Positions: 99-111<br>Length: 13<br>Format: alphanumeric                | <b>Description:</b> This must be the city location of the merchant or client outlet where the transaction occurred.<br><br>This field must be the same as in the original transaction.                                                                                                                                                                                                                                  |
| <b>Merchant Country Code</b><br>Positions: 112-114<br>Length: 3<br>Format: alphanumeric        | <b>Description:</b> This field must contain a valid country code. The first two characters must be the country code. The last character must be a space.<br><br>For international transactions, this field may be omitted if the Transaction Amount and Currency Code are provided.<br><br>This field must be the same as in the original transaction.                                                                  |
| <b>Merchant Category Code</b><br>Positions: 115-118<br>Length: 4<br>Format: unpacked numeric   | <b>Description:</b> Indicates the merchant's principal line of business. The field must contain a valid four-digit numeric Merchant Category Code (MCC) from the original transaction.<br><br>For TC 52, it may not be zeros.<br><br><b>VIC Edit:</b> TC 52 is not valid for ATM transactions (MCC <b>6011</b> ).                                                                                                       |
| <b>U.S. Merchant ZIP Code</b><br>Positions: 119-123<br>Length: 5<br>Format: unpacked numeric   | <b>Description:</b> The ZIP code of the merchant location where the transaction occurred.<br><br>This field must be numeric and may contain zeros.<br><br>The U.S. Merchant ZIP Code must be the same as in the original transaction.                                                                                                                                                                                   |
| <b>Merchant State/Province Code</b><br>Positions: 124-126<br>Length: 3<br>Format: alphanumeric | <b>Description:</b> The state or province code of the merchant location where the transaction occurred.<br><br>If the Merchant Country Code is <b>US</b> or <b>CA</b> , this field must contain a valid U.S. State Code or Canadian Province Code, respectively from the original transaction. Otherwise, it must contain spaces.                                                                                       |
| <b>Issuer Control Number</b><br>Positions: 127-135<br>Length: 9<br>Format: unpacked numeric    | <b>Description:</b> This field is used in U.S. domestic requests for copy/original transactions.<br><br>This 9-digit number is assigned by U.S. issuers for internal routing purposes. The confirmation must contain the same value as in the original.<br><br>If the request for copy or the VCRFS advice provides the Issuer Control Number, it should be retained in the nonfulfillments and returned to the issuer. |
| <b>Request Reason Code</b><br>Positions: 136-137<br>Length: 2<br>Format: unpacked numeric      | <b>Description:</b> This field must contain a two-digit numeric. Request transactions TC 52 must have a valid Request Reason Code.                                                                                                                                                                                                                                                                                      |

## Retrieval Request/Confirmation Edit Criteria

|                                                                                                   |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
|---------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Settlement Flag</b><br>Positions: 138<br>Length: 1<br>Format: unpacked numeric                 | <b>Description:</b> The settlement service in which the transaction will settle: the International Settlement Service or National Area Net Service.<br>For outgoing transactions, the Settlement Flag must be a <b>0</b> , <b>8</b> , or <b>9</b> .<br>For incoming transactions, the Settlement Flag will be a <b>0</b> , or <b>8</b> .<br><b>VIC Edits:</b> For outgoing and incoming transactions: If the field contains <b>0</b> or <b>8</b> , the Source Identifier, Destination Identifier, and Merchant Currency Code must be that of the Merchant Country, if present. If the entry is <b>8</b> , the Destination Identifier, Source Identifier, and Merchant Country Code must be for the same country.                                                                                                                             |
| <b>National Reimbursement Fee</b><br>Positions: 139-150<br>Length: 12<br>Format: unpacked numeric | <b>Description:</b> Numeric entry indicating Interchange Reimbursement Fee for a National Settlement transaction, where applicable. It must be zeros unless the transaction is a National Settlement transaction for a country using this capability.<br>Implementation of this capability requires pre-notification to the Visa Regional office.<br>This field may contain zeros. It must be zeros for International Visa settled interchange (Settlement Flag = zero), and for National Bilateral or Net Interchange when domestic reimbursement fees are calculated by the BASE II System.<br>The National Bilateral or National Net Interchange for countries is specified by the originating client in each transaction. This field should contain the reimbursement fee to be applied. This field contains two implied decimal places. |
| <b>Account Selection</b><br>Positions: 151<br>Length: 1<br>Format: alphanumeric                   | <b>Description:</b> Indicates type of account.<br>For POS draft transactions, this field must contain:<br><b>Space</b> = Not Applicable<br><b>0</b> = Unavailable<br><b>1</b> = Savings Account<br><b>2</b> = Checking Account<br><b>3</b> = Credit Card Account<br>No systems edit enforcement.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
| <b>Retrieval Request ID</b><br>Positions: 152-163<br>Length: 12<br>Format: alphanumeric           | <b>Description:</b> Numeric identifier of an issuer's request for a transaction receipt, which could include the original, a paper copy, a facsimile, or an electronic version.<br>When the Destination Routing Flag is <b>1</b> , this field must contain a properly formatted Retrieval Request ID.<br>This field may contain zeros.<br>Acquirers not using the Automated Fulfillment service are requested, but not required, to include the request ID on all mailed or faxed documentation.<br>For the copy request (TC 52), the VIC inserts the unique ID number.                                                                                                                                                                                                                                                                      |

## Retrieval Request/Confirmation Edit Criteria

|                                                                                               |                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
|-----------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Central Processing Date</b><br>Positions: 164-167<br>Length: 4<br>Format: unpacked numeric | <b>Description:</b> The date (based on Greenwich mean time) on which a client enters Interchange data to, and the data is accepted by, a VisaNet Interchange Center (VIC).<br>For any given BASE II processing day, this date is based on the input phase of VIC processing.<br><b>VIC Edit:</b> Insert the date when the transaction was processed.<br><b>Outgoing:</b> The VIC inserts the central processing date.<br><b>Incoming:</b> This field must be in YDDD format. |
| <b>Reimbursement Attribute</b><br>Positions: 168<br>Length: 1<br>Format: alphanumeric         | <b>Description:</b> Obsolete - must be zero-filled.                                                                                                                                                                                                                                                                                                                                                                                                                          |

# TC 52 - TCR 1

These tables contain the Retrieval Request (TC 52) record layout and edit criteria for TCR 1.

## CTF - Outgoing and Incoming Interchange

### Retrieval Request/Confirmation Record Layout

| Position | Field Length | Format | Contents                              |
|----------|--------------|--------|---------------------------------------|
| 1-2      | 2            | UN     | Transaction Code                      |
| 3        | 1            | UN     | Transaction Code Qualifier            |
| 4        | 1            | UN     | Transaction Component Sequence Number |
| 5-16     | 12           | AN     | Reserved                              |
| 17-32    | 16           | AN     | Fax Number                            |
| 33-38    | 6            | AN     | Interface Trace Number                |
| 39       | 1            | AN     | Requested Fulfillment Method          |
| 40       | 1            | AN     | Established Fulfillment Method        |
| 41-51    | 11           | AN     | Issuer RFC Routing ID                 |
| 52-53    | 2            | AN     | Reserved                              |
| 54-56    | 3            | UN     | Issuer Billing Currency Code          |
| 57-68    | 12           | AN     | Issuer Billing Transaction Amount     |

### Retrieval Request/Confirmation Record Layout

| Position | Field Length | Format | Contents                               |
|----------|--------------|--------|----------------------------------------|
| 69-83    | 15           | UN     | Transaction Identifier                 |
| 84       | 1            | AN     | Excluded Transaction Identifier Reason |
| 85       | 1            | AN     | CRS Processing Code                    |
| 86-87    | 2            | UN     | Multiple Clearing Sequence Number      |
| 88-103   | 16           | UN     | PAN Token                              |
| 104-168  | 65           | AN     | Reserved                               |

Format: AN = Alphanumeric, ANS = Alphanumeric Special, DX = Display Hexadecimal, N = Numeric, UN = Unpacked Numeric

### Retrieval Request/Confirmation Edit Criteria

|                                                                                                       |                                                                                                                                                                                                                                                                                                                                                                               |
|-------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Transaction Code</b><br>Positions: 1-2<br>Length: 2<br>Format: unpacked numeric                    | <b>Description:</b> This field must contain <b>52</b> .<br>The Transaction Codes is:<br>52 = Request for copy                                                                                                                                                                                                                                                                 |
| <b>Transaction Code Qualifier</b><br>Positions: 3<br>Length: 1<br>Format: unpacked numeric            | <b>Description:</b> This field must contain a <b>0</b> (zero).<br>This edit will continue to be performed by the Edit Package when the Bypass Business Edits option is used during an outgoing edit run.                                                                                                                                                                      |
| <b>Transaction Component Sequence Number</b><br>Positions: 4<br>Length: 1<br>Format: unpacked numeric | <b>Description:</b> This field must contain a <b>1</b> .                                                                                                                                                                                                                                                                                                                      |
| <b>Reserved</b><br>Positions: 5-16<br>Length: 12<br>Format: alphanumeric                              | <b>Description:</b> This field is reserved for future use. EP will always space-fill.                                                                                                                                                                                                                                                                                         |
| <b>Fax Number</b><br>Positions: 17-32<br>Length: 16<br>Format: alphanumeric                           | <b>Description:</b> Fax number used for sending manual (as opposed to automated) fulfillments to the issuer.<br><b>VIC Edit:</b> This field may contain spaces.<br>Issuers participating in the automated Copy Request and Fulfillment Service use this field in the Retrieval Requests (TC 52) for the telephone number of the FAX machine to which the copy should be sent. |

### Retrieval Request/Confirmation Edit Criteria

|                                                                                                  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
|--------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Interface Trace Number</b><br>Positions: 33-38<br>Length: 6<br>Format: alphanumeric           | <b>Description:</b> Reserved field.<br><b>Outgoing:</b> The field is reserved and should be zero-filled.<br><b>Incoming:</b> The field is reserved; it may be non-zeros.                                                                                                                                                                                                                                                                                                                                                                                                               |
| <b>Requested Fulfillment Method</b><br>Positions: 39<br>Length: 1<br>Format: alphanumeric        | <b>Description:</b> Code designating whether manual or automated fulfillment is being requested.<br><b>VIC Edit:</b> For a TC 52 from an automated issuer: the field must be <b>0</b> (zero) or <b>1</b> .<br>The Requested Fulfillment Method is:<br><b>1</b> = Automated fulfillment requested<br><b>0</b> = If the acquirer is not participating in the Automated RFC Service, the request will always be fulfilled manually.                                                                                                                                                       |
| <b>Established Fulfillment Method</b><br>Positions: 40<br>Length: 1<br>Format: alphanumeric      | <b>Description:</b> Code designating whether the fulfillment method is to be manual or automated.<br>No edit occurs.<br>For TC 52 with a requested Fulfillment Method of <b>1</b> : <ul style="list-style-type: none"> <li>• If the acquirer is automated, the VIC will overlay a <b>1</b> in the field.</li> <li>• If the acquirer is not automated, the VIC will overlay a <b>0</b> (zero). in the field. Otherwise, the VIC will insert a <b>0</b> (zero). in the field.</li> </ul>                                                                                                 |
| <b>Issuer RFC Routing ID</b><br>Positions: 41-51<br>Length: 11<br>Format: alphanumeric           | <b>Description:</b> This field identifies the BASE II endpoint to which automated fulfillments and nonfulfillments should be routed.<br><b>VIC Edit:</b> For TC 52 with a Requested Fulfillment Method of <b>1</b> : <ul style="list-style-type: none"> <li>• If this field is not zeros, it must be either a valid CRM Routing ID or must be the Routing ID of Public Network Gateway.</li> <li>• If this field is zeros, the VIC will overlay the primary RFC Routing ID for the issuer.</li> </ul> For all other TC 52s, no edit occurs; the VIC will overlay the field with zeros. |
| <b>Reserved</b><br>Positions: 52-53<br>Length: 2<br>Format: alphanumeric                         | <b>Description:</b> This field is reserved for future use.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
| <b>Issuer Billing Currency Code</b><br>Positions: 54-56<br>Length: 3<br>Format: unpacked numeric | <b>Description:</b> Designates the specific currency used in billing.<br>This is an optional field for issuers to denote the billing currency used.                                                                                                                                                                                                                                                                                                                                                                                                                                    |

### Retrieval Request/Confirmation Edit Criteria

|                                                                                                           |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
|-----------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Issuer Billing Transaction Amount</b><br><br>Positions: 57-68<br>Length: 12<br>Format: alphanumeric    | <b>Description:</b> Designates the amount of a specific transaction in the currency used in billing.<br><br>This is an optional field for issuers to denote transaction amount in the billing currency.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| <b>Transaction Identifier (TID)</b><br><br>Positions: 69-83<br>Length: 15<br>Format: unpacked numeric     | <b>Description:</b> A unique value that Visa assigns to each transaction and returns to the acquirer in the authorization response. Visa uses this value to maintain an audit trail throughout the life cycle of the transaction and all related transactions, such as reversals, adjustments, confirmations, and dispute financials.<br><br><b>VIC Edit:</b> BASE II will zero-fill for non-CPS participating countries.<br><br><b>National—CPS Participating Countries:</b><br><br>If the acquirer Reference Number Format Code (in TCR 0) is <b>2</b> and the transaction is domestic, this field must be numeric.                                                                                                                                |
| <b>Excluded Transaction Identifier Reason</b><br><br>Positions: 84<br>Length: 1<br>Format: alphanumeric   | <b>Description:</b> Code indicating that a transaction identifier is not included in the transaction. This field must contain a space.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
| <b>CRS Processing Code</b><br><br>Positions: 85<br>Length: 1<br>Format: alphanumeric                      | <b>Description:</b> This CRS processing code will be set by BASE II when an retrieval request item has been validated by the Chargeback Reduction Service. A transaction not qualified for CRS validations will always contain a space in this field.<br><br>Values:<br><b>Y</b> = Validated (edited by CRS)<br><b>Space</b> = Not validated                                                                                                                                                                                                                                                                                                                                                                                                         |
| <b>Multiple Clearing Sequence Number</b><br><br>Positions: 86-87<br>Length: 2<br>Format: unpacked numeric | <b>Description:</b> This field contains a sequence number that distinguishes a specific clearing message among multiple clearing messages being submitted for a single CPS authorization. All BASE II clearing messages linked to a single authorization request must contain a unique clearing sequence number from at least 1 to the total number of clearing records.<br><br>This field must contain the Multiple Clearing Sequence Number from the original transaction. For U.S. CPS transactions, this field must be numeric.<br><br><b>Outgoing:</b> Edit Package will move zeros to this field when the submitted value is not numeric.<br><br><b>VIC Edit:</b> BASE II will move zeros to this field when a non-numeric value is submitted. |

### Retrieval Request/Confirmation Edit Criteria

|                                                                                 |                                                                                                                      |
|---------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------|
| <b>PAN Token</b><br>Positions: 88-103<br>Length: 16<br>Format: unpacked numeric | <b>Description:</b> A value that replaces the PAN at the time of authorization and clearing for merchants/acquirers. |
| <b>Reserved</b><br>Positions: 104-168<br>Length: 65<br>Format: alphanumeric     | <b>Description:</b> This field is reserved for future use. EP will always space-fill.                                |

## TC 52 - TCR 4

These tables contain the Retrieval Request (TC 52) record layout and edit criteria for TCR 4.

### CTF - Outgoing and Incoming Interchange

#### Retrieval Request/Confirmation Record Layout

| Position | Field Length | Format | Contents                              |
|----------|--------------|--------|---------------------------------------|
| 1-2      | 2            | UN     | Transaction Code                      |
| 3        | 1            | UN     | Transaction Code Qualifier            |
| 4        | 1            | UN     | Transaction Component Sequence Number |
| 5-16     | 12           | AN     | Reserved                              |
| 17-20    | 4            | UN     | Network Identification Code           |
| 21-45    | 25           | AN     | Contact for Information               |
| 46-168   | 123          | AN     | Reserved                              |

Format: AN = Alphanumeric, ANS = Alphanumeric Special, DX = Display Hexadecimal, N = Numeric, UN = Unpacked Numeric



### Retrieval Request/Confirmation Edit Criteria

|                                                                                                       |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
|-------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Transaction Code</b><br>Positions: 1-2<br>Length: 2<br>Format: unpacked numeric                    | <b>Description:</b> This field must contain <b>52</b> .<br>The Transaction Code is:<br><b>52</b> = Request for copy                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
| <b>Transaction Code Qualifier</b><br>Positions: 3<br>Length: 1<br>Format: unpacked numeric            | <b>Description:</b> This field must contain a <b>0</b> (zero).<br>This edit will continue to be performed by the Edit Package when the Bypass Business Edits option is used during an outgoing edit run.                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
| <b>Transaction Component Sequence Number</b><br>Positions: 4<br>Length: 1<br>Format: unpacked numeric | <b>Description:</b> This field must contain a <b>4</b> .                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
| <b>Reserved</b><br>Positions: 5-16<br>Length: 12<br>Format: alphanumeric                              | <b>Description:</b> This field is reserved for future use. EP will always space-fill.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
| <b>Network Identification Code</b><br>Positions: 17-20<br>Length: 4<br>Format: unpacked numeric       | <b>Description:</b> Indicates debit product used. The entry must be numeric and may be zeros. This field is mapped to the V.I.P. Network ID field.<br><b>0002</b> = Visa (this is the default if the TCR 4 is not included)<br><b>0004</b> = Plus<br>This field is included in all non-Visa original full financial transactions acquired by V.I.P.<br>This field is included in all non-Visa presentments acquired by the VisaNet Debit System. Plus Issuers are required to retain and return the Network Identification Code in subsequent U.S. domestic dispute financials and retrieval requests if this field was received in the original transaction. |
| <b>Contact for Information</b><br>Positions: 21-45<br>Length: 25<br>Format: alphanumeric              | <b>Description:</b> Information that assists the recipient in contacting the originator. If not used, this field should be spaces.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
| <b>Reserved</b><br>Positions: 46-168<br>Length: 123<br>Format: alphanumeric                           | <b>Description:</b> This field is reserved for future use. EP will always space-fill.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |

# Chapter 4

## TC 54 Table Update Record Transactions

---

### TC 54 - Table Update Record Transactions

The Table Update Records (TC 54) are used by a VIC (Visa Interchange Center) to transmit revised BIN Table records and ARDEF (Account Range Definition) Table File records to processing centers through the Interchange Transaction File.

TCR 0

ITF – Incoming Interchange

# TC 54 - TCR 0 Edit Package Release 4.0 Table Update Record Transactions

These tables contain the Table Update (TC 54) record layout and edit criteria for TCR 0 Edit Package Release 4.0 Table Update Record Transactions..

## CTF - Incoming Interchange

### Edit Package Release 4.0 Table Update Record Layout

| Position | Field Length | Format | Contents                              |
|----------|--------------|--------|---------------------------------------|
| 1-2      | 2            | UN     | Transaction Code                      |
| 3-4      | 2            | Binary | Record Hash Total                     |
| 5        | 1            | UN     | Transaction Code Qualifier            |
| 6        | 1            | UN     | Transaction Component Sequence Number |
| 7-12     | 6            | UN     | Destination Identifier                |
| 13-18    | 6            | UN     | Source Identifier                     |
| 19-22    | 4            | UN     | Version Number                        |
| 23-28    | 6            | UN     | Sequence Number                       |
| 29       | 1            | AN     | Record Type                           |
| 30-169   | 140          | Group  | File Replacement Data                 |
| 170      | 1            | AN     | Reimbursement Attribute               |

Format: AN = Alphanumeric, ANS = Alphanumeric Special, DX = Display Hexadecimal, N = Numeric, UN = Unpacked Numeric

### Edit Package Release 4.0 Table Update Edit Criteria

|                                                                                    |                                                                                                                                                                                                            |
|------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Transaction Code</b><br>Positions: 1-2<br>Length: 2<br>Format: unpacked numeric | <b>Description:</b> The field will contain <b>54</b> .                                                                                                                                                     |
| <b>Record Hash Total</b><br>Positions: 3-4<br>Length: 2<br>Format: Binary          | <b>Description:</b> Used in BASE II to ensure that the collection and delivery file data have been correctly transmitted.<br><br>This field will be space-filled for computers not generating hash-totals. |

### Edit Package Release 4.0 Table Update Edit Criteria

|                                                                                                       |                                                                                                                                                                                                                                                                                                                                                                     |
|-------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Transaction Code Qualifier</b><br>Positions: 5<br>Length: 1<br>Format: unpacked numeric            | <b>Description:</b> This edit will continue to be performed by the Edit Package when the Bypass Business Edits option is used during an outgoing edit run.                                                                                                                                                                                                          |
| <b>Transaction Component Sequence Number</b><br>Positions: 6<br>Length: 1<br>Format: unpacked numeric | <b>Description:</b> This field must contain a <b>0</b> (zero).                                                                                                                                                                                                                                                                                                      |
| <b>Destination Identifier</b><br>Positions: 7–12<br>Length: 6<br>Format: unpacked numeric             | <b>Description:</b> The entity to which a BASE II transaction message is sent. The field will contain a valid acquiring or issuing identifier.                                                                                                                                                                                                                      |
| <b>Source Identifier</b><br>Positions: 13–18<br>Length: 6<br>Format: unpacked numeric                 | <b>Description:</b> The entity from which a BASE II transaction message is sent.<br><br>The field will contain <b>400008</b> (the BASE II table distribution identifier).                                                                                                                                                                                           |
| <b>Version Number</b><br>Positions: 19–22<br>Length: 4<br>Format: unpacked numeric                    | <b>Description:</b> This field will contain <b>zeros</b> .                                                                                                                                                                                                                                                                                                          |
| <b>Sequence Number</b><br>Positions: 23–28<br>Length: 6<br>Format: unpacked numeric                   | <b>Description:</b> This field will contain a sequence number of the record within a set of TC 54s. Sequence numbers start with zero and increment by one.                                                                                                                                                                                                          |
| <b>Record Type</b><br>Positions: 29<br>Length: 1<br>Format: alphanumeric                              | <b>Description:</b><br>Values:<br><b>A</b> = Header for a set of updates<br><b>C</b> = Account Range File Data (C for Card Number)<br><b>L</b> = Codebase File Data<br><b>M</b> = BIN File Data (M for member)<br><b>P</b> = Profile File Data<br><b>D</b> = Definition File Data<br><b>V</b> = Rule and Value File Data<br><b>Z</b> = Trailer for a set of updates |

### Edit Package Release 4.0 Table Update Edit Criteria

|                                                                                   |                                                                                                                                                                                                           |
|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>File Replacement Data</b><br>Positions: 30–169<br>Length: 140<br>Format: Group | <b>Description:</b> This element contains the data needed to update the center's Edit Package files.<br>(Group data for Record Types <b>A</b> & <b>Z</b> )                                                |
| <b>File Image</b><br>Positions: 30<br>Length: 1<br>Format: alphanumeric           | <b>Description:</b> This field should contain an <b>N</b> .                                                                                                                                               |
| <b>File Updated</b><br>Positions: 31<br>Length: 1<br>Format: alphanumeric         | <b>Description:</b> This field specifies the file to be updated:<br><b>A</b> = Account Range<br><b>B</b> = BIN<br><b>C</b> = Codebase<br><b>D</b> = Definitions<br><b>P</b> = Profile<br><b>V</b> = Value |
| <b>Update Mode</b><br>Positions: 32<br>Length: 1<br>Format: alphanumeric          | <b>Description:</b> This field specifies the type of update:<br><b>R</b> = Complete replace<br><b>S</b> = Single update                                                                                   |
| <b>Reserved</b><br>Positions: 33–169<br>Length: 137<br>Format: alphanumeric       | <b>Description:</b> This field is reserved and should be spaces.                                                                                                                                          |
| <b>File Replacement Data</b><br>Positions: 30–169<br>Length: 140<br>Format: Group | <b>Description:</b> This element contains the data needed to update the center's Edit Package files.<br>(Group data for Record Types <b>C</b> , <b>L</b> , <b>M</b> , <b>V</b> , <b>D</b> and <b>P</b> )  |
| <b>Table Record</b><br>Positions: 30–129<br>Length: 100<br>Format: alphanumeric   | <b>Description:</b> This field contains Edit Package Table Update Record. For table update record layouts, see <i>BASE II Clearing Edit Package (Release 4.0) Operations Guide</i> .                      |

### Edit Package Release 4.0 Table Update Edit Criteria

|                                                                                       |                                                                  |
|---------------------------------------------------------------------------------------|------------------------------------------------------------------|
| <b>Reserved</b><br>Positions: 130–169<br>Length: 40<br>Format: alphanumeric           | <b>Description:</b> This field is reserved for Edit Package use. |
| <b>Reimbursement Attribute</b><br>Positions: 170<br>Length: 1<br>Format: alphanumeric | <b>Description:</b> Obsolete - must be zero-filled.              |

## TC 54 - TCR 0 Visa Clearing Exchange Table Update Record Transactions

These tables contain the Table Update (TC 54) record layout and edit criteria for TCR 0 Visa Clearing Exchange Table Update Record Transactions.

### CTF - Incoming Interchange

#### Visa Clearing Exchange Table Update Record Layout

| Position | Field Length | Format | Contents                              |
|----------|--------------|--------|---------------------------------------|
| 1–2      | 2            | UN     | Transaction Code                      |
| 3–4      | 2            | Binary | Record Hash Total                     |
| 5        | 1            | UN     | Transaction Code Qualifier            |
| 6        | 1            | UN     | Transaction Component Sequence Number |
| 7–12     | 6            | UN     | Destination Identifier                |
| 13–18    | 6            | UN     | Source Identifier                     |
| 19–21    | 3            | UN     | VCX Version Number                    |
| 22–28    | 7            | UN     | Sequence Number                       |
| 29       | 1            | AN     | Record Type                           |
| 30–169   | 140          | Group  | File Replacement Data                 |
| 170      | 1            | AN     | Reimbursement Attribute               |

Format: AN = Alphanumeric, ANS = Alphanumeric Special, DX = Display Hexadecimal, N = Numeric, UN = Unpacked Numeric

### Visa Clearing Exchange Table Update Edit Criteria

|                                                                                                       |                                                                                                                                                                                                            |
|-------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Transaction Code</b><br>Positions: 1–2<br>Length: 2<br>Format: unpacked numeric                    | <b>Description:</b> The field will contain <b>54</b> .                                                                                                                                                     |
| <b>Record Hash Total</b><br>Positions: 3–4<br>Length: 2<br>Format: Binary                             | <b>Description:</b> Used in BASE II to ensure that the collection and delivery file data have been correctly transmitted.<br><br>This field will be space-filled for computers not generating hash-totals. |
| <b>Transaction Code Qualifier</b><br>Positions: 5<br>Length: 1<br>Format: unpacked numeric            | <b>Description:</b> This edit will continue to be performed by the Edit Package when the Bypass Business Edits option is used during an outgoing edit run.                                                 |
| <b>Transaction Component Sequence Number</b><br>Positions: 6<br>Length: 1<br>Format: unpacked numeric | <b>Description:</b> This field must contain a <b>0</b> (zero).                                                                                                                                             |
| <b>Destination Identifier</b><br>Positions: 7–12<br>Length: 6<br>Format: unpacked numeric             | <b>Description:</b> The entity to which a BASE II transaction message is sent.<br><br>The field will contain a valid acquiring or issuing identifier.                                                      |
| <b>Source Identifier</b><br>Positions: 13–18<br>Length: 6<br>Format: unpacked numeric                 | <b>Description:</b> The entity from which a BASE II transaction message is sent.<br><br>The field will contain <b>400008</b> (the BASE II table distribution identifier).                                  |
| <b>VCX Version Number</b><br>Positions: 19–21<br>Length: 3<br>Format: unpacked numeric                | <b>Description:</b> This field will contain <b>100</b> .                                                                                                                                                   |
| <b>Sequence Number</b><br>Positions: 22–28<br>Length: 7<br>Format: unpacked numeric                   | <b>Description:</b> This field will contain a sequence number of the record within a set of TC 54s. Sequence numbers start with zero and increment by one.                                                 |

### Visa Clearing Exchange Table Update Edit Criteria

|                                                                                               |                                                                                                                                                                                                                                                                                                                                                   |
|-----------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Record Type</b><br>Positions: 29<br>Length: 1<br>Format: alphanumeric                      | <b>Description:</b><br>Values:<br><b>A</b> = Header for a set of updates<br><b>C</b> = Account Range File Data (C for Card Number)<br><b>M</b> = BIN File Data (M for member)<br><b>D</b> = VCX Config tables<br><b>P</b> = Profile File Data<br><b>R</b> = Rules tables<br><b>V</b> = Value File Data<br><b>Z</b> = Trailer for a set of updates |
| <b>Table Data (Group)</b><br>Positions: 30–169<br>Length: 140<br>Format: Group                | <b>Description:</b> Contains the group data for table update data.                                                                                                                                                                                                                                                                                |
| <b>Table Key</b><br>Positions: 30–52<br>Length: 23<br>Format: alphanumeric                    | <b>Description:</b> Contains a table key.                                                                                                                                                                                                                                                                                                         |
| <b>Effective Date</b><br>Positions: 53–60<br>Length: 8<br>Format: alphanumeric                | <b>Description:</b> Contains the effective date of table record in ccyyymmdd where:<br>cc = <b>01–99</b> (Century)<br>yy = <b>00–99</b> (Year)<br>mm = <b>01–12</b> (Month)<br>dd = <b>01–31</b> (Day)                                                                                                                                            |
| <b>Delete Indicator</b><br>Positions: 61<br>Length: 1<br>Format: alphanumeric                 | <b>Description:</b> Contains the following valid values:<br>Space = Active record<br><b>D</b> = Logical delete<br><b>P</b> = Physical delete                                                                                                                                                                                                      |
| <b>Table Record Sequence Number</b><br>Positions: 62<br>Length: 1<br>Format: unpacked numeric | <b>Description:</b> Contains a table record sequence number.                                                                                                                                                                                                                                                                                      |



### Visa Clearing Exchange Table Update Edit Criteria

|                                                                               |                                                                       |
|-------------------------------------------------------------------------------|-----------------------------------------------------------------------|
| <b>Table Data</b><br>Positions: 63–169<br>Length: 107<br>Format: alphanumeric | <b>Description:</b> Contains the group data for table update data.    |
| <b>Reserved</b><br>Positions: 170<br>Length: 1<br>Format: alphanumeric        | <b>Description:</b> This field is reserved and should be zero-filled. |

# Chapter 5

## TC 55 RCRF Update Record Transactions

---

### TC 55 - RCRF Update Record Transactions

The Regional Card Recovery File (RCRF) Update Records (TC 55) are used by a VisaNet Interchange Center (VIC) to transmit updates to the Regional Card File.

TCR 0, 1, 2

CTF - Incoming Interchange

### TC 55 - TCR 0

These tables contain the RCRF Update (TC 55) record layout and edit criteria for TCR 0.

**CTF - Incoming Interchange**

### RCRF Update Record Layout

| Position | Field Length | Format | Contents                              |
|----------|--------------|--------|---------------------------------------|
| 1-2      | 2            | UN     | Transaction Code                      |
| 3        | 1            | UN     | Transaction Code Qualifier            |
| 4        | 1            | UN     | Transaction Component Sequence Number |
| 5-10     | 6            | UN     | Destination Identifier                |
| 11-16    | 6            | UN     | Source Identifier                     |
| 17-116   | 100          | AN     | Transaction Data                      |
| 117-120  | 4            | AN     | Record ID                             |
| 121-167  | 47           | AN     | Transaction Data                      |
| 168      | 1            | AN     | Reimbursement Attribute               |

Format: AN = Alphanumeric, ANS = Alphanumeric Special, DX = Display Hexadecimal, N = Numeric, UN = Unpacked Numeric

### RCRF Update Edit Criteria

|                                                                                                       |                                                                                                                                                                                                         |
|-------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Transaction Code</b><br>Positions: 1-2<br>Length: 2<br>Format: unpacked numeric                    | <b>Description:</b> The field will contain <b>55</b> .                                                                                                                                                  |
| <b>Transaction Code Qualifier</b><br>Positions: 3<br>Length: 1<br>Format: unpacked numeric            | <b>Description:</b> The field will contain a <b>0</b> (zero).<br>This edit will continue to be performed by the Edit Package when the Bypass Business Edits option is used during an outgoing edit run. |
| <b>Transaction Component Sequence Number</b><br>Positions: 4<br>Length: 1<br>Format: unpacked numeric | <b>Description:</b> The field will contain a <b>0</b> (zero).                                                                                                                                           |
| <b>Destination Identifier</b><br>Positions: 5-10<br>Length: 6<br>Format: unpacked numeric             | <b>Description:</b> The entity to which a BASE II transaction message is sent.<br>The field will contain a valid acquiring or issuing identifier.                                                       |

## RCRF Update Edit Criteria

|                                                                                       |                                                                                                                                                                                                                                                                               |
|---------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Source Identifier</b><br>Positions: 11-16<br>Length: 6<br>Format: unpacked numeric | <b>Description:</b> The entity from which a BASE II transaction message is sent.<br><br>The field will contain a valid Visa Internal identifier.                                                                                                                              |
| <b>Transaction Data</b><br>Positions: 17-116<br>Length: 100<br>Format: alphanumeric   | <b>Description:</b> See <i>Card Recovery Bulletin User's Guide</i> for specific transaction data information.                                                                                                                                                                 |
| <b>Record ID</b><br>Positions: 117-120<br>Length: 4<br>Format: alphanumeric           | <b>Description:</b> Identifies the type of record.<br>Values:<br><b>RCRF</b> = Regional Card Recovery File transactions<br><b>ABCS</b> = ABCS transactions<br><b>EHCf</b> = Electronic HotCard File transactions<br><b>COPA</b> = COPAC Negative File transactions (Obsolete) |
| <b>Transaction Data</b><br>Positions: 121-167<br>Length: 47<br>Format: alphanumeric   | <b>Description:</b> See <i>Card Recovery Bulletin User's Guide</i> for specific transaction data information.                                                                                                                                                                 |
| <b>Reimbursement Attribute</b><br>Positions: 168<br>Length: 1<br>Format: alphanumeric | <b>Description:</b> Obsolete - must be zero-filled.                                                                                                                                                                                                                           |

## TC 55 - TCR 1-2

These tables contain the RCRF Update (TC 55) record layout and edit criteria for TCR 1-2.

### CTF - Incoming Interchange

#### RCRF Update Record Layout

| Position | Field Length | Format | Contents                              |
|----------|--------------|--------|---------------------------------------|
| 1-2      | 2            | UN     | Transaction Code                      |
| 3        | 1            | UN     | Transaction Code Qualifier            |
| 4        | 1            | UN     | Transaction Component Sequence Number |

### RCRF Update Record Layout

| Position | Field Length | Format | Contents         |
|----------|--------------|--------|------------------|
| 5-168    | 164          | AN     | Transaction Data |

Format: AN = Alphanumeric, ANS = Alphanumeric Special, DX = Display Hexadecimal, N = Numeric, UN = Unpacked Numeric

### RCRF Update Edit Criteria

|                                                                                                       |                                                                                                                                                                                                             |
|-------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Transaction Code</b><br>Positions: 1-2<br>Length: 2<br>Format: unpacked numeric                    | <b>Description:</b> The field will contain <b>55</b> .                                                                                                                                                      |
| <b>Transaction Code Qualifier</b><br>Positions: 3<br>Length: 1<br>Format: unpacked numeric            | <b>Description:</b> The field will contain a <b>0</b> (zero).<br><br>This edit will continue to be performed by the Edit Package when the Bypass Business Edits option is used during an outgoing edit run. |
| <b>Transaction Component Sequence Number</b><br>Positions: 4<br>Length: 1<br>Format: unpacked numeric | <b>Description:</b> The field will contain a <b>1</b> or <b>2</b> .                                                                                                                                         |
| <b>Transaction Data</b><br>Positions: 5-168<br>Length: 164<br>Format: alphanumeric                    | <b>Description:</b> See <i>Card Recovery Bulletin User's Guide</i> for specific transaction data information.                                                                                               |

## TC 55 - TCR 1, 2, 3-7

These tables contain the RCRF Update (TC 55) record layout and edit criteria for TCR 1, 2 - (Outgoing Interchange), TCR 3-7 - (Outgoing and Incoming).

### CTF - Outgoing and Incoming Interchange

### TC 1,2 (Outgoing Interchange), TCR 3-7 (Outgoing and Incoming) RCRF Update Record Layout

| Position | Field Length | Format | Contents                                   |
|----------|--------------|--------|--------------------------------------------|
| 1-2      | 2            | UN     | Transaction Code                           |
| 3        | 1            | UN     | Transaction Code Qualifier                 |
| 4        | 1            | UN     | Transaction Component Sequence Number      |
| 5-168    | 164          | AN     | Transaction Data (Reserved for future use) |

Format: AN = Alphanumeric, ANS = Alphanumeric Special, DX = Display Hexadecimal, N = Numeric, UN = Unpacked Numeric

### TC 1,2 (Outgoing Interchange), TCR 3-7 (Outgoing and Incoming) RCRF Update Edit Criteria

|                                                                                                       |                                                                                                                                                                                                                  |
|-------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Transaction Code</b><br>Positions: 1-2<br>Length: 2<br>Format: unpacked numeric                    | <b>Description:</b> The field will contain <b>55</b> .                                                                                                                                                           |
| <b>Transaction Code Qualifier</b><br>Positions: 3<br>Length: 1<br>Format: unpacked numeric            | <b>Description:</b> The field will contain <b>1</b> through <b>7</b> .<br>This edit will continue to be performed by the Edit Package when the Bypass Business Edits option is used during an outgoing edit run. |
| <b>Transaction Component Sequence Number</b><br>Positions: 4<br>Length: 1<br>Format: unpacked numeric | <b>Description:</b> The field will contain <b>1</b> through <b>7</b> .                                                                                                                                           |
| <b>Transaction Data</b><br>Positions: 5-168<br>Length: 164<br>Format: alphanumeric                    | <b>Description:</b> See <i>Card Recovery Bulletin User's Guide</i> for specific transaction data information.                                                                                                    |

# Chapter 6

## TC 56 Currency Conversion Rate Update Record Transactions

---

### TC 56 - Currency Conversion Rate Update Record Transactions

The Currency Conversion Rate Update Records (TC 56) are used by a VisaNet Interchange Center (VIC) to transmit daily updates to the processing center's conversion rate file.

TCR 0, 1

CTF - Incoming Interchange

The VIC provides subscribing centers with the same Currency Conversion Rate information that it uses, so that centers can have the actual conversion rate used. Clients must subscribe to this service to receive the conversion rates.

Each Currency Conversion Rate Update transaction contains eleven different entries; the last record in the file may contain fewer than eleven. Each entry contains the ISO numeric Currency Code of the counter currency, the ISO numeric Currency Code of the base currency, VIC Processing Date, the buy conversion and sell conversion rate applied to the currency that day, and the currency scale factor identifier for each of the conversion rates.

The contents of the Visa International Currency Conversion Rate file (i.e., Rate Update Records or TC 56 file) are Confidential and may be used only by Visa and its authorized client financial institutions. Any other use is strictly prohibited unless expressly authorized by Visa International.

## TC 56 - TCR 0

These tables contain the Currency Conversion Rate Update (TC 56) record layout and edit criteria for TCR 0.

### CTF - Incoming Interchange

#### Currency Conversion Rate Update Record Layout

| Position | Field Length | Format | Contents                              |
|----------|--------------|--------|---------------------------------------|
| 1-2      | 2            | UN     | Transaction Code                      |
| 3        | 1            | UN     | Transaction Code Qualifier            |
| 4        | 1            | UN     | Transaction Component Sequence Number |
| 5-10     | 6            | UN     | Destination Identifier                |
| 11-16    | 6            | UN     | Source Identifier                     |
| 17-43    | 27           | Group  | First Currency Entry                  |
| 44-70    | 27           | Group  | Second Currency Entry                 |
| 71—97    | 27           | Group  | Third Currency Entry                  |
| 98-124   | 27           | Group  | Fourth Currency Entry                 |
| 125-151  | 27           | Group  | Fifth Currency Entry                  |
| 152-156  | 5            | AN     | Rate Table ID                         |
| 157-168  | 12           | AN     | Reserved                              |

Format: AN = Alphanumeric, ANS = Alphanumeric Special, DX = Display Hexadecimal, N = Numeric, UN = Unpacked Numeric



### Currency Conversion Rate Update Edit Criteria

|                                                                                                       |                                                                                                                                                                                                              |
|-------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Transaction Code</b><br>Positions: 1-2<br>Length: 2<br>Format: unpacked numeric                    | <b>Description:</b> The field will contain <b>56</b> .                                                                                                                                                       |
| <b>Transaction Code Qualifier</b><br>Positions: 3<br>Length: 1<br>Format: unpacked numeric            | <b>Description:</b> The field will contain a <b>0</b> (zero).<br>This edit will continue to be performed by the Edit Package when the Bypass Business Edits option is used during an outgoing edit run.      |
| <b>Transaction Component Sequence Number</b><br>Positions: 4<br>Length: 1<br>Format: unpacked numeric | <b>Description:</b> The field will contain a <b>0</b> (zero).                                                                                                                                                |
| <b>Destination Identifier</b><br>Positions: 5-10<br>Length: 6<br>Format: unpacked numeric             | <b>Description:</b> The entity to which a BASE II transaction message is sent.<br>This field will contain a valid acquiring or issuing identifier.                                                           |
| <b>Source Identifier</b><br>Positions: 11-16<br>Length: 6<br>Format: unpacked numeric                 | <b>Description:</b> The entity from which a BASE II transaction message is sent.<br><b>Incoming:</b> This field must contain <b>400020</b> .                                                                 |
| <b>First Currency Entry</b><br>Positions: 17-43<br>Length: 27<br>Format: Group                        | <b>Description:</b> The entry contains the ISO numeric Currency Code of the first counter currency.                                                                                                          |
| <b>Action Code</b><br>Positions: 17<br>Length: 1<br>Format: alphanumeric                              | <b>Description:</b> The full file distribution has an action code of <b>A</b> . The unused entries are spaces, which indicates the end of the record.<br><b>A</b> = Add rate<br><b>*</b> = Add currency type |
| <b>Counter Currency Code</b><br>Positions: 18-20<br>Length: 3<br>Format: alphanumeric                 | <b>Description:</b> ISO numeric Currency Code of the counter currency.                                                                                                                                       |

### Currency Conversion Rate Update Edit Criteria

|                                                                                                |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
|------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Base Currency Code</b><br>Positions: 21-23<br>Length: 3<br>Format: alphanumeric             | <b>Description:</b> ISO numeric Currency Code of the base currency.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
| <b>Effective Date</b><br>Positions: 24-27<br>Length: 4<br>Format: unpacked numeric             | <b>Description:</b> The format of this field is <b>MMDD</b> (month, day).                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
| <b>Buy Scale Factor and Rate</b><br>Positions: 28-35<br>Length: 8<br>Format: unpacked numeric  | <b>Description:</b> The currency scale factor identifier for each of the conversion rates.<br>The number of units of base currency required to buy one unit of counter currency.<br>The format of this field is <b>SSRRRRRR</b> , where:<br><b>SS</b> = Scale Factor. These positions represent the number of digits to the right of the decimal point in the currency conversion rate field. The first two positions will be <b>00</b> through <b>12</b> .<br><b>RRRRRR</b> = Conversion Rate <ul style="list-style-type: none"> <li>• A scale factor of zero means the entry is a whole number.</li> <li>• A scale factor of 01 means the number has one decimal place accuracy: RRRRR.R is entered as 01RRRRRR.</li> <li>• A scale factor of 02 means the number has two decimal places accuracy: RRRR.RR is entered as 02RRRRRR, and so forth.</li> <li>• For a scale factor greater than 6, as many leading zeros as necessary should be inserted; for example, .00RRRRRR is entered as 08RRRRRR.</li> </ul> |
| <b>Sell Scale Factor and Rate</b><br>Positions: 36-43<br>Length: 8<br>Format: unpacked numeric | <b>Description:</b> The number of units of base currency received from selling one unit of counter currency.<br>The sell conversion rate applied to the currency.<br>The format of this field is <b>SSRRRRRR</b> where:<br><b>SS</b> = Scale Factor. These positions represent the number of digits to the right of the decimal point in the currency conversion rate field. The first two positions will be <b>00</b> through <b>12</b> .<br><b>RRRRRR</b> = Conversion Rate. <ul style="list-style-type: none"> <li>• A scale factor of zeros means the entry is a whole number.</li> <li>• A scale factor of 01 means the number has one decimal place accuracy: RRRRR.R is entered as 01RRRRRR.</li> <li>• A scale factor of 02 means the number has two decimal places accuracy: RRRR.RR is entered as 02RRRRRR, and so forth.</li> <li>• For a scale factor greater than 6, as many leading zeros as necessary should be inserted; for example, .00RRRRRR is entered as 08RRRRRR.</li> </ul>                |

### Currency Conversion Rate Update Edit Criteria

|                                                                                               |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
|-----------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Second Currency Entry</b><br>Positions: 44-70<br>Length: 27<br>Format: Group               | <b>Description:</b> The entry contains the ISO numeric Currency Code of the second counter currency.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
| <b>Action Code</b><br>Positions: 44<br>Length: 1<br>Format: alphanumeric                      | <b>Description:</b> The full file distribution has an action code of <b>A</b> . The unused entries are spaces, which indicates the end of the record.<br><br><b>A</b> = Add rate<br><b>*</b> = Add currency type                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
| <b>Counter Currency Code</b><br>Positions: 45-47<br>Length: 3<br>Format: alphanumeric         | <b>Description:</b> ISO numeric Currency Code of the counter currency.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
| <b>Base Currency Code</b><br>Positions: 48-50<br>Length: 3<br>Format: alphanumeric            | <b>Description:</b> ISO numeric Currency Code of the base currency.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
| <b>Effective Date</b><br>Positions: 51-54<br>Length: 4<br>Format: unpacked numeric            | <b>Description:</b> The format of this field is <b>MMDD</b> (month, day).                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
| <b>Buy Scale Factor and Rate</b><br>Positions: 55-62<br>Length: 8<br>Format: unpacked numeric | <b>Description:</b> The currency scale factor identifier for each of the conversion rates.<br><br>The number of units of base currency required to buy one unit of counter currency.<br><br>The format of this field is <b>SSRRRRRR</b> , where:<br><br><b>SS</b> = Scale Factor. These positions represent the number of digits to the right of the decimal point in the currency conversion rate field. The first two positions will be <b>00</b> through <b>12</b> .<br><br><b>RRRRRR</b> = Conversion Rate <ul style="list-style-type: none"> <li>• A scale factor of zero means the entry is a whole number.</li> <li>• A scale factor of 01 means the number has one decimal place accuracy: RRRRR.R is entered as 01RRRRRR).</li> <li>• A scale factor of 02 means the number has two decimal places accuracy: RRRR.RR is entered as 02RRRRRR, and so forth.</li> <li>• For a scale factor greater than 6, as many leading zeros as necessary should be inserted; for example, .00RRRRRR is entered as 08RRRRRR.</li> </ul> |

### Currency Conversion Rate Update Edit Criteria

|                                                                                                |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
|------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Sell Scale Factor and Rate</b><br>Positions: 63-70<br>Length: 8<br>Format: unpacked numeric | <b>Description:</b> The number of units of base currency received from selling one unit of counter currency.<br>The sell conversion rate applied to the currency.<br>The format of this field is <b>SSRRRRRR</b> where:<br><b>SS</b> = Scale Factor. These positions represent the number of digits to the right of the decimal point in the currency conversion rate field. The first two positions will be <b>00</b> through <b>12</b> .<br><b>RRRRRR</b> = Conversion Rate.<br><ul style="list-style-type: none"> <li>• A scale factor of zeros means the entry is a whole number.</li> <li>• A scale factor of 01 means the number has one decimal place accuracy: RRRRR.R is entered as 01RRRRRR.</li> <li>• A scale factor of 02 means the number has two decimal places accuracy: RRRR.RR is entered as 02 RRRRRR, and so forth.</li> <li>• For a scale factor greater than 6, as many leading zeros as necessary should be inserted; for example, .00RRRRRR is entered as 08RRRRRR.</li> </ul> |
| <b>Third Currency Entry</b><br>Positions: 71-97<br>Length: 27<br>Format: Group                 | <b>Description:</b> The entry contains the ISO numeric Currency Code of the third counter currency                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
| <b>Action Code</b><br>Positions: 71<br>Length: 1<br>Format: alphanumeric                       | <b>Description:</b> The full file distribution has an action code of <b>A</b> . The unused entries are spaces, which indicate the end of the record.<br><b>A</b> = Add rate<br><b>*</b> = Add currency type                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
| <b>Counter Currency Code</b><br>Positions: 72-74<br>Length: 3<br>Format: alphanumeric          | <b>Description:</b> ISO numeric Currency Code of the counter currency. ISO numeric Currency Code of the counter currency.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| <b>Base Currency Code</b><br>Positions: 75-77<br>Length: 3<br>Format: alphanumeric             | <b>Description:</b> ISO numeric Currency Code of the base currency.<br><b>Note:</b> This field must contain a space.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
| <b>Effective Date</b><br>Positions: 78-81<br>Length: 4<br>Format: unpacked numeric             | <b>Description:</b> The format of this field is <b>MMDD</b> (month, day).                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |

## Currency Conversion Rate Update Edit Criteria

|                                                                                                |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
|------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Buy Scale Factor and Rate</b><br>Positions: 82-89<br>Length: 8<br>Format: unpacked numeric  | <p><b>Description:</b> The currency scale factor identifier for each of the conversion rates.</p> <p>The number of units of base currency required to buy one unit of counter currency.</p> <p>The format of this field is <b>SSRRRRRR</b>, where:</p> <p><b>SS</b> = Scale Factor. These positions represent the number of digits to the right of the decimal point in the currency conversion rate field. The first two positions will be <b>00</b> through <b>12</b>.</p> <p><b>RRRRRR</b> = Conversion Rate</p> <ul style="list-style-type: none"> <li>• A scale factor of zero means the entry is a whole number.</li> <li>• A scale factor of 01 means the number has one decimal place accuracy: RRRRR.R is entered as 01RRRRRR).</li> <li>• A scale factor of 02 means the number has two decimal places accuracy: RRRR.RR is entered as 02RRRRRR, and so forth.</li> <li>• For a scale factor greater than 6, as many leading zeros as necessary should be inserted; for example, .00RRRRRR is entered as 08RRRRRR.</li> </ul> |
| <b>Sell Scale Factor and Rate</b><br>Positions: 90-97<br>Length: 8<br>Format: unpacked numeric | <p><b>Description:</b> The number of units of base currency received from selling one unit of counter currency.</p> <p>The sell conversion rate applied to the currency.</p> <p>The format of this field is <b>SSRRRRRR</b> where:</p> <p><b>SS</b> = Scale Factor. These positions represent the number of digits to the right of the decimal point in the currency conversion rate field. The first two positions will be <b>00</b> through <b>12</b>.</p> <p><b>RRRRRR</b> = Conversion Rate.</p> <ul style="list-style-type: none"> <li>• A scale factor of zeros means the entry is a whole number.</li> <li>• A scale factor of 01 means the number has one decimal place accuracy: RRRRR.R is entered as 01RRRRRR.</li> <li>• A scale factor of 02 means the number has two decimal places accuracy: RRRR.RR is entered as 02 RRRRRR, and so forth.</li> <li>• For a scale factor greater than 6, as many leading zeros as necessary should be inserted; for example, .00RRRRRR is entered as 08RRRRRR.</li> </ul>               |
| <b>Fourth Currency Entry</b><br>Positions: 98-124<br>Length: 27<br>Format: Group               | <p><b>Description:</b> The entry contains the ISO numeric Currency Code of the fourth counter currency.</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
| <b>Action Code</b><br>Positions: 98<br>Length: 1<br>Format: alphanumeric                       | <p><b>Description:</b> The full file distribution has an action code of <b>A</b>. The unused entries are spaces, which indicates the end of the record.</p> <p><b>A</b> = Add rate</p> <p><b>*</b> = Add currency type</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |

### Currency Conversion Rate Update Edit Criteria

|                                                                                                 |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
|-------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Counter Currency Code</b><br>Positions: 99-101<br>Length: 3<br>Format: alphanumeric          | <b>Description:</b> ISO numeric Currency Code of the counter currency.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
| <b>Base Currency Code</b><br>Positions: 102-104<br>Length: 3<br>Format: alphanumeric            | <b>Description:</b> ISO numeric Currency Code of the base currency.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
| <b>Effective Date</b><br>Positions: 105-108<br>Length: 4<br>Format: unpacked numeric            | <b>Description:</b> The format of this field is <b>MMDD</b> (month, day).                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
| <b>Buy Scale Factor and Rate</b><br>Positions: 109-116<br>Length: 8<br>Format: unpacked numeric | <p><b>Description:</b> The currency scale factor identifier for each of the conversion rates.</p> <p>The number of units of base currency required to buy one unit of counter currency.</p> <p>The format of this field is <b>SSRRRRRR</b>, where:</p> <p><b>SS</b> = Scale Factor. These positions represent the number of digits to the right of the decimal point in the currency conversion rate field. The first two positions will be <b>00</b> through <b>12</b>.</p> <p><b>RRRRRR</b> = Conversion Rate</p> <ul style="list-style-type: none"> <li>• A scale factor of zero means the entry is a whole number.</li> <li>• A scale factor of 01 means the number has one decimal place accuracy: RRRRR.R is entered as 01RRRRRR).</li> <li>• A scale factor of 02 means the number has two decimal places accuracy: RRRR.RR is entered as 02RRRRRR, and so forth.</li> <li>• For a scale factor greater than 6, as many leading zeros as necessary should be inserted; for example, .00RRRRRR is entered as 08RRRRRR.</li> </ul> |

## Currency Conversion Rate Update Edit Criteria

|                                                                                                  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
|--------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Sell Scale Factor and Rate</b><br>Positions: 117-124<br>Length: 8<br>Format: unpacked numeric | <b>Description:</b> The sell conversion rate applied to the currency.<br>The number of units of base currency received from selling one unit of counter currency.<br>The format of this field is <b>SSRRRRRR</b> where:<br><b>SS</b> = Scale Factor. These positions represent the number of digits to the right of the decimal point in the currency conversion rate field. The first two positions will be <b>00</b> through <b>12</b> .<br><b>RRRRRR</b> = Conversion Rate.<br><ul style="list-style-type: none"> <li>• A scale factor of zeros means the entry is a whole number.</li> <li>• A scale factor of 01 means the number has one decimal place accuracy: RRRRR.R is entered as 01RRRRRR.</li> <li>• A scale factor of 02 means the number has two decimal places accuracy: RRRR.RR is entered as 02 RRRRRR, and so forth.</li> <li>• For a scale factor greater than 6, as many leading zeros as necessary should be inserted; for example, .00RRRRRR is entered as 08RRRRRR.</li> </ul> |
| <b>Fifth Currency Entry</b><br>Positions: 125-151<br>Length: 27<br>Format: Group                 | <b>Description:</b> The entry contains the ISO numeric Currency Code of the fifth counter currency.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
| <b>Action Code</b><br>Positions: 125<br>Length: 1<br>Format: alphanumeric                        | <b>Description:</b> The full file distribution has an action code of <b>A</b> . The unused entries are spaces, which indicates the end of the record.<br><b>A</b> = Add rate<br><b>*</b> = Add currency type                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
| <b>Counter Currency Code</b><br>Positions: 126-128<br>Length: 3<br>Format: alphanumeric          | <b>Description:</b> ISO numeric Currency Code of the counter currency.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
| <b>Base Currency Code</b><br>Positions: 129-131<br>Length: 3<br>Format: alphanumeric             | <b>Description:</b> ISO numeric Currency Code of the base currency.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
| <b>Effective Date</b><br>Positions: 132-35<br>Length: 4<br>Format: unpacked numeric              | <b>Description:</b> The format of this field is <b>MMDD</b> (month, day).                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |

## Currency Conversion Rate Update Edit Criteria

|                                                                                                  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
|--------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Buy Scale Factor and Rate</b><br>Positions: 136-143<br>Length: 8<br>Format: unpacked numeric  | <p><b>Description:</b> The currency scale factor identifier for each of the conversion rates.</p> <p>The number of units of base currency required to buy one unit of counter currency.</p> <p>The format of this field is <b>SSRRRRRR</b>, where:</p> <p><b>SS</b> = Scale Factor. These positions represent the number of digits to the right of the decimal point in the currency conversion rate field. The first two positions will be <b>00</b> through <b>12</b>.</p> <p><b>RRRRRR</b> = Conversion Rate</p> <ul style="list-style-type: none"> <li>• A scale factor of zero means the entry is a whole number</li> <li>• A scale factor of 01 means the number has one decimal place accuracy: RRRRR.R is entered as 01RRRRRR).</li> <li>• A scale factor of 02 means the number has two decimal places accuracy: RRRR.RR is entered as 02RRRRRR, and so forth.</li> <li>• For a scale factor greater than 6, as many leading zeros as necessary should be inserted; for example, .00RRRRRR is entered as 08RRRRRR.</li> </ul> |
| <b>Sell Scale Factor and Rate</b><br>Positions: 144-151<br>Length: 8<br>Format: unpacked numeric | <p><b>Description:</b> The sell conversion rate applied to the currency.</p> <p>The number of units of base currency received from selling one unit of counter currency.</p> <p>The format of this field is <b>SSRRRRRR</b> where:</p> <p><b>SS</b> = Scale Factor. These positions represent the number of digits to the right of the decimal point in the currency conversion rate field. The first two positions will be <b>00</b> through <b>12</b>.</p> <p><b>RRRRRR</b> = Conversion Rate.</p> <ul style="list-style-type: none"> <li>• A scale factor of zeros means the entry is a whole number.</li> <li>• A scale factor of 01 means the number has one decimal place accuracy: RRRRR.R is entered as 01RRRRRR.</li> <li>• A scale factor of 02 means the number has two decimal places accuracy: RRRR.RR is entered as 02 RRRRRR, and so forth.</li> <li>• For a scale factor greater than 6, as many leading zeros as necessary should be inserted; for example, .00RRRRRR is entered as 08RRRRRR.</li> </ul>              |
| <b>Rate Table ID</b><br>Positions: 152-156<br>Length: 5<br>Format: alphanumeric                  | <p><b>Description:</b> This field will contain the rate table ID of the foreign exchange rate table used for currency conversion. The rate table ID contains alpha and numeric values for a total of five characters.</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| <b>Reserved</b><br>Positions: 157-168<br>Length: 12<br>Format: alphanumeric                      | <p><b>Description:</b> This field is reserved for future use.</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |



# TC 56 - TCR 1

These tables contain the Currency Conversion Rate Update (TC 56) record layout and edit criteria for TCR 1.

## CTF - Incoming Interchange

### Currency Conversion Rate Update Record Layout

| Position | Field Length | Format | Contents                              |
|----------|--------------|--------|---------------------------------------|
| 1-2      | 2            | UN     | Transaction Code                      |
| 3        | 1            | UN     | Transaction Code Qualifier            |
| 4        | 1            | UN     | Transaction Component Sequence Number |
| 5-31     | 27           | Group  | Sixth Currency Entry                  |
| 32-58    | 27           | Group  | Seventh Currency Entry                |
| 59-85    | 27           | Group  | Eighth Currency Entry                 |
| 86-112   | 27           | Group  | Ninth Currency Entry                  |
| 113-139  | 27           | Group  | Tenth Currency Entry                  |
| 140-166  | 27           | Group  | Eleventh Currency Entry               |
| 167-168  | 2            | AN     | Reserved                              |

Format: AN = Alphanumeric, ANS = Alphanumeric Special, DX = Display Hexadecimal, N = Numeric, UN = Unpacked Numeric

### Currency Conversion Rate Update Edit Criteria

|                                                                                            |                                                                                                                                                                                                                           |
|--------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Transaction Code</b><br>Positions: 1-2<br>Length: 2<br>Format: unpacked numeric         | <b>Description:</b> The field will contain <b>56</b> .                                                                                                                                                                    |
| <b>Transaction Code Qualifier</b><br>Positions: 3<br>Length: 1<br>Format: unpacked numeric | <b>Description:</b> This field will contain a <b>0</b> (zero).<br><br><b>Note:</b> This edit will continue to be performed by the Edit Package when the Bypass Business Edits option is used during an outgoing edit run. |

### Currency Conversion Rate Update Edit Criteria

|                                                                                                       |                                                                                                                                                                                                              |
|-------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Transaction Component Sequence Number</b><br>Positions: 4<br>Length: 1<br>Format: unpacked numeric | <b>Description:</b> This field will contain a <b>1</b> .                                                                                                                                                     |
| <b>Sixth Currency Entry</b><br>Positions: 5-31<br>Length: 27<br>Format: Group                         | <b>Description:</b> The entry contains the ISO numeric Currency Code of the sixth counter currency.                                                                                                          |
| <b>Action Code</b><br>Positions: 5<br>Length: 1<br>Format: alphanumeric                               | <b>Description:</b> The full file distribution has an action code of <b>A</b> . The unused entries are spaces, which indicates the end of the record.<br><b>A</b> = Add rate<br><b>*</b> = Add currency type |
| <b>Counter Currency Code</b><br>Positions: 6-8<br>Length: 3<br>Format: alphanumeric                   | <b>Description:</b> ISO numeric Currency Code of the counter currency.                                                                                                                                       |
| <b>Base Currency Code</b><br>Positions: 9-11<br>Length: 3<br>Format: alphanumeric                     | <b>Description:</b> ISO numeric Currency Code of the base currency.                                                                                                                                          |
| <b>Effective Date</b><br>Positions: 12-15<br>Length: 4<br>Format: unpacked numeric                    | <b>Description:</b> The format of this field is <b>MMDD</b> (month, day).                                                                                                                                    |

## Currency Conversion Rate Update Edit Criteria

|                                                                                                |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
|------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Buy Scale Factor and Rate</b><br>Positions: 16-23<br>Length: 8<br>Format: unpacked numeric  | <p><b>Description:</b> The currency scale factor identifier for each of the conversion rates.</p> <p>The number of units of base currency required to buy one unit of counter currency.</p> <p>The format of this field is <b>SSRRRRRR</b> where:</p> <p><b>SS</b> = Scale Factor. These positions represent number of digits to the right of the decimal point in the currency conversion rate field. The first two positions will be <b>00</b> through <b>12</b>.</p> <p><b>RRRRRR</b> = Conversion Rate.</p> <ul style="list-style-type: none"> <li>• A scale factor of zeros means the entry is a whole number.</li> <li>• A scale factor of 01 means the number has one decimal place accuracy; RRRRR.R is entered as 01RRRRRR.</li> <li>• A scale factor of 02 means the number has two decimal places accuracy; RRRR.RR is entered as 02RRRRRR and so forth.</li> <li>• For a scale factor greater than 6, as many leading zeros as necessary should be inserted; for example, .00RRRRRR is entered as 08RRRRRR.</li> </ul> |
| <b>Sell Scale Factor and Rate</b><br>Positions: 24-31<br>Length: 8<br>Format: unpacked numeric | <p><b>Description:</b> The sell conversion rate applied to the currency.</p> <p>The number of units of base currency received from selling one unit of counter currency.</p> <p>The format of this field is <b>SSRRRRRR</b> where:</p> <p><b>SS</b> = Scale Factor. These positions represent number of digits to the right of the decimal point in the currency conversion rate field. The first two positions will be <b>00</b> through <b>12</b>.</p> <p><b>RRRRRR</b> = Conversion Rate.</p> <ul style="list-style-type: none"> <li>• A scale factor of zeros means the entry is a whole number.</li> <li>• A scale factor of 01 means the number has one decimal place accuracy; RRRRR.R is entered as 01RRRRRR.</li> <li>• A scale factor of 02 means the number has two decimal places accuracy; RRRR.RR is entered as 02RRRRRR and so forth.</li> <li>• For a scale factor greater than 6, as many leading zeros as necessary should be inserted; for example, .00RRRRRR is entered as 08RRRRRR.</li> </ul>                |
| <b>Seventh Currency Entry</b><br>Positions: 32-58<br>Length: 27<br>Format: Group               | <p><b>Description:</b> The entry contains the ISO numeric Currency Code of the seventh counter currency.</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
| <b>Action Code</b><br>Positions: 32<br>Length: 1<br>Format: alphanumeric                       | <p><b>Description:</b> The full file distribution has an action code of <b>A</b>. The unused entries are spaces, which indicates the end of the record.</p> <p><b>A</b> = Add rate</p> <p><b>*</b> = Add currency type</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |

### Currency Conversion Rate Update Edit Criteria

|                                                                                               |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
|-----------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Counter Currency Code</b><br>Positions: 33-35<br>Length: 3<br>Format: alphanumeric         | <b>Description:</b> ISO numeric Currency Code of the counter currency.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
| <b>Base Currency Code</b><br>Positions: 36-38<br>Length: 3<br>Format: alphanumeric            | <b>Description:</b> ISO numeric Currency Code of the base currency.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
| <b>Effective Date</b><br>Positions: 39-42<br>Length: 4<br>Format: unpacked numeric            | <b>Description:</b> The format of this field is <b>MMDD</b> (month, day).                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
| <b>Buy Scale Factor and Rate</b><br>Positions: 43-50<br>Length: 8<br>Format: unpacked numeric | <b>Description:</b> The currency scale factor identifier for each of the conversion rates.<br><br>The number of units of base currency required to buy one unit of counter currency.<br><br>The format of this field is <b>SSRRRRRR</b> where:<br><br><b>SS</b> = Scale Factor. These positions represent number of digits to the right of the decimal point in the currency conversion rate field. The first two positions will be <b>00</b> through <b>12</b> .<br><br><b>RRRRRR</b> = Conversion Rate. <ul style="list-style-type: none"> <li>• A scale factor of zeros means the entry is a whole number.</li> <li>• A scale factor of 01 means the number has one decimal place accuracy; RRRRR.R is entered as 01RRRRRR.</li> <li>• A scale factor of 02 means the number has two decimal places accuracy: RRRR.RR is entered as 02RRRRRR and so forth.</li> <li>• For a scale factor greater than 6, as many leading zeros as necessary should be inserted; for example, .00RRRRRR is entered as 08RRRRRR</li> </ul> |

## Currency Conversion Rate Update Edit Criteria

|                                                                                                |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
|------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Sell Scale Factor and Rate</b><br>Positions: 51-58<br>Length: 8<br>Format: unpacked numeric | <b>Description:</b> The sell conversion rate applied to the currency.<br>The number of units of base currency received from selling one unit of counter currency.<br>The format of this field is <b>SSRRRRRR</b> where:<br><b>SS</b> = Scale Factor. These positions represent number of digits to the right of the decimal point in the currency conversion rate field. The first two positions will be <b>00</b> through <b>12</b> .<br><b>RRRRRR</b> = Conversion Rate.<br><ul style="list-style-type: none"> <li>• A scale factor of zeros means the entry is a whole number.</li> <li>• A scale factor of 01 means the number has one decimal place accuracy; RRRRR.R is entered as 01RRRRRR.</li> <li>• A scale factor of 02 means the number has two decimal places accuracy; RRRR.RR is entered as 02RRRRRR and so forth.</li> <li>• For a scale factor greater than 6, as many leading zeros as necessary should be inserted; for example, .00RRRRRR is entered as 08RRRRRR.</li> </ul> |
| <b>Eighth Currency Entry</b><br>Positions: 59-85<br>Length: 27<br>Format: Group                | <b>Description:</b> The entry contains the ISO numeric Currency Code of the eighth counter currency.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
| <b>Action Code</b><br>Positions: 59<br>Length: 1<br>Format: alphanumeric                       | <b>Description:</b> The full file distribution has an action code of <b>A</b> . The unused entries are spaces, which indicate the end of the record.<br><b>A</b> = Add rate<br><b>*</b> = Add currency type                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
| <b>Counter Currency Code</b><br>Positions: 60-62<br>Length: 3<br>Format: alphanumeric          | <b>Description:</b> ISO numeric Currency Code of the counter currency.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
| <b>Base Currency Code</b><br>Positions: 63-65<br>Length: 3<br>Format: alphanumeric             | <b>Description:</b> ISO numeric Currency Code of the base currency.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| <b>Effective Date</b><br>Positions: 66-69<br>Length: 4<br>Format: unpacked numeric             | <b>Description:</b> The format of this field is <b>MMDD</b> (month, day).                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |

## Currency Conversion Rate Update Edit Criteria

|                                                                                                |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
|------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Buy Scale Factor and Rate</b><br>Positions: 70-77<br>Length: 8<br>Format: unpacked numeric  | <p><b>Description:</b> The currency scale factor identifier for each of the conversion rates.</p> <p>The number of units of base currency required to buy one unit of counter currency.</p> <p>The format of this field is <b>SSRRRRRR</b> where:</p> <p><b>SS</b> = Scale Factor. These positions represent number of digits to the right of the decimal point in the currency conversion rate field. The first two positions will be <b>00</b> through <b>12</b>.</p> <p><b>RRRRRR</b> = Conversion Rate.</p> <ul style="list-style-type: none"> <li>• A scale factor of zeros means the entry is a whole number.</li> <li>• A scale factor of 01 means the number has one decimal place accuracy; RRRRR.R is entered as 01RRRRRR.</li> <li>• A scale factor of 02 means the number has two decimal places accuracy; RRRR.RR is entered as 02RRRRRR and so forth.</li> <li>• For a scale factor greater than 6, as many leading zeros as necessary should be inserted; for example, .00RRRRRR is entered as 08RRRRRR.</li> </ul> |
| <b>Sell Scale Factor and Rate</b><br>Positions: 78-85<br>Length: 8<br>Format: unpacked numeric | <p><b>Description:</b> The sell conversion rate applied to the currency.</p> <p>The number of units of base currency received from selling one unit of counter currency.</p> <p>The format of this field is <b>SSRRRRRR</b> where:</p> <p><b>SS</b> = Scale Factor. These positions represent number of digits to the right of the decimal point in the currency conversion rate field. The first two positions will be <b>00</b> through <b>12</b>.</p> <p><b>RRRRRR</b> = Conversion Rate.</p> <ul style="list-style-type: none"> <li>• A scale factor of zeros means the entry is a whole number.</li> <li>• A scale factor of 01 means the number has one decimal place accuracy; RRRRR.R is entered as 01RRRRRR.</li> <li>• A scale factor of 02 means the number has two decimal places accuracy; RRRR.RR is entered as 02RRRRRR and so forth.</li> <li>• For a scale factor greater than 6, as many leading zeros as necessary should be inserted; for example, .00RRRRRR is entered as 08RRRRRR.</li> </ul>                |
| <b>Ninth Currency Entry</b><br>Positions: 86-112<br>Length: 27<br>Format: Group                | <p><b>Description:</b> The entry contains the ISO numeric Currency Code of the fifth counter currency.</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
| <b>Action Code</b><br>Positions: 86<br>Length: 1<br>Format: alphanumeric                       | <p><b>Description:</b> The full file distribution has an action code of <b>A</b>. The unused entries are spaces, which indicates the end of the record.</p> <p><b>A</b> = Add rate</p> <p><b>*</b> = Add currency type</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |

### Currency Conversion Rate Update Edit Criteria

|                                                                                                |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
|------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Counter Currency Code</b><br>Positions: 87-89<br>Length: 3<br>Format: alphanumeric          | <b>Description:</b> ISO numeric Currency Code of the counter currency.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
| <b>Base Currency Code</b><br>Positions: 90-92<br>Length: 3<br>Format: alphanumeric             | <b>Description:</b> ISO numeric Currency Code of the base currency.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
| <b>Effective Date</b><br>Positions: 93-96<br>Length: 4<br>Format: unpacked numeric             | <b>Description:</b> The format of this field is <b>MMDD</b> (month, day).                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
| <b>Buy Scale Factor and Rate</b><br>Positions: 97-104<br>Length: 8<br>Format: unpacked numeric | <p><b>Description:</b> The currency scale factor identifier for each of the conversion rates.</p> <p>The number of units of base currency required to buy one unit of counter currency.</p> <p>The format of this field is <b>SSRRRRRR</b> where:</p> <p><b>SS</b> = Scale Factor. These positions represent number of digits to the right of the decimal point in the currency conversion rate field. The first two positions will be <b>00</b> through <b>12</b>.</p> <p><b>RRRRRR</b> = Conversion Rate.</p> <ul style="list-style-type: none"><li>• A scale factor of zeros means the entry is a whole number.</li><li>• A scale factor of 01 means the number has one decimal place accuracy; RRRRR.R is entered as 01RRRRRR.</li><li>• A scale factor of 02 means the number has two decimal places accuracy: RRRR.RR is entered as 02RRRRRR and so forth.</li><li>• For a scale factor greater than 6, as many leading zeros as necessary should be inserted; for example, .00RRRRRR is entered as 08RRRRRR.</li></ul> |

## Currency Conversion Rate Update Edit Criteria

|                                                                                                  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
|--------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Sell Scale Factor and Rate</b><br>Positions: 105-112<br>Length: 8<br>Format: unpacked numeric | <b>Description:</b> The sell conversion rate applied to the currency.<br>The number of units of base currency received from selling one unit of counter currency.<br>The format of this field is <b>SSRRRRRR</b> where:<br><b>SS</b> = Scale Factor. These positions represent number of digits to the right of the decimal point in the currency conversion rate field. The first two positions will be <b>00</b> through <b>12</b> .<br><b>RRRRRR</b> = Conversion Rate <ul style="list-style-type: none"> <li>• A scale factor of zeros means the entry is a whole number.</li> <li>• A scale factor of 01 means the number has one decimal place accuracy; RRRRR.R is entered as 01RRRRRR.</li> <li>• A scale factor of 02 means the number has two decimal places accuracy; RRRR.RR is entered as 02RRRRRR and so forth.</li> <li>• For a scale factor greater than 6, as many leading zeros as necessary should be inserted; for example, .00RRRRRR is entered as 08RRRRRR.</li> </ul> |
| <b>Tenth Currency Entry</b><br>Positions: 113-139<br>Length: 27<br>Format: Group                 | <b>Description:</b> The entry contains the ISO numeric Currency Code of the tenth counter currency.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
| <b>Action Code</b><br>Positions: 113<br>Length: 1<br>Format: alphanumeric                        | <b>Description:</b> The full file distribution has an action code of <b>A</b> . The unused entries are spaces, which indicates the end of the record.<br><b>A</b> = Add rate<br><b>*</b> = Add currency type                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
| <b>Counter Currency Code</b><br>Positions: 114-116<br>Length: 3<br>Format: alphanumeric          | <b>Description:</b> ISO numeric Currency Code of the counter currency.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
| <b>Base Currency Code</b><br>Positions: 117-119<br>Length: 3<br>Format: alphanumeric             | <b>Description:</b> ISO numeric Currency Code of the base currency.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
| <b>Effective Date</b><br>Positions: 120-123<br>Length: 4<br>Format: unpacked numeric             | <b>Description:</b> The format of this field is <b>MMDD</b> (month, day).                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |



## Currency Conversion Rate Update Edit Criteria

|                                                                                                                     |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
|---------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <p><b>Buy Scale Factor and Rate</b></p> <p>Positions: 124-131</p> <p>Length: 8</p> <p>Format: unpacked numeric</p>  | <p><b>Description:</b> The currency scale factor identifier for each of the conversion rates.</p> <p>The number of units of base currency required to buy one unit of counter currency.</p> <p>The format of this field is <b>SSRRRRRR</b> where:</p> <p><b>SS</b> = Scale Factor. These positions represent number of digits to the right of the decimal point in the currency conversion rate field. The first two positions will be <b>00</b> through <b>12</b>.</p> <p><b>RRRRRR</b> = Conversion Rate.</p> <ul style="list-style-type: none"> <li>• A scale factor of zeros means the entry is a whole number.</li> <li>• A scale factor of 01 means the number has one decimal place accuracy; RRRRR.R is entered as 01RRRRRR.</li> <li>• A scale factor of 02 means the number has two decimal places accuracy; RRRR.RR is entered as 02RRRRRR and so forth.</li> <li>• For a scale factor greater than 6, as many leading zeros as necessary should be inserted; for example, .00RRRRRR is entered as 08RRRRRR.</li> </ul> |
| <p><b>Sell Scale Factor and Rate</b></p> <p>Positions: 132-139</p> <p>Length: 8</p> <p>Format: unpacked numeric</p> | <p><b>Description:</b> The sell conversion rate applied to the currency.</p> <p>The number of units of base currency received from selling one unit of counter currency.</p> <p>The format of this field is <b>SSRRRRRR</b> where:</p> <p><b>SS</b> = Scale Factor. These positions represent number of digits to the right of the decimal point in the currency conversion rate field. The first two positions will be <b>00</b> through <b>12</b>.</p> <p><b>RRRRRR</b>= Conversion Rate.</p> <ul style="list-style-type: none"> <li>• A scale factor of zeros means the entry is a whole number.</li> <li>• A scale factor of 01 means the number has one decimal place accuracy; RRRRR.R is entered as 01RRRRRR.</li> <li>• A scale factor of 02 means the number has two decimal places accuracy; RRRR.RR is entered as 02RRRRRR and so forth</li> <li>• For a scale factor greater than 6, as many leading zeros as necessary should be inserted; for example, .00RRRRRR is entered as 08RRRRRR.</li> </ul>                  |
| <p><b>Eleventh Currency Entry</b></p> <p>Positions: 140-166</p> <p>Length: 27</p> <p>Format: Group</p>              | <p><b>Description:</b> The entry contains the ISO numeric Currency Code of the tenth counter currency.</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
| <p><b>Action Code</b></p> <p>Positions: 140</p> <p>Length: 1</p> <p>Format: alphanumeric</p>                        | <p><b>Description:</b> The full file distribution has an action code of <b>A</b>. The unused entries are spaces, which indicates the end of the record.</p> <p><b>A</b> = Add rate</p> <p><b>*</b> = Add currency type</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |

### Currency Conversion Rate Update Edit Criteria

|                                                                                                 |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
|-------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Counter Currency Code</b><br>Positions: 141-143<br>Length: 3<br>Format: alphanumeric         | <b>Description:</b> ISO numeric Currency Code of the counter currency.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
| <b>Base Currency Code</b><br>Positions: 144-146<br>Length: 3<br>Format: alphanumeric            | <b>Description:</b> ISO numeric Currency Code of the base currency.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
| <b>Effective Date</b><br>Positions: 147-150<br>Length: 4<br>Format: unpacked numeric            | <b>Description:</b> The format of this field is <b>MMDD</b> (month, day).                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
| <b>Buy Scale Factor and Rate</b><br>Positions: 151-158<br>Length: 8<br>Format: unpacked numeric | <p><b>Description:</b> The currency scale factor identifier for each of the conversion rates.</p> <p>The number of units of base currency required to buy one unit of counter currency</p> <p>The format of this field is <b>SSRRRRRR</b> where:</p> <p><b>SS</b> = Scale Factor. These positions represent number of digits to the right of the decimal point in the currency conversion rate field. The first two positions will be <b>00</b> through <b>12</b>.</p> <p><b>RRRRRR</b> = Conversion Rate.</p> <ul style="list-style-type: none"> <li>• A scale factor of zeros means the entry is a whole number.</li> <li>• A scale factor of 01 means the number has one decimal place accuracy; RRRRR.R is entered as 01RRRRRR.</li> <li>• A scale factor of 02 means the number has two decimal places accuracy; RRRR.RR is entered as 02RRRRRR and so forth.</li> <li>• For a scale factor greater than 6, as many leading zeros as necessary should be inserted; for example, .00RRRRRR is entered as 08RRRRRR.</li> </ul> |

### Currency Conversion Rate Update Edit Criteria

|                                                                                                  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
|--------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Sell Scale Factor and Rate</b><br>Positions: 159-166<br>Length: 8<br>Format: unpacked numeric | <b>Description:</b> The number of units of base currency received from selling one unit of counter currency.<br><br>The format of this field is <b>SSRRRRRR</b> where:<br><br><b>SS</b> = Scale Factor. These positions represent number of digits to the right of the decimal point in the currency conversion rate field. The first two positions will be <b>00</b> through <b>12</b> .<br><br><b>RRRRRR</b> = Conversion Rate. <ul style="list-style-type: none"><li>• A scale factor of zeros means the entry is a whole number.</li><li>• A scale factor of 01 means the number has one decimal place accuracy; RRRRR.R is entered as 01RRRRRR.</li><li>• A scale factor of 02 means the number has two decimal places accuracy; RRRR.RR is entered as 02RRRRRR and so forth.</li><li>• For a scale factor greater than 6, as many leading zeros as necessary should be inserted; for example, .00RRRRRR is entered as 08RRRRRR</li></ul> |
| <b>Reserved</b><br>Positions: 167-168<br>Length: 2<br>Format: alphanumeric                       | <b>Description:</b> Reserved for future use. EP will always space-fill.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |

# Chapter 7

## TC 57 Data Capture Advice Transactions

---

### TC 57 - Data Capture Advice Transactions

The Data Capture Advice (TC 57) records give Visa acquirers the transaction details for batches of Visa transactions captured by Visa terminals or certain non-Visa terminals, or non-Visa card transactions captured by Visa terminals.

TCR 0, 1, 2, 3, 4, 5

CTF - Outgoing and Incoming Interchange

The VisaNet Data Capture Service or another data capture provider transmits the merchant batch header, transactions detail, and trailer data to the VIC. The merchant batch data are forwarded by the VIC to the acquirer in TC 57 format. Each acquirer receives merchant batch data concerning all transactions coming from its merchants' terminals.

Data Capture Advices are different from other transaction types in an incoming BASE II file, as there are three record types for TC 57 advice records.

**Batch Header**—Contains merchant and terminal information

**Cardholder Transaction Detail**—Contains individual transaction information

**Batch Trailer**—Contains balancing information

See *VisaNet POS Services Technical User's Guide* and *File Formats Manual*.

Each TC 57 trailer record contains BASE II and Data Capture control data. A portion of the control data is used by the BASE II System and the remaining fields enable the acquirer to recognize and reconcile the captured data.

See *VisaNet Data Capture Service User's Manual*.

## TC 57 - TCR 0 - Batch Header

These tables contain the Data Capture Advice (TC 57) record layout and edit criteria for TCR 0 - Batch Header.

### CTF - Outgoing and Incoming Interchange

#### Data Capture Advice—Batch Header Record Layout

| Position | Field Length | Format | Contents                              |
|----------|--------------|--------|---------------------------------------|
| 1-2      | 2            | UN     | Transaction Code                      |
| 3        | 1            | UN     | Transaction Code Qualifier            |
| 4        | 1            | UN     | Transaction Component Sequence Number |
| 5-10     | 6            | UN     | Destination Identifier                |
| 11-16    | 6            | UN     | Source Identifier                     |
| 17-22    | 6            | AN     | Reserved                              |
| 23-34    | 12           | UN     | Transaction Amount                    |
| 35-37    | 3            | AN     | Reserved                              |
| 38       | 1            | AN     | Draft Flag                            |
| 39-42    | 4            | UN     | Central Processing Date (YDDD)        |
| 43-44    | 2            | AN     | Record Format Code                    |
| 45       | 1            | AN     | Reversal Flag                         |
| 46-68    | 23           | AN     | Reserved                              |
| 69-72    | 4            | UN     | Data Capture Processing Date (YDDD)   |
| 73-74    | 2            | AN     | Reserved                              |

### Data Capture Advice—Batch Header Record Layout

| Position | Field Length | Format | Contents                    |
|----------|--------------|--------|-----------------------------|
| 75-80    | 6            | UN     | Agent                       |
| 81-86    | 6            | UN     | Chain                       |
| 87-102   | 16           | UN     | Merchant Number             |
| 103-106  | 4            | UN     | Store Number                |
| 107-110  | 4            | UN     | Terminal Number             |
| 111-115  | 5            | UN     | Merchant Batch Number       |
| 116-119  | 4            | UN     | Merchant Batch Date (MMDD)  |
| 120-134  | 15           | AN     | Discover Merchant ID        |
| 135-140  | 6            | UN     | Batch Transmit Time         |
| 141-143  | 3            | AN     | Time Zone                   |
| 144-146  | 3            | UN     | GMT Offset                  |
| 147-151  | 5            | UN     | Merchant Security Code      |
| 152-153  | 2            | AN     | Reserved                    |
| 154-166  | 13           | AN     | Internal Merchant Batch Key |
| 167      | 1            | AN     | Record Type                 |
| 168      | 1            | AN     | Reimbursement Attribute     |

Format: AN = Alphanumeric, ANS = Alphanumeric Special, DX = Display Hexadecimal, N = Numeric, UN = Unpacked Numeric

### Data Capture Advice—Batch Header Edit Criteria

|                                                                                            |                                                                                                                                                                                                             |
|--------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Transaction Code</b><br>Positions: 1-2<br>Length: 2<br>Format: unpacked numeric         | <b>Description:</b> The field must contain <b>57</b> .                                                                                                                                                      |
| <b>Transaction Code Qualifier</b><br>Positions: 3<br>Length: 1<br>Format: unpacked numeric | <b>Description:</b> The field must contain a <b>0</b> (zero).<br><br>This edit will continue to be performed by the Edit Package when the Bypass Business Edits option is used during an outgoing edit run. |

### Data Capture Advice—Batch Header Edit Criteria

|                                                                                                       |                                                                                                                                                                                                                                                                                                                                                      |
|-------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Transaction Component Sequence Number</b><br>Positions: 4<br>Length: 1<br>Format: unpacked numeric | <b>Description:</b> The field must contain a <b>0</b> (zero).                                                                                                                                                                                                                                                                                        |
| <b>Destination Identifier</b><br>Positions: 5-10<br>Length: 6<br>Format: unpacked numeric             | <b>Description:</b> The entity to which a BASE II transaction message is sent.<br>The field must contain a valid acquiring identifier with a relationship with the data capture service provider.                                                                                                                                                    |
| <b>Source Identifier</b><br>Positions: 11-16<br>Length: 6<br>Format: unpacked numeric                 | <b>Description:</b> The field must contain the source identifier of the data capture service provider.                                                                                                                                                                                                                                               |
| <b>Reserved</b><br>Positions: 17-22<br>Length: 6<br>Format: alphanumeric                              | <b>Description:</b> This field is reserved for future use. EP will always space-fill.                                                                                                                                                                                                                                                                |
| <b>Transaction Amount</b><br>Positions: 23-34<br>Length: 12<br>Format: unpacked numeric               | <b>Description:</b> The total amount of the transaction - between a cardholder and a merchant, or between a cardholder and a client. The transaction amount includes the actual amount of the purchase plus state (or other) taxes.<br>This field must contain zeros.                                                                                |
| <b>Reserved</b><br>Positions: 35-37<br>Length: 3<br>Format: alphanumeric                              | <b>Description:</b> This field is reserved for future use. EP will always space-fill.                                                                                                                                                                                                                                                                |
| <b>Draft Flag</b><br>Positions: 38<br>Length: 1<br>Format: alphanumeric                               | <b>Description:</b> Indicates if draft submitted. This field may contain any alphanumeric value.<br><b>N</b> = No draft submitted (default).                                                                                                                                                                                                         |
| <b>Central Processing Date</b><br>Positions: 39-42<br>Length: 4<br>Format: unpacked numeric           | <b>Description:</b> The date (based on Greenwich mean time) on which a client enters Interchange data to, and the data is accepted by, a VisaNet Interchange Center (VIC). Same as BASE II Collection Date.<br><b>Outgoing:</b> The field must be a numeric. <b>Incoming:</b> The field will contain a valid <b>YDDD</b> (year and Julian day) date. |

## Data Capture Advice—Batch Header Edit Criteria

|                                                                                                  |                                                                                                                                                                                                                                                                                           |
|--------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Record Format Code</b><br>Positions: 43-44<br>Length: 2<br>Format: alphanumeric               | <b>Description:</b> Identifies the type of data in this record.<br>The field must contain <b>DC</b> .                                                                                                                                                                                     |
| <b>Reversal Flag</b><br>Positions: 45<br>Length: 1<br>Format: alphanumeric                       | <b>Description:</b> Indicates if this is a reversal.<br>The field must be space-filled or contain an <b>R</b> .<br><b>Blank</b> = Nonreversal (default)<br><b>R</b> = Reversal                                                                                                            |
| <b>Reserved</b><br>Positions: 46-68<br>Length: 23<br>Format: alphanumeric                        | <b>Description:</b> This field is reserved for future use. EP will always space-fill.                                                                                                                                                                                                     |
| <b>Data Capture Processing Date</b><br>Positions: 69-72<br>Length: 4<br>Format: unpacked numeric | <b>Description:</b> Date TC 57 created. The format for this field is <b>YDDD</b> (Julian Date).<br>This date cannot be greater than the Edit Package processing date.                                                                                                                     |
| <b>Reserved</b><br>Positions: 73-74<br>Length: 2<br>Format: alphanumeric                         | <b>Description:</b> This field is reserved for future use. EP will always space-fill.                                                                                                                                                                                                     |
| <b>Agent</b><br>Positions: 75-80<br>Length: 6<br>Format: unpacked numeric                        | <b>Description:</b> Indicates the settlement agent bank. This field should contain the name of the agent initially accepting the payment.<br>The field must be numeric and may contain a <b>zero</b> . If not zero, provides a level of reporting between acquiring identifier and chain. |
| <b>Chain</b><br>Positions: 81-86<br>Length: 6<br>Format: unpacked numeric                        | <b>Description:</b> Indicates name of merchant chain.<br>The field must be numeric and may contain a <b>zero</b> . If not zero, provides a level of reporting between acquiring identifier and chain.                                                                                     |
| <b>Merchant Number</b><br>Positions: 87-102<br>Length: 16<br>Format: unpacked numeric            | <b>Description:</b> Number identifying the merchant.<br>The field must be numeric and greater than zero. 15 digits after one leading zero, or 12 digits after four leading zeros. Cannot be all zeros.                                                                                    |



## Data Capture Advice—Batch Header Edit Criteria

|                                                                                             |                                                                                                                                                                                                                                             |
|---------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Store Number</b><br>Positions: 103-106<br>Length: 4<br>Format: unpacked numeric          | <b>Description:</b> Number identifying the merchant location where the transaction took place. Assigned by acquirer.<br><br>The field must be numeric and may contain a <b>zero</b> .                                                       |
| <b>Terminal Number</b><br>Positions: 107-110<br>Length: 4<br>Format: unpacked numeric       | <b>Description:</b> Number identifying the actual terminal involved in a given transaction. Assigned by acquirer.<br><br>The field must be numeric and may contain a <b>zero</b> .                                                          |
| <b>Merchant Batch Number</b><br>Positions: 111-115<br>Length: 5<br>Format: unpacked numeric | <b>Description:</b> Number assigned by the merchant terminal identifying a particular set of transaction records.<br><br>The field must be numeric and greater than zero.                                                                   |
| <b>Merchant Batch Date</b><br>Positions: 116-119<br>Length: 4<br>Format: unpacked numeric   | <b>Description:</b> Date on which merchant transmitted the batch to the VIC.<br><br>The format of this field is <b>MMDD</b> .                                                                                                               |
| <b>Discover Merchant ID</b><br>Positions: 120-134<br>Length: 15<br>Format: alphanumeric     | <b>Description:</b> Identification number of merchant dealing with Discover cards.<br><br>The field must be numeric and greater than zero if the terminal can collect Discover transactions. Otherwise, it must contain spaces.             |
| <b>Batch Transmit Time</b><br>Positions: 135-140<br>Length: 6<br>Format: unpacked numeric   | <b>Description:</b> Identifies time when the batch of transaction records was transmitted.<br><br>The format of this field is <b>HHMMSS</b> , where:<br><b>HH</b> = 00 through 23<br><b>MM</b> = 00 through 59<br><b>SS</b> = 00 through 59 |
| <b>Time Zone</b><br>Positions: 141-143<br>Length: 3<br>Format: alphanumeric                 | <b>Description:</b> Indicates the time zone in which the transmittal occurred. Can be any of the 24 longitudinal areas into which the world is divided. For example, PST for Pacific Standard Time.                                         |
| <b>GMT Offset</b><br>Positions: 144-146<br>Length: 3<br>Format: alphanumeric                | <b>Description:</b> Greenwich mean time offset.                                                                                                                                                                                             |

### Data Capture Advice—Batch Header Edit Criteria

|                                                                                                |                                                                                                                                                                                             |
|------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Merchant Security Code</b><br>Positions: 147-151<br>Length: 5<br>Format: unpacked numeric   | <b>Description:</b> Merchant security code, used for Merchant Data Capture (MDC) only.                                                                                                      |
| <b>Reserved</b><br>Positions: 152-153<br>Length: 2<br>Format: alphanumeric                     | <b>Description:</b> This field is reserved for future use. EP will always space-fill.                                                                                                       |
| <b>Internal Merchant Batch Key</b><br>Positions: 154-166<br>Length: 13<br>Format: alphanumeric | <b>Description:</b> Identifies the merchant batch. The first nine digits are unique for each merchant batch. The last four digits contain the TCR (record) count within the merchant batch. |
| <b>Record Type</b><br>Positions: 167<br>Length: 1<br>Format: alphanumeric                      | <b>Description:</b> Type of record.<br>The entry will be a 1 for a Merchant Batch Header.                                                                                                   |
| <b>Reimbursement Attribute</b><br>Positions: 168<br>Length: 1<br>Format: alphanumeric          | <b>Description:</b> Obsolete - must be zero-filled.                                                                                                                                         |

## TC 57 - TCR 0 - Batch Header (Korea)

These tables contain the Data Capture Advice (TC 57) record layout and edit criteria for TCR 0 - Batch Header (Korea).

### CTF - Outgoing and Incoming Interchange

#### Data Capture Advice—Batch Header (Korea) Record Layout

| Position | Field Length | Format | Contents                              |
|----------|--------------|--------|---------------------------------------|
| 1-2      | 2            | UN     | Transaction Code                      |
| 3        | 1            | UN     | Transaction Code Qualifier            |
| 4        | 1            | UN     | Transaction Component Sequence Number |
| 5-10     | 6            | UN     | Destination Identifier                |

### Data Capture Advice—Batch Header (Korea) Record Layout

| Position | Field Length | Format | Contents                                |
|----------|--------------|--------|-----------------------------------------|
| 11-16    | 6            | UN     | Source Identifier                       |
| 17-31    | 15           | AN     | Third-Party Processor Business ID       |
| 32-35    | 4            | UN     | Central Processing Date (YDDD)          |
| 36-42    | 7            | AN     | Reserved                                |
| 43-44    | 2            | AN     | Record Format Code (KR)                 |
| 45-152   | 108          | AN     | Reserved                                |
| 153-160  | 8            | UN     | Data Capture Processing Date (YYYYMMDD) |
| 161-166  | 6            | UN     | Batch Creation Time (HHMMSS)            |
| 167      | 1            | AN     | Record Type                             |
| 168      | 1            | AN     | Reimbursement Attribute                 |

Format: AN = Alphanumeric, ANS = Alphanumeric Special, DX = Display Hexadecimal, N = Numeric, UN = Unpacked Numeric

### Data Capture Advice—Batch Header (Korea) Edit Criteria

|                                                                                                       |                                                                                                                                                                                                             |
|-------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Transaction Code</b><br>Positions: 1-2<br>Length: 2<br>Format: unpacked numeric                    | <b>Description:</b> The field must contain <b>57</b> .                                                                                                                                                      |
| <b>Transaction Code Qualifier</b><br>Positions: 3<br>Length: 1<br>Format: unpacked numeric            | <b>Description:</b> The field must contain a <b>0</b> (zero).<br><br>This edit will continue to be performed by the Edit Package when the Bypass Business Edits option is used during an outgoing edit run. |
| <b>Transaction Component Sequence Number</b><br>Positions: 4<br>Length: 1<br>Format: unpacked numeric | <b>Description:</b> The field must contain a <b>0</b> (zero).                                                                                                                                               |
| <b>Destination Identifier</b><br>Positions: 5-10<br>Length: 6<br>Format: unpacked numeric             | <b>Description:</b> The entity to which a BASE II transaction message is sent.<br><br>The field must contain a valid acquiring identifier with a relationship with the data capture service provider.       |

## Data Capture Advice—Batch Header (Korea) Edit Criteria

|                                                                                                    |                                                                                                                                                                                                                                                                                                                                                          |
|----------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Source Identifier</b><br>Positions: 11-16<br>Length: 6<br>Format: unpacked numeric              | <b>Description:</b> The field must contain the source identifier of the data capture service provider.                                                                                                                                                                                                                                                   |
| <b>Third-Party Processor Business ID</b><br>Positions: 17-31<br>Length: 15<br>Format: alphanumeric | <b>Description:</b> The field must contain the business ID of the data capture service provider or space when not applicable.                                                                                                                                                                                                                            |
| <b>Central Processing Date</b><br>Positions: 32-35<br>Length: 4<br>Format: unpacked numeric        | <b>Description:</b> The date (based on Greenwich mean time) on which a client enters Interchange data to, and the data is accepted by, a VisaNet Interchange Center (VIC). Same as BASE II Collection Date.<br><br><b>Outgoing:</b> The field must be a numeric. <b>Incoming:</b> The field will contain a valid <b>YDDD</b> (year and Julian day) date. |
| <b>Reserved</b><br>Positions: 36-42<br>Length: 7<br>Format: alphanumeric                           | <b>Description:</b> This field is reserved for future use. EP will always space-fill.                                                                                                                                                                                                                                                                    |
| <b>Record Format Code (KR)</b><br>Positions: 43-44<br>Length: 2<br>Format: alphanumeric            | <b>Description:</b> Identifies the type of data in this record.<br>The field must contain <b>KR</b> (Korea).                                                                                                                                                                                                                                             |
| <b>Reserved</b><br>Positions: 45-152<br>Length: 108<br>Format: alphanumeric                        | <b>Description:</b> This field is reserved for future use. EP will always space-fill.                                                                                                                                                                                                                                                                    |
| <b>Data Capture Processing Date</b><br>Positions: 153-160<br>Length: 8<br>Format: unpacked numeric | <b>Description:</b> Date TC 57 created. This field must contain a data capture processing date in the format <b>YYYYMMDD</b> (Year, Month and Day).                                                                                                                                                                                                      |
| <b>Batch Creation Time</b><br>Positions: 161-166<br>Length: 6<br>Format: unpacked numeric          | <b>Description:</b> Time the batch was created. This field must contain a batch creation date in the format <b>HHMMSS</b> (Hour, Minute and Second).                                                                                                                                                                                                     |

### Data Capture Advice—Batch Header (Korea) Edit Criteria

|                                                                                       |                                                                                        |
|---------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------|
| <b>Record Type</b><br>Positions: 167<br>Length: 1<br>Format: alphanumeric             | <b>Description:</b> Type of record. The entry must be a 1 for a Merchant Batch Header. |
| <b>Reimbursement Attribute</b><br>Positions: 168<br>Length: 1<br>Format: alphanumeric | <b>Description:</b> Obsolete - must be zero-filled.                                    |

## TC 57 - TCR 1 - Batch Header

These tables contain the Data Capture Advice (TC 57) record layout and edit criteria for TCR 1 - Batch Header.

### CTF - Outgoing and Incoming Interchange

#### Data Capture Advice—Batch Header Record Layout

| Position | Field Length | Format | Contents                              |
|----------|--------------|--------|---------------------------------------|
| 1-2      | 2            | UN     | Transaction Code                      |
| 3        | 1            | UN     | Transaction Code Qualifier            |
| 4        | 1            | UN     | Transaction Component Sequence Number |
| 5-16     | 12           | AN     | Reserved                              |
| 17       | 1            | AN     | Device Code                           |
| 18-21    | 4            | AN     | Reserved                              |
| 22-29    | 8            | AN     | Internal Terminal Serial Number       |
| 30-33    | 4            | UN     | Merchant Category Code                |
| 34-58    | 25           | AN     | Merchant Name                         |
| 59-71    | 13           | AN     | Merchant City                         |
| 72-74    | 3            | AN     | Merchant State/Province Code          |
| 75-77    | 3            | AN     | Merchant Country Code                 |
| 78-82    | 5            | UN     | Merchant ZIP Code                     |
| 83-86    | 4            | UN     | Reserved                              |

### Data Capture Advice—Batch Header Record Layout

| Position | Field Length | Format | Contents                    |
|----------|--------------|--------|-----------------------------|
| 87       | 1            | AN     | Transmission Route          |
| 88-92    | 5            | UN     | Terminal Locator Number     |
| 93-153   | 61           | AN     | Reserved                    |
| 154-166  | 13           | AN     | Internal Merchant Batch Key |
| 167      | 1            | AN     | Record Type                 |
| 168      | 1            | AN     | Reserved                    |

Format: AN = Alphanumeric, ANS = Alphanumeric Special, DX = Display Hexadecimal, N = Numeric, UN = Unpacked Numeric

### Data Capture Advice—Batch Header Edit Criteria

|                                                                                                       |                                                                                                                                                                                                         |
|-------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Transaction Code</b><br>Positions: 1-2<br>Length: 2<br>Format: unpacked numeric                    | <b>Description:</b> The field must contain <b>57</b> .                                                                                                                                                  |
| <b>Transaction Code Qualifier</b><br>Positions: 3<br>Length: 1<br>Format: unpacked numeric            | <b>Description:</b> The field must contain a <b>0</b> (zero).<br>This edit will continue to be performed by the Edit Package when the Bypass Business Edits option is used during an outgoing edit run. |
| <b>Transaction Component Sequence Number</b><br>Positions: 4<br>Length: 1<br>Format: unpacked numeric | <b>Description:</b> The field must contain a <b>1</b> and must follow TCR 0.                                                                                                                            |
| <b>Reserved</b><br>Positions: 5-16<br>Length: 12<br>Format: alphanumeric                              | <b>Description:</b> This field is reserved for future use. EP will always space-fill.                                                                                                                   |
| <b>Device Code</b><br>Positions: 17<br>Length: 1<br>Format: alphanumeric                              | <b>Description:</b> Indicates type of terminal.<br>A <b>5</b> sent from the terminal indicates a Visa-certified second-generation dial terminal.                                                        |

## Data Capture Advice—Batch Header Edit Criteria

|                                                                                                 |                                                                                                                                                                                                                                                         |
|-------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Reserved</b><br>Positions: 18-21<br>Length: 4<br>Format: alphanumeric                        | <b>Description:</b> This field is reserved for future use. EP will always space-fill.                                                                                                                                                                   |
| <b>Internal Terminal Serial Number</b><br>Positions: 22-29<br>Length: 8<br>Format: alphanumeric | <b>Description:</b> Internal serial number identifying the actual terminal involved in a given transaction.                                                                                                                                             |
| <b>Merchant Category Code</b><br>Positions: 30-33<br>Length: 4<br>Format: unpacked numeric      | <b>Description:</b> Indicates merchant's type of business product or service. The field must contain a valid Merchant Category Code.                                                                                                                    |
| <b>Merchant Name</b><br>Positions: 34-58<br>Length: 25<br>Format: alphanumeric                  | <b>Description:</b> Name of merchant that generated the transaction.<br>The first position of this field may not be a space.                                                                                                                            |
| <b>Merchant City</b><br>Positions: 59-71<br>Length: 13<br>Format: alphanumeric                  | <b>Description:</b> City in which merchant is located.<br>The first position of this field may not be a space.                                                                                                                                          |
| <b>Merchant State/Province Code</b><br>Positions: 72-74<br>Length: 3<br>Format: alphanumeric    | <b>Description:</b> Code designating state or province code of merchant location where the actual transaction took place.<br>If the Merchant Country Code is <b>US</b> , this field must contain a valid U.S. State Code. Otherwise, it must be spaces. |
| <b>Merchant Country Code</b><br>Positions: 75-77<br>Length: 3<br>Format: alphanumeric           | <b>Description:</b> Code designating country of merchant location where the actual transaction took place.<br>The field must contain a valid Country Code.                                                                                              |
| <b>Merchant ZIP Code</b><br>Positions: 78-82<br>Length: 5<br>Format: unpacked numeric           | <b>Description:</b> Code designating ZIP code of merchant location where the actual transaction took place.<br>The field must be numeric.                                                                                                               |

### Data Capture Advice—Batch Header Edit Criteria

|                                                                                                |                                                                                                                                                                                             |
|------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Reserved</b><br>Positions: 83-86<br>Length: 4<br>Format: unpacked numeric                   | <b>Description:</b> This field is reserved for future use. EP will always space-fill.                                                                                                       |
| <b>Transmission Route</b><br>Positions: 87<br>Length: 1<br>Format: alphanumeric                | <b>Description:</b> Indicates method/route of data transmission.                                                                                                                            |
| <b>Terminal Locator Number</b><br>Positions: 88-92<br>Length: 5<br>Format: unpacked numeric    | <b>Description:</b> Number indicating terminal location.                                                                                                                                    |
| <b>Reserved</b><br>Positions: 93-153<br>Length: 61<br>Format: alphanumeric                     | <b>Description:</b> This field is reserved for future use. EP will always space-fill.                                                                                                       |
| <b>Internal Merchant Batch Key</b><br>Positions: 154-166<br>Length: 13<br>Format: alphanumeric | <b>Description:</b> Identifies the merchant batch. The first nine digits are unique for each merchant batch. The last four digits contain the TCR (record) count within the merchant batch. |
| <b>Record Type</b><br>Positions: 167<br>Length: 1<br>Format: alphanumeric                      | <b>Description:</b> Type of record.<br>The entry will be a <b>1</b> for a Merchant Batch Header.                                                                                            |
| <b>Reserved</b><br>Positions: 168<br>Length: 1<br>Format: alphanumeric                         | <b>Description:</b> This field is reserved for future use. EP will always space-fill.                                                                                                       |



# TC 57 - TCR 2 - American Express Batch Header

These tables contain the Data Capture Advice (TC 57) record layout and edit criteria for TCR 2 - American Express Batch Header.

## CTF - Outgoing and Incoming Interchange

### Data Capture Advice Record Layout

| Position | Field Length | Format | Contents                               |
|----------|--------------|--------|----------------------------------------|
| 1-2      | 2            | UN     | Transaction Code                       |
| 3        | 1            | UN     | Transaction Code Qualifier             |
| 4        | 1            | UN     | Transaction Component Sequence Number  |
| 5-16     | 12           | AN     | Reserved                               |
| 17-26    | 10           | AN     | Service Establishment Number           |
| 27-28    | 2            | AN     | Format Code                            |
| 29-31    | 3            | UN     | Invoice Batch                          |
| 32-33    | 2            | UN     | Invoice Sub-Code                       |
| 34-39    | 6            | UN     | Process Control ID                     |
| 40-45    | 6            | UN     | File Sequence Number                   |
| 46-55    | 10           | AN     | Chain Affiliated Property (CAP) Number |
| 56-73    | 18           | AN     | Service Establishment City             |
| 74-153   | 80           | AN     | Reserved                               |
| 154-166  | 13           | AN     | Internal Merchant Batch Key            |
| 167      | 1            | AN     | Record Type                            |
| 168      | 1            | AN     | Reserved                               |

Format: AN = Alphanumeric, ANS = Alphanumeric Special, DX = Display Hexadecimal, N = Numeric, UN = Unpacked Numeric

## Data Capture Advice Edit Criteria

|                                                                                                       |                                                                                                                                                                                                                                                                                                                                                                                |
|-------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Transaction Code</b><br>Positions: 1-2<br>Length: 2<br>Format: unpacked numeric                    | <b>Description:</b> The field must contain <b>57</b> .                                                                                                                                                                                                                                                                                                                         |
| <b>Transaction Code Qualifier</b><br>Positions: 3<br>Length: 1<br>Format: unpacked numeric            | <b>Description:</b> The field must contain a <b>0</b> (zero).<br>This edit will continue to be performed by the Edit Package when the Bypass Business Edits option is used during an outgoing edit run.                                                                                                                                                                        |
| <b>Transaction Component Sequence Number</b><br>Positions: 4<br>Length: 1<br>Format: unpacked numeric | <b>Description:</b> The field must contain a <b>2</b> . This record must follow the TCR 1.                                                                                                                                                                                                                                                                                     |
| <b>Reserved</b><br>Positions: 5-16<br>Length: 6<br>Format: alphanumeric                               | <b>Description:</b> This field is reserved for future use. EP will always space-fill.                                                                                                                                                                                                                                                                                          |
| <b>Service Establishment Number</b><br>Positions: 17-26<br>Length: 10<br>Format: alphanumeric         | <b>Description:</b> Identifies the merchant. The field must contain a valid Service Establishment Number. It must be numeric and pass the modulus-10 check digit routine.                                                                                                                                                                                                      |
| <b>Format Code</b><br>Positions: 27-28<br>Length: 2<br>Format: alphanumeric                           | <b>Description:</b> Identifies the type of transaction. The field must contain a <b>02, 03, 05, 10, 11, 12, or 20</b> .<br>The Format Codes are:<br><b>02</b> = General Merchandise<br><b>03</b> = General Merchandise<br><b>05</b> = Automobile Rental<br><b>10</b> = General Merchandise<br><b>11</b> = Lodging<br><b>12</b> = Restaurant<br><b>20</b> = General Merchandise |
| <b>Invoice Batch</b><br>Positions: 29-31<br>Length: 3<br>Format: unpacked numeric                     | <b>Description:</b> Code identifying the batch containing the invoice. The field must be numeric and greater than zero.                                                                                                                                                                                                                                                        |

### Data Capture Advice Edit Criteria

|                                                                                                         |                                                                                                                                                                                             |
|---------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Invoice Sub-Code</b><br>Positions: 32-33<br>Length: 2<br>Format: unpacked numeric                    | <b>Description:</b> The sub-code indicating invoice batch. The field must be numeric and may be zeros.                                                                                      |
| <b>Process Control ID</b><br>Positions: 34-39<br>Length: 6<br>Format: unpacked numeric                  | <b>Description:</b> Identifies the control record. The field must be numeric and greater than zero.                                                                                         |
| <b>File Sequence Number</b><br>Positions: 40-45<br>Length: 6<br>Format: unpacked numeric                | <b>Description:</b> Unique ID identifying the chain. The field must be numeric and greater than zero.                                                                                       |
| <b>Chain Affiliated Property (CAP) Number</b><br>Positions: 46-55<br>Length: 10<br>Format: alphanumeric | <b>Description:</b> The field must be numeric or space-filled. If it is numeric, it must pass the modulus-10 check digit routine.                                                           |
| <b>Service Establishment City</b><br>Positions: 56-73<br>Length: 18<br>Format: alphanumeric             | <b>Description:</b> The first position may not be a space. For American Express, Merchant City must be present.                                                                             |
| <b>Reserved</b><br>Positions: 74-153<br>Length: 80<br>Format: alphanumeric                              | <b>Description:</b> This field is reserved for future use. EP will always space-fill.                                                                                                       |
| <b>Internal Merchant Batch Key</b><br>Positions: 154-166<br>Length: 13<br>Format: alphanumeric          | <b>Description:</b> Identifies the merchant batch. The first nine digits are unique for each merchant batch. The last four digits contain the TCR (record) count within the merchant batch. |

### Data Capture Advice Edit Criteria

|                                                                           |                                                                                                |
|---------------------------------------------------------------------------|------------------------------------------------------------------------------------------------|
| <b>Record Type</b><br>Positions: 167<br>Length: 1<br>Format: alphanumeric | <b>Description:</b> Type of record.<br>The entry will be a <b>1</b> for Merchant Batch Header. |
| <b>Reserved</b><br>Positions: 168<br>Length: 1<br>Format: alphanumeric    | <b>Description:</b> This field is reserved for future use. EP will always space-fill.          |

## TC 57 - TCR 0 - Transaction Detail

These tables contain the Data Capture Advice (TC 57) record layout and edit criteria for TCR 0 - Transaction Detail.

### CTF - Outgoing and Incoming Interchange

#### Data Capture Advice Record Layout

| Position | Field Length | Format | Contents                              |
|----------|--------------|--------|---------------------------------------|
| 1-2      | 2            | UN     | Transaction Code                      |
| 3        | 1            | UN     | Transaction Code Qualifier            |
| 4        | 1            | UN     | Transaction Component Sequence Number |
| 5-10     | 6            | UN     | Destination Identifier                |
| 11-16    | 6            | UN     | Source Identifier                     |
| 17-22    | 6            | AN     | Reserved                              |
| 23-34    | 12           | UN     | Transaction Amount                    |
| 35-37    | 3            | AN     | Transaction Currency Code             |
| 38       | 1            | AN     | Draft Sent Flag                       |
| 39-42    | 4            | UN     | Central Processing Date (YDDD)        |
| 43-44    | 2            | AN     | Record Format Code                    |
| 45       | 1            | AN     | Reversal Flag                         |
| 46-48    | 3            | AN     | Reserved                              |
| 49       | 1            | AN     | Reserved                              |

### Data Capture Advice Record Layout

| Position | Field Length | Format | Contents                                        |
|----------|--------------|--------|-------------------------------------------------|
| 50-68    | 19           | AN     | Account Number                                  |
| 69-72    | 4            | UN     | Purchase Date (MMDD)                            |
| 73-76    | 4            | UN     | Transaction Time (HHMM)                         |
| 77       | 1            | AN     | Transaction Type                                |
| 78       | 1            | AN     | Transaction Void Indicator                      |
| 79       | 1            | AN     | Card Entry Method                               |
| 80       | 1            | AN     | Cardholder ID Method                            |
| 81-86    | 6            | AN     | Authorization Code                              |
| 87       | 1            | AN     | Authorization Source Code                       |
| 88-98    | 11           | UN     | Film Locator                                    |
| 99-110   | 12           | AN     | Tip/Cashback                                    |
| 111      | 1            | AN     | Mail/Telephone or Electronic Commerce Indicator |
| 112      | 1            | AN     | Debit Indicator                                 |
| 113      | 1            | AN     | Research Code                                   |
| 114      | 1            | AN     | Network Identifier                              |
| 115-118  | 4            | UN     | Settlement Date (MMDD)                          |
| 119-124  | 6            | AN     | Debit Trace Audit Number                        |
| 125      | 1            | AN     | POS Debit Reimbursement Attribute               |
| 126-129  | 4            | UN     | Debit Transmit Date                             |
| 130-135  | 6            | Un     | Debit Transmit Time                             |
| 136-147  | 12           | AN     | Retrieval Reference Number                      |
| 148      | 1            | AN     | AVS Response Code                               |
| 149-150  | 2            | AN     | Reserved                                        |
| 151      | 1            | AN     | Authorization Characteristics Indicator         |
| 152-153  | 2            | AN     | POS Entry Mode                                  |
| 154-166  | 13           | AN     | Internal Merchant Batch Key                     |
| 167      | 1            | AN     | Record Type                                     |

## Data Capture Advice Record Layout

| Position | Field Length | Format | Contents                |
|----------|--------------|--------|-------------------------|
| 168      | 1            | AN     | Reimbursement Attribute |

Format: AN = Alphanumeric, ANS = Alphanumeric Special, DX = Display Hexadecimal, N = Numeric, UN = Unpacked Numeric

## Data Capture Advice Edit Criteria

|                                                                                                       |                                                                                                                                                                                                             |
|-------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Transaction Code</b><br>Positions: 1-2<br>Length: 2<br>Format: unpacked numeric                    | <b>Description:</b> The field must contain <b>57</b> .                                                                                                                                                      |
| <b>Transaction Code Qualifier</b><br>Positions: 3<br>Length: 1<br>Format: unpacked numeric            | <b>Description:</b> The field must contain a <b>0</b> (zero).<br><br>This edit will continue to be performed by the Edit Package when the Bypass Business Edits option is used during an outgoing edit run. |
| <b>Transaction Component Sequence Number</b><br>Positions: 4<br>Length: 1<br>Format: unpacked numeric | <b>Description:</b> The field must contain a <b>0</b> (zero).                                                                                                                                               |
| <b>Destination Identifier</b><br>Positions: 5-10<br>Length: 6<br>Format: unpacked numeric             | <b>Description:</b> The entity to which a BASE II transaction message is sent.<br><br>The field must contain a valid acquiring identifier with a relationship with the data capture service provider.       |
| <b>Source Identifier</b><br>Positions: 11-16<br>Length: 6<br>Format: unpacked numeric                 | <b>Description:</b> The entity from which a BASE II transaction message is sent.<br><br>The field must contain the source identifier of the data capture service provider.                                  |
| <b>Reserved</b><br>Positions: 17-22<br>Length: 6<br>Format: alphanumeric                              | <b>Description:</b> This field is reserved for future use. EP will always space-fill.                                                                                                                       |

## Data Capture Advice Edit Criteria

|                                                                                             |                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
|---------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Transaction Amount</b><br>Positions: 23-34<br>Length: 12<br>Format: unpacked numeric     | <b>Description:</b> The total amount of the transaction - between a cardholder and a merchant, or between a cardholder and a client. The transaction amount includes the actual amount of the purchase plus state (or other) taxes.<br><br>The field must be numeric and may be zero.<br><br>This field will contain two implied decimal places.<br><br>If the identifier is American Express, this field must contain an amount greater than zero. |
| <b>Transaction Currency Code</b><br>Positions: 35-37<br>Length: 3<br>Format: alphanumeric   | <b>Description:</b> Code designating the type of currency used in the transaction. The field must be space-filled if the Transaction Amount is zero; otherwise, it must contain a valid Currency Code.<br><br>See Country and Currency Codes in <i>BASE II Clearing Data Codes</i> for currency codes.<br><br>If the identifier is American Express, this field must be <b>840</b> (U.S. Dollar).                                                   |
| <b>Draft Sent Flag</b><br>Positions: 38<br>Length: 1<br>Format: alphanumeric                | <b>Description:</b> Indicates if a draft was sent. The field must contain an <b>N</b> (no draft submitted).                                                                                                                                                                                                                                                                                                                                         |
| <b>Central Processing Date</b><br>Positions: 39-42<br>Length: 4<br>Format: unpacked numeric | <b>Description:</b> The date (based on Greenwich mean time) on which a client enters Interchange data to, and the data is accepted by, a VisaNet Interchange Center (VIC). Same as BASE II Collection Date.<br><br><b>Outgoing:</b> The field must be numeric. <b>Incoming:</b> The field will contain a valid <b>YDDD</b> (year and Julian day) date.                                                                                              |
| <b>Record Format Code</b><br>Positions: 43-44<br>Length: 2<br>Format: alphanumeric          | <b>Description:</b> Identifies the type of data in this record.<br><br>The field must contain <b>DC</b> .                                                                                                                                                                                                                                                                                                                                           |
| <b>Reversal Flag</b><br>Positions: 45<br>Length: 1<br>Format: alphanumeric                  | <b>Description:</b> Indicates if this is a reversal.<br><br>The field must be space-filled or contain an <b>R</b> .<br><br><b>Blank</b> = Nonreversal (default)<br><b>R</b> = Reversal                                                                                                                                                                                                                                                              |
| <b>Reserved</b><br>Positions: 46-48<br>Length: 3<br>Format: alphanumeric                    | <b>Description:</b> This field is reserved for future use. EP will always space-fill.                                                                                                                                                                                                                                                                                                                                                               |

### Data Capture Advice Edit Criteria

|                                                                                         |                                                                                                                                                                                                                                                                                                                                                                          |
|-----------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Reserved</b><br>Positions: 49<br>Length: 1<br>Format: alphanumeric                   | <b>Description:</b> This field is reserved for future use. EP will always space-fill.                                                                                                                                                                                                                                                                                    |
| <b>Account Number</b><br>Positions: 50-68<br>Length: 19<br>Format: alphanumeric         | <b>Description:</b> An issuer-assigned number that identifies a cardholder's account.<br><br>The field must not contain all spaces.                                                                                                                                                                                                                                      |
| <b>Purchase Date</b><br>Positions: 69-72<br>Length: 4<br>Format: unpacked numeric       | <b>Description:</b> Date the purchase transaction was made.<br><br>The field must contain a valid date in the format <b>MMDD</b> .                                                                                                                                                                                                                                       |
| <b>Transaction Time</b><br>Positions: 73-76<br>Length: 4<br>Format: unpacked numeric    | <b>Description:</b> Authorization time in merchant's local time.<br><br>The entry must be numeric and in the format <b>HHMM</b> , where:<br><b>HH</b> = 00 through 23<br><b>MM</b> = 00 through 59                                                                                                                                                                       |
| <b>Transaction Type</b><br>Positions: 77<br>Length: 1<br>Format: alphanumeric           | <b>Description:</b> Indicates the data capture transaction type.<br><br>The field must contain a <b>0, 3, 4, 5, 6, 7, or 8</b> .<br><b>0</b> = Direct Debit Cancel<br><b>3</b> = Direct Debit Purchase<br><b>4</b> = Direct Debit Return<br><b>5</b> = Purchase or Sale<br><b>6</b> = Return or Credit<br><b>7</b> = Cash Disbursement<br><b>8</b> = No-Show for Lodging |
| <b>Transaction Void Indicator</b><br>Positions: 78<br>Length: 1<br>Format: alphanumeric | <b>Description:</b> Indicates if the transaction was voided (i.e., cancelled).<br><br>The field must contain a <b>space</b> or <b>V</b> (voided).                                                                                                                                                                                                                        |
| <b>Card Entry Method</b><br>Positions: 79<br>Length: 1<br>Format: alphanumeric          | <b>Description:</b> Indicates how data was entered or read:<br><b>@</b> Data was key-entered. Terminal cannot read card electronically.<br><b>D</b> Track 2 read by magnetic stripe reader.<br><b>H</b> Track 1 read by magnetic stripe reader.<br><b>T</b> Track 2 key-entered at magnetic stripe reader.<br><b>X</b> Track 1 key-entered at magnetic stripe reader.    |



## Data Capture Advice Edit Criteria

|                                                                                                               |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
|---------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Cardholder ID Method</b><br>Positions: 80<br>Length: 1<br>Format: alphanumeric                             | <b>Description:</b> Indicates type of ID method used to identify cardholder.<br>The field must be space-filled or contain an entry from <b>1</b> through <b>4</b> :<br><b>1</b> Signature<br><b>2</b> PIN<br><b>3</b> Unattended terminal. No PIN pad.<br><b>4</b> Mail/telephone order.                                                                                                                                                                                                                                                                                       |
| <b>Authorization Code</b><br>Positions: 81-86<br>Length: 6<br>Format: alphanumeric                            | <b>Description:</b> A code that an issuer, its authorizing processor, or stand-in processing provides to indicate approval of a transaction. The code is returned in the authorization response and is usually recorded on the transaction receipt.<br>The field must be space-filled or contain <b>A</b> through <b>Z</b> , or <b>0</b> through <b>9</b> .                                                                                                                                                                                                                    |
| <b>Authorization Source Code</b><br>Positions: 87<br>Length: 1<br>Format: alphanumeric                        | <b>Description:</b> Indicates the source of authorization response.<br><br><b>Note:</b> See <i>BASE II Clearing Data Codes</i> for a list of valid codes.                                                                                                                                                                                                                                                                                                                                                                                                                      |
| <b>Film Locator</b><br>Positions: 88-98<br>Length: 11<br>Format: unpacked numeric                             | <b>Description:</b> An 11-digit numeric used to identify film records.<br>The field must be numeric and may contain zeros.<br>This field may be used by the acquirer to build the Acquirer Reference Number in the draft transaction. See Draft Data in <i>BASE II Clearing Interchange Formats, TC 01 to TC 49</i> for Acquirer Reference Number edits.                                                                                                                                                                                                                       |
| <b>Tip/Cashback</b><br>Positions: 99-110<br>Length: 12<br>Format: alphanumeric                                | <b>Description:</b> Indicates if tips or cashback included. Must be space-filled or a valid value.                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
| <b>Mail/Telephone or Electronic Commerce Indicator</b><br>Positions: 111<br>Length: 1<br>Format: alphanumeric | <b>Description:</b> Identifies if a transaction is one of the following: <ul style="list-style-type: none"> <li>• Mail order</li> <li>• Electronic Commerce</li> <li>• Phone order</li> <li>• Recurring</li> <li>• Installment Billing</li> <li>• Other Mail/Phone Order-type</li> </ul> Must be space-filled or contain <b>1</b> through <b>8</b> . See <i>BASE II Clearing Data Codes</i> for Mail/Telephone or Electronic Commerce indicators. It may not be space-filled if the Merchant Category Code is <b>5960</b> , <b>5962</b> , or <b>5964</b> through <b>5969</b> . |

## Data Capture Advice Edit Criteria

|                                                                                                 |                                                                                                                                                                                                                                                       |
|-------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Debit Indicator</b><br>Positions: 112<br>Length: 1<br>Format: alphanumeric                   | <b>Description:</b> Indicates if this is a debit transaction. The field may contain a <b>space</b> or <b>D</b> (for direct debit transactions).                                                                                                       |
| <b>Research Code</b><br>Positions: 113<br>Length: 1<br>Format: alphanumeric                     | <b>Description:</b> Indicates if the point of sale received the positive acknowledgment.<br><br><b>Space</b> = POS (point of sale) did receive the positive acknowledgment <b>N</b> = POS (point of sale) did not receive the positive acknowledgment |
| <b>Network Identifier</b><br>Positions: 114<br>Length: 1<br>Format: alphanumeric                | <b>Description:</b> Identifies the financial network used.<br><br>The entry may be a space or any printable character.                                                                                                                                |
| <b>Settlement Date</b><br>Positions: 115-118<br>Length: 4<br>Format: unpacked numeric           | <b>Description:</b> Contains the month and day transaction settled.<br><br>The date is in <b>MMDD</b> format, where:<br><b>MM</b> = month and<br><b>DD</b> = day.                                                                                     |
| <b>Debit Trace Audit Number</b><br>Positions: 119-124<br>Length: 6<br>Format: alphanumeric      | <b>Description:</b> Unique number used to trace debit transaction. The entry must be alphanumeric.                                                                                                                                                    |
| <b>POS Debit Reimbursement Attribute</b><br>Positions: 125<br>Length: 1<br>Format: alphanumeric | <b>Description:</b> Reimbursement attribute for a POS debit transaction. The entry must be <b>A</b> through <b>Z</b> , <b>0</b> through <b>9</b> , or space.                                                                                          |
| <b>Debit Transmit Date</b><br>Positions: 126-129<br>Length: 4<br>Format: unpacked numeric       | <b>Description:</b> Date the debit transaction was sent. The date format is <b>MMDD</b> .                                                                                                                                                             |
| <b>Debit Transmit Time</b><br>Positions: 130-135<br>Length: 6<br>Format: unpacked numeric       | <b>Description:</b> Time the debit transaction was sent.<br><br>The entry must be in the format <b>HHMMSS</b> , where:<br><b>HH</b> = 01 through 23<br><b>MM</b> = 01 through 59<br><b>SS</b> = 01 through 59                                         |

## Data Capture Advice Edit Criteria

|                                                                                                       |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
|-------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Retrieval Reference Number</b><br>Positions: 136-147<br>Length: 12<br>Format: alphanumeric         | <b>Description:</b> Contains a number that is used with other data elements as a key to identify and track all messages related to a given cardholder transaction.<br><br>Retrieval Reference Number 136-14712.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
| <b>AVS Response Code</b><br>Positions: 148<br>Length: 1<br>Format: alphanumeric                       | <b>Description:</b> Contains the response to an Address Verification Service (AVS) request, indicating matches or discrepancies between addresses and ZIP codes. The entry must contain a valid value. See <i>BASE II Clearing Data Codes</i> for a listing of AVS Response Codes.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
| <b>Reserved</b><br>Positions: 149-150<br>Length: 2<br>Format: alphanumeric                            | <b>Description:</b> This field is reserved for future use. EP will always space-fill.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| <b>Authorization Characteristics Indicator</b><br>Positions: 151<br>Length: 1<br>Format: alphanumeric | <b>Description:</b> Code used by the acquirer to request CPS qualification.<br><br><b>Originals and Reversals of Originals</b><br><br>Purchases and credit vouchers from CPS participating merchants must contain a valid value. See <i>BASE II Clearing Data Codes</i> for Authorization Characteristics Indicators.<br><br>Original ATM cash disbursements and their reversals should contain one of these values:<br><br><b>E</b> = Card present with merchant name and location data<br><br><b>N</b> = Not a payment service transaction<br><br><b>Dispute Financials and Dispute Response Financials</b><br><br>Must be a valid value or a space. For valid combinations of the Requested Payment Service Indicator and the Authorization Characteristics Indicator, see <i>BASE II Clearing Data Codes</i> . |
| <b>POS Entry Mode</b><br>Positions: 152-153<br>Length: 2<br>Format: alphanumeric                      | <b>Description:</b> Indicates the method by which a point-of-transaction terminal obtains and transmits the cardholder information necessary to complete a transaction (for example, magnetic stripe read, bar code read, proximity payment, etc.).<br><br>See <i>BASE II Clearing Data Codes</i> for POS Entry Mode codes.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
| <b>Internal Merchant Batch Key</b><br>Positions: 154-166<br>Length: 13<br>Format: alphanumeric        | <b>Description:</b> Identifies the merchant batch. The first nine digits are unique for each merchant batch. The last four digits contain the TCR (record) count within the merchant batch.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |

### Data Capture Advice Edit Criteria

|                                                                                       |                                                                                                        |
|---------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------|
| <b>Record Type</b><br>Positions: 167<br>Length: 1<br>Format: alphanumeric             | <b>Description:</b> Type of record.<br>The entry will be a <b>2</b> for cardholder transaction detail. |
| <b>Reimbursement Attribute</b><br>Positions: 168<br>Length: 1<br>Format: alphanumeric | <b>Description:</b> Obsolete - must be zero-filled.                                                    |

## TC 57 - TCR 0 - American Express Transaction Detail, General Merchandise

These tables contain the Data Capture Advice (TC 57) record layout and edit criteria for TCR 0 - American Express Transaction Detail, General Merchandise (Format Code 02, 03, 10, or 20).

### CTF - Outgoing and Incoming Interchange

#### Data Capture Advice Record Layout

| Position | Field Length | Format | Contents                              |
|----------|--------------|--------|---------------------------------------|
| 1-2      | 2            | UN     | Transaction Code                      |
| 3        | 1            | UN     | Transaction Code Qualifier            |
| 4        | 1            | UN     | Transaction Component Sequence Number |
| 5-16     | 12           | AN     | Reserved                              |
| 17-18    | 2            | AN     | Format Code                           |
| 19-20    | 2            | AN     | Reserved                              |
| 21-24    | 4            | AN     | Expiration Date (MMYY)                |
| 25-33    | 9            | AN     | Reserved                              |
| 34-56    | 23           | AN     | Charge Description                    |
| 57-66    | 10           | AN     | Record of Charge Number               |
| 67-72    | 6            | UN     | Tax Amount                            |
| 73-75    | 3            | UN     | Item 1 Quantity                       |

### Data Capture Advice Record Layout

| Position | Field Length | Format | Contents                    |
|----------|--------------|--------|-----------------------------|
| 76-90    | 15           | AN     | Item 1 Descriptor           |
| 91-98    | 8            | UN     | Item 1 Unit Price           |
| 99-106   | 8            | UN     | Item 1 Total Price          |
| 107-109  | 3            | UN     | Item 2 Quantity             |
| 110-124  | 15           | AN     | Item 2 Descriptor           |
| 125-132  | 8            | UN     | Item 2 Unit Price           |
| 133-140  | 8            | UN     | Item 2 Total Price          |
| 141-145  | 5            | UN     | Terminal Locator Number     |
| 146-149  | 4            | UN     | Transaction Sequence Number |
| 150      | 1            | UN     | Last Digit of Batch Number  |
| 151-153  | 3            | AN     | Reserved                    |
| 154-166  | 13           | AN     | Internal Merchant Batch Key |
| 167      | 1            | AN     | Record Type                 |
| 168      | 1            | AN     | Reserved                    |

Format: AN = Alphanumeric, ANS = Alphanumeric Special, DX = Display Hexadecimal, N = Numeric, UN = Unpacked Numeric

### Data Capture Advice Edit Criteria

|                                                                                                       |                                                                                                                                                                                                         |
|-------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Transaction Code</b><br>Positions: 1-2<br>Length: 2<br>Format: unpacked numeric                    | <b>Description:</b> The field must contain <b>57</b> .                                                                                                                                                  |
| <b>Transaction Code Qualifier</b><br>Positions: 3<br>Length: 1<br>Format: unpacked numeric            | <b>Description:</b> The field must contain a <b>0</b> (zero).<br>This edit will continue to be performed by the Edit Package when the Bypass Business Edits option is used during an outgoing edit run. |
| <b>Transaction Component Sequence Number</b><br>Positions: 4<br>Length: 1<br>Format: unpacked numeric | <b>Description:</b> The field must contain a <b>1</b> . The record must follow a TCR 0.                                                                                                                 |

### Data Capture Advice Edit Criteria

|                                                                                          |                                                                                                                                                            |
|------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Reserved</b><br>Positions: 5-16<br>Length: 12<br>Format: alphanumeric                 | <b>Description:</b> This field is reserved for future use. EP will always space-fill.                                                                      |
| <b>Format Code</b><br>Positions: 17-18<br>Length: 2<br>Format: alphanumeric              | <b>Description:</b> Indicates the type of transaction.<br><br>The field must contain <b>02, 03, 10, or 20</b> , all of which indicate General Merchandise. |
| <b>Reserved</b><br>Positions: 19-20<br>Length: 2<br>Format: alphanumeric                 | <b>Description:</b> This field is reserved for future use. EP will always space-fill.                                                                      |
| <b>Expiration Date</b><br>Positions: 21-24<br>Length: 4<br>Format: alphanumeric          | <b>Description:</b> Expiration date of card.<br><br>The format for the field is <b>MMYY</b> . This field may contain zeros.                                |
| <b>Reserved</b><br>Positions: 25-33<br>Length: 9<br>Format: alphanumeric                 | <b>Description:</b> This field is reserved for future use. EP will always space-fill.                                                                      |
| <b>Charge Description</b><br>Positions: 34-56<br>Length: 23<br>Format: alphanumeric      | <b>Description:</b> Description of the charge. The field cannot be space-filled.                                                                           |
| <b>Record of Charge Number</b><br>Positions: 57-66<br>Length: 10<br>Format: alphanumeric | <b>Description:</b> The field must be space-filled or contain a numeric. If it contains a numeric, it must be right-justified.                             |
| <b>Tax Amount</b><br>Positions: 67-72<br>Length: 6<br>Format: unpacked numeric           | <b>Description:</b> Amount of tax. The field must be numeric and may contain zeros. The field contains two implied decimal places.                         |

## Data Capture Advice Edit Criteria

|                                                                                          |                                                                                                                                                                                                                                         |
|------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Item 1 Quantity</b><br>Positions: 73-75<br>Length: 3<br>Format: unpacked numeric      | <b>Description:</b> Quantity of Item 1. The field must be numeric. If the value is greater than zero, the Item 1 Descriptor cannot be space-filled and the Item 1 Unit Price and Item 1 Total Price must be greater than zero.          |
| <b>Item 1 Descriptor</b><br>Positions: 76-90<br>Length: 15<br>Format: alphanumeric       | <b>Description:</b> Description of Item 1. If the Item 1 Quantity is greater than zero, this field cannot be space-filled.                                                                                                              |
| <b>Item 1 Unit Price</b><br>Positions: 91-98<br>Length: 8<br>Format: unpacked numeric    | <b>Description:</b> Price of Item 1 per unit. The field must be numeric. If the Item 1 Quantity is greater than zero, this value must be greater than zero.<br><br>The field contains two implied decimal places.                       |
| <b>Item 1 Total Price</b><br>Positions: 99-106<br>Length: 8<br>Format: unpacked numeric  | <b>Description:</b> Total price of Item 1 units. The field must be numeric. If the Item 1 Quantity is greater than zero, this value must be greater than zero.<br><br>The field contains two implied decimal places.                    |
| <b>Item 2 Quantity</b><br>Positions: 107-109<br>Length: 3<br>Format: unpacked numeric    | <b>Description:</b> Quantity of Item 2. The field must be numeric. If this value is greater than zero, the Item 2 Descriptor cannot be space-filled and the Item 2 Unit Price and Item 2 Total Price must be greater than zero.         |
| <b>Item 2 Descriptor</b><br>Positions: 110-124<br>Length: 15<br>Format: alphanumeric     | <b>Description:</b> Description of Item 2. If the Item 2 Quantity is greater than zero, this field cannot be space-filled.                                                                                                              |
| <b>Item 2 Unit Price</b><br>Positions: 125-132<br>Length: 8<br>Format: unpacked numeric  | <b>Description:</b> Price of Item 2 per unit. The field must be numeric. If the Item 2 Quantity is greater than zero, this value must be greater than zero.<br><br>The field contains two implied decimal places.                       |
| <b>Item 2 Total Price</b><br>Positions: 133-140<br>Length: 8<br>Format: unpacked numeric | <b>Description:</b> Total price of Item 2 units. The field must be numeric. If the Item 2 Quantity is greater than zero, this value must be greater than zero. It should equal the Item 2 Quantity multiplied by the Item 2 Unit Price. |

### Data Capture Advice Edit Criteria

|                                                                                                   |                                                                                                                                                                                             |
|---------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Terminal Locator Number</b><br>Positions: 141-145<br>Length: 5<br>Format: unpacked numeric     | <b>Description:</b> Number indicating terminal location.                                                                                                                                    |
| <b>Transaction Sequence Number</b><br>Positions: 146-149<br>Length: 4<br>Format: unpacked numeric | <b>Description:</b> Number indicating sequence of transaction in batch.                                                                                                                     |
| <b>Last Digit of Batch Number</b><br>Positions: 150<br>Length: 1<br>Format: unpacked numeric      | <b>Description:</b> Last digit of the batch number.                                                                                                                                         |
| <b>Reserved</b><br>Positions: 151-153<br>Length: 3<br>Format: alphanumeric                        | <b>Description:</b> This field is reserved for future use. EP will always space-fill.                                                                                                       |
| <b>Internal Merchant Batch Key</b><br>Positions: 154-166<br>Length: 13<br>Format: alphanumeric    | <b>Description:</b> Identifies the merchant batch. The first nine digits are unique for each merchant batch. The last four digits contain the TCR (record) count within the merchant batch. |
| <b>Record Type</b><br>Positions: 167<br>Length: 1<br>Format: alphanumeric                         | <b>Description:</b> Type of record. The entry will be a <b>2</b> for cardholder transaction detail.                                                                                         |
| <b>Reserved</b><br>Positions: 168<br>Length: 1<br>Format: alphanumeric                            | <b>Description:</b> This field is reserved for future use. EP will always space-fill.                                                                                                       |



# TC 57 - TCR 2 - American Express Transaction Detail, General Merchandise

These tables contain the Data Capture Advice (TC 57) record layout and edit criteria for TCR 2 -American Express Transaction Detail, General Merchandise (Format Code 02, 03, 10, or 20).

## CTF - Outgoing and Incoming Interchange

### Data Capture Advice Record Layout

| Position | Field Length | Format | Contents                              |
|----------|--------------|--------|---------------------------------------|
| 1-2      | 2            | UN     | Transaction Code                      |
| 3        | 1            | UN     | Transaction Code Qualifier            |
| 4        | 1            | UN     | Transaction Component Sequence Number |
| 5-16     | 12           | AN     | Reserved                              |
| 17-18    | 2            | AN     | Format Code                           |
| 19-21    | 3            | UN     | Item 3 Quantity                       |
| 22-36    | 15           | AN     | Item 3 Descriptor                     |
| 37-44    | 8            | UN     | Item 3 Unit Price                     |
| 45-52    | 8            | UN     | Item 3 Total Price                    |
| 53-55    | 3            | UN     | Item 4 Quantity                       |
| 56-70    | 15           | AN     | Item 4 Descriptor                     |
| 71-78    | 8            | UN     | Item 4 Unit Price                     |
| 79-86    | 8            | UN     | Item 4 Total Price                    |
| 87-153   | 67           | AN     | Reserved                              |
| 154-166  | 13           | AN     | Internal Merchant Batch Key           |
| 167      | 1            | AN     | Record Type                           |
| 168      | 1            | AN     | Reserved                              |

Format: AN = Alphanumeric, ANS = Alphanumeric Special, DX = Display Hexadecimal, N = Numeric, UN = Unpacked Numeric

## Data Capture Advice Edit Criteria

|                                                                                                       |                                                                                                                                                                                                                                 |
|-------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Transaction Code</b><br>Positions: 1-2<br>Length: 2<br>Format: unpacked numeric                    | <b>Description:</b> The field must contain <b>57</b> .                                                                                                                                                                          |
| <b>Transaction Code Qualifier</b><br>Positions: 3<br>Length: 1<br>Format: unpacked numeric            | <b>Description:</b> The field must contain a <b>0</b> (zero).<br><br>This edit will continue to be performed by the Edit Package when the Bypass Business Edits option is used during an outgoing edit run.                     |
| <b>Transaction Component Sequence Number</b><br>Positions: 4<br>Length: 1<br>Format: unpacked numeric | <b>Description:</b> The field must contain a <b>2</b> . The record must follow a TCR 1.                                                                                                                                         |
| <b>Reserved</b><br>Positions: 5-16<br>Length: 12<br>Format: alphanumeric                              | <b>Description:</b> This field is reserved for future use. EP will always space-fill.                                                                                                                                           |
| <b>Format Code</b><br>Positions: 17-18<br>Length: 2<br>Format: alphanumeric                           | <b>Description:</b> Indicates the type of transaction.<br><br>The field must contain <b>02, 03, 10, or 20</b> , all of which indicate General Merchandise.                                                                      |
| <b>Item 3 Quantity</b><br>Positions: 19-21<br>Length: 3<br>Format: unpacked numeric                   | <b>Description:</b> Quantity of Item 3. The field must be numeric. If this value is greater than zero, the Item 3 Descriptor cannot be space-filled and the Item 3 Unit Price and Item 3 Total Price must be greater than zero. |
| <b>Item 3 Descriptor</b><br>Positions: 22-36<br>Length: 15<br>Format: alphanumeric                    | <b>Description:</b> Description of Item 3. If the Item 3 Quantity is greater than zero, this field cannot be space-filled.                                                                                                      |
| <b>Item 3 Unit Price</b><br>Positions: 37-44<br>Length: 8<br>Format: unpacked numeric                 | <b>Description:</b> Price of Item 3 per unit. The field must be numeric. If the Item 3 Quantity is greater than zero, this value must be greater than zero.<br><br>This field contains two implied decimal places.              |

## Data Capture Advice Edit Criteria

|                                                                                                |                                                                                                                                                                                                                                |
|------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Item 3 Total Price</b><br>Positions: 45-52<br>Length: 8<br>Format: unpacked numeric         | <b>Description:</b> Total price of Item 3 units. The field must be numeric. If the Item 3 Quantity is greater than zero, this value must be greater than zero.<br><br>This field contains two implied decimal places.          |
| <b>Item 4 Quantity</b><br>Positions: 53-55<br>Length: 3<br>Format: unpacked numeric            | <b>Description:</b> Quantity of Item 4. The field must be numeric. If the value is greater than zero, the Item 4 Descriptor cannot be space-filled and the Item 4 Unit Price and Item 4 Total Price must be greater than zero. |
| <b>Item 4 Descriptor</b><br>Positions: 56-70<br>Length: 15<br>Format: alphanumeric             | <b>Description:</b> Description of Item 4. If the Quantity is greater than zero, this field cannot be space-filled.                                                                                                            |
| <b>Item 4 Unit Price</b><br>Positions: 71-78<br>Length: 8<br>Format: unpacked numeric          | <b>Description:</b> Price of Item 4 per unit. The field must be numeric. If the Item 4 Quantity is greater than zero, this value must be greater than zero.<br><br>This field contains two implied decimal places.             |
| <b>Item 4 Total Price</b><br>Positions: 79-86<br>Length: 8<br>Format: unpacked numeric         | <b>Description:</b> Total price of Item 4 units. The field must be numeric. If the Item 4 Quantity is greater than zero, this value must be greater than zero. The field contains two implied decimal places                   |
| <b>Reserved</b><br>Positions: 87-153<br>Length: 67<br>Format: alphanumeric                     | <b>Description:</b> This field is reserved for future use. EP will always space-fill.                                                                                                                                          |
| <b>Internal Merchant Batch Key</b><br>Positions: 154-166<br>Length: 13<br>Format: alphanumeric | <b>Description:</b> Identifies the merchant batch. The first nine digits are unique for each merchant batch. The last four digits contain the TCR (record) count within the merchant batch.                                    |

### Data Capture Advice Edit Criteria

|                                                                           |                                                                                                     |
|---------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------|
| <b>Record Type</b><br>Positions: 167<br>Length: 1<br>Format: alphanumeric | <b>Description:</b> Type of record. The entry will be a <b>2</b> for cardholder transaction detail. |
| <b>Reserved</b><br>Positions: 168<br>Length: 1<br>Format: alphanumeric    | <b>Description:</b> This field is reserved for future use. EP will always space-fill.               |

## TC 57 - TCR 0 - American Express Transaction Detail, Automobile Rental

These tables contain the Data Capture Advice (TC 57) record layout and edit criteria for TCR 0 - American Express Transaction Detail, Automobile Rental (Format Code 05).

### CTF - Outgoing and Incoming Interchange

#### Data Capture Advice Record Layout

| Position | Field Length | Format | Contents                              |
|----------|--------------|--------|---------------------------------------|
| 1-2      | 2            | UN     | Transaction Code                      |
| 3        | 1            | UN     | Transaction Code Qualifier            |
| 4        | 1            | UN     | Transaction Component Sequence Number |
| 5-16     | 12           | AN     | Reserved                              |
| 17-18    | 2            | AN     | Format Code                           |
| 19-20    | 2            | AN     | Approval Code                         |
| 21-24    | 4            | UN     | Expiration Date (MMYY)                |
| 25-33    | 9            | AN     | Rental Agreement Number               |
| 34-41    | 8            | UN     | Audit Adjustment                      |
| 42       | 1            | AN     | Audit Adjustment Indicator            |
| 43-50    | 8            | AN     | Auto Reference Number                 |
| 51-68    | 18           | AN     | Rental City                           |

### Data Capture Advice Record Layout

| Position | Field Length | Format | Contents                    |
|----------|--------------|--------|-----------------------------|
| 69-70    | 2            | AN     | Rental State                |
| 71-76    | 6            | UN     | Rental Date (YYMMDD)        |
| 77-80    | 4            | UN     | Rental Time (HHMM)          |
| 81-98    | 18           | AN     | Return City                 |
| 99-100   | 2            | AN     | Return State                |
| 101-106  | 6            | UN     | Return Date (YYMMDD)        |
| 107-110  | 4            | UN     | Return Time (HHMM)          |
| 111-130  | 20           | AN     | Renter Name                 |
| 131-153  | 23           | AN     | Reserved                    |
| 154-166  | 13           | AN     | Internal Merchant Batch Key |
| 167      | 1            | AN     | Record Type                 |
| 168      | 1            | AN     | Reserved                    |

Format: AN = Alphanumeric, ANS = Alphanumeric Special, DX = Display Hexadecimal, N = Numeric, UN = Unpacked Numeric

### Data Capture Advice Edit Criteria

|                                                                                                       |                                                                                                                                                                                                         |
|-------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Transaction Code</b><br>Positions: 1-2<br>Length: 2<br>Format: unpacked numeric                    | <b>Description:</b> The field must contain <b>57</b> .                                                                                                                                                  |
| <b>Transaction Code Qualifier</b><br>Positions: 3<br>Length: 1<br>Format: unpacked numeric            | <b>Description:</b> The field must contain a <b>0</b> (zero).<br>This edit will continue to be performed by the Edit Package when the Bypass Business Edits option is used during an outgoing edit run. |
| <b>Transaction Component Sequence Number</b><br>Positions: 4<br>Length: 1<br>Format: unpacked numeric | <b>Description:</b> The field must contain a <b>1</b> . The record must follow a TCR 0.                                                                                                                 |

### Data Capture Advice Edit Criteria

|                                                                                         |                                                                                                                                                                                                                                                                        |
|-----------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Reserved</b><br>Positions: 5-16<br>Length: 12<br>Format: alphanumeric                | <b>Description:</b> This field is reserved for future use. EP will always space-fill.                                                                                                                                                                                  |
| <b>Format Code</b><br>Positions: 17-18<br>Length: 2<br>Format: alphanumeric             | <b>Description:</b> Indicates the type of transaction.<br>The field must contain <b>05</b> .                                                                                                                                                                           |
| <b>Approval Code</b><br>Positions: 19-20<br>Length: 2<br>Format: alphanumeric           | <b>Description:</b> Contains the authorization code provided by the issuer when a transaction is approved or a "no reason to decline" code provided for successful verifications.<br>The field must be space-filled if the Transaction Type on the TCR 0 is <b>6</b> . |
| <b>Expiration Date</b><br>Positions: 21-24<br>Length: 4<br>Format: unpacked numeric     | <b>Description:</b> Expiration date of card.<br>The format for this field is <b>MMYY</b> . This field may contain zeros.                                                                                                                                               |
| <b>Rental Agreement Number</b><br>Positions: 25-33<br>Length: 9<br>Format: alphanumeric | <b>Description:</b> The number on the car rental "contract".<br>The field cannot be space-filled.                                                                                                                                                                      |
| <b>Audit Adjustment</b><br>Positions: 34-41<br>Length: 8<br>Format: unpacked numeric    | <b>Description:</b> The field must be numeric and may contain zeros.<br>This field contains two implied decimal places.                                                                                                                                                |
| <b>Audit Adjustment Indicator</b><br>Positions: 42<br>Length: 1<br>Format: alphanumeric | <b>Description:</b> The field must contain an <b>A</b> if Audit Adjustment is greater than zero. Otherwise, it must be space-filled.                                                                                                                                   |
| <b>Auto Reference Number</b><br>Positions: 43-50<br>Length: 8<br>Format: alphanumeric   | <b>Description:</b> Contract reference number from rental company. The field cannot be space-filled or contain all zeros.                                                                                                                                              |

### Data Capture Advice Edit Criteria

|                                                                                   |                                                                                                                                                                   |
|-----------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Rental City</b><br>Positions: 51-68<br>Length: 18<br>Format: alphanumeric      | <b>Description:</b> Name of city where actual car rental occurred.<br>The field cannot be space-filled.                                                           |
| <b>Rental State</b><br>Positions: 69-70<br>Length: 2<br>Format: alphanumeric      | <b>Description:</b> Name of state where actual car rental occurred.<br>The field must contain a valid U.S. state code.                                            |
| <b>Rental Date</b><br>Positions: 71-76<br>Length: 6<br>Format: unpacked numeric   | <b>Description:</b> The date when the actual car rental occurred.<br><br><b>Note:</b> The format is <b>YYMMDD</b> .                                               |
| <b>Rental Time</b><br>Positions: 77-80<br>Length: 4<br>Format: unpacked numeric   | <b>Description:</b> The time when the actual car rental occurred.<br>The format is <b>HHMM</b> , where:<br><b>HH</b> = 00 through 23<br><b>MM</b> = 00 through 59 |
| <b>Return City</b><br>Positions: 81-98<br>Length: 18<br>Format: alphanumeric      | <b>Description:</b> The name of the city to which the rental car was returned.<br>The field cannot be space-filled.                                               |
| <b>Return State</b><br>Positions: 99-100<br>Length: 2<br>Format: alphanumeric     | <b>Description:</b> The name of the state to which the rental car was returned.<br>The field must contain a valid U.S. State Code.                                |
| <b>Return Date</b><br>Positions: 101-106<br>Length: 6<br>Format: unpacked numeric | <b>Description:</b> The actual date the rental car was returned.<br>The format is <b>YYMMDD</b> .                                                                 |
| <b>Return Time</b><br>Positions: 107-110<br>Length: 4<br>Format: unpacked numeric | <b>Description:</b> The actual time the rental car was returned.<br>The format is <b>HHMM</b> , where:<br><b>HH</b> = 00 through 23<br><b>MM</b> = 00 through 59  |

### Data Capture Advice Edit Criteria

|                                                                                                |                                                                                                                                                                                             |
|------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Renter Name</b><br>Positions: 111-130<br>Length: 20<br>Format: alphanumeric                 | <b>Description:</b> The name of the person(s) who signed the rental agreement.<br><br>The field cannot be space-filled.                                                                     |
| <b>Reserved</b><br>Positions: 131-153<br>Length: 23<br>Format: alphanumeric                    | <b>Description:</b> This field is reserved for future use. EP will always space-fill.                                                                                                       |
| <b>Internal Merchant Batch Key</b><br>Positions: 154-166<br>Length: 13<br>Format: alphanumeric | <b>Description:</b> Identifies the merchant batch. The first nine digits are unique for each merchant batch. The last four digits contain the TCR (record) count within the merchant batch. |
| <b>Record Type</b><br>Positions: 167<br>Length: 1<br>Format: alphanumeric                      | <b>Description:</b> Type of record. The entry will be a <b>2</b> for cardholder transaction detail.                                                                                         |
| <b>Reserved</b><br>Positions: 168<br>Length: 1<br>Format: alphanumeric                         | <b>Description:</b> This field is reserved for future use. EP will always space-fill.                                                                                                       |

## TC 57 - TCR 0 - American Express Transaction Detail, Lodging

These tables contain the Data Capture Advice (TC 57) record layout and edit criteria for TCR 0 - American Express Transaction Detail, Lodging (Format Code 11).

### CTF - Outgoing and Incoming Interchange

#### Data Capture Advice Record Layout

| Position | Field Length | Format | Contents                   |
|----------|--------------|--------|----------------------------|
| 1-2      | 2            | UN     | Transaction Code           |
| 3        | 1            | UN     | Transaction Code Qualifier |



### Data Capture Advice Record Layout

| Position | Field Length | Format | Contents                              |
|----------|--------------|--------|---------------------------------------|
| 4        | 1            | UN     | Transaction Component Sequence Number |
| 5-16     | 12           | AN     | Reserved                              |
| 17-18    | 2            | AN     | Format Code                           |
| 19-20    | 2            | AN     | Approval Code                         |
| 21-24    | 4            | UN     | Expiration Date (MMYY)                |
| 25-33    | 9            | AN     | Reserved                              |
| 34-56    | 23           | AN     | Charge Description                    |
| 57-66    | 10           | AN     | Record of Charge (ROC) Number         |
| 67-72    | 6            | UN     | Tax Amount                            |
| 73       | 1            | AN     | Charge Type                           |
| 74-79    | 6            | UN     | Arrival Date (MMDDYY)                 |
| 80-85    | 6            | UN     | Departure Date (MMDDYY)               |
| 86-87    | 2            | UN     | Duration of Stay                      |
| 88       | 1            | AN     | Special Program                       |
| 89-93    | 5            | UN     | Room Rate                             |
| 94-98    | 5            | UN     | Terminal Locator Number               |
| 99-102   | 4            | UN     | Transaction Sequence Number           |
| 103      | 1            | UN     | Last Digit of Batch Number            |
| 104-153  | 50           | AN     | Reserved                              |
| 154-166  | 13           | AN     | Internal Merchant Batch Key           |
| 167      | 1            | AN     | Record Type                           |
| 168      | 1            | AN     | Reserved                              |

Format: AN = Alphanumeric, ANS = Alphanumeric Special, DX = Display Hexadecimal, N = Numeric, UN = Unpacked Numeric

## Data Capture Advice Edit Criteria

|                                                                                                       |                                                                                                                                                                                                                                                                      |
|-------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Transaction Code</b><br>Positions: 1-2<br>Length: 2<br>Format: unpacked numeric                    | <b>Description:</b> The field must contain <b>57</b> .                                                                                                                                                                                                               |
| <b>Transaction Code Qualifier</b><br>Positions: 3<br>Length: 1<br>Format: unpacked numeric            | <b>Description:</b> The field must contain a <b>0</b> (zero).<br>This edit will continue to be performed by the Edit Package when the Bypass Business Edits option is used during an outgoing edit run.                                                              |
| <b>Transaction Component Sequence Number</b><br>Positions: 4<br>Length: 1<br>Format: unpacked numeric | <b>Description:</b> The field must contain a <b>1</b> . The record must follow a TCR 0.                                                                                                                                                                              |
| <b>Reserved</b><br>Positions: 5-16<br>Length: 12<br>Format: alphanumeric                              | <b>Description:</b> This field is reserved for future use. EP will always space-fill.                                                                                                                                                                                |
| <b>Format Code</b><br>Positions: 17-18<br>Length: 2<br>Format: alphanumeric                           | <b>Description:</b> Indicates the type of transaction.<br>The field must contain <b>11</b> .                                                                                                                                                                         |
| <b>Approval Code</b><br>Positions: 19-20<br>Length: 2<br>Format: alphanumeric                         | <b>Description:</b> Contains the authorization code provided by the issuer when a transaction is approved or a "no reason to decline" code provided for successful verifications.<br>Approval Code must be blank if Transaction Type is <b>6</b> (return or credit). |
| <b>Expiration Date</b><br>Positions: 21-24<br>Length: 4<br>Format: unpacked numeric                   | <b>Description:</b> Expiration date of card.<br>The format for the field is <b>MMYY</b> . This field may contain zeros.                                                                                                                                              |
| <b>Reserved</b><br>Positions: 25-33<br>Length: 9<br>Format: alphanumeric                              | <b>Description:</b> This field is reserved for future use. EP will always space-fill.                                                                                                                                                                                |

### Data Capture Advice Edit Criteria

|                                                                                                |                                                                                                                                                                                                                                                                                                                                                                                                 |
|------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Charge Description</b><br>Positions: 34-56<br>Length: 23<br>Format: alphanumeric            | <b>Description:</b> Brief description of the charge. The field cannot be space-filled.                                                                                                                                                                                                                                                                                                          |
| <b>Record of Charge (ROC) Number</b><br>Positions: 57-66<br>Length: 10<br>Format: alphanumeric | <b>Description:</b> Record of the charge number. The field must be space-filled or contain a numeric. If it contains a numeric, the value must be right-justified.                                                                                                                                                                                                                              |
| <b>Tax Amount</b><br>Positions: 67-72<br>Length: 6<br>Format: unpacked numeric                 | <b>Description:</b> Tax amount. The field may contain zeros.<br>The field contains two implied decimal places.                                                                                                                                                                                                                                                                                  |
| <b>Charge Type</b><br>Positions: 73<br>Length: 1<br>Format: alphanumeric                       | <b>Description:</b> Type of lodging charge. The field must contain a <b>1, 2, or 3</b> .<br>If the field equals <b>1</b> , the Room Rate, Arrival Date, Departure Date, and Duration of Stay fields must all be greater than zero and the Special Program field must be a <b>space, 2, 3, 4, 5, or 6</b> .<br>If this field equals <b>2 or 3</b> , the Special Program field must be <b>1</b> . |
| <b>Arrival Date</b><br>Positions: 74-79<br>Length: 6<br>Format: unpacked numeric               | <b>Description:</b> The date the guest checks into the hotel/lodging or, in the case of a no-show, an advance lodging, the scheduled arrival date.<br>If the Charge Type equals <b>1</b> , this field must contain a valid <b>MMDDYY</b> and cannot be greater than the Departure Date. Otherwise, the field must contain zeros.                                                                |
| <b>Departure Date</b><br>Positions: 80-85<br>Length: 6<br>Format: unpacked numeric             | <b>Description:</b> The date the guest checks out of the room.<br>If the Charge Type equals <b>1</b> , this field must contain a valid <b>MMDDYY</b> and must be greater than or equal to the Arrival Date. Otherwise, the field must contain zeros.                                                                                                                                            |
| <b>Duration of Stay</b><br>Positions: 86-87<br>Length: 2<br>Format: unpacked numeric           | <b>Description:</b> Length of the stay in days.<br>If the Charge Type equals <b>1</b> , this value should equal the number of days between the arrival and departure dates. If those dates are the same, this field should be a <b>1</b> . Otherwise, it must contain zeros.                                                                                                                    |
| <b>Special Program</b><br>Positions: 88<br>Length: 1<br>Format: alphanumeric                   | <b>Description:</b> If the Charge Type is <b>1</b> , the field must be a space or contain a <b>2, 3, 4, 5, or 6</b> . If the Charge Type is <b>2 or 3</b> , the field must contain a <b>1</b> .                                                                                                                                                                                                 |

### Data Capture Advice Edit Criteria

|                                                                                                  |                                                                                                                                                                                                                                                                  |
|--------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Room Rate</b><br>Positions: 89-93<br>Length: 5<br>Format: unpacked numeric                    | <b>Description:</b> The daily rate for lodging (excluding extra fees such as MiniBar, or room service).<br><br>If the Charge Type is <b>1</b> , the value must be greater than zero. Otherwise, it must be zeros. The field contains two implied decimal places. |
| <b>Terminal Locator Number</b><br>Positions: 94-98<br>Length: 5<br>Format: unpacked numeric      | <b>Description:</b> Number indicating terminal location.                                                                                                                                                                                                         |
| <b>Transaction Sequence Number</b><br>Positions: 99-102<br>Length: 4<br>Format: unpacked numeric | <b>Description:</b> Number indicating sequence of transaction in batch.                                                                                                                                                                                          |
| <b>Last Digit of Batch Number</b><br>Positions: 103<br>Length: 1<br>Format: unpacked numeric     | <b>Description:</b> Last digit of the batch number.                                                                                                                                                                                                              |
| <b>Reserved</b><br>Positions: 104-153<br>Length: 50<br>Format: alphanumeric                      | <b>Description:</b> This field is reserved for future use. EP will always space-fill.                                                                                                                                                                            |
| <b>Internal Merchant Batch Key</b><br>Positions: 154-166<br>Length: 13<br>Format: alphanumeric   | <b>Description:</b> Identifies the merchant batch. The first nine digits are unique for each merchant batch. The last four digits contain the TCR (record) count within the merchant batch.                                                                      |
| <b>Record Type</b><br>Positions: 167<br>Length: 1<br>Format: alphanumeric                        | <b>Description:</b> Type of record. The entry will be a <b>2</b> for cardholder transaction detail.                                                                                                                                                              |
| <b>Reserved</b><br>Positions: 168<br>Length: 1<br>Format: alphanumeric                           | <b>Description:</b> This field is reserved for future use. EP will always space-fill.                                                                                                                                                                            |

# TC 57 - TCR 1 - American Express Transaction Detail, Restaurant

These tables contain the Data Capture Advice (TC 57) record layout and edit criteria for TCR 1 - American Express Transaction Detail, Restaurant (Format Code 12).

## CTF - Outgoing and Incoming Interchange

### Data Capture Advice Record Layout

| Position | Field Length | Format | Contents                              |
|----------|--------------|--------|---------------------------------------|
| 1-2      | 2            | UN     | Transaction Code                      |
| 3        | 1            | UN     | Transaction Code Qualifier            |
| 4        | 1            | UN     | Transaction Component Sequence Number |
| 5-16     | 12           | AN     | Reserved                              |
| 17-18    | 2            | AN     | Format Code                           |
| 19-20    | 2            | AN     | Approval Code                         |
| 21-24    | 4            | AN     | Expiration Date (MMYY)                |
| 25-33    | 9            | AN     | Reserved                              |
| 34-56    | 23           | AN     | Charge Description                    |
| 57-66    | 10           | AN     | Record of Charge (ROC) Number         |
| 67-72    | 6            | UN     | Tax Amount                            |
| 73-80    | 8            | AN     | Food ID                               |
| 81-88    | 8            | UN     | Food Amount                           |
| 89-96    | 8            | AN     | Beverage ID                           |
| 97-104   | 8            | UN     | Beverage Amount                       |
| 105-112  | 8            | AN     | Tip Recipient Literal 1               |
| 113-120  | 8            | UN     | Tip Amount 1                          |
| 121-128  | 8            | AN     | Tip Recipient Literal 2               |
| 129-136  | 8            | UN     | Tip Amount 2                          |
| 137-141  | 5            | UN     | Terminal Locator Number               |
| 142-145  | 4            | UN     | Transaction Sequence Number           |
| 146      | 1            | UN     | Last Digit of Batch Number            |

### Data Capture Advice Record Layout

| Position | Field Length | Format | Contents                    |
|----------|--------------|--------|-----------------------------|
| 147-153  | 7            | AN     | Reserved                    |
| 154-166  | 13           | AN     | Internal Merchant Batch Key |
| 167      | 1            | AN     | Record Type                 |
| 168      | 1            | AN     | Reserved                    |

Format: AN = Alphanumeric, ANS = Alphanumeric Special, DX = Display Hexadecimal, N = Numeric, UN = Unpacked Numeric

### Data Capture Advice Edit Criteria

|                                                                                                       |                                                                                                                                                                                                                                                                      |
|-------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Transaction Code</b><br>Positions: 1-2<br>Length: 2<br>Format: unpacked numeric                    | <b>Description:</b> The field must contain <b>57</b> .                                                                                                                                                                                                               |
| <b>Transaction Code Qualifier</b><br>Positions: 3<br>Length: 1<br>Format: unpacked numeric            | <b>Description:</b> The field must contain a <b>0</b> (zero).<br>This edit will continue to be performed by the Edit Package when the Bypass Business Edits option is used during an outgoing edit run.                                                              |
| <b>Transaction Component Sequence Number</b><br>Positions: 4<br>Length: 1<br>Format: unpacked numeric | <b>Description:</b> The field must contain a <b>1</b> . The record must follow a TCR 0.                                                                                                                                                                              |
| <b>Reserved</b><br>Positions: 5-16<br>Length: 12<br>Format: alphanumeric                              | <b>Description:</b> This field is reserved for future use. EP will always space-fill.                                                                                                                                                                                |
| <b>Format Code</b><br>Positions: 17-18<br>Length: 2<br>Format: alphanumeric                           | <b>Description:</b> Indicates the type of transaction.<br>The field must contain <b>12</b> .                                                                                                                                                                         |
| <b>Approval Code</b><br>Positions: 19-20<br>Length: 2<br>Format: alphanumeric                         | <b>Description:</b> Contains the authorization code provided by the issuer when a transaction is approved or a "no reason to decline" code provided for successful verifications.<br>Approval Code must be blank if Transaction Type is <b>6</b> (return or credit). |

## Data Capture Advice Edit Criteria

|                                                                                                |                                                                                                                                                                                |
|------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Expiration Date</b><br>Positions: 21-24<br>Length: 4<br>Format: unpacked numeric            | <b>Description:</b> Expiration date of card.<br>The format for the field is <b>MMYY</b> . This field may contain zeros.                                                        |
| <b>Reserved</b><br>Positions: 25-33<br>Length: 9<br>Format: alphanumeric                       | <b>Description:</b> This field is reserved for future use. EP will always space-fill.                                                                                          |
| <b>Charge Description</b><br>Positions: 34-56<br>Length: 23<br>Format: alphanumeric            | <b>Description:</b> Brief description of the charge. The field cannot be space-filled.                                                                                         |
| <b>Record of Charge (ROC) Number</b><br>Positions: 57-66<br>Length: 10<br>Format: alphanumeric | <b>Description:</b> Record of the charge number. The field must be space-filled or contain a numeric. If it contains a numeric, the value must be right-justified.             |
| <b>Tax Amount</b><br>Positions: 67-72<br>Length: 6<br>Format: unpacked numeric                 | <b>Description:</b> Tax amount. The field may contain zeros.<br>The field contains two implied decimal places.                                                                 |
| <b>Food ID</b><br>Positions: 73-80<br>Length: 8<br>Format: alphanumeric                        | <b>Description:</b> The field must contain <b>FOOD</b> , <b>FOOD/BEV</b> , or <b>B-MY-GST</b> .                                                                                |
| <b>Food Amount</b><br>Positions: 81-88<br>Length: 8<br>Format: unpacked numeric                | <b>Description:</b> Amount of the food purchase.<br>The field must be numeric. The field contains two implied decimal places.                                                  |
| <b>Beverage ID</b><br>Positions: 89-96<br>Length: 8<br>Format: alphanumeric                    | <b>Description:</b> The field must contain <b>BEVERAGE</b> if the Beverage Amount field is greater than zero. It must be space-filled if the Beverage Amount is equal to zero. |

## Data Capture Advice Edit Criteria

|                                                                                                   |                                                                                                                                                                                                                                                  |
|---------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Beverage Amount</b><br>Positions: 97-104<br>Length: 8<br>Format: unpacked numeric              | <b>Description:</b> Indicates the amount spent on beverages.<br><br>The field must be numeric. The field contains two implied decimal places.                                                                                                    |
| <b>Tip Recipient Literal 1</b><br>Positions: 105-112<br>Length: 8<br>Format: alphanumeric         | <b>Description:</b> Recipient of Tip Amount 1. If Tip Amount 1 is greater than zero, this field must contain a constant value such as <b>WAITER</b> or a terminal-provided server number. It must be space-filled if the Tip Amount is zero.     |
| <b>Tip Amount 1</b><br>Positions: 113-120<br>Length: 8<br>Format: unpacked numeric                | <b>Description:</b> Amount of tip.<br><br>The field must be numeric. The field contains two implied decimal places.                                                                                                                              |
| <b>Tip Recipient Literal 2</b><br>Positions: 121-128<br>Length: 8<br>Format: alphanumeric         | <b>Description:</b> Recipient of Tip Amount 2. If Tip Amount 2 is greater than zero, this field must contain a constant value such as <b>MAITRE D</b> or a terminal-provided server number. It must be space-filled if the Tip Amount 2 is zero. |
| <b>Tip Amount 2</b><br>Positions: 129-136<br>Length: 8<br>Format: unpacked numeric                | <b>Description:</b> Amount of tip.<br><br>The field must be numeric. The field contains two implied decimal places.                                                                                                                              |
| <b>Terminal Locator Number</b><br>Positions: 137-141<br>Length: 5<br>Format: unpacked numeric     | <b>Description:</b> Number indicating terminal location.                                                                                                                                                                                         |
| <b>Transaction Sequence Number</b><br>Positions: 142-145<br>Length: 4<br>Format: unpacked numeric | <b>Description:</b> Number indicating sequence of transaction in batch.                                                                                                                                                                          |
| <b>Last Digit of Batch Number</b><br>Positions: 146<br>Length: 1<br>Format: unpacked numeric      | <b>Description:</b> Last digit of the batch number.                                                                                                                                                                                              |



### Data Capture Advice Edit Criteria

|                                                                                                |                                                                                                                                                                                             |
|------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Reserved</b><br>Positions: 147-153<br>Length: 7<br>Format: alphanumeric                     | <b>Description:</b> This field is reserved for future use. EP will always space-fill.                                                                                                       |
| <b>Internal Merchant Batch Key</b><br>Positions: 154-166<br>Length: 13<br>Format: alphanumeric | <b>Description:</b> Identifies the merchant batch. The first nine digits are unique for each merchant batch. The last four digits contain the TCR (record) count within the merchant batch. |
| <b>Record Type</b><br>Positions: 167<br>Length: 1<br>Format: alphanumeric                      | <b>Description:</b> Type of record. The entry will be a <b>2</b> for cardholder transaction detail.                                                                                         |
| <b>Reserved</b><br>Positions: 168<br>Length: 1<br>Format: alphanumeric                         | <b>Description:</b> This field is reserved for future use. EP will always space-fill.                                                                                                       |

## TC 57 - TCR 1 - American Express Transaction Detail, Insurance Part 1

These tables contain the Data Capture Advice (TC 57) record layout and edit criteria for TCR 1 - American Express Transaction Detail, Insurance Part 1 (Format Code 04).

### CTF - Outgoing and Incoming Interchange

#### Data Capture Advice Record Layout

| Position | Field Length | Format | Contents                              |
|----------|--------------|--------|---------------------------------------|
| 1-2      | 2            | UN     | Transaction Code                      |
| 3        | 1            | UN     | Transaction Code Qualifier            |
| 4        | 1            | UN     | Transaction Component Sequence Number |
| 5-10     | 6            | AN     | Reserved                              |
| 11-16    | 6            | UN     | Source Identifier                     |
| 17-18    | 2            | AN     | Format Code                           |

### Data Capture Advice Record Layout

| Position | Field Length | Format | Contents                    |
|----------|--------------|--------|-----------------------------|
| 19-20    | 2            | AN     | Approval Code               |
| 21-24    | 4            | UN     | Expiration Date (MMYY)      |
| 25-34    | 10           | AN     | Policy Number               |
| 35-40    | 6            | UN     | Tax Amount                  |
| 41-80    | 40           | AN     | Type of Policy              |
| 81-120   | 40           | AN     | Coverage Dates              |
| 121-153  | 33           | AN     | Reserved                    |
| 154-166  | 13           | AN     | Internal Merchant Batch Key |
| 167      | 1            | AN     | Record Type                 |
| 168      | 1            | AN     | Reserved                    |

Format: AN = Alphanumeric, ANS = Alphanumeric Special, DX = Display Hexadecimal, N = Numeric, UN = Unpacked Numeric

### Data Capture Advice Edit Criteria

|                                                                                                       |                                                                                                                                                                                                         |
|-------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Transaction Code</b><br>Positions: 1-2<br>Length: 2<br>Format: unpacked numeric                    | <b>Description:</b> The field must contain <b>57</b> .                                                                                                                                                  |
| <b>Transaction Code Qualifier</b><br>Positions: 3<br>Length: 1<br>Format: unpacked numeric            | <b>Description:</b> The field must contain a <b>0</b> (zero).<br>This edit will continue to be performed by the Edit Package when the Bypass Business Edits option is used during an outgoing edit run. |
| <b>Transaction Component Sequence Number</b><br>Positions: 4<br>Length: 1<br>Format: unpacked numeric | <b>Description:</b> The field must contain a <b>1</b> . The record must follow a TCR 0.                                                                                                                 |
| <b>Reserved</b><br>Positions: 5-10<br>Length: 6<br>Format: alphanumeric                               | <b>Description:</b> This field is reserved for future use. EP will always space-fill.                                                                                                                   |

### Data Capture Advice Edit Criteria

|                                                                                       |                                                                                                                                                                                                                                                                      |
|---------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Source Identifier</b><br>Positions: 11-16<br>Length: 6<br>Format: unpacked numeric | <b>Description:</b> The entity from which this transaction message is sent.<br>The Source identifier is inserted by the VIC.                                                                                                                                         |
| <b>Format Code</b><br>Positions: 17-18<br>Length: 2<br>Format: alphanumeric           | <b>Description:</b> Indicates the type of transaction.<br>The field must contain <b>04</b> .                                                                                                                                                                         |
| <b>Approval Code</b><br>Positions: 19-20<br>Length: 2<br>Format: alphanumeric         | <b>Description:</b> Contains the authorization code provided by the issuer when a transaction is approved or a “no reason to decline” code provided for successful verifications.<br>Approval Code must be blank if Transaction Type is <b>6</b> (return or credit). |
| <b>Expiration Date</b><br>Positions: 21-24<br>Length: 4<br>Format: unpacked numeric   | <b>Description:</b> Expiration date of card.<br>The format for the field is <b>MMYY</b> . This field may contain zeros.                                                                                                                                              |
| <b>Policy Number</b><br>Positions: 25-34<br>Length: 10<br>Format: alphanumeric        | <b>Description:</b> ID Number of the insurance policy. The field cannot be space-filled. For policy numbers greater than 10 positions, the remaining digits are placed in the Miscellaneous Description 1 field of the Insurance Part 2 record.                      |
| <b>Tax Amount</b><br>Positions: 35-40<br>Length: 6<br>Format: unpacked numeric        | <b>Description:</b> Tax amount. The field must be numeric and may contain zeros. The field contains two implied decimal places                                                                                                                                       |
| <b>Type of Policy</b><br>Positions: 41-80<br>Length: 40<br>Format: alphanumeric       | <b>Description:</b> Brief description of policy type.                                                                                                                                                                                                                |
| <b>Coverage Dates</b><br>Positions: 81-120<br>Length: 40<br>Format: alphanumeric      | <b>Description:</b> Time period the policy covers.                                                                                                                                                                                                                   |

### Data Capture Advice Edit Criteria

|                                                                                                |                                                                                                                                                                                             |
|------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Reserved</b><br>Positions: 121-153<br>Length: 33<br>Format: alphanumeric                    | <b>Description:</b> This field is reserved for future use. EP will always space-fill.                                                                                                       |
| <b>Internal Merchant Batch Key</b><br>Positions: 154-166<br>Length: 13<br>Format: alphanumeric | <b>Description:</b> Identifies the merchant batch. The first nine digits are unique for each merchant batch. The last four digits contain the TCR (record) count within the merchant batch. |
| <b>Record Type</b><br>Positions: 167<br>Length: 1<br>Format: alphanumeric                      | <b>Description:</b> Type of record. The entry will be a <b>2</b> for cardholder transaction detail.                                                                                         |
| <b>Reserved</b><br>Positions: 168<br>Length: 1<br>Format: alphanumeric                         | <b>Description:</b> This field is reserved for future use. EP will always space-fill.                                                                                                       |

## TC 57 - TCR 2 - American Express Transaction Detail, Insurance Part 2

These tables contain the Data Capture Advice (TC 57) record layout and edit criteria for TCR 2 -American Express Transaction Detail, Insurance Part 2 (Format Code 04).

### CTF - Outgoing and Incoming Interchange

#### Data Capture Advice Record Layout

| Position | Field Length | Format | Contents                              |
|----------|--------------|--------|---------------------------------------|
| 1-2      | 2            | UN     | Transaction Code                      |
| 3        | 1            | UN     | Transaction Code Qualifier            |
| 4        | 1            | UN     | Transaction Component Sequence Number |
| 5-16     | 12           | AN     | Reserved                              |
| 17-18    | 2            | AN     | Format Code                           |
| 19-58    | 40           | AN     | Miscellaneous Description 1           |

### Data Capture Advice Record Layout

| Position | Field Length | Format | Contents                    |
|----------|--------------|--------|-----------------------------|
| 59-98    | 40           | AN     | Miscellaneous Description 2 |
| 99-153   | 55           | AN     | Reserved                    |
| 154-166  | 13           | AN     | Internal Merchant Batch Key |
| 167      | 1            | AN     | Record Type                 |
| 168      | 1            | AN     | Reserved                    |

Format: AN = Alphanumeric, ANS = Alphanumeric Special, DX = Display Hexadecimal, N = Numeric, UN = Unpacked Numeric

### Data Capture Advice Edit Criteria

|                                                                                                       |                                                                                                                                                                                                         |
|-------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Transaction Code</b><br>Positions: 1-2<br>Length: 2<br>Format: unpacked numeric                    | <b>Description:</b> The field must contain <b>57</b> .                                                                                                                                                  |
| <b>Transaction Code Qualifier</b><br>Positions: 3<br>Length: 1<br>Format: unpacked numeric            | <b>Description:</b> The field must contain a <b>0</b> (zero).<br>This edit will continue to be performed by the Edit Package when the Bypass Business Edits option is used during an outgoing edit run. |
| <b>Transaction Component Sequence Number</b><br>Positions: 4<br>Length: 1<br>Format: unpacked numeric | <b>Description:</b> The field must contain a <b>2</b> . The record must follow a TCR 1.                                                                                                                 |
| <b>Reserved</b><br>Positions: 5-16<br>Length: 12<br>Format: alphanumeric                              | <b>Description:</b> This field is reserved for future use. EP will always space-fill.                                                                                                                   |
| <b>Format Code</b><br>Positions: 17-18<br>Length: 2<br>Format: alphanumeric                           | <b>Description:</b> Indicates the type of transaction.<br>The field must contain <b>04</b> .                                                                                                            |

### Data Capture Advice Edit Criteria

|                                                                                                |                                                                                                                                                                                             |
|------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Miscellaneous Description 1</b><br>Positions: 19-58<br>Length: 40<br>Format: alphanumeric   | <b>Description:</b> Details of the insurance policy/coverage.                                                                                                                               |
| <b>Miscellaneous Description 2</b><br>Positions: 59-98<br>Length: 40<br>Format: alphanumeric   | <b>Description:</b> Additional details of the insurance policy/coverage.                                                                                                                    |
| <b>Reserved</b><br>Positions: 99-153<br>Length: 55<br>Format: alphanumeric                     | <b>Description:</b> This field is reserved for future use. EP will always space-fill.                                                                                                       |
| <b>Internal Merchant Batch Key</b><br>Positions: 154-166<br>Length: 13<br>Format: alphanumeric | <b>Description:</b> Identifies the merchant batch. The first nine digits are unique for each merchant batch. The last four digits contain the TCR (record) count within the merchant batch. |
| <b>Record Type</b><br>Positions: 167<br>Length: 1<br>Format: alphanumeric                      | <b>Description:</b> Type of record. The entry will be a <b>2</b> for cardholder transaction detail.                                                                                         |
| <b>Reserved</b><br>Positions: 168<br>Length: 1<br>Format: alphanumeric                         | <b>Description:</b> This field is reserved for future use. EP will always space-fill.                                                                                                       |

# TC 57 - TCR 1 - American Express Transaction Detail, Automobile Leasing

These tables contain the Data Capture Advice (TC 57) record layout and edit criteria for TCR 1 -American Express Transaction Detail, Automobile Leasing (Format Code 07).

## Data Capture Advice Record Layout

| Position | Field Length | Format | Contents                              |
|----------|--------------|--------|---------------------------------------|
| 1-2      | 2            | UN     | Transaction Code                      |
| 3        | 1            | UN     | Transaction Code Qualifier            |
| 4        | 1            | UN     | Transaction Component Sequence Number |
| 5-16     | 12           | AN     | Reserved                              |
| 17-18    | 2            | AN     | Format Code                           |
| 19-20    | 2            | AN     | Approval Code                         |
| 21-24    | 4            | AN     | Expiration Date (MMYY)                |
| 25-33    | 9            | AN     | Leasing Agreement Number              |
| 34-41    | 8            | UN     | Total Lease Charge                    |
| 42       | 1            | AN     | Audit Indicator                       |
| 43-50    | 8            | AN     | Auto Reference Number                 |
| 51-52    | 2            | UN     | Current Monthly Payment Number        |
| 53-54    | 2            | UN     | Total Number of Payment Months        |
| 55-72    | 18           | AN     | Lease City                            |
| 73-74    | 2            | AN     | Lease State                           |
| 75-80    | 6            | UN     | Lease Date (YYMMDD)                   |
| 81-84    | 4            | UN     | Lease Time (HHMM)                     |
| 85-102   | 18           | AN     | Return City                           |
| 103-104  | 2            | AN     | Return State                          |
| 105-110  | 6            | UN     | Return Date (YYMMDD)                  |
| 111-114  | 4            | UN     | Return Time (HHMM)                    |
| 115-134  | 20           | AN     | Lessee Name                           |

### Data Capture Advice Record Layout

| Position | Field Length | Format | Contents                    |
|----------|--------------|--------|-----------------------------|
| 135-153  | 19           | AN     | Reserved                    |
| 154-166  | 13           | AN     | Internal Merchant Batch Key |
| 167      | 1            | AN     | Record Type                 |
| 168      | 1            | AN     | Reserved                    |

Format: AN = Alphanumeric, ANS = Alphanumeric Special, DX = Display Hexadecimal, N = Numeric, UN = Unpacked Numeric

### Data Capture Advice Edit Criteria

|                                                                                                       |                                                                                                                                                                                                                                                                        |
|-------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Transaction Code</b><br>Positions: 1-2<br>Length: 2<br>Format: unpacked numeric                    | <b>Description:</b> The field must contain <b>57</b> .                                                                                                                                                                                                                 |
| <b>Transaction Code Qualifier</b><br>Positions: 3<br>Length: 1<br>Format: unpacked numeric            | <b>Description:</b> The field must contain a <b>0</b> (zero).<br>This edit will continue to be performed by the Edit Package when the Bypass Business Edits option is used during an outgoing edit run.                                                                |
| <b>Transaction Component Sequence Number</b><br>Positions: 4<br>Length: 1<br>Format: unpacked numeric | <b>Description:</b> The field must contain a <b>1</b> . The record must follow a TCR 0.                                                                                                                                                                                |
| <b>Reserved</b><br>Positions: 5-16<br>Length: 12<br>Format: alphanumeric                              | <b>Description:</b> This field is reserved for future use. EP will always space-fill.                                                                                                                                                                                  |
| <b>Format Code</b><br>Positions: 17-18<br>Length: 2<br>Format: alphanumeric                           | <b>Description:</b> Indicates the type of transaction.<br>The field must contain <b>07</b> .                                                                                                                                                                           |
| <b>Approval Code</b><br>Positions: 19-20<br>Length: 2<br>Format: alphanumeric                         | <b>Description:</b> Contains the authorization code provided by the issuer when a transaction is approved or a "no reason to decline" code provided for successful verifications.<br>The field must be space-filled if the Transaction Type on the TCR 0 is <b>6</b> . |



### Data Capture Advice Edit Criteria

|                                                                                                    |                                                                                                                                                                     |
|----------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Expiration Date</b><br>Positions: 21-24<br>Length: 4<br>Format: alphanumeric                    | <b>Description:</b> Expiration date of card.<br>The format for the field is <b>MMYY</b> . This field may contain zeros.                                             |
| <b>Leasing Agreement Number</b><br>Positions: 25-33<br>Length: 9<br>Format: alphanumeric           | <b>Description:</b> The ID number on the automobile leasing agreement.<br>The field cannot be space-filled.                                                         |
| <b>Total Lease Charge</b><br>Positions: 34-41<br>Length: 8<br>Format: unpacked numeric             | <b>Description:</b> The total of all fees listed on the lease.<br>The field must contain a value greater than zero. This field contains two implied decimal places. |
| <b>Audit Indicator</b><br>Positions: 42<br>Length: 1<br>Format: alphanumeric                       | <b>Description:</b> The field must be space-filled or contain an <b>A</b> .                                                                                         |
| <b>Auto Reference Number</b><br>Positions: 43-50<br>Length: 8<br>Format: alphanumeric              | <b>Description:</b> Contract reference number from rental company.<br>The field must be numeric, right-justified and greater than zero.                             |
| <b>Current Monthly Payment Number</b><br>Positions: 51-52<br>Length: 2<br>Format: unpacked numeric | <b>Description:</b> Current payment number in the lease (for example, in a 24 month lease, this might be payment 2). The field must be numeric.                     |
| <b>Total Number of Payment Months</b><br>Positions: 53-54<br>Length: 2<br>Format: unpacked numeric | <b>Description:</b> Total number of payment months in the lease (for example, a two year lease would have 24 months). The field must be numeric.                    |
| <b>Lease City</b><br>Positions: 55-72<br>Length: 18<br>Format: alphanumeric                        | <b>Description:</b> The name of the city where the car was leased.<br>The field cannot be space-filled.                                                             |

### Data Capture Advice Edit Criteria

|                                                                                   |                                                                                                                                                               |
|-----------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Lease State</b><br>Positions: 73-74<br>Length: 2<br>Format: alphanumeric       | <b>Description:</b> The name of the state where the car was leased.<br>The field must contain a valid U.S. state code.                                        |
| <b>Lease Date</b><br>Positions: 75-80<br>Length: 6<br>Format: unpacked numeric    | <b>Description:</b> The date that the car was leased.<br>The format is <b>YYMMDD</b> .                                                                        |
| <b>Lease Time</b><br>Positions: 81-84<br>Length: 4<br>Format: unpacked numeric    | <b>Description:</b> The duration of the lease.<br>The format is <b>HHMM</b> , where:<br><b>HH</b> = 00 through 23<br><b>MM</b> = 00 through 59                |
| <b>Return City</b><br>Positions: 85-102<br>Length: 18<br>Format: alphanumeric     | <b>Description:</b> The name of the city where the car was returned to the leasing agency.<br>The field cannot be space-filled.                               |
| <b>Return State</b><br>Positions: 103-104<br>Length: 2<br>Format: alphanumeric    | <b>Description:</b> The name of the state where the car was returned to the leasing agency.<br>The field must contain a valid U.S. state code.                |
| <b>Return Date</b><br>Positions: 105-110<br>Length: 6<br>Format: unpacked numeric | <b>Description:</b> The date indicating the end of the lease.<br>The format is <b>YYMMDD</b> .                                                                |
| <b>Return Time</b><br>Positions: 111-114<br>Length: 4<br>Format: unpacked numeric | <b>Description:</b> The time indicating the end of the lease.<br>The format is <b>HHMM</b> , where:<br><b>HH</b> = 00 through 23<br><b>MM</b> = 00 through 59 |
| <b>Lessee Name</b><br>Positions: 115-134<br>Length: 20<br>Format: alphanumeric    | <b>Description:</b> The name of the person who holds the lease.<br>The field cannot be space-filled.                                                          |

### Data Capture Advice Edit Criteria

|                                                                                                |                                                                                                                                                                                             |
|------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Reserved</b><br>Positions: 135-153<br>Length: 19<br>Format: alphanumeric                    | <b>Description:</b> This field is reserved for future use. EP will always space-fill.                                                                                                       |
| <b>Internal Merchant Batch Key</b><br>Positions: 154-166<br>Length: 13<br>Format: alphanumeric | <b>Description:</b> Identifies the merchant batch. The first nine digits are unique for each merchant batch. The last four digits contain the TCR (record) count within the merchant batch. |
| <b>Record Type</b><br>Positions: 167<br>Length: 1<br>Format: alphanumeric                      | <b>Description:</b> Type of record. The entry will be a <b>2</b> for cardholder transaction detail.                                                                                         |
| <b>Reserved</b><br>Positions: 168<br>Length: 1<br>Format: alphanumeric                         | <b>Description:</b> This field is reserved for future use. EP will always space-fill.                                                                                                       |

## TC 57 - TCR 2 - American Express Transaction Detail, Automobile Leasing (Optional)

These tables contain the Data Capture Advice (TC 57) record layout and edit criteria for TCR 2 - American Express Transaction Detail, Automobile Leasing (Optional) (Format Code 07).

### CTF - Outgoing and Incoming Interchange

#### Data Capture Advice Record Layout

| Position | Field Length | Format | Contents                              |
|----------|--------------|--------|---------------------------------------|
| 1-2      | 2            | UN     | Transaction Code                      |
| 3        | 1            | UN     | Transaction Code Qualifier            |
| 4        | 1            | UN     | Transaction Component Sequence Number |
| 5-16     | 12           | AN     | Reserved                              |
| 17-18    | 2            | AN     | Format Code                           |

### Data Capture Advice Record Layout

| Position | Field Length | Format | Contents                    |
|----------|--------------|--------|-----------------------------|
| 19-38    | 20           | AN     | Car Description             |
| 39-53    | 15           | AN     | Car ID Number               |
| 54-153   | 100          | AN     | Reserved                    |
| 154-166  | 13           | AN     | Internal Merchant Batch Key |
| 167      | 1            | AN     | Record Type                 |
| 168      | 1            | AN     | Reserved                    |

Format: AN = Alphanumeric, ANS = Alphanumeric Special, DX = Display Hexadecimal, N = Numeric, UN = Unpacked Numeric

### Data Capture Advice Edit Criteria

|                                                                                                       |                                                                                                                                                                                                         |
|-------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Transaction Code</b><br>Positions: 1-2<br>Length: 2<br>Format: unpacked numeric                    | <b>Description:</b> The field must contain <b>57</b> .                                                                                                                                                  |
| <b>Transaction Code Qualifier</b><br>Positions: 3<br>Length: 1<br>Format: unpacked numeric            | <b>Description:</b> The field must contain a <b>0</b> (zero).<br>This edit will continue to be performed by the Edit Package when the Bypass Business Edits option is used during an outgoing edit run. |
| <b>Transaction Component Sequence Number</b><br>Positions: 4<br>Length: 1<br>Format: unpacked numeric | <b>Description:</b> The field must contain a <b>2</b> . The record must follow a TCR 1.                                                                                                                 |
| <b>Reserved</b><br>Positions: 5-16<br>Length: 12<br>Format: alphanumeric                              | <b>Description:</b> This field is reserved for future use. EP will always space-fill.                                                                                                                   |
| <b>Format Code</b><br>Positions: 17-18<br>Length: 2<br>Format: alphanumeric                           | <b>Description:</b> Indicates the type of transaction.<br>The field must contain <b>07</b> .                                                                                                            |

## Data Capture Advice Edit Criteria

|                                                                                                |                                                                                                                                                                                             |
|------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Car Description</b><br>Positions: 19-38<br>Length: 20<br>Format: alphanumeric               | <b>Description:</b> Indicates model, year, and make of the car.                                                                                                                             |
| <b>Car ID Number</b><br>Positions: 39-53<br>Length: 15<br>Format: alphanumeric                 | <b>Description:</b> The vehicle identification number.                                                                                                                                      |
| <b>Reserved</b><br>Positions: 54-153<br>Length: 100<br>Format: alphanumeric                    | <b>Description:</b> This field is reserved for future use. EP will always space-fill.                                                                                                       |
| <b>Internal Merchant Batch Key</b><br>Positions: 154-166<br>Length: 13<br>Format: alphanumeric | <b>Description:</b> Identifies the merchant batch. The first nine digits are unique for each merchant batch. The last four digits contain the TCR (record) count within the merchant batch. |
| <b>Record Type</b><br>Positions: 167<br>Length: 1<br>Format: alphanumeric                      | <b>Description:</b> Type of record. The entry will be a <b>2</b> for cardholder transaction detail.                                                                                         |
| <b>Reserved</b><br>Positions: 168<br>Length: 1<br>Format: alphanumeric                         | <b>Description:</b> This field is reserved for future use. EP will always space-fill.                                                                                                       |

# TC 57 - TCR 1 - American Express Transaction Detail, Telephone Part 1

These tables contain the Data Capture Advice (TC 57) record layout and edit criteria for TCR 1 -American Express Transaction Detail, Telephone Part 1 (Format Code 13).

## CTF - Outgoing and Incoming Interchange

### Data Capture Advice Record Layout

| Position | Field Length | Format | Contents                              |
|----------|--------------|--------|---------------------------------------|
| 1-2      | 2            | UN     | Transaction Code                      |
| 3        | 1            | UN     | Transaction Code Qualifier            |
| 4        | 1            | UN     | Transaction Component Sequence Number |
| 5-16     | 12           | AN     | Reserved                              |
| 17-18    | 2            | AN     | Format Code                           |
| 19-20    | 2            | AN     | Approval Code                         |
| 21-24    | 4            | UN     | Expiration Date (MMYY)                |
| 25-34    | 10           | AN     | Record of Charge (ROC) Number         |
| 35-38    | 4            | UN     | Time of Call (HHMM)                   |
| 39-42    | 4            | UN     | Duration of Call (HHMM)               |
| 43-50    | 8            | AN     | Reference CDAR Number                 |
| 51-68    | 18           | AN     | Call From City                        |
| 69-70    | 2            | AN     | Call From State                       |
| 71-88    | 18           | AN     | Call To City                          |
| 89-90    | 2            | AN     | Call To State                         |
| 91-100   | 10           | AN     | From Telephone Number                 |
| 101-110  | 10           | AN     | To Telephone Number                   |
| 111      | 1            | AN     | Rate Class                            |
| 112-153  | 42           | AN     | Reserved                              |
| 154-166  | 13           | AN     | Internal Merchant Batch Key           |
| 167      | 1            | AN     | Record Type                           |
| 168      | 1            | AN     | Reserved                              |

Format: AN = Alphanumeric, ANS = Alphanumeric Special, DX = Display Hexadecimal, N = Numeric, UN = Unpacked Numeric

## Data Capture Advice Edit Criteria

|                                                                                                       |                                                                                                                                                                                                                                                                        |
|-------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Transaction Code</b><br>Positions: 1-2<br>Length: 2<br>Format: unpacked numeric                    | <b>Description:</b> The field must contain <b>57</b> .                                                                                                                                                                                                                 |
| <b>Transaction Code Qualifier</b><br>Positions: 3<br>Length: 1<br>Format: unpacked numeric            | <b>Description:</b> The field must contain a <b>0</b> (zero).<br>This edit will continue to be performed by the Edit Package when the Bypass Business Edits option is used during an outgoing edit run.                                                                |
| <b>Transaction Component Sequence Number</b><br>Positions: 4<br>Length: 1<br>Format: unpacked numeric | <b>Description:</b> The field must contain a <b>1</b> . The record must follow a TCR 0.                                                                                                                                                                                |
| <b>Reserved</b><br>Positions: 5-16<br>Length: 12<br>Format: alphanumeric                              | <b>Description:</b> This field is reserved for future use. EP will always space-fill.                                                                                                                                                                                  |
| <b>Format Code</b><br>Positions: 17-18<br>Length: 2<br>Format: alphanumeric                           | <b>Description:</b> Indicates the type of transaction.<br>The field must contain <b>13</b> .                                                                                                                                                                           |
| <b>Approval Code</b><br>Positions: 19-20<br>Length: 2<br>Format: alphanumeric                         | <b>Description:</b> Contains the authorization code provided by the issuer when a transaction is approved or a "no reason to decline" code provided for successful verifications.<br>The field must be space-filled if the Transaction Type on the TCR 0 is <b>6</b> . |
| <b>Expiration Date</b><br>Positions: 21-24<br>Length: 4<br>Format: unpacked numeric                   | <b>Description:</b> Expiration date of card.<br>The format for the field is <b>MMYY</b> . This field may contain zeros                                                                                                                                                 |
| <b>Record of Charge (ROC) Number</b><br>Positions: 25-34<br>Length: 10<br>Format: alphanumeric        | <b>Description:</b> Record of charge number. The field must be space-filled or numeric. If it is numeric, the value must be right-justified.                                                                                                                           |

### Data Capture Advice Edit Criteria

|                                                                                         |                                                                                                                                                                               |
|-----------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Time of Call</b><br>Positions: 35-38<br>Length: 4<br>Format: unpacked numeric        | <b>Description:</b> Time the telephone call occurred. The format is <b>HHMM</b> (hours and minutes), where:<br><b>HH</b> = 00 through 23<br><b>MM</b> = 00 through 59         |
| <b>Duration of Call</b><br>Positions: 39-42<br>Length: 4<br>Format: unpacked numeric    | <b>Description:</b> The length of time of the telephone call. The format is <b>HHMM</b> (hours and minutes), where:<br><b>HH</b> = 00 through 23<br><b>MM</b> = 00 through 59 |
| <b>Reference CDAR Number</b><br>Positions: 43-50<br>Length: 8<br>Format: alphanumeric   | <b>Description:</b> Unique CDAR reference number.                                                                                                                             |
| <b>Call From City</b><br>Positions: 51-68<br>Length: 18<br>Format: alphanumeric         | <b>Description:</b> The city from which the telephone call was made.<br>The first position of this field cannot be a space.                                                   |
| <b>Call From State</b><br>Positions: 69-70<br>Length: 2<br>Format: alphanumeric         | <b>Description:</b> The state from which the telephone call was made.<br>The field must contain a valid U.S. State Code.                                                      |
| <b>Call To City</b><br>Positions: 71-88<br>Length: 18<br>Format: alphanumeric           | <b>Description:</b> The city to which the telephone call was made.<br>The first position of this field cannot be a space.                                                     |
| <b>Call To State</b><br>Positions: 89-90<br>Length: 2<br>Format: alphanumeric           | <b>Description:</b> The state to which the telephone call was made.<br>The field must contain a valid U.S. State Code.                                                        |
| <b>From Telephone Number</b><br>Positions: 91-100<br>Length: 10<br>Format: alphanumeric | <b>Description:</b> The telephone number from which the telephone call was made.                                                                                              |



### Data Capture Advice Edit Criteria

|                                                                                                |                                                                                                                                                                                            |
|------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>To Telephone Number</b><br>Positions: 101-110<br>Length: 10<br>Format: alphanumeric         | <b>Description:</b> The telephone number to which the telephone call was made.                                                                                                             |
| <b>Rate Class</b><br>Positions: 111<br>Length: 1<br>Format: alphanumeric                       | <b>Description:</b> Identifies the rate class used.                                                                                                                                        |
| <b>Reserved</b><br>Positions: 112-153<br>Length: 42<br>Format: alphanumeric                    | <b>Description:</b> This field is reserved for future use. EP will always space-fill.                                                                                                      |
| <b>Internal Merchant Batch Key</b><br>Positions: 154-166<br>Length: 13<br>Format: alphanumeric | <b>Description:</b> Identifies the merchant batch. The first nine digits are unique for each merchant batch. The last four digits contain the TCR (record)count within the merchant batch. |
| <b>Record Type</b><br>Positions: 167<br>Length: 1<br>Format: alphanumeric                      | <b>Description:</b> Type of record. The entry will be a <b>2</b> for cardholder transaction detail.                                                                                        |
| <b>Reserved</b><br>Positions: 168<br>Length: 1<br>Format: alphanumeric                         | <b>Description:</b> This field is reserved for future use. EP will always space-fill.                                                                                                      |

## TC 57 - TCR 2 - American Express Transaction Detail, Telephone Part 2

These tables contain the Data Capture Advice (TC 57) record layout and edit criteria for TCR 2 -American Express Transaction Detail, Telephone Part 2 (Format Code 13).

### CTF - Outgoing and Incoming Interchange

### Data Capture Advice Record Layout

| Position | Field Length | Format | Contents                              |
|----------|--------------|--------|---------------------------------------|
| 1-2      | 2            | UN     | Transaction Code                      |
| 3        | 1            | UN     | Transaction Code Qualifier            |
| 4        | 1            | UN     | Transaction Component Sequence Number |
| 5-16     | 12           | AN     | Reserved                              |
| 17-18    | 2            | AN     | Format Code                           |
| 19-30    | 12           | AN     | Telephone Number 1                    |
| 31-38    | 8            | AN     | Time 1                                |
| 39-45    | 7            | AN     | Cost 1                                |
| 46-57    | 12           | AN     | Telephone Number 2                    |
| 58-65    | 8            | AN     | Time 2                                |
| 66-72    | 7            | AN     | Cost 2                                |
| 73-153   | 81           | AN     | Reserved                              |
| 154-166  | 13           | AN     | Internal Merchant Batch Key           |
| 167      | 1            | AN     | Record Type                           |
| 168      | 1            | AN     | Reserved                              |

Format: AN = Alphanumeric, ANS = Alphanumeric Special, DX = Display Hexadecimal, N = Numeric, UN = Unpacked Numeric

### Data Capture Advice Edit Criteria

|                                                                                            |                                                                                                                                                                                                         |
|--------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Transaction Code</b><br>Positions: 1-2<br>Length: 2<br>Format: unpacked numeric         | <b>Description:</b> The field must contain <b>57</b> .                                                                                                                                                  |
| <b>Transaction Code Qualifier</b><br>Positions: 3<br>Length: 1<br>Format: unpacked numeric | <b>Description:</b> The field must contain a <b>0</b> (zero).<br>This edit will continue to be performed by the Edit Package when the Bypass Business Edits option is used during an outgoing edit run. |

### Data Capture Advice Edit Criteria

|                                                                                                       |                                                                                                                              |
|-------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------|
| <b>Transaction Component Sequence Number</b><br>Positions: 4<br>Length: 1<br>Format: unpacked numeric | <b>Description:</b> The field must contain a <b>2</b> . The record must follow a TCR 1.                                      |
| <b>Reserved</b><br>Positions: 5-16<br>Length: 12<br>Format: alphanumeric                              | <b>Description:</b> This field is reserved for future use. EP will always space-fill.                                        |
| <b>Format Code</b><br>Positions: 17-18<br>Length: 2<br>Format: alphanumeric                           | <b>Description:</b> Indicates the type of transaction.<br>The field must contain <b>13</b> .                                 |
| <b>Telephone Number 1</b><br>Positions: 19-30<br>Length: 12<br>Format: alphanumeric                   | <b>Description:</b> Telephone number. The format is <b>xxx-xxx-xxxx</b> . The field cannot be space-filled.                  |
| <b>Time 1</b><br>Positions: 31-38<br>Length: 8<br>Format: alphanumeric                                | <b>Description:</b> Time of telephone call.                                                                                  |
| <b>Cost 1</b><br>Positions: 39-45<br>Length: 7<br>Format: alphanumeric                                | <b>Description:</b> Cost of telephone call.<br>This field will contain two implied decimal places.                           |
| <b>Telephone Number 2</b><br>Positions: 46-57<br>Length: 12<br>Format: alphanumeric                   | <b>Description:</b> If a second call was made, the number format is xxx-xxx-xxxx. Otherwise, the field must be space-filled. |
| <b>Time 2</b><br>Positions: 58-65<br>Length: 8<br>Format: alphanumeric                                | <b>Description:</b> Time of telephone call.                                                                                  |

### Data Capture Advice Edit Criteria

|                                                                                                |                                                                                                                                                                                             |
|------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Cost 2</b><br>Positions: 66-72<br>Length: 7<br>Format: alphanumeric                         | <b>Description:</b> Cost of telephone call.<br>This field will contain two implied decimal places.                                                                                          |
| <b>Reserved</b><br>Positions: 73-153<br>Length: 81<br>Format: alphanumeric                     | <b>Description:</b> This field is reserved for future use. EP will always space-fill.                                                                                                       |
| <b>Internal Merchant Batch Key</b><br>Positions: 154-166<br>Length: 13<br>Format: alphanumeric | <b>Description:</b> Identifies the merchant batch. The first nine digits are unique for each merchant batch. The last four digits contain the TCR (record) count within the merchant batch. |
| <b>Record Type</b><br>Positions: 167<br>Length: 1<br>Format: alphanumeric                      | <b>Description:</b> Type of record. The entry will be a <b>2</b> for cardholder transaction detail.                                                                                         |
| <b>Reserved</b><br>Positions: 168<br>Length: 1<br>Format: alphanumeric                         | <b>Description:</b> This field is reserved for future use. EP will always space-fill.                                                                                                       |

## TC 57 - TCR 3 - Transaction Detail, Payment Service Data

These tables contain the Data Capture Advice (TC 57) record layout and edit criteria for TCR 3 - Transaction Detail, Payment Service Data.

### CTF - Outgoing and Incoming Interchange

#### Data Capture Advice Record Layout

| Position | Field Length | Format | Contents                   |
|----------|--------------|--------|----------------------------|
| 1-2      | 2            | UN     | Transaction Code           |
| 3        | 1            | UN     | Transaction Code Qualifier |

### Data Capture Advice Record Layout

| Position | Field Length | Format | Contents                                          |
|----------|--------------|--------|---------------------------------------------------|
| 4        | 1            | UN     | Transaction Component Sequence Number             |
| 5-6      | 2            | AN     | Authorization Response Code                       |
| 7-18     | 12           | UN     | Authorized Amount                                 |
| 19-33    | 15           | UN     | Transaction Identifier                            |
| 34-37    | 4            | AN     | Validation Code                                   |
| 38-39    | 2            | UN     | Multiple Clearing Sequence Number                 |
| 40-41    | 2            | UN     | Multiple Clearing Sequence Count                  |
| 42       | 1            | AN     | Market-Specific Authorization Data Identifier     |
| 43-54    | 12           | UN     | Total Authorized Amount                           |
| 55       | 1            | AN     | Submitted Authorization Characteristics Indicator |
| 56-66    | 11           | AN     | MOTO Customer Service Phone Number                |
| 67       | 1            | AN     | MOTO Customer Service Phone Flag                  |
| 68-69    | 2            | AN     | MOTO Installment Sequence Number                  |
| 70-71    | 2            | AN     | MOTO Installment Sequence Count                   |
| 72-153   | 82           | AN     | Reserved                                          |
| 154-166  | 13           | UN     | Internal Merchant Batch Key                       |
| 167      | 1            | AN     | Record Type                                       |
| 168      | 1            | AN     | Reserved                                          |

Format: AN = Alphanumeric, ANS = Alphanumeric Special, DX = Display Hexadecimal, N = Numeric, UN = Unpacked Numeric

### Data Capture Advice Edit Criteria

|                                                                                            |                                                                                                                                                                                                             |
|--------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Transaction Code</b><br>Positions: 1-2<br>Length: 2<br>Format: unpacked numeric         | <b>Description:</b> The field must contain <b>57</b> .                                                                                                                                                      |
| <b>Transaction Code Qualifier</b><br>Positions: 3<br>Length: 1<br>Format: unpacked numeric | <b>Description:</b> The field must contain a <b>0</b> (zero).<br><br>This edit will continue to be performed by the Edit Package when the Bypass Business Edits option is used during an outgoing edit run. |

## Data Capture Advice Edit Criteria

|                                                                                                       |                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
|-------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Transaction Component Sequence Number</b><br>Positions: 4<br>Length: 1<br>Format: unpacked numeric | <b>Description:</b> The field must contain a <b>3</b> .                                                                                                                                                                                                                                                                                                                                                                                                                     |
| <b>Authorization Response Code</b><br>Positions: 5-6<br>Length: 2<br>Format: alphanumeric             | <b>Description:</b> Contains the authorization code provided by the issuer when a transaction is approved or a “no reason to decline” code is provided.<br><br>The field must contain valid alphanumeric values of <b>space</b> , <b>A</b> through <b>Z</b> , or <b>0</b> through <b>9</b> .                                                                                                                                                                                |
| <b>Authorized Amount</b><br>Positions: 7-18<br>Length: 12<br>Format: unpacked numeric                 | <b>Description:</b> Amount the issuer originally authorized.<br><br>This field will contain two implied decimal places.<br><br>The entry must be numeric.                                                                                                                                                                                                                                                                                                                   |
| <b>Transaction Identifier</b><br>Positions: 19-33<br>Length: 15<br>Format: unpacked numeric           | <b>Description:</b> A unique value that Visa assigns to each transaction and returns to the acquirer in the authorization response. Visa uses this value to maintain an audit trail throughout the life cycle of the transaction and all related transactions, such as reversals, adjustments, confirmations, and exceptions.<br><br>The entry must be numeric.<br><br>If the Authorization Characteristics Indicator on the TCR 0 is an <b>N</b> , the entry must be zero. |
| <b>Validation Code</b><br>Positions: 34-37<br>Length: 4<br>Format: alphanumeric                       | <b>Description:</b> A unique value that Visa includes as part of the Custom Payment Service/ATM program in each authorization response to ensure that key authorization fields are preserved in the clearing record.                                                                                                                                                                                                                                                        |
| <b>Multiple Clearing Sequence Number</b><br>Positions: 38-39<br>Length: 2<br>Format: unpacked numeric | <b>Description:</b> A sequence number that distinguishes a specific clearing message among multiple clearing messages being submitted for a single CPS authorization. All BASE II clearing messages linked to a single authorization request must contain a unique clearing sequence number from at least 1 to the total number of clearing records (see Multiple Clearing Sequence Count field below) for the authorization.                                               |
| <b>Multiple Clearing Sequence Count</b><br>Positions: 40-41<br>Length: 2<br>Format: unpacked numeric  | <b>Description:</b> The total number of clearing records for the authorization.                                                                                                                                                                                                                                                                                                                                                                                             |

## Data Capture Advice Edit Criteria

|                                                                                                                |                                                                                                                                                                                                                                                                                                                                                                               |
|----------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Market-specific Authorization Data Identifier</b><br>Positions: 42<br>Length: 1<br>Format: alphanumeric     | <b>Description:</b> Indicates if valid Market-Specific Authorization Data received. For example:<br><b>H</b> = Valid Hotel Market-Specific Authorization Data received<br><b>A</b> = Valid Auto Rental Market-Specific Authorization Data received<br><b>N</b> = Invalid or not applicable Market-Specific data received.                                                     |
| <b>Total Authorized Amount</b><br>Positions: 43-54<br>Length: 12<br>Format: unpacked numeric                   | <b>Description:</b> The total amount of the transaction, including all taxes and misc. fees.<br>This field will contain two implied decimal places.                                                                                                                                                                                                                           |
| <b>Submitted Authorization Characteristics Indicator</b><br>Positions: 55<br>Length: 1<br>Format: alphanumeric | <b>Description:</b> This entry contains the original value of the Authorization Characteristics Indicator sent to V.I.P.                                                                                                                                                                                                                                                      |
| <b>MOTO Customer Service Phone Number</b><br>Positions: 56-66<br>Length: 11<br>Format: alphanumeric            | <b>Description:</b> Mail order or telephone order customer service phone number (the customer service number of the direct marketing merchant). The format for this field is <b>###-XXXXXXX</b> , where:<br><b>###</b> The first three positions must be numeric<br>- The fourth position must be a dash (-)<br><b>XXXXXXX</b> The remaining seven positions are alphanumeric |
| <b>MOTO Customer Service Phone Flag</b><br>Positions: 67<br>Length: 1<br>Format: alphanumeric                  | <b>Description:</b> Indicates whether or not the customer service phone number may be printed on the cardholder's statement. This field must contain either a <b>Y</b> (Yes) or an <b>N</b> (No).                                                                                                                                                                             |
| <b>MOTO Installment Sequence Number</b><br>Positions: 68-69<br>Length: 2<br>Format: unpacked numeric           | <b>Description:</b> Total number of payments to be made that are installment payments. The default value for this field is zeros.                                                                                                                                                                                                                                             |
| <b>MOTO Installment Sequence Count</b><br>Positions: 70-71<br>Length: 2<br>Format: unpacked numeric            | <b>Description:</b> Which payment, out of total number of payments to be made, is being submitted. The default value for this field is zeros.                                                                                                                                                                                                                                 |

### Data Capture Advice Edit Criteria

|                                                                                                |                                                                                                                                                                                             |
|------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Reserved</b><br>Positions: 72-153<br>Length: 82<br>Format: alphanumeric                     | <b>Description:</b> This field is reserved for future use. EP will always space-fill.                                                                                                       |
| <b>Internal Merchant Batch Key</b><br>Positions: 154-166<br>Length: 13<br>Format: alphanumeric | <b>Description:</b> Identifies the merchant batch. The first nine digits are unique for each merchant batch. The last four digits contain the TCR (record) count within the merchant batch. |
| <b>Record Type</b><br>Positions: 167<br>Length: 1<br>Format: alphanumeric                      | <b>Description:</b> Type of record. The entry will be a <b>2</b> for cardholder transaction detail.                                                                                         |
| <b>Reserved</b><br>Positions: 168<br>Length: 1<br>Format: alphanumeric                         | <b>Description:</b> This field is reserved for future use. EP will always space-fill.                                                                                                       |

## TC 57 - TCR 4 - Industry-Specific Data

These tables contain the Data Capture Advice (TC 57) record layout and edit criteria for TCR 4 - Industry-Specific Data.

### CTF - Outgoing and Incoming Interchange

#### Data Capture Advice Record Layout

| Position | Field Length | Format | Contents                              |
|----------|--------------|--------|---------------------------------------|
| 1-2      | 2            | UN     | Transaction Code                      |
| 3        | 1            | UN     | Transaction Code Qualifier            |
| 4        | 1            | UN     | Transaction Component Sequence Number |
| 5-16     | 12           | AN     | Reserved                              |
| 17-18    | 2            | AN     | Business Format Code                  |
| 19-26    | 8            | AN     | Reserved                              |



### Data Capture Advice Record Layout

| Position | Field Length | Format | Contents                                         |
|----------|--------------|--------|--------------------------------------------------|
| 27-153   | 127          | AN     | Data Content (dependent on Business Format Code) |
| 154-166  | 13           | AN     | Internal Merchant Batch Key                      |
| 167      | 1            | AN     | Record Type                                      |
| 168      | 1            | AN     | Reserved                                         |

Format: AN = Alphanumeric, ANS = Alphanumeric Special, DX = Display Hexadecimal, N = Numeric, UN = Unpacked Numeric

## TC 57 - TCR 4 - Industry-Specific Data - Passenger Itinerary Data

These tables contain the Data Capture Advice (TC 57) record layout and edit criteria for TCR 4 - Industry-Specific Data - Passenger Itinerary Data.

### CTF - Outgoing and Incoming Interchange

#### Data Capture Advice Record Layout

| Position | Field Length | Format | Contents                              |
|----------|--------------|--------|---------------------------------------|
| 1-2      | 2            | UN     | Transaction Code                      |
| 3        | 1            | UN     | Transaction Code Qualifier            |
| 4        | 1            | UN     | Transaction Component Sequence Number |
| 5-16     | 12           | AN     | Reserved                              |
| 17-18    | 2            | AN     | Business Format Code (AI)             |
| 19-26    | 8            | AN     | Reserved                              |
| 27-46    | 20           | AN     | Passenger Name                        |
| 47-52    | 6            | UN     | Departure Date (MMDDYY)               |
| 53-55    | 3            | AN     | Origination City/Airport Code         |
| 56-62    | 7            | Group  | Trip Leg 1 Information                |
| 63-69    | 7            | Group  | Trip Leg 2 Information                |
| 70-76    | 7            | Group  | Trip Leg 3 Information                |
| 77-83    | 7            | Group  | Trip Leg 4 Information                |

### Data Capture Advice Record Layout

| Position | Field Length | Format | Contents                    |
|----------|--------------|--------|-----------------------------|
| 84-91    | 8            | AN     | Travel Agency Code          |
| 92-116   | 25           | AN     | Travel Agency Name          |
| 117      | 1            | AN     | Restricted Ticket Indicator |
| 118-130  | 13           | AN     | Original Ticket Number      |
| 131-153  | 23           | AN     | Reserved                    |
| 154-166  | 13           | AN     | Internal Merchant Batch Key |
| 167      | 1            | AN     | Record Type                 |
| 168      | 1            | AN     | Reserved                    |

Format: AN = Alphanumeric, ANS = Alphanumeric Special, DX = Display Hexadecimal, N = Numeric, UN = Unpacked Numeric

### Data Capture Advice Edit Criteria

|                                                                                                       |                                                                                                                                                                                                             |
|-------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Transaction Code</b><br>Positions: 1-2<br>Length: 2<br>Format: unpacked numeric                    | <b>Description:</b> The field must contain <b>57</b> .                                                                                                                                                      |
| <b>Transaction Code Qualifier</b><br>Positions: 3<br>Length: 1<br>Format: unpacked numeric            | <b>Description:</b> The field must contain a <b>0</b> (zero).<br><br>This edit will continue to be performed by the Edit Package when the Bypass Business Edits option is used during an outgoing edit run. |
| <b>Transaction Component Sequence Number</b><br>Positions: 4<br>Length: 1<br>Format: unpacked numeric | <b>Description:</b> The field must contain a <b>4</b> .                                                                                                                                                     |
| <b>Reserved</b><br>Positions: 5-16<br>Length: 12<br>Format: alphanumeric                              | <b>Description:</b> This field is reserved for future use. EP will always space-fill.                                                                                                                       |

### Data Capture Advice Edit Criteria

|                                                                                               |                                                                                                                                                                                                                                                                                                                                  |
|-----------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Business Format Code</b><br>Positions: 17-18<br>Length: 2<br>Format: alphanumeric          | <b>Description:</b> Code indicating the type of business that is applicable to this transaction.<br><br>This field must contain <b>AI</b> indicating Passenger Transport format.                                                                                                                                                 |
| <b>Reserved</b><br>Positions: 19-26<br>Length: 8<br>Format: alphanumeric                      | <b>Description:</b> This field is reserved for future use. EP will always space-fill.                                                                                                                                                                                                                                            |
| <b>Passenger Name</b><br>Positions: 27-46<br>Length: 20<br>Format: alphanumeric               | <b>Description:</b> The actual name of the passenger.                                                                                                                                                                                                                                                                            |
| <b>Departure Date</b><br>Positions: 47-52<br>Length: 6<br>Format: unpacked numeric            | <b>Description:</b> The date the passenger's trip starts.<br><br>The field may contain zeros or a valid date in the format <b>MMDDYY</b> .<br><br>The date may be a future one.                                                                                                                                                  |
| <b>Origination City/Airport Code</b><br>Positions: 53-55<br>Length: 3<br>Format: alphanumeric | <b>Description:</b> The code for the name of the city or airport where passenger's trip starts.                                                                                                                                                                                                                                  |
| <b>Trip Leg 1 Information</b><br>Positions: 56-62<br>Length: 7<br>Format: group               | <b>Description:</b> Description of first leg of trip.<br><br>Up to four groups of data from trip leg data can be entered; one group for each trip leg, up to four legs total, is allowed.<br><br>The Carrier Code, Service Class, and Destination are edited only on Leg 1. Only the Stop-Over Code is edited for all four legs. |
| <b>Carrier Code</b><br>Positions: 56-57<br>Length: 2<br>Format: alphanumeric                  | <b>Description:</b> Code indicating name of carrier.                                                                                                                                                                                                                                                                             |
| <b>Service Class</b><br>Positions: 58<br>Length: 1<br>Format: alphanumeric                    | <b>Description:</b> Indicates service class (first class, business class, etc.).                                                                                                                                                                                                                                                 |

## Data Capture Advice Edit Criteria

|                                                                                               |                                                                                                                                                                                                         |
|-----------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Stop-Over Code</b><br>Positions: 59<br>Length: 1<br>Format: alphanumeric                   | <b>Description:</b> Indicates whether a stopover is allowed on this ticket.<br>The entry must be a <b>space, O, or X</b> .<br>Values:<br><b>O</b> = Stopover allowed<br><b>X</b> = Stopover not allowed |
| <b>Destination City/Airport Code</b><br>Positions: 60-62<br>Length: 3<br>Format: alphanumeric | <b>Description:</b> Indicates destination city's airport code.                                                                                                                                          |
| <b>Trip Leg 2 Information</b><br>Positions: 63-69<br>Length: 7<br>Format: group               | <b>Description:</b> Description of the second leg of trip.                                                                                                                                              |
| <b>Carrier Code</b><br>Positions: 63-64<br>Length: 2<br>Format: alphanumeric                  | <b>Description:</b> Code indicating name of carrier.                                                                                                                                                    |
| <b>Service Class</b><br>Positions: 65<br>Length: 1<br>Format: alphanumeric                    | <b>Description:</b> Indicates service class (first class, business class, etc.).                                                                                                                        |
| <b>Stop-Over Code</b><br>Positions: 66<br>Length: 1<br>Format: alphanumeric                   | <b>Description:</b> Indicates whether a stopover is allowed on this ticket.<br>The entry must be a <b>space, O, or X</b> .<br>Values:<br><b>O</b> = Stopover allowed<br><b>X</b> = Stopover not allowed |
| <b>Destination City/Airport Code</b><br>Positions: 67-69<br>Length: 3<br>Format: alphanumeric | <b>Description:</b> Indicates destination city's airport code.                                                                                                                                          |
| <b>Trip Leg 3 Information</b><br>Positions: 70-76<br>Length: 7<br>Format: group               | <b>Description:</b> Description of the third leg of the trip.                                                                                                                                           |

## Data Capture Advice Edit Criteria

|                                                                                               |                                                                                                                                                                                                         |
|-----------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Carrier Code</b><br>Positions: 70-71<br>Length: 2<br>Format: alphanumeric                  | <b>Description:</b> Code indicating name of carrier.                                                                                                                                                    |
| <b>Service Class</b><br>Positions: 72<br>Length: 1<br>Format: alphanumeric                    | <b>Description:</b> Indicates service class (first class, business class, etc.).                                                                                                                        |
| <b>Stop-Over Code</b><br>Positions: 73<br>Length: 1<br>Format: alphanumeric                   | <b>Description:</b> Indicates whether a stopover is allowed on this ticket.<br>The entry must be a <b>space, O, or X</b> .<br>Values:<br><b>O</b> = Stopover allowed<br><b>X</b> = Stopover not allowed |
| <b>Destination City/Airport Code</b><br>Positions: 74-76<br>Length: 3<br>Format: alphanumeric | <b>Description:</b> Indicates destination city's airport code.                                                                                                                                          |
| <b>Trip Leg 4 Information</b><br>Positions: 77-83<br>Length: 7<br>Format: group               | <b>Description:</b> Description of the fourth leg of the trip.                                                                                                                                          |
| <b>Carrier Code</b><br>Positions: 77-78<br>Length: 2<br>Format: alphanumeric                  | <b>Description:</b> Code indicating name of carrier.                                                                                                                                                    |
| <b>Service Class</b><br>Positions: 79<br>Length: 1<br>Format: alphanumeric                    | <b>Description:</b> Indicates service class (first class, business class, etc.).                                                                                                                        |
| <b>Stop-Over Code</b><br>Positions: 80<br>Length: 1<br>Format: alphanumeric                   | <b>Description:</b> Indicates whether a stopover is allowed on this ticket.<br>The entry must be a <b>space, O, or X</b> .<br>Values:<br><b>O</b> = Stopover allowed<br><b>X</b> = Stopover not allowed |

## Data Capture Advice Edit Criteria

|                                                                                                |                                                                                                                                                                                                                                                                                                                                                |
|------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Destination City/Airport Code</b><br>Positions: 81-83<br>Length: 3<br>Format: alphanumeric  | <b>Description:</b> Indicates destination city's airport code.                                                                                                                                                                                                                                                                                 |
| <b>Travel Agency Code</b><br>Positions: 84-91<br>Length: 8<br>Format: alphanumeric             | <b>Description:</b> Code identifying travel agency if the ticket was issued by a travel agency.<br>An entry should be supplied if the ticket was issued by a travel agency.                                                                                                                                                                    |
| <b>Travel Agency Name</b><br>Positions: 92-116<br>Length: 25<br>Format: alphanumeric           | <b>Description:</b> Name of travel agency if the ticket was issued by a travel agency.<br>An entry should be supplied if the ticket was issued by a travel agency.                                                                                                                                                                             |
| <b>Restricted Ticket Indicator</b><br>Positions: 117<br>Length: 1<br>Format: alphanumeric      | <b>Description:</b> Indicates whether this ticket is non-refundable. This entry should be supplied on CPS/Passenger Transport 1 or 2 transactions if the ticket was purchased as a non-refundable ticket.<br>The entry must be a <b>space, 0, or 1</b> .<br><b>Space or 0</b> = No restriction<br><b>1</b> = Restricted (nonrefundable) ticket |
| <b>Original Ticket Number</b><br>Positions: 118-130<br>Length: 13<br>Format: alphanumeric      | <b>Description:</b> The Airline/Railway Ticket Identifier.                                                                                                                                                                                                                                                                                     |
| <b>Reserved</b><br>Positions: 131-153<br>Length: 23<br>Format: alphanumeric                    | <b>Description:</b> This field is reserved for future use. EP will always space-fill.                                                                                                                                                                                                                                                          |
| <b>Internal Merchant Batch Key</b><br>Positions: 154-166<br>Length: 13<br>Format: alphanumeric | <b>Description:</b> Identifies the merchant batch. The first nine digits are unique for each merchant batch. The last four digits contain the TCR count within the merchant batch.                                                                                                                                                             |

### Data Capture Advice Edit Criteria

|                                                                           |                                                                                                     |
|---------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------|
| <b>Record Type</b><br>Positions: 167<br>Length: 1<br>Format: alphanumeric | <b>Description:</b> Type of record. The entry will be a <b>2</b> for cardholder transaction detail. |
| <b>Reserved</b><br>Positions: 168<br>Length: 1<br>Format: alphanumeric    | <b>Description:</b> This field is reserved for future use. EP will always space-fill.               |

## TC 57 - TCR 4 - Industry-Specific Data - Lodging

These tables contain the Data Capture Advice (TC 57) record layout and edit criteria for TCR 4 - Industry-Specific Data - Lodging.

### CTF - Outgoing and Incoming Interchange

#### Data Capture Advice Record Layout

| Position | Field Length | Format | Contents                              |
|----------|--------------|--------|---------------------------------------|
| 1-2      | 2            | UN     | Transaction Code                      |
| 3        | 1            | UN     | Transaction Code Qualifier            |
| 4        | 1            | UN     | Transaction Component Sequence Number |
| 5-16     | 12           | AN     | Reserved                              |
| 17-18    | 2            | AN     | Business Format Code (LG)             |
| 19-26    | 8            | AN     | Reserved                              |
| 27       | 1            | AN     | Lodging No-Show Indicator             |
| 28-33    | 6            | UN     | Lodging Extra Charges                 |
| 34-37    | 4            | AN     | Reserved                              |
| 38-43    | 6            | UN     | Lodging Check-in Date (YYMMDD)        |
| 44-153   | 110          | AN     | Reserved                              |
| 154-166  | 13           | AN     | Internal Merchant Batch Key           |
| 167      | 1            | AN     | Record Type                           |

### Data Capture Advice Record Layout

| Position | Field Length | Format | Contents |
|----------|--------------|--------|----------|
| 168      | 1            | AN     | Reserved |

Format: AN = Alphanumeric, ANS = Alphanumeric Special, DX = Display Hexadecimal, N = Numeric, UN = Unpacked Numeric

### Data Capture Advice Edit Criteria

|                                                                                                       |                                                                                                                                                                                                                           |
|-------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Transaction Code</b><br>Positions: 1-2<br>Length: 2<br>Format: unpacked numeric                    | <b>Description:</b> The field must contain <b>57</b> .                                                                                                                                                                    |
| <b>Transaction Code Qualifier</b><br>Positions: 3<br>Length: 1<br>Format: unpacked numeric            | <b>Description:</b> The field must contain a <b>0</b> (zero).<br><br>This edit will continue to be performed by the Edit Package when the Bypass Business Edits option is used during an outgoing edit run.               |
| <b>Transaction Component Sequence Number</b><br>Positions: 4<br>Length: 1<br>Format: unpacked numeric | <b>Description:</b> The field must contain a <b>4</b> .                                                                                                                                                                   |
| <b>Reserved</b><br>Positions: 5-16<br>Length: 12<br>Format: alphanumeric                              | <b>Description:</b> This field is reserved for future use. EP will always space-fill.                                                                                                                                     |
| <b>Business Format Code</b><br>Positions: 17-18<br>Length: 2<br>Format: alphanumeric                  | <b>Description:</b> Code indicating the type of business that is applicable to this transaction.<br><br>This field must contain <b>LG</b> indicating Lodging. This entry is not valid for cash disbursement transactions. |
| <b>Reserved</b><br>Positions: 19-26<br>Length: 8<br>Format: alphanumeric                              | <b>Description:</b> This field is reserved for future use. EP will always space-fill.                                                                                                                                     |



## Data Capture Advice Edit Criteria

|                                                                                                |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
|------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Lodging No-Show Indicator</b><br>Positions: 27<br>Length: 1<br>Format: alphanumeric         | <b>Description:</b> Used to indicate that the transaction is due to a “no-show” charge.<br>The entry must be <b>zero</b> or <b>1</b> .<br><b>0</b> = Not applicable<br><b>1</b> = No-Show                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
| <b>Lodging Extra Charges</b><br>Positions: 28-33<br>Length: 6<br>Format: unpacked numeric      | <b>Description:</b> This field may be used to indicate the type of additional charges added to a customer’s bill after check-out. Each position in the field can be used to indicate a type of charge. If there are fewer than six additional charges, the codes must be left-justified, and space-filled or zero-filled to the right.<br>The entry must be a valid Lodging Extra Charges code:<br><b>Space</b> = No extra charge<br><b>0</b> = No extra charge<br><b>2</b> = Restaurant<br><b>3</b> = Gift Shop<br><b>4</b> = Minibar<br><b>5</b> = Telephone<br><b>6</b> = Other<br><b>7</b> = Laundry<br>If there are no extra charges, this field must be all <b>spaces</b> or all <b>zeros</b> . |
| <b>Reserved</b><br>Positions: 34-37<br>Length: 4<br>Format: alphanumeric                       | <b>Description:</b> This field is reserved for future use. EP will always space-fill.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
| <b>Lodging Check-In Date</b><br>Positions: 38-43<br>Length: 6<br>Format: unpacked numeric      | <b>Description:</b> The date the customer checked into the hotel or, in the case of a no-show or an advance lodging, the scheduled arrival date.<br>The entry must be a six-digit numeric, either zeros or a valid date, in the format <b>YYMMDD</b> .                                                                                                                                                                                                                                                                                                                                                                                                                                                |
| <b>Reserved</b><br>Positions: 44-153<br>Length: 110<br>Format: alphanumeric                    | <b>Description:</b> This field is reserved for future use. EP will always space-fill.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
| <b>Internal Merchant Batch Key</b><br>Positions: 154-166<br>Length: 13<br>Format: alphanumeric | <b>Description:</b> Identifies the merchant batch. The first nine digits are unique for each merchant batch. The last four digits contain the TCR (record) count within the merchant batch.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |

### Data Capture Advice Edit Criteria

|                                                                           |                                                                                                     |
|---------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------|
| <b>Record Type</b><br>Positions: 167<br>Length: 1<br>Format: alphanumeric | <b>Description:</b> Type of record. The entry will be a <b>2</b> for cardholder transaction detail. |
| <b>Reserved</b><br>Positions: 168<br>Length: 1<br>Format: alphanumeric    | <b>Description:</b> This field is reserved for future use. EP will always space-fill.               |

## TC 57 - TCR 4 - Industry-Specific Data - Car Rental

These tables contain the Data Capture Advice (TC 57) record layout and edit criteria for TCR 4 - Industry-Specific Data - Car Rental.

### CTF - Outgoing and Incoming Interchange

#### Data Capture Advice Record Layout

| Position | Field Length | Format | Contents                              |
|----------|--------------|--------|---------------------------------------|
| 1-2      | 2            | UN     | Transaction Code                      |
| 3        | 1            | UN     | Transaction Code Qualifier            |
| 4        | 1            | UN     | Transaction Component Sequence Number |
| 5-16     | 12           | AN     | Reserved                              |
| 17-18    | 2            | AN     | Business Format Code (CA)             |
| 19-26    | 8            | AN     | Reserved                              |
| 27       | 1            | AN     | Car Rental No-Show Indicator          |
| 28-33    | 6            | UN     | Car Rental Extra Charges              |
| 34-37    | 4            | AN     | Reserved                              |
| 38-43    | 6            | UN     | Car Rental Check-out Date (YYMMDD)    |
| 44-153   | 110          | AN     | Reserved                              |
| 154-166  | 13           | AN     | Internal Merchant Batch Key           |
| 167      | 1            | AN     | Record Type                           |

### Data Capture Advice Record Layout

| Position | Field Length | Format | Contents |
|----------|--------------|--------|----------|
| 168      | 1            | AN     | Reserved |

Format: AN = Alphanumeric, ANS = Alphanumeric Special, DX = Display Hexadecimal, N = Numeric, UN = Unpacked Numeric

### Data Capture Advice Edit Criteria

|                                                                                                       |                                                                                                                                                                                                                              |
|-------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Transaction Code</b><br>Positions: 1-2<br>Length: 2<br>Format: unpacked numeric                    | <b>Description:</b> The field must contain <b>57</b> .                                                                                                                                                                       |
| <b>Transaction Code Qualifier</b><br>Positions: 3<br>Length: 1<br>Format: unpacked numeric            | <b>Description:</b> The field must contain a <b>0</b> (zero).<br><br>This edit will continue to be performed by the Edit Package when the Bypass Business Edits option is used during an outgoing edit run.                  |
| <b>Transaction Component Sequence Number</b><br>Positions: 4<br>Length: 1<br>Format: unpacked numeric | <b>Description:</b> The field must contain a <b>4</b> .                                                                                                                                                                      |
| <b>Reserved</b><br>Positions: 5-16<br>Length: 12<br>Format: alphanumeric                              | <b>Description:</b> This field is reserved for future use. EP will always space-fill.                                                                                                                                        |
| <b>Business Format Code</b><br>Positions: 17-18<br>Length: 2<br>Format: alphanumeric                  | <b>Description:</b> Code indicating the type of business that is applicable to this transaction.<br><br>This field must contain <b>CA</b> indicating car rental. This entry is not valid for cash disbursement transactions. |
| <b>Reserved</b><br>Positions: 19-26<br>Length: 8<br>Format: alphanumeric                              | <b>Description:</b> This field is reserved for future use. EP will always space-fill.                                                                                                                                        |

## Data Capture Advice Edit Criteria

|                                                                                                |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
|------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Car Rental No-Show Indicator</b><br>Positions: 27<br>Length: 1<br>Format: unpacked numeric  | <b>Description:</b> Used to indicate that the transaction is because of a no-show charge.<br>The entry must be <b>zero</b> or <b>1</b> .<br><b>0</b> = Not applicable<br><b>1</b> = No-show for a Specialized Vehicle                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
| <b>Car Rental Extra Charges</b><br>Positions: 28-33<br>Length: 6<br>Format: unpacked numeric   | <b>Description:</b> Used to indicate the type of additional charges added to the customer's bill after check-out, such as gas, late return, etc. Each position in the field can be used to indicate a type of charge.<br>Valid Car Rental Extra Charges codes are:<br><b>Space</b> = No extra charge<br><b>0</b> = No Extra Charge<br><b>1</b> = Gas<br><b>2</b> = Extra Mileage<br><b>3</b> = Late Return<br><b>4</b> = One-Way Service Fee<br><b>5</b> = Parking Violation<br>If there are no extra charges, this field must be all <b>spaces</b> or all <b>zeros</b> .<br>If there are fewer than six additional charges, they must be left-justified, and space-filled or zero-filled to the right. |
| <b>Reserved</b><br>Positions: 34-37<br>Length: 4<br>Format: alphanumeric                       | <b>Description:</b> This field is reserved for future use. EP will always space-fill.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
| <b>Car Rental Check-Out Date</b><br>Positions: 38-43<br>Length: 6<br>Format: unpacked numeric  | <b>Description:</b> The date the customer picked up the car, or in the case of a no-show or pre-pay transaction, the scheduled pick up date.<br>The entry must be a six-digit numeric, either zeros or a valid date, in the format <b>YYMMDD</b> .                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
| <b>Reserved</b><br>Positions: 44-153<br>Length: 110<br>Format: alphanumeric                    | <b>Description:</b> This field is reserved for future use. EP will always space-fill.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
| <b>Internal Merchant Batch Key</b><br>Positions: 154-166<br>Length: 13<br>Format: alphanumeric | <b>Description:</b> Identifies the merchant batch. The first nine digits are unique for each merchant batch. The last four digits contain the TCR (record) count within the merchant batch.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |

### Data Capture Advice Edit Criteria

|                                                                           |                                                                                                     |
|---------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------|
| <b>Record Type</b><br>Positions: 167<br>Length: 1<br>Format: alphanumeric | <b>Description:</b> Type of record. The entry will be a <b>2</b> for cardholder transaction detail. |
| <b>Reserved</b><br>Positions: 168<br>Length: 1<br>Format: alphanumeric    | <b>Description:</b> This field is reserved for future use. EP will always space-fill.               |

## TC 57 - TCR 4 - Mastercard Transaction - Lodging Data

These tables contain the Data Capture Advice (TC 57) record layout and edit criteria for TCR 4 - Mastercard Transaction - Lodging Data.

### CTF - Outgoing and Incoming Interchange

#### Data Capture Advice Record Layout

| Position | Field Length | Format | Contents                              |
|----------|--------------|--------|---------------------------------------|
| 1-2      | 2            | UN     | Transaction Code                      |
| 3        | 1            | UN     | Transaction Code Qualifier            |
| 4        | 1            | UN     | Transaction Component Sequence Number |
| 5-16     | 12           | AN     | Reserved                              |
| 17-18    | 2            | AN     | Business Format Code (06)             |
| 19-24    | 6            | UN     | Arrival Date                          |
| 25-30    | 6            | UN     | Departure Date                        |
| 31-40    | 10           | AN     | Folio Number                          |
| 41-50    | 10           | AN     | Property Phone Number                 |
| 51-60    | 10           | AN     | Customer Service Phone Number         |
| 61-69    | 9            | UN     | Room Rate                             |
| 70-76    | 7            | UN     | Room Tax                              |
| 77-78    | 2            | AN     | Program Code                          |

### Data Capture Advice Record Layout

| Position | Field Length | Format | Contents                     |
|----------|--------------|--------|------------------------------|
| 79-87    | 9            | UN     | Phone Call Amount            |
| 88-96    | 9            | UN     | Room Service Amount          |
| 97-105   | 9            | UN     | Bar Amount                   |
| 106-114  | 9            | UN     | Gift Amount                  |
| 115-121  | 7            | UN     | Laundry Amount               |
| 122-124  | 3            | AN     | Other Services Code          |
| 125-133  | 9            | UN     | Other Services Amount        |
| 134      | 1            | AN     | Billing Adjustment Indicator |
| 135-143  | 9            | UN     | Billing Adjustment Amount    |
| 144-153  | 10           | AN     | Reserved                     |
| 154-166  | 13           | AN     | Internal Merchant Batch Key  |
| 167      | 1            | AN     | Record Type                  |
| 168      | 1            | AN     | Reimbursement Attribute      |

Format: AN = Alphanumeric, ANS = Alphanumeric Special, DX = Display Hexadecimal, N = Numeric, UN = Unpacked Numeric

### Data Capture Advice Edit Criteria

|                                                                                                       |                                                                                                                                                                                                         |
|-------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Transaction Code</b><br>Positions: 1-2<br>Length: 2<br>Format: unpacked numeric                    | <b>Description:</b> The field must contain <b>57</b> .                                                                                                                                                  |
| <b>Transaction Code Qualifier</b><br>Positions: 3<br>Length: 1<br>Format: unpacked numeric            | <b>Description:</b> The field must contain a <b>0</b> (zero).<br>This edit will continue to be performed by the Edit Package when the Bypass Business Edits option is used during an outgoing edit run. |
| <b>Transaction Component Sequence Number</b><br>Positions: 4<br>Length: 1<br>Format: unpacked numeric | <b>Description:</b> The field must contain a <b>4</b> .                                                                                                                                                 |

### Data Capture Advice Edit Criteria

|                                                                                                |                                                                                                                                                                                                             |
|------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Reserved</b><br>Positions: 5-16<br>Length: 12<br>Format: alphanumeric                       | <b>Description:</b> This field is reserved for future use. EP will always space-fill.                                                                                                                       |
| <b>Business Format Code</b><br>Positions: 17-18<br>Length: 2<br>Format: alphanumeric           | <b>Description:</b> Code indicating the type of business that is applicable to this transaction.<br><br>The Business Format code must contain <b>06</b> indicating Mastercard transaction lodging data.     |
| <b>Arrival Date</b><br>Positions: 19-24<br>Length: 6<br>Format: unpacked numeric               | <b>Description:</b> The date the customer checked into the hotel/lodging or, in the case of a no-show or an advance lodging, the scheduled arrival date.<br><br>This field must be in <b>MMDDYY</b> format. |
| <b>Departure Date</b><br>Positions: 25-30<br>Length: 6<br>Format: unpacked numeric             | <b>Description:</b> The date the customer checked out of the lodging.<br><br>This field must be in <b>MMDDYY</b> format.                                                                                    |
| <b>Folio Number</b><br>Positions: 31-40<br>Length: 10<br>Format: alphanumeric                  | <b>Description:</b> Hotel folio or invoice number.                                                                                                                                                          |
| <b>Property Phone Number</b><br>Positions: 41-50<br>Length: 10<br>Format: alphanumeric         | <b>Description:</b> Phone number of the lodging.                                                                                                                                                            |
| <b>Customer Service Phone Number</b><br>Positions: 51-60<br>Length: 10<br>Format: alphanumeric | <b>Description:</b> Phone number of the lodging's customer service area.                                                                                                                                    |
| <b>Room Rate</b><br>Positions: 61-69<br>Length: 9<br>Format: unpacked numeric                  | <b>Description:</b> Not being used at this time.                                                                                                                                                            |

### Data Capture Advice Edit Criteria

|                                                                                         |                                                  |
|-----------------------------------------------------------------------------------------|--------------------------------------------------|
| <b>Room Tax</b><br>Positions: 70-76<br>Length: 7<br>Format: unpacked numeric            | <b>Description:</b> Not being used at this time. |
| <b>Program Code</b><br>Positions: 77-78<br>Length: 2<br>Format: alphanumeric            | <b>Description:</b> Not being used at this time. |
| <b>Phone Call Amount</b><br>Positions: 79-87<br>Length: 9<br>Format: unpacked numeric   | <b>Description:</b> Not being used at this time. |
| <b>Room Service Amount</b><br>Positions: 88-96<br>Length: 9<br>Format: unpacked numeric | <b>Description:</b> Not being used at this time. |
| <b>Bar Amount</b><br>Positions: 97-105<br>Length: 9<br>Format: unpacked numeric         | <b>Description:</b> Not being used at this time. |
| <b>Gift Amount</b><br>Positions: 106-114<br>Length: 6<br>Format: unpacked numeric       | <b>Description:</b> Not being used at this time. |
| <b>Laundry Amount</b><br>Positions: 115-121<br>Length: 7<br>Format: unpacked numeric    | <b>Description:</b> Not being used at this time. |
| <b>Other Services Code</b><br>Positions: 122-124<br>Length: 3<br>Format: alphanumeric   | <b>Description:</b> Not being used at this time. |



### Data Capture Advice Edit Criteria

|                                                                                                 |                                                                                                                                                                                             |
|-------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Other Services Amount</b><br>Positions: 125-133<br>Length: 9<br>Format: unpacked numeric     | <b>Description:</b> Not being used at this time.                                                                                                                                            |
| <b>Billing Adjustment Indicator</b><br>Positions: 134<br>Length: 1<br>Format: alphanumeric      | <b>Description:</b> Not being used at this time.                                                                                                                                            |
| <b>Billing Adjustment Amount</b><br>Positions: 135-143<br>Length: 9<br>Format: unpacked numeric | <b>Description:</b> Not being used at this time.                                                                                                                                            |
| <b>Reserved</b><br>Positions: 144-153<br>Length: 10<br>Format: alphanumeric                     | <b>Description:</b> This field is reserved for future use. EP will always space-fill.                                                                                                       |
| <b>Internal Merchant Batch Key</b><br>Positions: 154-166<br>Length: 13<br>Format: alphanumeric  | <b>Description:</b> Identifies the merchant batch. The first nine digits are unique for each merchant batch. The last four digits contain the TCR (record) count within the merchant batch. |
| <b>Record Type</b><br>Positions: 167<br>Length: 1<br>Format: alphanumeric                       | <b>Description:</b> Type of record.                                                                                                                                                         |
| <b>Reimbursement Attribute</b><br>Positions: 168<br>Length: 1<br>Format: alphanumeric           | <b>Description:</b> Obsolete - must be zero-filled.                                                                                                                                         |

# TC 57 - TCR 4 - Mastercard Transaction - Car Rental Data

These tables contain the Data Capture Advice (TC 57) record layout and edit criteria for TCR 4 - Mastercard Transaction - Car Rental Data.

## CTF - Outgoing and Incoming Interchange

### Data Capture Advice Record Layout

| Position | Field Length | Format | Contents                              |
|----------|--------------|--------|---------------------------------------|
| 1-2      | 2            | UN     | Transaction Code                      |
| 3        | 1            | UN     | Transaction Code Qualifier            |
| 4        | 1            | UN     | Transaction Component Sequence Number |
| 5-16     | 12           | AN     | Reserved                              |
| 17-18    | 2            | AN     | Business Format Code (05)             |
| 19-27    | 9            | AN     | Rental Agreement Number               |
| 28-47    | 20           | AN     | Renter Name                           |
| 48-53    | 6            | UN     | Rental Check Out Date                 |
| 54-71    | 18           | AN     | Return City                           |
| 72-74    | 3            | AN     | Return State and Country              |
| 75-80    | 6            | UN     | Return Date                           |
| 81-90    | 10           | AN     | Return Location ID                    |
| 91-100   | 10           | AN     | Customer Service Number               |
| 101-102  | 2            | AN     | Rental Class                          |
| 103-111  | 9            | UN     | Daily Rate                            |
| 112-117  | 6            | UN     | Rate Per Mile                         |
| 118-121  | 4            | UN     | Total Miles                           |
| 122-125  | 4            | UN     | Maximum Free Miles                    |
| 126      | 1            | AN     | Insurance Indicator                   |
| 127-135  | 9            | UN     | Insurance Charges                     |
| 136      | 1            | AN     | Adjusted Amount Indicator             |
| 137-145  | 9            | UN     | Adjusted Amount                       |

### Data Capture Advice Record Layout

| Position | Field Length | Format | Contents                    |
|----------|--------------|--------|-----------------------------|
| 146-147  | 2            | AN     | Program Code                |
| 148-153  | 6            | AN     | Reserved                    |
| 154-166  | 13           | AN     | Internal Merchant Batch Key |
| 167      | 1            | AN     | Record Type                 |
| 168      | 1            | AN     | Reimbursement Attribute     |

Format: AN = Alphanumeric, ANS = Alphanumeric Special, DX = Display Hexadecimal, N = Numeric, UN = Unpacked Numeric

### Data Capture Advice Edit Criteria

|                                                                                                       |                                                                                                                                                                                                         |
|-------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Transaction Code</b><br>Positions: 1-2<br>Length: 2<br>Format: unpacked numeric                    | <b>Description:</b> The field must contain <b>57</b> .                                                                                                                                                  |
| <b>Transaction Code Qualifier</b><br>Positions: 3<br>Length: 1<br>Format: unpacked numeric            | <b>Description:</b> The field must contain a <b>0</b> (zero).<br>This edit will continue to be performed by the Edit Package when the Bypass Business Edits option is used during an outgoing edit run. |
| <b>Transaction Component Sequence Number</b><br>Positions: 4<br>Length: 1<br>Format: unpacked numeric | <b>Description:</b> The field must contain a <b>4</b> .                                                                                                                                                 |
| <b>Reserved</b><br>Positions: 5-16<br>Length: 12<br>Format: alphanumeric                              | <b>Description:</b> This field is reserved for future use. EP will always space-fill.                                                                                                                   |
| <b>Business Format Code (05)</b><br>Positions: 17-18<br>Length: 2<br>Format: alphanumeric             | <b>Description:</b> Code indicating the type of business that is applicable to this transaction.<br>The Business Format code must contain <b>05</b> indicating Mastercard transaction car rental data.  |

### Data Capture Advice Edit Criteria

|                                                                                           |                                                                                                                  |
|-------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------|
| <b>Rental Agreement Number</b><br>Positions: 19-27<br>Length: 9<br>Format: alphanumeric   | <b>Description:</b> Number identifying the rental agreement.                                                     |
| <b>Renter Name</b><br>Positions: 28-47<br>Length: 20<br>Format: alphanumeric              | <b>Description:</b> Name of person or company who rented the car.                                                |
| <b>Rental Check Out Date</b><br>Positions: 48-53<br>Length: 6<br>Format: unpacked numeric | <b>Description:</b> The date when the actual car rental occurred.<br>This field must be in <b>MMDDYY</b> format. |
| <b>Return City</b><br>Positions: 54-71<br>Length: 18<br>Format: alphanumeric              | <b>Description:</b> The name of the city to which the rental car was returned.                                   |
| <b>Return State and Country</b><br>Positions: 72-74<br>Length: 3<br>Format: alphanumeric  | <b>Description:</b> The name of the state and country to which the rental car was returned.                      |
| <b>Return Date</b><br>Positions: 75-80<br>Length: 6<br>Format: unpacked numeric           | <b>Description:</b> The date the car was returned.<br>This field must be in <b>MMDDYY</b> format.                |
| <b>Return Location ID</b><br>Positions: 81-90<br>Length: 10<br>Format: alphanumeric       | <b>Description:</b> Identifier indicating the location to which the car was returned.                            |
| <b>Customer Service Number</b><br>Positions: 91-100<br>Length: 10<br>Format: alphanumeric | <b>Description:</b> Phone number of the lodging's customer service area.                                         |

### Data Capture Advice Edit Criteria

|                                                                                          |                                                  |
|------------------------------------------------------------------------------------------|--------------------------------------------------|
| <b>Rental Class</b><br>Positions: 101-102<br>Length: 2<br>Format: alphanumeric           | <b>Description:</b> Not being used at this time. |
| <b>Daily Rate</b><br>Positions: 103-111<br>Length: 9<br>Format: unpacked numeric         | <b>Description:</b> Not being used at this time. |
| <b>Rate Per Mile</b><br>Positions: 112-117<br>Length: 6<br>Format: unpacked numeric      | <b>Description:</b> Not being used at this time. |
| <b>Total Miles</b><br>Positions: 118-121<br>Length: 4<br>Format: unpacked numeric        | <b>Description:</b> Not being used at this time. |
| <b>Maximum Free Miles</b><br>Positions: 122-125<br>Length: 4<br>Format: unpacked numeric | <b>Description:</b> Not being used at this time. |
| <b>Insurance Indicator</b><br>Positions: 126<br>Length: 1<br>Format: alphanumeric        | <b>Description:</b> Not being used at this time. |
| <b>Insurance Charges</b><br>Positions: 127-135<br>Length: 9<br>Format: unpacked numeric  | <b>Description:</b> Not being used at this time. |
| <b>Adjusted Amount Indicator</b><br>Positions: 136<br>Length: 1<br>Format: alphanumeric  | <b>Description:</b> Not being used at this time. |

### Data Capture Advice Edit Criteria

|                                                                                                |                                                                                                                                                                                             |
|------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Adjusted Amount</b><br>Positions: 137-145<br>Length: 9<br>Format: unpacked numeric          | <b>Description:</b> Not being used at this time.                                                                                                                                            |
| <b>Program Code</b><br>Positions: 146-147<br>Length: 2<br>Format: alphanumeric                 | <b>Description:</b> Not being used at this time.                                                                                                                                            |
| <b>Reserved</b><br>Positions: 148-153<br>Length: 6<br>Format: alphanumeric                     | <b>Description:</b> This field is reserved for future use. EP will always space-fill.                                                                                                       |
| <b>Internal Merchant Batch Key</b><br>Positions: 154-166<br>Length: 13<br>Format: alphanumeric | <b>Description:</b> Identifies the merchant batch. The first nine digits are unique for each merchant batch. The last four digits contain the TCR (record) count within the merchant batch. |
| <b>Record Type</b><br>Positions: 167<br>Length: 1<br>Format: alphanumeric                      | <b>Description:</b> Type of record.                                                                                                                                                         |
| <b>Reimbursement Attribute</b><br>Positions: 168<br>Length: 1<br>Format: alphanumeric          | <b>Description:</b> Obsolete - must be zero-filled.                                                                                                                                         |

## TC 57 - TCR 5 - Limited Use Data

These tables contain the Data Capture Advice (TC 57) record layout and edit criteria for TCR 5 - Limited Use Data.

### CTF - Outgoing and Incoming Interchange

### Data Capture Advice Record Layout

| Position | Field Length | Format | Contents                              |
|----------|--------------|--------|---------------------------------------|
| 1-2      | 2            | UN     | Transaction Code                      |
| 3        | 1            | UN     | Transaction Code Qualifier            |
| 4        | 1            | UN     | Transaction Component Sequence Number |
| 5-13     | 9            | UN     | Local Tax                             |
| 14       | 1            | AN     | Tax Included                          |
| 15       | 1            | AN     | Purchase Identifier Format            |
| 16-40    | 25           | AN     | Purchase Identifier                   |
| 41-153   | 113          | AN     | Reserved                              |
| 154-166  | 13           | AN     | Internal Merchant Batch Key           |
| 167      | 1            | AN     | Record Type                           |
| 168      | 1            | AN     | Reserved                              |

Format: AN = Alphanumeric, ANS = Alphanumeric Special, DX = Display Hexadecimal, N = Numeric, UN = Unpacked Numeric

### Data Capture Advice Edit Criteria

|                                                                                                       |                                                                                                                                                                                                                                                                                    |
|-------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Transaction Code</b><br>Positions: 1-2<br>Length: 2<br>Format: unpacked numeric                    | <b>Description:</b> The field must contain <b>57</b> .                                                                                                                                                                                                                             |
| <b>Transaction Code Qualifier</b><br>Positions: 3<br>Length: 1<br>Format: unpacked numeric            | <b>Description:</b> The field must contain a <b>0</b> (zero).<br>This edit will continue to be performed by the Edit Package when the Bypass Business Edits option is used during an outgoing edit run.                                                                            |
| <b>Transaction Component Sequence Number</b><br>Positions: 4<br>Length: 1<br>Format: unpacked numeric | <b>Description:</b> The field must contain a <b>5</b> .                                                                                                                                                                                                                            |
| <b>Local Tax</b><br>Positions: 5-13<br>Length: 9<br>Format: unpacked numeric                          | <b>Description:</b> Used to indicate the amount of local tax included in the transaction amount. This amount must be expressed in the same currency as the transaction amount.<br>If local tax is not entered, this field must be all zeros. There are two implied decimal places. |

### Data Capture Advice Edit Criteria

|                                                                                                |                                                                                                                                                                                                                                                                                                                                                         |
|------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Tax Included</b><br>Positions: 14<br>Length: 1<br>Format: alphanumeric                      | <b>Description:</b> Indicates if local tax is included. This field must contain <b>0, 1</b> or <b>2</b> .<br><b>0</b> is invalid if the Local Tax field is not zeros.<br><b>0</b> = Tax not included<br><b>1</b> = Local Tax included<br><b>2</b> = Transaction not subject to tax                                                                      |
| <b>Purchase Identifier Format</b><br>Positions: 15<br>Length: 1<br>Format: alphanumeric        | <b>Description:</b> Indicates the format of additional identifying information for purchases, such as order number or hotel folio number. Format can include free text or type of number.<br>This field must be a <b>space</b> or <b>0</b> through <b>5</b> . See <i>BASE II Clearing Data Codes</i> for a listing of Purchase Identifier Format Codes. |
| <b>Purchase Identifier</b><br>Positions: 16-40<br>Length: 25<br>Format: alphanumeric           | <b>Description:</b> Indicates the type of identifying information (order number, invoice number, text description, etc.).<br>The first nine digits are unique for each merchant batch. The last four digits contain the TCR (record) count within the merchant batch.                                                                                   |
| <b>Reserved</b><br>Positions: 41-153<br>Length: 113<br>Format: alphanumeric                    | <b>Description:</b> This field is reserved for future use. EP will always space-fill.                                                                                                                                                                                                                                                                   |
| <b>Internal Merchant Batch Key</b><br>Positions: 154-166<br>Length: 13<br>Format: alphanumeric | <b>Description:</b> Type of record. The entry will be a <b>2</b> for cardholder transaction detail.                                                                                                                                                                                                                                                     |
| <b>Record Type</b><br>Positions: 167<br>Length: 1<br>Format: alphanumeric                      | <b>Description:</b> Obsolete - must be zero-filled.                                                                                                                                                                                                                                                                                                     |
| <b>Reserved</b><br>Positions: 168<br>Length: 1<br>Format: alphanumeric                         | <b>Description:</b> This field is reserved for future use. EP will always space-fill.                                                                                                                                                                                                                                                                   |



# TC 57 - TCR 5 - Limited Use Data

These tables contain the Data Capture Advice (TC 57) record layout and edit criteria for TCR 5 - Limited Use Data.

## CTF - Outgoing and Incoming Interchange

### Data Capture Advice Record Layout

| Position | Field Length | Format | Contents                              |
|----------|--------------|--------|---------------------------------------|
| 1-2      | 2            | UN     | Transaction Code                      |
| 3        | 1            | UN     | Transaction Code Qualifier            |
| 4        | 1            | UN     | Transaction Component Sequence Number |
| 5-15     | 11           | AN     | Reserved                              |
| 16-24    | 9            | AN     | Banknet Settlement Number             |
| 25-28    | 4            | AN     | Banknet Settlement Date               |
| 29-32    | 4            | AN     | Validation Code                       |
| 33-40    | 8            | AN     | Reserved                              |
| 41-52    | 12           | UN     | Authorization Amount                  |
| 53-153   | 101          | AN     | Reserved                              |
| 154-166  | 13           | AN     | Internal Merchant Batch Key           |
| 167      | 1            | AN     | Record Type                           |
| 168      | 1            | AN     | Reimbursement Attribute               |

Format: AN = Alphanumeric, ANS = Alphanumeric Special, DX = Display Hexadecimal, N = Numeric, UN = Unpacked Numeric

### Data Capture Advice Edit Criteria

|                                                                                            |                                                                                                                                                                                                             |
|--------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Transaction Code</b><br>Positions: 1-2<br>Length: 2<br>Format: unpacked numeric         | <b>Description:</b> The field must contain <b>57</b> .                                                                                                                                                      |
| <b>Transaction Code Qualifier</b><br>Positions: 3<br>Length: 1<br>Format: unpacked numeric | <b>Description:</b> The field must contain a <b>0</b> (zero).<br><br>This edit will continue to be performed by the Edit Package when the Bypass Business Edits option is used during an outgoing edit run. |

### Data Capture Advice Edit Criteria

|                                                                                                       |                                                                                                                                                                                                                      |
|-------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Transaction Component Sequence Number</b><br>Positions: 4<br>Length: 1<br>Format: unpacked numeric | <b>Description:</b> The field must contain a 5.                                                                                                                                                                      |
| <b>Reserved</b><br>Positions: 5-15<br>Length: 11<br>Format: unpacked numeric                          | <b>Description:</b> This field is reserved for future use. EP will always space-fill.                                                                                                                                |
| <b>Banknet Settlement Number</b><br>Positions: 16-24<br>Length: 9<br>Format: alphanumeric             | <b>Description:</b> Number identifying Banknet Settlement event.                                                                                                                                                     |
| <b>Banknet Settlement Date</b><br>Positions: 25-28<br>Length: 4<br>Format: alphanumeric               | <b>Description:</b> Date Banknet Settlement occurred.                                                                                                                                                                |
| <b>Validation Code</b><br>Positions: 29-32<br>Length: 4<br>Format: alphanumeric                       | <b>Description:</b> A unique value that Visa includes as part of the Custom Payment Service/ATM program in each authorization response to ensure that key authorization fields are preserved in the clearing record. |
| <b>Reserved</b><br>Positions: 33-40<br>Length: 8<br>Format: alphanumeric                              | <b>Description:</b> This field is reserved for future use. EP will always space-fill.                                                                                                                                |
| <b>Authorization Amount</b><br>Positions: 41-52<br>Length: 12<br>Format: unpacked numeric             | <b>Description:</b> Amount of purchase authorized.<br>This field will contain two implied decimal places.                                                                                                            |
| <b>Reserved</b><br>Positions: 53-153<br>Length: 101<br>Format: alphanumeric                           | <b>Description:</b> This field is reserved for future use. EP will always space-fill.                                                                                                                                |

## Data Capture Advice Edit Criteria

|                                                                                                |                                                                                                                                                                                           |
|------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Internal Merchant Batch Key</b><br>Positions: 154-166<br>Length: 13<br>Format: alphanumeric | <b>Description:</b> Identifies the merchant batch. The first nine digits are unique for each merchant batch. The last four digits contain the TCR (record) count with the merchant batch. |
| <b>Record Type</b><br>Positions: 167<br>Length: 1<br>Format: alphanumeric                      | <b>Description:</b> Type of record.                                                                                                                                                       |
| <b>Reimbursement Attribute</b><br>Positions: 168<br>Length: 1<br>Format: alphanumeric          | <b>Description:</b> Obsolete - must be zero-filled.                                                                                                                                       |

# TC 57 - TCR 0 - Japan Acquirer Services

These tables contain the Data Capture Advice (TC 57) record layout and edit criteria for TCR 0 - Japan Acquirer Services.

## CTF - Outgoing and Incoming Interchange

### Data Capture Advice Record Layout

| Position | Field Length | Format | Contents                              |
|----------|--------------|--------|---------------------------------------|
| 1-2      | 2            | UN     | Transaction Code                      |
| 3        | 1            | UN     | Transaction Code Qualifier            |
| 4        | 1            | UN     | Transaction Component Sequence Number |
| 5-10     | 6            | UN     | Destination Identifier                |
| 11-16    | 6            | UN     | Source Identifier                     |
| 17-42    | 26           | AN     | JAS Additional Data                   |
| 43-44    | 2            | AN     | Record Format Code                    |
| 45-168   | 124          | AN     | JAS Capture Data                      |

Format: AN = Alphanumeric, ANS = Alphanumeric Special, DX = Display Hexadecimal, N = Numeric, UN = Unpacked Numeric

## Data Capture Advice Edit Criteria

|                                                                                                       |                                                                                                                                                                                                             |
|-------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Transaction Code</b><br>Positions: 1-2<br>Length: 2<br>Format: unpacked numeric                    | <b>Description:</b> The field must contain <b>57</b> .                                                                                                                                                      |
| <b>Transaction Code Qualifier</b><br>Positions: 3<br>Length: 1<br>Format: unpacked numeric            | <b>Description:</b> The field must contain a <b>0</b> (zero).<br><br>This edit will continue to be performed by the Edit Package when the Bypass Business Edits option is used during an outgoing edit run. |
| <b>Transaction Component Sequence Number</b><br>Positions: 4<br>Length: 1<br>Format: unpacked numeric | <b>Description:</b> The field must contain a <b>0</b> (zero).                                                                                                                                               |
| <b>Destination Identifier</b><br>Positions: 5-10<br>Length: 6<br>Format: unpacked numeric             | <b>Description:</b> The entity to which a BASE II transaction message is sent.<br><br>The field must contain a valid acquiring identifier with a relationship with the data capture service provider.       |
| <b>Source Identifier</b><br>Positions: 11-16<br>Length: 6<br>Format: unpacked numeric                 | <b>Description:</b> The field must contain the source identifier of the data capture service provider.                                                                                                      |
| <b>JAS Additional Data</b><br>Positions: 17-42<br>Length: 26<br>Format: alphanumeric                  | <b>Description:</b> Contains Japan Acquirer Services additional data. See <i>Member-Operated Data Capture User's Guide</i> for more information on subfields.                                               |
| <b>Record Format Code</b><br>Positions: 43-44<br>Length: 2<br>Format: alphanumeric                    | <b>Description:</b> Identifies the type of data in this record.<br><br>The field must contain <b>JP</b> (Japan).                                                                                            |
| <b>JAS Capture Information</b><br>Positions: 45-168<br>Length: 124<br>Format: alphanumeric            | <b>Description:</b> Contains Japan Acquirer Services capture information. See <i>Member-Operated Data Capture User's Guide</i> for more information on subfields.)                                          |

# TC 57 - TCR 0 - Japan Acquirer Services - Additional Capture Information

These tables contain the Data Capture Advice (TC 57) record layout and edit criteria for TCR 0 -Japan Acquirer Services - Additional Capture Information.

## CTF - Outgoing and Incoming Interchange

### Data Capture Advice Record Layout

| Position | Field Length | Format | Contents                              |
|----------|--------------|--------|---------------------------------------|
| 1-2      | 2            | UN     | Transaction Code                      |
| 3        | 1            | UN     | Transaction Code Qualifier            |
| 4        | 1            | UN     | Transaction Component Sequence Number |
| 5-168    | 164          | UN     | JAS Capture Information               |

Format: AN = Alphanumeric, ANS = Alphanumeric Special, DX = Display Hexadecimal, N = Numeric, UN = Unpacked Numeric

### Data Capture Advice Edit Criteria

|                                                                                            |                                                                                                                                                                                                             |
|--------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Transaction Code</b><br>Positions: 1-2<br>Length: 2<br>Format: unpacked numeric         | <b>Description:</b> The field must contain <b>57</b> .                                                                                                                                                      |
| <b>Transaction Code Qualifier</b><br>Positions: 3<br>Length: 1<br>Format: unpacked numeric | <b>Description:</b> The field must contain a <b>0</b> (zero).<br><br>This edit will continue to be performed by the Edit Package when the Bypass Business Edits option is used during an outgoing edit run. |

### Data Capture Advice Edit Criteria

|                                                                                                       |                                                                                                                                                                  |
|-------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Transaction Component Sequence Number</b><br>Positions: 4<br>Length: 1<br>Format: unpacked numeric | <b>Description:</b> The field must contain a <b>0</b> (zero).                                                                                                    |
| <b>JAS Capture Information</b><br>Positions: 5-168<br>Length: 164<br>Format: alphanumeric             | <b>Description:</b> Contains Japan Acquirer Service capture information. See <i>Member-Operated Data Capture User's Guide</i> for more information on subfields. |

## TC 57 - TCR 0 - Cardholder Transaction Detail (Korea)

These tables contain the Data Capture Advice (TC 57) record layout and edit criteria for TCR 0 - Cardholder Transaction Detail (Korea).

### CTF - Outgoing and Incoming Interchange

#### Data Capture Advice Record Layout

| Position | Field Length | Format | Contents                              |
|----------|--------------|--------|---------------------------------------|
| 1-2      | 2            | UN     | Transaction Code                      |
| 3        | 1            | UN     | Transaction Code Qualifier            |
| 4        | 1            | UN     | Transaction Component Sequence Number |
| 5-10     | 6            | UN     | Destination Identifier                |
| 11-16    | 6            | UN     | Source Identifier                     |
| 17-18    | 2            | UN     | Transaction Type                      |
| 19-24    | 6            | AN     | Store Number                          |
| 25       | 1            | AN     | Reserved                              |
| 26       | 1            | AN     | Authorization Source Code             |
| 27       | 1            | AN     | Cardholder ID Method                  |
| 28-39    | 12           | UN     | Transaction Amount                    |
| 40-41    | 2            | AN     | POS Entry Mode                        |

### Data Capture Advice Record Layout

| Position | Field Length | Format | Contents                                             |
|----------|--------------|--------|------------------------------------------------------|
| 42       | 1            | AN     | Mail, Telephone or Electronic Commerce Indicator     |
| 43-44    | 2            | AN     | Record Format Code (KR)                              |
| 45-52    | 8            | AN     | Local Authorization Number                           |
| 53-54    | 2            | UN     | Terminal Type                                        |
| 55-69    | 15           | UN     | Merchant ID                                          |
| 70-84    | 15           | AN     | Merchant Business ID                                 |
| 85-109   | 25           | AN     | Merchant Name                                        |
| 110-122  | 13           | AN     | Merchant Location                                    |
| 123-125  | 3            | AN     | Merchant Country Code                                |
| 126-129  | 4            | UN     | Merchant Category Code                               |
| 130-141  | 12           | UN     | Retrieval Reference Number                           |
| 142-153  | 12           | UN     | Terminal ID                                          |
| 154-166  | 13           | UN     | Merchant Representative Resident Registration Number |
| 167      | 1            | AN     | Record Type                                          |
| 168      | 1            | AN     | Reimbursement Attribute                              |

Format: AN = Alphanumeric, ANS = Alphanumeric Special, DX = Display Hexadecimal, N = Numeric, UN = Unpacked Numeric

### Data Capture Advice Edit Criteria

|                                                                                            |                                                                                                                                                                                                         |
|--------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Transaction Code</b><br>Positions: 1-2<br>Length: 2<br>Format: unpacked numeric         | <b>Description:</b> The field must contain <b>57</b> .                                                                                                                                                  |
| <b>Transaction Code Qualifier</b><br>Positions: 3<br>Length: 1<br>Format: unpacked numeric | <b>Description:</b> The field must contain a <b>0</b> (zero).<br>This edit will continue to be performed by the Edit Package when the Bypass Business Edits option is used during an outgoing edit run. |

### Data Capture Advice Edit Criteria

|                                                                                                       |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
|-------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Transaction Component Sequence Number</b><br>Positions: 4<br>Length: 1<br>Format: unpacked numeric | <b>Description:</b> The field must contain a <b>0</b> (zero).                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
| <b>Destination Identifier</b><br>Positions: 5-10<br>Length: 6<br>Format: unpacked numeric             | <b>Description:</b> The entity to which a BASE II transaction message is sent.<br>The field must contain a valid acquiring identifier with a relationship with the data capture service provider.                                                                                                                                                                                                                                                                                                                                                                         |
| <b>Source Identifier</b><br>Positions: 11-16<br>Length: 6<br>Format: unpacked numeric                 | <b>Description:</b> The entity from which a BASE II transaction message is sent.<br>The field must contain the source identifier of the data capture service provider.                                                                                                                                                                                                                                                                                                                                                                                                    |
| <b>Transaction Type</b><br>Positions: 17-18<br>Length: 2<br>Format: unpacked numeric                  | <b>Description:</b> Indicates type of transaction (purchase, adjustment, etc.).<br>The field must be one of these values.<br><b>11</b> = Normal purchase<br><b>12</b> = Reversal normal purchase or cancellation<br><b>21</b> = Installation payment<br><b>22</b> = Reversal installment payment or cancellation<br><b>32</b> = Partial Reversal Transaction<br><b>42</b> = Refund Transaction<br>Cancel is performed within the same batch capture window as original. When batch capture window changes, reversal transaction should be created to cancel the original. |
| <b>Store Number</b><br>Positions: 19-24<br>Length: 6<br>Format: alphanumeric                          | <b>Description:</b> Number identifying store where purchase occurred. This field must be alphanumeric and may contain a space.                                                                                                                                                                                                                                                                                                                                                                                                                                            |
| <b>Reserved</b><br>Positions: 25<br>Length: 1<br>Format: alphanumeric                                 | <b>Description:</b> This field is reserved for future use. EP will always space-fill.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
| <b>Authorization Source Code</b><br>Positions: 26<br>Length: 1<br>Format: alphanumeric                | <b>Description:</b> Indicates whether or not card present at authorization and type of commerce or service requested. The allowable entries are a <b>space</b> , <b>A</b> through <b>Z</b> , or <b>0</b> through <b>9</b> .<br>See <i>BASE II Clearing Data Codes</i> for the list of codes that are defined for use by the clients.                                                                                                                                                                                                                                      |



## Data Capture Advice Edit Criteria

|                                                                                                               |                                                                                                                                                                                                                                                                                                                        |
|---------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Cardholder ID Method</b><br>Positions: 27<br>Length: 1<br>Format: alphanumeric                             | <b>Description:</b> Indicates method used to identify cardholder (e.g., signature, PIN, etc.). The field must contain a <b>space</b> or <b>1</b> through <b>4</b> .<br><br>See <i>BASE II Clearing Data Codes</i> for a list of valid codes.                                                                           |
| <b>Transaction Amount</b><br>Positions: 28-39<br>Length: 12<br>Format: unpacked numeric                       | <b>Description:</b> The purchase value in transaction currency. Two decimal places are implied.<br><br>This entry must be a numeric greater than zero. Minor units must be zero.                                                                                                                                       |
| <b>POS Entry Mode</b><br>Positions: 40-41<br>Length: 2<br>Format: alphanumeric                                | <b>Description:</b> A V.I.P. System field indicating the method by which a point-of-transaction terminal obtains and transmits the cardholder information necessary to complete a transaction.<br><br>This entry must be <b>space</b> , <b>00</b> through <b>06</b> , <b>90</b> , or <b>95</b> .                       |
| <b>Mail, Telephone or Electronic Commerce Indicator</b><br>Positions: 42<br>Length: 1<br>Format: alphanumeric | <b>Description:</b> Indicates transaction performed by mail order, telephone, electronic commerce, or other means. This field must be space-filled or contain <b>1</b> through <b>8</b> . It may not be space-filled if the Merchant Category Code is <b>5960</b> , <b>5962</b> , or <b>5964</b> through <b>5969</b> . |
| <b>Record Format Code (KR)</b><br>Positions: 43-44<br>Length: 2<br>Format: alphanumeric                       | <b>Description:</b> Identifies the type of data in this record. The field must contain <b>KR</b> (Korea).                                                                                                                                                                                                              |
| <b>Local Authorization Number</b><br>Positions: 45-52<br>Length: 8<br>Format: alphanumeric                    | <b>Description:</b> South Korean authorization ID. The field must be alphanumeric and greater than zero.                                                                                                                                                                                                               |
| <b>Terminal Type</b><br>Positions: 53-54<br>Length: 2<br>Format: unpacked numeric                             | <b>Description:</b> Code that identifies the terminal type used by the merchant.<br><br>Values:<br><b>00/CAT</b> = General POS<br><b>01/POS</b> = EFT POS<br><b>02/EC</b> = Electronic Commerce<br><b>03/PC</b> = Personal Computer<br><b>04/EC+CAT</b> = Mobile Phone                                                 |

### Data Capture Advice Edit Criteria

|                                                                                                   |                                                                                                                                                                                                                                                                                                                  |
|---------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Merchant ID</b><br>Positions: 55-69<br>Length: 15<br>Format: unpacked numeric                  | <b>Description:</b> Merchant identification number.<br>This field must contain numerics and be left-justified.                                                                                                                                                                                                   |
| <b>Merchant Business ID</b><br>Positions: 70-84<br>Length: 15<br>Format: alphanumeric             | <b>Description:</b> The merchant's business identification.<br>This field is left-justified and follows a space.                                                                                                                                                                                                 |
| <b>Merchant Name</b><br>Positions: 85-109<br>Length: 25<br>Format: alphanumeric                   | <b>Description:</b> Name of the merchant in the original transaction.<br>If not applicable, it must be a space.                                                                                                                                                                                                  |
| <b>Merchant Location</b><br>Positions: 110-122<br>Length: 13<br>Format: alphanumeric              | <b>Description:</b> Merchant location.<br>If not applicable, it must be a space.                                                                                                                                                                                                                                 |
| <b>Merchant Country Code</b><br>Positions: 123-125<br>Length: 3<br>Format: alphanumeric           | <b>Description:</b> Code identifying the country where the Visa transaction occurred, regardless of the location of entry to the system.<br>The entry must be a valid BASE II code. The first two characters must be the country code; the third character must be a space.                                      |
| <b>Merchant Category Code</b><br>Positions: 126-129<br>Length: 4<br>Format: unpacked numeric      | <b>Description:</b> A code designating the principal trade, profession, or line of business in which a merchant is engaged.<br>The field must contain a valid four-digit numeric Merchant Category Code (MCC). See <i>Visa Core Rules and Visa Product and Service Rules</i> for valid codes.                    |
| <b>Retrieval Reference Number</b><br>Positions: 130-141<br>Length: 12<br>Format: unpacked numeric | <b>Description:</b> Reference number that is used with other data elements as a key to identify and track all messages related to a given cardholder transaction; that is, to a given transaction set.<br>This field must be numeric.                                                                            |
| <b>Terminal ID</b><br>Positions: 142-153<br>Length: 12<br>Format: unpacked numeric                | <b>Description:</b> Identifies the card acceptor terminal or ATM. For electronic point-of-sale or point-of-service (POS) terminals, when the ID is not unique to a specific terminal, Card Acceptor Identification Code can be used along with this field.<br>This field must be left-justified and zero-filled. |

### Data Capture Advice Edit Criteria

|                                                                                                                             |                                                                                                                       |
|-----------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------|
| <b>Merchant Representative Resident Registration Number</b><br>Positions: 154-166<br>Length: 13<br>Format: unpacked numeric | <b>Description:</b> Registration number associated with merchant representative. This field must be numeric or zeros. |
| <b>Record Type</b><br>Positions: 167<br>Length: 1<br>Format: alphanumeric                                                   | <b>Description:</b> Type of record. The entry will be a <b>2</b> for cardholder transaction detail.                   |
| <b>Reimbursement Attribute</b><br>Positions: 168<br>Length: 1<br>Format: alphanumeric                                       | <b>Description:</b> Obsolete - must be zero-filled.                                                                   |

## TC 57 - TCR 1 - Cardholder Transaction Detail (Korea)

These tables contain the Data Capture Advice (TC 57) record layout and edit criteria for TCR 1 - Cardholder Transaction Detail (Korea).

### CTF - Outgoing and Incoming Interchange

#### Data Capture Advice Record Layout

| Position | Field Length | Format | Contents                              |
|----------|--------------|--------|---------------------------------------|
| 1-2      | 2            | UN     | Transaction Code                      |
| 3        | 1            | UN     | Transaction Code Qualifier            |
| 4        | 1            | UN     | Transaction Component Sequence Number |
| 5-10     | 6            | UN     | Destination Identifier                |
| 11-16    | 6            | UN     | Source Identifier                     |
| 17-19    | 3            | UN     | Currency Code                         |
| 20-35    | 16           | UN     | Account Number                        |
| 36-38    | 3            | UN     | Account Number Extension              |
| 39-42    | 4            | UN     | Expiration Date (YYMM)                |

### Data Capture Advice Record Layout

| Position | Field Length | Format | Contents                                 |
|----------|--------------|--------|------------------------------------------|
| 43-44    | 2            | AN     | Record Format Code (KR)                  |
| 45-53    | 9            | AN     | Reserved                                 |
| 54-60    | 7            | AN     | Unique VAT Invoice Reference Number      |
| 61-92    | 32           | AN     | Merchant Name-Korean                     |
| 93-104   | 12           | AN     | Product Code                             |
| 105-124  | 20           | AN     | Product Name-Korean                      |
| 125-132  | 8            | UN     | Order Date (YYYYMMDD)                    |
| 133-134  | 2            | UN     | Payment Method                           |
| 135-136  | 2            | UN     | Number of Payment                        |
| 137-144  | 8            | UN     | Cardholder Settlement Date (YYYYMMDD)    |
| 145-147  | 3            | UN     | Cardholder Deferred Days                 |
| 148-155  | 8            | UN     | Cardholder Payment Start Date (YYYYMMDD) |
| 156-163  | 8            | UN     | Merchant Payment Date (YYYYMMDD)         |
| 164-166  | 3            | UN     | Merchant Deferred Days                   |
| 167      | 1            | AN     | Record Type                              |
| 168      | 1            | AN     | Reimbursement Attribute                  |

Format: AN = Alphanumeric, ANS = Alphanumeric Special, DX = Display Hexadecimal, N = Numeric, UN = Unpacked Numeric

### Data Capture Advice Edit Criteria

|                                                                                            |                                                                                                                                                                                                             |
|--------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Transaction Code</b><br>Positions: 1-2<br>Length: 2<br>Format: unpacked numeric         | <b>Description:</b> The field must contain <b>57</b> .                                                                                                                                                      |
| <b>Transaction Code Qualifier</b><br>Positions: 3<br>Length: 1<br>Format: unpacked numeric | <b>Description:</b> The field must contain a <b>0</b> (zero).<br><br>This edit will continue to be performed by the Edit Package when the Bypass Business Edits option is used during an outgoing edit run. |

## Data Capture Advice Edit Criteria

|                                                                                                       |                                                                                                                                                                                                                                                                                                                                                                                                  |
|-------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Transaction Component Sequence Number</b><br>Positions: 4<br>Length: 1<br>Format: unpacked numeric | <b>Description:</b> The field must contain a <b>1</b> .                                                                                                                                                                                                                                                                                                                                          |
| <b>Destination Identifier</b><br>Positions: 5-10<br>Length: 6<br>Format: unpacked numeric             | <b>Description:</b> The entity to which a BASE II transaction message is sent.<br>The field must contain a valid acquiring identifier with a relationship with the data capture service provider.                                                                                                                                                                                                |
| <b>Source Identifier</b><br>Positions: 11-16<br>Length: 6<br>Format: unpacked numeric                 | <b>Description:</b> The field must contain the source identifier of the data capture service provider.                                                                                                                                                                                                                                                                                           |
| <b>Currency Code</b><br>Positions: 17-19<br>Length: 3<br>Format: unpacked numeric                     | <b>Description:</b> Indicates type of currency.<br>The field must contain a valid currency ISO numeric code.                                                                                                                                                                                                                                                                                     |
| <b>Account Number</b><br>Positions: 20-35<br>Length: 16<br>Format: unpacked numeric                   | <b>Description:</b> An issuer-assigned number that identifies a cardholder's account.<br>This field must be a 16-digit numeric. This field must contain a valid number from the BASE II ARDEF.                                                                                                                                                                                                   |
| <b>Account Number Extension</b><br>Positions: 36-38<br>Length: 3<br>Format: unpacked numeric          | <b>Description:</b> A three-digit extension of the account number that allows account numbers up to 19 digits.<br>If the account number exceeds 16 digits, the extension field entry must be numeric, left-justified, and any remaining positions zero-filled.<br><b>Outgoing:</b> The Edit Package inserts zeros in the field if the Account Number is 16 digits or less (per the ARDEF Table). |
| <b>Expiration Date</b><br>Positions: 39-42<br>Length: 4<br>Format: unpacked numeric                   | <b>Description:</b> Expiration date of the account number.<br>The format for the field is <b>YYMM</b> .                                                                                                                                                                                                                                                                                          |
| <b>Record Format Code (KR)</b><br>Positions: 43-44<br>Length: 2<br>Format: alphanumeric               | <b>Description:</b> Identifies the type of data in this field. The field must contain <b>KR</b> (Korea).                                                                                                                                                                                                                                                                                         |

### Data Capture Advice Edit Criteria

|                                                                                                     |                                                                                                                                                                      |
|-----------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Reserved</b><br>Positions: 45-53<br>Length: 9<br>Format: alphanumeric                            | <b>Description:</b> This field is reserved for future use. EP will always space-fill.                                                                                |
| <b>Unique VAT Invoice Reference Number</b><br>Positions: 54-60<br>Length: 7<br>Format: alphanumeric | <b>Description:</b> Value Added Tax invoice reference number. The field must be numeric or space.                                                                    |
| <b>Merchant Name - Korean</b><br>Positions: 61-92<br>Length: 32<br>Format: alphanumeric             | <b>Description:</b> Name of the merchant. The merchant name is entered using Korean characters. If this field is not used, it should be spaces.                      |
| <b>Product Code</b><br>Positions: 93-104<br>Length: 12<br>Format: alphanumeric                      | <b>Description:</b> Identifies product being purchased. See <i>BASE II Clearing Data Codes</i> for valid values. This field may contain spaces.                      |
| <b>Product Name - Korean</b><br>Positions: 105-124<br>Length: 20<br>Format: alphanumeric            | <b>Description:</b> The product name in Korean. This field may contain spaces.                                                                                       |
| <b>Order Date</b><br>Positions: 125-132<br>Length: 8<br>Format: unpacked numeric                    | <b>Description:</b> Date the product was ordered. The field must contain a valid date in the format <b>YYYYMMDD</b> . If this field is not used, it should be zeros. |

## Data Capture Advice Edit Criteria

|                                                                                                     |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
|-----------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Payment Method</b><br>Positions: 133-134<br>Length: 2<br>Format: unpacked numeric                | <b>Description:</b> This value is a 2-digit code indicating the payment method.<br><b>11</b> = One-time payment<br><b>21</b> = Installment payment<br><b>22</b> = Installment payment without interest<br><b>31</b> (March)<br><b>32</b> (June)<br><b>33</b> (September)<br><b>34</b> (December) = Bonus (one-time) Payment<br><b>41, 42, 43, 44</b> = Integrated (Bonus + Installment) Payment<br><b>51, 52, 53, 54</b> = Reserved for future expansion<br>See <i>BASE II Clearing Data Codes</i> for valid Payment Method codes and definitions. |
| <b>Number of Payment</b><br>Positions: 135-136<br>Length: 2<br>Format: unpacked numeric             | <b>Description:</b> Used for installment payments, indicates which payment, out of total number of payments to be made, is being submitted. This field must be numeric and must be in the range of <b>2</b> through <b>60</b> .                                                                                                                                                                                                                                                                                                                    |
| <b>Cardholder Settlement Date</b><br>Positions: 137-144<br>Length: 8<br>Format: unpacked numeric    | <b>Description:</b> Date the cardholder will settle the account in the format <b>YYYYMMDD</b> . If this field is not used, it must be zero-filled.                                                                                                                                                                                                                                                                                                                                                                                                 |
| <b>Cardholder Deferred Days</b><br>Positions: 145-147<br>Length: 3<br>Format: unpacked numeric      | <b>Description:</b> Number of days the cardholder can defer the payment start date.<br>This field must be numeric or zeros.                                                                                                                                                                                                                                                                                                                                                                                                                        |
| <b>Cardholder Payment Start Date</b><br>Positions: 148-155<br>Length: 8<br>Format: unpacked numeric | <b>Description:</b> Cardholder payment start date for installment payments.<br>The format for this field is <b>YYYYMMDD</b> . If this field is not used, it should be zeros.                                                                                                                                                                                                                                                                                                                                                                       |
| <b>Merchant Payment Date</b><br>Positions: 156-163<br>Length: 8<br>Format: unpacked numeric         | <b>Description:</b> Merchant payment date.<br>The format for this field is <b>YYYYMMDD</b> . If this field is not used, it should be zeros.                                                                                                                                                                                                                                                                                                                                                                                                        |

### Data Capture Advice Edit Criteria

|                                                                                              |                                                                                                                      |
|----------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------|
| <b>Merchant Deferred Days</b><br>Positions: 164-166<br>Length: 3<br>Format: unpacked numeric | <b>Description:</b> Number of days the merchant can defer the purchase date.<br>This field must be numeric or zeros. |
| <b>Record Type</b><br>Positions: 167<br>Length: 1<br>Format: alphanumeric                    | <b>Description:</b> Type of record. The entry will be a <b>3</b> for cardholder transaction detail.                  |
| <b>Reimbursement Attribute</b><br>Positions: 168<br>Length: 1<br>Format: alphanumeric        | <b>Description:</b> Obsolete - must be zero-filled.                                                                  |

## TC 57 - TCR 2 - Transaction Additional Detail (Korea)

These tables contain the Data Capture Advice (TC 57) record layout and edit criteria for TCR 2 - Transaction Additional Detail (Korea).

### CTF - Outgoing and Incoming Interchange

#### Data Capture Advice Record Layout

| Position | Field Length | Format | Contents                              |
|----------|--------------|--------|---------------------------------------|
| 1-2      | 2            | UN     | Transaction Code                      |
| 3        | 1            | UN     | Transaction Code Qualifier            |
| 4        | 1            | UN     | Transaction Component Sequence Number |
| 5-10     | 6            | UN     | Destination Identifier                |
| 11-16    | 6            | UN     | Source Identifier                     |
| 17-28    | 12           | AN     | Merchant Location-Korean              |
| 29-36    | 8            | UN     | Purchase Date (YYYYMMDD)              |
| 37-42    | 6            | UN     | Purchase Time                         |
| 43-44    | 2            | AN     | Record Format Code (KR)               |



### Data Capture Advice Record Layout

| Position | Field Length | Format | Contents                |
|----------|--------------|--------|-------------------------|
| 45-166   | 122          | AN     | Message Text            |
| 167      | 1            | AN     | Record Type             |
| 168      | 1            | AN     | Reimbursement Attribute |

Format: AN = Alphanumeric, ANS = Alphanumeric Special, DX = Display Hexadecimal, N = Numeric, UN = Unpacked Numeric

### Data Capture Advice Edit Criteria

|                                                                                                       |                                                                                                                                                                                                         |
|-------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Transaction Code</b><br>Positions: 1-2<br>Length: 2<br>Format: unpacked numeric                    | <b>Description:</b> The field must contain <b>57</b> .                                                                                                                                                  |
| <b>Transaction Code Qualifier</b><br>Positions: 3<br>Length: 1<br>Format: unpacked numeric            | <b>Description:</b> The field must contain a <b>0</b> (zero).<br>This edit will continue to be performed by the Edit Package when the Bypass Business Edits option is used during an outgoing edit run. |
| <b>Transaction Component Sequence Number</b><br>Positions: 4<br>Length: 1<br>Format: unpacked numeric | <b>Description:</b> The field must contain a <b>2</b> . The record must follow a TCR 1.                                                                                                                 |
| <b>Destination Identifier</b><br>Positions: 5-10<br>Length: 6<br>Format: unpacked numeric             | <b>Description:</b> The entity to which a BASE II transaction message is sent.<br>The field must contain a valid acquiring identifier with a relationship with the data capture service provider.       |
| <b>Source Identifier</b><br>Positions: 11-16<br>Length: 6<br>Format: unpacked numeric                 | <b>Description:</b> The field must contain the source identifier of the data capture service provider.                                                                                                  |
| <b>Merchant Location - Korean</b><br>Positions: 17-28<br>Length: 12<br>Format: alphanumeric           | <b>Description:</b> The merchant location entered using Korean characters. If this field is not used, it should be spaces.                                                                              |

### Data Capture Advice Edit Criteria

|                                                                                         |                                                                                                                                                                                     |
|-----------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Purchase Date</b><br>Positions: 29-36<br>Length: 8<br>Format: unpacked numeric       | <b>Description:</b> The actual date a cardholder makes a purchase; this is the date of the transaction.<br><br>This field must contain a valid date in the format <b>YYYYMMDD</b> . |
| <b>Purchase Time</b><br>Positions: 37-42<br>Length: 6<br>Format: unpacked numeric       | <b>Description:</b> The time the purchase was made.<br><br>This field must contain a valid time in the format <b>HHMMSS</b> .                                                       |
| <b>Record Format Code (KR)</b><br>Positions: 43-44<br>Length: 2<br>Format: alphanumeric | <b>Description:</b> Identifies the type of data in this record. The field must contain <b>KR</b> (Korea).                                                                           |
| <b>Message Text</b><br>Positions: 45-166<br>Length: 122<br>Format: alphanumeric         | <b>Description:</b> The text in this field is followed by spaces and supported for Korean characters.                                                                               |
| <b>Record Type</b><br>Positions: 167<br>Length: 1<br>Format: alphanumeric               | <b>Description:</b> Type of record. The entry will be a <b>2</b> for cardholder transaction detail.                                                                                 |
| <b>Reimbursement Attribute</b><br>Positions: 168<br>Length: 1<br>Format: alphanumeric   | <b>Description:</b> Obsolete - must be zero-filled.                                                                                                                                 |

## TC 57 - TCR 0 - Batch Trailer

These tables contain the Data Capture Advice (TC 57) record layout and edit criteria for TCR 0 - Batch Trailer.

### CTF - Outgoing and Incoming Interchange

### Data Capture Advice Record Layout

| Position | Field Length | Format | Contents                              |
|----------|--------------|--------|---------------------------------------|
| 1-2      | 2            | UN     | Transaction Code                      |
| 3        | 1            | UN     | Transaction Code Qualifier            |
| 4        | 1            | UN     | Transaction Component Sequence Number |
| 5-10     | 6            | UN     | Destination Identifier                |
| 11-16    | 6            | UN     | Source Identifier                     |
| 17-22    | 6            | UN     | Reserved                              |
| 23-34    | 12           | AN     | Reserved                              |
| 35-37    | 3            | UN     | Reserved                              |
| 38       | 1            | AN     | Draft Flag                            |
| 39-42    | 4            | UN     | Central Processing Date (YDDD)        |
| 43-44    | 2            | AN     | Record Format Code                    |
| 45       | 1            | AN     | Reversal Flag                         |
| 46-68    | 23           | UN     | Reserved                              |
| 69-75    | 7            | UN     | Batch Transaction Count               |
| 76-90    | 15           | UN     | Batch Net Amount                      |
| 91-92    | 2            | AN     | Batch Net Amount Sign                 |
| 93-99    | 7            | UN     | Batch Record (TCR) Count              |
| 100-114  | 15           | UN     | Batch Gross Amount                    |
| 115-130  | 16           | UN     | Secondary Amount                      |
| 131-153  | 23           | AN     | Reserved                              |
| 154-166  | 13           | AN     | Internal Merchant Batch Key           |
| 167      | 1            | AN     | Record Type                           |
| 168      | 1            | AN     | Reimbursement Attribute               |

Format: AN = Alphanumeric, ANS = Alphanumeric Special, DX = Display Hexadecimal, N = Numeric, UN = Unpacked Numeric

### Data Capture Advice Edit Criteria

|                                                                                                       |                                                                                                                                                                                                             |
|-------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Transaction Code</b><br>Positions: 1-2<br>Length: 2<br>Format: unpacked numeric                    | <b>Description:</b> The field must contain <b>57</b> .                                                                                                                                                      |
| <b>Transaction Code Qualifier</b><br>Positions: 3<br>Length: 1<br>Format: unpacked numeric            | <b>Description:</b> The field must contain a <b>0</b> (zero).<br><br>This edit will continue to be performed by the Edit Package when the Bypass Business Edits option is used during an outgoing edit run. |
| <b>Transaction Component Sequence Number</b><br>Positions: 4<br>Length: 1<br>Format: unpacked numeric | <b>Description:</b> The field must contain a <b>0</b> (zero).                                                                                                                                               |
| <b>Destination Identifier</b><br>Positions: 5-10<br>Length: 6<br>Format: unpacked numeric             | <b>Description:</b> The entity to which a BASE II transaction message is sent.<br><br>The field must contain a valid acquiring identifier with a relationship with the data capture service provider.       |
| <b>Source Identifier</b><br>Positions: 11-16<br>Length: 6<br>Format: unpacked numeric                 | <b>Description:</b> The field must contain a valid source identifier of the data capture service provider.                                                                                                  |
| <b>Reserved</b><br>Positions: 17-22<br>Length: 6<br>Format: unpacked numeric                          | <b>Description:</b> This field is reserved for future use. EP will always space-fill.                                                                                                                       |
| <b>Reserved</b><br>Positions: 23-34<br>Length: 12<br>Format: unpacked numeric                         | <b>Description:</b> This field is reserved for future use. EP will always space-fill.                                                                                                                       |
| <b>Reserved</b><br>Positions: 35-37<br>Length: 3<br>Format: alphanumeric                              | <b>Description:</b> This field is reserved for future use. EP will always space-fill.                                                                                                                       |

## Data Capture Advice Edit Criteria

|                                                                                             |                                                                                                                                                                                                                                                                                                                                                                                                    |
|---------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Draft Flag</b><br>Positions: 38<br>Length: 1<br>Format: alphanumeric                     | <b>Description:</b> Indicates draft was submitted. The field must contain an <b>N</b> (no draft submitted).                                                                                                                                                                                                                                                                                        |
| <b>Central Processing Date</b><br>Positions: 39-42<br>Length: 4<br>Format: unpacked numeric | <b>Description:</b> The date (based on GMT) when the ITF or report in question was generated at a VIC. For any given BASE II processing day, this date is based on the input phase of VIC processing.<br><br><b>Outgoing:</b> The field must contain a numeric value. <b>Incoming:</b> The field contains a valid <b>YDDD</b> date format.<br><br>This is the same as the BASE II Collection Date. |
| <b>Record Format Code</b><br>Positions: 43-44<br>Length: 2<br>Format: alphanumeric          | <b>Description:</b> Identifies the type of data in this record. The Record Format Code must be <b>DC</b> .                                                                                                                                                                                                                                                                                         |
| <b>Reversal Flag</b><br>Positions: 45<br>Length: 1<br>Format: alphanumeric                  | <b>Description:</b> Indicates if this is a reversal. The field must contain an <b>R</b> (Reversal) or a <b>space</b> (non-reversal).                                                                                                                                                                                                                                                               |
| <b>Reserved</b><br>Positions: 46-68<br>Length: 23<br>Format: unpacked numeric               | <b>Description:</b> This field is reserved for future use. EP will always space-fill.                                                                                                                                                                                                                                                                                                              |
| <b>Batch Transaction Count</b><br>Positions: 69-75<br>Length: 7<br>Format: unpacked numeric | <b>Description:</b> This is the number of non-void cardholder transactions in the merchant batch. The field must be numeric and may contain zeros.                                                                                                                                                                                                                                                 |
| <b>Batch Net Amount</b><br>Positions: 76-90<br>Length: 15<br>Format: unpacked numeric       | <b>Description:</b> Sum of amount in batch taking the sign into account.<br><br>The field must contain an unsigned numeric, which may be zeros. The field contains two implied decimal places.                                                                                                                                                                                                     |
| <b>Batch Net Amount Sign</b><br>Positions: 91-92<br>Length: 2<br>Format: alphanumeric       | <b>Description:</b> The sign of the total net amount. The field must contain <b>CR</b> or <b>spaces</b> .<br><br>The algebraic value of the Batch Net Amount is negative.                                                                                                                                                                                                                          |

### Data Capture Advice Edit Criteria

|                                                                                                |                                                                                                                                                                                             |
|------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Batch Record (TCR) Count</b><br>Positions: 93-99<br>Length: 7<br>Format: unpacked numeric   | <b>Description:</b> Number of Transaction Component Records in the batch. The field must contain a value greater than zero.                                                                 |
| <b>Batch Gross Amount</b><br>Positions: 100-114<br>Length: 15<br>Format: unpacked numeric      | <b>Description:</b> Total amount in the batch. The field must be numeric.                                                                                                                   |
| <b>Secondary Amount</b><br>Positions: 115-130<br>Length: 16<br>Format: unpacked numeric        | <b>Description:</b> Obsolete.                                                                                                                                                               |
| <b>Reserved</b><br>Positions: 131-153<br>Length: 23<br>Format: alphanumeric                    | <b>Description:</b> This field is reserved for future use. EP will always space-fill.                                                                                                       |
| <b>Internal Merchant Batch Key</b><br>Positions: 154-166<br>Length: 13<br>Format: alphanumeric | <b>Description:</b> Identifies the merchant batch. The first nine digits are unique for each merchant batch. The last four digits contain the TCR (record) count within the merchant batch. |
| <b>Record Type</b><br>Positions: 167<br>Length: 1<br>Format: alphanumeric                      | <b>Description:</b> Type of record. The entry must be a <b>3</b> for Batch Trailer.                                                                                                         |
| <b>Reimbursement Attribute</b><br>Positions: 168<br>Length: 1<br>Format: alphanumeric          | <b>Description:</b> Obsolete - must be zero-filled.                                                                                                                                         |

## TC 57 - TCR 0 - Batch Trailer (Korea)

These tables contain the Data Capture Advice (TC 57) record layout and edit criteria for TCR 0 - Batch Trailer (Korea).

### CTF - Outgoing and Incoming Interchange

### Data Capture Advice Record Layout

| Position | Field Length | Format | Contents                                                  |
|----------|--------------|--------|-----------------------------------------------------------|
| 1-2      | 2            | UN     | Transaction Code                                          |
| 3        | 1            | UN     | Transaction Code Qualifier                                |
| 4        | 1            | UN     | Transaction Component Sequence Number                     |
| 5-10     | 6            | UN     | Destination Identifier                                    |
| 11-16    | 6            | UN     | Source Identifier                                         |
| 17-22    | 6            | UN     | Purchase Transaction Count                                |
| 23-36    | 14           | UN     | Purchase Transaction Amount Sum Total                     |
| 37-42    | 6            | UN     | Purchase Reversal Transaction Count                       |
| 43-44    | 2            | AN     | Record Format Code (KR)                                   |
| 45-58    | 14           | UN     | Purchase Reversal Transaction Amount Sum Total            |
| 59-64    | 6            | UN     | Installment Payment Transaction Count                     |
| 65-78    | 14           | UN     | Installment Payment Transaction Amount Sum Total          |
| 79-84    | 6            | UN     | Installment Payment Reversal Transaction Count            |
| 85-98    | 14           | UN     | Installment Payment Reversal Transaction Amount Sum Total |
| 99-104   | 6            | UN     | Partial Reversal Transaction Count                        |
| 105-118  | 14           | UN     | Partial Reversal Transaction Amount Sum Total             |
| 119-124  | 6            | UN     | Refund Transaction Count                                  |
| 125-138  | 14           | UN     | Refund Amount Transaction Sum Total                       |
| 139-144  | 6            | UN     | Batch Transaction Count                                   |
| 145-158  | 14           | UN     | Batch Transaction Amount Sum Total                        |
| 159-166  | 8            | AN     | Reserved                                                  |
| 167      | 1            | AN     | Record Type                                               |
| 168      | 1            | AN     | Reimbursement Attribute                                   |

Format: AN = Alphanumeric, ANS = Alphanumeric Special, DX = Display Hexadecimal, N = Numeric, UN = Unpacked Numeric

### Data Capture Advice Edit Criteria

|                                                                                                            |                                                                                                                                                                                                          |
|------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Transaction Code</b><br>Positions: 1-2<br>Length: 2<br>Format: unpacked numeric                         | <b>Description:</b> The field must contain <b>57</b> .                                                                                                                                                   |
| <b>Transaction Code Qualifier</b><br>Positions: 3<br>Length: 1<br>Format: unpacked numeric                 | <b>Description:</b> The field must contain a <b>0</b> (zero).<br>This edit will continue to be performed by the Edit Package when the Bypass Business Edits option is used during an outgoing edit run.  |
| <b>Transaction Component Sequence Number</b><br>Positions: 4<br>Length: 1<br>Format: unpacked numeric      | <b>Description:</b> The field must contain a <b>0</b> (zero).                                                                                                                                            |
| <b>Destination Identifier</b><br>Positions: 5-10<br>Length: 6<br>Format: unpacked numeric                  | <b>Description:</b> The entity to which a BASE II transaction message is sent.<br>The field must contain a valid acquiring identifier with a relationship with the data capture service provider.        |
| <b>Source Identifier</b><br>Positions: 11-16<br>Length: 6<br>Format: unpacked numeric                      | <b>Description:</b> The field must contain the source identifier of the data capture service provider.                                                                                                   |
| <b>Purchase Transaction Count</b><br>Positions: 17-22<br>Length: 6<br>Format: unpacked numeric             | <b>Description:</b> The count of the purchase transaction.<br>This is the number of non-void cardholder transactions.<br>The field must be numeric and may contain zeros.                                |
| <b>Purchase Transaction Amount Sum Total</b><br>Positions: 23-36<br>Length: 14<br>Format: unpacked numeric | <b>Description:</b> The summary total of the purchase transaction amounts.<br>This field must contain an unsigned numeric, which may be zeros. Two decimal places are implied. Minor units must be zero. |
| <b>Purchase Reversal Transaction Count</b><br>Positions: 37-42<br>Length: 6<br>Format: unpacked numeric    | <b>Description:</b> The count of the purchase reversal transaction. This field must be numeric and may contain zeros.                                                                                    |



## Data Capture Advice Edit Criteria

|                                                                                                                                |                                                                                                                                                                                                                              |
|--------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Record Format Code (KR)</b><br>Positions: 43-44<br>Length: 2<br>Format: alphanumeric                                        | <b>Description:</b> Identifies the type of data in this record. The field must contain <b>KR</b> (Korea).                                                                                                                    |
| <b>Purchase Reversal Transaction Amount Sum Total</b><br>Positions: 45-58<br>Length: 14<br>Format: unpacked numeric            | <b>Description:</b> The summary total of the purchase reversal transaction amounts.<br><br>This field must contain an unsigned numeric, which may be zeros. Two decimal places are implied.<br><br>Minor units must be zero. |
| <b>Installment Payment Transaction Count</b><br>Positions: 59-64<br>Length: 6<br>Format: unpacked numeric                      | <b>Description:</b> Total count of all installment payment transactions. This field must be numeric and may contain zeros.                                                                                                   |
| <b>Installment Payment Transaction Amount Sum Total</b><br>Positions: 65-78<br>Length: 14<br>Format: unpacked numeric          | <b>Description:</b> Sum total of all installment payment transaction amounts.<br><br>This field must contain an unsigned numeric, which may be zeros. Two decimal places are implied.<br><br>Minor units must be zero.       |
| <b>Installment Payment Reversal Transaction Count</b><br>Positions: 79-84<br>Length: 6<br>Format: unpacked numeric             | <b>Description:</b> Total count of all installment payment reversal transactions. This field must be numeric and may contain zeros.                                                                                          |
| <b>Installment Payment Reversal Transaction Amount Sum Total</b><br>Positions: 85-98<br>Length: 14<br>Format: unpacked numeric | <b>Description:</b> The sum total of all installment payment reversal transactions. This field must contain an unsigned numeric, which may be zeros. Two decimal places are implied.<br><br>Minor units must be zero.        |
| <b>Partial Reversal Transaction Count</b><br>Positions: 99-104<br>Length: 6<br>Format: unpacked numeric                        | <b>Description:</b> Count of all transactions that are partial reversals. This field must be numeric and may contain zeros.                                                                                                  |

### Data Capture Advice Edit Criteria

|                                                                                                                      |                                                                                                                                                                                                                   |
|----------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Partial Reversal Transaction Amount Sum Total</b><br>Positions: 105-118<br>Length: 14<br>Format: unpacked numeric | <b>Description:</b> This field must contain an unsigned numeric, which may be zeros. Two decimal places are implied. Minor units must be zero.                                                                    |
| <b>Refund Transaction Count</b><br>Positions: 119-124<br>Length: 6<br>Format: unpacked numeric                       | <b>Description:</b> Summary total of all the partial reversal amounts. This field must be numeric and may contain zeros.                                                                                          |
| <b>Refund Amount Transaction Sum Total</b><br>Positions: 125-138<br>Length: 14<br>Format: unpacked numeric           | <b>Description:</b> This field must contain an unsigned numeric, which may be zeros. Two decimal places are implied.<br>Minor units must be zero.                                                                 |
| <b>Batch Transaction Count</b><br>Positions: 139-144<br>Length: 6<br>Format: unpacked numeric                        | <b>Description:</b> The number of transactions in the batch. This field must be numeric and may contain zeros.                                                                                                    |
| <b>Batch Transaction Amount Sum Total</b><br>Positions: 145-158<br>Length: 14<br>Format: unpacked numeric            | <b>Description:</b> Total of transaction amount in the batch, irrespective of sign. This field must contain an unsigned numeric, which may be zeros. Two decimal places are implied.<br>Minor units must be zero. |
| <b>Reserved</b><br>Positions: 159-166<br>Length: 8<br>Format: alphanumeric                                           | <b>Description:</b> This field is reserved for future use. EP will always space-fill.                                                                                                                             |
| <b>Record Type</b><br>Positions: 167<br>Length: 1<br>Format: alphanumeric                                            | <b>Description:</b> Type of record. The entry must be a <b>5</b> for Batch Trailer.                                                                                                                               |
| <b>Reimbursement Attribute</b><br>Positions: 168<br>Length: 1<br>Format: alphanumeric                                | <b>Description:</b> Obsolete - must be zero-filled.                                                                                                                                                               |

# Chapter 8

## TC 58 National Settlement Advice Record Transactions

---

### TC 58 - National Settlement Advice Record Transactions

The National Settlement Advice Records are used to advise of non-U.S. local currency interchange data being transmitted through the BASE II System outside the normal BASE II settlement process.

TCR 0

CTF - Outgoing and Incoming Interchange

# TC 58 - TCR 0

These tables contain the National Settlement Advice (TC 58) record layout and edit criteria for TCR 0.

## CTF - Outgoing and Incoming Interchange

### National Settlement Advice Record Layout

| Position | Field Length | Format | Contents                              |
|----------|--------------|--------|---------------------------------------|
| 1-2      | 2            | UN     | Transaction Code                      |
| 3        | 1            | UN     | Transaction Code Qualifier            |
| 4        | 1            | UN     | Transaction Component Sequence Number |
| 5-10     | 6            | UN     | Destination Identifier                |
| 11-16    | 6            | UN     | Source Identifier                     |
| 17-18    | 2            | UN     | Record Subtype                        |
| 19-25    | 7            | UN     | Count, Sales Drafts                   |
| 26-32    | 7            | UN     | Count, Credit Vouchers                |
| 33-39    | 7            | UN     | Count, Cash Disbursements             |
| 40-54    | 15           | UN     | Total, Sales Drafts                   |
| 55-69    | 15           | UN     | Total, Credit Vouchers                |
| 70-84    | 15           | UN     | Total, Cash Disbursements             |
| 85-123   | 39           | AN     | Text                                  |
| 124-130  | 7            | UN     | Count, Fee Collections                |
| 131-137  | 7            | UN     | Count, Funds Disbursements            |
| 138-152  | 15           | UN     | Total, Fee Collections                |
| 153-167  | 15           | UN     | Total, Funds Disbursements            |
| 168      | 1            | AN     | Reimbursement Attribute               |

Format: AN = Alphanumeric, ANS = Alphanumeric Special, DX = Display Hexadecimal, N = Numeric, UN = Unpacked Numeric

## National Advice Edit Criteria

|                                                                                                       |                                                                                                                                                                                                                                                                                                                  |
|-------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Transaction Code</b><br>Positions: 1-2<br>Length: 2<br>Format: unpacked numeric                    | <b>Description:</b> The field must contain a <b>58</b> .                                                                                                                                                                                                                                                         |
| <b>Transaction Code Qualifier</b><br>Positions: 3<br>Length: 1<br>Format: unpacked numeric            | <b>Description:</b> The field must contain a <b>0</b> (zero).<br>This edit will continue to be performed by the Edit Package when the Bypass Business Edits option is used during an outgoing edit run.                                                                                                          |
| <b>Transaction Component Sequence Number</b><br>Positions: 4<br>Length: 1<br>Format: unpacked numeric | <b>Description:</b> The field must contain a <b>0</b> (zero).                                                                                                                                                                                                                                                    |
| <b>Destination Identifier</b><br>Positions: 5-10<br>Length: 6<br>Format: unpacked numeric             | <b>Description:</b> The entity to which a BASE II transaction message is sent.<br>This field must contain a valid workstation destination identifier.                                                                                                                                                            |
| <b>Source Identifier</b><br>Positions: 11-16<br>Length: 6<br>Format: unpacked numeric                 | <b>Description:</b> The entity from which a BASE II transaction message is sent.<br>This field must contain a valid Visa Internal workstation source identifier.                                                                                                                                                 |
| <b>Record Subtype</b><br>Positions: 17-18<br>Length: 2<br>Format: unpacked numeric                    | <b>Description:</b> Identifies record subtype.<br>The field must contain a <b>01, 02, 03, or 04</b> .<br>The Record Subtypes are:<br><b>01</b> = Original (05, 06, 07)<br><b>02</b> = Dispute Financial (15, 16, 17)<br><b>03</b> = Reversal (25, 26, 27)<br><b>04</b> = Dispute Financial Reversal (35, 36, 37) |
| <b>Count, Sales Drafts</b><br>Positions: 19-25<br>Length: 2<br>Format: unpacked numeric               | <b>Description:</b> Quantity of sales drafts. The field must be numeric.                                                                                                                                                                                                                                         |

## National Advice Edit Criteria

|                                                                                                  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
|--------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Count, Credit Vouchers</b><br>Positions: 26-32<br>Length: 7<br>Format: unpacked numeric       | <b>Description:</b> Quantity of credit vouchers. The field must be numeric.                                                                                                                                                                                                                                                                                                                                                                                                              |
| <b>Count, Cash Disbursements</b><br>Positions: 33-39<br>Length: 7<br>Format: unpacked numeric    | <b>Description:</b> Quantity of cash disbursements. The field must be numeric.                                                                                                                                                                                                                                                                                                                                                                                                           |
| <b>Total, Sales Drafts</b><br>Positions: 40-54<br>Length: 15<br>Format: unpacked numeric         | <b>Description:</b> Total number of sales drafts. The field must be numeric.                                                                                                                                                                                                                                                                                                                                                                                                             |
| <b>Total, Credit Vouchers</b><br>Positions: 55-69<br>Length: 15<br>Format: unpacked numeric      | <b>Description:</b> Total number of credit vouchers. The field must be numeric.                                                                                                                                                                                                                                                                                                                                                                                                          |
| <b>Total, Cash Disbursements</b><br>Positions: 70-84<br>Length: 15<br>Format: unpacked numeric   | <b>Description:</b> Total number of cash disbursements. The field must be numeric.                                                                                                                                                                                                                                                                                                                                                                                                       |
| <b>Text</b><br>Positions: 85-123<br>Length: 39<br>Format: alphanumeric                           | <b>Description:</b> Text providing information regarding the nonfulfillment.<br>Refers to text being transmitted.<br>The text in Report Generation Records (TC 47s) used to transmit a report of authorization processing activity by a VIC to the acquirer center through the Interchange transaction File.<br>The first position of this field must be a <b>space</b> , <b>0</b> (zero), <b>-</b> (dash), or <b>1</b> .<br>The text portion of the field should be followed by spaces. |
| <b>Count, Fee Collections</b><br>Positions: 124-130<br>Length: 7<br>Format: unpacked numeric     | <b>Description:</b> Quantity of fee collections. Use Record Subtype 01 when entering the counts. Record Subtypes 02, 03, and 04 must always be <b>zeros</b> .                                                                                                                                                                                                                                                                                                                            |
| <b>Count, Funds Disbursements</b><br>Positions: 131-137<br>Length: 7<br>Format: unpacked numeric | <b>Description:</b> Quantity of funds disbursements. Use Record Subtype 01 when entering the counts. Record Subtypes 02, 03, and 04 must always be <b>zeros</b> .                                                                                                                                                                                                                                                                                                                        |

### National Advice Edit Criteria

|                                                                                                   |                                                                                                                                                                               |
|---------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Total Fee Collections</b><br>Positions: 138-152<br>Length: 15<br>Format: unpacked numeric      | <b>Description:</b> Total amount of fees applied to transaction. Use Record Subtype 01 when entering the counts. Record Subtypes 02, 03, and 04 must always be <b>zeros</b> . |
| <b>Total, Funds Disbursements</b><br>Positions: 153-167<br>Length: 15<br>Format: unpacked numeric | <b>Description:</b> Total number of funds disbursements. Use Record Subtype 01 when entering the counts. Record Subtypes 02, 03, and 04 must always be <b>zeros</b> .         |
| <b>Reimbursement Attribute</b><br>Positions: 168<br>Length: 1<br>Format: alphanumeric             | <b>Description:</b> Obsolete - must be zero-filled.                                                                                                                           |

# Chapter 9

## TC 59 Interface Transaction Advice Record Transactions

---

### TC 59 - Interface Transaction Advice Record Transactions

The Interface Transaction Advice records are used to advise a non-Visa card issuer of a transaction processed by a Visa acquirer or data capture provider.

TCR 0, 1, 2

CTF - Outgoing and Incoming Interchange

The TC 59 records are created from the merchant batch data and are submitted to the VIC for delivery to the non-Visa card issuers. The non-Visa card issuers use the TC 59 records for their own clearing and settlement.

All American Express fields for TC 59 are edited at the VIC only. They are not edited by the Edit Package.

See *VisaNet POS Services Technical User's Guide* and *File Formats Manual*.



# TC 59 - TCR 0 - Non-Visa Transaction Detail

These tables contain the Interface Transaction Advice (TC 59) record layout and edit criteria for TCR 0 - Non-Visa Transaction Detail.

## CTF - Outgoing and Incoming Interchange

### Interface Transaction Advice Record Layout

| Position | Field Length | Format | Contents                              |
|----------|--------------|--------|---------------------------------------|
| 1-2      | 2            | UN     | Transaction Code                      |
| 3        | 1            | UN     | Transaction Code Qualifier            |
| 4        | 1            | UN     | Transaction Component Sequence Number |
| 5-10     | 6            | UN     | Destination Identifier                |
| 11-16    | 6            | UN     | Source Identifier                     |
| 17-35    | 19           | UN     | Account Number                        |
| 36-41    | 6            | UN     | Acquirer Bank ID                      |
| 42-45    | 4            | UN     | Capture Date (YDDD)                   |
| 46-56    | 11           | UN     | Film Locator                          |
| 57-60    | 4            | UN     | Purchase Date (MMDD)                  |
| 61-72    | 12           | UN     | Transaction Amount                    |
| 73-75    | 3            | AN     | Transaction Currency Code             |
| 76-100   | 25           | AN     | Merchant Name                         |
| 101-113  | 13           | AN     | Merchant City                         |
| 114-116  | 3            | AN     | Merchant State/Province Code          |
| 117-119  | 3            | AN     | Merchant Country Code                 |
| 120-124  | 5            | UN     | Merchant ZIP Code                     |
| 125-128  | 4            | UN     | Reserved                              |
| 129-132  | 4            | UN     | Merchant Category Code                |
| 133      | 1            | AN     | Electronic Terminal Indicator         |
| 134-139  | 6            | AN     | Authorization Code                    |
| 140      | 1            | AN     | Transaction Type                      |

## Interface Transaction Advice Record Layout

| Position | Field Length | Format | Contents                       |
|----------|--------------|--------|--------------------------------|
| 141      | 1            | AN     | Reversal Flag                  |
| 142-157  | 16           | UN     | Discover Merchant ID           |
| 158-159  | 2            | AN     | POS Entry Mode                 |
| 160-163  | 4            | AN     | Reserved                       |
| 164-167  | 4            | UN     | Central Processing Date (YDDD) |
| 168      | 1            | UN     | Reimbursement Attribute        |

Format: AN = Alphanumeric, ANS = Alphanumeric Special, DX = Display Hexadecimal, N = Numeric, UN = Unpacked Numeric

## Interface Transaction Advice Edit Criteria

|                                                                                                       |                                                                                                                                                                                                         |
|-------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Transaction Code</b><br>Positions: 1-2<br>Length: 2<br>Format: unpacked numeric                    | <b>Description:</b> The field must contain <b>59</b> .                                                                                                                                                  |
| <b>Transaction Code Qualifier</b><br>Positions: 3<br>Length: 1<br>Format: unpacked numeric            | <b>Description:</b> The field must contain a <b>0</b> (zero).<br>This edit will continue to be performed by the Edit Package when the Bypass Business Edits option is used during an outgoing edit run. |
| <b>Transaction Component Sequence Number</b><br>Positions: 4<br>Length: 1<br>Format: unpacked numeric | <b>Description:</b> The field must contain a <b>0</b> (zero).                                                                                                                                           |
| <b>Destination Identifier</b><br>Positions: 5-10<br>Length: 6<br>Format: unpacked numeric             | <b>Description:</b> The entity to which a BASE II transaction message is sent.<br>The field will contain a valid acquiring or issuing identifier.                                                       |
| <b>Source Identifier</b><br>Positions: 11-16<br>Length: 6<br>Format: unpacked numeric                 | <b>Description:</b> The entity from which a BASE II transaction message is sent.<br>The field will contain a valid Visa Internal identifier.                                                            |

## Interface Transaction Advice Edit Criteria

|                                                                                           |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
|-------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Account Number</b><br>Positions: 17-35<br>Length: 19<br>Format: unpacked numeric       | <b>Description:</b> An issuer-assigned number that identifies a cardholder's account.<br><br>Account numbers are required on some transactions depending on the specified Funds Disbursement Reason Code. See <i>BASE II Clearing Data Codes</i> to determine which reason code requires an account number.<br><br>The field must contain a numeric which is greater than zero, left-justified, and zero-filled.<br><br><b>VIC Edit:</b> American Express Cardholder Account Numbers (defined by <b>34</b> or <b>37</b> in the first two positions) must be 15 characters in length and must pass the modulus-10 check digit routine. |
| <b>Acquirer Bank ID</b><br>Positions: 36-41<br>Length: 6<br>Format: unpacked numeric      | <b>Description:</b> The acquiring identifier of the acquiring bank.<br><br><b>VIC Edit:</b> The entry must be a valid acquiring identifier.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
| <b>Capture Date</b><br>Positions: 42-45<br>Length: 4<br>Format: unpacked numeric          | <b>Description:</b> Contains the date the card was captured in <b>mmddyy</b> format.<br><br>The format for this field is <b>YDDD</b> .<br><br>This value cannot be greater than the Edit Package Processing Date.                                                                                                                                                                                                                                                                                                                                                                                                                     |
| <b>Film Locator</b><br>Positions: 46-56<br>Length: 11<br>Format: unpacked numeric         | <b>Description:</b> An 11-digit numeric used to identify the Film records. Within the Date and Acquiring Identifier, the data in this field should be unique to assist in retrieval requests.<br><br>The entry may be zeros if the center has other provisions for quick retrieval of originals/photocopies.<br><br>The field must be numeric and may contain zeros.<br><br><b>VIC Edit:</b> For American Express, it must be greater than zero.                                                                                                                                                                                      |
| <b>Purchase Date</b><br>Positions: 57-60<br>Length: 4<br>Format: unpacked numeric         | <b>Description:</b> The actual date a cardholder makes a purchase, that is, the date of the transaction.<br><br>The entry must be a four-digit numeric (which may be zeros) in the format <b>MMDD</b> (month and day).                                                                                                                                                                                                                                                                                                                                                                                                                |
| <b>Transaction Amount</b><br>Positions: 61-72<br>Length: 12<br>Format: unpacked numeric   | <b>Description:</b> The total amount of the transaction between a cardholder and a merchant, or between a cardholder and a client. The transaction amount includes the actual amount of the purchase plus state (or other) taxes.<br><br>The field must contain a numeric greater than zero.<br><br>The field contains two implied decimal places.                                                                                                                                                                                                                                                                                    |
| <b>Transaction Currency Code</b><br>Positions: 73-75<br>Length: 3<br>Format: alphanumeric | <b>Description:</b> Contains a code that identifies the currency of the Transaction Amount field.<br><br>The field must contain a valid Currency Code.<br><br><b>VIC Edit:</b> For American Express, the code must be <b>840</b> .                                                                                                                                                                                                                                                                                                                                                                                                    |

## Interface Transaction Advice Edit Criteria

|                                                                                                |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
|------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Merchant Name</b><br>Positions: 76-100<br>Length: 25<br>Format: alphanumeric                | <b>Description:</b> The name of the merchant who generated the transaction.<br>The first position of the field may not be a space.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
| <b>Merchant City</b><br>Positions: 101-113<br>Length: 13<br>Format: alphanumeric               | <b>Description:</b> The city location of the merchant or client outlet where the transaction occurred.<br>The U.S. Postal Service standard city abbreviations as provided in the appropriate VisaNet user manuals must be used for city names containing more than 13 characters. The merchant city as shown in the original presentment must be included in all dispute financial, retrieval requests, and dispute response financial.<br>The first position of the field may not be a space.<br>For American Express, Merchant City should be placed here and in the Service Establishment City field on TCR 1. |
| <b>Merchant State/Province Code</b><br>Positions: 114-116<br>Length: 3<br>Format: alphanumeric | <b>Description:</b> Code designating merchant's state or province code.<br>If the Merchant Country Code is <b>U.S.</b> , this field must contain a valid U.S. State Code; otherwise, it must contain spaces.                                                                                                                                                                                                                                                                                                                                                                                                      |
| <b>Merchant Country Code</b><br>Positions: 117-119<br>Length: 3<br>Format: alphanumeric        | <b>Description:</b> The entry must be that of the country where the Visa transaction occurred, regardless of the location of entry to the system. The field is critical for the proper processing of all transactions. It is one of the criteria for definition of an international transaction, which affects editing of other fields, reimbursement fee calculations, and BASE II processing charges.<br>The field must contain a valid Country Code.<br>For non-Visa transactions, it must be <b>U.S.</b>                                                                                                      |
| <b>Merchant ZIP Code</b><br>Positions: 120-124<br>Length: 5<br>Format: unpacked numeric        | <b>Description:</b> The ZIP code of the merchant where the transaction occurred.<br>The field must be numeric.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
| <b>Reserved</b><br>Positions: 125-128<br>Length: 4<br>Format: unpacked numeric                 | <b>Description:</b> This field is reserved for future use. EP will always space-fill.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
| <b>Merchant Category Code</b><br>Positions: 129-132<br>Length: 4<br>Format: unpacked numeric   | <b>Description:</b> A code designating the principal trade, profession, or line of business in which a merchant is engaged, as specified in the <i>Visa Core Rules and Visa Product and Service Rules</i> . The field must contain a valid four-digit numeric Merchant Category Code (MCC).                                                                                                                                                                                                                                                                                                                       |

## Interface Transaction Advice Edit Criteria

|                                                                                             |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
|---------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Electronic Terminal Indicator</b><br>Positions: 133<br>Length: 1<br>Format: alphanumeric | <b>Description:</b> Indicates whether an electronic terminal was used in the transaction. An electronic terminal is a point-of-sale (POS) terminal, an automated teller machine (ATM), or a cash dispensing machine used at the point of transaction to generate electronic impulses that are captured in computer-readable form for the initiation of paper.<br><br>The field must contain a <b>zero</b> or a <b>1</b> .<br><br>Values:<br><b>0</b> = No terminal<br><b>1</b> = Electronic terminal |
| <b>Authorization Code</b><br>Positions: 134-139<br>Length: 6<br>Format: alphanumeric        | <b>Description:</b> A code that an issuer, its authorizing processor, or stand-in processing provides to indicate approval of a transaction. The code is returned in the authorization response message and is usually recorded on the transaction receipt as proof of authorization.<br><br>The field must contain a left-justified <b>space</b> , <b>A</b> through <b>Z</b> , or <b>0</b> through <b>9</b> .                                                                                       |
| <b>Transaction Type</b><br>Positions: 140<br>Length: 1<br>Format: alphanumeric              | <b>Description:</b> The type of transaction contained in this TCR.<br><br>The field must contain a number from <b>5</b> through <b>8</b> .<br><br>Values:<br><b>5</b> = Purchase or sale<br><b>6</b> = Return or credit<br><b>7</b> = Cash disbursement<br><b>8</b> = Lodging No-Show                                                                                                                                                                                                                |
| <b>Reversal Flag</b><br>Positions: 141<br>Length: 1<br>Format: alphanumeric                 | <b>Description:</b> Flag indicating if this is a reversal.<br><br>The field must contain a <b>space</b> or an <b>R</b> .<br><br>Values:<br><b>Space</b> = Nonreversal<br><b>R</b> = Reversal                                                                                                                                                                                                                                                                                                         |
| <b>Discover Merchant ID</b><br>Positions: 142-157<br>Length: 16<br>Format: unpacked numeric | <b>Description:</b> Identification number of merchants dealing with Discover cards.<br><br>The field must contain a numeric and be left-justified and zero-filled. If the Destination identifier is a Discover identifier, the value must be greater than zero.                                                                                                                                                                                                                                      |
| <b>POS Entry Mode</b><br>Positions: 158-159<br>Length: 2<br>Format: alphanumeric            | <b>Description:</b> V.I.P system field that indicates the method by which a point-of-transaction terminal obtains and transmits the cardholder information necessary to complete a transaction.<br><br>The field must contain a numeric and be left-justified and zero-filled. If the Destination identifier is a Discover identifier, the value must be greater than zero.                                                                                                                          |

## Interface Transaction Advice Edit Criteria

|                                                                                               |                                                                                                                                                                                                                                                                                                                                                  |
|-----------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Reserved</b><br>Positions: 160-163<br>Length: 4<br>Format: alphanumeric                    | <b>Description:</b> This field is reserved for future use. EP will always space-fill.                                                                                                                                                                                                                                                            |
| <b>Central Processing Date</b><br>Positions: 164-167<br>Length: 4<br>Format: unpacked numeric | <b>Description:</b> The date (based on GMT) when the ITF or report in question was generated at a VIC. For any given BASE II processing day, this date is based on the input phase of VIC processing.<br><br><b>Outgoing:</b> The central processing date is inserted at the VIC. <b>Incoming:</b> The field will be in the format <b>YDDD</b> . |
| <b>Reimbursement Attribute</b><br>Positions: 168<br>Length: 1<br>Format: unpacked numeric     | <b>Description:</b> Obsolete - must be zero-filled.                                                                                                                                                                                                                                                                                              |

# TC 59 - TCR 1 - Non-Visa Transaction Detail, Additional Data

These tables contain the Interface Transaction Advice (TC 59) record layout and edit criteria for TCR 1 - Non-Visa Transaction Detail, Additional Data.

## CTF - Outgoing and Incoming Interchange

### Interface Transaction Advice Record Layout

| Position | Field Length | Format | Contents                              |
|----------|--------------|--------|---------------------------------------|
| 1-2      | 2            | UN     | Transaction Code                      |
| 3        | 1            | UN     | Transaction Code Qualifier            |
| 4        | 1            | UN     | Transaction Component Sequence Number |
| 5-16     | 12           | AN     | Reserved                              |
| 17-57    | 41           | Group  | Data Capture Audit Key                |
| 58-69    | 12           | AN     | Tip                                   |
| 70-73    | 4            | UN     | Merchant Batch Date (MMDD)            |
| 74       | 1            | AN     | Authorization Source Code             |
| 75       | 1            | AN     | POS Terminal Capability               |

## Interface Transaction Advice Record Layout

| Position | Field Length | Format | Contents                   |
|----------|--------------|--------|----------------------------|
| 76       | 1            | AN     | Transaction Entry Mode     |
| 77       | 1            | AN     | Cardholder ID Method       |
| 78-167   | 90           | AN     | Reserved                   |
| 168      | 1            | AN     | Non-Visa Payment Indicator |

Format: AN = Alphanumeric, ANS = Alphanumeric Special, DX = Display Hexadecimal, N = Numeric, UN = Unpacked Numeric

## Interface Transaction Advice Edit Criteria

|                                                                                                       |                                                                                                                                                                                                         |
|-------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Transaction Code</b><br>Positions: 1-2<br>Length: 2<br>Format: unpacked numeric                    | <b>Description:</b> The field must contain <b>59</b> .                                                                                                                                                  |
| <b>Transaction Code Qualifier</b><br>Positions: 3<br>Length: 1<br>Format: unpacked numeric            | <b>Description:</b> The field must contain a <b>0</b> (zero).<br>This edit will continue to be performed by the Edit Package when the Bypass Business Edits option is used during an outgoing edit run. |
| <b>Transaction Component Sequence Number</b><br>Positions: 4<br>Length: 1<br>Format: unpacked numeric | <b>Description:</b> The field must contain a <b>1</b> .                                                                                                                                                 |
| <b>Reserved</b><br>Positions: 5-16<br>Length: 12<br>Format: alphanumeric                              | <b>Description:</b> This field is reserved for future use. EP will always space-fill.                                                                                                                   |
| <b>Data Capture Audit Key</b><br>Positions: 17-57<br>Length: 41<br>Format: Group                      | <b>Description:</b> For processor use.                                                                                                                                                                  |
| <b>Agent</b><br>Positions: 17-22<br>Length: 6<br>Format: unpacked numeric                             | <b>Description:</b> Indicates the settlement agent bank.<br>This field must be numeric and may be zero.                                                                                                 |

## Interface Transaction Advice Edit Criteria

|                                                                                         |                                                                                                                                                                           |
|-----------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Chain</b><br>Positions: 23-28<br>Length: 6<br>Format: unpacked numeric               | <b>Description:</b> Indicates the name of the merchant chain.<br>This field must be numeric and may be zero.                                                              |
| <b>Merchant Number</b><br>Positions: 29-44<br>Length: 16<br>Format: unpacked numeric    | <b>Description:</b> Number identifying the merchant.<br>This field must be numeric and greater than zero.                                                                 |
| <b>Store Number</b><br>Positions: 45-48<br>Length: 4<br>Format: alphanumeric            | <b>Description:</b> The identifying number of the actual merchant store where the transaction occurred.<br>The first position of the field may not be a space.            |
| <b>Terminal Number</b><br>Positions: 49-52<br>Length: 4<br>Format: alphanumeric         | <b>Description:</b> Identifies the card acceptor terminal or ATM.<br>The first position of the field may not be a space.                                                  |
| <b>Merchant Batch</b><br>Positions: 53-57<br>Length: 5<br>Format: unpacked numeric      | <b>Description:</b> Number assigned by the merchant terminal identifying a particular set of transaction records.<br>The field must contain a numeric greater than zero.  |
| <b>Tip</b><br>Positions: 58-69<br>Length: 12<br>Format: alphanumeric                    | <b>Description:</b> Amount of tip.<br>The field must be numeric or space-filled.<br>The field contains two implied decimal places.                                        |
| <b>Merchant Batch Date</b><br>Positions: 70-73<br>Length: 4<br>Format: unpacked numeric | <b>Description:</b> Date on which merchant transmitted the batch to the VIC.<br>The field must contain a valid <b>MMDD</b> .                                              |
| <b>Authorization Source Code</b><br>Positions: 74<br>Length: 1<br>Format: alphanumeric  | <b>Description:</b> This field identifies the source of the authorization obtained.<br><br><b>Note:</b> See <i>BASE II Clearing Data Codes</i> for a list of valid codes. |



## Interface Transaction Advice Edit Criteria

|                                                                                      |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
|--------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>POS Terminal Capability</b><br>Positions: 75<br>Length: 1<br>Format: alphanumeric | <b>Description:</b> Indicates capability of a merchant, acquirer, or cardholder-activated terminal to obtain an authorization and process transaction receipt data. The <i>Visa Core Rules and Visa Product and Service Rules</i> refers to these point-of-transaction capability types: <ul style="list-style-type: none"><li>• Authorization-only capability</li><li>• Data capture-only capability</li><li>• Electronic Capability</li><li>• Manual capability</li><li>• Semi-electronic capability</li></ul> The field must contain a <b>space</b> , <b>0</b> through <b>5</b> , or <b>9</b> .<br>Values:<br><b>Space</b> = Not specified<br><b>0</b> = Unknown<br><b>1</b> = No terminal<br><b>2</b> = Magnetic stripe read<br><b>3</b> = Bar code read<br><b>4</b> = OCR read<br><b>5</b> = Reserved for future use<br><b>9</b> = Key entry only, no electronic reading capability |
| <b>Transaction Entry Mode</b><br>Positions: 76<br>Length: 1<br>Format: alphanumeric  | <b>Description:</b> Indicates how the transaction was entered.<br>The field must contain a <b>space</b> , or <b>0</b> through <b>6</b> .<br>Values:<br><b>Space</b> = Not specified<br><b>0</b> = Terminal not used<br><b>1</b> = Key-entered<br><b>2</b> = Magnetic stripe track 2<br><b>3</b> = Bar code read<br><b>4</b> = OCR read<br><b>5</b> = Reserved for future use<br><b>6</b> = Magnetic stripe track 1                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |

### Interface Transaction Advice Edit Criteria

|                                                                                          |                                                                                                                                                                                                                                                                                                                                 |
|------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Cardholder ID Method</b><br>Positions: 77<br>Length: 1<br>Format: alphanumeric        | <b>Description:</b> Indicates how the cardholder was identified at the terminal.<br><br>The field must be a <b>space</b> , or <b>1</b> through <b>4</b> .<br><br>Values:<br><b>Space</b> = Not specified<br><b>1</b> = Signature<br><b>2</b> = PIN<br><b>3</b> = Unattended terminal, no PIN pad<br><b>4</b> = Mail/phone order |
| <b>Reserved</b><br>Positions: 78-167<br>Length: 90<br>Format: alphanumeric               | <b>Description:</b> This field is reserved for future use. EP will always space-fill.                                                                                                                                                                                                                                           |
| <b>Non-Visa Payment Indicator</b><br>Positions: 168<br>Length: 1<br>Format: alphanumeric | <b>Description:</b> Indicates a non-Visa transaction.                                                                                                                                                                                                                                                                           |

## TC 59 - TCR 1 - American Express

These tables contain the Interface Transaction Advice (TC 59) record layout and edit criteria for TCR 1 - American Express (Format Codes 02, 03, 05, 11, 12).

### CTF - Outgoing and Incoming Interchange

#### Interface Transaction Advice Record Layout

| Position | Field Length | Format | Contents                              |
|----------|--------------|--------|---------------------------------------|
| 1-2      | 2            | UN     | Transaction Code                      |
| 3        | 1            | UN     | Transaction Code Qualifier            |
| 4        | 1            | UN     | Transaction Component Sequence Number |
| 5-10     | 6            | AN     | Approval Code                         |
| 11-16    | 6            | AN     | Reserved                              |
| 17-57    | 41           | Group  | Data Capture Audit Key                |
| 58-69    | 12           | AN     | Tip/Cashback                          |

## Interface Transaction Advice Record Layout

| Position | Field Length | Format | Contents                               |
|----------|--------------|--------|----------------------------------------|
| 70-73    | 4            | UN     | Merchant Batch Date (MMDD)             |
| 74       | 1            | AN     | Authorization Source                   |
| 75       | 1            | AN     | POS Terminal Capability                |
| 76       | 1            | AN     | Transaction Entry Mode                 |
| 77       | 1            | AN     | Cardholder ID Method                   |
| 78-79    | 2            | AN     | Format Code                            |
| 80-89    | 10           | UN     | Service Establishment Number           |
| 90-92    | 3            | UN     | Invoice Batch Code                     |
| 93-94    | 2            | UN     | Invoice Sub-Code                       |
| 95-100   | 6            | UN     | Process Control ID                     |
| 101-110  | 10           | AN     | Chain Affiliated Property (CAP) Number |
| 111-112  | 2            | AN     | Approval Code                          |
| 113-135  | 23           | AN     | Charge Description                     |
| 136-145  | 10           | AN     | Record of Charge (ROC) Number          |
| 146-149  | 4            | UN     | Expiration Date (MMYY)                 |
| 150-167  | 18           | AN     | Service Establishment City             |
| 168      | 1            | AN     | Reserved                               |

Format: AN = Alphanumeric, ANS = Alphanumeric Special, DX = Display Hexadecimal, N = Numeric, UN = Unpacked Numeric

## Interface Transaction Advice Edit Criteria

|                                                                                            |                                                                                                                                                                                                         |
|--------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Transaction Code</b><br>Positions: 1-2<br>Length: 2<br>Format: unpacked numeric         | <b>Description:</b> The field must contain <b>59</b> .                                                                                                                                                  |
| <b>Transaction Code Qualifier</b><br>Positions: 3<br>Length: 1<br>Format: unpacked numeric | <b>Description:</b> The field must contain a <b>0</b> (zero).<br>This edit will continue to be performed by the Edit Package when the Bypass Business Edits option is used during an outgoing edit run. |

## Interface Transaction Advice Edit Criteria

|                                                                                                       |                                                                                                                                                                                                                                                                                                         |
|-------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Transaction Component Sequence Number</b><br>Positions: 4<br>Length: 1<br>Format: unpacked numeric | <b>Description:</b> The field must contain a <b>1</b> .                                                                                                                                                                                                                                                 |
| <b>Approval Code</b><br>Positions: 5-10<br>Length: 6<br>Format: alphanumeric                          | <b>Description:</b> Contains the authorization code provided by the issuer when the transaction is approved.<br><b>VIC Edit:</b> This field is not required if the transaction type on the TCR 0 is not <b>6</b> . If the transaction type on the TCR 0 is <b>6</b> , this field must be <b>space</b> . |
| <b>Reserved</b><br>Positions: 11-16<br>Length: 6<br>Format: alphanumeric                              | <b>Description:</b> This field is reserved for future use. EP will always space-fill.                                                                                                                                                                                                                   |
| <b>Data Capture Audit Key</b><br>Positions: 17-57<br>Length: 41<br>Format: Group                      | <b>Description:</b> For processor use.                                                                                                                                                                                                                                                                  |
| <b>Agent</b><br>Positions: 17-22<br>Length: 6<br>Format: unpacked numeric                             | <b>Description:</b> Indicates the settlement agent bank.                                                                                                                                                                                                                                                |
| <b>Chain</b><br>Positions: 23-28<br>Length: 6<br>Format: unpacked numeric                             | <b>Description:</b> Indicates the name of the merchant chain.<br>This field must be numeric and may be zero.                                                                                                                                                                                            |
| <b>Merchant Number</b><br>Positions: 29-44<br>Length: 16<br>Format: unpacked numeric                  | <b>Description:</b> Number identifying the merchant.<br>This field must be numeric and greater than zero.                                                                                                                                                                                               |
| <b>Store Number</b><br>Positions: 45-48<br>Length: 4<br>Format: alphanumeric                          | <b>Description:</b> The identifying number of the actual merchant store where the transaction occurred.<br>The first position of the field may not be a space.                                                                                                                                          |

### Interface Transaction Advice Edit Criteria

|                                                                                         |                                                                                                                                                                                                                                                                                                                                                                                     |
|-----------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Terminal Number</b><br>Positions: 49-52<br>Length: 4<br>Format: alphanumeric         | <b>Description:</b> The identifying number of the actual terminal where the transaction occurred.<br><br>The first position of the field may not be a space.                                                                                                                                                                                                                        |
| <b>Merchant Batch</b><br>Positions: 53-57<br>Length: 5<br>Format: unpacked numeric      | <b>Description:</b> Number assigned by the merchant terminal identifying a particular set of batch records.<br><br>The field must contain a numeric greater than zero.                                                                                                                                                                                                              |
| <b>Tip/Cashback</b><br>Positions: 58-69<br>Length: 12<br>Format: alphanumeric           | <b>Description:</b> Amount of tip or cashback.<br><br>The field must be numeric or space-filled.<br><br>The field contains two implied decimal places.                                                                                                                                                                                                                              |
| <b>Merchant Batch Date</b><br>Positions: 70-73<br>Length: 4<br>Format: unpacked numeric | <b>Description:</b> Date on which merchant transmitted the batch to the VIC.<br><br>The field must contain a valid <b>MMDD</b> .                                                                                                                                                                                                                                                    |
| <b>Authorization Source</b><br>Positions: 74<br>Length: 1<br>Format: alphanumeric       | <b>Description:</b> This field identifies the source of the Authorization obtained.<br><br>The field must contain a <b>space</b> , <b>A</b> through <b>Z</b> , or <b>0</b> through <b>9</b> .<br><br>Values:<br><b>1</b> = Visa BASE I<br><b>3</b> = Terminal-generated<br><b>4</b> = Referral with manually keyed authorization code<br><b>5</b> = Offline authorization or credit |

## Interface Transaction Advice Edit Criteria

|                                                                                      |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
|--------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>POS Terminal Capability</b><br>Positions: 75<br>Length: 1<br>Format: alphanumeric | <b>Description:</b> Indicates capability of a merchant, acquirer, or cardholder-activated terminal to obtain an authorization and process transaction receipt data. The <i>Visa Core Rules and Visa Product and Service Rules</i> refers to these point-of-transaction capability types: <ul style="list-style-type: none"><li>• Authorization-only capability</li><li>• Data capture-only capability</li><li>• Electronic capability</li><li>• Manual capability</li><li>• Semi-electronic capability</li></ul> The field must contain a <b>space</b> , <b>0</b> through <b>5</b> , or <b>9</b> .<br>Values:<br><b>Space</b> = Not specified<br><b>0</b> = Unknown<br><b>1</b> = No terminal<br><b>2</b> = Magnetic stripe read<br><b>3</b> = Bar code read<br><b>4</b> = OCR read<br><b>5</b> = Reserved for future use<br><b>9</b> = Key entry only, no electronic reading capability |
| <b>Transaction Entry Mode</b><br>Positions: 76<br>Length: 1<br>Format: alphanumeric  | <b>Description:</b> Indicates how the transaction was entered.<br>The field must contain a <b>space</b> , or <b>0</b> through <b>6</b> .<br>Values:<br><b>Space</b> = Not specified<br><b>0</b> = Terminal not used<br><b>1</b> = Key-entered<br><b>2</b> = Magnetic stripe track 2<br><b>3</b> = Bar code read<br><b>4</b> = OCR read<br><b>5</b> = Reserved for future use<br><b>6</b> = Magnetic stripe track 1                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |

## Interface Transaction Advice Edit Criteria

|                                                                                                   |                                                                                                                                                                                                                                                                                                                                                        |
|---------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Cardholder ID Method</b><br>Positions: 77<br>Length: 1<br>Format: alphanumeric                 | <b>Description:</b> Indicates how the cardholder was identified at the terminal.<br>The field must be a <b>space</b> or a number from <b>1</b> through <b>4</b> .<br>Values are:<br><b>Space</b> = Not specified<br><b>1</b> = Signature<br><b>2</b> = PIN<br><b>3</b> = Unattended terminal, no PIN pad<br><b>4</b> = Mail/phone order                |
| <b>Format Code</b><br>Positions: 78-79<br>Length: 2<br>Format: alphanumeric                       | <b>Description:</b> Indicates the type of transaction.<br><b>VIC Edit:</b> The field must contain a <b>02, 03, 05, 10, 11, 12, or 20</b> .<br>Codes <b>04, 07, and 13</b> are reserved for future use.<br>Values are:<br><b>02, 03, 10, 20</b> = General Merchandise<br><b>05</b> = Automobile Rental<br><b>11</b> = Lodging<br><b>12</b> = Restaurant |
| <b>Service Establishment Number</b><br>Positions: 80-89<br>Length: 10<br>Format: unpacked numeric | <b>Description:</b> Identifies the merchant.<br><b>VIC Edit:</b> The field must contain a valid Service Establishment Number and must pass the modulus-10 check digit routine.                                                                                                                                                                         |
| <b>Invoice Batch Code</b><br>Positions: 90-92<br>Length: 3<br>Format: unpacked numeric            | <b>Description:</b> Identifies the batch containing the invoices.<br><b>VIC Edit:</b> The field must be numeric and contain a value greater than zero.                                                                                                                                                                                                 |
| <b>Invoice Sub-Code</b><br>Positions: 93-94<br>Length: 2<br>Format: unpacked numeric              | <b>Description:</b> Sub-code indicating invoice batch.<br><b>VIC Edit:</b> The field must be numeric and may be zeros.                                                                                                                                                                                                                                 |
| <b>Process Control ID</b><br>Positions: 95-100<br>Length: 6<br>Format: unpacked numeric           | <b>Description:</b> Identifies the control record.<br><b>VIC Edit:</b> The field must be numeric and contain a value greater than zero.                                                                                                                                                                                                                |

### Interface Transaction Advice Edit Criteria

|                                                                                                           |                                                                                                                                                                                                          |
|-----------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Chain Affiliated Property (CAP) Number</b><br>Positions: 101-110<br>Length: 10<br>Format: alphanumeric | <b>Description:</b> Unique ID identifying the chain.<br><b>VIC Edit:</b> The field must be space-filled or contain a numeric. If it contains a numeric, it must pass the modulus-10 check digit routine. |
| <b>Reserved</b><br>Positions: 111-112<br>Length: 2<br>Format: alphanumeric                                | <b>Description:</b> This field is reserved for future use. EP will always space-fill.                                                                                                                    |
| <b>Charge Description</b><br>Positions: 113-135<br>Length: 23<br>Format: alphanumeric                     | <b>Description:</b> Description of the charge.<br><b>VIC Edit:</b> The field cannot be space-filled.                                                                                                     |
| <b>Record of Charge (ROC) Number</b><br>Positions: 136-145<br>Length: 10<br>Format: alphanumeric          | <b>Description:</b> Record of charge number.<br><b>VIC Edit:</b> The field must be space-filled or contain a numeric. If it contains a numeric, it must be right-justified.                              |
| <b>Expiration Date</b><br>Positions: 146-149<br>Length: 4<br>Format: unpacked numeric                     | <b>Description:</b> The expiration date of this record.<br><b>VIC Edit:</b> The format is <b>MMYY</b> .<br>The field may contain zeros.                                                                  |
| <b>Service Establishment City</b><br>Positions: 150-167<br>Length: 18<br>Format: alphanumeric             | <b>Description:</b> The location of this merchant.                                                                                                                                                       |
| <b>Reserved</b><br>Positions: 168<br>Length: 1<br>Format: alphanumeric                                    | <b>Description:</b> This field is reserved for future use. EP will always space-fill.                                                                                                                    |



# TC 59 - TCR 2 - American Express Transaction Detail, General Merchandise

These tables contain the Interface Transaction Advice (TC 59) record layout and edit criteria for TCR 2 - American Express Transaction Detail, General Merchandise (Format Codes 02, 03, and 10).

## CTF - Outgoing and Incoming Interchange

### Interface Transaction Advice Record Layout

| Position | Field Length | Format | Contents                              |
|----------|--------------|--------|---------------------------------------|
| 1-2      | 2            | UN     | Transaction Code                      |
| 3        | 1            | UN     | Transaction Code Qualifier            |
| 4        | 1            | UN     | Transaction Component Sequence Number |
| 5-16     | 12           | AN     | Reserved                              |
| 17-18    | 2            | AN     | Format Code                           |
| 19-21    | 3            | UN     | Item 1 Quantity                       |
| 22-36    | 15           | AN     | Item 1 Descriptor                     |
| 37-44    | 8            | UN     | Item 1 Unit Price                     |
| 45-52    | 8            | UN     | Item 1 Total Price                    |
| 53-55    | 3            | UN     | Item 2 Quantity                       |
| 56-70    | 15           | AN     | Item 2 Descriptor                     |
| 71-78    | 8            | UN     | Item 2 Unit Price                     |
| 79-86    | 8            | UN     | Item 2 Total Price                    |
| 87-89    | 3            | UN     | Item 3 Quantity                       |
| 90-104   | 15           | AN     | Item 3 Descriptor                     |
| 105-112  | 8            | UN     | Item 3 Unit Price                     |
| 113-120  | 8            | UN     | Item 3 Total Price                    |
| 121-123  | 3            | UN     | Item 4 Quantity                       |
| 124-138  | 15           | AN     | Item 4 Descriptor                     |
| 139-146  | 8            | UN     | Item 4 Unit Price                     |

## Interface Transaction Advice Record Layout

| Position | Field Length | Format | Contents           |
|----------|--------------|--------|--------------------|
| 147-154  | 8            | UN     | Item 4 Total Price |
| 155-160  | 6            | UN     | Tax Amount         |
| 161-168  | 8            | AN     | Reserved           |

Format: AN = Alphanumeric, ANS = Alphanumeric Special, DX = Display Hexadecimal, N = Numeric, UN = Unpacked Numeric

## Interface Transaction Advice Edit Criteria

|                                                                                                       |                                                                                                                                                                                                                  |
|-------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Transaction Code</b><br>Positions: 1-2<br>Length: 2<br>Format: unpacked numeric                    | <b>Description:</b> The field must contain <b>59</b> .                                                                                                                                                           |
| <b>Transaction Code Qualifier</b><br>Positions: 3<br>Length: 1<br>Format: unpacked numeric            | <b>Description:</b> The field must contain a <b>0</b> (zero).<br>This edit will continue to be performed by the Edit Package when the Bypass Business Edits option is used during an outgoing edit run.          |
| <b>Transaction Component Sequence Number</b><br>Positions: 4<br>Length: 1<br>Format: unpacked numeric | <b>Description:</b> The field must contain a <b>2</b> . The record must follow a TCR 1.                                                                                                                          |
| <b>Reserved</b><br>Positions: 5-16<br>Length: 12<br>Format: alphanumeric                              | <b>Description:</b> This field is reserved for future use. EP will always space-fill.                                                                                                                            |
| <b>Format Code</b><br>Positions: 17-18<br>Length: 2<br>Format: alphanumeric                           | <b>Description:</b> Indicates the type of transaction.<br><b>VIC Edit:</b> The field must contain <b>02, 03, 10, or 20</b> .<br>Values:<br><b>02, 03, 10, 20</b> = General Merchandise                           |
| <b>Item 1 Quantity</b><br>Positions: 19-21<br>Length: 3<br>Format: unpacked numeric                   | <b>Description:</b> Quantity of Item 1.<br><b>VIC Edit:</b> If the field contains a value greater than zero, the Descriptor cannot be space-filled and the Unit Price and Total Price must be greater than zero. |

## Interface Transaction Advice Edit Criteria

|                                                                                        |                                                                                                                                                                                                                                                                      |
|----------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Item 1 Descriptor</b><br>Positions: 22-36<br>Length: 15<br>Format: alphanumeric     | <b>Description:</b> Description of Item 1.<br><b>VIC Edit:</b> If Item 1 Quantity is greater than zero, the field cannot be space-filled.                                                                                                                            |
| <b>Item 1 Unit Price</b><br>Positions: 37-44<br>Length: 8<br>Format: unpacked numeric  | <b>Description:</b> Unit price of Item 1.<br><b>VIC Edit:</b> If Item 1 Quantity is greater than zero, the field must contain a value greater than zero.<br>The field contains two implied decimal places.                                                           |
| <b>Item 1 Total Price</b><br>Positions: 45-52<br>Length: 8<br>Format: unpacked numeric | <b>Description:</b> Total price of Item 1 units.<br><b>VIC Edit:</b> If Item 1 Quantity is greater than zero, the field must contain a value greater than zero. It should equal Quantity multiplied by Unit Price.<br>The field contains two implied decimal places. |
| <b>Item 2 Quantity</b><br>Positions: 53-55<br>Length: 3<br>Format: unpacked numeric    | <b>Description:</b> Quantity of Item 2.<br><b>VIC Edit:</b> If the Quantity is greater than zero, the Descriptor cannot be space-filled and the Unit Price and Total Price must be greater than zero.                                                                |
| <b>Item 2 Descriptor</b><br>Positions: 56-70<br>Length: 15<br>Format: alphanumeric     | <b>Description:</b> Description of Item 2.<br><b>VIC Edit:</b> If Item 2 Quantity is greater than zero, the field cannot be space-filled.                                                                                                                            |
| <b>Item 2 Unit Price</b><br>Positions: 71-78<br>Length: 8<br>Format: unpacked numeric  | <b>Description:</b> Unit price of Item 2.<br><b>VIC Edit:</b> If Item 2 Quantity is greater than zero, the Unit Price must be greater than zero.<br>The field contains two implied decimal places.                                                                   |
| <b>Item 2 Total Price</b><br>Positions: 79-86<br>Length: 8<br>Format: unpacked numeric | <b>Description:</b> Total price of Item 2 units.<br><b>VIC Edit:</b> If Item 2 Quantity is greater than zero, the Total Price must be greater than zero. It should equal Quantity multiplied by Unit Price.<br>The field contains two implied decimal places.        |
| <b>Item 3 Quantity</b><br>Positions: 87-89<br>Length: 3<br>Format: unpacked numeric    | <b>Description:</b> Quantity of Item 3.<br><b>VIC Edit:</b> If this value is greater than zero, the Descriptor cannot be space-filled and the Unit Price and Total Price must be greater than zero.                                                                  |

## Interface Transaction Advice Edit Criteria

|                                                                                          |                                                                                                                                                                                                                                                              |
|------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Item 3 Descriptor</b><br>Positions: 90-104<br>Length: 15<br>Format: alphanumeric      | <b>Description:</b> Description of Item 3.<br><b>VIC Edit:</b> If Item 3 Quantity is greater than zero, the field cannot be space-filled.                                                                                                                    |
| <b>Item 3 Unit Price</b><br>Positions: 105-112<br>Length: 8<br>Format: unpacked numeric  | <b>Description:</b> Unit price of Item 3.<br>The field contains two implied decimal places.                                                                                                                                                                  |
| <b>Item 3 Total Price</b><br>Positions: 113-120<br>Length: 8<br>Format: unpacked numeric | <b>Description:</b> Total price of Item 3 units.<br><b>VIC Edit:</b> If the Item 3 Quantity is greater than zero, this value must be greater than zero. It should equal Quantity multiplied by Unit Price.<br>The field contains two implied decimal places. |
| <b>Item 4 Quantity</b><br>Positions: 121-123<br>Length: 3<br>Format: unpacked numeric    | <b>Description:</b> Quantity of Item 4.<br><b>VIC Edit:</b> If the value is greater than zero, the Descriptor cannot be space-filled and the Unit Price and Total Price must be greater than zero.                                                           |
| <b>Item 4 Descriptor</b><br>Positions: 124-138<br>Length: 15<br>Format: alphanumeric     | <b>Description:</b> Description of Item 4.<br><b>VIC Edit:</b> If the Item 4 Quantity is greater than zero, the field cannot be space-filled.                                                                                                                |
| <b>Item 4 Unit Price</b><br>Positions: 139-146<br>Length: 8<br>Format: unpacked numeric  | <b>Description:</b> Unit price of Item 4.<br><b>VIC Edit:</b> If the Item 4 Quantity is greater than zero, the Price must be greater than zero.<br>The field contains two implied decimal places.                                                            |
| <b>Item 4 Total Price</b><br>Positions: 147-154<br>Length: 8<br>Format: unpacked numeric | <b>Description:</b> Total price of Item 4 units.<br><b>VIC Edit:</b> If the Item 4 Quantity is greater than zero, this value must be greater than zero. It should equal Quantity multiplied by Unit Price.<br>The field contains two implied decimal places. |

### Interface Transaction Advice Edit Criteria

|                                                                                  |                                                                                                                                                                   |
|----------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Tax Amount</b><br>Positions: 155-160<br>Length: 6<br>Format: unpacked numeric | <b>Description:</b> Amount of tax applied.<br><b>VIC Edit:</b> The field must be numeric and may contain zeros.<br>The field contains two implied decimal places. |
| <b>Reserved</b><br>Positions: 161-168<br>Length: 8<br>Format: alphanumeric       | <b>Description:</b> This field is reserved for future use. EP will always space-fill.                                                                             |

## TC 59 - TCR 2 - American Express Transaction Detail, Automobile Rental

These tables contain the Interface Transaction Advice (TC 59) record layout and edit criteria for TCR 2 - American Express Transaction Detail, Automobile Rental (Format Code 05).

### CTF - Outgoing and Incoming Interchange

#### Interface Transaction Advice Record Layout

| Position | Field Length | Format | Contents                              |
|----------|--------------|--------|---------------------------------------|
| 1-2      | 2            | UN     | Transaction Code                      |
| 3        | 1            | UN     | Transaction Code Qualifier            |
| 4        | 1            | UN     | Transaction Component Sequence Number |
| 5-16     | 12           | AN     | Reserved                              |
| 17-18    | 2            | AN     | Format Code                           |
| 19-27    | 9            | AN     | Rental Agreement Number               |
| 28-35    | 8            | UN     | Audit Adjustment                      |
| 36       | 1            | AN     | Audit Adjustment Indicator            |
| 37-44    | 8            | AN     | Auto Reference Number                 |
| 45-62    | 18           | AN     | Rental City                           |
| 63-64    | 2            | AN     | Rental State                          |
| 65-70    | 6            | UN     | Rental Date (YYMMDD)                  |

## Interface Transaction Advice Record Layout

| Position | Field Length | Format | Contents             |
|----------|--------------|--------|----------------------|
| 71-74    | 4            | UN     | Rental Time (HHMM)   |
| 75-92    | 18           | AN     | Return City          |
| 93-94    | 2            | AN     | Return State         |
| 95-100   | 6            | UN     | Return Date (YYMMDD) |
| 101-104  | 4            | UN     | Return Time (HHMM)   |
| 105-124  | 20           | AN     | Renter Name          |
| 125-168  | 44           | AN     | Reserved             |

Format: AN = Alphanumeric, ANS = Alphanumeric Special, DX = Display Hexadecimal, N = Numeric, UN = Unpacked Numeric

## Interface Transaction Advice Edit Criteria

|                                                                                                       |                                                                                                                                                                                                         |
|-------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Transaction Code</b><br>Positions: 1-2<br>Length: 2<br>Format: unpacked numeric                    | <b>Description:</b> The field must contain <b>59</b> .                                                                                                                                                  |
| <b>Transaction Code Qualifier</b><br>Positions: 3<br>Length: 1<br>Format: unpacked numeric            | <b>Description:</b> The field must contain a <b>0</b> (zero).<br>This edit will continue to be performed by the Edit Package when the Bypass Business Edits option is used during an outgoing edit run. |
| <b>Transaction Component Sequence Number</b><br>Positions: 4<br>Length: 1<br>Format: unpacked numeric | <b>Description:</b> The field must contain a <b>2</b> . The record must follow a TCR 1.                                                                                                                 |
| <b>Reserved</b><br>Positions: 5-16<br>Length: 12<br>Format: alphanumeric                              | <b>Description:</b> This field is reserved for future use. EP will always space-fill.                                                                                                                   |
| <b>Format Code</b><br>Positions: 17-18<br>Length: 2<br>Format: alphanumeric                           | <b>Description:</b> Indicates the type of transaction.<br><b>VIC Edit:</b> The field must contain <b>05</b> (Automobile Rental).                                                                        |

## Interface Transaction Advice Edit Criteria

|                                                                                         |                                                                                                                                                                                    |
|-----------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Rental Agreement Number</b><br>Positions: 19-27<br>Length: 9<br>Format: alphanumeric | <b>Description:</b> Number identifying the rental agreement.<br><b>VIC Edit:</b> The field cannot be space-filled.                                                                 |
| <b>Audit Adjustment</b><br>Positions: 28-35<br>Length: 8<br>Format: unpacked numeric    | <b>Description:</b><br><b>VIC Edit:</b> The field must be numeric and may contain zeros.<br>The field contains two implied decimal places.                                         |
| <b>Audit Adjustment Indicator</b><br>Positions: 36<br>Length: 1<br>Format: alphanumeric | <b>Description:</b><br><b>VIC Edit:</b> The field must contain an <b>A</b> if the Audit Adjustment is greater than zero; otherwise, it must be space-filled.                       |
| <b>Auto Reference Number</b><br>Positions: 37-44<br>Length: 8<br>Format: alphanumeric   | <b>Description:</b> Contract reference number from rental company.<br><b>VIC Edit:</b> The field cannot be space-filled or all zeros.                                              |
| <b>Rental City</b><br>Positions: 45-62<br>Length: 18<br>Format: alphanumeric            | <b>Description:</b> Name of city where actual car rental occurred.<br><b>VIC Edit:</b> The field cannot be space-filled.                                                           |
| <b>Rental State</b><br>Positions: 63-64<br>Length: 2<br>Format: alphanumeric            | <b>Description:</b> Name of state where actual car rental occurred.<br><b>VIC Edit:</b> The field must contain a valid U.S. State Code.                                            |
| <b>Rental Date</b><br>Positions: 65-70<br>Length: 6<br>Format: unpacked numeric         | <b>Description:</b> Date when the actual car rental occurred.<br><b>VIC Edit:</b> The format is <b>YYMMDD</b> .                                                                    |
| <b>Rental Time</b><br>Positions: 71-74<br>Length: 4<br>Format: unpacked numeric         | <b>Description:</b> The time when the actual car rental occurred.<br><b>VIC Edit:</b> The format is <b>HHMM</b> , where:<br><b>HH</b> = 00 through 23<br><b>MM</b> = 00 through 59 |

### Interface Transaction Advice Edit Criteria

|                                                                                   |                                                                                                                                                                                                                                                                                |
|-----------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Return City</b><br>Positions: 75-92<br>Length: 18<br>Format: alphanumeric      | <b>Description:</b> The name of the city to which the rental car was returned.<br><b>VIC Edit:</b> The field cannot be space-filled.                                                                                                                                           |
| <b>Return State</b><br>Positions: 93-94<br>Length: 2<br>Format: alphanumeric      | <b>Description:</b> The name of the state to which the rental car was returned.<br><b>VIC Edit:</b> The field must contain a valid U.S. State Code.                                                                                                                            |
| <b>Return Date</b><br>Positions: 95-100<br>Length: 6<br>Format: unpacked numeric  | <b>Description:</b> The actual date the rental car was returned.<br>This field must contain the Rental Date in the following format:<br><b>MMDDCCYY</b><br>The Return Date must be greater than or equal to the Rental Date.<br><b>VIC Edit:</b> The format is <b>YYMMDD</b> . |
| <b>Return Time</b><br>Positions: 101-104<br>Length: 4<br>Format: unpacked numeric | <b>Description:</b> The time the rental car was returned.<br><b>VIC Edit:</b> The format is <b>HHMM</b> , where:<br><b>HH</b> = 00 through 23<br><b>MM</b> = 00 through 59                                                                                                     |
| <b>Renter Name</b><br>Positions: 105-124<br>Length: 20<br>Format: alphanumeric    | <b>Description:</b> Name of renter of vehicle.<br><b>VIC Edit:</b> The field cannot be space-filled.                                                                                                                                                                           |
| <b>Reserved</b><br>Positions: 125-168<br>Length: 44<br>Format: alphanumeric       | <b>Description:</b> This field is reserved for future use. EP will always space-fill.                                                                                                                                                                                          |

## TC 59 - TCR 2 - American Express Transaction Detail, Lodging

These tables contain the Interface Transaction Advice (TC 59) record layout and edit criteria for TCR 2 - American Express Transaction Detail, Lodging (Format Code 11).

### CTF - Outgoing and Incoming Interchange



## Interface Transaction Advice Record Layout

| Position | Field Length | Format | Contents                              |
|----------|--------------|--------|---------------------------------------|
| 1-2      | 2            | UN     | Transaction Code                      |
| 3        | 1            | UN     | Transaction Code Qualifier            |
| 4        | 1            | UN     | Transaction Component Sequence Number |
| 5-16     | 12           | AN     | Reserved                              |
| 17-18    | 2            | AN     | Format Code                           |
| 19-24    | 6            | UN     | Tax Amount                            |
| 25       | 1            | AN     | Charge Type                           |
| 26-31    | 6            | UN     | Arrival Date (MMDDYY)                 |
| 32-37    | 6            | UN     | Departure Date (MMDDYY)               |
| 38-39    | 2            | UN     | Duration of Stay                      |
| 40       | 1            | AN     | Special Program                       |
| 41-45    | 5            | UN     | Room Rate                             |
| 46-168   | 123          | AN     | Reserved                              |

Format: AN = Alphanumeric, ANS = Alphanumeric Special, DX = Display Hexadecimal, N = Numeric, UN = Unpacked Numeric

## Interface Transaction Advice Edit Criteria

|                                                                                                       |                                                                                                                                                                                                         |
|-------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Transaction Code</b><br>Positions: 1-2<br>Length: 2<br>Format: unpacked numeric                    | <b>Description:</b> The field must contain <b>59</b> .                                                                                                                                                  |
| <b>Transaction Code Qualifier</b><br>Positions: 3<br>Length: 1<br>Format: unpacked numeric            | <b>Description:</b> The field must contain a <b>0</b> (zero).<br>This edit will continue to be performed by the Edit Package when the Bypass Business Edits option is used during an outgoing edit run. |
| <b>Transaction Component Sequence Number</b><br>Positions: 4<br>Length: 1<br>Format: unpacked numeric | <b>Description:</b> The field must contain a <b>2</b> . The record must follow a TCR 1.                                                                                                                 |

## Interface Transaction Advice Edit Criteria

|                                                                                      |                                                                                                                                                                                                                                                                                                                                                                                                                        |
|--------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Reserved</b><br>Positions: 5-16<br>Length: 12<br>Format: alphanumeric             | <b>Description:</b> This field is reserved for future use. EP will always space-fill.                                                                                                                                                                                                                                                                                                                                  |
| <b>Format Code</b><br>Positions: 17-18<br>Length: 2<br>Format: alphanumeric          | <b>Description:</b> Indicates the type of transaction.<br><b>VIC Edit:</b> The field must contain <b>11</b> (Lodging).                                                                                                                                                                                                                                                                                                 |
| <b>Tax Amount</b><br>Positions: 19-24<br>Length: 6<br>Format: unpacked numeric       | <b>Description:</b> Amount of tax applied.<br><b>VIC Edit:</b> The field must be numeric.<br>The field contains two implied decimal places.                                                                                                                                                                                                                                                                            |
| <b>Charge Type</b><br>Positions: 25<br>Length: 1<br>Format: alphanumeric             | <b>Description:</b> Type of lodging charge.<br><b>VIC Edit:</b> The field must contain a <b>1, 2, or 3</b> .<br>If the Charge Type is <b>1</b> , the Room Rate, Arrival Date, Departure Date, and Duration of Stay fields must all be greater than zero, and the Special Program field must be a <b>space, 2, 3, 4, 5, or 6</b> .<br>If this field equals <b>2 or 3</b> , the Special Program field must be <b>1</b> . |
| <b>Arrival Date</b><br>Positions: 26-31<br>Length: 6<br>Format: unpacked numeric     | <b>Description:</b> The date the customer checked into the hotel/lodging, or in the case of a no-show or an advance lodging, the scheduled arrival date.<br><b>VIC Edit:</b> If the Charge Type equals <b>1</b> , this field must be a valid date in the format <b>MMDDYY</b> and cannot be greater than the Departure Date. Otherwise, the field must contain zeros.                                                  |
| <b>Departure Date</b><br>Positions: 32-37<br>Length: 6<br>Format: unpacked numeric   | <b>Description:</b> The date the guest checked out of the room.<br>The date may be a future one.<br><b>VIC Edit:</b> If the Charge Type equals <b>1</b> , this field must a valid date in the format <b>MMDDYY</b> and must be greater than the Arrival Date. Otherwise, the field must contain zeros.                                                                                                                 |
| <b>Duration of Stay</b><br>Positions: 38-39<br>Length: 2<br>Format: unpacked numeric | <b>Description:</b> Length of stay in days.<br><b>VIC Edit:</b> If the Charge Type equals <b>1</b> , this value should equal the number of days between the arrival and departure dates. If those dates are the same, this field should be a <b>1</b> . Otherwise, it must contain zeros.                                                                                                                              |
| <b>Special Program</b><br>Positions: 40<br>Length: 1<br>Format: alphanumeric         | <b>Description:</b><br><b>VIC Edit:</b> If the Charge Type is <b>1</b> , the field must be a <b>space</b> or contain a <b>2, 3, 4, 5, or 6</b> .<br>If the Charge Type is <b>2 or 3</b> , it must contain a <b>1</b> .                                                                                                                                                                                                 |

### Interface Transaction Advice Edit Criteria

|                                                                               |                                                                                                                                                                                                                                       |
|-------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Room Rate</b><br>Positions: 41-45<br>Length: 5<br>Format: unpacked numeric | <b>Description:</b> Daily rate charged for the room/lodging.<br><b>VIC Edit:</b> If the Charge Type is <b>1</b> , the value must be greater than zero. Otherwise, it must be zeros.<br>The field contains two implied decimal places. |
| <b>Reserved</b><br>Positions: 46-168<br>Length: 123<br>Format: alphanumeric   | <b>Description:</b> This field is reserved for future use. EP will always space-fill.                                                                                                                                                 |

## TC 59 - TCR 2 - American Express Transaction Detail, Restaurant

These tables contain the Interface Transaction Advice (TC 59) record layout and edit criteria for TCR 2 - American Express Transaction Detail, Restaurant (Format Code 12).

### CTF - Outgoing and Incoming Interchange

#### Interface Transaction Advice Record Layout

| Position | Field Length | Format | Contents                              |
|----------|--------------|--------|---------------------------------------|
| 1-2      | 2            | UN     | Transaction Code                      |
| 3        | 1            | UN     | Transaction Code Qualifier            |
| 4        | 1            | UN     | Transaction Component Sequence Number |
| 5-16     | 12           | AN     | Reserved                              |
| 17-18    | 2            | AN     | Format Code                           |
| 19-24    | 6            | UN     | Tax Amount                            |
| 25-32    | 8            | AN     | Food ID                               |
| 33-40    | 8            | UN     | Food Amount                           |
| 41-48    | 8            | AN     | Beverage ID                           |
| 49-56    | 8            | UN     | Beverage Amount                       |
| 57-64    | 8            | AN     | Tip Recipient Literal 1               |
| 65-72    | 8            | UN     | Tip Amount 1                          |
| 73-80    | 8            | AN     | Tip Recipient Literal 2               |

## Interface Transaction Advice Record Layout

| Position | Field Length | Format | Contents     |
|----------|--------------|--------|--------------|
| 81-88    | 8            | UN     | Tip Amount 2 |
| 89-168   | 80           | AN     | Reserved     |

Format: AN = Alphanumeric, ANS = Alphanumeric Special, DX = Display Hexadecimal, N = Numeric, UN = Unpacked Numeric

## Interface Transaction Advice Edit Criteria

|                                                                                                       |                                                                                                                                                                                                         |
|-------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Transaction Code</b><br>Positions: 1-2<br>Length: 2<br>Format: unpacked numeric                    | <b>Description:</b> The field must contain <b>59</b> .                                                                                                                                                  |
| <b>Transaction Code Qualifier</b><br>Positions: 3<br>Length: 1<br>Format: unpacked numeric            | <b>Description:</b> The field must contain a <b>0</b> (zero).<br>This edit will continue to be performed by the Edit Package when the Bypass Business Edits option is used during an outgoing edit run. |
| <b>Transaction Component Sequence Number</b><br>Positions: 4<br>Length: 1<br>Format: unpacked numeric | <b>Description:</b> The field must contain a <b>2</b> . The record must follow a TCR 1.                                                                                                                 |
| <b>Reserved</b><br>Positions: 5-16<br>Length: 12<br>Format: alphanumeric                              | <b>Description:</b> This field is reserved for future use. EP will always space-fill.                                                                                                                   |
| <b>Format Code</b><br>Positions: 17-18<br>Length: 2<br>Format: alphanumeric                           | <b>Description:</b> Indicates the type of transaction.<br><b>VIC Edit:</b> The field must contain <b>12</b> (Restaurant).                                                                               |
| <b>Tax Amount</b><br>Positions: 19-24<br>Length: 6<br>Format: unpacked numeric                        | <b>Description:</b> Amount of tax applied.<br><b>VIC Edit:</b> The field must be numeric.<br>The field contains two implied decimal places.                                                             |

## Interface Transaction Advice Edit Criteria

|                                                                                         |                                                                                                                                                                                                                                                                               |
|-----------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Food ID</b><br>Positions: 25-32<br>Length: 8<br>Format: alphanumeric                 | <b>Description:</b> Identifies type of food sale.<br><b>VIC Edit:</b> The field must contain <b>FOOD</b> , <b>FOOD/BEV</b> , or <b>B-MY-GST</b> .                                                                                                                             |
| <b>Food Amount</b><br>Positions: 33-40<br>Length: 8<br>Format: unpacked numeric         | <b>Description:</b> Amount of the food purchase.<br><b>VIC Edit:</b> The field must be numeric and right-justified.<br>The field contains two implied decimal places.                                                                                                         |
| <b>Beverage ID</b><br>Positions: 41-48<br>Length: 8<br>Format: alphanumeric             | <b>Description:</b> The field must contain <b>BEVERAGE</b> if the Beverage Amount field is greater than zero. It must be space-filled if the Beverage Amount is equal to zero.                                                                                                |
| <b>Beverage Amount</b><br>Positions: 49-56<br>Length: 8<br>Format: unpacked numeric     | <b>Description:</b> Amount of the beverage purchase.<br><b>VIC Edit:</b> The field must be numeric.<br>The field contains two implied decimal places.                                                                                                                         |
| <b>Tip Recipient Literal 1</b><br>Positions: 57-64<br>Length: 8<br>Format: alphanumeric | <b>Description:</b> Recipient of Tip Amount 1.<br><b>VIC Edit:</b> If the Tip Amount 1 is greater than zero, the field must contain a constant value such as <b>WAITER</b> or a terminal-provided server number. If the Tip Amount 1 is zero, the field must be space-filled. |
| <b>Tip Amount 1</b><br>Positions: 65-72<br>Length: 8<br>Format: unpacked numeric        | <b>Description:</b> Amount of tip.<br><b>VIC Edit:</b> The field must be numeric.<br>The field contains two implied decimal places.                                                                                                                                           |
| <b>Tip Recipient Literal 2</b><br>Positions: 73-80<br>Length: 8<br>Format: alphanumeric | <b>Description:</b> Recipient of Tip Amount 2.<br><b>VIC Edit:</b> If Tip Amount 2 is greater than zero, the field must contain a constant value such as <b>MAITRE D</b> or a terminal-provided server number. If the Tip Amount 2 is zero, the field must be space-filled.   |

### Interface Transaction Advice Edit Criteria

|                                                                                  |                                                                                                                                     |
|----------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------|
| <b>Tip Amount 2</b><br>Positions: 81-88<br>Length: 8<br>Format: unpacked numeric | <b>Description:</b> Amount of tip.<br><b>VIC Edit:</b> The field must be numeric.<br>The field contains two implied decimal places. |
| <b>Reserved</b><br>Positions: 89-168<br>Length: 80<br>Format: alphanumeric       | <b>Description:</b> This field is reserved for future use. EP will always space-fill.                                               |

## TC 59 - TCR 2 - American Express Transaction Detail, Insurance Part 1

These tables contain the Interface Transaction Advice (TC 59) record layout and edit criteria for TCR 2 - American Express Transaction Detail, Insurance Part 1 (Format Code 04).

### CTF - Outgoing and Incoming Interchange

#### Interface Transaction Advice Record Layout

| Position | Field Length | Format | Contents                              |
|----------|--------------|--------|---------------------------------------|
| 1-2      | 2            | UN     | Transaction Code                      |
| 3        | 1            | UN     | Transaction Code Qualifier            |
| 4        | 1            | UN     | Transaction Component Sequence Number |
| 5-16     | 12           | AN     | Reserved                              |
| 17-18    | 2            | AN     | Format Code                           |
| 19-28    | 10           | AN     | Policy Number                         |
| 29-34    | 6            | UN     | Tax Amount                            |
| 35-74    | 40           | AN     | Type of Policy                        |
| 75-114   | 40           | AN     | Coverage Dates                        |
| 115-154  | 40           | AN     | Miscellaneous Description 1           |
| 155-168  | 14           | AN     | Reserved                              |

Format: AN = Alphanumeric, ANS = Alphanumeric Special, DX = Display Hexadecimal, N = Numeric, UN = Unpacked Numeric

## Interface Transaction Advice Edit Criteria

|                                                                                                       |                                                                                                                                                                                                                                                |
|-------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Transaction Code</b><br>Positions: 1-2<br>Length: 2<br>Format: unpacked numeric                    | <b>Description:</b> The field must contain <b>59</b> .                                                                                                                                                                                         |
| <b>Transaction Code Qualifier</b><br>Positions: 3<br>Length: 1<br>Format: unpacked numeric            | <b>Description:</b> The field must contain a <b>0</b> (zero).<br>This edit will continue to be performed by the Edit Package when the Bypass Business Edits option is used during an outgoing edit run.                                        |
| <b>Transaction Component Sequence Number</b><br>Positions: 4<br>Length: 1<br>Format: unpacked numeric | <b>Description:</b> The field must contain a <b>2</b> . The record must follow a TCR 1.                                                                                                                                                        |
| <b>Reserved</b><br>Positions: 5-16<br>Length: 12<br>Format: alphanumeric                              | <b>Description:</b> This field is reserved for future use. EP will always space-fill.                                                                                                                                                          |
| <b>Format Code</b><br>Positions: 17-18<br>Length: 2<br>Format: alphanumeric                           | <b>Description:</b> Indicates the type of transaction.<br>The field must contain <b>59</b> .                                                                                                                                                   |
| <b>Policy Number</b><br>Positions: 19-28<br>Length: 10<br>Format: alphanumeric                        | <b>Description:</b> ID number of the insurance policy.<br><b>VIC Edit:</b> The field cannot be space-filled. For policy numbers greater than 10 positions in length, the remaining digits are placed in the Miscellaneous Description 1 field. |
| <b>Tax Amount</b><br>Positions: 29-34<br>Length: 6<br>Format: unpacked numeric                        | <b>Description:</b> Amount of tax applied.<br><b>VIC Edit:</b> The field must be numeric and may contain zeros.<br>The field contains two implied decimal places.                                                                              |
| <b>Type of Policy</b><br>Positions: 35-74<br>Length: 40<br>Format: alphanumeric                       | <b>Description:</b> Brief description of policy type.                                                                                                                                                                                          |

### Interface Transaction Advice Edit Criteria

|                                                                                                |                                                                                       |
|------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
| <b>Coverage Dates</b><br>Positions: 75-114<br>Length: 40<br>Format: alphanumeric               | <b>Description:</b> Time period the policy covers.                                    |
| <b>Miscellaneous Description 1</b><br>Positions: 115-154<br>Length: 40<br>Format: alphanumeric | <b>Description:</b> Details of the insurance policy/coverage.                         |
| <b>Reserved</b><br>Positions: 155-168<br>Length: 14<br>Format: alphanumeric                    | <b>Description:</b> This field is reserved for future use. EP will always space-fill. |

## TC 59 - TCR 2 - American Express Transaction Detail, Insurance Part 2

These tables contain the Interface Transaction Advice (TC 59) record layout and edit criteria for TCR 2 - American Express Transaction Detail, Insurance Part 2 (Format Code 04, Reserved for Future Use).

### CTF - Outgoing and Incoming Interchange

#### Interface Transaction Advice Record Layout

| Position | Field Length | Format | Contents                              |
|----------|--------------|--------|---------------------------------------|
| 1-2      | 2            | UN     | Transaction Code                      |
| 3        | 1            | UN     | Transaction Code Qualifier            |
| 4        | 1            | UN     | Transaction Component Sequence Number |
| 5-16     | 12           | AN     | Reserved                              |
| 17-18    | 2            | AN     | Format Code                           |
| 19-58    | 40           | AN     | Miscellaneous Description 2           |
| 59-168   | 110          | AN     | Reserved                              |

Format: AN = Alphanumeric, ANS = Alphanumeric Special, DX = Display Hexadecimal, N = Numeric, UN = Unpacked Numeric



## Interface Transaction Advice Edit Criteria

|                                                                                                       |                                                                                                                                                                                                         |
|-------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Transaction Code</b><br>Positions: 1-2<br>Length: 2<br>Format: unpacked numeric                    | <b>Description:</b> The field must contain <b>59</b> .                                                                                                                                                  |
| <b>Transaction Code Qualifier</b><br>Positions: 3<br>Length: 1<br>Format: unpacked numeric            | <b>Description:</b> The field must contain a <b>0</b> (zero).<br>This edit will continue to be performed by the Edit Package when the Bypass Business Edits option is used during an outgoing edit run. |
| <b>Transaction Component Sequence Number</b><br>Positions: 4<br>Length: 1<br>Format: unpacked numeric | <b>Description:</b> The field must contain a <b>3</b> . The record must follow a TCR 2.                                                                                                                 |
| <b>Reserved</b><br>Positions: 5-16<br>Length: 12<br>Format: alphanumeric                              | <b>Description:</b> This field is reserved for future use. EP will always space-fill.                                                                                                                   |
| <b>Format Code</b><br>Positions: 17-18<br>Length: 2<br>Format: alphanumeric                           | <b>Description:</b> Indicates the type of transaction.<br><b>VIC Edit:</b> The field must contain <b>04</b> (Insurance).                                                                                |
| <b>Miscellaneous Description 2</b><br>Positions: 19-58<br>Length: 40<br>Format: alphanumeric          | <b>Description:</b> Additional details of the insurance policy/coverage.                                                                                                                                |
| <b>Reserved</b><br>Positions: 59-168<br>Length: 110<br>Format: alphanumeric                           | <b>Description:</b> This field is reserved for future use. EP will always space-fill.                                                                                                                   |

# TC 59 - TCR 2 - American Express Transaction Detail, Automobile Leasing

These tables contain the Interface Transaction Advice (TC 59) record layout and edit criteria for TCR 2 - American Express Transaction Detail, Automobile Leasing (Format Code 07, Reserved for Future Use).

## CTF - Outgoing and Incoming Interchange

### Interface Transaction Advice Record Layout

| Position | Field Length | Format | Contents                              |
|----------|--------------|--------|---------------------------------------|
| 1-2      | 2            | UN     | Transaction Code                      |
| 3        | 1            | UN     | Transaction Code Qualifier            |
| 4        | 1            | UN     | Transaction Component Sequence Number |
| 5-16     | 12           | AN     | Reserved                              |
| 17-18    | 2            | AN     | Format Code                           |
| 19-27    | 9            | AN     | Leasing Agreement Number              |
| 28-35    | 8            | UN     | Total Lease Charge                    |
| 36       | 1            | AN     | Audit Indicator                       |
| 37-44    | 8            | AN     | Auto Reference Number                 |
| 45-46    | 2            | UN     | Current Monthly Payment Number        |
| 47-48    | 2            | UN     | Total Number of Payment Months        |
| 49-66    | 18           | AN     | Lease City                            |
| 67-68    | 2            | AN     | Lease State                           |
| 69-74    | 6            | UN     | Lease Date (YYMMDD)                   |
| 75-78    | 4            | UN     | Lease Time (HHMM)                     |
| 79-96    | 18           | AN     | Return City                           |
| 97-98    | 2            | AN     | Return State                          |
| 99-104   | 6            | UN     | Return Date (YYMMDD)                  |
| 105-108  | 4            | UN     | Return Time (HHMM)                    |
| 109-128  | 20           | AN     | Lessee Name                           |

## Interface Transaction Advice Record Layout

| Position | Field Length | Format | Contents        |
|----------|--------------|--------|-----------------|
| 129-148  | 20           | AN     | Car Description |
| 149-163  | 15           | AN     | Car ID Number   |
| 164-168  | 5            | AN     | Reserved        |

Format: AN = Alphanumeric, ANS = Alphanumeric Special, DX = Display Hexadecimal, N = Numeric, UN = Unpacked Numeric

## Interface Transaction Advice Edit Criteria

|                                                                                                       |                                                                                                                                                                                                         |
|-------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Transaction Code</b><br>Positions: 1-2<br>Length: 2<br>Format: unpacked numeric                    | <b>Description:</b> The field must contain <b>59</b> .                                                                                                                                                  |
| <b>Transaction Code Qualifier</b><br>Positions: 3<br>Length: 1<br>Format: unpacked numeric            | <b>Description:</b> The field must contain a <b>0</b> (zero).<br>This edit will continue to be performed by the Edit Package when the Bypass Business Edits option is used during an outgoing edit run. |
| <b>Transaction Component Sequence Number</b><br>Positions: 4<br>Length: 1<br>Format: unpacked numeric | <b>Description:</b> The field must contain a <b>2</b> . The record must follow a TCR 1.                                                                                                                 |
| <b>Reserved</b><br>Positions: 5-16<br>Length: 12<br>Format: alphanumeric                              | <b>Description:</b> This field is reserved for future use. EP will always space-fill.                                                                                                                   |
| <b>Format Code</b><br>Positions: 17-18<br>Length: 2<br>Format: alphanumeric                           | <b>Description:</b> Indicates the type of transaction.<br><b>VIC Edit:</b> The field must contain <b>07</b> (Automobile Leasing).                                                                       |
| <b>Leasing Agreement Number</b><br>Positions: 19-27<br>Length: 9<br>Format: alphanumeric              | <b>Description:</b> The ID number on the automobile leasing agreement.<br><b>VIC Edit:</b> The field cannot be space-filled.                                                                            |

### Interface Transaction Advice Edit Criteria

|                                                                                                    |                                                                                                                                                                                                             |
|----------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Total Lease Charge</b><br>Positions: 28-35<br>Length: 8<br>Format: unpacked numeric             | <b>Description:</b> A total of all fees listed on the lease.<br><b>VIC Edit:</b> The field must contain a value greater than zero.<br>This field contains two implied decimal places.                       |
| <b>Audit Indicator</b><br>Positions: 36<br>Length: 1<br>Format: alphanumeric                       | <b>Description:</b><br><b>VIC Edit:</b> The field must be a <b>space</b> or contain an <b>A</b> .                                                                                                           |
| <b>Auto Reference Number</b><br>Positions: 37-44<br>Length: 8<br>Format: alphanumeric              | <b>Description:</b> Contract reference number from rental company.<br><b>VIC Edit:</b> The field must contain a value greater than zero and must be right-justified.                                        |
| <b>Current Monthly Payment Number</b><br>Positions: 45-46<br>Length: 2<br>Format: unpacked numeric | <b>Description:</b> Number of the current monthly payment. For example, this field would contain a <b>12</b> if this is the twelfth lease payment out of 36.<br><b>VIC Edit:</b> The field must be numeric. |
| <b>Total Number of Payment Months</b><br>Positions: 47-48<br>Length: 2<br>Format: unpacked numeric | <b>Description:</b> Total number of monthly payments.                                                                                                                                                       |
| <b>Lease City</b><br>Positions: 49-66<br>Length: 18<br>Format: alphanumeric                        | <b>Description:</b> The name of the city where the car was leased.<br><b>VIC Edit:</b> The field cannot be space-filled.                                                                                    |
| <b>Lease State</b><br>Positions: 67-68<br>Length: 2<br>Format: alphanumeric                        | <b>Description:</b> The name of the state where the car was leased.<br><b>VIC Edit:</b> The field must contain a valid U.S. State Code.                                                                     |
| <b>Lease Date</b><br>Positions: 69-74<br>Length: 6<br>Format: unpacked numeric                     | <b>Description:</b> The date that the car was leased.<br><b>VIC Edit:</b> The format is <b>YYMMDD</b> .                                                                                                     |

## Interface Transaction Advice Edit Criteria

|                                                                                    |                                                                                                                                                                         |
|------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Lease Time</b><br>Positions: 75-78<br>Length: 4<br>Format: unpacked numeric     | <b>Description:</b> Time the lease was signed.<br><b>VIC Edit:</b> The format is <b>HHMM</b> , where:<br><b>HH</b> = 00 through 23<br><b>MM</b> = 00 through 59         |
| <b>Return City</b><br>Positions: 79-96<br>Length: 18<br>Format: alphanumeric       | <b>Description:</b> The city the vehicle was returned to.<br><b>VIC Edit:</b> The field cannot be space-filled.                                                         |
| <b>Return State</b><br>Positions: 97-98<br>Length: 2<br>Format: alphanumeric       | <b>Description:</b> The state to which the vehicle was returned.<br><b>VIC Edit:</b> The field must contain a valid U.S. State Code.                                    |
| <b>Return Date</b><br>Positions: 99-104<br>Length: 6<br>Format: unpacked numeric   | <b>Description:</b> The date the vehicle was returned.<br>The Return Date must be greater than or equal to the Rental Date.                                             |
| <b>Return Time</b><br>Positions: 105-108<br>Length: 4<br>Format: unpacked numeric  | <b>Description:</b> The time the vehicle was returned.<br><b>VIC Edit:</b> The format is <b>HHMM</b> , where:<br><b>HH</b> = 00 through 23<br><b>MM</b> = 00 through 59 |
| <b>Lessee Name</b><br>Positions: 109-128<br>Length: 20<br>Format: alphanumeric     | <b>Description:</b> The name of the person who holds the lease.<br><b>VIC Edit:</b> The field cannot be space-filled.                                                   |
| <b>Car Description</b><br>Positions: 129-148<br>Length: 20<br>Format: alphanumeric | <b>Description:</b> Description of the model, year and make of the vehicle.                                                                                             |

### Interface Transaction Advice Edit Criteria

|                                                                                  |                                                                                       |
|----------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
| <b>Car ID Number</b><br>Positions: 149-163<br>Length: 15<br>Format: alphanumeric | <b>Description:</b> Vehicle ID number.                                                |
| <b>Reserved</b><br>Positions: 164-168<br>Length: 5<br>Format: alphanumeric       | <b>Description:</b> This field is reserved for future use. EP will always space-fill. |

## TC 59 - TCR 2 - American Express Transaction Detail, Telephone

These tables contain the Interface Transaction Advice (TC 59) record layout and edit criteria for TCR 2 - American Express Transaction Detail, Telephone (Format Code 13, Reserved for Future Use).

### CTF - Outgoing and Incoming Interchange

#### Interface Transaction Advice Record Layout

| Position | Field Length | Format | Contents                              |
|----------|--------------|--------|---------------------------------------|
| 1-2      | 2            | UN     | Transaction Code                      |
| 3        | 1            | UN     | Transaction Code Qualifier            |
| 4        | 1            | UN     | Transaction Component Sequence Number |
| 5-16     | 12           | AN     | Reserved                              |
| 17-18    | 2            | AN     | Format Code                           |
| 19-22    | 4            | UN     | Time of Call (HHMM)                   |
| 23-26    | 4            | UN     | Duration of Call (HHMM)               |
| 27-34    | 8            | AN     | Reference CDAR Number                 |
| 35-52    | 18           | AN     | Call From City                        |
| 53-54    | 2            | AN     | Call From State                       |
| 55-72    | 18           | AN     | Call To City                          |
| 73-74    | 2            | AN     | Call To State                         |

## Interface Transaction Advice Record Layout

| Position | Field Length | Format | Contents              |
|----------|--------------|--------|-----------------------|
| 75-84    | 10           | AN     | From Telephone Number |
| 85-94    | 10           | AN     | To Telephone Number   |
| 95       | 1            | AN     | Rate Class            |
| 96-107   | 12           | AN     | Telephone Number 1    |
| 108-115  | 8            | AN     | Time 1                |
| 116-122  | 7            | AN     | Cost 1                |
| 123-134  | 12           | AN     | Telephone Number 2    |
| 135-142  | 8            | AN     | Time 2                |
| 143-149  | 7            | AN     | Cost 2                |
| 150-168  | 19           | AN     | Reserved              |

Format: AN = Alphanumeric, ANS = Alphanumeric Special, DX = Display Hexadecimal, N = Numeric, UN = Unpacked Numeric

## Interface Transaction Advice Edit Criteria

|                                                                                                       |                                                                                                                                                                                                         |
|-------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Transaction Code</b><br>Positions: 1-2<br>Length: 2<br>Format: unpacked numeric                    | <b>Description:</b> The field must contain <b>59</b> .                                                                                                                                                  |
| <b>Transaction Code Qualifier</b><br>Positions: 3<br>Length: 1<br>Format: unpacked numeric            | <b>Description:</b> The field must contain a <b>0</b> (zero).<br>This edit will continue to be performed by the Edit Package when the Bypass Business Edits option is used during an outgoing edit run. |
| <b>Transaction Component Sequence Number</b><br>Positions: 4<br>Length: 1<br>Format: unpacked numeric | <b>Description:</b> The field must contain a <b>2</b> . The record must follow a TCR 1.                                                                                                                 |
| <b>Reserved</b><br>Positions: 5-16<br>Length: 12<br>Format: alphanumeric                              | <b>Description:</b> This field is reserved for future use. EP will always space-fill.                                                                                                                   |

## Interface Transaction Advice Edit Criteria

|                                                                                       |                                                                                                                                                                           |
|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Format Code</b><br>Positions: 17-18<br>Length: 2<br>Format: alphanumeric           | <b>Description:</b> Indicates the type of transaction.<br><b>VIC Edit:</b> The field must contain <b>13</b> (Telephone).                                                  |
| <b>Time of Call</b><br>Positions: 19-22<br>Length: 4<br>Format: unpacked numeric      | <b>Description:</b> Time the telephone call occurred.<br><b>VIC Edit:</b> The format is <b>HHMM</b> , where:<br><b>HH</b> = 00 through 23<br><b>MM</b> = 00 through 59    |
| <b>Duration of Call</b><br>Positions: 23-26<br>Length: 4<br>Format: unpacked numeric  | <b>Description:</b> Length of call in hours and minutes.<br><b>VIC Edit:</b> The format is <b>HHMM</b> , where:<br><b>HH</b> = 00 through 23<br><b>MM</b> = 00 through 59 |
| <b>Reference CDAR Number</b><br>Positions: 27-34<br>Length: 8<br>Format: alphanumeric | <b>Description:</b> Unique CDAR reference number.                                                                                                                         |
| <b>Call From City</b><br>Positions: 35-52<br>Length: 18<br>Format: alphanumeric       | <b>Description:</b> City the call was made from.<br><b>VIC Edit:</b> The first position of this field cannot be a space.                                                  |
| <b>Call From State</b><br>Positions: 53-54<br>Length: 2<br>Format: alphanumeric       | <b>Description:</b> State the call was made from.<br><b>VIC Edit:</b> The field must contain a valid U.S. State Code.                                                     |
| <b>Call To City</b><br>Positions: 55-72<br>Length: 18<br>Format: alphanumeric         | <b>Description:</b> City the call was made to.<br><b>VIC Edit:</b> The first position cannot be a space.                                                                  |
| <b>Call To State</b><br>Positions: 73-74<br>Length: 2<br>Format: alphanumeric         | <b>Description:</b> State the call was made to.<br><b>VIC Edit:</b> The field must contain a valid U.S. State Code.                                                       |



## Interface Transaction Advice Edit Criteria

|                                                                                        |                                                                                                                          |
|----------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------|
| <b>From Telephone Number</b><br>Positions: 75-84<br>Length: 10<br>Format: alphanumeric | <b>Description:</b> Number the call was made from.                                                                       |
| <b>To Telephone Number</b><br>Positions: 85-94<br>Length: 10<br>Format: alphanumeric   | <b>Description:</b> Number the call was made to.                                                                         |
| <b>Rate Class</b><br>Positions: 95<br>Length: 1<br>Format: alphanumeric                | <b>Description:</b> Identifies the rate class used.                                                                      |
| <b>Telephone Number 1</b><br>Positions: 96-107<br>Length: 12<br>Format: alphanumeric   | <b>Description:</b> Telephone number.<br><b>VIC Edit:</b> The format is <b>xxx-xxx-xxxx</b> .                            |
| <b>Time 1</b><br>Positions: 108-115<br>Length: 8<br>Format: alphanumeric               | <b>Description:</b> Time of call.                                                                                        |
| <b>Cost 1</b><br>Positions: 116-122<br>Length: 7<br>Format: alphanumeric               | <b>Description:</b> Cost of call.                                                                                        |
| <b>Telephone Number 2</b><br>Positions: 123-134<br>Length: 12<br>Format: alphanumeric  | <b>Description:</b> Telephone number, if a second call was made.<br><b>VIC Edit:</b> The format is <b>xxx-xxx-xxxx</b> . |
| <b>Time 2</b><br>Positions: 135-142<br>Length: 8<br>Format: alphanumeric               | <b>Description:</b> Time of second call.                                                                                 |

### Interface Transaction Advice Edit Criteria

|                                                                             |                                                                                       |
|-----------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
| <b>Cost 2</b><br>Positions: 143-149<br>Length: 7<br>Format: alphanumeric    | <b>Description:</b> Cost of second call.                                              |
| <b>Reserved</b><br>Positions: 150-168<br>Length: 19<br>Format: alphanumeric | <b>Description:</b> This field is reserved for future use. EP will always space-fill. |

# Chapter 10

## TC 90 Header Records

---

### TC 90 - Header Records

Header records are used to identify the tape or file. The transaction formats differ for outgoing and incoming interchange.

TCR 0

CTF and ITF - Outgoing and Incoming Interchange

#### **Multiple File Delivery**

Clients can receive more than one delivery file during one processing cycle. This can occur under two different conditions.

The multiple files may be continuation files of one transmission. In this case, the Continuation Tape Indicator in the TC 90s of the first file would contain a **space**, and that field in the TC 90s of following files would contain a **C** (indicating continuation). The File Continuation Count Field on all TC 92s except the last would contain **000000**; the TC 92 of the last file would contain the number of files in the transmission.

These files may also be multiple separate files with no continuation relationship. This would, for example, occur when customized delivery services have been selected. In this case, the

Continuation Tape Indicator in the TC 90s on the files will be set to a space. The File Continuation Count field on each of the TC 92s would contain **000001**.

## TC 90 - TCR 0 - Outgoing CTF

These tables contain the Header (TC 90) record layout and edit criteria for TCR 0 - Outgoing CTF.

### CTF - Outgoing Interchange

#### File Header Record Layout

| Position | Field Length | Format | Contents                       |
|----------|--------------|--------|--------------------------------|
| 1-2      | 2            | UN     | Transaction Code               |
| 3-8      | 6            | AN     | Center Information Block (CIB) |
| 9-13     | 5            | UN     | Processing Date (YYDDD)        |
| 14-29    | 16           | AN     | Reserved                       |
| 30-33    | 4            | AN     | Test Option                    |
| 34-62    | 29           | AN     | Reserved                       |
| 63-70    | 8            | AN     | Security Code                  |
| 71-76    | 6            | AN     | Reserved                       |
| 77-79    | 3            | UN     | Outgoing File ID               |
| 80-168   | 89           | AN     | Reserved                       |

Format: AN = Alphanumeric, ANS = Alphanumeric Special, DX = Display Hexadecimal, N = Numeric, UN = Unpacked Numeric

#### File Header Edit Criteria

|                                                                                              |                                                                                                                                                                                   |
|----------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Transaction Code</b><br>Positions: 1-2<br>Length: 2<br>Format: unpacked numeric           | <b>Description:</b> The field must contain <b>90</b> .                                                                                                                            |
| <b>Center Information Block (CIB)</b><br>Positions: 3-8<br>Length: 6<br>Format: alphanumeric | <b>Description:</b> The field can be spaces or the CIB for this processing center. If spaces, the Edit Package will insert the value supplied on the CENTRBIN run control option. |

### File Header Edit Criteria

|                                                                                      |                                                                                                                                                                                                                                                                                                                                                           |
|--------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Processing Date</b><br>Positions: 9-13<br>Length: 5<br>Format: unpacked numeric   | <b>Description:</b> The date (based on GMT) when the ITF or report in question was generated at a VIC. The date used by the Edit Package during a specific run. This can be the computer's system date or a date specified on the RUNDATE run control option.<br><br>The field must be numeric in the format of <b>YYDDD</b> . The field is for Visa use. |
| <b>Reserved</b><br>Positions: 14-29<br>Length: 16<br>Format: alphanumeric            | <b>Description:</b> This field is reserved for future use. EP will always space-fill.                                                                                                                                                                                                                                                                     |
| <b>Test Option</b><br>Positions: 30-33<br>Length: 4<br>Format: alphanumeric          | <b>Description:</b> Indicates whether the file contains production or test data. The field should be space-filled or contain TEST.<br><br><b>Note:</b> Values:<br><b>TEST</b> = Test run<br><b>Spaces</b> = Production run                                                                                                                                |
| <b>Reserved</b><br>Positions: 34-62<br>Length: 29<br>Format: alphanumeric            | <b>Description:</b> This field is reserved for future use. EP will always space-fill.                                                                                                                                                                                                                                                                     |
| <b>Security Code</b><br>Positions: 63-70<br>Length: 8<br>Format: alphanumeric        | <b>Description:</b> The field can be spaces or the Security Code for this processing center. If spaces, the Edit Package will insert the value supplied on the CENTRCODE run control option.                                                                                                                                                              |
| <b>Reserved</b><br>Positions: 71-76<br>Length: 6<br>Format: alphanumeric             | <b>Description:</b> This field is reserved for future use. EP will always space-fill.                                                                                                                                                                                                                                                                     |
| <b>Outgoing File ID</b><br>Positions: 77-79<br>Length: 3<br>Format: unpacked numeric | <b>Description:</b> ID used to identify the outgoing file. The entry must be numeric and can contain zeros or the unique processing center ID number for the file.                                                                                                                                                                                        |
| <b>Reserved</b><br>Positions: 80-168<br>Length: 89<br>Format: alphanumeric           | <b>Description:</b> This field is reserved for future use. EP will always space-fill.                                                                                                                                                                                                                                                                     |

# TC 90 - TCR 0 - Incoming CTF

These tables contain the Header (TC 90) record layout and edit criteria for TCR 0 - Incoming CTF.

## CTF - Incoming Interchange

### File Header Record Layout

| Position | Field Length | Format | Contents                       |
|----------|--------------|--------|--------------------------------|
| 1-2      | 2            | UN     | Transaction Code               |
| 3-8      | 6            | UN     | Center Information Block (CIB) |
| 9-13     | 5            | UN     | Processing Date (YYDDD)        |
| 14-19    | 6            | AN     | Reserved                       |
| 20-24    | 5            | UN     | Settlement Date (YYDDD)        |
| 25-26    | 2            | AN     | Reserved                       |
| 27-29    | 3            | UN     | Release Number                 |
| 30-33    | 4            | AN     | Test Option                    |
| 34-62    | 29           | AN     | Reserved                       |
| 63-70    | 8            | AN     | Security Code                  |
| 71-76    | 6            | AN     | Reserved                       |
| 77-79    | 3            | UN     | Incoming File ID               |
| 80-168   | 89           | AN     | Reserved                       |

Format: AN = Alphanumeric, ANS = Alphanumeric Special, DX = Display Hexadecimal, N = Numeric, UN = Unpacked Numeric

### File Header Edit Criteria

|                                                                                                  |                                                                          |
|--------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------|
| <b>Transaction Code</b><br>Positions: 1-2<br>Length: 2<br>Format: unpacked numeric               | <b>Description:</b> The field will contain <b>90</b> .                   |
| <b>Center Information Block (CIB)</b><br>Positions: 3-8<br>Length: 6<br>Format: unpacked numeric | <b>Description:</b> The field will be the CIB for the processing center. |

### File Header Edit Criteria

|                                                                                     |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
|-------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Processing Date</b><br>Positions: 9-13<br>Length: 5<br>Format: unpacked numeric  | <b>Description:</b> The date (based on GMT) when the ITF or report in question was generated at a VIC.<br><br>The date used by the Edit Package during a specific run. This can be the computer's system date or a date specified on the RUNDATE run control option.<br><br>The format is <b>YYDDD</b> .                                                                                                                                                                                                                                                                                                                                                                                                                    |
| <b>Reserved</b><br>Positions: 14-19<br>Length: 6<br>Format: alphanumeric            | <b>Description:</b> This field is reserved for future use. EP will always space-fill.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
| <b>Settlement Date</b><br>Positions: 20-24<br>Length: 5<br>Format: unpacked numeric | <b>Description:</b> This field contains the date for which settlement was performed. The format is <b>CCYYDDD</b> , where <b>CC</b> is the century, <b>YY</b> is the year, and <b>DDD</b> is the Julian day.<br><br>VisaNet inserts a settlement date in every <b>01xx</b> , <b>02xx</b> , <b>04xx</b> , <b>05xx</b> , and <b>06xx</b> message, whether or not that message has impact on settlement totals. Flags in field 9 of the message header identify messages eligible for settlement.<br><br><b>Note:</b> In V.I.P. full financial transactions, the settlement date in field 15 has the format <b>mmdd</b> and not <b>yymmdd</b> .<br><br>The field contains the VIC settlement date ( <b>YYDDD</b> ) of the run. |
| <b>Reserved</b><br>Positions: 25-26<br>Length: 2<br>Format: alphanumeric            | <b>Description:</b> This field is reserved for future use.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
| <b>Release Number</b><br>Positions: 27-29<br>Length: 3<br>Format: unpacked numeric  | <b>Description:</b> The field will contain the Edit Package release number.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
| <b>Test Option</b><br>Positions: 30-33<br>Length: 4<br>Format: alphanumeric         | <b>Description:</b> The field should be either zero or space-filled or contain <b>TEST</b> .                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
| <b>Reserved</b><br>Positions: 34-62<br>Length: 29<br>Format: alphanumeric           | <b>Description:</b> This field is reserved for future use.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |

### File Header Edit Criteria

|                                                                                      |                                                                                         |
|--------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------|
| <b>Security Code</b><br>Positions: 63-70<br>Length: 8<br>Format: alphanumeric        | <b>Description:</b> The field will contain the Security Code for the processing center. |
| <b>Reserved</b><br>Positions: 71-76<br>Length: 6<br>Format: alphanumeric             | <b>Description:</b> This field is reserved for future use. EP will always space-fill.   |
| <b>Incoming File ID</b><br>Positions: 77-79<br>Length: 3<br>Format: unpacked numeric | <b>Description:</b> The field identifies the CTF subfile number.                        |
| <b>Reserved</b><br>Positions: 80-168<br>Length: 89<br>Format: alphanumeric           | <b>Description:</b> This field is reserved for future use. EP will always space-fill.   |

## TC 90 - TCR 0 - Outgoing ITF

These tables contain the Header (TC 90) record layout and edit criteria for TCR 0 - Outgoing ITF.

### ITF - Outgoing Interchange

#### File Header Record Layout

| Position | Field Length | Format | Contents                       |
|----------|--------------|--------|--------------------------------|
| 1-2      | 2            | UN     | Transaction Code               |
| 3-4      | 2            | BINARY | Record Hash Total              |
| 5-10     | 6            | UN     | Center Information Block (CIB) |
| 11-15    | 5            | UN     | Processing Date (YYDDD)        |
| 16       | 1            | AN     | Continuation Tape Indicator    |
| 17       | 1            | AN     | Group Data Indicator           |
| 18-21    | 4            | UN     | Table File Version Number      |
| 22-26    | 5            | UN     | Settlement Date (YYDDD)        |



### File Header Record Layout

| Position | Field Length | Format | Contents                              |
|----------|--------------|--------|---------------------------------------|
| 27-28    | 2            | AN     | Reserved                              |
| 29-31    | 3            | UN     | Release Number                        |
| 32-35    | 4            | AN     | Test Option                           |
| 36       | 1            | AN     | Process Option                        |
| 37-40    | 4            | AN     | Reserved                              |
| 41-46    | 6            | UN     | Starting Batch Number                 |
| 47-64    | 18           | AN     | Reserved                              |
| 65-72    | 8            | AN     | Security Code                         |
| 73       | 1            | AN     | Delivery Code                         |
| 74-78    | 5            | AN     | BASE II File Type                     |
| 79-108   | 30           | AN     | BASE II Unique File ID                |
| 109-113  | 5            | AN     | BASE II Customized Delivery File Type |
| 114-125  | 12           | AN     | Source Name                           |
| 126-137  | 12           | AN     | Destination Name                      |
| 138-170  | 33           | AN     | Reserved.                             |

Format: AN = Alphanumeric, ANS = Alphanumeric Special, DX = Display Hexadecimal, N = Numeric, UN = Unpacked Numeric

### File Header Record Edit Criteria

|                                                                                                   |                                                                                                                                                                                                                |
|---------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Transaction Code</b><br>Positions: 1-2<br>Length: 2<br>Format: unpacked numeric                | <b>Description:</b> The field must contain <b>90</b> .                                                                                                                                                         |
| <b>Record Hash Total</b><br>Positions: 3-4<br>Length: 2<br>Format: Binary                         | <b>Description:</b> Used in BASE II to ensure that the collection and delivery file data have been correctly transmitted.<br><br>The field must contain spaces for computers that do not generate hash totals. |
| <b>Center Information Block (CIB)</b><br>Positions: 5-10<br>Length: 6<br>Format: unpacked numeric | <b>Description:</b> The field must contain the processing center's CIB.                                                                                                                                        |

### File Header Record Edit Criteria

|                                                                                               |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
|-----------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Processing Date</b><br>Positions: 11-15<br>Length: 5<br>Format: unpacked numeric           | <b>Description:</b> The date (based on GMT) when the ITF or report in question was generated at a VIC.<br><br>The date used by the Edit Package during a specific run. This can be the computer's system date or a date specified on the RUNDAT run control option.<br><br>The field must be numeric in the format of <b>YYDDD</b> . The field is for Visa use.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
| <b>Continuation Tape Indicator</b><br>Positions: 16<br>Length: 1<br>Format: alphanumeric      | <b>Description:</b> Indicates this is the first file of multiple files.<br><br>Header records are used to identify the file. Clients can receive more than one delivery file during one processing cycle. This can occur under two different conditions.<br><br>The multiple files may be continuation files of one transmission. In this case, the Continuation Tape Indicator in the TC 90s of the first file would contain a space, and that field in the TC 90s of following files would contain a <b>C</b> (indicating continuation). The File Continuation Count Field on all TC 92s except the last would contain <b>000000</b> ; the TC 92 of the last file would contain the number of files in the transmission.<br><br>These files may also be multiple separate files with no continuation relationship. This would, for example, occur when customized delivery services have been selected. In this case the Continuation Tape Indicator in the TC 90s on the files will be set to a space. The File Continuation Count field on each of the TC 92s would contain <b>000001</b> .<br><br>This field must contain a space. For client endpoints that send files directly to VisaNet without an Edit Package, this field is not used and must be set to spaces. |
| <b>Group Data Indicator</b><br>Positions: 17<br>Length: 1<br>Format: alphanumeric             | <b>Description:</b> The field is for Visa use. For client endpoints that send files directly to VisaNet without an Edit Package, this field is not used and must be set to spaces.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
| <b>Table File Version Number</b><br>Positions: 18-21<br>Length: 4<br>Format: unpacked numeric | <b>Description:</b> This field must contain the Table File Version Number. For client endpoints that send files directly to VisaNet without an Edit Package, this field is not used and must be set to spaces.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |

## File Header Record Edit Criteria

|                                                                                           |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
|-------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Settlement Date</b><br>Positions: 22-26<br>Length: 5<br>Format: unpacked numeric       | <b>Description:</b> This field contains the date for which settlement was performed. The format of this date is <b>CCYYDDD</b> , where <b>CC</b> is the century, <b>YY</b> is the year, and <b>DDD</b> is the Julian day.<br><br>VisaNet inserts a settlement date in every <b>01xx</b> , <b>02xx</b> , <b>04xx</b> , <b>05xx</b> , and <b>06xx</b> message, whether or not that message has impact on settlement totals. Flags in field 9 of the message header identify messages eligible for settlement.<br><br><b>Note:</b> In V.I.P. full financial transactions, the settlement date in field 15 has the format <b>mmdd</b> and not <b>yymmdd</b> .<br><br>The field must be numeric in the format of <b>YYDDD</b> . The field is for Visa use.<br><br>For client endpoints that send files directly to VisaNet without an Edit Package, this field is not used and must be set to spaces. |
| <b>Reserved</b><br>Positions: 27-28<br>Length: 2<br>Format: alphanumeric                  | <b>Description:</b> This field is reserved for future use. EP will always space-fill.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
| <b>Release Number</b><br>Positions: 29-31<br>Length: 3<br>Format: unpacked numeric        | <b>Description:</b> This field must contain <b>300</b> or <b>400</b> .<br><br>For client endpoints that send files directly to VisaNet without an Edit Package, this field is not used and must be set to spaces.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
| <b>Test Option</b><br>Positions: 32-35<br>Length: 4<br>Format: alphanumeric               | <b>Description:</b> The field must be space-filled or contain <b>TEST</b> .<br><br><b>Note:</b> Values:<br><b>TEST</b> = Test run<br><b>Space</b> = Production run                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
| <b>Process Option</b><br>Positions: 36<br>Length: 1<br>Format: alphanumeric               | <b>Description:</b><br><br><b>Note:</b> For Visa use.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
| <b>Reserved</b><br>Positions: 37-40<br>Length: 4<br>Format: alphanumeric                  | <b>Description:</b> This field is reserved for future use. EP will always space-fill.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
| <b>Starting Batch Number</b><br>Positions: 41-46<br>Length: 6<br>Format: unpacked numeric | <b>Description:</b> Identifier of the first batch in file.<br><br>This field must contain the batch number of the first TC 91 on file.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |

### File Header Record Edit Criteria

|                                                                                   |                                                                                                                                                                                                        |
|-----------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Reserved</b><br>Positions: 47-64<br>Length: 18<br>Format: alphanumeric         | <b>Description:</b> This field is reserved for future use. EP will always space-fill.                                                                                                                  |
| <b>Security Code</b><br>Positions: 65-72<br>Length: 8<br>Format: alphanumeric     | <b>Description:</b> This field must contain the center's Security Code.                                                                                                                                |
| <b>Delivery Code</b><br>Positions: 73<br>Length: 1<br>Format: alphanumeric        | <b>Description:</b> Indicates that this is not a delivery. This field must contain a space.                                                                                                            |
| <b>BASE II File Type</b><br>Positions: 74-78<br>Length: 5<br>Format: alphanumeric | <b>Description:</b> The type of data file that BASE II is sending. For client endpoints that send files directly to VisaNet without an Edit Package, this field is not used and must be set to spaces. |

## File Header Record Edit Criteria

| <p><b>BASE II Unique File ID</b></p> <p>Positions: 79-108</p> <p>Length: 30</p> <p>Format: alphanumeric</p> | <p><b>Description:</b> A unique file number used by the Edit Package for history checking.</p> <p>This field is populated by the Edit Package during outgoing runs with these values:</p> <table border="1"> <thead> <tr> <th>Positions</th><th>Value</th></tr> </thead> <tbody> <tr> <td>79-84</td><td>Center Information Block (CIB)</td></tr> <tr> <td>85</td><td>'0'</td></tr> <tr> <td>86-93</td><td>System or RUNDATE (CCYYMMDD)</td></tr> <tr> <td>94</td><td>RUNMODE, i.e., (P)roduction or (T)est</td></tr> <tr> <td>95-98</td><td>RRFF where RR = Run Number and FF = File Number</td></tr> <tr> <td>99-100</td><td>'00'</td></tr> <tr> <td>101-108</td><td>Reserved. Defaults to spaces.</td></tr> </tbody> </table> <p>BASE II Unique File ID formatting for clients who elect to use the Centralized Edit Package Alternative:</p> <table border="1"> <thead> <tr> <th>Positions</th><th>Value</th></tr> </thead> <tbody> <tr> <td>79-84</td><td>Center Information Block (CIB)</td></tr> <tr> <td>85</td><td>'0'</td></tr> <tr> <td>86-93</td><td>Processing Date (CCYYMMDD)</td></tr> <tr> <td>94</td><td>P(roduction) or T(est)</td></tr> <tr> <td>95-98</td><td>RRFF where RR = Run Number and FF = File Number</td></tr> <tr> <td>99-100</td><td>'00'</td></tr> <tr> <td>101-108</td><td>Reserved. Defaults to spaces.</td></tr> </tbody> </table> | Positions | Value | 79-84 | Center Information Block (CIB) | 85 | '0' | 86-93 | System or RUNDATE (CCYYMMDD) | 94 | RUNMODE, i.e., (P)roduction or (T)est | 95-98 | RRFF where RR = Run Number and FF = File Number | 99-100 | '00' | 101-108 | Reserved. Defaults to spaces. | Positions | Value | 79-84 | Center Information Block (CIB) | 85 | '0' | 86-93 | Processing Date (CCYYMMDD) | 94 | P(roduction) or T(est) | 95-98 | RRFF where RR = Run Number and FF = File Number | 99-100 | '00' | 101-108 | Reserved. Defaults to spaces. |
|-------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------|-------|-------|--------------------------------|----|-----|-------|------------------------------|----|---------------------------------------|-------|-------------------------------------------------|--------|------|---------|-------------------------------|-----------|-------|-------|--------------------------------|----|-----|-------|----------------------------|----|------------------------|-------|-------------------------------------------------|--------|------|---------|-------------------------------|
| Positions                                                                                                   | Value                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |           |       |       |                                |    |     |       |                              |    |                                       |       |                                                 |        |      |         |                               |           |       |       |                                |    |     |       |                            |    |                        |       |                                                 |        |      |         |                               |
| 79-84                                                                                                       | Center Information Block (CIB)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |           |       |       |                                |    |     |       |                              |    |                                       |       |                                                 |        |      |         |                               |           |       |       |                                |    |     |       |                            |    |                        |       |                                                 |        |      |         |                               |
| 85                                                                                                          | '0'                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |           |       |       |                                |    |     |       |                              |    |                                       |       |                                                 |        |      |         |                               |           |       |       |                                |    |     |       |                            |    |                        |       |                                                 |        |      |         |                               |
| 86-93                                                                                                       | System or RUNDATE (CCYYMMDD)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |           |       |       |                                |    |     |       |                              |    |                                       |       |                                                 |        |      |         |                               |           |       |       |                                |    |     |       |                            |    |                        |       |                                                 |        |      |         |                               |
| 94                                                                                                          | RUNMODE, i.e., (P)roduction or (T)est                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |           |       |       |                                |    |     |       |                              |    |                                       |       |                                                 |        |      |         |                               |           |       |       |                                |    |     |       |                            |    |                        |       |                                                 |        |      |         |                               |
| 95-98                                                                                                       | RRFF where RR = Run Number and FF = File Number                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |           |       |       |                                |    |     |       |                              |    |                                       |       |                                                 |        |      |         |                               |           |       |       |                                |    |     |       |                            |    |                        |       |                                                 |        |      |         |                               |
| 99-100                                                                                                      | '00'                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |           |       |       |                                |    |     |       |                              |    |                                       |       |                                                 |        |      |         |                               |           |       |       |                                |    |     |       |                            |    |                        |       |                                                 |        |      |         |                               |
| 101-108                                                                                                     | Reserved. Defaults to spaces.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |           |       |       |                                |    |     |       |                              |    |                                       |       |                                                 |        |      |         |                               |           |       |       |                                |    |     |       |                            |    |                        |       |                                                 |        |      |         |                               |
| Positions                                                                                                   | Value                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |           |       |       |                                |    |     |       |                              |    |                                       |       |                                                 |        |      |         |                               |           |       |       |                                |    |     |       |                            |    |                        |       |                                                 |        |      |         |                               |
| 79-84                                                                                                       | Center Information Block (CIB)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |           |       |       |                                |    |     |       |                              |    |                                       |       |                                                 |        |      |         |                               |           |       |       |                                |    |     |       |                            |    |                        |       |                                                 |        |      |         |                               |
| 85                                                                                                          | '0'                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |           |       |       |                                |    |     |       |                              |    |                                       |       |                                                 |        |      |         |                               |           |       |       |                                |    |     |       |                            |    |                        |       |                                                 |        |      |         |                               |
| 86-93                                                                                                       | Processing Date (CCYYMMDD)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |           |       |       |                                |    |     |       |                              |    |                                       |       |                                                 |        |      |         |                               |           |       |       |                                |    |     |       |                            |    |                        |       |                                                 |        |      |         |                               |
| 94                                                                                                          | P(roduction) or T(est)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |           |       |       |                                |    |     |       |                              |    |                                       |       |                                                 |        |      |         |                               |           |       |       |                                |    |     |       |                            |    |                        |       |                                                 |        |      |         |                               |
| 95-98                                                                                                       | RRFF where RR = Run Number and FF = File Number                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |           |       |       |                                |    |     |       |                              |    |                                       |       |                                                 |        |      |         |                               |           |       |       |                                |    |     |       |                            |    |                        |       |                                                 |        |      |         |                               |
| 99-100                                                                                                      | '00'                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |           |       |       |                                |    |     |       |                              |    |                                       |       |                                                 |        |      |         |                               |           |       |       |                                |    |     |       |                            |    |                        |       |                                                 |        |      |         |                               |
| 101-108                                                                                                     | Reserved. Defaults to spaces.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |           |       |       |                                |    |     |       |                              |    |                                       |       |                                                 |        |      |         |                               |           |       |       |                                |    |     |       |                            |    |                        |       |                                                 |        |      |         |                               |

## File Header Record Edit Criteria

|                                                                                                         |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
|---------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>BASE II Customized Delivery File Type</b><br>Positions: 109-113<br>Length: 5<br>Format: alphanumeric | <b>Description:</b> Available to all endpoints is a BASE II customized delivery file for fraud advices (TC 40, Fraud Advice Transactions). Endpoints can receive all fraud advices in a file separate from other incoming interchange.<br><br><b>Note:</b> This field is set by Edit Package through control cards for internal Visa users and vendors.<br><br>For client endpoints that send files directly to VisaNet without an Edit Package, this field is not used and must be set to spaces.<br><br><b>Note:</b> Please refer to the "Custom Delivery and Split Routing File Types" table in Chapter 5 of the <i>BASE II Clearing Services</i> manual for the values. |
| <b>Source Name</b><br>Positions: 114-125<br>Length: 12<br>Format: unpacked numeric                      | <b>Description:</b> Identifies the endpoint from which this file originated. This field must contain the originating client's CIB followed by the one-digit VIC number.<br><br><b>Note:</b> This field must be left-aligned within the field with trailing spaces.                                                                                                                                                                                                                                                                                                                                                                                                          |
| <b>Destination Name</b><br>Positions: 126-137<br>Length: 12<br>Format: alphanumeric                     | <b>Description:</b> Identifier of the Visa destination. This field must contain <b>BANKCARD, RSI</b> or <b>spaces</b> .<br><br><b>Note:</b> This field must be left-aligned within the field with trailing spaces.                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
| <b>Reserved</b><br>Positions: 138-170<br>Length: 33<br>Format: alphanumeric                             | <b>Description:</b> This field is reserved for future use. EP will always space-fill.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |

# TC 90 - TCR 0 - Incoming ITF

These tables contain the Header (TC 90) record layout and edit criteria for TCR 0 - Incoming ITF.

## ITF - Incoming Interchange

### File Header Record Layout

| Position | Field Length | Format | Contents                       |
|----------|--------------|--------|--------------------------------|
| 1-2      | 2            | UN     | Transaction Code               |
| 3-4      | 2            | BINARY | Record Hash Total              |
| 5-10     | 6            | UN     | Center Information Block (CIB) |

### File Header Record Layout

| Position | Field Length | Format | Contents                              |
|----------|--------------|--------|---------------------------------------|
| 11-15    | 5            | UN     | Processing Date (YYDDD)               |
| 16       | 1            | AN     | Continuation Tape Indicator           |
| 17       | 1            | AN     | Group Data Indicator                  |
| 18-21    | 4            | UN     | Table File Version Number             |
| 22-26    | 5            | UN     | Settlement Date (YYDDD)               |
| 27-28    | 2            | AN     | Reserved                              |
| 29-31    | 3            | UN     | Release Number                        |
| 32-35    | 4            | AN     | Test Option                           |
| 36       | 1            | AN     | Process Option                        |
| 37-40    | 4            | AN     | Reserved                              |
| 41-46    | 6            | UN     | Starting Batch Number                 |
| 47-64    | 18           | AN     | Reserved                              |
| 65-72    | 8            | AN     | Security Code                         |
| 73       | 1            | AN     | Delivery Code                         |
| 74-78    | 5            | AN     | BASE II File Type                     |
| 79-108   | 30           | AN     | BASE II Unique File ID                |
| 109-113  | 5            | AN     | BASE II Customized Delivery File Type |
| 114-125  | 12           | AN     | Source Name                           |
| 126-137  | 12           | AN     | Destination Name                      |
| 138-170  | 33           | AN     | Reserved.                             |

Format: AN = Alphanumeric, ANS = Alphanumeric Special, DX = Display Hexadecimal, N = Numeric, UN = Unpacked Numeric

---

### File Header Record Edit Criteria

|                                                                                             |                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
|---------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Transaction Code</b><br>Positions: 1-2<br>Length: 2<br>Format: unpacked numeric          | <b>Description:</b> The field must contain <b>90</b> .                                                                                                                                                                                                                                                                                                                                                                                                                 |
| <b>Record Hash Total</b><br>Positions: 3-4<br>Length: 2<br>Format: Binary                   | <b>Description:</b> Used in BASE II to ensure that the collection and delivery file data have been correctly transmitted.<br><br>The field must contain spaces for computers that do not generate hash totals.                                                                                                                                                                                                                                                         |
| <b>Center Information Block</b><br>Positions: 5-10<br>Length: 6<br>Format: unpacked numeric | <b>Description:</b> The field must contain the processing center's CIB.                                                                                                                                                                                                                                                                                                                                                                                                |
| <b>Processing Date</b><br>Positions: 11-15<br>Length: 5<br>Format: unpacked numeric         | <b>Description:</b> The date (based on GMT) when the ITF or report in question was generated at a VIC.<br><br>The date used by the Edit Package during a specific run. This can be the computer's system date or a date specified on the RUNDATE run control option.<br><br>The field must contain the VIC Processing Date if the Continuation Tape Indicator is <b>C</b> , matching the first TC 90.<br><br>The field must be numeric in the format of <b>YYDDD</b> . |



## File Header Record Edit Criteria

|                                                                                               |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
|-----------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Continuation Tape Indicator</b><br>Positions: 16<br>Length: 1<br>Format: alphanumeric      | <p><b>Description:</b> Indicates this is the first file of multiple files.</p> <p>Header records are used to identify the file. Clients can receive more than one delivery file during one processing cycle. This can occur under two different conditions.</p> <p>The multiple files may be continuation files of one transmission. In this case, the Continuation Tape Indicator in the TC 90s of the first file would contain a <b>space</b>, and that field in the TC 90s of following files would contain a <b>C</b> (indicating continuation). The File Continuation Count Field on all TC 92s except the last would contain <b>000000</b>; the TC 92 of the last file would contain the number of files in the transmission.</p> <p>These files may also be multiple separate files with no continuation relationship. This would, for example, occur when customized delivery services have been selected. In this case the Continuation Tape Indicator in the TC 90s on the files will be set to a space. The File Continuation Count field on each of the TC 92s would contain <b>000001</b>.</p> <p>This field must contain a <b>space</b> or a <b>C</b> (Continuation of transmission).</p> <p>The field must contain a <b>C</b> if the File Continuation Count field on the previous TC 92 is zeros.</p> <p>For more information about this field, see the explanation of Multiple File Delivery.</p> <p style="text-align: center;"><b>Note:</b> For Visa use.</p> |
| <b>Group Data Indicator</b><br>Positions: 17<br>Length: 1<br>Format: alphanumeric             | <p><b>Description:</b> For Visa use. The field must contain a <b>space</b>.</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
| <b>Table File Version Number</b><br>Positions: 18-21<br>Length: 4<br>Format: unpacked numeric | <p><b>Description:</b> This field is not used.</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
| <b>Settlement Date</b><br>Positions: 22-26<br>Length: 5<br>Format: unpacked numeric           | <p><b>Description:</b> This field contains the date for which settlement was performed. The format of the date is <b>CCYYDDD</b>, where <b>CC</b> is the century, <b>YY</b> is the year, and <b>DDD</b> is the Julian day.</p> <p>VisaNet inserts a settlement date in every <b>01xx</b>, <b>02xx</b>, <b>04xx</b>, <b>05xx</b>, and <b>06xx</b> message, whether or not that message has impact on settlement totals. Flags in field 9 of the message header identify messages eligible for settlement.</p> <p style="text-align: center;"><b>Note:</b> In V.I.P. full financial transactions, the settlement date in field 15 has the format <b>mmdd</b> and not <b>yyymmdd</b>.</p> <p>The field must be numeric in the format of <b>YYDDD</b>. The field is for the VIC Settlement Date.</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |

### File Header Record Edit Criteria

|                                                                                           |                                                                                                                                                                                          |
|-------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Reserved</b><br>Positions: 27-28<br>Length: 2<br>Format: alphanumeric                  | <b>Description:</b> This field is reserved for future use. EP will always space-fill.                                                                                                    |
| <b>Release Number</b><br>Positions: 29-31<br>Length: 3<br>Format: unpacked numeric        | <b>Description:</b> This field must contain <b>300</b> or <b>400</b> .                                                                                                                   |
| <b>Test Option</b><br>Positions: 32-35<br>Length: 4<br>Format: alphanumeric               | <b>Description:</b> The field must be either <b>zero</b> or space-filled or contain <b>TEST</b> .<br>Values:<br><b>TEST</b> = Test run<br><b>Zeros</b> or <b>spaces</b> = Production run |
| <b>Process Option</b><br>Positions: 36<br>Length: 1<br>Format: alphanumeric               | <b>Description:</b> This field will contain a <b>1</b> .<br><b>Note:</b> For Visa use.                                                                                                   |
| <b>Reserved</b><br>Positions: 37-40<br>Length: 4<br>Format: alphanumeric                  | <b>Description:</b> This field is reserved for future use. EP will always space-fill.                                                                                                    |
| <b>Starting Batch Number</b><br>Positions: 41-46<br>Length: 6<br>Format: unpacked numeric | <b>Description:</b> Identifier of the first batch in file.<br>This field must contain the batch number of the first TC 91 on file.<br><b>Note:</b> For Visa use.                         |
| <b>Reserved</b><br>Positions: 47-64<br>Length: 18<br>Format: alphanumeric                 | <b>Description:</b> This field is reserved for future use. EP will always space-fill.                                                                                                    |
| <b>Security Code</b><br>Positions: 65-72<br>Length: 8<br>Format: alphanumeric             | <b>Description:</b> This field must contain the center's Security Code.                                                                                                                  |

### File Header Record Edit Criteria

|                                                                                                         |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
|---------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Delivery Code</b><br>Positions: 73<br>Length: 1<br>Format: alphanumeric                              | <b>Description:</b> Indicates that this is a delivery. This field must contain a <b>D</b> for delivery.<br><br><b>Note:</b> For Visa use.                                                                                                                                                                                                                                                                                                                                                                  |
| <b>BASE II File Type</b><br>Positions: 74-78<br>Length: 5<br>Format: alphanumeric                       | <b>Description:</b> The type of data file that BASE II is sending.<br>Values:<br><b>ICRPT</b> = Interchange Report File<br><b>NONIC</b> = Non-interchange Report File<br><b>Space</b> = Interchange Data<br><br><b>Note:</b> For Visa use.                                                                                                                                                                                                                                                                 |
| <b>BASE II Unique File ID</b><br>Positions: 79-108<br>Length: 30<br>Format: alphanumeric                | <b>Description:</b> A unique file number used by the Edit package for history checking. The Edit Package uses this field for duplicate file checking.                                                                                                                                                                                                                                                                                                                                                      |
| <b>BASE II Customized Delivery File Type</b><br>Positions: 109-113<br>Length: 5<br>Format: alphanumeric | <b>Description:</b> Available to all endpoints is a BASE II customized delivery file for fraud advices (TC 40, Fraud Advice Transactions). Endpoints can receive all fraud advices in a file separate from other incoming interchange.<br><br><b>Note:</b> Set by BASE II for the customized delivery file type.<br>For Visa use.<br><br><b>Note:</b> Please refer to the "Custom Delivery and Split Routing File Types" table in Chapter 5 of the <i>BASE II Clearing Services</i> manual for the values. |
| <b>Source Name</b><br>Positions: 114-125<br>Length: 12<br>Format: alphanumeric                          | <b>Description:</b> Identifies the endpoint from which this file originated. This field will contain <b>BANKCARD</b> , <b>RSI</b> , or <b>spaces</b> . This field will be left-aligned within the field with trailing spaces.<br><br><b>Note:</b> For Visa use.                                                                                                                                                                                                                                            |
| <b>Destination Name</b><br>Positions: 126-137<br>Length: 12<br>Format: alphanumeric                     | <b>Description:</b> Client delivery identifier. This field will contain the destination client's CIB followed by the one-digit VIC number.<br>This field will be left-justified with trailing spaces.<br><br><b>Note:</b> For Visa use.                                                                                                                                                                                                                                                                    |
| <b>Reserved</b><br>Positions: 138-170<br>Length: 33<br>Format: alphanumeric                             | <b>Description:</b> This field is reserved for future use. EP will always space-fill.                                                                                                                                                                                                                                                                                                                                                                                                                      |

# Chapter 11

## TC 91, 92 Batch and File Trailer Records

---

### TC 91, 92 - Batch and File Trailer Records

The Batch Trailer (TC 91) record is used for batch control totals and as a batch boundary indicator at the end of each batch. The File Trailer (TC 92) record is used for file control totals and as an end-of-file (EOF) indicator.

TCR 0

CTF and ITF - Outgoing and Incoming Interchange

For processing through the outgoing Edit Package, a TC 91 and TC 92 are always mandatory, even if the file is otherwise empty.

# TC 91, 92 - TCR 0 - CTF

These tables contain the Batch and File Trailer (TC 91, 92) record layout and edit criteria for TCR 0 - CTF.

## CTF - Outgoing and Incoming Interchange

### Batch and File Trailer Record Layout

| Position | Field Length | Format | Contents                              |
|----------|--------------|--------|---------------------------------------|
| 1-2      | 2            | UN     | Transaction Code                      |
| 3        | 1            | UN     | Transaction Code Qualifier            |
| 4        | 1            | UN     | Transaction Component Sequence Number |
| 5-10     | 6            | UN     | Center Information Block (CIB)        |
| 11-15    | 5            | UN     | Processing Date (YYDDD)               |
| 16-30    | 15           | UN     | Destination Amount                    |
| 31-42    | 12           | UN     | Number of Monetary Transactions       |
| 43-48    | 6            | UN     | Batch Number                          |
| 49-60    | 12           | UN     | Number of TCRs                        |
| 61-66    | 6            | UN     | Reserved                              |
| 67-74    | 8            | AN     | Center Batch ID                       |
| 75-83    | 9            | UN     | Number of Transactions                |
| 84-101   | 18           | UN     | Reserved                              |
| 102-116  | 15           | UN     | Source Amount                         |
| 117-131  | 15           | UN     | Reserved                              |
| 132-146  | 15           | UN     | Reserved                              |
| 147-161  | 15           | UN     | Reserved                              |
| 162-168  | 7            | AN     | Reserved                              |

Format: AN = Alphanumeric, ANS = Alphanumeric Special, DX = Display Hexadecimal, N = Numeric, UN = Unpacked Numeric

### Batch and File Trailer Edit Criteria

|                                                                                                       |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
|-------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Transaction Code</b><br>Positions: 1-2<br>Length: 2<br>Format: unpacked numeric                    | <b>Description:</b> The field must contain <b>91</b> or <b>92</b> .<br><b>91</b> = Batch Trailer<br><b>92</b> = File Trailer                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
| <b>Transaction Code Qualifier</b><br>Positions: 3<br>Length: 1<br>Format: unpacked numeric            | <b>Description:</b> The field must contain a <b>0</b> (zero).<br>This edit will continue to be performed by the Edit Package when the Bypass Business Edits option is used during an outgoing edit run.                                                                                                                                                                                                                                                                                                                                                                                       |
| <b>Transaction Component Sequence Number</b><br>Positions: 4<br>Length: 1<br>Format: unpacked numeric | <b>Description:</b> The field must contain a <b>0</b> (zero).                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
| <b>Center Information Block (CIB)</b><br>Positions: 5-10<br>Length: 6<br>Format: unpacked numeric     | <b>Description:</b> A numeric used to identify a financial institution.<br><b>Outgoing:</b> The field must contain <b>zeros</b> .<br><b>Incoming:</b> The field contains the CIB of the destination center.<br><b>Note:</b> The CIB number is supplied by the Edit Package.                                                                                                                                                                                                                                                                                                                   |
| <b>Processing Date</b><br>Positions: 11-15<br>Length: 5<br>Format: unpacked numeric                   | <b>Description:</b> Processing Date Field will contain the Batch Trailer VisaNet processing date in the <b>YYDDD</b> Julian date format; for the file trailer (TC 92), the field will contain the BASE II Central Processing Date.<br><b>Outgoing:</b> The field must contain <b>zeros</b> .<br><b>Incoming:</b> The field must contain the Batch Trailer VIC processing date in the <b>YYDDD</b> format (Julian date).<br>For the file trailer (TC 92), the field must contain the VIC BASE II Central Processing Date.<br><b>Note:</b> The Processing Date is supplied by the Edit Package. |
| <b>Destination Amount</b><br>Positions: 16-30<br>Length: 15<br>Format: unpacked numeric               | <b>Description:</b> Submitted transaction amount. This field contains two implied decimal places.<br><b>Outgoing:</b> The field must contain <b>zeros</b> .<br><b>Incoming:</b> For the batch trailer (TC 91), the field must contain the sum of transaction destination amounts for the batch. For the file trailer (TC 92), the field must contain the sum of transaction destination amounts for the file.                                                                                                                                                                                 |
| <b>Number of Monetary Transactions</b><br>Positions: 31-42<br>Length: 12<br>Format: unpacked numeric  | <b>Description:</b> This field contains the number of monetary transactions.<br><b>Batch Trailer:</b> field will contain the count for the batch.<br><b>File Trailer:</b> field will contain the count for the file.                                                                                                                                                                                                                                                                                                                                                                          |

### Batch and File Trailer Edit Criteria

|                                                                                            |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
|--------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Batch Number</b><br>Positions: 43-48<br>Length: 6<br>Format: unpacked numeric           | <b>Description:</b> Unique identifier of the batch.<br><br>This field contains the VisaNet-assigned batch number for this message. As each new request or advice is received at VisaNet, the current reconciliation batch number is inserted in this field. When a duplicate message that was previously processed is received at VisaNet, the batch number, and the settlement date in field 15, are set to the value established in the earlier processing.<br><br><b>Batch Trailer</b> = Current batch number<br><b>File Trailer</b> = Count for file |
| <b>Number of TCRs</b><br>Positions: 49-60<br>Length: 12<br>Format: unpacked numeric        | <b>Description:</b> The count includes all TCRs including trailers. TC 90 header records are not included in this count. TC 90 header records can be optionally supplied by the processing center and therefore are not included in this count.<br><br><b>Batch Trailer</b> = Count for batch<br><b>File Trailer</b> = Count for file                                                                                                                                                                                                                    |
| <b>Reserved</b><br>Positions: 61-66<br>Length: 6<br>Format: unpacked numeric               | <b>Description:</b> This field is reserved for future use. EP will always space-fill.                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
| <b>Center Batch ID</b><br>Positions: 67-74<br>Length: 8<br>Format: alphanumeric            | <b>Description:</b> Identifier issued by the processing center.<br><br><b>Batch Trailer:</b><br><b>Outgoing</b> = Processor's Batch ID<br><b>Incoming</b> = Spaces<br><b>File Trailer</b> = Spaces                                                                                                                                                                                                                                                                                                                                                       |
| <b>Number of Transactions</b><br>Positions: 75-83<br>Length: 9<br>Format: unpacked numeric | <b>Description:</b> The number includes all transactions including trailers. TC 90 header records are not included in this count. TC 90 header records can be optionally supplied by the processing center and therefore are not included in this count.<br><br><b>Batch Trailer</b> = Count for batch<br><b>File Trailer</b> = Count for file                                                                                                                                                                                                           |
| <b>Reserved</b><br>Positions: 84-101<br>Length: 18<br>Format: unpacked numeric             | <b>Description:</b> This field is reserved for future use. EP will always space-fill.                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
| <b>Source Amount</b><br>Positions: 102-116<br>Length: 15<br>Format: unpacked numeric       | <b>Description:</b> Identifies the submitted transaction amount in the currency that is appropriate to the source endpoint. The field contains two implied decimal places.<br><br><b>Batch Trailer</b> = Sum of transaction source amounts for the batch<br><b>File Trailer</b> = Sum of transaction source amounts for the file                                                                                                                                                                                                                         |

### Batch and File Trailer Edit Criteria

|                                                                                 |                                                                                       |
|---------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
| <b>Reserved</b><br>Positions: 117-131<br>Length: 15<br>Format: unpacked numeric | <b>Description:</b> This field is reserved for future use. EP will always space-fill. |
| <b>Reserved</b><br>Positions: 132-146<br>Length: 15<br>Format: unpacked numeric | <b>Description:</b> This field is reserved for future use. EP will always space-fill. |
| <b>Reserved</b><br>Positions: 147-161<br>Length: 15<br>Format: unpacked numeric | <b>Description:</b> This field is reserved for future use. EP will always space-fill. |
| <b>Reserved</b><br>Positions: 162-168<br>Length: 7<br>Format: alphanumeric      | <b>Description:</b> This field is reserved for future use. EP will always space-fill. |

## TC 91, 92 - TCR 0 - ITF

These tables contain the Batch and File Trailer (TC 91, 92) record layout and edit criteria for TCR 0 - ITF.

### ITF - Outgoing and Incoming Interchange

#### Batch and File Trailer Record Layout

| Position | Field Length | Format | Contents                              |
|----------|--------------|--------|---------------------------------------|
| 1-2      | 2            | UN     | Transaction Code                      |
| 3-4      | 2            | BINARY | Record Hash Total                     |
| 5        | 1            | UN     | Transaction Code Qualifier            |
| 6        | 1            | UN     | Transaction Component Sequence Number |
| 7-12     | 6            | UN     | Center Information Block (CIB)        |
| 13-17    | 5            | UN     | Processing Date (YYDDD)               |
| 18-32    | 15           | UN     | Destination Amount                    |



### Batch and File Trailer Record Layout

| Position | Field Length | Format | Contents                        |
|----------|--------------|--------|---------------------------------|
| 33-44    | 12           | UN     | Number of Monetary Transactions |
| 45-50    | 6            | UN     | Batch Number                    |
| 51-62    | 12           | UN     | Number of TCRs                  |
| 63-68    | 6            | UN     | File Continuation Count         |
| 69-76    | 8            | AN     | Center Batch ID                 |
| 77-85    | 9            | UN     | Number of Transactions          |
| 86-103   | 18           | UN     | Reserved                        |
| 104-118  | 15           | UN     | Source Amount                   |
| 119-133  | 15           | UN     | Reserved                        |
| 134-148  | 15           | UN     | Reserved                        |
| 149-163  | 15           | UN     | Reserved                        |
| 164-170  | 7            | AN     | Reserved                        |

Format: AN = Alphanumeric, ANS = Alphanumeric Special, DX = Display Hexadecimal, N = Numeric, UN = Unpacked Numeric

### Batch and File Trailer Edit Criteria

|                                                                                            |                                                                                                                                                                                                                |
|--------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Transaction Code</b><br>Positions: 1-2<br>Length: 2<br>Format: unpacked numeric         | <b>Description:</b> The field must contain <b>91</b> or <b>92</b> .<br><br><b>Note:</b> <b>91</b> = Batch Trailer<br><b>92</b> = File Trailer                                                                  |
| <b>Record Hash Total</b><br>Positions: 3-4<br>Length: 2<br>Format: Binary                  | <b>Description:</b> Used in BASE II to ensure that the collection and delivery file data have been correctly transmitted.<br><br>The field must contain spaces for computers that do not generate hash totals. |
| <b>Transaction Code Qualifier</b><br>Positions: 5<br>Length: 1<br>Format: unpacked numeric | <b>Description:</b> The field must contain a <b>0</b> (zero).<br><br>This edit will continue to be performed by the Edit Package when the Bypass Business Edits option is used during an outgoing edit run.    |

### Batch and File Trailer Edit Criteria

|                                                                                                           |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
|-----------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Transaction Component Sequence Number</b><br><br>Positions: 6<br>Length: 1<br>Format: unpacked numeric | <b>Description:</b> The field must contain a <b>0</b> (zero).                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
| <b>Center Information Block (CIB)</b><br><br>Positions: 7-12<br>Length: 6<br>Format: unpacked numeric     | <b>Description:</b> A numeric used to identify a financial institution<br><br><b>Outgoing:</b> The field must contain <b>zeros</b> .<br><b>Incoming:</b> The field must contain the CIB of the destination center.<br><br><b>Note:</b> The CIB number is supplied by the Edit Package.                                                                                                                                                                                                                                                                                                      |
| <b>Processing Date</b><br><br>Positions: 13-17<br>Length: 5<br>Format: unpacked numeric                   | <b>Description:</b> Processing Date Field will contain the Batch Trailer VisaNet processing date in the <b>YYDDD</b> Julian date format; for the file trailer (TC 92) the field will contain the BASE II Central Processing Date.<br><br><b>Outgoing:</b> The field must contain <b>zeros</b> .<br><b>Incoming:</b> The field must contain the Batch Trailer VIC processing date in the <b>YYDDD</b> format (Julian date).<br><br>For the file trailer (TC 92), the field must contain the VIC BASE II Central Processing Date.<br><br>The Processing Date is supplied by the Edit Package. |
| <b>Destination Amount</b><br><br>Positions: 18-32<br>Length: 15<br>Format: unpacked numeric               | <b>Description:</b> Submitted transaction amount. This field contains two implied decimal places.<br><br><b>Outgoing:</b> The field must contain <b>zeros</b> .<br><b>Incoming:</b> For the batch trailer (TC 91), the field must contain the sum of transaction destination amounts for the batch. For the file trailer (TC 92), the field must contain the sum of transaction destination amounts for the file.                                                                                                                                                                           |
| <b>Number of Monetary Transactions</b><br><br>Positions: 33-44<br>Length: 12<br>Format: unpacked numeric  | <b>Description:</b> This field contains the number of monetary transactions.<br><b>Batch Trailer:</b> field will contain the count for the batch.<br><b>File Trailer:</b> field will contain the count for the file.                                                                                                                                                                                                                                                                                                                                                                        |
| <b>Batch Number</b><br><br>Positions: 45-50<br>Length: 6<br>Format: unpacked numeric                      | <b>Description:</b> Unique Identifier of the batch.<br><br>This field contains the VisaNet-assigned batch number for this message. As each new request or advice is received at VisaNet, the current reconciliation batch number is inserted in this field. When a duplicate message that was previously processed is received at VisaNet, the batch number, and the settlement date in field 15, are set to the value established in the earlier processing.<br><br><b>Batch Trailer</b> = Current batch number<br><b>File Trailer</b> = Count for file                                    |

## Batch and File Trailer Edit Criteria

|                                                                                             |                                                                                                                                                                                                                                                                                                                                                                                                          |
|---------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Number of TCRs</b><br>Positions: 51-62<br>Length: 12<br>Format: unpacked numeric         | <b>Description:</b> The count includes all TCRs including trailers. TC 90 header records are not included in this count.<br><b>Batch Trailer</b> = Count for batch<br><b>File Trailer</b> = Count for file                                                                                                                                                                                               |
| <b>File Continuation Count</b><br>Positions: 63-68<br>Length: 6<br>Format: unpacked numeric | <b>Description:</b> The field should contain six numeric characters, indicating the number of files transmitted. Preceding files will have the value zero in this field.<br><br>For more information about this field, see the explanation of Multiple File Delivery.                                                                                                                                    |
| <b>Center Batch ID</b><br>Positions: 69-76<br>Length: 8<br>Format: alphanumeric             | <b>Description:</b> Identifier issued by the processing center.<br><b>Batch Trailer:</b><br><b>Outgoing</b> = Processor's batch ID<br><b>Incoming</b> = Spaces<br><b>File Trailer</b> = Spaces                                                                                                                                                                                                           |
| <b>Number of Transactions</b><br>Positions: 77-85<br>Length: 9<br>Format: unpacked numeric  | <b>Description:</b> The number includes all transactions including trailers. TC 90 header records are not included in this count. TC 90 header records can be optionally supplied by the processing center and therefore are not included in this count.<br><b>Batch Trailer</b> = Count for batch<br><b>File Trailer</b> = Count for file                                                               |
| <b>Reserved</b><br>Positions: 86-103<br>Length: 18<br>Format: unpacked numeric              | <b>Description:</b> This field is reserved for future use. EP will always space-fill.                                                                                                                                                                                                                                                                                                                    |
| <b>Source Amount</b><br>Positions: 104-118<br>Length: 15<br>Format: unpacked numeric        | <b>Description:</b> Identifies the submitted transaction amount in the currency that is appropriate to the source endpoint. The field contains two implied decimal places.<br><b>Batch Trailer</b> = Gross total of all transaction source amounts in the batch for financial transactions<br><b>File Trailer</b> = Gross total of all transaction source amounts in the file for financial transactions |
| <b>Reserved</b><br>Positions: 119-133<br>Length: 15<br>Format: unpacked numeric             | <b>Description:</b> This field is reserved for future use. EP will always space-fill.                                                                                                                                                                                                                                                                                                                    |

### Batch and File Trailer Edit Criteria

|                                                                                 |                                                                                       |
|---------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
| <b>Reserved</b><br>Positions: 134-148<br>Length: 15<br>Format: unpacked numeric | <b>Description:</b> This field is reserved for future use. EP will always space-fill. |
| <b>Reserved</b><br>Positions: 149-163<br>Length: 15<br>Format: unpacked numeric | <b>Description:</b> This field is reserved for future use. EP will always space-fill. |
| <b>Reserved</b><br>Positions: 164-170<br>Length: 7<br>Format: alphanumeric      | <b>Description:</b> This field is reserved for future use. EP will always space-fill. |

# Glossary

|                                                 |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
|-------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>account funding source</b>                   | Identifies the source of the funds associated with the primary account for the card. For example, Charge, Credit, Debit, Deferred Debit, and Prepaid.                                                                                                                                                                                                                                                                                                                                                                                                                      |
| <b>account number</b>                           | An issuer-assigned payment credential that identifies an account in order to post a transaction.                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
| <b>account number extension</b>                 | A three-position extension of the account number that allows account numbers up to 19 digits in length.                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
| <b>account prefix</b>                           | The first nine digits of a cardholder account number.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
| <b>account prefix range</b>                     | The set of a low-account prefix and a high-account prefix that defines the range of cardholder account numbers used by an issuer. (A single issuer may use more than one range.) All ranges are maintained on the ARDEF Table for cardholder account number and issuing identifier validation purposes.                                                                                                                                                                                                                                                                    |
| <b>account restricted use</b>                   | Identifies whether any processing restriction exists for the account range.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
| <b>Account Screen Authorization File (ASAF)</b> | The <i>Account Screen Authorization File (ASAF)</i> is an online file that contains data for an issuer's cardholder accounts that require nonstandard responses to authorization requests. It is an issuer-maintained file that includes both positive and negative action codes and special instructions for listed accounts, and allows Visa to respond to an authorization request on behalf of an issuer. V.I.P. has the ability to access the file during both Stand-In (STIP) processing as well as when the issuer is available, depending on issuer configuration. |
| <b>Account Screen Clearing File (ASCF)</b>      | The <i>Account Screen Clearing File (ASCF)</i> provides global clearing transaction protection for listed accounts, including below-floor-limit transactions, force-posted transactions and card-not-present transactions. The file is an extract of negatively listed accounts from the ASAF that Visa references in clearing when the issuer participates in Account Screen All Respond and Clearing Return functionality.                                                                                                                                               |

|                                               |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
|-----------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>acquirer</b>                               | <p>A client financial institution that has agreements with merchants to accept Visa card transactions or offers cash disbursement services to account holders, or both. The acquirer is responsible for:</p> <ul style="list-style-type: none"> <li>• Accepting card transaction data from merchants and its own ATMs and bank branches</li> <li>• Providing authorization decisions to those card-accepting locations</li> <li>• Conveying transaction information to Visa as interchange transactions</li> </ul> |
| <b>Acquirer center</b>                        | <p>A BASE II processing center supporting one or more Visa acquirers. The processing center receives transaction information from merchants and cash dispensing locations on behalf of acquirers; processes local transactions and sends interchange transactions to a VIC for distribution to the issuer processing centers; and settles the value of transactions with merchants and agents and, for interchange transactions, with other clients through the BASE II system.</p>                                |
| <b>Acquirer Reference Number (ARN)</b>        | <p>A 23-digit identification number associated with every draft and voucher. It consists of a Format Code, Acquiring Identifier, Capture Date, Film Locator, and Check Digit.</p>                                                                                                                                                                                                                                                                                                                                  |
| <b>acquiring identifier</b>                   | <p>The acquirer from which a BASE II transaction is sent.</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
| <b>administrative messages</b>                | <p>All transactions that pass information between processing centers but do not result in debits or credits in the settlement process.</p>                                                                                                                                                                                                                                                                                                                                                                         |
| <b>Advice File</b>                            | <p>The V.I.P. file containing records of authorization and verification responses generated at the VIC.</p>                                                                                                                                                                                                                                                                                                                                                                                                        |
| <b>ARDEF File</b>                             | <p>The permanent file for the ARDEF (Account Range Definition) Table, which is used to control the accuracy of Edit Package processing. The table contains all valid ARDEF entries, namely: the account prefix range, its associated issuing identifier, card-number length indicator, check-digit indicator, product ID, and account funding source.</p>                                                                                                                                                          |
| <b>balancing and reconciliation</b>           | <p>The process of accounting for the number and amount of transactions and the currency of each transaction in a BASE II cycle.</p>                                                                                                                                                                                                                                                                                                                                                                                |
| <b>BASE I System</b>                          | <p>See V.I.P. System.</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
| <b>Bank Identification Number (BIN)</b>       | <p>A 6-digit identifier licensed by Visa to an issuer before 22 April 2022 that comprises of the first 6 digits of an account number.</p> <p>An 8-digit identifier assigned by the ISO to Visa and then licensed by Visa to an issuer that comprises of the first 8 digits of an account number.</p>                                                                                                                                                                                                               |
| <b>BASE II Center Information Block (CIB)</b> | <p>Numeric value used to define the processor/settlement entity for BASE II endpoints.</p>                                                                                                                                                                                                                                                                                                                                                                                                                         |
| <b>BASE II CIB</b>                            | <p>See BASE II Center Information Block (CIB).</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |

|                                         |                                                                                                                                                                                                                                                                                                                                 |
|-----------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>BASE II processing center</b>        | See processing center.                                                                                                                                                                                                                                                                                                          |
| <b>BASE II System</b>                   | An electronic batch transmission system primarily used for the exchange of Visa interchange transaction data and for settlement of the value of those transactions between acquirers and issuers. This system is also used by centers to retrieve records from the Advice File and by Visa to settle various fees with clients. |
| <b>batch</b>                            | A set of transaction records, terminating with a batch trailer, sent through BASE II.                                                                                                                                                                                                                                           |
| <b>Batch Acknowledgment Transaction</b> | A receipt confirmation generated at a VIC of each batch of outgoing transactions. These transactions are received in the center's incoming Interchange Transaction File.                                                                                                                                                        |
| <b>batch reject</b>                     | See rejected batch.                                                                                                                                                                                                                                                                                                             |
| <b>batch trailer record</b>             | A record designating the end of a batch of BASE II transactions. It contains count and monetary totals used to control the integrity of the batch's transaction data. See also merchant batch trailer record.                                                                                                                   |
| <b>Bill Payment Service</b>             | A service allowing a client to accept payment from a Visa cardholder whose account belongs to another client and to credit the issuer through BASE II. The issuer and the client receiving the payment must both be in the same country. Used in Canada and Brazil.                                                             |
| <b>billing currency</b>                 | The currency in which the issuer bills the cardholder for transactions.                                                                                                                                                                                                                                                         |
| <b>BIN</b>                              | See <i>Bank Identification Number (BIN)</i> .                                                                                                                                                                                                                                                                                   |
| <b>BIN File</b>                         | The permanent file for a BIN Table, which is used to control the accuracy of Edit Package processing. The table contains all valid BINs and their BASE II processing status codes. This is a deprecated term. See current, VID Table File.                                                                                      |
| <b>card</b>                             | A payment card, digital application, or other device or solution that provides access to a payment credential and that is capable of conducting a transaction, is issued by an issuer, and may bear one of the Visa-owned marks.                                                                                                |
| <b>card issuer processing center</b>    | See issuer center.                                                                                                                                                                                                                                                                                                              |
| <b>Card Recovery Bulletin (CRB)</b>     | A paper listing, published and distributed by Visa, that contains Visa account numbers for which card pickup is required.                                                                                                                                                                                                       |
| <b>cardholder processing center</b>     | See issuer center.                                                                                                                                                                                                                                                                                                              |
| <b>cash advance</b>                     | The disbursement of cash from an ATM, bank teller, or authorized merchant based on use of a Visa or Plus card.                                                                                                                                                                                                                  |

|                                           |                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
|-------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>cashback field</b>                     | A nine-digit field that specifies the currency amount that is paid out when a purchase transaction occurs.                                                                                                                                                                                                                                                                                                                                                                |
| <b>Center Transaction File (CTF)</b>      | The outgoing Center Transaction File contains interchange transactions generated by a processing center's pre-edit program. If the format is acceptable to the Edit Package, it is converted to an ITF and is submitted to the VIC. The incoming Center Transaction File contains ITF data transmitted from the VIC through the VAP to the Edit Package for processing. If there are no errors, the ITF is converted to a CTF and used as input to the post-edit program. |
| <b>Central Processing Date (CPD)</b>      | The date (based on GMT) when the ITF or report in question was generated at a VIC.                                                                                                                                                                                                                                                                                                                                                                                        |
| <b>dispute</b>                            | A sales draft or other item that has been examined by the issuer center, found to be improper, and sent back to the acquirer center with other outgoing interchange.                                                                                                                                                                                                                                                                                                      |
| <b>Chargeback Reduction Service (CRS)</b> | A worldwide service that provides acquirers and issuers with information available from other VisaNet systems to reduce the number of unnecessary Visa retrieval copy requests and fulfillment requests.                                                                                                                                                                                                                                                                  |
| <b>check digit</b>                        | A digit added to the end of an account number or Acquirer Reference Number that is derived from a computation using a predetermined formula and the preceding digits of the account number. It is used during editing processes to validate account numbers and Acquirer Reference Numbers.                                                                                                                                                                               |
| <b>Chip Card</b>                          | See <i>Integrated Circuit Card</i> .                                                                                                                                                                                                                                                                                                                                                                                                                                      |
| <b>Chip Debit/Credit</b>                  | See Visa Smart Debit/Visa Smart Credit (VSDC).                                                                                                                                                                                                                                                                                                                                                                                                                            |
| <b>clearing</b>                           | All of the functions required to collect a transaction from an acquirer in the merchant's currency and deliver it to the issuer in the cardholder's currency.                                                                                                                                                                                                                                                                                                             |
| <b>collection-only transaction</b>        | An intraprocessor transaction submitted to BASE II for collection only (not settlement or delivery). Normal BASE II processing charges and interchange reimbursement fees do not apply to collection-only transactions.                                                                                                                                                                                                                                                   |
| <b>copy/original</b>                      | A copy of a transaction requested from the acquirer center by the issuer center. (Synonymous with original/photocopy.)                                                                                                                                                                                                                                                                                                                                                    |
| <b>CPD</b>                                | See central processing date (CPD).                                                                                                                                                                                                                                                                                                                                                                                                                                        |
| <b>CPS</b>                                | See <i>Custom Payment Service (CPS)</i> or <i>Card Personalization Specification (CPS)</i> .                                                                                                                                                                                                                                                                                                                                                                              |
| <b>CRB</b>                                | See Card Recovery Bulletin (CRB).                                                                                                                                                                                                                                                                                                                                                                                                                                         |



|                                     |                                                                                                                                                                                                                                                                                                                                                                                                             |
|-------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>credit card</b>                  | A physical or digital card with an account number assigned by an issuer to a cardholder. This card, which has a credit limit, can be used to purchase goods and services and to get cash. The issuing institution bills the cardholder every month for repayment of the credit extended. The cardholder repays the issuer in full every month <b>or</b> on an installment basis, with a minimum amount due. |
| <b>credit voucher</b>               | Sometimes referred to as credit return, it is the record of a return or price adjustment of a purchase.                                                                                                                                                                                                                                                                                                     |
| <b>CRS</b>                          | See Chargeback Reduction Service (CRS).                                                                                                                                                                                                                                                                                                                                                                     |
| <b>CTF</b>                          | See Center Transaction File (CTF).                                                                                                                                                                                                                                                                                                                                                                          |
| <b>currency conversion rate</b>     | This rate is applied by Visa International to certain transactions (original sales drafts, dispute response financials, travel vouchers, credit vouchers, and cash disbursements) and the reversal of such transactions.                                                                                                                                                                                    |
| <b>currency of purchase</b>         | See transaction currency.                                                                                                                                                                                                                                                                                                                                                                                   |
| <b>currency trading cutoff</b>      | The time at which currency conversion rates expire.                                                                                                                                                                                                                                                                                                                                                         |
| <b>Custom Merchant Service</b>      | A service that tailors interchange reimbursement fees to specific merchant categories.                                                                                                                                                                                                                                                                                                                      |
| <b>Custom Payment Service (CPS)</b> | A Visa payment service that minimizes dispute financials and facilitates transaction clearing and settlement by assigning a unique identifier that stays with the transaction throughout its life cycle.                                                                                                                                                                                                    |
| <b>Data Capture Advice</b>          | A batch transaction that delivers data for transactions captured at merchant locations to the acquirer center for subsequent submission to BASE II.                                                                                                                                                                                                                                                         |
| <b>Data Capture Service</b>         | Merchants' use of electronic terminals at points-of-sale (POS) to capture sales transaction data. Clients can receive reports on transactions that have occurred at each merchant location.                                                                                                                                                                                                                 |
| <b>DBA</b>                          | The "doing business as" name of the merchant. (The DBA name is required in all BASE II records that include merchant ID to ensure cardholder recognition.)                                                                                                                                                                                                                                                  |
| <b>debit card</b>                   | A card linked to a demand deposit account, checking account, current account, negotiable order of withdrawal account, or savings account held at a financial institution, or a debit account or equivalent, as defined under applicable laws or regulations.                                                                                                                                                |

|                                   |                                                                                                                                                                                                                                                                                                                                                                                        |
|-----------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>descriptive billing</b>        | A billing method in which the cardholder receives a statement containing a descriptive section of information identifying the card acceptor (merchant, bank branch , or business location) and the nature of each charge or credit for each transaction posted to the account. Copies of the original paper are not returned to the cardholder.                                        |
| <b>designated currency</b>        | One of the currencies that may be chosen by a client for settlement and funds transfer.                                                                                                                                                                                                                                                                                                |
| <b>destination BIN</b>            | The BIN to which a BASE II transaction message is sent. DEPRECATED TERM: See <i>destination identifier</i> .                                                                                                                                                                                                                                                                           |
| <b>destination currency</b>       | The currency type presented to the client on incoming transactions. For most transactions (that is, drafts), it is the billing currency. For other transactions (for example, fee collection, dispute financials), it is the settlement currency of the destination.                                                                                                                   |
| <b>destination identifier</b>     | See acquiring identifier and/or issuing identifier.                                                                                                                                                                                                                                                                                                                                    |
| <b>dispute financial</b>          | A dispute financial provides an issuer with a way to return a disputed transaction, i.e. to reverse a sales transaction or similar item, and assign financial liability to the acquirer.                                                                                                                                                                                               |
| <b>dispute financial reversal</b> | The cancellation of a dispute financial sent in error to the acquirer center.                                                                                                                                                                                                                                                                                                          |
| <b>dispute response financial</b> | If the acquirer determines that a dispute is invalid, or if the required supporting information/documentation is missing or incomplete, the acquirer may reject the dispute and send it back to the issuer through a dispute response financial or pre-arbitration (depending on the dispute condition). The dispute response financial assigns the financial liability to the issuer. |
| <b>documentation request</b>      | See Request for Copy of transaction.                                                                                                                                                                                                                                                                                                                                                   |
| <b>draft data transaction</b>     | A BASE II financial transaction that contains data for a cardholder transaction and results in a debit or a credit to clearing clients during the settlement process.                                                                                                                                                                                                                  |
| <b>EAS</b>                        | See Visa Extended Access Server.                                                                                                                                                                                                                                                                                                                                                       |
| <b>Early Delivery Service</b>     | Option by which transaction data is delivered to the processing center before settlement is completed.                                                                                                                                                                                                                                                                                 |
| <b>Edit Package</b>               | The BASE II software Visa supplies to processors to validate interchange data, produce the file containing interchange data to be sent from the processor to Visa, and process incoming transactions received from Visa. The Edit Package is the interface between a processing center's internal processing systems and its Extended Access Server (EAS).                             |

|                                       |                                                                                                                                                                                                                                                                                                                                                                      |
|---------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Edit Package processing date</b>   | The date used by the Edit Package during a specific run. This can be the computer's system date or a date specified on the RUNDATe run control option.                                                                                                                                                                                                               |
| <b>electronic terminal</b>            | A point-of-sale terminal, an automated teller machine, or a cash dispensing machine used at the point of transaction to generate electronic impulses that are captured in computer-readable form.                                                                                                                                                                    |
| <b>Extended Access Server</b>         | See Visa Extended Access Server.                                                                                                                                                                                                                                                                                                                                     |
| <b>fee collection transaction</b>     | A BASE II transaction representing a miscellaneous financial charge assessed by one client or by Visa against another client.                                                                                                                                                                                                                                        |
| <b>File Distribution Service</b>      | The receipt of files through BASE II based on an arrangement that best meets the client's needs and processing schedules. It can distinguish and simultaneously process interchange, nonfinancial, and settlement data. It can separate report delivery from interchange processing.                                                                                 |
| <b>file header record</b>             | A record designating the beginning of a CTF or ITF. It contains the processing center ID, security code, and relevant control information.                                                                                                                                                                                                                           |
| <b>file trailer record</b>            | A record designating the end of a CTF or ITF. It contains count and monetary totals used to control the integrity of file content. A CTF is terminated with one file trailer record regardless of the number of volumes used to contain the data; an ITF on tape is terminated with a file trailer record at the end of each volume, if multiple volumes are needed. |
| <b>file transfer</b>                  | Electronic transfer of an ITF between the PC Edit Package and the VAP.                                                                                                                                                                                                                                                                                               |
| <b>financial controls</b>             | Those controls surrounding general ledger activities and procedures relating to bank card accounting.                                                                                                                                                                                                                                                                |
| <b>floor limit</b>                    | The maximum dollar amount for a transaction without having to obtain authorization.                                                                                                                                                                                                                                                                                  |
| <b>fraud advice transaction</b>       | A BASE II transaction sent by a center to notify Visa of the possible fraudulent use of a card. Sent only with outgoing interchange transactions from the issuer center.                                                                                                                                                                                             |
| <b>freeform text message</b>          | See text message.                                                                                                                                                                                                                                                                                                                                                    |
| <b>funds disbursement transaction</b> | A BASE II transaction used to transfer monetary credit from one BASE II entity to another or to reverse a fee collection transaction.                                                                                                                                                                                                                                |
| <b>History File</b>                   | The Edit Package file used to store the history of outgoing and incoming processing runs, and to control reruns and assign batch numbers for multiple daily runs.                                                                                                                                                                                                    |

|                                           |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
|-------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>host computer(s)</b>                   | The computer system used at the processing center to process BASE II interchange or V.I.P. inquiries, or both, and other authorization-related messages.                                                                                                                                                                                                                                                                                                                                                                                            |
| <b>IAF</b>                                | See International Acquiring Fee.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
| <b>ICC</b>                                | See Integrated Circuit Card.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
| <b>ICS</b>                                | See Issuers' Clearinghouse Service (ICS).                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
| <b>ICS input/response transaction</b>     | A BASE II transaction sent (input) or received (response) by a center participating in the Issuers' Clearinghouse Service.                                                                                                                                                                                                                                                                                                                                                                                                                          |
| <b>incoming interchange</b>               | All BASE II transactions transmitted from a VIC to a processing center, or the entire process of receiving incoming interchange transaction data from a VIC.                                                                                                                                                                                                                                                                                                                                                                                        |
| <b>integrated circuit card (ICC)</b>      | A plastic card embedded with a silicon chip that has greater storage capabilities than a magnetic stripe. This allows for more robust functionality and multiple accounts to reside on one physical card.                                                                                                                                                                                                                                                                                                                                           |
| <b>interchange processing</b>             | The electronic movement of transaction data between acquirers and issuers.                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
| <b>Interchange Reimbursement Fee</b>      | A fee paid by issuers and acquirers to each other for transactions entered into interchange (and their reversals) to balance the cost of doing business.                                                                                                                                                                                                                                                                                                                                                                                            |
| <b>interchange transaction</b>            | Any transaction where the client that signed the cardholder submits transactions through a different processing center than the client that signed the merchant.                                                                                                                                                                                                                                                                                                                                                                                    |
| <b>Interchange Transaction File (ITF)</b> | <p>The <i>outgoing</i> Interchange Transaction File contains transactions sent to VisaNet by an endpoint. This file may be created by the outgoing Edit Package after the endpoint's pre-edit processing, or it may be sent directly to VisaNet.</p> <p>The <i>incoming</i> Interchange Transaction File contains transactions delivered to an endpoint by VisaNet. This file may be read by the Edit Package prior to the transaction being processed by the endpoint's post-edit processing, or it may be directly processed by the endpoint.</p> |
| <b>interface transaction advice</b>       | A notice to certain non-Visa card issuers of transactions captured by Visa terminals at merchant locations. These notices are created by the terminal provider and are transmitted through the BASE II system to non-Visa card issuers.                                                                                                                                                                                                                                                                                                             |
| <b>International Acquiring Fee (IAF)</b>  | An optional regional fee paid by the acquirer when a transaction occurs outside the issuer's country. It may be assessed for Sales Draft (TC 05) original and dispute response financial, Cash Disbursement (TC 07) original and dispute response financial, TC 05 and TC 07 reversals and their V.I.P. full financial Visa or Plus Network equivalent transactions.                                                                                                                                                                                |

|                                                     |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
|-----------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>International Airline Program</b>                | A program that permits acquirers of merchants designated by Visa as international airlines to deposit transactions outside the country where the transactions occurred.                                                                                                                                                                                                                                                                                                                                                                                                                                       |
| <b>international airline transactions</b>           | International Airline Program transactions in which the issuer and merchant are not in the same country.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
| <b>International Outgoing Interchange (IOI) fee</b> | See International Acquiring Fees (IAF).                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
| <b>International Service Assessment (ISA)</b>       | The International Service Assessment (ISA) fee applies to international BASE II and V.I.P. full financial clearing transactions in which the issuer country is different from the merchant country.                                                                                                                                                                                                                                                                                                                                                                                                           |
| <b>interregional transaction</b>                    | A transaction where the merchant and issuer are not in the same Visa region.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
| <b>intraprocessor transaction</b>                   | A transaction where the acquirer and the issuer are two different clients but both are serviced by the same processor.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
| <b>intraregional transaction</b>                    | A transaction where the merchant and issuer are in the same Visa region but are not in the same country.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
| <b>IOI fee</b>                                      | See International Acquiring Fees (IAF).                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
| <b>IRF</b>                                          | See Interchange Reimbursement Fee (IRF).                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
| <b>ISA</b>                                          | See International Service Assessment (ISA).                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
| <b>issuer</b>                                       | A client financial institution that issues Visa cards. For a given transaction, the issuer is the institution that issued the card used for that transaction to the account holder. The issuer is responsible for maintaining the accounts of its account holders, for providing authorization decisions, for account holder billing, and for settlement of transactions its account holders have with merchants and cash dispensing locations of other clients. Each issuer operates or designates an issuer center to perform the functions related to clearing and settlement of interchange transactions. |
| <b>issuer center</b>                                | A BASE II processing center acting in support of one or more issuers. The processing center processes completed account holder transactions (local and interchange) for account holder account posting and billing. For completed interchange transactions, the center is also responsible for receiving and processing incoming transactions for the account holders of the issuer or issuers.                                                                                                                                                                                                               |
| <b>Issuers' Clearinghouse Service (ICS)</b>         | A service developed to curtail the fraudulent or excessive use of credit card applications, and the fraudulent use of credit cards. Issuers may access or update the ICS database through BASE II.                                                                                                                                                                                                                                                                                                                                                                                                            |
| <b>issuing BIN</b>                                  | Numeric value used to identify the issuing institution.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |

|                                           |                                                                                                                                                                                                                                                                                                                              |
|-------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>issuing identifier</b>                 | A numeric value used to define issuing processing. Multiple Issuing BINs can be linked to the same Issuing Identifier in Visa's systems.                                                                                                                                                                                     |
| <b>ITF</b>                                | See Interchange Transaction File (ITF).                                                                                                                                                                                                                                                                                      |
| <b>julian date</b>                        | A date expressed as the day's position in a year rather than in a particular month. The format is YDDD or YYDDD.                                                                                                                                                                                                             |
| <b>local airline transaction</b>          | International Airline Program transactions in which the issuer and merchant are in the same country.                                                                                                                                                                                                                         |
| <b>mark</b>                               | A word, name, design, symbol, distinctive sign, animation, sound, haptic, other designation, or any combination thereof, that Visa or any entity adopts to identify its goods or services.                                                                                                                                   |
| <b>media request</b>                      | See Request for Copy transaction.                                                                                                                                                                                                                                                                                            |
| <b>member settlement data transaction</b> | An incoming transaction used to transmit settlement report data in machine-readable format.                                                                                                                                                                                                                                  |
| <b>merchant batch header record</b>       | The header record in a data capture advice that carries merchant batch data.                                                                                                                                                                                                                                                 |
| <b>merchant batch trailer record</b>      | The trailer record in a data capture advice that carries merchant batch data.                                                                                                                                                                                                                                                |
| <b>Merchant Mailing File (MMF)</b>        | A file at the VIC containing the names, addresses, and other pertinent information for merchants who receive the Card Recovery Bulletin.                                                                                                                                                                                     |
| <b>Merchant Mailing File transaction</b>  | The BASE II transaction used by processing centers to update the Merchant Master File. It is transmitted from acquirer centers to a VIC.                                                                                                                                                                                     |
| <b>Merchant Master File</b>               | A computer record of information on all merchants serviced by a center. This file is maintained at the processing center.                                                                                                                                                                                                    |
| <b>merchant processing center</b>         | See acquirer center.                                                                                                                                                                                                                                                                                                         |
| <b>multicurrency clearing</b>             | The clearing of transactions where clients enter financial transactions into BASE II in the currency as signed by the cardholder, and receive cleared transactions converted to the issuer's billing currency. This results in uniform conversion rates for all issuers for the processing day.                              |
| <b>National Net interchange</b>           | Transactions that are exchanged between processing centers whose issuers and acquirers are located in the same country where settlement is accomplished through a central agent bank for each country using the service. BASE II clears the transactions and records transaction totals on National Net interchange reports. |
| <b>national settlement transaction</b>    | A National Net transaction.                                                                                                                                                                                                                                                                                                  |

|                                 |                                                                                                                                                                                                                                                                                                                                                                                                          |
|---------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>National Transaction</b>     | A transaction in which the merchant, issuer, and acquirer are all in the same country.                                                                                                                                                                                                                                                                                                                   |
| <b>net settlement amount</b>    | The currency amount representing the difference between a settlement entity's outgoing and incoming interchange for a given day, plus or minus fees and charges. May be a debit or credit.                                                                                                                                                                                                               |
| <b>nonfinancial transaction</b> | A nonmonetary transaction that supports the bankcard business. For example, a request or confirmation of a photocopy, freeform message, BASE I Advice record, Merchant Mailing File update, data capture advice, and Issuers' Clearing Service inquiry or response.                                                                                                                                      |
| <b>on-us transactions</b>       | Drafts, vouchers and other items where the client that signed the merchant also signed the cardholder, or where the client that signed the merchant and the client that issued the card have both designated the same processing center.                                                                                                                                                                 |
| <b>Optional Issuer Fee</b>      | See Visa Issuer FX Calculator                                                                                                                                                                                                                                                                                                                                                                            |
| <b>original transaction</b>     | In the BASE II System, the first presentation of a purchase, credit, or cash advance submitted into interchange.                                                                                                                                                                                                                                                                                         |
| <b>original/photocopy</b>       | See copy/original.                                                                                                                                                                                                                                                                                                                                                                                       |
| <b>outgoing interchange</b>     | All BASE II transactions transmitted from a client's processing center to a VIC. Both acquirer and issuer centers send outgoing interchange.                                                                                                                                                                                                                                                             |
| <b>payment credential</b>       | A number or other credential that identifies an account of a cardholder for use in a transaction.                                                                                                                                                                                                                                                                                                        |
| <b>Plus</b>                     | An automatic teller machine (ATM) network to which Visa clients have access.                                                                                                                                                                                                                                                                                                                             |
| <b>Plus Identifier File</b>     | A file containing Plus table update records that is created through incoming Edit Package processing for all clients subscribing to the Plus ATM system. The Plus Table contains identifier numbers of Plus card issuers.                                                                                                                                                                                |
| <b>post-edit program</b>        | Software written and maintained by a processing center to restructure an incoming Center Transaction File into a format acceptable for the local posting and billing process and to apply client-unique edit criteria against the transactions. This program is executed following the incoming Edit Package run.                                                                                        |
| <b>pre-edit program</b>         | Software written and maintained by a processing center to separate on-us items from interchange items and to apply client-unique edit criteria against the transactions. This program also formats outgoing interchange into the outgoing Center Transaction File for processing by the Edit Package according to BASE II specifications. This program is executed before the outgoing Edit Package run. |

|                                           |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
|-------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>prepaid card</b>                       | A card linked to a reloadable or nonreloadable prefunded account, or a prepaid account or equivalent as defined under applicable laws or regulations.                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
| <b>presentation</b>                       | See presentment.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
| <b>presentment</b>                        | Paper (or a transaction) submitted for the first time by an acquirer to an issuer and processed through VisaNet interchange.                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
| <b>processing center</b>                  | The entity, operated or designated by a clearing client of Visa, responsible for processing of interchange transactions. It executes the Edit Package and the pre- or post-edit programs, or both, and sends and receives interchange transactions to and from a VIC. A single processing center may function as an acquirer center, an issuer center, or both. It performs interchange transaction services for one client or a multiple number of clients. Most BASE II processing centers are operated by Visa clients; nonmember processing centers may be authorized to process Visa transactions. |
| <b>processing date</b>                    | See central processing date (CPD) or Edit Package processing date.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
| <b>proof and capture</b>                  | The process of determining that each deposit or group of deposits balances, and the process of recording standard information from each draft, voucher, and transaction in a form acceptable for editing and processing.                                                                                                                                                                                                                                                                                                                                                                                |
| <b>PSIRF</b>                              | See Payment Service Interchange Reimbursement Fee (PSIRF).                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| <b>RCRF</b>                               | See Regional Card Recovery File (RCRF).                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
| <b>Regional Card Recovery File (RCRF)</b> | A file of cardholder account records, created by Visa every week for international users, that contains all V.I.P. Exception File pickup accounts coded for a given CRB region, plus specified "Region 0" accounts listed by issuers in that CRB region. Users receive an RCRF as part of the incoming BASE II interchange transaction file.                                                                                                                                                                                                                                                            |
| <b>reimbursement attribute</b>            | A one-digit alphanumeric code designating reimbursement fees applicable to a specific transaction.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
| <b>Interchange Transaction File</b>       | The standard input/output data medium for the BASE II Interchange Control System (ICS). All output from BASE II is delivered to the Visa client on an incoming ITF. All input to BASE II is sent from the member to the ICS on an outgoing ITF.                                                                                                                                                                                                                                                                                                                                                         |
| <b>rejected batch</b>                     | An interchange batch that is not accepted by the VIC due to an error in the audit integrity of that batch.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |



|                                     |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
|-------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>rejected transaction</b>         | An outgoing BASE II transaction record in which the Edit Package detected an error that affects the financial integrity of the batch. The Edit Package excludes such transactions from outgoing interchange, that is, the transaction is not included in the outgoing Interchange Transaction File forwarded to a VIC. (The batch is not rejected; all valid transactions in the batch are included in the outgoing Interchange Transaction File.) Unless the transaction is a batch or file trailer record, the run aborts.                                                                        |
| <b>re-presentment</b>               | Paper (or a transaction) submitted by an acquirer to an issuer for a second time, following receipt of a chargeback. This is a deprecated term. See current, dispute response financial.                                                                                                                                                                                                                                                                                                                                                                                                            |
| <b>Request for Copy transaction</b> | A transaction generated when an issuer requests for a copy of the original transaction, followed by a confirmation that records the sending of the copy. Also known as a documentation or media request.                                                                                                                                                                                                                                                                                                                                                                                            |
| <b>returned transaction</b>         | A cardholder transaction record in which the VIC edit function detected an error that does not violate the financial integrity of the batch. When such an error is detected, the transaction is included in the outgoing batch interchange totals (in a separate category), but it is not forwarded to the issuer center. The transaction is placed in a new BASE II transaction, with a new transaction code, and returned to the originating center with incoming interchange. (On the incoming reports for an originating center, the transactions appear in both outgoing and incoming totals.) |
| <b>reversal</b>                     | A BASE II transaction used to negate or cancel a transaction that has been sent through interchange in error.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
| <b>Settlement</b>                   | The actual transfer of funds from the issuing bank to the acquiring bank through a wire transfer to a settlement account, and the total amount owed by one Visa client to another. See also net settlement amount.                                                                                                                                                                                                                                                                                                                                                                                  |
| <b>settlement currency</b>          | The currency used by the BASE II System to calculate a settlement entity's daily net settlement position.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
| <b>Single Message System (SMS)</b>  | See V.I.P. System.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
| <b>source BIN</b>                   | The BIN from which a BASE II transaction message is sent. This is a deprecated term. See current, source identifier.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
| <b>source currency</b>              | The currency type associated with the amount of a transaction entered into interchange.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
| <b>source identifier</b>            | See acquiring identifier and/or issuing identifier.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
| <b>special airline fee</b>          | A fee charged on transactions from International Airlines when the issuer, acquirer, and transaction countries are different entities. This fee is collected instead of the IAF fee, and is paid to the transaction region.                                                                                                                                                                                                                                                                                                                                                                         |

|                                                           |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
|-----------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Stand-In Processor (STIP)</b>                          | <i>For V.I.P. processing.</i> The function operating at all VICs that provides authorization decisions on behalf of card issuers. It acts for transactions in amounts below the issuer limit, when the issuer center is unavailable, when a request sent to the issuer center times out, or when a local switch request STIP processing.                                                                                                                                            |
| <b>STIP</b>                                               | See Stand-In Processor (STIP) and Stand-In Processing (STIP).                                                                                                                                                                                                                                                                                                                                                                                                                       |
| <b>stored credential</b>                                  | Information (including, but not limited to, a payment credential) stored by a merchant or its agent, a payment facilitator, or a staged digital wallet operator to process future transactions.                                                                                                                                                                                                                                                                                     |
| <b>substitute draft or substitute transaction receipt</b> | A computer-generated version of a sales draft, including items such as account number, merchant name and location, purchase date, transaction amount, authorization code, and a description of the goods and services.                                                                                                                                                                                                                                                              |
| <b>suspense</b>                                           | A series of general ledger accounts containing drafts and vouchers and other items that have been rejected by either the processing center's editing programs or the Edit Package.                                                                                                                                                                                                                                                                                                  |
| <b>system log</b>                                         | A VAP disk file that contains messages recording significant events related to BASE II operations, including net settlement information and all operator actions and their acknowledgments. (All valid dial terminal inquiries and responses and the error messages generated by all VAP subsystems are also included.) When BASE II transmission to or from the VIC completes, the log can be archived to the center's host computer and center-designed reports may be generated. |
| <b>TCR</b>                                                | See Transaction Component Record (TCR).                                                                                                                                                                                                                                                                                                                                                                                                                                             |
| <b>text message</b>                                       | An unformatted message exchanged between processing centers, or sent by Visa, through the BASE II System.                                                                                                                                                                                                                                                                                                                                                                           |
| <b>third-party processor</b>                              | See processing center.                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| <b>token</b>                                              | A type of payment credential issued in accordance with the <i>EMV Payment Tokenization Specification</i> .                                                                                                                                                                                                                                                                                                                                                                          |
| <b>transaction</b>                                        | <p><i>BASE II transaction.</i> The record or records that make up a single financial, administrative, or text message, as required for transmission between a processing center and a VIC. BASE II transactions are identified by transaction codes.</p> <p><i>Cardholder transaction.</i> The use of a payment credential to make a payment or otherwise exchange value between a cardholder (or an issuer) and a merchant (or an acquirer).</p>                                   |
| <b>Transaction Charges</b>                                | Charges paid by clients to Visa for processing services. Transaction charges vary depending on transaction type and volume.                                                                                                                                                                                                                                                                                                                                                         |

|                                                           |                                                                                                                                                                                                                                                                                                                                                                                                                     |
|-----------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Transaction Code (TC)</b>                              | A two-digit code that identifies a specific type of BASE II transaction.                                                                                                                                                                                                                                                                                                                                            |
| <b>Transaction Component Record (TCR)</b>                 | A fixed-length record used to contain a component portion of a BASE II transaction. A single BASE II transaction may consist of multiple TCRs.                                                                                                                                                                                                                                                                      |
| <b>transaction component sequence number</b>              | A single digit placed in each TCR so multiple records (TCRs) can be combined into a single BASE II transaction.                                                                                                                                                                                                                                                                                                     |
| <b>transaction currency</b>                               | The currency of the purchase, as agreed to by the cardholder and the merchant.                                                                                                                                                                                                                                                                                                                                      |
| <b>V.I.P. System</b>                                      | An electronic data transmission system for the real-time delivery and processing of messages related to authorization of bank, T&E, private label, and proprietary card and check acceptance transactions. It accepts authorization requests from acquirer and merchant authorization centers and either provides authorization decisions or secures authorization decisions from the issuer authorization centers. |
| <b>VAP</b>                                                | See VisaNet Access Point (VAP).                                                                                                                                                                                                                                                                                                                                                                                     |
| <b>VIC</b>                                                | See VisaNet Interchange Center (VIC).                                                                                                                                                                                                                                                                                                                                                                               |
| <b>VIC processing date</b>                                | See central processing date (CPD).                                                                                                                                                                                                                                                                                                                                                                                  |
| <b>VID Table</b>                                          | See Visa Identifier (VID) Table.                                                                                                                                                                                                                                                                                                                                                                                    |
| <b>VID Table File</b>                                     | The permanent file for a VID table, which is used to control the accuracy of Edit Package processing. The table contains all valid Acquiring/Issuing identifiers and their BASE II processing status codes.                                                                                                                                                                                                         |
| <b>Visa card</b>                                          | A card that bears the Visa brand mark.                                                                                                                                                                                                                                                                                                                                                                              |
| <b>Visa Extended Access Server</b>                        | The Visa Extended Access Server is the next-generation gateway to Visa products and services, replacing legacy VisaNet Access Points. The EA Server offers improved security and a flexible platform for future updates.                                                                                                                                                                                            |
| <b>Visa Identifier (VID) Table</b>                        | Visa Identifier (VID) table, formally known as BIN table.                                                                                                                                                                                                                                                                                                                                                           |
| <b>Visa Issuer FX Calculator (formerly known as OIF):</b> | Visa calculates an optional issuer-determined amount for multicurrency and/or cross-border transactions if requested by the issuer. This value is calculated based on the percentage rate specified by the issuer and added to the billing amount. The value is informational only and not included in the settlement amount.                                                                                       |

|                                                             |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
|-------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Visa Resolve Online (VROL)</b>                           | Visa Resolve Online provides dispute management services, including transaction research, for example, for cardholder queries, dispute questionnaires to collect relevant customer information and documentation, financial transaction processing (both BASE II and V.I.P. full-financial) for disputes, fraud reporting, Account Screen Authorization file (ASAF), stop payments, and case filing (arbitration and compliance) capabilities. Visa Resolve Online identifies associated transactions, for example, credits, adjustments, and consolidates the dispute history in case folders. To access Visa Resolve Online a client may use either the VROL user interface accessed through Visa Access or a web-service-API system interface (Real Time System Interface - RTSI). |
| <b>Visa Smart Debit/Visa Smart Credit (VSDC)</b>            | A payment service involving the use of chip cards and chip capable card acceptance devices providing a variety of features to support offline authorization, protect against fraud, enhance cardholder verification, and provide a platform for multifunction programs.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
| <b>VisaNet Access Point (VAP)</b>                           | An IBM personal computer supplied by Visa, at which the VisaNet network is accessed electronically by a processing center. A VAP is in direct communication with a VIC. BASE II data are generally transmitted or received through a VAP.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
| <b>VisaNet Copy Request and Fulfillment Service (VCRFS)</b> | An automated service that facilitates the exchange of copy requests and their fulfillments through VisaNet.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
| <b>VisaNet Interchange Center (VIC)</b>                     | The computers and all associated peripheral devices and telecommunications support facilities needed for the V.I.P. System, the BASE II System, related systems, and backup for these systems.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
| <b>warehoused transactions</b>                              | Transactions received at the VIC after the settlement window closes. These transactions are held over for next-day settlement at the new rates.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |